

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
636358	GAUGE, PRESSURE: RANGE 0-4BAR,FILLED NON	1.00	101	ST
582987	LIGHT,INDICATING:TYP LED	29.00	021	ST
512300	BALLAST:TYP ELECTRONIC	100.00	021	EA
610308	VLV-GLB;DN 80MM,PN 16	5.00	051	ST
824609	SNSR;ROOM TEMPERATURE,0-50°C,24V AC	4.00	061	EA
593777	O-RING:ID 29.2MM,WD 3MM,MT NBR	4.00	051	ST
605912	CIRCUIT: TYP INTERFACE BOARD,P/N:1370	1.00	011	ST
598283	BRG,ROLL:	1.00	051	ST
1586341	PLT-MTLC:SZ WD 2000 X LG 6000 X THK 5MM	1.00	131	EA
905088	GEARBOX:RATIO 35.1,SP 1485RPM	1.00	081	ST
641204	PACKING: MNFR:ZIMMER AG, REF#: AB-6515	4.00	051	ST1
592474	GSKT-PRE-CUT;ID 38 X OD 52 X THK 2MM	13.00	051	ST
607849	INSERT:CARBIDE	10.00	051	ST
605878	CPCTR;FIXED,22MICRO F,16V DC,20	15.00	031	ST
590310	RELAY:COIL 24VAC,4PDT	2.00	011	ST
641148	TRANSFORMER:TYP CURRENT,FREQ 60 HZ	12.00	011	ST
581723	HOSE: SIZE ID 3/4 IN X LG 10M	6.00	051	M
605887	CPCTR;FIXED,47MICRO F,35V DC,20	15.00	031	ST
1023640	CONVERTER, SIGNAL: APPL LCAS,STD CE	5.00	061	EA
1635319	CAP-PIPE;3IN,SW,CS ASTM A105,3000 LB	4.00	051	EA
595208	GSKT-PRE-CUT;ID 180 X OD 240 X THK 2MM	2.00	051	ST
607829	INSERT:CARBIDE	20.00	051	ST
606287	NUT-HXGN;1/4IN,STEEL,1/4IN,UNF 28TPI	13.00	051	ST
608712	SHEET:WD 1000 X LG 2000 X THK 8MM	19.00	131	ST
1651591	PIPE-MTLC;16IN,20,7.9248MM,6000MM,B	1.00	051	EA
582037	PUMP:TYP WATER-COOLING SYSTEM	1.00	081	ST
607837	INSRT;CARBIDE	20.00	051	ST
908442	BODY:TYP CELL	1.00	081	EA
1574937	DPHRGM-RGULTR:TYP AIR REGULATOR,SZ 1IN,M	3.00	061	EA
609071	RING:ID 60 X OD 93 X THK 32MM,TYP MOVING	1.00	051	ST
753937	VALVE,BALL:VLV SZ 1/2IN,DES RTG 150LB	1.00	051	ST
609054	WASHER:SILICON	1.00	051	ST
598399	BRG,ROLL:	1.00	051	ST
635433	REGULATOR:TYP PRESSURE	1.00	061	ST
908825	SEAL,RING:TYP SPRING LOADED	3.00	051	EA
605880	CPCTR;FIXED,10MICRO F,16V DC,20	15.00	031	ST
577489	BRG,BALL:IBI 14461,ID 70MM,OD 150MM,WD	3.00	051	ST
424104	BRG-SLV;65MM,BUSHING,80MM,60MM,PA6	1.00	051	ST
609073	KIT:TYP BEARING AND SEAL	1.00	081	ST1
867614	DISPLAY UNIT,DATA:TYP DIGITAL,SIZE 157 X	1.00	051	ST
595090	SEAL,OIL:ID 20MM,OD 28MM,WD 5MM	1.00	051	ST
597568	VALVE:TYP INLET	3.00	051	ST
613280	CABLE,COAXIAL:COPPER	9.00	021	M
592507	GSKT-PRE-CUT;COVER,ROUND,ASBESTOS	2.00	051	ST
1577397	KIT-VLV-RPR:TYP SOFT GOOD,APL BUTTERFLY	3.00	051	KIT
590522	RLY	3.00	011	ST
1071090	RELAY:COIL V 28VDC,CNTCT RT 300 VAC; 40A	3.00	011	EA
609050	GSKT PRE-CUT :SILICON,FLAT SEALING	1.00	051	ST
632047	GSKT PRE-CUT :P#1200-S,BONNET,6IN	1.00	051	ST
604793	FUSE;QUICK ACTING,2A,500V AC,CERAMIC,UL	12.00	021	ST
1071177	CONTACTOR: TYP SWITCH,LINE VOLTAGE 24VDC	3.00	011	EA
597051	SPRG-VLV;AS,61MM,OD 17MM	1.00	051	ST
604815	FUSE;QUICK ACTING,0.25A,CERAMIC,FERRULE	5.00	021	ST
593211	GSKT PRE-CUT :ID 54 X OD 70 X THK 2MM	2.00	051	ST
604829	FUSE;ANTI SURGE,10A,250V AC,CERAMIC	10.00	021	ST
617879	SHAFT:STUB	1.00	051	ST
609080	IDLR-SPRCKT;LG 1423MM	1.00	051	ST
742288	DISC:G-CUSN10ZN	2.00	051	ST
271323	RING,CIRCLIP:INTERNAL,110MM	2.00	051	EA
28582	REDUCER,PIPE:SZ 8 X 6IN,BW,CS ASTM A234	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
578399	KIT:TYP GLAND PACKING	1.00	081	ST1
592774	GSKT PRE-CUT :THK 1/16IN,REINZ AFM 30,RF	2.00	051	ST
613320	CIRCLIP:TYP EXTERNAL,SZ ID 45 X THK	9.00	051	ST
609051	PLATE:P/N 2460221	1.00	131	ST
603362	CABLE,CONTROL:2 CORE CU,22AWG	4.00	021	ST
1575647	VLV-BUTRFLY:TYP LUGGED,BDY MTRL AL BRONZ	3.00	051	EA
580589	BUSH;SHAFT,PNEUMATIC CONVEYING SYSTEM	4.00	051	ST
579521	SWITCH,PROXIMITY:10-60VDC 400MA	1.00	011	ST
617440	COUPLING,SHAFT:JAW FLEXIBLE,OD 97MM	2.00	051	ST1
725214	SPRING:NO. 1.1200,SPRING STEEL; RUST	1.00	051	ST
604801	FUSE;QUICK ACTING,8A,125V AC,GLASS	4.00	021	ST
1604646	WIRE-WLDG:TYP TIG,STYL AWS ER347,MTRL ER	2.00	051	EA
598553	BELT,V:OC 570MM,TOP WD 30MM,THK 5MM,MT	2.00	051	ST
763072	KIT,CYLINDER REPAIR:SEALS	4.00	091	SE
592454	GSKT-PRE-CUT;COVER,ROUND,100BAR	1.00	051	ST
594694	CIRCLIP:STD DIN 5412	3.00	051	ST
595287	SEAL:APLC TRANSMISSION	3.00	051	ST
593427	GSKT:BOSS CONTAINER HANDLER	1.00	051	ST
586594	DTCTR-RSTNC-TMPRTUR	1.00	101	ST
607704	COUPLING:	3.00	051	ST1
1651592	FTG-OUTLT;WELDOLET,BW,30IN,SCH 40,2IN	1.00	051	EA
618825	ACTUTR-HYDRULC;CONTROL VALVE	9.00	061	ST
587690	KIT:TYP SEAT	1.00	051	ST
596595	DISC:	1.00	051	ST
578693	BRAKE:TYP PARKING	1.00	051	ST
598566	BELT,V:IN CIRC 762MM,OC 775MM	3.00	051	ST
608135	ELBOW,PIPE:SZ 1IN,ASTM D-2467/PVC,45	3.00	051	ST
1192444	VALVE:TYP DRAINING,VALVE SIZE 1IN,BODY M	1.00	051	EA
592817	GSKT PRE-CUT :ID 38 X OD 44 X THK 2 MM	2.00	051	ST
579870	KNOB:	5.00	141	ST
618739	BREAKER,CIRCUIT:400A,690/750VAC; 500VDC	2.00	011	ST
605762	TRANSFORMER:TYP CONTROL,VA RT 500VA,PRIM	1.00	011	ST
169576	PLATE,METAL:	1.00	131	EA
604046	BREAKER,CIRCUIT:230/400VAC,POLE 1	2.00	011	ST
1037131	VLV-ANGL:VLV SZ 3 X 2-1/2IN,DSGN RTNG 30	14.00	051	EA
593245	GSKT:ID 150 X OD 172MM,ROUND	1.00	051	ST
578261	KIT,SEAL:APLC CONTAINER HANDLER	2.00	051	ST
596598	DISC:	1.00	051	ST
607857	INSERT:CARBIDE	20.00	051	ST
580137	BLST;COMPACT FLOURESCENT LAMP,(1) 11W	8.00	021	ST
580982	PLUG-ELECT;250VAC 10A,21,21	2.00	021	ST
956480	VALVE, NEEDLE: VALVE SIZE 3/4IN,STYLE BB	1.00	051	EA
592667	GSKT,SPWD:DN 32,PN 10-40,GRAPHITE	175.00	051	ST
642450	PACKING:GRAPHITE	4.00	051	ST1
595290	SEAL:APLC TILT CYLINDER	3.00	051	ST
963197	BREAKER, CIRCUIT: AMPERAGE 630A,POLE 3	1.00	011	ST
603356	CBL;FLEXIBLE,LG 100M/ROL,CU/PVC	1.00	021	RE
603710	CNCTR-LUG;SPADE,1 X 0.5-1.5MM2,CRIMP	79.00	021	ST
1063282	CIRCUIT: TYP PCB,APPL ELEVATOR	2.00	011	EA
580009	LAMP,HID:TYP HIGH PRESSURE SODIUM VAPOUR	4.00	021	ST
1008045	GAUGE, PRESSURE: RANGE 0-6BAR,MOUNT STEM	1.00	101	EA
1061787	UNIT: TYP OPTIDIST,P/N:2001-004-012	1.00	051	ST
1007142	SHAFT, PUMP: P/N:659873, EQUIP MDL#:	1.00	051	EA
579474	SENSOR:TYP POTENTIOSTAT	1.00	011	ST
1012968	BRG, BALL: INSIDE DIAMETER 20MM	2.00	051	EA
598071	BRG-RLR;CYLINDRICAL,SINGLE,30MM,62MM	5.00	051	ST
608028	SPACER:SZ 18MM	1.00	051	ST
592771	GSKT PRE-CUT :THK 1/16IN	3.00	051	ST
594272	PCKG;ID 30 X OD 46 X THK 8MM,GRAPHITE	5.00	051	ST
586569	BRG,BALL:ID 20MM,ST 2 SEALS,ROW SINGLE	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1218686	CHS;CHASSIS WITH LASER DETECTOR CHAMBER	1.00	031	EA
644542	GSKT PRE-CUT :ID 90 X OD 142MM	4.00	051	ST
592508	GSKT-PRE-CUT;COVER,ROUND	1.00	051	ST
604746	FUSE:100A,550VAC,DIA 3/4 X LG 3-1/2IN	17.00	021	ST
594102	O-RING:APLC SEAL	3.00	051	ST
598430	BRG,BALL:IBI 10169,ID 8MM,OD 22MM,WD 7MM	21.00	051	ST
979111	RLY-OVRLD:TYP 3 POLE THERMAL,CNTCT ARNG	2.00	011	EA
583190	BALLAST:TYP MERCURY VAPOUR/METAL HALIDE	3.00	021	ST
644921	GSKT PRE-CUT :GRAPHITE,ROUND,DN 200	4.00	051	ST
606055	RESISTOR:	1.00	031	ST
580649	BODY,VALVE:VLV ST BUTTERFLY,VLV SZ 150MM	3.00	051	ST
596759	FILTER,OIL:STEEL,DIA 95 X HT 135MM,SPIN	4.00	051	ST
1504761	UNION,TUBE BULKHEAD:MATL SS,SIZE 14MM,PR	2.00	051	EA
580578	BUSH;SHAFT,PNEUMATIC CONVEYING SYSTEM	6.00	051	ST
592664	GSKT,SPWD:150MM,NON ASBESTOS	248.00	051	ST
593426	GSKT PRE-CUT :	4.00	051	ST
586054	GLAND,PACKING:TYP YOKE	1.00	051	ST
607847	INSERT:CARBIDE	14.00	051	ST
604826	FUSE;ANTI SURGE,3.15A,250V AC,CERAMIC	14.00	021	ST
592471	GSKT PRE-CUT :ID 232 X OD 256 X THK 1MM	2.00	051	ST
604823	FUSE;ANTI SURGE,0.8A,250V AC,CERAMIC	15.00	021	ST
608490	GSKT:BEZEL	1.00	051	ST
617632	RTR;CUTTING	2.00	900	ST
611058	GSKT PRE-CUT :THK 5MM,RUBBER,RF,1IN	88.00	051	ST
594690	CIRCLIP:TYP EXTERNAL	6.00	051	ST
607839	INSERT:CARBIDE	20.00	051	ST
604791	FUSE;ULTRA FAST BLOW,4A,250V AC,CERAMIC	5.00	021	ST
735564	CASING,PUMP:TYP VOLUTE	1.00	081	ST
633068	DETECTOR,FIRE PROTECTION:TYP TEMPERATURE	1.00	121	ST
1602690	UN-PIPE:SZ 3 X 2IN,CNCT NPT,MTRL CS ASTM	1.00	051	EA
609074	ROTOR:TYP MEASURING	1.00	081	ST
597318	VALVE,CHECK:TYP BALL,VALVE SIZE 14MM,BOD	2.00	051	ST
587689	KIT-VLV-RPR:TYP SOFT PART,APL BUTTERFLY	1.00	051	KIT
642801	VALVE,BALL:VLV SZ DN 1-1/2IN	1.00	051	ST
1034097	VALVE, GATE: VALVE SIZE 1IN,CNCT NPT	1.00	051	EA
1024407	ASSEMBLY: TYP BRAKE PARKING,MNFR:BOSS	1.00	081	ASY
607879	INSERT:CARBIDE	20.00	051	ST
603535	STRAP:TYP PIPE	1.00	001	ST
592398	GSKT-PRE-CUT;RECTANGULAR,NON ASBESTOS	2.00	051	ST
605557	SWITCH:TYP ROTATING	1.00	021	ST
589173	CONNECTOR,COMMUNICATIONS:35 WAY	12.00	031	ST
1599057	STN:TYP CONTROL PENDANT,SZ LG 450MM,MTRL	2.00	011	EA
1071178	CONTACTOR: TYP SWITCH,LINE VOLTAGE 24VDC	3.00	011	EA
1523639	BREAKER,CIRCUIT:AMPERAGE 250A,VOLTAGE 69	1.00	011	EA
735222	DRIVE,DISK:TYP HARD DISK,CAP 50 MB	1.00	141	EA
581414	CIRCUIT:TYP SIS CARD	1.00	011	ST
610603	SWTCH-PRSUR;OIL FAILURE	1.00	061	ST
1249860	PIPE MTLCL:NMNL PIPE SZ DSGNTN 3/4IN,MTR	153.00	131	EA
644552	GSKT PRE-CUT :ID 140 X OD 192MM	21.00	051	ST
596732	FILTER,ELEMENT:SS	2.00	051	ST
805342	GSKT PRE-CUT :ID 110 X OD 126 X THK 20MM	1.00	051	ST
592748	GSKT PRE-CUT :THK 2MM	5.00	051	ST
595388	GSKT-PRE-CUT;ROUND	1.00	051	ST
607874	INSERT:CARBIDE	20.00	051	ST
594881	RTNR	1.00	051	ST
595088	SEAL;ID 305 X OD 355 X THK 67MM,RUBBER	1.00	051	ST
569287	ANTENNA:TYP UHF WHIP,SZ 17CM	13.00	031	EA
644717	GSKT PRE-CUT :THK 1/16IN	5.00	051	ST
578258	KIT,SEAL:APLC CONTAINER HANDLER	2.00	051	ST
1206118	MODULE:TYP DIGITAL OUTPUT ,O/P 24VDC,PWR	2.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
579412	DIAPHRAGM:TYP MEMBRANE	2.00	051	ST
595387	SEAL-RIG;14.0,18.7,1.5,USIT	7.00	051	ST
287630	REGULATOR, PNEUMATIC: TYP OXYGEN ,STD UL	3.00	061	EA
1602499	CAP-PIPE:SZ 14IN,CNCT BW,MTRL SS ASTM A4	2.00	131	EA
617442	RING:TYP INTERMEDIATE	2.00	051	ST
618467	GSKT;SEAL RING,ROUND	13.00	051	ST
607853	INSERT:CARBIDE	20.00	051	ST
1028939	JOINT, EXPANSION: TYP COMPENSATOR	2.00	051	EA
580168	OIL,AUTOMOTIVE:TYP BRAKE AND CLUTCH	20.00	001	CA
943195	ELMNTR MIST,ELMNTR MIST:MTL SS 304	1.00	051	ST1
594100	O-RING:APLC CONTAINER HANDLER	1.00	051	ST
596922	GASKET,PRE-CUT:MT NBR	2.00	051	ST
595270	SEAL:	1.00	051	ST
1248651	KIT,VALVE REPAIR:TYP MAINTENANCE,OPRTG P	1.00	051	KIT
600795	GSKT-PRE-CUT:TYP RF, SZ ID 114.3 X OD 180	6.00	051	ST
580723	COVER:TYP BLANK	22.00	051	ST
872260	SEAL,RING:MATL SS UNS S31803 WITH GRAPHI	1.00	051	EA
1030986	VALVE, GLOBE: VALVE SIZE DN 40,CNCT BW	1.00	051	EA
585898	VALVE,BALL:VLV SZ 1/4IN,BDY MATL PVDF	1.00	051	ST
588568	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	ST1
593455	GSKT PRE-CUT :SIZE ID 274 X OD 283.5 X T	6.00	051	ST
594611	RING:TURCON	1.00	051	ST
641195	PACKING: SHAP ROUND,TYP GLAND	1.00	051	ST1
592575	GSKT-JCKTD;AL,GRAPHITE,ROUND	5.00	051	ST
605387	SWTCH-PUSH;660V 10A,DPDT,2NO-2NC,PANEL	1.00	021	ST
604825	FUSE;ANTI SURGE,2A,250V AC,CERAMIC	9.00	021	ST
607845	INSERT:CARBIDE	20.00	051	ST
549160	UNIT:TYP TONE MESSAGING,APL PABX SYSTEM	1.00	051	EA
604693	FUSE:100A,500VAC,BLADE,GENERAL PURPOSE	11.00	021	ST
1079608	CONTACTOR: TYP ARMATURE	1.00	011	EA
611147	GSKT PRE-CUT :GRAPHITE/NON ASBESTOS,RF	221.00	051	ST
607863	INSERT:CARBIDE	20.00	051	ST
637300	PULY;DRIVE	1.00	051	ST1
1031714	RING: TYP BEARING SHOULDER,P/N:606367	4.00	051	ST
578448	O-RING SET:APLC RELIEF CHECK VALVE	1.00	051	ST1
619011	O-RING:ID 22MM	9.00	051	ST1
707465	CIRCUIT:TYP NETWORK CONTROLLER	2.00	011	EA
595236	GSKT PRE-CUT :ID 20 X OD 26MM,ROUND,SEAL	6.00	051	ST
607466	CAP,PIPE:SZ 1IN,CONN THD,MT CS,RT 3000LB	10.00	131	ST
83310	CAP,PIPE:SZ 1IN,CONN SW,MT CS ASTM A105	5.00	131	ST
596597	DISC:	1.00	051	ST
1009174	CIRCUIT: APPL HAND HELD RADIO	2.00	011	EA
608771	SPACER:	1.00	051	ST
798988	SWTCH-PUSH;DIA 40MM,1NO+1NC,RED,MUSHROOM	5.00	021	ST
580801	PLATE:TYP SUPPORT, SZ ID 80 X THK 6MM,CS	8.00	131	ST
596596	DISC:	1.00	051	ST
607527	COUPLING,HOSE:SZ 1/2IN,CONN TWIST CLOCK	50.00	051	ST
644395	BOLT,UPSET:M24,210MM,GS,THD 3MM	2.00	051	ST
581580	MODULE:TYP EXTINGUISHING	2.00	011	ST
165192	BLWS:MTRL SS 316L,P/N:S64446,MNFR:EMERSO	1.00	051	EA
609059	RING:TYP TENSION	1.00	051	ST
598290	BRG,BALL:	1.00	051	ST
603376	CABLE:TYP FLEXIBLE, SZ LG 100M/ROLL	1.00	021	ROL
580811	LENS-SFTY-EQUPMNT;COVER,CLEAR,GLASS	60.00	121	ST
594878	RIG-RTNG;EXTERNAL	2.00	051	ST
1033416	READER, CARD: TYP PROXIMITY,MNFR:LENEL	1.00	031	EA
1594299	VLV-CHCK:TYPE DUO-CHECK,TYPE 16IN,TYPE 1	1.00	051	EA
632577	CELL,PHOTOELECTRIC:	2.00	011	ST
607875	INSERT:CARBIDE	20.00	051	ST
617617	KIT: TYPE COUPLING	1.00	081	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
641162	PACKING:TYP GLAND	4.00	051	ST
607259	ADAPTOR,TUBE:INLET 1/2IN,INLET FEMALE,O	4.00	051	ST
596768	FILTER:TYP TRANSMISSION	3.00	051	ST
589378	BREAKER,CIRCUIT:40A,277/480VAC 50/60HZ	1.00	011	ST
641185	PACKING: SHAP ROUND,TYP GLAND	4.00	051	ST1
590876	SWITCH,LIMIT:SPDT,230VAC 6A	1.00	061	ST
912511	SWITCH,NETWORK:TYP ETHERNET,(24) RJ45	1.00	031	EA
1024970	TRANSMITTER, LEVEL: RANGE 0.4-23.5M	1.00	061	EA
594588	GSKT;JOINT RING,1.5MM,ID 14 X OD 18MM	18.00	051	ST
1248673	KIT,VALVE REPAIR:TYP MAINTENANCE,OPRTG P	3.00	051	KIT
630196	GSKT PRE-CUT :IT400,ROUND,DN 25MM	2.00	051	ST
965092	FILTER, OIL: APPL COMPRESSOR	2.00	051	ST
1635237	NPL-PIPE;STRAIGHT,1/2IN,50MM,CS ASTM A53	4.00	051	EA
609065	SEAL:WD 20 X LG 9000 X THK 4	1.00	051	ST
598569	BELT:TYP ALTERNATOR FAN	1.00	051	ST
583655	CIRCUIT:TYP LIM,APLC TELEPHONE SYSTEM	2.00	011	ST
597569	VALVE:TYP EXHAUST	3.00	051	ST
608186	TEE,PIPE:SZ 2IN,PVC-I,RT SCH 40	18.00	051	ST
932202	STUD CNTNS THD:TYP BOLT,DIA 1-1/4IN,THRD	20.00	051	EA
609627	PISTON:APLC PLUNGER	1.00	091	ST
581905	HTSHRNK;SLEEVE,ID 38 X LG 1200MM,PVC	3.00	001	ST
590610	SWITCH,PUSHBUTTON:220/500VAC 0.25/8A	1.00	021	ST
585712	VALVE,CHECK:TYP SWING,VLV SZ 6IN	1.00	900	ST
610310	VALVE: TYP PLANT CONTROL,DSGN RT PN 16	1.00	051	ST
612746	HOLDER,LAMP:ES,ELEC TRT 127V 150W	6.00	021	ST
593655	O RING:INSIDE DIAMETER 9IN,WIDTH 1/4IN,M	1.00	051	ST
632259	STEM,VALVE:VLV ST BALL,VLV SZ 6IN,MT SS	1.00	051	ST
604794	FUSE;QUICK ACTING,3A,500V,CERAMIC,UL	12.00	021	ST
642789	VALVE,BALL:VLV SZ DN 1/2IN,CONN 40/63BAR	2.00	051	ST
593155	GSKT PRE-CUT :ID 106 X OD 118 X THK 2MM	20.00	051	ST
1028982	ELBOW, PIPE: SIZE 24IN,MATL CS ASTM A234	1.00	051	EA
1248652	KIT,VALVE REPAIR:TYP MAINTENANCE,OPRTG P	1.00	051	KIT
609064	RING:ID 50 X OD 90 X THK 4MM	1.00	051	ST
624684	SEAL,OIL:ID 25MM,OD 35MM,WD 7MM	6.00	051	ST
581944	TUBE:TYP TYRE,SZ 6.5 X 10	5.00	051	ST
607898	INSERT:CARBIDE	15.00	051	ST
603729	CONNECTOR,ELECTRICAL:TYP SPRING	2.00	021	ST
605879	CPCTR;FIXED,47MICRO F,16V DC,20	15.00	031	ST
579859	KNOB:TYP SWITCH HAND	1.00	141	ST
590863	SWITCH,LIMIT:SPDT,230VAC 6A	1.00	061	ST
578925	COOLER:	3.00	081	ST
577913	KIT-SEAL:TYP SOFT PARTS,CMPNNT QTY O RIN	1.00	051	ST1
1626650	PUMP PREVENTATIVE MAINTENANCE KIT	2.00	051	KIT
939702	POWER SUPPLY:TYP SWITCHING	1.00	021	EA
631279	UNIT:TYP DIFFERENTIAL PRESSURE	1.00	051	ST
609052	SEAL,OIL:ID 35MM,OD 52MM,WD 10MM,MT SIL	1.00	051	ST
595267	SEAL,OIL:ID 12MM,OD 32MM,WD 7MM,TYP RING	3.00	051	ST
34732	FILTER,OIL:SPIN ON	2.00	051	EA
632627	VLV-SLND;5/2 WAY,AIR,SS	1.00	051	ST
578264	KIT,SEAL:	1.00	051	ST
592919	GSKT PRE-CUT :ID 390 X OD 425 X THK 3MM	2.00	051	ST
622030	BREAKER,CIRCUIT:100A,POWER	1.00	011	ST
798739	DEFLECTOR:MT BRONZE ASTM B584,UNS C83600	1.00	081	ST
604821	FUSE;ANTI SURGE,0.5A,250V AC,FERRULE	5.00	021	ST
1015501	CONNECTOR, COMMUNICATIONS: POSITION 8	15.00	031	PAK
1087766	SWITCH,PUSH:TYP E-STOP,ACTION RETURN SPR	3.00	021	EA
607432	BUSH,PUMP:62 X 79.9 X 23MM	2.00	081	ST
1218720	ASPRTR;VLS DETECTOR ASPIRATOR ASSEMBLY	1.00	071	EA
740600	FLOAT:TYP BALL COCK,SZ DIA 5IN,MT	1.00	061	ST
611729	GSKT,SPWD:DN 1-1/2IN,300LB,SS 316L	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
592399	GSKT-PRE-CUT;ID 21 X OD 31 X THK 2MM	44.00	051	ST
594340	PACKING,BULK:PTFE,WD 5 X LG 2300 X HT 5	1.00	051	ST
596680	FLTR-FUEL;OD 3-3/4 X HT 5-1/4	3.00	051	ST
608949	TRANSMITTER,PRESSURE:0-17.5BAR,M18 X	2.00	061	ST
598284	BRG,ROLL:TYP TAPERED	1.00	051	ST
610692	GAUGE,PRESSURE:0-4BAR,160MM,MBSP G 1/2	1.00	101	ST
1004146	TRNSMTR-DFRNTL-PRSUR:SUPPLY 24V DC,RNG 0-	1.00	061	EA
612666	HOLDER:TYP CAPACITOR	7.00	051	ST
977050	CIRCUIT: P/N:311431,P/N:N/A, REF#:	1.00	011	EA
594880	CASE;SEALING RING	1.00	051	ST
637738	KIT-CMPRSR-RPR:TYP MAINTENANCE,APL COMPR	2.00	081	KIT
598206	BRG,BALL:IBI 10262,ID 10MM,OD 26MM	4.00	051	ST
1647849	BELT-THD;TIMING BELT MXL,106MM,2.032MM	1.00	051	EA
594101	O-RING:APLC SEAL	1.00	051	ST
582080	IMPLR-PUMP;160MM,CLOSED,DUAL	1.00	081	ST
1033468	VALVE, CHECK: TYP SWING,VALVE SIZE 1IN	2.00	051	EA
609070	FLANGE:TYP BEARING,SZ 125 X 50 X 55MM	1.00	051	ST
600179	GSKT PRE-CUT :THK 1.6MM,REINZ AFM 34,RF	160.00	051	ST
612114	SWITCH,PUSHBUTTON:380-500VAC 5-2A,4PST	1.00	021	ST
604792	FUSE;QUICK ACTING,0.8A,500V AC,CERAMIC	13.00	021	ST
596028	GUIDE:TYP BAND,SZ 20 X 23 X 5.6	2.00	091	ST
112641	KIT,ACTUATOR REPAIR:	2.00	051	EA
1614381	GSKT-PRE-CUT:TYP RAISED FACE,SZ ID 1422	16.00	051	EA
596209	HOOD;MACHINERY,WD 43 X LG 78 X THK 2MM	1.00	121	ST
1651590	PIPE-MTLC;30IN,XS,12.7MM,6000MM,EFW,C55	1.00	051	EA
1079733	FUSE: AMPERAGE 3A,VOLTAGE 250V	1.00	021	EA
593678	O-RIG;63MM,3MM	4.00	051	ST
642452	GSKT:BONNET,GRAPHITE/SS DIN WN 1.4541	2.00	051	ST
595116	GSKT-PRE-CUT;ID 110 X OD 1182 X THK 9MM	1.00	051	ST
607841	INSERT:CARBIDE	20.00	051	ST
605881	CPCTR;FIXED,100MICRO F,16V DC,20	15.00	031	ST
1080420	ISOLATOR, ELECTRICAL: ELEC RT 160A	2.00	021	EA
597015	SCREW:SPINDLE	2.00	051	ST
593676	O-RIG;59.92MM,3.53MM,BUNA-N	3.00	051	ST
1221019	INDICATOR:TYP TEMPERATURE DETECTOR,MATL	1.00	061	ST
595414	DISC;PRESSURE	5.00	051	ST
637734	KIT-PUMP-RPR:TYP SOFT PARTS,CMPSNG ORIN	2.00	081	KIT
904481	TRANSMITTER,DIFF.PRESS.:TYP SMART	1.00	061	EA
585708	VLV-CHCK:TYPE SWING,TYPE 3IN,TYPE 150LB	2.00	051	ST
792768	ACTATR PNU,PNEUMATIC:TYP ROTARY	2.00	061	EA
247311	LAMP, FLUORESCENT: WATT 40W,VOLTAGE 220V	441.00	021	EA
633095	SHIM:TYP VALVE	3.00	051	ST
603591	CIRCLIP:TYP EXTERNAL	2.00	051	ST
595285	SET;SEAL	1.00	081	ST
604461	ELEMENT:	1.00	051	ST
1635238	NPL-PIPE;STRAIGHT,1IN,50MM,CS ASTM A53,B	6.00	051	EA
603369	CABLE:TYP TRANSMISSION CONTROL	3.00	021	ST
945386	COLUMN,ANALYSIS:TYP CROSSBOND	7.00	061	ST
642565	KIT,VALVE REPAIR:SEALING	4.00	051	ST
1577398	KIT-VLV-RPR:TYP SOFT GOOD,APL BUTTERFLY	1.00	051	KIT
605131	RLY-CNTRL;RESTRICTED EARTH FAULT,PANEL	1.00	031	ST
1236528	KIT,VALVE REPAIR:APPL 24 IN BUTTERFLY VA	2.00	051	KIT
592757	GSKT PRE-CUT :THK 1/16IN	7.00	051	ST
607861	INSERT:CARBIDE	20.00	051	ST
611014	HOSE, FLEXIBLE METAL: TYP DISCHARGE	1.00	051	ST
606835	SCREW,CAP:M6 DIA,25MM LG	13.00	051	ST
1605493	FLG-PIPE:TYP BLIND,FLAT FACE,SZ 10IN,MTR	2.00	131	EA
803797	PLAT,MTL:	2.00	131	ST
595881	INDICATOR:TYP ANALOG,SCALE 0-100PCT	2.00	061	ST
609415	DISC, VALVE: GRADE GBGS 2J3	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
498394	SPRING,VALVE:2414KPA	1.00	051	EA
604357	CONTACTOR: TYPE AUXILIARY,P/N:LC1-D128P7	1.00	011	ST
607846	INSERT:CARBIDE	10.00	051	ST
607860	INSERT:CARBIDE	20.00	051	ST
581841	PIPE:SZ 4IN,LG 6000MM,SCHD 40,PVC ASTM	2.00	131	ST
617628	O-RING:ID 270MM,WD 42MM,MT NBR	14.00	051	ST
596736	FILTER,ELEMENT:PAPER,HYDRAULIC OIL	5.00	051	ST
607604	COUPLING:	1.00	051	ST
1046406	CIRCUIT, POWER SUPPLY: P/N:P0330E1	1.00	021	ASY
612169	ASSEMBLY:DIODE PAIR	1.00	081	ST
644554	GSKT PRE-CUT :ID 220 X OD 275MM	19.00	051	ST
597922	BRG-BAL;11173,20MM,42MM,12MM,OPEN,SINGLE	8.00	051	ST
1574415	PLUG-TUBE:DIA SMALL DIA 14.56 X LARGE DI	60.00	051	EA
644638	FIXTURE,INCANDESCENT LIGHTING:VOLT 240V	2.00	021	ST
590862	SWITCH,LIMIT:SPDT,230VAC 6A	1.00	061	ST
606878	SCREW,SELF TAPPING:2IN LG,PHILIPS,STEEL	1,575.00	051	ST
904485	TRNSMTR-PRSUR;0-16BAR,HART PROTOCOL	2.00	061	EA
175858	ADAPTOR,TUBE TO PIPE:T SZ 1/4IN	6.00	051	EA
612170	MODULE:DIODE,CONTROLLER	1.00	031	ST
608618	OIL,IND:DRUM 208L	208.00	001	L
604822	FUSE;ANTI SURGE,0.63A,250V AC,CERAMIC	15.00	021	ST
632563	SWITCH,PROXIMITY:15MM,INDUCTIVE,10-30VDC	1.00	011	ST
592818	GSKT PRE-CUT :DIA 25 X THK 2MM,NON	60.00	051	ST
592886	GSKT,SPWD:300LB,GRAPHITE,SS,SHP ROUND	2.00	051	ST
1648129	RLR;TIGHTENER,DIA 15MM,PLASTIC	1.00	051	EA
604816	FUSE;QUICK ACTING,0.5A,250V AC,CERAMIC	5.00	021	ST
607862	INSERT:CARBIDE	20.00	051	ST
598325	BRG,ROLL:TYP NEEDLE	4.00	051	ST
622841	KIT:TYP JOINT REPAIR,APLC JOURNAL CROSS	3.00	081	KIT
593195	GSKT PRE-CUT :THK 2MM	40.00	051	ST
598321	BRG,BALL:IBI 11530,ID 25MM,OD 47MM,WD	146.00	051	ST
578404	SET:TYP GLAND PACKING	8.00	081	ST1
607646	CPLG SHFT HALF:DOC:A1/50561	2.00	051	ST
642404	SPRING,VALVE:SS DIN WN 1.4310	1.00	051	ST
1037001	PISTON: P/N:4.553-282.0,SUPPL:JUFFALI	6.00	091	ST1
617881	ROTOR:	2.00	081	ST
1602498	PIPE-MTLC:NMNL P SZ DSGNTN 14IN,SCHDUL 1	2.00	131	EA
609076	BOLT,MACH:	1.00	051	ST
578424	KIT: TYP GLAND PACKING,P/N:C-4400	2.00	081	ST1
1071091	CONTACTOR:TYP SWITCH,AMPERAGE 32,LINE VO	3.00	011	EA
911664	TRANSMITTER, PRESSURE: RANGE 0-400MBAR	1.00	061	EA
635449	ACTATR:APLC ON /OFF VALVES	1.00	061	ST
968233	ACTUATOR, PNEUMATIC: TYP DOUBLE ACTING	1.00	061	ST
1568351	ACTUTR:TYP MANUAL GEAR HANDWHEEL,APL 12	1.00	061	EA
623202	ADAPTOR:SZ LG 1M	2.00	031	ST
577669	ADHESIVE:TYP GLUE WHITE,CAN 4KG	12.00	001	KG
577670	ADHESIVE:TYP PLASTIC STEEL PUTTY,CAN 1LB	6.00	001	CA
419195	ALARM: TYP BELL,RT 24 VDC,P/N:SSM24-6	2.00	900	EA
610004	ALARM:TYP MULTI ALERT SOUNDER	1.00	121	ST
1566400	ALRM;CONVENTIONAL MANUAL CALL POINT,95DB	1.00	121	EA
586903	ALRM;INDOOR,30V DC,95DB	1.00	121	ST
1086555	AMPLFR;ISOLATION BARRIER,DIGITAL SIGNAL	2.00	031	EA
591102	AMPLIFIER:PWR RT 250W	1.00	031	ST
591101	AMPLIFIER:PWR RT 500W	1.00	031	ST
634628	AMPLIFIER:TYP CURRENT/VOLTAGE TRIP	1.00	031	ST
613549	AMPLIFIER:TYP ISOLATING	1.00	031	ST
605834	AMPLIFIER:TYP POWER,O/P 10-100V	1.00	031	ST
616492	ANNUNCIATOR:	1.00	121	ST
1090407	ASSEMBLY: P/N:4G-90412-4008,DOC:3417A	1.00	081	ASY
628821	ASSEMBLY: TYP BUTTON PUSH,P/N:4805 (OLD)	1.00	081	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1090405	ASSEMBLY: TYP FLUSHING PIN,P/N:4750	1.00	081	ASY
1090404	ASSEMBLY: TYP SIGHT FEED DOME,P/N:4503	1.00	081	ASY
577744	ASSEMBLY:APLC FAN TRAY	1.00	081	ST
586941	ASSEMBLY:BELLOWS,APLC RELIEF VALVES	1.00	081	ST
627766	ASSEMBLY:BRAKE	1.00	081	ST
633203	ASSEMBLY:DECLUTCH SHAFT	2.00	081	ST1
577840	ASSEMBLY:FID	1.00	081	ST
587163	ASSEMBLY:TILT SHOE	2.00	081	ST
1024256	ASSEMBLY:TYP AIR FAILURE UNLOADER,APPL 1	1.00	081	ASY
1078796	ASSEMBLY:TYP AIR FAILURE UNLOADER,APPL 2	1.00	081	EA
633249	ASSEMBLY:TYP DECLUTCH LEVER	1.00	091	ST1
1065378	ASSEMBLY:TYP DOUBLE SHAFT SEAL,APPL PSA	1.00	081	ASY
605839	ASSEMBLY:TYP PREAMPLIFIER,APLC LAB TOC	1.00	011	ST
609615	ASSEMBLY;FLOPPY/HARD	1.00	081	ST
819763	ASSEMBLY;MEASURING DRUM	1.00	081	EA
634605	ASSEMBLY;TUFFY LEVEL SWITCH,FLARE SYSTEM	1.00	081	ST
608480	BAFFLE:TYP OIL	1.00	081	ST
608489	BAFFLE:TYP OIL	1.00	081	ST
612553	BALLAST: TYP METAL HALIDE,WATT 100W	18.00	021	ST
1573985	BAL-VLV:VLV SZ 1IN,DIA 1-1/4IN,MTRL SS,P	1.00	051	EA
991993	BAR, ROUND: SIZE DIA 20MM,LENGTH 3M	2.00	131	ST
608670	BAR,ROUND:SZ 50MM,MT AISI 4140	6.00	131	M
1031503	BARRIER: TYP ISOLATED,STD FM	2.00	121	EA
616506	BASE,RELAY:	3.00	011	ST
590332	BASE,RELAY:ELEC TRT 24VDC	2.00	011	ST
616498	BASE,RELAY:TYP TIMER	5.00	011	ST
616500	BASE:	5.00	051	ST
584506	BASE:TYP DETECTOR,P/N:517. 050.401,MNFR	1.00	051	ST
625356	BASE-RLY;(8) PIN ROUND,BLACK NORYL,UL	1.00	011	ST
558985	BATTERY, STORAGE: AMP HOURS 26	1.00	011	ST
919897	BATTERY, STORAGE: AMP HOURS 300AH	3.00	011	ST
626856	BATTERY, STORAGE: AMP HOURS 50AH	18.00	011	ST
618778	BATTERY,DRY CELL:460	30.00	011	ST
628205	BATTERY,PACK:TYP RECHARGABLE,VOLT 24VDC	30.00	011	ST
626870	BATTERY,STORAGE:	1.00	011	ST
589362	BATTERY:VOLT 30V	1.00	011	ST
608718	BEAM:TYP RIGID,SZ LG 7M	1.00	131	ST
9102159	BEARING,ROLLER,SPHERICAL,22324-CC/C3W33	8.00	051	EA
9102153	BEARING,SLEEVE,JOURNAL,(TO BE DELETED)	3.00	051	ST
9102154	BEARING,SLEEVE,JOURNAL,STEEL,(TO BE DEL	3.00	051	ST
623873	BEARING:	1.00	051	ST
623866	BEARING:SZ DIA 120 X 215 X 58MM	2.00	051	ST1
623890	BEARING:SZ DIA 55 X 110 X 39MM	2.00	051	ST1
625481	BEARING:TYP BIG END	1.00	051	ST
586470	BEARING:TYP INBOARD AND OUTBOARD	2.00	051	ST
616747	BEL;24V DC	2.00	121	ST
1009733	BELLOWS: TYP PRESSURE RELIEF VALVE	2.00	051	ASY
609039	BELLOWS:MT SS 316L	1.00	051	ST
808624	BELLOWS:MT SS 316L,SZ 4 X 6IN	2.00	051	ST
582267	BELLOWS:TYP STEM ACTUATOR,MATL PVC,SIZE	12.00	051	ST
598525	BELT,V:IN CIRC 1500MM,OC 1520MM	7.00	051	ST
610608	BELT-V	6.00	051	ST
610617	BELT-V	2.00	051	ST
192278	BELT-V:I CRCUMFRNC 940MM,TOP WD 13MM,THK	3.00	051	ST
586605	BELT-V;13MM,10MM,1818MM	8.00	051	ST
586644	BELT-V;13MM,7.14MM,RUBBER,787.4MM	4.00	051	ST
610646	BELT-V;630MM,13MM,8MM,RUBBER,25IN	2.00	051	ST
598548	BELT-V;925MM,13MM,10MM,RUBBER,943MM	2.00	051	ST
592302	BLADE,FAN:	3.00	011	ST
592297	BLADE:	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
634631	BLCK-CNTCT;PUSH BUTTON	2.00	021	ST
618688	BLCK-TRMNL:ELCTRCL RTNG 800V 32A,TRMNL T	4.00	021	ST
620598	BLCK-TRMNL;660V,BOLTED,10MM2,6	1.00	021	ST
604254	BLOCK,CONTACT:TYP AUXILIARY	5.00	021	ST
616469	BLOCK,CONTACT:TYP AUXILIARY	4.00	021	ST
592088	BLOCK,CONTACT:TYP LIMIT SWITCH	7.00	021	ST
616465	BLOCK,CONTACT:TYP PUSH BUTTON SWITCH	10.00	021	ST
616466	BLOCK,CONTACT:TYP PUSH BUTTON SWITCH	6.00	021	ST
627640	BLOCK,CONTACT:TYP SWITCH	1.00	021	ST
589113	BLOCK,CONTACT:TYP SWITCH	5.00	021	ST
616521	BLOCK,TERMINAL:ELEC TRT 115KV,TERM	2.00	021	ST
613375	BLOCK,TERMINAL:ELEC TRT 380V 60HZ	1.00	021	ST
616509	BLOCK,TERMINAL:ELEC TRT 800V 76A	12.00	021	ST
620652	BLOCK,TERMINAL:TERM BOLTED,CIRCUIT 3	2.00	021	ST
1035394	BOARD, TERMINAL: ELEC RT 11KW,CIRCUIT 6	1.00	021	EA
1042909	BOLT, MACH: DIAMETER M16	101.00	051	EA
623868	BOLT,MACH:	5.00	051	ST
611582	BOLT,MACH:14MM,LG 45MM,SS ASTM A193 GR	18.00	051	ST1
623862	BOLT,MACH:GR 10.9	2.00	051	ST
611659	BOLT,MACH:M12,LG 35MM,SS 316,1.75MM	2.00	051	ST
614321	BOLT,MACH:M12,LG 50MM,1.75-A2FMM,GR 8.8	3.00	051	ST
606162	BOLT,MACH:M12,LG 65MM,CS,1.75MM,HD HEX	58.00	051	ST1
606601	BOLT,MACH:M12,LG 70MM,1.75MM	100.00	051	ST
611385	BOLT,MACH:M16,LG 50MM,SS,2MM,GR 316,STD	13.00	051	ST
626138	BOLT,MACH:M16,LG 80MM,SS DIN WN 1.4435	15.00	051	ST
637185	BOLT,MACH:M20,LG 45MM,2.5MM,GR B8,STD AS	16.00	051	ST1
606642	BOLT,MACH:M6,LG 13MM,STEEL,1MM	18.00	051	ST
620325	BOLT,MACH:M8,LG 20MM	5.00	051	ST
591416	BOLT,MACH:M8,LG 65MM	9.00	051	ST
623874	BOLT,MACH:STEEL,GR 8.8	6.00	051	ST
588636	BOLT:	1.00	051	ST1
606236	BOLT:M24,210MM,ZN GALV,3MM	20.00	051	ST
969326	BOLT:TYP COUPLING,P/N:FT300B,MNFR:JOHN C	1.00	051	ST1
969327	BOLT:TYP COUPLING,P/N:FT308B,MNFR:JOHN C	1.00	051	ST1
1542904	BOLT-MCHN:DIA 5/16IN,LG 100MM,MTRL AS AS	12.00	051	EA
606122	BOLT-MCHN;M16,85MM,2MM,HEX	1.00	051	ST
584737	BOOSTER,AIR:TYP PNEUMATIC	4.00	081	ST
909885	BOWL SUPERSEDED BY 7276458	1.00	111	EA
1031302	BOX, STUFFING: ROD DIAMETER 90MM	8.00	051	EA
634604	BR	1.00	121	ST
629477	BRACKET:TYP END	12.00	051	ST
629483	BRACKET:TYP END	26.00	051	ST
629484	BRACKET:TYP END	52.00	051	ST
642242	BRACKET:TYP SPEAKER RETAINER	5.00	051	ST
616034	BREAKER, CIRCUIT: AMPERAGE 160A,POLE 3	3.00	011	ST
622225	BREAKER, CIRCUIT: AMPERAGE 16A,POLE 1	3.00	011	ST
472246	BREAKER, CIRCUIT: AMPERAGE 16A,POLE 2	1.00	011	EA
619007	BREAKER, CIRCUIT: AMPERAGE 32A,POLE 2	1.00	011	ST
616473	BREAKER, CIRCUIT: AMPERAGE 4A,POLE 2	2.00	011	ST
604114	BREAKER,CIRCUIT:	1.00	011	ST
629468	BREAKER,CIRCUIT:100A,240V,POLE 3	1.00	011	ST
616184	BREAKER,CIRCUIT:100A,400VAC	1.00	011	ST
604135	BREAKER,CIRCUIT:10A,400VAC,INTP CAP 6KA	15.00	011	ST
629438	BREAKER,CIRCUIT:15A,120-240VAC	2.00	011	ST
618992	BREAKER,CIRCUIT:16A,127/220VAC,POLE 1	2.00	011	ST
612109	BREAKER,CIRCUIT:16A,250VDC	2.00	011	ST
589373	BREAKER,CIRCUIT:16A,277/480VAC 50/60HZ	6.00	011	ST
589371	BREAKER,CIRCUIT:1A,400VAC,INTP CAP 6KA	2.00	011	ST
629436	BREAKER,CIRCUIT:20A,120-240VAC,POLE 1	10.00	011	ST
618993	BREAKER,CIRCUIT:20A,127/220VAC,POLE 1	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
589382	BREAKER,CIRCUIT:20A,230/440VAC	2.00	011	ST
629467	BREAKER,CIRCUIT:20A,240V,POLE 3	2.00	011	ST
622230	BREAKER,CIRCUIT:25A,277/480VAC 50/60HZ	2.00	011	ST
626393	BREAKER,CIRCUIT:25A,POLE 2	1.00	011	ST
622228	BREAKER,CIRCUIT:2A,277/480VAC 50/60HZ	2.00	011	ST
612030	BREAKER,CIRCUIT:2A,400VAC,INTP CAP 6KA	2.00	011	ST
589418	BREAKER,CIRCUIT:30A,125-250VAC	2.00	011	ST
589435	BREAKER,CIRCUIT:30A,220V,MOLDED CASE	2.00	011	ST
622253	BREAKER,CIRCUIT:36-52A	1.00	011	ST
616170	BREAKER,CIRCUIT:40A,INTP CAP 6KA,POLE 3	1.00	011	ST
604027	BREAKER,CIRCUIT:415V,POLE 3,THERMAL	1.00	011	ST
622250	BREAKER,CIRCUIT:4-6A	2.00	011	ST
604006	BREAKER,CIRCUIT:4A,230/400VAC,POLE 1	10.00	011	ST
616474	BREAKER,CIRCUIT:4A,277/380VAC	3.00	011	ST
622227	BREAKER,CIRCUIT:50A,277/480VAC 50/60HZ	2.00	011	ST
622251	BREAKER,CIRCUIT:56-80A	1.00	011	ST
589490	BREAKER,CIRCUIT:630A	1.00	900	ST
589491	BREAKER,CIRCUIT:63A,220/690VAC; 250VDC	2.00	011	ST
622224	BREAKER,CIRCUIT:6A,277/480VAC 50/60HZ	4.00	011	ST
622222	BREAKER,CIRCUIT:6A,POLE 3	2.00	011	ST
589479	BREAKER,CIRCUIT:80A,POLE 4,AUTOMATIC	2.00	011	ST
590303	BREAKER,CIRCUIT:AMP 63A,POLE 4	2.00	011	ST
805311	BREAKER,CIRCUIT:AMPERAGE 10A,VOLTAGE 230	2.00	011	SE
589457	BREAKER,CIRCUIT:AMPERAGE 250A,VOLTAGE 22	1.00	011	ST1
616171	BREAKER,CIRCUIT:AMPERAGE 50A,VOLTAGE 400	1.00	011	ST
616475	BREAKER,CIRCUIT:AMPERAGE 6A,VOLTAGE 277/	2.00	011	ST
589469	BREAKER,CIRCUIT:POLE 4	3.00	011	ST
1030273	BREATHES: TYP AIR,P/N:3G-08103	1.00	081	EA
589576	BREATHES:TYP CHARGE	1.00	081	ST
1232597	BREATHES:TYP PLUG,SIZE DIA 28 X LG 100MM	1.00	081	EA
386139	BRG - BALL DEEP GROOVE - 17X 35X 10MM	2.00	051	ST
618164	BRG, BALL: , IBI 13232,MNFR:FAG	1.00	051	ST
308254	BRG, BALL: IBI 14067,WIDTH 31MM,MNFR:SKF	4.00	051	ST
624432	BRG, BALL: INSIDE DIAMETER 35MM	2.00	051	ST
586591	BRG, BALL: INSIDE DIAMETER 35MM,MNFR:SKF	1.00	051	ST
18426	BRG, SLEEVE: TYP JOURNAL	1.00	051	ST
620670	BRG,BALL:	1.00	051	ST
628844	BRG,BALL:	5.00	051	ST
360593	BRG,BALL:IBI 10913,INSIDE DIAMETER 17MM,	3.00	051	ST
613336	BRG,BALL:IBI 10934,INSIDE DIAMETER 17MM,	2.00	051	ST
620141	BRG,BALL:IBI 11232.2,ID 20MM,OD 47MM	1.00	051	ST
597860	BRG,BALL:IBI 11631,ID 25MM,OD 62MM	9.00	051	ST
200182	MODULE:INPUT,SELF OPERATING VALVE	28.00	011	ST
589232	BRG,BALL:IBI 14654,ID 80MM,OD 125MM	1.00	051	ST
633205	BRG,BALL:IBI 14770,INSIDE DIAMETER 85MM,	1.00	051	ST
633236	BRG,BALL:IBI 14978,INSIDE DIAMETER 95MM,	1.00	051	ST
738653	BRG,BALL:ID 40MM,OD 80MM,WD 18MM	1.00	051	ST
188909	BRG,BALL:ID 75MM,ST 2 SHIELDS,ROW SINGLE	1.00	051	ST
635324	BRG,BALL:INSIDE DIAMETER 20MM,STYL 2 SEA	5.00	051	ST
964568	BRG,BALL:INSIDE DIAMETER 35MM,OUTSIDE DI	1.00	051	EA
586473	BRG,ROLL:	3.00	051	ST
620671	BRG,ROLL:	1.00	051	ST
1021369	BRG,ROLL: INSIDE DIAMETER 55MM	1.00	051	EA
623865	BRG,ROLL:ID 110MM,OD 180MM,WD 69MM	1.00	051	ST
597933	BRG,ROLL:ID 20MM,TYP CYLINDRICAL	2.00	051	ST
100855	BRG,ROLL:ID 50MM,OD 110MM,WD 40MM	2.00	051	ST
633232	BRG,ROLL:TYP NEEDLE	1.00	051	ST1
628854	BRG,ROLL:TYP NEEDLE,CAGE MT STEEL	2.00	051	ST
614752	BRG,SLEEVE:TYP BUSHING FRONT	1.00	051	ST
614753	BRG,SLEEVE:TYP BUSHING REAR	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
586471	BRG,SLEEVE:TYP JOURNAL	2.00	051	ST
633262	BRG,THRUST:	1.00	051	ST
32853	BRG,THRUST:BALL,ID 100MM,OD 135MM	2.00	051	EA
624499	BRG: TYP DE,P/N:6210-2Z-C3,MNFR:SKF	1.00	051	ST
1596004	BRG:TYP FLANGED,SZ ID 4 X OD 60MM,MTRL P	1.00	051	EA
195124	BRG-BAL:I DIA 10MM,OUT DIA 26MM,WD 8MM,S	1.00	051	ST
312074	BRG-BAL;12053,30MM,72MM,19MM,OPEN,SINGLE	4.00	051	ST
635979	BRG-BAL;13742,55MM,90MM,18MM,OPEN,SINGLE	1.00	051	ST
634221	BRG-BAL;14067,60MM,130MM,31MM,SHIELD	3.00	051	ST
643532	BRG-RLR;STRAIGHT; SEPARABLE INNER RACE	1.00	051	ST
100695	BRG-THRUST:ROLR ELMNT BALL,I DIA 130MM,O	2.00	051	ST
642896	BRG-THRUST;BALL,120MM,170MM,39MM,3 PIECE	1.00	051	ST
642880	BRG-THRUST;BALL,90MM,135MM,35MM,3 PIECE	1.00	051	ST
303830	BRKR-CRCUT;0.63-1A,690VAC 50/60HZ,100 KA	1.00	011	ST
618723	BRKR-CRCUT;10A,2	2.00	011	ST
604022	BRKR-CRCUT;2.4-4A,415-690V AC,2/100KA,3	20.00	011	ST
618724	BRKR-CRCUT;20A,2	2.00	011	ST
622254	BRKR-CRCUT;28-40A,400/690V AC,4-50KA,3	1.00	011	ST
616175	BRKR-CRCUT;40A,10KA,4,MINIATURE	2.00	011	ST
622229	BRKR-CRCUT;4A,277/480VAC 50/60HZ,6KA,1	2.00	011	ST
616595	BRKR-CRCUT;4A,277/480VAC; 250/500VDC,6KA	2.00	011	ST
618722	BRKR-CRCUT;6A,2	2.00	011	ST
629355	BRTHR;CHARGE,MPT	1.00	081	ST
589569	BRUSH,ELECTRICAL:MT CARBON	2.00	021	ST
853733	BR-ZNR:RTNG 24V DC,CLASFCN CL 1,2,3 GR A	1.00	031	EA
589352	BTRY-DRY-CEL;LITHIUM,3.6V DC,850MAH	1.00	011	ST
1554481	BTRY-STRG:AMP HURS 8.5AH,TYP VALVE REGUL	1.00	011	EA
611384	BUFR	6.00	051	ST1
643552	BUSH,PUMP:55.8 X 74.8 X 25MM,SS DIN WN	1.00	081	ST
614766	BUSH: TYP STUFFING BOX,P/N:83267419-20	3.00	051	ST1
620140	BUSH:ALCOA 750	2.00	051	ST1
617433	BUSH:SEALING	2.00	051	ST1
609816	BUSHING,ELECTRICAL CONDUCTOR:	1.00	021	ST
609817	BUSHING,ELECTRICAL CONDUCTOR:	1.00	021	ST
1032644	BUSHING:TYP CROSSHEAD,SIZE ID 135 X OD 1	4.00	051	EA
1025362	BUTN;PENDANT CONTROL	1.00	011	EA
627745	BUTTON:TYP FORWARD/BACKWARD	2.00	011	ST
627742	BUTTON:TYP LEFT/RIGHT	2.00	011	ST
627741	BUTTON:TYP TEST	1.00	011	ST
495699	CAGE, VALVE: MATL CI/ENC,P/N:34B5838X012	1.00	051	EA
614778	CAP: TYP BREATHER,P/N:B19929GC	2.00	051	ST
741048	CAPACITOR: VOLTAGE 400V,P/N:234-0335	3.00	031	EA
591131	CAPACITOR:TYP FIXED	1.00	031	ST
591133	CAPACITOR:TYP FIXED	3.00	031	ST
582255	CAPACITOR:TYP FIXED,CAPCIT 8MICRO F	2.00	031	ST
605895	CAPACITOR:TYP FIXED,ST NORYL CASE,CAPCIT	42.00	031	ST
605894	CAPACITOR:TYP FIXED,ST NORYL CASE,CAPCIT	7.00	031	ST
1025238	CARD, INDEX: SIZE RS232/RS485	1.00	141	EA
720007	CARD:TYP ANALOG; 4-INPUT/2-OUTPUT	3.00	141	EA
582295	CARTRIDGE:	2.00	051	ST
582296	CARTRIDGE:	2.00	051	ST
582297	CARTRIDGE:	2.00	051	ST
582298	CARTRIDGE:	1.00	051	ST
582301	CARTRIDGE:	2.00	051	ST
988946	CARTRIDGE: TYP TONER,P/N:HP Q7551X	1.00	051	EA
326226	CATCH:TYP SAFETY	1.00	021	ST
582981	CATCH:TYP SAFETY	1.00	021	ST
603345	CBL;FLEXIBLE,LG 100M/ROL,CU/PVC	4.00	021	RE
603327	CBL-CMUNCTN;24AWG	2.00	031	ST
631540	CBL-TIE;TYRAP; SELF-LOCKING,2.3MM,92MM	500.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
631702	CBL-TIE;TYRAP; SELF-LOCKING,2-102MM	350.00	021	ST
631685	CBL-TIE;TYRAP; SELF-LOCKING,4.7MM,360MM	200.00	021	ST
616087	CELL,PHOTOELECTRIC:	1.00	011	ST
586688	CHAIN,POWER TRANSMISSION:ST SIMPLEX	8.00	051	ST
900776	CHARGER, BATTERY: PWR SRC 230VAC	2.00	011	EA
589579	CHARGER,BATTERY:TYP SINGLE WAY	1.00	011	ST
609805	CHIME:	15.00	121	ST
633229	CIRCLIP:	3.00	051	ST
633260	CIRCLIP:	1.00	051	ST
628848	CIRCLIP:MT STEEL	7.00	051	ST
630671	CIRCLIP:SZ ID 80 X THK 2.5MM	4.00	051	ST1
622505	CIRCLIP:TYP EXTERNAL	1.00	051	ST
623964	CIRCLIP:TYP EXTERNAL, SZ DIA 55MM,ST PIN	2.00	051	ST
759671	CIRCLIP:TYP EXTERNAL, SZ DIA 60 X THK 2MM	2.00	051	ST
610243	CIRCLIP:TYP EXTERNAL, SZ ID 110 X THK 4MM	1.00	051	ST
120550	CIRCLIP:TYP INTERNAL, SZ DIA 110MM,ST PIN	3.00	051	ST
623986	CIRCLIP:TYP INTERNAL, SZ DIA 36MM,ST PIN	4.00	051	ST
609993	CIRCUIT,POWER SUPPLY:	1.00	021	ST
582343	CIRCUIT,POWER SUPPLY:APLC UNINTERRUPTED	1.00	021	ST
591180	CIRCUIT,POWER SUPPLY:APLC UPS/DC SUPPLY	1.00	011	ST
581313	CIRCUIT,POWER SUPPLY:TYP PRINTED BOARD	1.00	021	ST
540278	CIRCUIT:	1.00	021	EA
581279	CIRCUIT:	1.00	011	ST
581355	CIRCUIT:	1.00	011	ST
581356	CIRCUIT:	1.00	011	ST
588903	CIRCUIT:	1.00	011	ST
591179	CIRCUIT:	1.00	011	ST
582326	CIRCUIT: TYP PCA,P/N:0P6250,MNFR:GUTOR	2.00	011	ST
583683	CIRCUIT:TYP ANALOG SWITCH TERMINATION	1.00	011	ST
583663	CIRCUIT:TYP BIM CU,APLC TELEPHONE SYSTEM	1.00	031	ST
581360	CIRCUIT:TYP CALIBRATION ADAPTER	1.00	011	ST
583702	CIRCUIT:TYP COMMUNICATION CARD	4.00	011	ST
583903	CIRCUIT:TYP CONTACT INPUT	3.00	011	ST
583880	CIRCUIT:TYP DIGITAL OUTPUT(32 CHANNEL),A	3.00	011	ST
583690	CIRCUIT:TYP ESTOR INPUT/OUTPUT CARD	9.00	011	ST
583609	CIRCUIT:TYP EXTENDER	1.00	011	ST
581201	CIRCUIT:TYP FAN CONTROL	1.00	011	ST
581333	CIRCUIT:TYP FUNCTION-AMPLIFIER	1.00	011	ST
634755	CIRCUIT:TYP GRAND DAUGHTER	1.00	011	ST
581310	CIRCUIT:TYP ICAM CONTROL	1.00	011	ST
583685	CIRCUIT:TYP KEY DRIVER,APLC PA/GA SYSTEM	1.00	011	ST
583657	CIRCUIT:TYP LIM,GJUG	1.00	011	ST
583656	CIRCUIT:TYP LIM,GJUL	1.00	011	ST
944454	CIRCUIT:TYP LOOP INTERFACE BOARD	1.00	011	EA
642374	CIRCUIT:TYP OPTION BOARD	11.00	011	ST
583905	CIRCUIT:TYP OUTPUT MODULE CONTACT	4.00	011	ST
581281	CIRCUIT:TYP POWER CONNECTION	2.00	031	ST
581289	CIRCUIT:TYP POWER CONVERTER	2.00	011	ST
581280	CIRCUIT:TYP SERIAL INTERFACE ADAPTER	1.00	011	ST
581311	CIRCUIT:TYP STATIC SWICH CONTROL	1.00	011	ST
588905	CIRCUIT:TYP V-NET COUPLER	2.00	011	ST
583902	CIRCUIT:TYP VOLTAGE INPUT MULTIPLEXER	1.00	011	ST
603537	CLAMP, HOSE: SIZE DIA 2-5/16 - 3-1/4IN	12.00	051	ST
603567	CLAMP,HOSE:	4.00	051	ST
603561	CLAMP,HOSE:SZ WD 20MM,SS DIN WN 1.4401	4.00	051	ST
587638	CLEANER:TYP HEAD	2.00	001	ST
603631	CLIP,TUBING:DIA 168.3	11.00	051	ST
1075021	CLIP: TYP GLOVE GAURD, REF#: 1939MD	69.00	051	EA
900780	CLNT;ADVANCE,CAN,LIQUID;PN:TRAC102	1.00	001	EA
628035	CNTRLR;AUTOMATIC BURNER	1.00	061	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
629369	CNTRLR;INDICATING WINDING TEMPERATURE	1.00	900	ST
616549	CNVRTR	3.00	061	ST
589606	COIL,ELECTRICAL:FUNC CLOSING,ELEC TRT 2	1.00	011	ST
589625	COIL,ELECTRICAL:FUNC TRIP,ELEC TRT 110V	2.00	011	ST
589607	COIL,ELECTRICAL:FUNC TRIPPING/OPENING,E	2.00	011	ST
589583	COIL,ELECTRICAL:TYP CIRCUIT BRAEKER,FUN	1.00	011	ST
589584	COIL,ELECTRICAL:TYP CIRCUIT BREAKER,FUN	1.00	011	ST
589608	COIL,ELECTRICAL:TYP CONTACTOR	2.00	011	ST
589609	COIL,ELECTRICAL:TYP CONTACTOR	2.00	011	ST
589610	COIL,ELECTRICAL:TYP CONTACTOR	5.00	011	ST
589612	COIL,ELECTRICAL:TYP CONTACTOR	2.00	011	ST
589623	COIL,ELECTRICAL:TYP CONTACTOR	1.00	011	ST
617847	COMPENSATOR:	2.00	051	ST
1055594	COMPRESSOR, REFRIGERATION: TYP HVAC	1.00	081	EA
603702	CONNECTOR,COMMUNICATIONS:TYP BNC	3.00	031	ST
616519	CONNECTOR,COMMUNICATIONS:TYP MALE,POS 40	3.00	051	ST
583899	CONNECTOR:TYP CONNECTOR BLOCK	10.00	031	ST
616496	CONTACT,AUXILIARY:	5.00	011	ST
616511	CONTACT,AUXILIARY:CONTAR 1NC	2.00	011	ST
616512	CONTACT,AUXILIARY:CONTAR 1NC	2.00	011	ST
616513	CONTACT,AUXILIARY:CONTAR 1NC	2.00	011	ST
616514	CONTACT,AUXILIARY:CONTAR 1NC	2.00	011	ST
616515	CONTACT,AUXILIARY:CONTAR 1NO	2.00	011	ST
616516	CONTACT,AUXILIARY:CONTAR 1NO	2.00	011	ST
616517	CONTACT,AUXILIARY:CONTAR 1NO	2.00	011	ST
612024	CONTACT,AUXILIARY:TYP CIRCUIT BREAKER	9.00	011	ST
616446	CONTACT,AUXILIARY:TYP CIRCUIT BREAKER	1.00	011	ST1
622239	CONTACT,AUXILIARY:TYP CONTACTOR,AMP 40A	3.00	900	ST
589108	CONTACT:TYP CIRCUIT BREAKER	1.00	021	ST
616467	CONTACT:TYP CONTACTOR,VOLT 110V	2.00	011	ST
616457	CONTACT:TYP EARTHING	1.00	011	ST
622238	CONTACTOR:	1.00	900	ST
1081981	CONTACTOR: TYP AUXILARY,AMPERAGE 120A	2.00	011	KIT
589752	CONTACTOR: TYP OPERATING,POLE 1	2.00	011	ST
604306	CONTACTOR:AMP 32A,3 POLE,230VAC	1.00	011	ST
487070	CONTACTOR:AMP 45A,380VAC	2.00	011	EA
589749	CONTACTOR:AMP 50A,COILV 240VAC	1.00	011	ST
589733	CONTACTOR:AMP 65A,POLE 3,COILV 220V	1.00	011	ST
616216	CONTACTOR:TYP AUXILIARY,AMP 6A,3 POLE	2.00	011	ST
589746	CONTACTOR:TYP AUXILLARY	4.00	021	ST
622912	CONTACTOR:TYP MAGNETIC,3 POLE,460VAC	1.00	011	ST
627024	CONTACTOR:TYP MAGNETIC,AMP 115A,3 POLE	2.00	011	ST
616712	CONTACTOR:TYP MAGNETIC,AMP 125A,3 POLE	1.00	011	ST
610521	CONTACTOR:TYP MAGNETIC,AMP 16/25A,3 POLE	1.00	011	ST
616191	CONTACTOR:TYP MAGNETIC,AMP 18A,POLE 3	2.00	011	ST
622915	CONTACTOR:TYP MAGNETIC,AMP 20A,3 POLE	2.00	011	ST
617124	CONTACTOR:TYP MAGNETIC,AMP 25A,3 POLE	2.00	011	ST
589732	CONTACTOR:TYP MAGNETIC,AMP 32A,3 POLE	1.00	011	ST
589747	CONTACTOR:TYP MAGNETIC,AMP 35A,3 POLE	2.00	011	ST
603469	CONTACTOR:TYP MAGNETIC,AMP 40A,3 POLE	6.00	011	ST
589712	CONTACTOR:TYP MAGNETIC,AMP 40A,3 POLE	1.00	011	ST
622241	CONTACTOR:TYP MAGNETIC,AMP 45-55A,3 POLE	1.00	900	ST
589709	CONTACTOR:TYP MAGNETIC,AMP 500A,POLE 3	1.00	011	ST
589764	CONTACTOR:TYP MAGNETIC,AMP 50A	2.00	011	ST
589713	CONTACTOR:TYP MAGNETIC,AMP 50A,POLE 3	2.00	011	ST
589719	CONTACTOR:TYP MAGNETIC,AMP 50A,POLE 3	2.00	011	ST
604337	CONTACTOR:TYP MAGNETIC,AMP 5-20A,POLE 4	2.00	011	ST
589693	CONTACTOR:TYP MAGNETIC,AMP 60A,3 POLE	2.00	900	ST
589701	CONTACTOR:TYP MAGNETIC,AMP 60A,3 POLE	1.00	900	ST
589704	CONTACTOR:TYP MAGNETIC,AMP 65A,3 POLE	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
589748	CONTACTOR:TYP MAGNETIC,AMP 75A,3 POLE	1.00	011	ST
604374	CONTACTOR:TYP MAGNETIC,AMP 80A,POLE 3	1.00	011	ST
595395	CONTROL: TYP ELECTRONICS CARD	1.00	061	ST
628036	CONTROLLER: RT 95-250VAC 6.5VA 48-62HZ	2.00	061	ST
579060	CONTROLLER:TYP PROCESS	2.00	031	ST
759063	CONVERTER,FREQUENCY:I/P 380-480VAC 3PH	2.00	031	EA
582386	CONVERTER,SIGNAL:TYP I/P	1.00	061	ST
628203	CONVERTER,SIGNAL:TYP ISOLATION	1.00	061	ST
616524	CONVERTER:	2.00	021	ST
582396	CONVERTER:TYP TEMPERATURE	1.00	061	ST
1206724	CORD,COMMUNICATION:TYP PATCH,LENGTH 1M,P	1.00	031	EA
919912	CORD,COMMUNICATIONS:TYP HANDSET	1.00	031	ST
616499	COUNTER,ELECTRICAL:TYP PULSE	4.00	011	ST
588906	COUPLER:TYP RIO NET	1.00	011	ST
1232601	COUPLING,SHAFT:TYP JW PUMP,BORE 41.3 X 2	1.00	051	ASY
592064	COUPLING:	2.00	051	ST
620145	COUPLING:	1.00	051	ST
635271	COVER:TYP END SHEILD,CI	1.00	051	ST
612871	COWLING:TYP FAN	2.00	011	ST
618893	CPCTR;FIXED,2200MICRO F,350V	2.00	031	ST
616709	CPCTR;FIXED,57MICRO F,440V-3.3KV	7.00	031	ST
582690	CRCUT:TYP (8) CHANNEL PCA FAN MONITOR,AP	2.00	011	ST
588859	CRCUT;LCD DISPLAY UNIT	1.00	011	ST
623891	CROSSHEAD:TYP AXIS,MT SS	1.00	081	ST
614780	CRTRDG;MECHANICAL SEAL,SS,DIA 165.1MM	1.00	900	ST
920797	CSTBL-MIX-RFRCTRY;TEMPERATURE,1650°C,BAG	490.00	001	KG
1232982	CUPLG-SHFT;AUX LO PUMP,PILOT BORE,69MM	1.00	051	ASY
630683	CUPLG-SHFT;FLEXIBLE GEAR,42 X 22MM	1.00	051	ST
616247	CUPLG-SHFT;MEMBRANE,105MM,190MM,CS	1.00	051	ST
1029476	CYLINDER:TYP PNEUMATIC,SIZE DIA 150MM,AP	3.00	081	EA
1029477	CYLINDER:TYP PNEUMATIC,SIZE WD 200 X LG	2.00	081	EA
580217	CYLNRD;BRAKE,DIA 7/8IN,CS	1.00	081	ST
1232599	DEFLECTOR:TYP RADIAL END,SIZE DIA 50 X T	1.00	081	EA
1232600	DEFLECTOR:TYP THRUST END,SIZE DIA 44 X T	1.00	081	EA
610000	DETECTOR, FIRE PROTECTION: MDL/MACH#:	2.00	121	ST
550098	DETECTOR,FIRE PROTECTION:TYP SMOKE	1.00	121	EA
950262	DETECTOR,FIRE PROTECTION:TYP TOXIC GAS	1.00	121	EA
642178	DETECTOR:	2.00	061	ST
589813	DETECTOR:TYP THERMOELEMENT	1.00	101	ST
588265	DIAPHRAGM,ACTUATOR:RT 10-835LB	1.00	061	ST
641933	DIAPHRAGM,VALVE:MT PTFE	4.00	051	ST
641937	DIAPHRAGM,VALVE:MT PTFE	1.00	051	ST
641919	DIAPHRAGM:MT PTFE	1.00	051	ST
641920	DIAPHRAGM:MT PTFE	1.00	051	ST
35960	DIAPHRAGM:TYP DOUBLE,MATL PTFE ASTM D156	2.00	051	EA
653227	DIAPHRAGM:TYP SPINDLE,MT PTFE	1.00	051	EA
1032823	DIAPHRAGM:TYP STAGE 2,SIZE DIA 450,MATL	2.00	051	EA
591150	DIODE:TYP ROTATING,VOLT 1200V,AMP 130A	4.00	031	ST
585033	DISC, VALVE: MATL SS ASTM A276,GRD 316L	1.00	051	ST
584885	DISC,BRAKE:	1.00	051	ST
1229383	DISC,VALVE:MATL SS ASTM A479,P RT 150 X	2.00	051	EA
1248202	DISC,VALVE:MATL SS,P RT PN 400 X PN 40BA	1.00	051	EA
641946	DISC,VALVE:SS 316,SAFETY RELIEF	1.00	051	ST
641957	DISC,VALVE:SS 316,SAFETY RELIEF	1.00	051	ST
642186	DISC,VALVE:VLV SZ INLET/OUTLET:DN 50/80	4.00	051	ST
623931	DISC:SS ASTM A276 GR 316L	1.00	051	ST
653274	DISC:SS ASTM A276 GR 316L/Z2 CND 17-12	1.00	051	EA
1625783	DISC-VLV;SS ASTM A276 GR 304	1.00	051	EA
631004	DISC-VLV;V4A,50MM,BUTTERFLY	2.00	051	ST
565341	DISPLACER:TYP DENSITY,SZ DIA 90MM	1.00	011	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
641930	DPHRGM-VLV:MTRL PTFE,P/N:KSPVRVW03TVT,MN	1.00	051	ST
641932	DPHRGM-VLV:MTRL PTFE,P/N:KSPVRVW03TVT,MN	1.00	051	ST
1398320	DPHRGM-VLV:SZ 215MM,MTRL BLACK NITRILE,V	1.00	051	EA
582264	DRYER:TYP LIQUID LINE FILTER,STD CSA; UL	1.00	051	ST
582265	DRYER:TYP REFRIGERANT FILTER,STD CSA; UL	1.00	051	ST
609996	DTCTR-FIRE-PRTCTN;HEAT	2.00	121	ST
609998	DTCTR-FIRE-PRTCTN;IONIZATION SMOKE	2.00	121	ST
1198288	ELBOW, PIPE: SIZE 1IN,CNCT SW	9.00	051	EA
1316386	ELBOW,PIPE:SIZE 1/2IN,CNCT BUTT WELD,DEG	5.00	900	EA
1555266	ELBOW,PIPE:SIZE 6IN,CNCT BW,DEGREE 90,MA	3.00	051	EA
28743	ELBOW,PIPE:SZ 3IN,CS ASTM A234,90,BW	1.00	051	EA
917841	ELBOW,PIPE:SZ 4IN,CS ASTM A234,90,BW-BE	2.00	051	ST
896624	ELBOW,PIPE:SZ DIA 1IN,CS,90,SW,RT 3000LB	4.00	051	ST
623962	ELBOW,TUBE ADAPTOR:SZ 3/8 IN X 12MM	1.00	051	ST
597800	ELCTRD;STEAM GENERATOR	2.00	051	ST
584157	FACE,MECHANICAL SEAL:	2.00	051	ST
578852	FAN	3.00	081	ST
578865	FAN:	1.00	081	ST
582193	FAN:	1.00	081	ST
1064367	FAN: TYP AXIAL,VOLUME RATING 560L/MIN	1.00	081	EA
618962	FAN:ELEC TRT 110VAC 60HZ	1.00	081	ST
582196	FAN:ELEC TRT 24VDC, SZ SQ 120MM	2.00	081	ST
618804	FAN:TYP AXIAL,ELEC TRT 230VAC	1.00	081	ST
616275	FAN:TYP AXIAL,ELEC TRT 24VDC 4.3WVDC	2.00	081	ST
902113	FAN:TYP CONDENSOR,ELEC TRT 220VAC 1PH	7.00	081	EA
629059	FAN:TYP EXTERNAL COOLING,MATL PLASTIC,P/	7.00	081	ST
1523356	FAN:TYP EXTERNAL COOLING,SPD 1784RPM,ELE	1.00	081	EA
608107	FERRULE:SZ 1/16 X 5MM,MT GRAPHITE	2.00	051	ST
608103	FERRULE:SZ 1/8 IN X 1MM,MT GRAPHITE	2.00	051	ST1
1042309	FILTER, ELEMENT: FILTERING RETENTION 2UM	1.00	051	ST
958591	FILTER, ELEMENT: MATL PAPER,TYP CATRIDGE	1.00	051	EA
1086054	FILTER, ELEMENT: MATL VA/SS,P/N:1940472	1.00	051	EA
1076257	FILTER, ELEMENT: SIZE DIA 70 X LG 810MM	10.00	051	EA
652831	FILTER,AIR:1/2IN,STEEL,TYP RELEASE	1.00	051	EA
585129	FILTER,AIR:APLC PRINTERS	3.00	051	ST
596809	FILTER,BAG:287 X 592 X 600MM,TYP AIR	4.00	051	ST
940069	FILTER,ELEMENT:10MICRON,CARTRIDGE	1.00	051	EA
585067	FILTER,ELEMENT:OIL	4.00	051	ST
596634	FILTER,ELEMENT:PAPER	1.00	051	ST
590205	FILTER,ELEMENT:SIZE DIA 1-1/2IN,FILTERIN	2.00	051	ST
618961	FILTER:	10.00	051	ST
1084176	FILTER: TYP BASKET,DOC:A1-97-901-1-1	1.00	051	EA
596812	FILTER:ACTIVATED CHARCOAL	1.00	051	ST
585189	FILTER:ELEMENT	1.00	051	ST
595511	FILTER:REFILL HALOGEN SCRUBBER	1.00	051	ST
585190	FILTER:TYP DRIER,SIZE OD 5/8IN,APPLN HVA	2.00	051	ST
607751	FITTING:SZ 1/8IN	2.00	051	ST
583146	FIXTURE,FLUORESCENT LIGHTING:VOLT 110VAC	36.00	021	ST
921465	FLANGE,PIPE:TYP LAPPED,CNCTN TYP LAP JOI	4.00	051	ST
1209174	FLANGE,PIPE:TYP LAPPED,SIZE 4IN,MATL GAL	2.00	051	EA
446009	FLANGE,PIPE:TYP RAISED FACE,SIZE 1-1/2IN	6.00	131	EA
286759	FLANGE,PIPE:TYP RAISED FACE,SIZE 2IN,CNC	18.00	051	EA
214002	FLANGE,PIPE:TYP RAISED FACE,SIZE 3/4IN,M	4.00	051	ST
215466	FLANGE,PIPE:TYP RAISED FACE,SIZE 3IN,CNC	2.00	051	ST
662170	FLANGE,PIPE:TYP RAISED FACE,SIZE 4IN,CNC	2.00	051	EA
628860	FLANGE:TYP NIPPLE	3.00	051	ST
610009	FLASHER:CONN CAPTIVE SCREW	1.00	021	ST
215127	FLG-PIPE;RF,1/2IN,CS ASTM A105	4.00	051	ST
935776	FLG-PIPE;RF,6IN,SS ASTM A403 GR 304/304L	3.00	051	EA
614786	FLINGER:	3.00	081	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
584161	FLINGER:TYP OIL	1.00	081	ST
596841	FLOAT:TYP LEVEL	2.00	061	ST
597845	FLUX:TYP BRASS BRAZING,POWDER,CAN 650G	4.00	001	CA
608414	FORK:TYP HEAD	3.00	091	ST
584586	FORK;HEAD UNIT	3.00	091	ST
828075	FRM;SUPPORT BASKET SINGLE	5.00	121	ST
590014	FUSE:	1.00	021	ST
626874	FUSE:	2.00	021	ST
589882	FUSE: AMPERAGE 10A,VOLTAGE 500VAC	2.00	021	ST
589929	FUSE:0.25A,600V	4.00	021	ST
590088	FUSE:100A,660VAC; 350VDC	3.00	021	ST
590092	FUSE:100MA	2.00	021	ST
589995	FUSE:10A	10.00	021	ST
626995	FUSE:10A,240VAC,CARTRIDGE	17.00	021	ST
604664	FUSE:10A,250VAC,DIA 5 X LG 20MM,FERRULE	5.00	021	ST
604708	FUSE:10A,500V,DIA 10 X LG 38MM,FERRULE	16.00	021	ST
589989	FUSE:10A,500VAC,DIA 10 X LG 38MM,FERRULE	1.00	021	ST
604574	FUSE:125A,500/600VAC,CENTRE BLADE	24.00	021	ST
590069	FUSE:12A,DIA 10 X LG 38MM	8.00	021	ST
590087	FUSE:160A,660VAC; 350VDC	3.00	021	ST
590080	FUSE:16A,550VAC; 250VDC	48.00	021	ST
616546	FUSE:16A,OFFSET SLOTTED TAG,FAST ACTING	4.00	021	ST
590021	FUSE:1A	6.00	021	ST
632465	FUSE:1A,DIA 5 X LG 20MM,FERRULE	15.00	021	ST
589944	FUSE:1A,DIA 5 X LG 25MM	30.00	021	ST
590081	FUSE:20A,250/550VAC; 250VDC	9.00	021	ST
629466	FUSE:20A,250VAC,DIA 14 X LG 50MM,FERRULE	10.00	021	ST
604518	FUSE:250A,500VAC,CURRENT LIMITING	7.00	021	ST
627004	FUSE:25A	8.00	021	ST
590083	FUSE:25A,660VAC; 460VDC	31.00	021	ST
590093	FUSE:2A	2.00	021	ST
589908	FUSE:2A,250V,DIA 6 X LG 30MM,FERRULE	1.00	021	ST
629437	FUSE:2A,250VAC,DIA 14 X LG 51MM,FERRULE	6.00	021	ST
616548	FUSE:2A,OFFSET SLOTTED TAG,FAST ACTING	3.00	021	ST
590020	FUSE:3.15A	25.00	021	ST
604576	FUSE:315A,500/600VAC,CENTRE BLADE	18.00	021	ST
590089	FUSE:315A,660VAC; 460VDC,TAG,FAST ACTING	6.00	021	ST
604864	FUSE:400A,660V,HIGH RUPTURE CAPACITY	14.00	021	ST
590090	FUSE:400A,660VAC; 460VDC	3.00	021	ST
618986	FUSE:4A	20.00	021	ST
590062	FUSE:4A,220/500VAC,DIA 10.3 X LG 38MM	2.00	021	ST
590077	FUSE:4A,550VAC; 250VDC	10.00	021	ST
619039	FUSE:500A	1.00	021	ST
604571	FUSE:500A,500VAC,CENTRE BLADE	41.00	021	ST
589881	FUSE:500A,700VAC,TAG,ULTRA FAST BLOW	1.00	021	ST
616547	FUSE:6A,OFFSET SLOTTED TAG,FAST ACTING	6.00	021	ST
589883	FUSE:80A,500VAC,BLADE,GENERAL PURPOSE	2.00	021	ST
590079	FUSE:TYP FAST ACTING,AMPERAGE 10A,VOLTAG	36.00	021	ST
590084	FUSE:TYP FAST ACTING,AMPERAGE 32A,VOLTAG	13.00	021	ST
589880	FUSE:TYP FAST BLOW,AMPERAGE 63A,VOLTAGE	14.00	021	ST
618036	FUSE:TYP GENERAL PURPOSE,AMPERAGE 16A,VO	2.00	021	ST
619915	FUSE;160A,DIN00	2.00	021	ST
604717	FUSE;2A,415VAC; 250VDC,FERRULE	14.00	021	ST
604883	FUSE;2A,500V,CERAMIC,FERRULE	95.00	021	ST
604885	FUSE;4A,500V AC,CERAMIC,DIA 10 X LG 38MM	6.00	021	ST
803173	FUSE;EXTRAFAST,35A,690V,EN60269	5.00	021	ST
589903	FUSE;TIME DELAY,400A,660V AC,CERAMIC	4.00	021	ST
629447	FUSE;TIME DELAY,6A,250V AC	3.00	021	ST
589879	FUSE;ULTRA FAST BLOW,630A,660V AC	2.00	021	ST
619916	FUSE;ULTRA FAST,63A,660V	5.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
593475	GASKET SET:	3.00	051	KIT
616448	GASKET SET:	1.00	081	ST1
9101938	GASKET,PIPE,105 MMID X 118 MOD X 0.5 MM	9.00	051	ST
877093	GAUGE SUPERSEDED BY 568790	1.00	101	EA
582566	GAUGE, PRESSURE: RANGE 0-100BAR	2.00	101	ST
631143	GAUGE, PRESSURE: RANGE 0-10BAR	1.00	101	ST
905130	GAUGE, PRESSURE: RANGE 0-10BAR	1.00	101	EA
579205	GAUGE, PRESSURE: RANGE 0-16BAR	1.00	101	ST
1029637	GAUGE, PRESSURE: RANGE 0-2.5BAR	2.00	101	EA
582565	GAUGE, PRESSURE: RANGE 0-2.5BAR	1.00	101	ST
1029984	GAUGE, PRESSURE: RANGE 0-2.5BAR G	1.00	101	EA
1029638	GAUGE, PRESSURE: RANGE 0-6BAR	1.00	101	EA
1029987	GAUGE, PRESSURE: RANGE 0-6BAR G	1.00	101	EA
630897	GAUGE, PRESSURE: RANGE 0-8BAR	2.00	101	ST
582583	GAUGE,COMPOUND:-1 TO 0.6BAR,TYP BOURDON	1.00	061	ST
582441	GAUGE,COMPOUND:-1 TO 1.5BAR,DIAL 100MM	2.00	061	ST
630857	GAUGE,COMPOUND:-1 TO 25BAR,DIAL 4IN	1.00	061	ST
582582	GAUGE,COMPOUND:-25 TO 15MBAR,MBSP G 1/2	1.00	061	ST
582569	GAUGE,COMPOUND:-50 - +50MM H2O,DIAL	1.00	061	ST
623879	GAUGE,PRESSURE:	2.00	061	ST
623957	GAUGE,PRESSURE:	2.00	101	ST
582623	GAUGE,PRESSURE:0-10BAR	1.00	101	ST
250180	GAUGE,PRESSURE:0-160BAR,2-1/2IN	1.00	101	EA
582494	GAUGE,PRESSURE:0-160BAR,MNPT,BOURDON	1.00	101	ST
584368	GAUGE,PRESSURE:0-16BARG,4-1/2IN	1.00	101	ST
582442	GAUGE,PRESSURE:0-1BAR G	1.00	101	ST
798265	GAUGE,PRESSURE:0-1BAR,100MM,BOURDON TUBE	3.00	101	EA
582596	GAUGE,PRESSURE:0-250MM WC,4.5IN,NPT	2.00	101	ST
582581	GAUGE,PRESSURE:0-25BAR G	1.00	101	ST
582629	GAUGE,PRESSURE:0-25BAR G,4-1/2IN	1.00	101	ST
612197	GAUGE,PRESSURE:0-315BAR,50MM,MPT	1.00	101	ST
582610	GAUGE,PRESSURE:0-420BAR,63MM	1.00	101	ST
582621	GAUGE,PRESSURE:0-4BAR,4-1/2IN,MNPT 1/2IN	2.00	101	ST
582626	GAUGE,PRESSURE:0-60BAR G,4-1/2IN	1.00	101	ST
930787	GAUGE,PRESSURE:0-60BAR,100MM,MNPT 1/2IN	1.00	101	EA
582497	GAUGE,PRESSURE:0-60BAR,MNPT,BOURDON	1.00	101	ST
582541	GAUGE,PRESSURE:0-6BAR,100MM	1.00	101	ST
628842	GEAR,HELICAL:	1.00	081	ST
628855	GEAR,HELICAL:	2.00	081	ST
628834	GEAR,SPUR:TYP PINION	3.00	081	ST
633237	GEAR,WORM:	1.00	081	ST
630636	GEAR-HLCL:P/N:UNKN,MNFR:PAN ARABIAN CONT	3.00	081	ST
644871	GLAND,CABLE:SZ DIA 32MM,MT SS	6.00	021	ST
582668	GLASS,LEVEL GAUGE:TYP REFLEX,MT GLASS	1.00	101	ST
582674	GLASS,SIGHT:RT 500PSIG,SHP ROUND,STD CS	4.00	061	ST
1032517	GLASS: TYP BREAK,SIZE WD 76 X HT 40MM	9.00	121	EA
609085	GLASS:TYP BREAK,COLOR CLEAR,SHP ROUND	1.00	121	ST
1193750	GREASE,INDUSTRIAL:TYP LITHIUM COMPLEX,TE	1.00	001	PI
785414	GSKT JKTD:ID 441 X OD 461 X THK 3MM	1.00	051	ST
785415	GSKT JKTD:ID 441 X OD 461 X THK 3MM	1.00	051	ST
599846	GSKT JKTD:ID 599 X OD 625 X THK 3MM	2.00	051	ST
1229150	GSKT JKTD:TYP DOUBLE JACKETED,STYL WITH	1.00	051	EA
1229151	GSKT JKTD:TYP DOUBLE JACKETED,STYL WITHO	2.00	051	EA
17023	GSKT PRE-CUT :	5.00	051	ST
600182	GSKT PRE-CUT :	153.00	051	ST
600183	GSKT PRE-CUT :	40.00	051	ST
600184	GSKT PRE-CUT :	47.00	051	ST
600186	GSKT PRE-CUT :	6.00	051	ST
600189	GSKT PRE-CUT :	2.00	051	ST
600197	GSKT PRE-CUT :	3.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
600662	GSKT PRE-CUT :	2.00	051	ST
600665	GSKT PRE-CUT :	1.00	051	ST
600666	GSKT PRE-CUT :	4.00	051	ST
600674	GSKT PRE-CUT :	2.00	051	ST
611131	GSKT PRE-CUT :	130.00	051	ST
611140	GSKT PRE-CUT :	6.00	051	ST
611286	GSKT PRE-CUT :	14.00	051	ST
611288	GSKT PRE-CUT :	3.00	051	ST
623831	GSKT PRE-CUT :	2.00	051	ST1
637067	GSKT PRE-CUT :	6.00	051	ST
588406	GSKT PRE-CUT :	2.00	051	ST
611138	GSKT PRE-CUT : 14 IN, 150 LB	11.00	051	ST
588015	GSKT PRE-CUT : MATERIAL PTFE,P/N:260011	30.00	051	ST1
600950	GSKT PRE-CUT : MATERIAL PTFE,SHAPE ROUND	1.00	051	ST
1031296	GSKT PRE-CUT : MATL NON ASBESTOS	2.00	051	EA
1031300	GSKT PRE-CUT : MATL NON-ASBESTOS	1.00	051	EA
1064408	GSKT PRE-CUT : MATL VIRON,SHAP SQUARE	2.00	051	EA
1031295	GSKT PRE-CUT : SIZE DIA 25MM,SHAP ROUND	2.00	051	EA
1031297	GSKT PRE-CUT : SIZE DIA 25MM,SHAP ROUND	2.00	051	EA
1007545	GSKT PRE-CUT : SIZE THK 1/16IN	7.00	051	ST
992934	GSKT PRE-CUT : SIZE THK 3MM,SHAP ROUND	6.00	051	EA
1031294	GSKT PRE-CUT : SIZE WD 110 X LG 170MM	1.00	051	EA
1031293	GSKT PRE-CUT : SIZE WD 144 X LG 202MM	2.00	051	EA
914273	GSKT PRE-CUT : TYP BEARING HEAD	3.00	051	EA
600915	GSKT PRE-CUT :10 MM X 3 MM X 10 M,PTFE	2.00	051	ST1
600605	GSKT PRE-CUT :BLIND FLANGE S21	2.00	051	ST
593127	GSKT PRE-CUT :DIA 30 X THK 2MM,PTFE	588.00	051	ST
599773	GSKT PRE-CUT :GRAFOIL,ROUND	2.00	051	ST
611149	GSKT PRE-CUT :GRAPHITE/NON ASBESTOS,RF	37.00	051	ST
600993	GSKT PRE-CUT :GRAPHITE/SS 316	4.00	051	ST
600997	GSKT PRE-CUT :GRAPHITE/SS 316	3.00	051	ST
600990	GSKT PRE-CUT :GRAPHITE/SS 316	4.00	051	ST
600998	GSKT PRE-CUT :GRAPHITE/SS 316	2.00	051	ST
600999	GSKT PRE-CUT :GRAPHITE/SS 316	6.00	051	ST
643536	GSKT PRE-CUT :ID 10 X OD 22 X THK 1.5MM	2.00	051	ST
625250	GSKT PRE-CUT :ID 16 X OD 24.8 X THK 1MM	2.00	051	ST
856461	GSKT PRE-CUT :ID 215 X OD 257 X THK 3MM	3.00	051	EA
611587	GSKT PRE-CUT :ID 315 X OD 415 X THK 2MM	4.00	051	ST
592372	GSKT PRE-CUT :ID 35 X OD 70 X THK 2MM	1.00	051	ST
643535	GSKT PRE-CUT :ID 40 X OD 45 X THK 1.5MM	1.00	051	ST
632451	GSKT PRE-CUT :ID 60 X OD 105 X THK 3MM	1.00	051	ST
599996	GSKT PRE-CUT :ID 610 X OD 718 X THK 3MM	3.00	051	ST
836240	GSKT PRE-CUT :ID 610 X OD 746 X THK 3MM	1.00	051	EA
623832	GSKT PRE-CUT :KLINGERIT UNIVERSAL	3.00	051	ST
619996	GSKT PRE-CUT :NBR	3.00	051	ST
600372	GSKT PRE-CUT :NON-ASBESTOS,ROUND,6IN	1.00	051	ST
599462	GSKT PRE-CUT :OIL SHEET	12.00	051	ST
601071	GSKT PRE-CUT :PTFE	2.00	051	ST
630696	GSKT PRE-CUT :PTFE,COVER	2.00	051	ST
601023	GSKT PRE-CUT :ROUND	1.00	051	ST
600879	GSKT PRE-CUT :ROUND	2.00	051	ST
600880	GSKT PRE-CUT :ROUND	2.00	051	ST
600881	GSKT PRE-CUT :ROUND	2.00	051	ST
600171	GSKT PRE-CUT :THK 1.6MM,REINZ AFM 34,FF	2.00	051	ST
600175	GSKT PRE-CUT :THK 1.6MM,REINZ AFM 34,FF	2.00	051	ST
836896	GSKT PRE-CUT :THK 1/16IN	7.00	051	EA
592762	GSKT PRE-CUT :THK 1/8IN,PTFE,ROUND,RF	20.00	051	ST
592788	GSKT PRE-CUT :THK 1/8IN,REINZ AFM 30	2.00	051	ST
17947	GSKT PRE-CUT :THK 3MM	3.00	051	ST
1064389	GSKT PRE-CUT :TYP BALANCE PISTON COVER,S	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1034914	GSKT PRE-CUT :TYP BEARING COVER,SIZE ID	1.00	051	EA
1064388	GSKT PRE-CUT :TYP BEARING COVER,SIZE THK	1.00	051	EA
1035392	GSKT PRE-CUT :TYP BLIND COVER,SIZE WD 17	1.00	051	EA
1064394	GSKT PRE-CUT :TYP DISCHARGE PORT,SIZE ID	1.00	051	EA
1064395	GSKT PRE-CUT :TYP ECONOMIZER PORT,SIZE I	1.00	051	EA
1547666	GSKT PRE-CUT :TYP FF,SIZE WD (180 X 320	1.00	051	EA
1525262	GSKT PRE-CUT :TYP FLAT FACE,SIZE ID 166	1.00	051	EA
1545052	GSKT PRE-CUT :TYP FLAT FACE,SIZE ID 600	1.00	051	EA
1525261	GSKT PRE-CUT :TYP FLAT RING,SIZE ID 1045	1.00	051	EA
1226705	GSKT PRE-CUT :TYP FLAT RING,SIZE ID 28 X	6.00	051	EA
1226704	GSKT PRE-CUT :TYP FLAT RING,SIZE ID 53 X	2.00	051	EA
1035546	GSKT PRE-CUT :TYP FLAT RING,SIZE ID 635	2.00	051	ST
1064392	GSKT PRE-CUT :TYP LUBRICATION PORT,SIZE	1.00	051	EA
1064393	GSKT PRE-CUT :TYP OIL INJECTION PORT,SIZ	1.00	051	EA
1031383	GSKT PRE-CUT :TYP POCKET VALVE,SIZE ID 1	3.00	051	EA
1065058	GSKT PRE-CUT :TYP RELIEF VALVE,SHAP SQUA	1.00	051	EA
1034925	GSKT PRE-CUT :TYP SEAL COVER,NOMINAL FLA	1.00	051	EA
1064390	GSKT PRE-CUT :TYP SEAL COVER,SIZE ID 167	1.00	051	EA
1064391	GSKT PRE-CUT :TYP SUCTION PORT,SIZE ID 3	1.00	051	EA
600370	GSKT PRE-CUT :TYP WITHOUT INNER AND OUTE	7.00	051	ST
599344	GSKT PRE-CUT :V#6500	2.00	051	ST
599345	GSKT PRE-CUT :V#6500	2.00	051	ST
599346	GSKT PRE-CUT :V#6500	2.00	051	ST
623836	GSKT PRE-CUT :WD 170 X LG 270MM	4.00	051	ST
641929	GSKT SET:	3.00	051	ST1
641959	GSKT SET:	1.00	051	ST1
616447	GSKT SET:	2.00	051	ST1
632109	GSKT SET:APLC FILTER/COALESCER	13.00	051	ST1
632169	GSKT SET:APLC FILTER/COALESCER	2.00	051	ST1
808628	GSKT SET:APLC PRESSURE RELIEF VALVE	2.00	051	SE
641948	GSKT SET:APLC PRESSURE SAFETY VALVE	1.00	051	ST1
46755	GSKT SET:APLC RELIEF VALVE	3.00	051	EA
588711	GSKT SET:APLC RELIEF VALVES	84.00	051	ST1
1229384	GSKT SET:TYP VALVE,APPL PRESSURE SAFETY	2.00	051	SE
1023229	GSKT, SPWD: NOMINAL FLANGE SIZE 1IN	1.00	051	EA
193472	GSKT, SPWD: NOMINAL FLANGE SIZE 4IN	30.00	051	ST
1033783	GSKT, SPWD: NOMINAL FLANGE SIZE 4IN	1.00	051	EA
600754	GSKT,RJ:OVAL,IRON,1IN,PR RT 150LB	4.00	051	ST
600271	GSKT,RJ:OVAL,R-14,IRON,PR RT 1500LB	2.00	051	ST
600273	GSKT,RJ:OVAL,R-20,STEEL,1-1/2IN	2.00	051	ST
448022	GSKT,RJ:OVAL,R-24,IRON,2IN,PR RT 1500LB	8.00	051	EA
623958	GSKT,RJ:PR RT 1500LB	5.00	051	ST
798645	GSKT,SPWD: MNFR: AL-IMAN FACTORIES,P/N:	7.00	051	ST
798648	GSKT,SPWD: MNFR: AL-IMAN FACTORIES,P/N:	1.00	051	ST
611269	GSKT,SPWD:1/2IN,1500LB,GRAPHITE,SS 316	60.00	051	ST
600687	GSKT,SPWD:10IN,150LB,GRAPHITE	2.00	051	ST
599619	GSKT,SPWD:10IN,150LB,GRAPHITE,UNS S31603	6.00	051	ST
600847	GSKT,SPWD:10IN,150LB,PTFE GLASS FILLED	3.00	051	ST
599710	GSKT,SPWD:10IN,300LB,GRAPHITE	1.00	051	ST
163181	GSKT,SPWD:10IN,300LB,GRAPHITE,SS 304	2.00	051	EA
611282	GSKT,SPWD:1-1/2IN,1500LB,GRAPHITE,SS 321	17.00	051	ST
599907	GSKT,SPWD:1-1/2IN,150LB	2.00	051	ST
620355	GSKT,SPWD:1-1/2IN,150LB,GRAPHITE,SS 321	4.00	051	ST
599958	GSKT,SPWD:1-1/2IN,300LB	7.00	051	ST
600702	GSKT,SPWD:1-1/2IN,300LB,GRAPHITE	35.00	051	ST
599916	GSKT,SPWD:1-1/2IN,300LB,GRAPHITE,SS 316L	29.00	051	ST
611035	GSKT,SPWD:1-1/2IN,900LB,GRAFOIL,SS 316L	11.00	051	ST
53535	GSKT,SPWD:12IN,150LB,GRAPHITE,316 SS	3.00	051	ST
637182	GSKT,SPWD:12IN,300LB,FLEXIBLE GRAPHITE	2.00	051	ST
611180	GSKT,SPWD:12IN,300LB,GRAPHITE,SS 316	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
599934	GSKT,SPWD:14IN,150LB,GRAPHITE	4.00	051	ST
600232	GSKT,SPWD:14IN,150LB,GRAPHITE	2.00	051	ST
600193	GSKT,SPWD:150LB,GRAPHITE,IRID 26.9MM	73.00	051	ST
592701	GSKT,SPWD:16IN,150LB,GRAPHITE,SS 316	2.00	051	ST
600690	GSKT,SPWD:16IN,150LB,GRAPHITE,SS 316	4.00	051	ST
611195	GSKT,SPWD:16IN,300LB,RF	17.00	051	ST
600773	GSKT,SPWD:1IN,1500LB,GRAPHITE	2.00	051	ST
611281	GSKT,SPWD:1IN,1500LB,GRAPHITE,SS 321	30.00	051	ST
600446	GSKT,SPWD:1IN,150LB,SS 304	20.00	051	ST
599895	GSKT,SPWD:1IN,300LB,GRAPHITE,TITANIUM	8.00	051	ST
611225	GSKT,SPWD:1IN,600LB,PTFE GLASS FILLED	21.00	051	ST
600455	GSKT,SPWD:20IN,150LB,GRAPHITE,SS 316	15.00	051	ST
599617	GSKT,SPWD:20IN,150LB,GRAPHITE,UNS S31603	29.00	051	ST
599826	GSKT,SPWD:20IN,150LB,PTFE GLASS FILLED	11.00	051	ST
600838	GSKT,SPWD:20IN,150LB,PTFE GLASS FILLED	9.00	051	ST
600712	GSKT,SPWD:20IN,300LB,GRAPHITE	4.00	051	ST
599994	GSKT,SPWD:24IN,150LB, GRAPHITE	16.00	051	ST
600693	GSKT,SPWD:24IN,150LB,GRAPHITE	2.00	051	ST
838875	GSKT,SPWD:24IN,150LB,GRAPHITE,SS 316	1.00	051	ST
599959	GSKT,SPWD:24IN,150LB,PTFE GLASS FILLED	4.00	051	ST
611080	GSKT,SPWD:24IN,150LB,PTFE GLASS FILLED	22.00	051	ST
599952	GSKT,SPWD:24IN,300LB,PTFE GLASS FILLED	5.00	051	ST
600682	GSKT,SPWD:2IN,150LB,GRAPHITE,IRID 55.6MM	11.00	051	ST
600779	GSKT,SPWD:2IN,150LB,GRAPHITE,IRID 55.6MM	18.00	051	ST
600840	GSKT,SPWD:2IN,150LB,PTFE GLASS FILLED	3.00	051	ST
800771	GSKT,SPWD:2IN,300LB,GRAPHITE,SS 316	1.00	051	ST
614206	GSKT,SPWD:2IN,300LB,GRAPHITE,UNS S31600	14.00	051	ST
611210	GSKT,SPWD:2IN,600LB,GRAPHITE,IRMT SS 321	52.00	051	ST
636331	GSKT,SPWD:2IN,T#1806GR	2.00	051	ST
600683	GSKT,SPWD:3IN,150LB,GRAPHITE,IRID 81MM	6.00	051	ST
800778	GSKT,SPWD:3IN,150LB,GRAPHITE,SS 316	1.00	051	ST
600801	GSKT,SPWD:3IN,300LB,IRID 81MM	4.00	051	ST
611255	GSKT,SPWD:3IN,600LB,GRAPHITE,SS 316	23.00	051	ST
599937	GSKT,SPWD:6 INCHIN,150LB	2.00	051	ST
609099	GSKT,SPWD:600LB,GRAPHITE,OR OD 1-1/2IN	3.00	051	ST
600845	GSKT,SPWD:6IN,150LB,PTFE GLASS FILLED	3.00	051	ST
600783	GSKT,SPWD:6IN,300LB,GRAPHITE	3.00	051	ST
447547	GSKT,SPWD:8IN,150LB,PTFE,SS 304	48.00	051	EA
600707	GSKT,SPWD:8IN,300LB,GRAPHITE	8.00	051	ST
600784	GSKT,SPWD:8IN,300LB,GRAPHITE	4.00	051	ST
599584	GSKT,SPWD:DN 4IN,150LB,GRAPHITE,TITANIUM	5.00	051	ST
600293	GSKT,SPWD:FILLER THICKNESS 4.5MM,WINDING	4.00	051	ST
600991	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	3.00	051	ST
600994	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	4.00	051	ST
643534	GSKT,SPWD:GRAPHITE,SS DIN WN 1.4541	1.00	051	ST
592136	GSKT,SPWD:GRAPHITE/SS 316	16.00	051	ST
600827	GSKT,SPWD:NON ASBESTOS/T#1804-NA,SS 304	6.00	051	ST
653202	GSKT,SPWD:SPIRAL	7.00	051	EA
1031522	GSKT,SPWD:TYP BAISC WITH INNER RING,FILL	1.00	051	EA
1227507	GSKT,SPWD:TYP BASIC WITH INNER & OUTER R	1.00	051	EA
599789	GSKT,SPWD:TYP BASIC WITH INNER AND OUTER	3.00	051	ST
1026493	GSKT,SPWD:TYP BASIC WITH INNER RING AND	2.00	051	EA
1031521	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	1.00	051	EA
1031523	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	1.00	051	EA
1206560	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	5.00	051	EA
1032703	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	1.00	051	EA
1078810	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	2.00	051	EA
1047264	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	2.00	051	EA
1047265	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	1.00	051	EA
609820	GSKT:	1.00	081	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
623898	GSKT:	2.00	051	ST
1033559	GSKT: SIZE 114.5 X 47MM,THICKNESS 1.5MM	1.00	051	EA
983956	GSKT: TYP CAP,MATL MONEL,APPL VALVE	1.00	051	EA
600864	GSKT: TYP CASING,P/N:82662404-NM-78	5.00	051	ST
1076867	GSKT: TYP COVER,MATL V#16,P/N:4G-72097	2.00	051	EA
983954	GSKT: TYP GUIDE,MATL MONEL,P/N:3640506	2.00	051	EA
983957	GSKT: TYP SEALING PLUG,MATL MONEL	1.00	051	EA
623921	GSKT:CU	1.00	051	ST
614548	GSKT:DIA 10MM,ROPE,FIBRE GLASS	60.00	051	M
623934	GSKT:FIBRE/SS 304,BONNET	4.00	051	ST
633230	GSKT:HANDWHEEL COVER PLATE	8.00	051	ST
633220	GSKT:HANDWHEEL COVER PLATE	8.00	051	ST
633241	GSKT:HANDWHEEL COVER PLATE	4.00	051	ST
643267	GSKT:ID 100 X OD 110MM,THK 3.2MM,ROUND	2.00	051	ST
623869	GSKT:ID 115 X OD 140MM,THK 14MM,ROUND	3.00	051	ST
447886	GSKT:ID 26 X OD 34MM	4.00	051	EA
599406	GSKT:ID 42.5 X OD 51.5MM,THK 1MM,ROUND	3.00	051	ST
623932	GSKT:SEALING PLUG,STEEL	2.00	051	ST
628103	GSKT:SEAT,SS ASTM A182 GR F6A	2.00	051	ST
633224	GSKT:THRUST BASE	6.00	051	ST
633234	GSKT:THRUST BASE	2.00	051	ST
1248423	GSKT:TYP BALL,MATL PTFE 25 PCT GLASSFASS	4.00	051	EA
1226700	GSKT:TYP COVER,APPL PSA FEED GAS COMPRES	4.00	051	EA
1226695	GSKT:TYP CRANKCASE COVER,APPL PSA FEED G	2.00	051	EA
1226693	GSKT:TYP CRANKCASE SIDE COVER,APPL PSA F	4.00	051	EA
1226690	GSKT:TYP CRANKCASE TOP COVER,APPL PSA FE	4.00	051	EA
1546388	GSKT:TYP DIAPHRAGM,MATL COMP SYN-FIBER/	1.00	051	EA
1226697	GSKT:TYP REAR COVER,APPL PSA FEED GAS CO	1.00	051	EA
1027503	GSKT:TYP RETAINING RING,THICKNESS 2MM,SI	1.00	051	ST
1028365	GSKT:TYP RETAINING RING,THICKNESS 3MM,SI	1.00	051	ST
646514	GSKT:TYP RING,THICKNESS 0.031IN,SIZE 23/	1.00	051	ST
452026	GSKT;*****GASKET,IRON,ROUND	16.00	051	EA
1610568	GSKT-KIT-INSULTG:TYP VCFS,NMNL FLNG SZ 8	1.00	051	KIT
1610108	GSKT-KIT-INSULTG:TYP VCXT,NMNL FLNG SZ 2	4.00	051	KIT
1610127	GSKT-KIT-INSULTG:TYP VCXT,NMNL FLNG SZ 4	8.00	051	KIT
1610110	GSKT-KIT-INSULTG:TYP VCXT,NMNL FLNG SZ 6	6.00	051	KIT
1610132	GSKT-KIT-INSULTG:TYP VCXT,NMNL FLNG SZ 8	4.00	051	KIT
267362	GSKT-PRE-CUT:SHF IRREGULAR,MTRL NBR,HLS	1.00	051	EA
1588323	GSKT-PRE-CUT:TYP RF,SZ ID 114 X OD 175 X	6.00	051	EA
1604109	GSKT-PRE-CUT:TYP RF,SZ ID 508 X OD 606.6	1.00	051	EA
1031272	GSKT-PRE-CUT:TYP VALVE,SZ ID 270 X OD 28	12.00	051	EA
600373	GSKT-PRE-CUT;FLAT RING,4IN,ROUND,150LB	6.00	051	ST
614938	GSKT-PRE-CUT;ID 410 X OD 510 X THK 2MM	1.00	051	ST
603064	GSKT-PRE-CUT;ROUND,EPDM	2.00	051	ST
600235	GSKT-SPRL-WUND:TYP BASIC WITH INNER AND	5.00	051	ST
1025065	GSKT-SPRL-WUND:TYP BASIC WITH INNER AND	24.00	051	EA
697525	GUD-VLV:MTRL ASTM A297 GR-HE,P/N:103196	6.00	011	EA
582590	GUG-CMPUND;-1 TO 1.5BAR,100MM,BOURDON,SS	3.00	061	ST
582627	GUG-PRSUR:RNG 0-100BAR G,DL SZ 4-1/2IN,C	2.00	101	ST
1030008	GUG-PRSUR:RNG 0-16BAR G,DL SZ DIA 100MM	1.00	101	EA
621856	GUG-PRSUR;0 - 4BAR,100MM,G 1/2IN,BOURDON	1.00	101	ST
622186	GUG-PRSUR;0-10BAR,4-1/4IN,NPT 1/2IN,SS	2.00	101	ST
582561	GUG-PRSUR;0-16BAR,100MM,BSP G 1/2 IN-14	1.00	101	ST
582557	GUG-PRSUR;0-4BAR,100MM,BSP G 1/2 IN-14	1.00	101	ST
1034430	GUIDE, VALVE: VLV STYL NON-RETURN	2.00	051	EA
584544	GUIDE:TYP ROPE	1.00	091	ST
596019	GURD;PRESSURE SAFE,STEEL	1.00	121	ST
577351	HEAD:	5.00	101	ST
584590	HEAD:TYP ELECTRIC CONTROL QY VALVE	1.00	101	ST
622234	HEAD:TYP SIGNAL	2.00	101	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
580121	HEAD;PILOT INDICATIG LAMP; BLUE	2.00	101	ST
616510	HEATER,SPACE:TYP PANEL,SIZE WD 64 X HT 1	2.00	011	ST
629398	HEATER:	2.00	011	ST
632454	HEATER:	2.00	011	ST
604959	HEATER:RT 240V	1.00	011	ST
23953	HLDR-VLV-DISC	1.00	051	ST
23958	HLDR-VLV-DISC	1.00	051	ST
46763	HLDR-VLV-DISC:VLV STYL PRESSURE SAFETY R	1.00	051	EA
1000713	HOLDER, FUSE: FUSE STYLE CYLINDRICAL	8.00	021	EA
983686	HOLDER, VALVE DISC: MATL SS 316	2.00	051	EA
584603	HOLDER,FUSE:	7.00	021	ST
584604	HOLDER,FUSE:	6.00	021	ST
584605	HOLDER,FUSE:	6.00	021	ST
596150	HOLDER,FUSE:FUSE DIA 1IN	2.00	021	ST
1025103	HOLDER,SPRING	704.00	051	EA
577694	HORN:	1.00	121	ST
626412	HORN:RT 220VAC 50/60HZ	1.00	121	ST
583951	HOSE, FLEXIBLE METAL: HOSE SZ 1/2IN	1.00	051	ST
623829	HOSE:LG 400MM,RUBBER,FLEXIBLE	2.00	051	ST
623828	HOSE;LG 400MM,RUBBER,FLEXIBLE	1.00	051	ST
616520	HOUSING	3.00	051	ST
583334	HOUSING:TYP BEARING SHAFT	2.00	051	ST
616518	HOUSING:TYP CONNECTOR	2.00	051	ST
590202	HTR;CRANK CASE	2.00	011	ST
590908	HTR-SPC;110V 40W	1.00	011	ST
622221	HTR-SPC;230VAC 500W	1.00	900	ST
590909	HTR-SPC;240V 40W	2.00	011	ST
80897	HYDROMETER:TYP SUCTION,LENGTH 12IN	1.00	071	ST
643531	IMPELLER,PUMP:	1.00	081	ST
595831	INDICATOR,SIGHT FLOW:MT AL	1.00	061	ST
616494	INDICATOR:RNG 115KV,SCALE ON/OFF,MOUNT	2.00	061	ST
616543	INDICATOR:SZ DIA 14MM	6.00	021	ST
616544	INDICATOR:SZ DIA 14MM,STD CE	6.00	021	ST
616545	INDICATOR:SZ DIA 14MM,STD CE	6.00	021	ST
584374	INDICATOR:TYP OIL LEVEL	1.00	061	ST
616471	INDICATOR:TYP POSITION,RNG 115KV,SCALE	2.00	061	ST
588888	INSERT,COUPLING:	1.00	051	ST
612869	INSERT,COUPLING:TYP BOLT,P/N:FT303 (NEW	1.00	051	ST1
591090	INSULATOR:VOLT 34.5KV	3.00	051	ST
591091	INSULATOR:VOLT 34.5KV	3.00	051	ST
928479	INTERFACE: PWR SRC 110VDC,DOC:3A 130422	1.00	061	EA
1074022	ISOLATOR, ELECTRICAL: ELEC RT 0.8W	1.00	031	EA
616453	ISOLATOR,ELECTRICAL:	1.00	051	ST
623894	JET:TYP LUBE OIL,MT STEEL	4.00	051	ST
1548587	JOINT,EXPANSION:TYP MULTI LAYER TEXTILE	1.00	051	ASY
1033553	JOINT: TYP FLANGE,SIZE 15MM,MATL PVC	2.00	051	EA
510016	KEY,SHAFT:MT CS	2.00	051	ST
577429	KEYBOARD SUPERSEDED BY 7276571	1.00	141	ST
956187	KIT, ACTUATOR REPAIR: TYP OVERHAULING	1.00	061	KIT
644306	KIT, TERMINATION: TYP HV CABLE / EVP	1.00	021	KIT
628858	KIT, VALVE REPAIR: TYP SEAL	1.00	051	KIT
578176	KIT,ACTUATOR REPAIR:APLC GLOBE VALVE	1.00	061	ST
587338	KIT,ACTUATOR REPAIR:APLC SERVICE	2.00	061	ST
1529578	KIT,ACTUATOR REPAIR:TYP ACTUATOR,CMPRSNG	8.00	061	KIT
587315	KIT,ACTUATOR REPAIR:TYP SEAL	1.00	061	KIT
587537	KIT,ACTUATOR REPAIR:TYP SEAL	1.00	061	KIT
383281	KIT,CABLE JOINT:36KV	1.00	021	ST
1223092	KIT,PUMP REPAIR:TYP LUBE OIL PUMP,CMPRSN	1.00	081	KIT
652832	KIT,PUMP REPAIR:TYP REPAIR	1.00	081	KIT
602558	KIT,SEAL:TYP RING STEP SEAL	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
588022	KIT,VALVE REPAIR:	1.00	051	ST1
761103	KIT,VALVE REPAIR:	2.00	051	KIT
1246830	KIT,VALVE REPAIR:APPL 3 IN 150LB RF BOLT	1.00	051	KIT
1246829	KIT,VALVE REPAIR:APPL 4 IN 150LB RF BOLT	1.00	051	KIT
804799	KIT,VALVE REPAIR:AROMATICS	1.00	051	KIT
804800	KIT,VALVE REPAIR:AROMATICS	3.00	051	KIT
641913	KIT,VALVE REPAIR:PRESSURE SAFETY VALVE	1.00	051	ST
587793	KIT,VALVE REPAIR:SEAL	4.00	051	KIT
633243	KIT,VALVE REPAIR:SEAL	3.00	051	ST
633256	KIT,VALVE REPAIR:SEAL AND GASKET	1.00	051	ST1
578165	KIT:	2.00	081	ST
595941	KIT:	2.00	051	ST
644983	KIT:	2.00	081	ST
616456	KIT:APLC BUS COUPLER AND 115KV	1.00	081	ST1
616454	KIT:APLC NORMAL BAY WITHOUT VT AND 115KV	1.00	081	ST1
616455	KIT:APLC NORMAL BAY WITHOUT VT AND 115KV	1.00	081	ST1
587327	KIT:APLC REFRIGERATION UNIT	2.00	081	ST
578121	KIT:TYP BACK LID SCREWS	1.00	081	KIT
622252	KIT:TYP CONTACT AUXILIARY	2.00	081	ST
588213	KIT:TYP GASKET,APLC MOTOR	1.00	081	KIT
288180	KIT:TYP LCD METER REPLACEMENT,APLC	2.00	081	ST1
622360	KIT;CONTACT AUXILIARY,CIRCUIT BREAKER	2.00	081	ST
819910	KIT;SEAL,ACTUATOR; SAD 035	1.00	051	ST
1597588	KIT-ACTUTR-RPR:TYP SOFT WEAR,CMPRSNG O-R	1.00	061	KIT
1610831	KIT-INSTLTN:TYP MOUNTING,CMPRSNG NUTS; B	1.00	051	KIT
1610832	KIT-INSTLTN:TYP MOUNTING,CMPRSNG NUTS; B	1.00	051	KIT
591514	KIT-PUMP-RPR;NUT	1.00	081	ST1
1566959	KIT-SEAL:TYP POSITIONER,APL FOR ROTART A	1.00	051	KIT
641940	KIT-VLV-RPR:TYP SOFT GOOD,APL PRESSURE S	1.00	051	ST
588016	KIT-VLV-RPR:TYP SOFT PART,APL PRESSURE A	2.00	051	ST1
641935	KIT-VLV-RPR:TYP SOFT PART,APL PRESSURE S	2.00	051	ST
930608	KIT-VLV-RPR:TYP SOFT PARTS,APL EGR VALVE	1.00	051	EA
587225	KIT-VLV-RPR:TYP SOFT PARTS,CMPRSNG SEAT-	5.00	051	ST
1597719	KIT-VLV-RPR:TYP SOFT WEAR,CMPRSNG GASKET	1.00	051	KIT
400130	KIT-VLV-RPR;VALVE REPAIR	1.00	051	ST
642371	KNOB:TYP CONCENTRIC RING	9.00	141	ST
642361	KNOB:TYP FREQUENCY	19.00	141	ST
642360	KNOB:TYP ON/OFF/VOLUME	20.00	141	ST
629463	LAMP,FLUORESCENT:W 60W,VOLT 120VAC	2.00	021	ST
247488	LAMP,HID:TYP HIGH PRESSURE SODIUM VAPOUR	2.00	021	EA
580014	LAMP,HID:TYP METAL HALIDE,W 400W	26.00	021	ST
609804	LAMP,INCANDESCENT:TYP PILOT,VOLT 28V	30.00	021	ST
583138	LAMP,INCANDESCENT:TYP PIN,VOLT 220V	14.00	021	ST
612850	LAMP,INCANDESCENT:W 60W,VOLT 220/230V	9.00	021	ST
882648	LAMP: WATT 26W,VOLTAGE 240VAC,STD UL	4.00	021	EA
580057	LAMP:TYP HALOGEN,W 42W,VOLT 10.8V	4.00	021	ST
579964	LAMP-INCNDSCNT;PILOT,2W,24V,CLEAR,BA 9S	13.00	021	ST
628839	LATCH:TYP CLUTCH	3.00	091	ST
707153	LENS,CAMERA:TYP AUTO IRIS	5.00	141	EA
583168	LENS-CMR;CCTV SYSTEM	1.00	141	ST
642238	LEVER:	20.00	091	ST
1090406	LEVER: TYP CAM,P/N:2717,DOC:4275	1.00	091	EA
617764	LGHT;FLOURESCENT TUBE,230VAC 50/60HZ,14W	1.00	021	ST
634625	LGHT-INDCTG;DIODE SIGNAL,230/240V,RED	2.00	021	ST
634624	LGHT-INDCTG;DIODE SIGNAL,230/240V,WHITE	2.00	021	ST
634630	LGHT-INDCTG;LED,230/240V AC,GREEN	2.00	021	ST
832758	LIGHT, INDICATING: TYPE LED	21.00	021	EA
934364	LIGHT,INDICATING:TYP PILOT LED	10.00	021	EA
613156	LIGHT,INDICATING:TYP PILOT,COLOR GREEN	4.00	021	ST
583011	LIGHT,INDICATING:TYP PILOT,VOLT 240V	2.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
583122	LIGHT,INDICATING:VOLT 220V	42.00	021	ST
799328	LIGHT: TYPE MERCURY VAPOUR FLOOD LIGHT	1.00	021	EA
622233	LIGHT:TYP FLOURESCENT TUBE	2.00	021	ST
590204	LIMITER:TYP OIL PRESSURE	2.00	031	ST
641615	LIMITER:TYP OIL PRESSURE	1.00	031	ST
261795	LINK,FUSE:TYP NEUTRAL,AMP 20A,STD CE	10.00	051	EA
590086	LINK,FUSE:TYP SCREW,AMP 100A,VOLT 380V	5.00	021	ST
612867	LUBRICATOR:TYP CONSTANT LEVEL OILER	4.00	101	ST
625782	LVL;OIL,PVC,CENTRIFUGAL PUMPS	2.00	101	ST
585230	MANIFOLD,VALVE:STYL 3 WAY,DSGN RT 6000PS	1.00	051	ST
582676	MANOMETER:	1.00	061	ST
1038085	MAT: TYP SWITCHBOARD,P/N:W43 M36-4	1.00	121	ROL
567780	MDUL	2.00	031	EA
1566690	MDUL:TYP DC CURRENT MEASURING,PWR SURC D	1.00	031	ST
616472	MDUL:TYP DIODE,P/N:2950077,MNFR:PHOENIX	5.00	031	ST
606120	MDUL;PROGRAMMER; VALVE PROVING	1.00	031	ST
634564	MDUL-PWR-SUPLY;230/240V AC,FLARE SYSTEM	1.00	031	ST
622231	MDUL-PWR-SUPLY;24VAC/DC 25A	1.00	900	ST
586761	MECHANISM:TYP MOTOR CHARGING	2.00	051	ST
588921	MECHANISM:TYP PUSH BUTTON	5.00	021	ST
612868	MEMBRANE:TYP COUPLING SET	2.00	051	ST1
1528698	MESH:SIZE WD 1000 X LG 5000MM,MESH SIZE	1.00	111	EA
1012885	METER, FLOW: TYP MASS; DENSITY,STD CE	1.00	101	EA
622242	METER,ELECTRICAL:TYP AMMETER	2.00	101	ST
622244	METER,ELECTRICAL:TYP AMMETER	2.00	101	ST
622245	METER,ELECTRICAL:TYP AMMETER	2.00	101	ST
622246	METER,ELECTRICAL:TYP AMMETER	2.00	101	ST
584448	METER,ELECTRICAL:TYP AMMETER,READOUT DIG	1.00	101	ST
584450	METER,ELECTRICAL:TYP AMMETER,READOUT DIG	1.00	101	ST
616523	METER,ELECTRICAL:TYP AMMETER,RNG	2.00	101	ST
616525	METER,ELECTRICAL:TYP AMMETER,RNG 0-1000A	2.00	101	ST
584502	METER,ELECTRICAL:TYP VOLT	1.00	101	ST
616526	METER,ELECTRICAL:TYP VOLT,RNG	2.00	101	ST
584447	METER,ELECTRICAL:TYP VOLT,RNG 0-400V	1.00	101	ST
622243	METER,ELECTRICAL:TYP VOLT,RNG 0-500VAC	2.00	101	ST
584503	METER:TYP AMPERAGE,RNG 0-2.5KA	1.00	101	ST
584392	METER:TYP DENSITY,RNG 0-35KG/M3	1.00	101	ST
584391	METER:TYP DENSITY,RNG 0-75KG/M3	1.00	101	ST
581195	METER:TYP POTENTIOMETER,RNG 1000OHM	1.00	101	ST
642244	MICROPHONE:TYP BOOT	5.00	031	ST
642243	MICROPHONE:TYP HAND HELD	13.00	031	ST
592342	MODEM:TYP FIBER OPTIC	1.00	031	ST
590265	MODULE, POWER SUPPLY: O/P 24VDC 2A	1.00	031	ST
590243	MODULE,POWER SUPPLY:APLC PA/GA SYSTEM,O	1.00	021	ST
809381	MODULE,POWER SUPPLY:O/P 5VDC 10A	1.00	031	EA
1001010	MODULE: PWR SRC 24VDC 7.7W,P/N:3500/72M	2.00	031	EA
626901	MODULE:ANALOG INPUT/OUTPUT NEST	1.00	031	ST
583877	MODULE:CURRENT/VOLTAGE OUTPUT	10.00	031	ST
835622	MODULE:ESB BUS INTERFACE SALVE	2.00	031	EA
613553	MODULE:INPUT	1.00	031	ST
628534	MODULE:LOAD/SYNCRONIZER DIGITAL CONTROL	1.00	031	ST
583765	MODULE:MEASURING,O/P 4-20MA	1.00	031	ST
626904	MODULE:NEST,DISTRIBUTED CONTROL SYSTEM	1.00	031	ST
626899	MODULE:NODE COMMUNICATION CARD	2.00	031	ST
581530	MODULE:RELAY	2.00	031	ST
583881	MODULE:SUB SYSTEM COMMUNICATION CARD	5.00	031	ST
604972	MODULE:SWITCHING AMPLIFIER	3.00	031	ST
583641	MODULE:TYP CONTROL,STD CSA; UL,DOC:686-E	4.00	031	ST
616063	MODULE:TYP EARTH LEAKAGE,INPUT 400V,APPL	2.00	031	ST
627132	MODULE:UNIT COOLING FAN,PWR S 24VDC	1.00	031	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
618651	MODULE:UPS/DC SUPPLY SYSTEM	1.00	031	ST
1071330	MONITOR: TYP DOUBLE STANDS,P/N:P242W	2.00	061	EA
1065092	MONITOR: TYP VIBRATION,RANGE 4-20MA	1.00	061	EA
582688	MONITOR:TYP DUAL THRUST POSITION,RNG 1.	2.00	031	ST
1021035	MOTOR, ELECTRIC: PWR RT 1HP,PHASE SINGLE	1.00	011	EA
584105	MOTOR,ELECTRIC:1.1KW,220/380VAC 4.9/2.8A	1.00	900	ST
586780	MOTOR,ELECTRIC:1/3HP,208-230VAC 2.3A	1.00	011	ST
913307	MOTOR,ELECTRIC:1/5HP	1.00	011	ST
613944	MOTOR,ELECTRIC:1-1/2KW,380VAC 3.6A	1.00	011	ST
887148	MOTOR,ELECTRIC:2.2KW,380VAC 60HZ,1140RPM	1.00	011	ST
598978	MOTOR:	1.00	011	ST
586749	MOTOR:110-125V 1.2A 75W 6000RPM,CE	1.00	011	ST
586748	MOTOR:110V 1.5A 130W 6000RPM,SPRING	1.00	011	ST
595891	MTR;ELAPSED TIME,0-99999.99HR,ANALOG	2.00	101	ST
618648	MTR-ELECT:TYP AMMETER,P/N:400604,MNFR:GU	1.00	101	ST
937354	MTR-ELECT:TYP VOLTMETER,RDUT ANALOG,RNG	1.00	101	ST
1617993	MTR-ELECT;MULTI FUNCTION,DIGITAL,110V AC	1.00	061	ST
628837	NIPPLE,CONDUIT:TYP CONDUIT	1.00	021	ST
9102383	NOZZLE,FULLCONE,2-15/16",MALE THD,(TO BE	3.00	051	ST
641921	NOZZLE,VALVE:MT SS 316	1.00	051	ST
641944	NOZZLE,VALVE:MT SS 316	1.00	051	ST
629137	NOZZLE,VALVE:MT SS ASTM A276 GR 304	8.00	051	ST
629152	NOZZLE,VALVE:MT SS ASTM A276 GR 316L	1.00	051	ST
761377	NOZZLE,VALVE:VLV SZ 2 X 3 IN	1.00	051	ST
653226	NOZZLE:MT UNS S31600	1.00	051	EA
633324	NOZZLE:TYP MOTIVE VAPOUR	1.00	051	ST1
633327	NOZZLE:TYP MOTIVE VAPOUR	1.00	051	ST1
633328	NOZZLE:TYP MOTIVE VAPOUR	1.00	051	ST1
607981	NOZZLE:TYP SPRAY,SIZE 1/4IN,CNCT MPT,MAT	10.00	051	ST
809154	NUT,HEX:DIA M10,SS 316L	396.00	051	ST
613715	NUT,HEX:DIA M20,AS ASTM A194,GR 2H	12.00	051	ST
625878	NUT,HEX:DIA M20,SS DIN WN 1.4462/318LN	12.00	051	ST
613910	NUT,HEX:DIA M30,CS JIS G3101,GR SS400	6.00	051	ST
939102	NUT,HEX:DIA M6,ISO 4032-8Z	43.00	051	EA
520034	NUT,LOCK:COUPLING HUB SHAFT	1.00	051	ST1
591515	NUT,LOCK:SHAFT EXT	1.00	051	ST
606352	NUT:	8.00	051	ST
949883	NUT:DIA M12,STEEL,THD 1.75MM,GR 6	16.00	051	EA
1232592	NUT:DIAMETER 32MM,MATL CS,THREADS UNC,GR	1.00	051	EA
614768	NUT:SHAFT SLEEVE	2.00	051	ST
614769	NUT:SHAFT SLEEVE	1.00	051	ST
643558	NUT:SS DIN WN 1.4401,IMPELLER	1.00	051	ST
516765	NUT-LOCK	1.00	051	ST1
1625723	NZL-VLV;1-1/2 X D X 2	1.00	051	EA
653273	NZL-VLV;3/4 X 1IN	1.00	051	EA
1193004	O RING, CORD: , THICKNESS 5MM	4.00	051	EA
1033116	O RING:INSIDE DIAMETER 10.8MM,WIDTH 1.78	3.00	051	EA
53914	O RING:INSIDE DIAMETER 102MM,WIDTH 3.5MM	2.00	051	ST
1064553	O RING:INSIDE DIAMETER 112MM,WIDTH 3MM,M	1.00	051	EA
452185	O RING:INSIDE DIAMETER 130.4MM,WIDTH 3MM	24.00	051	EA
1033157	O RING:INSIDE DIAMETER 14MM,WIDTH 1.78MM	2.00	051	EA
1064555	O RING:INSIDE DIAMETER 14MM,WIDTH 2MM,MA	1.00	051	EA
1045596	O RING:INSIDE DIAMETER 155MM,WIDTH 5.7MM	1.00	051	EA
1064544	O RING:INSIDE DIAMETER 160MM,WIDTH 4MM,M	1.00	051	EA
1031273	O RING:INSIDE DIAMETER 19.8MM,WIDTH 2.4M	28.00	051	EA
1033158	O RING:INSIDE DIAMETER 19.8MM,WIDTH 2.4M	2.00	051	EA
1064397	O RING:INSIDE DIAMETER 190MM,WIDTH 5MM,M	1.00	051	EA
1033145	O RING:INSIDE DIAMETER 2.359IN,WIDTH 0.1	1.00	051	EA
1064547	O RING:INSIDE DIAMETER 200MM,WIDTH 8.4MM	1.00	051	EA
1064549	O RING:INSIDE DIAMETER 210MM,WIDTH 5MM,M	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1064552	O RING:INSIDE DIAMETER 220MM,WIDTH 4MM,M	1.00	051	EA
1064546	O RING:INSIDE DIAMETER 240MM,WIDTH 5.7MM	1.00	051	EA
1031298	O RING:INSIDE DIAMETER 241MM,WIDTH 10MM,	2.00	051	EA
1031278	O RING:INSIDE DIAMETER 264.5MM,WIDTH 8.4	10.00	051	EA
1064551	O RING:INSIDE DIAMETER 26MM,WIDTH 3MM,MA	1.00	051	EA
1031301	O RING:INSIDE DIAMETER 317MM,WIDTH 10MM,	1.00	051	EA
1064545	O RING:INSIDE DIAMETER 32MM,WIDTH 3.5MM,	1.00	051	EA
1064548	O RING:INSIDE DIAMETER 44MM,WIDTH 3MM,MA	1.00	051	EA
1064396	O RING:INSIDE DIAMETER 58MM,WIDTH 5MM,MA	2.00	051	EA
804019	O RING:SHORE HARDNESS 70 SHORE,P/N:02-32	1.00	051	EA
287424	OIL,INDUSTRIAL:TYP GEAR,TRADE NAME MOBIL	18.00	001	DR
95535	OIL,INDUSTRIAL:TYP LUBRICANT,TRADE NAME	2.00	001	DR
31630	OIL: TYP LUBRICANT,CTNR DRUM 208L	4.00	001	DR
308124	OIL:TYP GEAR,RT 1	624.00	001	L
616023	OIL:TYP TRANSFORMER,DRUM 182KG	364.00	001	KG
626312	OILER:	3.00	101	ST
874677	OILER:	1.00	101	ST
614767	OILER: P/N:P7150310-ZZ000,P/N:60537503	2.00	101	ST
1232598	OILER:TYP CONSTANT LEVEL,CAPACITY 5OZ,MA	1.00	101	EA
577893	OL;MOUNTING/DISMOUNTING	1.00	101	ST
622259	OPERATOR,SWITCH:TYP PUSHBUTTON	2.00	011	ST
622261	OPERATOR,SWITCH:TYP PUSHBUTTON	2.00	011	ST
622260	OPERATOR,SWITCH:TYP PUSHBUTTON,COLOR RED	2.00	900	ST
622248	OPERATOR:	1.00	011	ST
622258	OPRTR-SWTCH;SELECTOR	2.00	011	ST
628836	O-RIG;0.8IN,0.1IN,MOTOR OPERATED VALVE	2.00	051	ST
110119	O-RIG;139.4MM,3.1MM,NBR	5.00	051	EA
601283	O-RIG;15.8 X 23(OD)MM,2MM,FKM,COMPRESSOR	11.00	051	ST
588371	O-RIG;185MM,3.55MM,NBR,70A	2.00	051	ST1
623830	O-RIG;24.6MM,3.6MM,NBR 83	4.00	051	ST
889081	O-RIG;304.39MM,3.53MM,FKM/VITON	1.00	051	EA
1198035	O-RIG;30MM,3MM,FPM	1.00	051	EA
111427	O-RIG;39.7MM,3.5MM	4.00	051	EA
796085	O-RIG;NITRILE RUBBER	15.00	051	EA
36294	O-RIG;YOKE, CONTROL VALVE	4.00	051	EA
1040279	O-RIG-ST;NBR,PUMP,2,SPOOL	2.00	051	SE
623814	O-RING SET:	3.00	051	ST1
599402	O-RING SET:	1.00	051	ST1
578551	O-RING SET:10	1.00	051	ST
629641	O-RING SET:3	5.00	051	ST1
629646	O-RING SET:3	4.00	051	ST1
612452	O-RING SET:4	1.00	051	ST1
318766	O-RING, DIN 3771- 7.50X 1.50-N-NBR 70	4.00	051	ST
623867	O-RING,CORD:THK 3MM	1.00	051	ST
623870	O-RING,CORD:THK 3MM	2.00	051	ST
623882	O-RING,CORD:THK 3MM	1.00	051	ST
589048	O-RING,CORD:THK 7MM,MT VITON	28.00	051	ST
601831	O-RING:	1.00	051	ST
628857	O-RING:	4.00	051	ST
628861	O-RING:	5.00	051	ST
633223	O-RING:	5.00	051	ST
633233	O-RING:	5.00	051	ST
633257	O-RING:	3.00	051	ST
633258	O-RING:	2.00	051	ST
633259	O-RING:	1.00	051	ST
1046166	O-RING: INSIDE DIAMETER 12MM	20.00	051	EA
282519	O-RING: INSIDE DIAMETER 140MM,WIDTH 3MM	1.00	051	EA
1081695	O-RING: INSIDE DIAMETER 150MM,WIDTH 5MM	1.00	051	EA
1031274	O-RING: INSIDE DIAMETER 23.7MM	2.00	051	EA
1031276	O-RING: INSIDE DIAMETER 864.5MM	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1078815	O-RING: INSIDE DIAMETER 9MM,WIDTH 1.5MM	2.00	051	EA
594175	O-RING:APLC SEAL	1.00	051	ST1
452189	O-RING:ID 102MM,WD 3MM,MT FKM	12.00	051	EA
643549	O-RING:ID 103MM,WD 3.55MM,MT NBR,SHOR -	1.00	051	ST
623115	O-RING:ID 120MM,WD 4MM,STD DIN 3770	4.00	051	ST
601521	O-RING:ID 129.77MM,WD 3.53MM,MT VITON	2.00	051	ST
452178	O-RING:ID 139.4MM,WD 3.1MM,MT FKM	11.00	051	EA
643548	O-RING:ID 140MM,WD 3.53MM,MT EPDM	1.00	051	ST
601967	O-RING:ID 170MM,WD 4MM	4.00	051	ST
617443	O-RING:ID 33MM,WD 2.5MM,MT VITON	5.00	051	ST1
50379	O-RING:ID 35.7MM,WD 3.5MM,MT NBR	4.00	051	ST
601772	O-RING:ID 362MM,WD 5MM,MT NBR,APLC SEA	6.00	051	ST
698564	O-RING:ID 43.7MM,WD 3.5MM,MT FKM	26.00	051	EA
521956	O-RING:ID 49.5MM,WD 2MM,MT NBR	4.00	051	EA
601308	O-RING:ID 54.4MM,WD 3.1MM,MT EPDM	3.00	051	ST
601276	O-RING:ID 565MM,WD 9MM,MT FKM	4.00	051	ST
603191	O-RING:ID 600MM,WD 4MM,MT VITON	3.00	051	ST
602051	O-RING:ID 608.08MM,WD 3.53MM	12.00	051	ST
601964	O-RING:ID 6IN,MT BUNA-N	3.00	051	ST
601470	O-RING:MT BUNA-N,APLC PISTON	4.00	051	ST
641947	O-RING:MT PTFE	1.00	051	ST
808835	O-RING:MT VITON,SHOR - HRD 75,APLC VALVE	2.00	051	ST
589464	OVERLOAD,MOTOR PROTECTION:AMP 12.5A	2.00	011	ST
589468	OVERLOAD,MOTOR PROTECTION:AMP 320A	1.00	011	ST
600641	PACKING,BULK:PTFE	3.00	051	ST
1031308	PACKING: SIZE ID 134 X OD 151.7 X HT	8.00	051	EA
1031310	PACKING: SIZE ID 180 X OD 200 X HT 12MM	1.00	051	EA
1031309	PACKING: SIZE ID 230 X OD 250 X HT 12MM	1.00	051	EA
602135	PACKING:DN 100,PTFE,TYP GLAND	6.00	051	ST
602136	PACKING:DN 75,PTFE,TYP GLAND	10.00	051	ST
588486	PACKING:FLEXI-GRAPH,SQUARE,TYP GLANG	8.00	051	ST1
602173	PACKING:GRAFOIL	1.00	051	ST1
602350	PACKING:GRAPHITE	1.00	051	ST
602353	PACKING:GRAPHITE	2.00	051	ST
602347	PACKING:GRAPHITE	2.00	051	ST
602355	PACKING:GRAPHITE	4.00	051	ST
635542	PACKING:GRAPHITE,TYP GLAND	1.00	051	ST1
602356	PACKING:GRAPHITE,TYP STEM	3.00	051	ST
614011	PACKING:ID 854 X OD 1040 X THK 70MM	3.00	051	ST1
636329	PACKING:P#4519M	7.00	051	ST
633960	PACKING:PTFE,TYP STEM	3.00	051	ST
888871	PACKING:TYP GLAND	1.00	051	EA
957137	PAD: TYPE VIBRATION,MATERIAL NBR; STEEL	5.00	051	ST
577550	PASTE:TYP SILICONE,AEROSOL CAN 400ML	13.00	001	TB
1228550	PCKG:SZ WD 27 X HT 20 X LG 395MM,MTRL RU	1.00	051	SE
9102324	PIN,DOWEL,20MM,62MM,MACHINARY(TO BE DELE	48.00	051	ST
606463	PIN,DOWEL:	1.00	051	ST1
2281	PIN,GROOVED,HEADLESS:PLUG STEM	2.00	051	ST
614779	PIN,TAPER:	2.00	051	ST1
1034031	PIN: DIAMETER 135MM,LENGTH 145MM	2.00	051	EA
1034026	PIN: DIAMETER 260MM,LENGTH 149MM	1.00	051	EA
761216	PIN:DIA 1/4IN,LG 3/4IN,MTRL SS 316,TYP G	1.00	051	EA
625482	PIN:DIA 11MM,LG 15MM,STEEL	4.00	051	ST
628034	PIN:DIA 1IN,MONEL,PLUG STEM	6.00	051	ST
630510	PIN:DIA 4IN,PLUG	1.00	051	ST
628047	PIN:DIA 6IN,UNS S31603,PLUG STEM	4.00	051	ST
1024098	PIN:DIAMETER 135MM,LENGTH 306.3MM,MATL S	1.00	051	EA
46754	PIN;SS 316,RING;PN:1076416	2.00	051	EA
34802	PIN-CTR-SLD:MTRL SS,P/N:1A866537022,MNFR	1.00	051	ST
623871	PINION:	1.00	081	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
623876	PINION:	1.00	081	ST
1234186	PIPE MTLCL:NMNL PIPE SZ DSGNTN 1IN,MTRL	336.00	131	M
993302	PIPE: SIZE 4IN,LENGTH 6000MM,SCHD 40	1.00	131	ST
25173	PIPE:SIZE 6IN,LENGTH 6000MM,SCHD 40S,MAT	18.00	101	M
525459	PIPE:SZ 1/2IN,LG 6000MM,SCHD 160,CS ASTM	1.00	131	EA
78049	PIPE:SZ 2IN,LG 6000MM,SCHD 80,CS ASTM	96.00	131	M
898149	PIPE:SZ 8IN,LG 6M,SCHD 20,CS ASME SA333	6.00	131	ST
580328	PISTON:	2.00	091	ST
250008	PISTON:MT SS ASTM A564 GR 630,APLC	1.00	091	EA
896626	PLAT,MTL:SZ WD 2 M X LG 4 M X THK 2 MM	4.00	131	ST
896939	PLAT,MTL:SZ WD 4FT X LG 8FT X THK 3MM	1.00	131	ST
608779	PLAT,MTL:SZ WD 4FT X LG 8FT X THK 6MM	1.00	131	ST
992014	PLATE, METAL: MATL CS ASTM A516,GRD 70	1.00	131	EA
1233459	PLATE,METALLIC:SIZE WD 2000 X LG 6000 X	1.00	131	EA
643559	PLATE:TYP PACK	2.00	051	ST
620757	PLATE:TYP SEAL,APLC ELECTRIC MOTOR	3.00	131	ST
623839	PLATE:TYP STOP,STEEL	2.00	131	ST
1578979	PLT-MTLC;DIA 15MM,SS,316	1.00	051	EA
666493	PLUG, VALVE: MATL SS 316	2.00	051	EA
644654	PLUG,ELECTRICAL:600V 60A,P 4,WIRE 4	4.00	021	ST
613193	PLUG,VALVE:CONTROL,SS DIN WN 1.4571	1.00	051	ST
627975	PLUG,VALVE:VLV SZ 1IN,CONTROL,SS 316	1.00	051	ST
628003	PLUG,VALVE:VLV SZ 1IN,CONTROL,SS 316	1.00	051	ST
628018	PLUG,VALVE:VLV SZ 6IN,CONTROL	1.00	051	ST
1022682	PLUG: SIZE 3/8IN,MATL SS,MNFR:HOWDEN	2.00	051	EA
619226	PLUG-ELECT;SUB-D	3.00	021	ST
626827	PNL;FRONT	1.00	021	ST
579721	PNT;ELECTRODE,LG 400MM	1.00	061	ST
1031504	POSITIONER, VALVE: SUPL P 2.5-10BAR	3.00	061	EA
585231	POSITIONER,VALVE:	2.00	061	ST
585232	POSITIONER,VALVE:	2.00	061	ST
610781	POSITIONER,VALVE:TYP PNEUMATIC	1.00	061	ST
1040369	POSITIONER: TYP ELECTRO PNEUMATIC	1.00	061	EA
628196	POSITIONER: TYP I/P,P/N:XXA1105	4.00	061	ST
1080950	POTENTIOMETER:TYP EP-45,TAPER CYLINDRICA	1.00	031	EA
642365	POTENTIOMETER:TYP SWITCHING	14.00	031	ST
590251	POWER SUPPLY:	2.00	021	ST
632376	POWER SUPPLY: TYP AC TO DC,MOUNT RAIL	1.00	021	ST
590266	POWER SUPPLY:P/N:0P0284,MNFR:GUTOR,DOC:3	1.00	021	ST
631101	POWER SUPPLY:TYP AC TO DC,I/P 120/240VAC	1.00	021	ST
626900	POWER SUPPLY:TYP MODULE,I/P 220VAC	5.00	021	ST
918772	PRINTER: TYP WEIGH BRIDGE,MNFR:EPSON	1.00	141	EA
988948	PRINthead: TYP COLOR,APPL INKJET PRINTER	1.00	141	EA
1065093	PROBE: TYP PROBE,P/N:190501-02-00-04	1.00	061	EA
1547315	PROBE:TYP PROXIMITY,SIZE 8MM,CABLE LENGT	1.00	061	EA
1610621	PSTNR-VLV:TYP SMART,SUPLY PRSUR 140-700K	1.00	061	EA
623960	PULLEY:GROOVE 6	2.00	051	ST
1616970	PULY-V-BELT:BLT TYP 4L,5L,GRVS 1,DIA 6.2	1.00	051	EA
1616969	PULY-V-BELT:BLT TYP 4L,5L,GRVS 2,DIA 6.2	2.00	051	EA
1616966	PULY-V-BELT:BLT TYP A,B,GRVS 1,DIA 5.35I	1.00	051	EA
1617023	PULY-V-BELT:BLT TYP A,B,GRVS 2,DIA 6.5IN	1.00	051	EA
1617024	PULY-V-BELT:BLT TYP A,B,GRVS 2,DIA 7.1IN	1.00	051	EA
1617025	PULY-V-BELT:BLT TYP A,B,GRVS 3,DIA 6.75I	1.00	051	EA
1617026	PULY-V-BELT:BLT TYP A,B,GRVS 3,DIA 7.35I	1.00	051	EA
620144	PUMP,ROTARY:TYP GEAR LUBE OIL,MOTOR	1.00	900	ST
331292	PUMP,ROTARY:TYP GEAR OIL	1.00	081	ST
582038	PUMP:TYP LUBE OIL	1.00	081	ST
130843	PUMP:TYP LUBE OIL,P/N:5.2902.0005.3.F,MN	2.00	900	EA
616461	PUMP:TYP MANUAL	1.00	900	ST
595646	RACK:TYP PLAIN BACK	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1578826	RAIL:TYP GUIDING,SZ WD 15MM,MTRL SS,APL	1.00	051	EA
1082431	RAM: TYP BACK-UP WITH BATTERY	9.00	101	ST
613559	RECEIVER:TYP LIGHT	1.00	031	ST
606021	RECTIFIER:VOLT 150-500VAC,AMP 1.5A	2.00	021	ST
959298	REGULATOR, PNEUMATIC: TYP AIR FILTER	2.00	061	ST
290539	REGULATOR,PNEUMATIC:OPR 0-125PSI	2.00	061	ST
630965	REGULATOR,PNEUMATIC:TYP AIR FILTER	1.00	061	ST
596893	REGULATOR,PNEUMATIC:TYP FILTER	2.00	061	ST
1541128	REGULATOR,PRESSURE:INLET PRESS 300PSIG,O	2.00	061	EA
585255	REGULATOR:TYP AUTOMATIC VOLTAGE	1.00	081	ST
641276	REGULATOR:TYP HOT GAS VALVE	1.00	061	ST
596899	REGULATOR:TYP PRESSURE	1.00	061	ST
590472	RELAY,CONTROL:APPL SWITCH BOARD,P/N:MHOR	2.00	031	ST
616468	RELAY,OVERLOAD:2.8-4A,1NO-1NC,THERMAL	3.00	011	ST
605041	RELAY,OVERLOAD:23-32A	1.00	011	ST
610520	RELAY,OVERLOAD:THERMAL	4.00	011	ST
590505	RELAY,OVERLOAD:TYP THERMAL,CONTACT ARRAN	1.00	011	ST
590417	RELAY,PROTECTION:	1.00	031	ST
590418	RELAY,PROTECTION:	3.00	031	ST
590419	RELAY,PROTECTION:	1.00	031	ST
590420	RELAY,PROTECTION:	2.00	031	ST
590423	RELAY,PROTECTION:	1.00	031	ST
590467	RELAY,PROTECTION:	1.00	031	ST
590469	RELAY,PROTECTION:	1.00	031	ST
616530	RELAY,PROTECTION:	1.00	900	ST
616539	RELAY,PROTECTION:	1.00	900	ST
618579	RELAY,PROTECTION:EARTH FAULT	1.00	031	ST
616535	RELAY,PROTECTION:INTERPOSING,SUPP 110VDC	1.00	900	ST
590473	RELAY,PROTECTION:MONITORING	4.00	031	ST
590351	RELAY,PROTECTION:RAPID PRESSURE RISE	1.00	900	ST
616531	RELAY,PROTECTION:SYNCHRONIZING CHECK	1.00	900	ST
616540	RELAY,PROTECTION:TRIP,SUPP 110VDC	1.00	900	ST
618620	RELAY,PROTECTION:UNDERVOLTAGE	2.00	031	ST
616497	RELAY,TIME DELAY:	2.00	011	ST
590427	RELAY,TIME DELAY:0.05/1SEC-60HR	1.00	011	ST
622235	RELAY,TIME DELAY:0.5-10S,COIL 220-240VAC	2.00	900	ST
590499	RELAY,TIME DELAY:0-30S,COIL 240VAC/DC	1.00	011	ST
591077	RELAY,TIME DELAY:0-30SEC OFF DELAY,4PDT	2.00	011	ST
591078	RELAY,TIME DELAY:0-30SEC ON DELAY,4PDT	2.00	011	ST
590498	RELAY,TIME DELAY:0-60SEC ON DELAY	1.00	011	ST
616408	RELAY,TIME DELAY:ON DELAY	18.00	011	ST
627347	RELAY:	1.00	011	ST
590465	RELAY:	1.00	031	ST
616493	RELAY:	4.00	011	ST
622236	RELAY:	2.00	900	ST
622237	RELAY:	2.00	900	ST
609057	RELAY: COIL VOLTAGE 24VDC,ACTION 4PDT	1.00	011	ST
627722	RELAY:4PST,CONT 595VAC 10A,TYP CONTACTOR	1.00	011	ST
616507	RELAY:COIL 110VAC,TYP AUXILIARY	2.00	011	ST
612034	RELAY:COIL 110VDC,TYP AUXILIARY	1.00	011	ST
616505	RELAY:COIL 110VDC,TYP AUXILIARY	2.00	011	ST
605094	RELAY:COIL 12VDC,DPDT,CONT 125/250VAC 5A	2.00	011	ST
590496	RELAY:COIL 240VAC 50/60HZ,DPDT,CONT	2.00	011	ST
590500	RELAY:COIL 24VAC 50/60HZ,3PDT	2.00	011	ST
618702	RELAY:COIL 24VDC	2.00	011	ST
590326	RELAY:COIL 24VDC,4PDT	4.00	011	ST
590458	RELAY:COIL 24VDC,CONT 24VDC	1.00	011	ST
631034	RELAY:COIL 24VDC,PLUG IN,TERM (14) PIN	3.00	011	ST
605066	RELAY:COIL 24VDC,SPST,CONT 250VAC 4A	4.00	011	ST
590415	RELAY:COIL 5V,SPST,PLASTIC	2.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
590416	RELAY:COIL V 110VDC,ACTION DPDT,TYP ANTI	4.00	011	ST
590497	RELAY:COIL V 208-240VAC,ACTION SPST,TYP	3.00	011	ST
590485	RELAY:COIL V 220/230VAC 50/60HZ,ACTION 4	5.00	011	ST
589729	RELAY:COIL V 220V,CNTCT RT 100-250 V; 50	2.00	011	ST
1225534	RELAY:COIL V 24V AC/DC,CNTCT RT 220 - 24	1.00	011	EA
616533	RELAY:TYP AUXILLIARY	2.00	900	ST
622359	RELEASE:TYP UNDER VOLTAGE	1.00	011	ST
616445	RESISTOR:	3.00	031	ST
616495	RESISTOR:10K OHM,RT 3W	10.00	031	ST
616491	RESISTOR:10K OHM,RT 5W	17.00	031	ST
616477	RESISTOR:4K OHM,RT 2W	17.00	031	ST
1229147	RETAINER:TYP OIL SEAL,SIZE DIA 320MM,MAT	2.00	051	EA
653246	RETAINER:TYP SEAT,MT PTFE	1.00	051	EA
239763	RETAINER:TYP SPINDLE,P/N:2410804,MNFR:DR	1.00	051	EA
596898	RGULTR;LEVEL	1.00	061	ST
1547597	RGULTR-PRSUR;200PSIG,20PSIG,NPS 2IN,1190	1.00	061	ASY
584532	RIBBON:TYP SUB CASSETTE,SZ LG 6000MM	4.00	001	ST
822258	RIG:TYP ADJUSTING RING,MTRL SS 316,P/N:4	2.00	051	EA
46265	RIG:TYP ADJUSTING,APL CONSOLIDATED SAFET	1.00	051	EA
46573	RIG:TYP ADJUSTING,APL CONSOLIDATED SAFET	1.00	051	EA
613108	RIG;OIL	1.00	051	ST
112586	RIG-RTNG:TYP INTERNAL,MTRL INCONEL,RTNTN	1.00	051	EA
633247	RING, RETAINING: P/N:CG1-RSN-75	1.00	051	ST
614759	RING, WEAR: APPL CASING,P/N:83267385-20K	2.00	081	ST
1557961	RING,PISTON:INSIDE DIAMETER 529MM,OUTSID	6.00	051	EA
602557	RING,PISTON:TYP GUIDE	2.00	051	ST
633227	RING,RETAINING:	3.00	051	ST
633261	RING,RETAINING:	1.00	051	ST
620143	RING,RETAINING:MT TS JIS G4401 GR SK5	1.00	051	ST
1229146	RING,RETAINING:SIZE DIA 100 X THK 12MM,T	1.00	051	EA
1229145	RING,RETAINING:SIZE DIA 200 X THK 12MM,T	4.00	051	EA
1226710	RING,RETAINING:SIZE DIA 366MM,TYP SNAP,M	2.00	051	EA
872262	RING,RETAINING:TYP SNAP,SPRING STEEL	2.00	051	ST
614758	RING,WEAR:APLC CASING	1.00	081	ST
614757	RING,WEAR:APLC IMPELLER	1.00	081	ST
643554	RING,WEAR:ID 109.8MM,OD 119.9MM,THK 16MM	1.00	081	ST
643553	RING,WEAR:ID 120.6MM,OD 135MM,THK 16MM	1.00	081	ST
1231802	RING,WEAR:INSIDE DIAMETER 78MM,MATL SS J	2.00	081	EA
602720	RING,WEAR:SS 316L,APLC COVER	2.00	081	ST
608528	RING,WEAR:SS ASTM A276 TP 420	1.00	081	ST
608561	RING,WEAR:SS ASTM A276 TP 420	1.00	081	ST
1078812	RING: SIZE OD 260 X THK 6MM,MATL	8.00	051	SE
877001	RING:DIA 3/4 X LG 1-1/8IN	2.00	051	EA
643557	RING:ID 90 X OD 100 X THK 10MM	1.00	051	ST
629292	RING:NBR	1.00	051	ST
641922	RING:SS 316,TYP NOZZLE	1.00	051	ST
642370	RING:TYP CONCENTRIC,ESCUTCHEON	6.00	051	ST
602559	RING:TYP GUIDE,SZ DIA 60 X WD 9.7	2.00	091	ST
619414	RING:TYP JOINT,MT PB 701,APLC STEAM TUR	9.00	051	ST
619183	RING:TYP OIL	2.00	051	ST1
908487	RING:TYP SPINDLE,APLC SAFETY VALVE DN 20	1.00	051	EA
585453	RING:TYP SPRING	1.00	051	ST
602854	RING:TYP TOLERANCE	2.00	051	ST
602855	RING:TYP TOLERANCE	2.00	051	ST
997131	RING:TYP V,MATL TEFLON,APPL UNLOADER STA	1.00	051	EA
1035393	RING:TYP VALVE,MATL PLASTIC,SIZE OD 245	8.00	051	SE
1525840	RLY THRML:TYP TR250 TEMPERATURE RELAY,CO	1.00	051	EA
590513	RLY-OVRD:TYP THERMAL,CNTCT ARNG 1NO-1NC	4.00	011	ST
595673	ROD,BRAZING:DIA 1.6MM,MT BRASS,BOX 5KG	5.00	051	LB
595691	ROD-CNTNUS-THRD;12MM,1.75MM,290MM	1.00	131	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
592362	ROPE, WIRE: DIAMETER 12.5MM,P/N:3300099	1.00	091	ST
592363	ROPE,WIRE:DIA 12MM	1.00	091	ST
592364	ROPE,WIRE:DIAMETER 20MM,OVERALL LENGTH 3	2.00	091	ST
1064366	RTD: RESISTANCE 100 OHM AT 0 DEGC	4.00	101	EA
634637	RTD:TYP PT 100 TEMPERATURE SENSOR	1.00	101	ST
589853	RTD:TYP PT100,WIRE 3	1.00	101	ST
608324	SCRAPER:TYP TOOL,MT BRASS	23.00	101	ST
614277	SCREW,CAP:3/4IN DIA,10MM LG,MT STEEL	34.00	051	ST
591681	SCREW,CAP:3/8IN DIA,1-1/4IN LG,SOCKET	11.00	051	ST
623872	SCREW,CAP:GR 10.9	6.00	051	ST
591665	SCREW,CAP:M10 DIA,30MM LG,MT SS 304	20.00	051	ST
619630	SCREW,CAP:M8 DIA,100MM LG,MT SS 304	4.00	051	ST
611442	SCREW,CAP:M8 DIA,8MM LG,HEX SOCKET,THD	12.00	051	ST
623877	SCREW,MACHINE:STEEL,GR 8.8	2.00	051	ST
612473	SCREW:IMPELLER LOCKING	1.00	051	ST
592317	SCRPR;SS DIN WN 1.4571	2.00	101	ST
623838	SCRW	3.00	051	ST
900689	SEAL SUPERSEDED BY 924210	1.00	051	EA
603110	SEAL, MECHANICAL: SIZE 65MM	2.00	900	ST
603120	SEAL, MECHANICAL: TYP DOUBLE,DOC:S750082	8.00	900	ST
1034306	SEAL, RING: INSIDE DIAMETER 95MM	3.00	051	ST
643551	SEAL,LABYRINTH:ID 35 X OD 61 X THK	1.00	051	ST
1231771	SEAL,LABYRINTH:SIZE DIA 38 X WD 19MM,TYP	1.00	051	EA
1231769	SEAL,LABYRINTH:SIZE DIA 44 X WD 10MM,TYP	1.00	051	EA
643560	SEAL,MECHANICAL:45MM,DOUBLE CARTRIDGE	1.00	051	ST1
737033	SEAL,MECHANICAL:53 MM,DOUBLE,PUMP,STD	1.00	051	ST
69037	SEAL,MECHANICAL:APPL FOR LUB OIL PUMP,P/	1.00	051	ST1
1232981	SEAL,MECHANICAL:SIZE DIA 40 X THK 60MM,T	1.00	051	ASY
603016	SEAL,OIL:ID 170MM,OD 140MM,WD 15MM	10.00	051	ST
602963	SEAL,OIL:ID 17MM,OD 30MM,WD 8MM,MT NBR	2.00	051	ST
618140	SEAL,OIL:ID 20MM,OD 30MM,WD 7MM	2.00	051	ST
603012	SEAL,OIL:ID 25MM,OD 40MM,WD 8MM,MT NBR	3.00	051	ST
759633	SEAL,OIL:ID 30MM,OD 40 MM,WD 7 MM,MT NBR	1.00	051	ST
619806	SEAL,OIL:ID 35MM,OD 47MM,WD 7MM	5.00	051	ST
933828	SEAL,OIL:ID 45MM,OD 55MM,WD 7.3MM,MT PU	4.00	051	EA
625826	SEAL,OIL:ID 50MM,OD 80MM,WD 10MM,MT PTFE	4.00	051	ST
624439	SEAL,OIL:ID 55MM,OD 72MM,WD 8MM	2.00	051	ST1
603229	SEAL,OIL:INSIDE DIAMETER 1.12IN,OUTSIDE	2.00	051	ST
601811	SEAL,OIL:INSIDE DIAMETER 20MM,OUTSIDE DI	2.00	051	ST
625851	SEAL,OIL:INSIDE DIAMETER 32MM,OUTSIDE DI	2.00	051	ST
602012	SEAL,OIL:INSIDE DIAMETER 35MM,OUTSIDE DI	1.00	051	ST
1032694	SEAL,OIL:INSIDE DIAMETER 40MM,OUTSIDE DI	1.00	051	EA
602982	SEAL,OIL:MT NBR	4.00	051	ST
625676	SEAL,OIL:MT NBR,TYP SINGLE LIP	8.00	051	ST
603230	SEAL,OIL:TYP SINGLE LIP	2.00	051	ST
804666	SEAL,RING:ID 65MM,OD 100MM,THK 10MM	1.00	051	ST
1029966	SEAL,RING:INSIDE DIAMETER 300MM,OUTSIDE	8.00	051	EA
1034915	SEAL,RING:INSIDE DIAMETER 90MM,OUTSIDE D	6.00	051	EA
629299	SEAL,RING:MT NBR	4.00	051	ST
603213	SEAL,RING:TYP RADIAL,ID 45MM,OD 62MM,TH	1.00	051	ST1
602856	SEAL,RING:TYP V SHAPE	1.00	051	ST
602858	SEAL,RING:TYP V SHAPE	4.00	051	ST
627466	SEAL,RING:TYP V SHAPE,ID 30MM,OD 50MM,T	1.00	051	ST
613127	SEAL:	1.00	051	ST
642239	SEAL:	13.00	051	ST
1064406	SEAL: SIZE ID 12 X OD 20 X THK 2MM	2.00	051	EA
1078819	SEAL: SIZE OD 24 X ID15.5 X THK 2MM	2.00	051	EA
642363	SEAL:CONNECTOR	9.00	051	ST
620758	SEAL:FELT,RING	1.00	051	ST
620624	SEAL:FELT,RING	3.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
620633	SEAL:FELT,RING	3.00	051	ST
620614	SEAL:FELT,RING	3.00	051	ST
620628	SEAL:FELT,RING	3.00	051	ST
620618	SEAL:FELT,RING	3.00	051	ST
456686	SEAL:NITRILE RUBBER	1.00	051	EA
602672	SEAL:OD 304.5 X WD 9.5 X THK 2MM	3.00	051	ST
610780	SEAL:TFE-94	1.00	051	ST
620599	SEAL;ID 70 X OD 90 X THK 5.5MM,OIL	3.00	051	ST
620600	SEAL;ID 70 X OD 90 X THK 5.5MM,OIL	3.00	051	ST
493904	SEAL-LBYRNTH;SHAFT,ROTORY VALVE	3.00	051	EA
618136	SEAL-OIL;20MM,30MM,7MM	1.00	051	ST
1616122	SEAL-RIG:I DIA 50MM,THK 10MM,MTRL EPDM,T	3.00	051	EA
620660	SEAL-RIG:MTRL SYNTHETIC RUBBER,TYP V SHA	2.00	051	ST
699581	SEAT,VALVE:	1.00	051	EA
699601	SEAT,VALVE:	1.00	051	EA
613201	SEAT,VALVE:ID 30MM,CONTROL,SS DIN WN	1.00	051	ST
585288	SEAT,VALVE:ID DN 75,SOFT,PTFE	12.00	051	ST
634779	SEAT,VALVE:VLV SZ 6IN	2.00	051	ST
623903	SEAT:DISCHARGE	2.00	051	ST
623910	SEAT:DISCHARGE	2.00	051	ST
623899	SEAT:SUCTION	2.00	051	ST
623907	SEAT:SUCTION	2.00	051	ST
1597561	SEAT-VLV:TYP RING,VLV TYP BUTTERFLY,VLV	1.00	051	EA
589282	SEAT-VLV;SAFETY AND BUTTERFLY,DN 150	1.00	051	ST
989434	SENSOR,VIBRATION:CNCT THD 1/2 IN-UNF 20T	1.00	011	EA
579522	SENSOR:TYP TEMPERATURE	1.00	021	ST
9101686	SET, GASKET, 4 GRAPHITE FILLED ASBESTOS(	19.00	051	SE
1072065	SET: TYP SEALING,APPL CYLINDER	6.00	081	SE
587981	SET:TYP ARCING CONTACTS	1.00	900	ST1
616458	SET:TYP CONTACT	1.00	081	ST1
630888	SET:TYP FUSES	2.00	081	ST1
588603	SET:TYP INSULATOR,APLC 3 PHASE BUSBAR	1.00	081	ST1
619176	SET:TYP OUTER SEAL,APLC MOTOR	1.00	081	ST1
623902	SET:TYP RING	2.00	081	ST1
623906	SET:TYP RING	2.00	081	ST1
620611	SET:TYP SEAL PLATE,APLC ELECTRIC MOTOR	2.00	081	ST
588455	SET:TYP SEALING,APPL PNEUMATIC ACTUATOR	1.00	081	ST1
583689	SET;COMMUNICATION CARD	9.00	081	ST
578488	SET;CONNECTOR	2.00	081	ST1
588421	SET;SLEEVE COMPRESSIONS	2.00	081	ST1
811515	SHAFT, VALVE: P/N:003 0985 43	1.00	051	EA
583338	SHAFT,PUMP:	1.00	051	ST
1232593	SHAFT,PUMP:TYP CENTRIFUGAL PUMP,LENGTH 4	1.00	051	EA
592089	SHAFT:	1.00	051	ST
628843	SHAFT:CLUTCH	2.00	051	ST
643530	SHAFT:DIA 53MM,LG 645MM,SS DIN EN 1.4462	1.00	051	ST
896536	SHEET,GASKET:SZ WD 1 X LG 3M,THK 3MM	1.00	051	EA
600890	SHEET,GASKET:THK 0.8MM	1.00	051	ST
849795	SHFT-PUMP	1.00	081	EA
1523408	SHIELD:TYP DRIVE END,MATL CI,STD ANSI,AP	1.00	121	EA
1523409	SHIELD:TYP NON-DRIVE END,MATL CI,STD ANS	1.00	121	EA
614772	SHIM:THK 0.005IN,MT SS 300,4	2.00	051	ST1
614773	SHIM:THK 0.010IN,MT SS 300,4	2.00	051	ST1
589255	SLEEVE, SHAFT: P/N:A10401AG26-SET	1.00	051	ST
589256	SLEEVE, SHAFT: P/N:A10402AG26-SET	2.00	051	ST
526511	SLEEVE,SHAFT:TYP PILOT	1.00	051	EA
589287	SLEEVE:SS ASTM A167-77 GR 316L	3.00	051	ST
1043129	SLEEVE:TYP BALANCE PISTON,SIZE OD (200 X	1.00	051	EA
614765	SLEEVE:TYP INTERMEDIATE	1.00	051	ST1
589289	SLEEVE:TYP SPACER	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
614764	SLINGER: TYP OIL RING,P/N:62110069-673	6.00	101	ST
267203	SLNCR;CARTDGE,MNPT,PLASTIC	2.00	051	EA
590544	SOLENOID:	1.00	051	ST
630906	SOLENOID:	1.00	011	ST
589604	SOLENOID:TYP CLOSING RELEASE COIL	8.00	011	ST
589605	SOLENOID:TYP OPENING RELEASE COIL	9.00	011	ST
901549	SPACER: , TYP DISC,MATL FEDST	2.00	051	EA
589070	SPEAKER:TYP CEILING	4.00	031	ST
589069	SPEAKER:TYP HORN,W 10W	2.00	031	ST
589068	SPEAKER:TYP HORN,W 15W	3.00	031	ST
589067	SPEAKER:TYP HORN,W 30W	1.00	031	ST
603438	SPEAKER:TYP PAGING HORN	12.00	031	ST
830320	SPINDLE VLV,SPINDLE VLV:	1.00	101	EA
641927	SPINDLE:MT SS 416	1.00	101	ST
639328	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
639329	SPINDLE:MT SS ASTM A276 GR 403	2.00	101	ST
639322	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
561772	SPINDLE:TYP PRESSURE SAFETY/RELIEF VALVE	2.00	101	EA
1229617	SPINDLE:TYP VALVE,MATL SS GR S17400,APPL	4.00	101	EA
642241	SPKR	20.00	031	ST
576947	SPNDL:MTRL SS 316,P/N:4465502,MNFR:DRESS	1.00	101	EA
609145	SPRG-CMPRSN;SS	10.00	051	ST
632294	SPRG-VLV;AS	1.00	051	ST
643826	SPRING SUPERSEDED BY 1216267	2.00	051	ST
1032705	SPRING, COMPRESSION: LENGTH 18MM,MATL CS	384.00	051	EA
1034142	SPRING, VALVE: MATL CS,DOC:4G-89813	384.00	051	EA
799029	SPRING,COMPRESSION:OD 3.5IN,LG 8IN,AS	2.00	051	SE
597206	SPRING,COMPRESSION:OD 6.5MM,LG 14MM	7.00	051	ST
633228	SPRING,VALVE:	3.00	051	ST
628850	SPRING,VALVE:	5.00	051	ST
633248	SPRING,VALVE:	1.00	051	ST
629138	SPRING,VALVE:AS JIS G3522 SWP-A	4.00	051	ST
629141	SPRING,VALVE:AS JIS G3522 SWP-A	2.00	051	ST
629145	SPRING,VALVE:AS JIS G3522 SWP-A	6.00	051	ST
639324	SPRING,VALVE:AS SATM S232	1.00	051	ST
653279	SPRING,VALVE:CS,VLV SZ 3/4 X 1IN	2.00	051	EA
1234422	SPRING,VALVE:MATL ALLOY STEEL,VALVE SIZE	4.00	051	ASY
1234621	SPRING,VALVE:MATL ALLOY STEEL,VALVE SIZE	1.00	051	ASY
1234580	SPRING,VALVE:MATL CHROME STEEL,VALVE SIZ	1.00	051	ASY
1235502	SPRING,VALVE:MATL CHROME STEEL,VALVE SIZ	1.00	051	ASY
641928	SPRING,VALVE:MATL CS,VALVE SIZE 1 X E X	1.00	051	ST
1229606	SPRING,VALVE:MATL SS 316,VALVE SIZE 1-1/	1.00	051	ASY
629153	SPRING,VALVE:SS 316	4.00	051	ST
639330	SPRING,VALVE:STEEL WIRE ASTM A231	3.00	051	ST
597163	SPRING:	2.00	051	ST
623901	SPRING:	2.00	051	ST
623909	SPRING:	1.00	051	ST
623912	SPRING:	2.00	051	ST
951245	SPRING: TYP DISC,P/N:02-6802-08	1.00	051	EA
623936	SPRING:CS	1.00	051	ST
597061	SPRING:SZ ID 94 X OD 180MM,MT GS	8.00	051	ST
623920	SPRING:TYP LIMITER	3.00	051	ST
584339	STBLSR	2.00	051	ST
636333	STEM,VALVE:VLV ST PLUG,VLV SZ DN 1IN	1.00	051	ST
1499446	STEM,VALVE:VLV STYL BALL,VALVE SIZE 1IN,	1.00	051	EA
1043519	STEM:TYP GUIDE,SIZE DIA 24 X LG 130MM,MA	1.00	051	EA
1632785	STEM;BOTTLE CONNECTING,DIA 25MM	2.00	051	EA
1574165	STEM-VLV:VLV STYL 3-WAY JACKETED VALVE,V	1.00	051	ASY
1196771	STRAINER, PIPING: SIZE 12IN,P RT 300LB	1.00	051	EA
585574	STRAINER,PIPING:TYP Y-SHAPED,SZ 1/4IN	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
623815	STRAINER:TYP OIL	1.00	051	ST
73857	STUD CNTNS THD:DIA 1/2IN,LG 120MM,MTRL A	12.00	051	ST1
611459	STUD CNTNS THD:DIA 1/2IN,THRD 13 UNC,LG	6.00	051	ST1
609091	STUD CNTNS THD:DIA 1-1/4IN,THRD 8 UN-2A	24.00	051	ST
591737	STUD CNTNS THD:DIA 1-1/8IN,THRD 7 UNC,LG	24.00	051	ST
591401	STUD CNTNS THD:DIA 1-1/8IN,THRD 8 UNC,LG	25.00	051	ST
591700	STUD CNTNS THD:DIA 1IN,THRD 8 UNC,LG 155	7.00	051	ST
611449	STUD CNTNS THD:DIA 3/4IN,THRD 10 UNC,LG	4.00	051	ST1
614391	STUD CNTNS THD:DIA 3/4IN,THRD 10 UNC,LG	30.00	051	ST
611452	STUD CNTNS THD:DIA 3/4IN,THRD 10 UNC,LG	4.00	051	ST1
611451	STUD CNTNS THD:DIA 3/4IN,THRD 10 UNC,LG	24.00	051	ST1
591724	STUD CNTNS THD:DIA 3/4IN,THRD 10 UNC-2A	38.00	051	ST
591338	STUD CNTNS THD:DIA 5/8IN,THRD 11 UNC,LG	15.00	051	ST
611448	STUD CNTNS THD:DIA 5/8IN,THRD 11 UNC,LG	2.00	051	ST1
611461	STUD CNTNS THD:DIA 5/8IN,THRD 11 UNC,LG	4.00	051	ST1
629715	STUD CNTNS THD:DIA 5/8IN,THRD 11 UNC-2A	3.00	051	ST1
591726	STUD CNTNS THD:DIA 5/8IN,THRD 11 UNC-2B	8.00	051	ST
612211	STUD CNTNS THD:DIA 7/8IN,THRD 9 UNC,LG 1	8.00	051	ST
658954	STUD CNTNS THD:DIA 7/8IN,THRD 9 UNC,LG 1	15.00	051	EA
606923	STUD CNTNS THD:DIA M16,THRD 2IN,LG 250MM	7.00	051	ST
591378	STUD CNTNS THD:DIA M20,THRD 2.5MM,LG 100	12.00	051	ST
817147	STUD CNTNS THD:DIA M24,THRD 3MM,LG 190MM	12.00	051	SE
614375	STUD CNTNS THD:LG 120MM,MTRL AS ASTM A19	120.00	051	ST
614394	STUD CNTNS THD:LG 145MM,MTRL AS ASTM A19	24.00	051	ST
614395	STUD CNTNS THD:LG 155MM,MTRL AS ASTM A19	24.00	051	ST
614396	STUD CNTNS THD:LG 165,MTRL AS ASTM A193	10.00	051	ST
614397	STUD CNTNS THD:LG 180MM,MTRL AS ASTM A19	40.00	051	ST
614450	STUD CNTNS THD:LG 235MM,MTRL AS ASTM A19	4.00	051	ST
614437	STUD CNTNS THD:LG 300MM,MTRL AS ASTM A19	6.00	051	ST
614451	STUD CNTNS THD:LG 300MM,MTRL AS ASTM A19	128.00	051	ST
614469	STUD CNTNS THD:LG 360MM,MTRL AS ASTM A19	26.00	051	ST
624071	STUD CNTNS THD:TYP BOLT,DIA 1/2IN,THRD 1	16.00	051	ST1
991541	STUD CNTNS THD:TYP BOLT,DIA 1-1/2IN,THRD	5.00	051	EA
274262	STUD CNTNS THD:TYP BOLT,DIA 1-1/4IN,THRD	24.00	051	EA
591323	STUD CNTNS THD:TYP BOLT,DIA 1-1/4IN,THRD	12.00	051	ST
838958	STUD CNTNS THD:TYP BOLT,DIA 1-1/4IN,THRD	8.00	051	ST
645798	STUD CNTNS THD:TYP BOLT,DIA 1-1/4IN,THRD	30.00	051	EA
837533	STUD CNTNS THD:TYP BOLT,DIA 1-1/8IN,THRD	14.00	051	EA
796242	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,LG 205	12.00	051	SE
30265	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,THRD 1	8.00	051	ST1
273715	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,THRD 1	5.00	051	EA
591342	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,THRD 1	40.00	051	ST
624073	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,THRD 1	8.00	051	ST1
838589	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,THRD 1	18.00	051	ST
838844	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,THRD 1	8.00	051	ST
838850	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,THRD 1	22.00	051	ST
274995	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,THRD 1	16.00	051	EA
591339	STUD CNTNS THD:TYP BOLT,DIA 5/8IN,THRD 1	8.00	051	ST
591353	STUD CNTNS THD:TYP BOLT,DIA 5/8IN,THRD 1	4.00	051	ST
591304	STUD CNTNS THD:TYP BOLT,DIA 7/8IN,THRD 9	16.00	051	ST
1204942	STUD CNTNS THD:TYP BOLT,DIA M16,LG 110MM	28.00	051	SE
56303	STUD CNTNS THD:TYP BOLT,DIA M20,THRD 2.5	4.00	051	ST
838847	STUD CNTNS THD:TYP CLOSURE,DIA 7/8IN,THR	21.00	051	ST
73507	STUD,ALL-THD:DIA 1/2IN,60MM LG	12.00	051	ST1
591318	STUD,D/END:DIA-A 5/8IN,DIA-B 5/8IN	12.00	051	ST
591281	STUD,D/END:DIA-A 7/8IN,DIA-B 7/8IN	5.00	051	ST
606205	STUD,D/END:DIA-A M30,DIA-B M30,LG 360MM	6.00	051	ST
623859	STUD,D/END:DIA-A M36,DIA-B M36,LG 400MM	2.00	051	ST
591745	STUD-CNTNUS-THRD:DIA 5/8IN,THRD 11 UNC,L	79.00	051	ST
774386	STUD-CNTNUS-THRD;3/4IN,10 UNC,260MM,B7	2.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
798970	STUD-CNTNUS-THRD;BOLT,5/8IN,11 UNC,160MM	3.00	051	SE
614974	STUD-CNTNUS-THRD;BOLT,5/8IN,11 UNC,80MM	38.00	051	ST
853117	STUD-CNTNUS-THRD;BOLT,M24,3MM,255MM,B7	4.00	051	ST1
641895	SWITCH, LEVEL:	1.00	061	ST
590667	SWITCH, LIMIT: P/N:3SE5112-0CDO2	4.00	061	ST
579465	SWITCH, PHOTOELECTRIC: SENSING RANGE 25M	2.00	011	ST
590094	SWITCH,DISCONNECT:100A,TYP FUSE,3PST	1.00	011	ST
590095	SWITCH,DISCONNECT:100A,TYP FUSE,4PST	1.00	011	ST
590096	SWITCH,DISCONNECT:160A,TYP FUSE,4PST	1.00	011	ST
590097	SWITCH,DISCONNECT:400A,TYP FUSE,4PST	1.00	011	ST
590098	SWITCH,DISCONNECT:630A,TYP FUSE,4PST	1.00	011	ST
590099	SWITCH,DISCONNECT:63A,TYP FUSE,3PST	1.00	011	ST
590100	SWITCH,DISCONNECT:63A,TYP FUSE,4PST	2.00	011	ST
590576	SWITCH,LEVEL:P/N:16,MNFR:NIKKISO CO LTD	1.00	061	ST
629402	SWITCH,LEVEL:SPDT,FLOAT	1.00	900	ST
605559	SWITCH,LIMIT:	2.00	021	ST
634746	SWITCH,LIMIT:	1.00	061	ST
605560	SWITCH,PHOTOELECTRIC:TYP OPTO,25VAC 0.1A	1.00	011	ST
583827	SWITCH,PRESSURE:0.05-0.83BAR	1.00	061	ST
632792	SWITCH,PRESSURE:0.5-10BAR	1.00	061	ST
590839	SWITCH,PRESSURE:0-7BAR; -10 TO 100PSIG	3.00	061	ST
590838	SWITCH,PRESSURE:100-400LB/7-28KG	1.00	061	ST
590840	SWITCH,PRESSURE:150-450PSIG 10-30BAR	2.00	061	ST
632780	SWITCH,PRESSURE:5-50BAR	1.00	061	ST
590841	SWITCH,PRESSURE:7-28BAR; 100-400PSIG	2.00	061	ST
605300	SWITCH,PRESSURE:SPST,TYP DIFFERENTIAL	1.00	061	ST
616450	SWITCH,PRESSURE:TYP HYDRAULIC	2.00	061	ST
652359	SWITCH,PROXIMITY:0-1.215MM	2.00	011	EA
590577	SWITCH,PROXIMITY:2MM,EEX IA IIC T6	4.00	011	ST
616464	SWITCH,PUSHBUTTON:3PST,2NO-1NC	3.00	021	ST
616463	SWITCH,PUSHBUTTON:3PST,2NO-1NC,ROUND	3.00	021	ST
616462	SWITCH,PUSHBUTTON:3PST,2NO-1NC,ROUND	4.00	021	ST
616503	SWITCH,PUSHBUTTON:3PST,2NO-1NC,SQUARE	3.00	021	ST
616504	SWITCH,PUSHBUTTON:3PST,2NO-1NC,SQUARE	3.00	021	ST
590795	SWITCH,PUSHBUTTON:RED	6.00	021	ST
629343	SWITCH,SELECTOR:2NO-2NC,2	2.00	021	ST
590625	SWITCH,SELECTOR:3	2.00	021	ST
622257	SWITCH,SELECTOR:300VAC 10A,7,THUMB KNOB	2.00	021	ST
616532	SWITCH,SELECTOR:415-690VAC 40A 50HZ	2.00	021	ST
616538	SWITCH,SELECTOR:415-690VAC 40A 50HZ	1.00	021	ST
629460	SWITCH,SELECTOR:SPDT,1NO-1NC,2,KNOB,CSA;	3.00	021	ST
616527	SWITCH,SELECTOR:TYP AMMETER	1.00	021	ST
616470	SWITCH,SELECTOR:TYP LOCAL-REMOTE	2.00	021	ST
629433	SWITCH,SELECTOR:TYP MANUAL-AUTO,2NO-2NC	2.00	021	ST
616528	SWITCH,SELECTOR:TYP VOLTMETER	1.00	021	ST
629461	SWITCH,TEMPERATURE:0-600DEG C; -300 TO	1.00	021	ST
642364	SWITCH,TOGGLE:	14.00	021	ST
590793	SWITCH:	2.00	021	ST
1038431	SWITCH: TYP MICRO,CNTCT RT 15A	2.00	021	EA
612043	SWITCH:TYP DOOR	3.00	061	ST
605445	SWITCH:TYP HEAT,ACTN 2 POISITION	2.00	011	ST
622262	SWITCH:TYP MAIN	2.00	011	ST
627621	SWITCH:TYP PENDANT	1.00	011	ST
618667	SWTCH-DSCNCT;630A,LOAD	1.00	011	ST
610020	SWTCH-FLOW;4-10GAL/MIN,NEMA 4,WATER FLOW	1.00	061	ST
608998	SWTCH-LMT:TYP SNAP,ACTUTR ADJUSTABLE ROL	1.00	061	ST
629405	SWTCH-LVL;SPDT,FLOAT	1.00	900	ST
642367	SWTCH-SLCTR:TYP FREQUENCY,PSTN 16,P/N:40	14.00	021	ST
605326	SWTCH-SLCTR;VOLTMETER,6PDT,5NO-1NC,5	2.00	021	ST
528635	TAPE,FISH:MT SS 316	2.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
731492	TEE, PIPE: SIZE 4IN,MATL SS	1.00	051	EA
81813	TEE,PIPE:SZ 3IN,BW,CS ASTM A234,RT SCH	1.00	051	ST
618820	TERMINAL:	5.00	141	ST
618822	TERMINAL:	6.00	141	ST
1043130	TERMINAL: TYP BUSHING,RT 6KV	6.00	051	EA
616522	TERMINAL:TYP STRIP	5.00	021	ST
626990	TERMINATOR:TYP TERMINAL MOUNTING	2.00	021	ST
619194	THERMOCOUPLE:TYP K,WIRE 2	1.00	061	ST
582465	THERMOMETER,DIAL:	2.00	101	ST
582776	THERMOMETER,DIAL:TYP BIMETAL ADJUSTABLE	1.00	101	ST
582779	THERMOMETER,DIAL:TYP BIMETAL ADJUSTABLE	1.00	101	ST
582792	THERMOMETER,DIAL:TYP BI-METALLIC	1.00	101	ST
629485	THERMOSTAT:	8.00	081	ST
537474	THERMOSTAT:TYP TEMPERATURE CONTROL	7.00	051	EA
641891	THRMTR-DIAL;BI METAL EVERY ANGLE,0-100°C	1.00	101	ST
582609	THRMTR-DIAL;BIMETALLIC,0-250°C,SS 316	1.00	101	ST
606095	THYRISTOR:TYP DUAL,AMP 90A	1.00	031	ST
591079	TIMER:SUPP 220VAC,RNG 0-3S	1.00	101	ST
605811	TIMER:TYP PNEUMATIC MODULE,OPER ON DELAY	1.00	101	ST
605806	TMR;(11) PIN ELECTRONIC,4 FUNCTION,AGNI	1.00	101	ST
9102271	TRANSFORMER, 380/230C AC, 1.0KVA,TYPE 4A	6.00	051	ST
629397	TRANSFORMER,INSTRUMENT:CURR RT 1660/3.5A	2.00	011	ST
591007	TRANSFORMER,INSTRUMENT:TYP CURRENT	1.00	900	ST
591008	TRANSFORMER,INSTRUMENT:TYP CURRENT	1.00	900	ST
591009	TRANSFORMER,INSTRUMENT:TYP CURRENT	1.00	900	ST
591029	TRANSFORMER,INSTRUMENT:TYP CURRENT	1.00	011	ST
590962	TRANSFORMER,INSTRUMENT:TYP CURRENT,CURRE	3.00	900	ST
591010	TRANSFORMER,INSTRUMENT:TYP CURRENT,P/N:T	1.00	900	ST
929044	TRANSFORMER,INSTRUMENT:TYP TOROIDAL CORE	1.00	011	EA
627703	TRANSFORMER,INSTRUMENT:VA RT >470	4.00	011	ST
591035	TRANSFORMER,INSTRUMENT:VA RT 0.5VA	2.00	011	ST
591022	TRANSFORMER,INSTRUMENT:VA RT 0.5VA,CURR	1.00	011	ST
590961	TRANSFORMER,INSTRUMENT:VA RT 10/15VA	6.00	011	ST
590963	TRANSFORMER,INSTRUMENT:VA RT 10/15VA	3.00	011	ST
590966	TRANSFORMER,INSTRUMENT:VA RT 10/15VA	3.00	900	ST
590964	TRANSFORMER,INSTRUMENT:VA RT 15/15VA	3.00	900	ST
590965	TRANSFORMER,INSTRUMENT:VA RT 15/15VA	3.00	011	ST
591020	TRANSFORMER,INSTRUMENT:VA RT 2.5VA,CURR	1.00	011	ST
591018	TRANSFORMER,INSTRUMENT:VA RT 2.5VA,VOLT	1.00	011	ST
591019	TRANSFORMER,INSTRUMENT:VA RT 2.5VA,VOLT	1.00	011	ST
591024	TRANSFORMER,INSTRUMENT:VA RT 5VA	1.00	011	ST
591025	TRANSFORMER,INSTRUMENT:VA RT 5VA	1.00	011	ST
591028	TRANSFORMER,INSTRUMENT:VA RT 5VA	1.00	011	ST
591034	TRANSFORMER,INSTRUMENT:VA RT 5VA	1.00	011	ST
591021	TRANSFORMER,INSTRUMENT:VA RT 5VA,CURR RT	1.00	011	ST
591023	TRANSFORMER,INSTRUMENT:VA RT 5VA,CURR RT	1.00	011	ST
591026	TRANSFORMER,INSTRUMENT:VA RT 5VA,CURR RT	1.00	011	ST
591027	TRANSFORMER,INSTRUMENT:VA RT 5VA,CURR RT	1.00	011	ST
591016	TRANSFORMER:	2.00	011	ST
590901	TRANSFORMER:TYP CONTROL POWER	1.00	011	ST
605742	TRANSFORMER:TYP CONTROL,PRIM V	1.00	011	ST
590899	TRANSFORMER:TYP CONTROL,VA RT 400VA	4.00	011	ST
591017	TRANSFORMER:TYP CONTROL,VA RT 50VA	2.00	011	ST
9101710	TRANSMITTER, DIFFERENTIAL PRESSURE, (SMA	1.00	051	ST
582468	TRANSMITTER, DIFFERENTIAL PRESSURE:	1.00	061	ST
1028917	TRANSMITTER, DIFFERENTIAL PRESSURE:	1.00	061	EA
1035457	TRANSMITTER, FLOW: RANGE 0-55000KG/HR	1.00	061	EA
582872	TRANSMITTER, PRESSURE: RANGE 0-12BAR G	1.00	061	ST
632608	TRANSMITTER, PRESSURE: RANGE 0-6BAR	1.00	061	ST
587098	TRANSMITTER,DIFFERENTIAL PRESSURE:TYP EL	1.00	061	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1024819	TRANSMITTER,DIFFERENTIAL PRESSURE:TYP FL	1.00	061	EA
582889	TRANSMITTER,DIFFERENTIAL PRESSURE:TYP SM	1.00	061	ST
9101712	TRANSMITTER,LEVEL,0-300 MM; FOR 3900-F01	1.00	051	ST
579659	TRANSMITTER,PRESSURE:0-40BAR	1.00	061	ST
632609	TRANSMITTER,PRESSURE:ELECTRONIC	1.00	061	ST
587097	TRANSMITTER,PRESSURE:RANGE 0-40BAR G,TYP	2.00	061	ST
924915	TRANSMITTER,TEMPERATURE:	1.00	061	ST
619317	IMPELLER,PUMP:TYP SEMI OPEN,SS 316	1.00	081	ST
1011483	RELAY, TIME DELAY: ACTION DPDT,ENCL IP40	1.00	011	EA
9102402	BRUSH,CARBON FOR TACHO MOTOR ESA	4.00	051	ST
1045255	CONTACTOR: TYP AC OPERATED,AMPERAGE 55A	1.00	011	EA
928350	BREAKER,CIRCUIT:6A,415VAC,INTP CAP 10KA	1.00	011	EA
602284	GSKT PRE-CUT :ID 74 X OD 98 X THK 2MM	4.00	051	ST
1601954	STUD-ASMBLY:TYP BOLT,DIA M33,LG 310MM,ST	28.00	051	ASY
630777	DPHRGM;PNEUMATIC POSITIONER,0-90PSI G	2.00	051	ST
585499	SPRING:TYP PUSH ROD,SZ LG 4IN	2.00	051	ST
615136	O-RIG;CHECK VALVE	2.00	051	ST
280521	O-RING: INSIDE DIAMETER 1-1/2IN,P/N:222	6.00	051	EA
591470	NUT,HEX:DIA 5/8IN,THD UNC 11TPI	5.00	051	ST
594393	PACKING:4 X 6 X LG 400MM,PTFE	7.00	051	ST
528538	TRMNL-BRD	1.00	021	ST
597293	STRAINER:	1.00	051	ST
587070	TRANSMITTER,PRESSURE:	1.00	061	ST
624251	SEAL, LABYRINTH: DOC:405-19100	1.00	051	ST1
637983	BALL,VALVE:VLV SZ 1-1/2IN,MT SS 316 HAR	1.00	051	ST
635883	VALVE,CHECK:VLV SZ G 1IN,BDY MATL SS	1.00	051	ST1
615051	RDUCR-PIPE;8 X 6IN,BW,CONCENTRIC	1.00	051	ST
590639	SWITCH,PRESSURE:6-30MM H2O,SPDT	2.00	061	ST
583075	LIGHT,INDICATING:TYP PILOT,VOLT 220/6V	6.00	021	ST
642471	SEAL:PTFE,DIAPHRAGM	1.00	051	ST
1087671	SET: TYP ROUND,APPL BALL VALVE,MTRL PTFE	2.00	081	SE
628623	BRG,THRUST:	3.00	051	ST
598019	BRG,PLUM BLK:ID 40MM,WD 49 X LG 179MM,HT	3.00	051	ST
589794	THERMOCOUPLE:TYP K,INS DIA 4.8MM,DESLG	1.00	061	ST
584208	DISC,RUPTURE:	2.00	051	ST
1003995	PLATE: TYP ORIFICE,SIZE 10IN,MATL SS 316	1.00	131	EA
624242	NUT,LOCK:CS ASTM A283,GR D,BEARING	1.00	051	ST
627120	PACKING:GRAFOIL,RECTANGULAR	2.00	051	ST1
952707	GSKT:CU,NITROGEN TRANSFER PUMP	1.00	051	ST
612439	SEAL,OIL:	1.00	051	ST
615960	LINER:TYP CYLINDER	1.00	051	ST
614542	DETECTOR,RESISTANCE TEMPERATURE:SHEATH M	1.00	101	ST
620056	SPRCKT;CS JIS G4051 GR S38C/AISI 1038	1.00	051	ST
610072	SENSOR: TYP COMBUSTIBLE GAS,STANDARD CE	1.00	011	ST
642716	SEAL:GFK/PTFE,STEM	8.00	051	ST
642798	VALVE,BALL:VLV SZ DN 1-1/4IN	2.00	051	ST
1202611	CAPACITOR:TYP NCL SNUBBER,CAPACITANCE 0.	3.00	031	EA
1029120	SHAFT: MATL SS400,DOC:560866,	1.00	051	ST
605414	SWITCH,PRESSURE:250VAC/DC 2/0.2A,SPST	1.00	061	ST
978329	PLATE, HEAT EXCHANGER: SIZE THK 0.4MM	2.00	081	ST
597708	VALVE:TYP OVERFLOW,DESRT 4-12BAR,BDY MT	1.00	051	ST
643611	BRG:	2.00	051	ST
21648	O-RING:APLC BEARING HOUSING COVER	8.00	051	ST
592899	GSKT-PRE-CUT;ID 25 X OD 103 X THK 2MM	3.00	051	ST
585222	FLOAT:TYP BIG,MT COPPER ASTM B75	1.00	061	ST
589402	BREAKER,CIRCUIT:2A,POLE 2	2.00	011	ST
930346	COVER: MNFR:NEUMAN & ESSER GROUP	1.00	051	ST
594088	O-RING:APLC SEAL	2.00	051	ST
615591	RETAINER:TYP SLEEVE	1.00	051	ST
615646	SLEEVE:TYP DISTANCE; SPACER,SS ASTM A276	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
643196	PIN:	1.00	051	ST
702550	LINK: TYP SPRING,P/N:541846400,DOC:MT134	1.00	051	EA
624160	BRG,SLEEVE:TYP BUSH	2.00	051	ST1
610609	MOTOR,ELECTRIC:3KW	3.00	011	ST
1598898	VLV-CHCK:TYPE RETAINERLESS,TYPE 6IN,TYPE	2.00	051	EA
369281	BRG,ROLL:ID 140MM,OD 250MM,WD 45.75MM	2.00	051	ST
1003996	PLATE: TYP ORIFICE,SIZE 2IN,MATL SS 316L	1.00	131	EA
196360	SWITCH,PRESSURE:SPST,FPT 1/8IN	1.00	011	ST
642730	SEAL:GFK/PTFE,STEM	8.00	051	ST
582744	SENSOR:TYP RTD AMBIENT AIR	2.00	101	ST
799072	KIT:TYP COLD APPLIED METAL CONNECTION	2.00	081	KIT
630580	GSKT:SS 316	2.00	051	ST
639650	SHAFT:	1.00	051	ST
629228	GSKT:END COVER,THK 0.4MM,PERMANITE	3.00	051	ST
605630	SWITCH:TYP SYNCHRONOUS TIME	2.00	021	ST
628005	PLUG,VALVE:VLV SZ 1IN,CONTROL,PTFE/SS	1.00	051	ST
738812	DISC:DIN 125	2.00	051	ST
799301	LAMP;INDICATING,220V,GREEN	1.00	021	EA
594263	PCKG;WD 5 X LG 80MM,GRAPHITE,RING	2.00	051	ST1
583037	FIXTURE:TYP LIGHT,RT 70W	16.00	021	ST
1555262	CAP,PIPE:SIZE 6IN,CNCT BW,MATL SUPER DUP	1.00	131	EA
602357	PACKING:GRAPHITE,TYP STEM	2.00	051	ST
637955	BALL,VALVE:VLV SZ 3IN,MT SS ASTM A351 G	1.00	051	ST
1012847	METER, ELECTRICAL: TYP AMMETER,P/N:RQ72E	1.00	101	EA
608527	RING,WEAR:SS ASTM A276 TP 420	2.00	081	ST
580899	PLATE:TYP SNUBBER	1.00	011	ST
633123	SEAT,VALVE:VLV SZ 1IN,GLOBE	2.00	051	ST
636472	SET:TYP SEAL,APLC BALL VALVE	1.00	081	ST1
633181	CIRCUIT:TYP ANALOG OUTPUT	1.00	011	ST
642486	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
198412	PIN,DOWEL:DIA 14MM,LG 40MM,SUJ2	1.00	051	ST
578402	SET:TYP GLAND PACKING	1.00	081	ST1
606133	BOLT,MACH:M30,LG 180MM,3.5MM,HD HEX	3.00	051	ST
118798	O-RIG;39.4MM,3.1MM,NBR	4.00	051	EA
1064401	GSKT PRE-CUT : MATL NON-ASBESTOS	2.00	051	EA
643131	GSKT,SPWD:1/2IN,GRAPHITE,SS 316	2.00	051	ST
578414	SET:TYP GLAND PACKING	1.00	081	ST1
598976	MOTOR,GEARED:OP 1350RPM,35W,1350:1600	6.00	011	ST
644346	OVERLOAD,MOTOR PROTECTION:POLE 3	2.00	011	ST
609744	FUSE:10A,660VAC,TIME DELAY	1.00	021	ST
611753	BREAKER,CIRCUIT:13A,277/440VAC	2.00	011	ST
636170	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG PLUG S	1.00	051	ST1
609596	FILTER:TYP PRESSURE ELEMENT	2.00	051	ST
604182	BRUSH,ELECTRICAL:	2.00	021	ST
106954	SPRING,VALVE:VLV SZ 6IN,300LB	3.00	051	ST
1605762	GSKT-KIT-INSULTG:TYP FLANGES ISOLATION,N	9.00	051	KIT
603283	SEAL-LBYRNTH;OIL	1.00	051	ST
628091	GSKT:SEAT,SS ASTM A182 GR F6A	2.00	051	ST
585569	SPRING:TYP FLOAT STOP,MT SS 316L	2.00	051	ST
639382	SPINDLE:MT SS ASTM A276 GR 403	2.00	101	ST
593100	GSKT-PRE-CUT;TERMINAL COVER,RECTANGULAR	4.00	051	ST
605751	TRANSFORMER:TYP CONTROL,VA RT 250VA	1.00	900	ST
582475	GAUGE,PRESSURE:0-6BAR G,2IN,NPT 1/8IN	2.00	101	ST
641899	BEARING:SZ 33 X 34.5MM,MT STEEL GR 6B	4.00	051	ST
630824	TRANSMITTER, PRESSURE: RANGE 0-50PSIG	1.00	061	ST
580087	LIGHT,INDICATING:TYP PILOT,VOLT 24VAC/DC	2.00	021	ST
624899	TRANSFORMER,INSTRUMENT:VOLT R 380/415VAC	3.00	011	ST
643005	GSKT PRE-CUT :PTFE,COVER,DN 65	4.00	051	ST
898213	BREAKER,CIRCUIT:160A,380-415/500VAC	1.00	011	EA
1022975	MODULE, POWER SUPPLY: O/P 15A,INPUT 10A	1.00	031	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
591592	PIN:	2.00	051	ST
605753	TRANSFORMER:TYP CONTROL,VA RT 1000VA	1.00	900	ST
628717	CRCUT;ELECTRONIC CHASIS,ACTUATOR	1.00	011	ST
605638	KNOB;TOGGLE SWITCH	3.00	141	ST
644551	GSKT PRE-CUT :ID 75 X OD 127MM	4.00	051	ST
747923	RETAINER:TYP DISC,MT INCONEL X750	4.00	051	EA
1001377	BREAKER, CIRCUIT: AMPERAGE 100A,POLE 3	1.00	011	EA
600043	GSKT JKTD: JACKET MATERIAL SS 316	2.00	051	ST
610153	MECHANISM:TYP MOTOR	1.00	900	ST
584496	SWTCH-PUSH:TYP LAMP,CNTCT RTNG 250 V; 6	2.00	021	ST
615533	GSKT,SPWD:PTFE,SS 316,SHP ROUND,BASIC	2.00	051	ST
591887	SEAT,VALVE:VLV SZ DN 3,MANUAL CONTROL	1.00	051	ST
594376	PACKING:SZ ID 40 X OD 80 X THK 34MM,TYP	1.00	051	ST1
1001715	RIG-RTNG;ID 85 X THK 3MM,LOCKING	1.00	051	EA
1220959	FUSE:TYP FUSIBLE HPC,AMPERAGE 160A,VOLTA	1.00	021	EA
625311	BLOCK,TERMINAL:ELEC TRT 600VAC 80A,TERM	5.00	021	ST
584427	METER,ELECTRICAL:TYP AMMETER	1.00	101	ST
586718	GEAR,WORM:	1.00	081	ST
580716	COVER:	3.00	051	ST
579382	GLASS,SIGHT:SIZE DIA 1/2IN,P/N:BL155122,	2.00	101	ST
626399	BLOCK,TERMINAL:CIRCUIT 2	300.00	021	ST
115637	SEAT,VALVE:SS 316	1.00	051	EA
582223	THERMOSTAT:RNG 10-40DEG C	1.00	081	ST
590016	FUSE:	1.00	021	ST
580084	LIGHT,INDICATING:TYP PILOT,VOLT 24VAC/DC	2.00	021	ST
722818	SPINDLE:MT SS 403	1.00	101	ST
635093	SWITCH,PRESSURE:0-0.06BAR	6.00	061	ST
703378	PIN,GROOVED,HEADLESS:CONTROL VALVE	2.00	051	EA
629572	GSKT:BONNET,MONEL	2.00	051	ST
521923	DIAPHRAGM:SZ OD 113 X THK 1MM,MT PTFE	1.00	051	EA
1581474	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPRSNG DI	1.00	061	KIT
596021	GUARD:	1.00	121	ST
592438	GSKT-PRE-CUT;COVER,ROUND,PTFE	1.00	051	ST
1032779	BELT, TOOTHED: SIZE WD 85 X LG 3850MM	2.00	051	EA
582084	IMPLR-PUMP;CI GR GG-20	1.00	081	ST
589400	BREAKER,CIRCUIT:175A	1.00	011	ST
631573	WASHER,PRESSURE CLEANING:PRESSURE	2.00	051	ST1
1015515	CONNECTOR, CONDUIT: SIZE 400MM	20.00	021	EA
711572	CNTCTR;MAGNETIC,3,35A,600,PANEL,CLOSED	1.00	011	EA
592984	GSKT PRE-CUT :	1.00	051	ST
726733	SCREEN:MATL SS	1.00	051	ST
1077011	RTD: TYP PT100,TEMP RT 0-400DEG,WIRE 6	1.00	101	ST
636960	GSKT PRE-CUT :ID 267 X OD 385 X THK 3MM	1.00	051	ST
587862	KIT-VLV-RPR:TYP SOFT PARTS,APL BALL VALV	1.00	051	KIT
632116	GSKT PRE-CUT :P#1200-S,BONNET,3IN	2.00	051	ST
632461	FUSE:2.5A,DIA 5 X LG 20MM,FERRULE	20.00	021	ST
596011	BLCK-FLG;BEARING CASE,STEEL	1.00	051	ST
220466	BRKR-CRCUT:AM 5A,VLTG 220/250VAC; 120/12	5.00	031	ST
604683	FUSE:4A,400VAC; 250VDC,SLOW BLOW	50.00	021	ST
802620	SEAL,RING:ID 110MM,OD 138MM,THK 2MM	1.00	051	ST
415022	FILTER,AIR:AL,TYP WASHABLE,SHP	1.00	051	EA
599420	GSKT-PRE-CUT;GRAPHITE/P#6633	2.00	051	ST
590027	SWITCH,DISCONNECT:500-690VAC 160A	1.00	011	ST
577777	ASSEMBLY;SIGHT DOME	1.00	081	ST
805490	THERMOMETER:TYP IMMERSION,RNG 0-120DEG C	2.00	061	ST
589172	CONNECTOR:	3.00	031	ST
596336	SV;DIA 264MM,CURVED	1.00	071	ST
590384	RELAY:	2.00	031	ST
794083	RELAY, PNEUMATIC: INPUT RANGE 150PSI	2.00	061	EA
595914	METER,ELECTRICAL:TYP AMMETER,RNG 0-10A	1.00	101	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
587691	KIT;REPAIR	1.00	081	KIT
612049	BREAKER,CIRCUIT:5.5 - 8 A,400V 60HZ	1.00	011	ST
628979	BELLOWS:TYP EXPANSION,6BAR	1.00	051	ST
642476	RING:TYP SEALING,APLC PLUG VALVE	5.00	051	ST
596386	GLAND:TYP CYLINDER	4.00	051	ST
590402	RELAY,CONTROL:TYP LINE DIFFERENTIAL,P/N	1.00	900	ST
634611	GSKT-SPRL-WUND;ROUND,BODY	2.00	051	ST
592722	GSKT PRE-CUT :THK 2MM	5.00	051	ST
1065398	BUSH: SIZE ID 70 X OD 90 X LG 8MM	1.00	051	EA
592764	GSKT PRE-CUT :THK 1/8IN,PTFE,ROLL,RF,4IN	13.00	051	ST
606609	SCREW:	1.00	051	ST
598946	MOTOR:	1.00	011	ST
924639	SET:TYP GLAND PACKING,APLC GATE VALVE	2.00	081	ST1
634643	TRNSDUCR;PRESSURE,4-20MA DC	1.00	061	ST
592589	GSKT PRE-CUT :ID 285 X OD 318 X THK 3MM	4.00	051	ST
585674	VALVE, CONT: P/N:R112A0589-001	1.00	051	ST
639746	KIT,VALVE REPAIR:CONTROL	1.00	051	ST1
594110	O-RING:	5.00	051	ST
601566	O-RIG-ST	2.00	051	ST1
584487	BARRIER:	6.00	031	ST
617089	MANIFOLD,VALVE:	1.00	051	ST
104248	O-RING:ID 8.8MM,WD 1.9MM,MT NBR	2.00	051	ST
999325	VALVE, BALL: VALVE SIZE 3/4IN	2.00	051	EA
804568	HLDR-FUSE;SCREW-IN CAP,PANEL,10A	2.00	021	SE
607491	CAP:TYP PROTECTIVE,MT SILICON	5.00	051	ST
1030984	LANTERN: TYP BEARING BRACKET, S/N#:	1.00	051	ST
585787	VALVE,GLOBE:VLV SZ 1/2IN,DES RTG CL 800	4.00	051	ST
590836	SWTCH-DSCNCT;600VAC 40A,3 PHASE	2.00	011	ST
584771	BASKET,STRAINER:	1.00	051	ST
581012	PLUG:DIA 12MM,SCREW,PRODUCT FEED PUMP	2.00	051	ST
1024327	ASSEMBLY: TYP CONDUIT CARD,P/N:821618	1.00	081	ASY
589021	CABLE:TYP AMPLIFIER CALIBRATION	1.00	021	ST
587420	KIT,SEAL:TYP REPAIR	1.00	051	ST
585671	VALVE,CONT:	1.00	051	ST
611294	TRANSMITTER,PRESSURE:RNG 0-350BAR,O/P 4	1.00	061	ST
593054	GSKT PRE-CUT :	1.00	051	ST
606101	TRANSISTOR:TYP MOSFET P CHANNEL,IND STD	1.00	031	ST
605926	D;PROTECTION WIRING,1000V,3A,AXIAL	1.00	031	ST
584637	VALVE, ANGLE: TYPE RESTRICTOR	4.00	051	ST
1003910	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
619633	RING,LANTERN:MT SS 316	2.00	081	ST
280015	FUSE;TIME DELAY REJECTION,5A,600V AC,CC	2.00	051	EA
578099	KIT-SEAL:TYP SOFT PARTS,CMPNNT QTY O RIN	2.00	051	ST
584913	DISC,VALVE:SS ASTM A276 STELITED,304	1.00	051	ST
600255	GSKT,SPWD:46IN,300LB,GRAPHITE,STEEL	5.00	051	ST
584731	PACKING:MT LABYRINTH	4.00	051	ST
625539	BREAKER,CIRCUIT:25A,POLE 4	2.00	011	ST
642751	SEAL:GFK/PTFE,STEM	8.00	051	ST
1023243	METER, ELECTRICAL: TYP AMMETER	1.00	101	EA
628746	ACTUTR-ELCTRC;380VAC 3PH 60HZ,IP68/TE	1.00	900	ST
594711	O-RING:ID 355MM,WD 4MM,MT PERBUNAN	4.00	051	ST
1595976	SHFT-VLV:LG 250MM,MTRL ASTM A564 TYPE 63	1.00	051	EA
697541	HOLDER,VALVE DISC:	1.00	051	EA
643058	PACKING:GRAPHITE,TYP GATE VALVE	5.00	051	ST1
642753	RING:PTFE/TFM 4220,TYP ANTISTATIC	8.00	051	ST
603201	SEAL,MECHANICAL:55 X 50MM,BALANCED	4.00	900	ST
592135	GSKT,SPWD:GRAPHITE/SS 316	3.00	051	ST
573099	PLUG:	1.00	051	EA
1546844	PIPE MTLIC:NMNL PIPE SZ DSGNTN 2IN,MTRL	1.00	131	EA
1054150	BOARD, TERMINAL: P/N:3GZF284720-4	1.00	021	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
602197	PACKING:BUNA-N,SQUARE,TYP GLAND	1.00	051	ST
766842	MDUL;CURRENT MEASURING,63-630A	1.00	031	ST
624316	BOLT:	2.00	051	ST
1223633	KEY-SHFT;PARALLEL,WD 10 X LG 63 X HT 8MM	1.00	051	EA
598452	BEARING:	2.00	051	ST
1031931	O-RING: WIDTH 8MM,MATL EDPM/FDA	6.00	051	EA
1049728	SEAL,MECHANICAL:SIZE 30MM,TYP ELASTOMER	2.00	051	EA
579598	TRANSDUCER:TYP DIGITAL ELECTRONIC	1.00	061	ST
624897	TRANSFORMER:TYP BUCK	1.00	900	ST
605107	RELAY:COIL 380-400VAC 50HZ,4PST	1.00	011	ST
582368	CONTROLLER,ELECTRONIC:	1.00	031	ST
1022720	SCREW: P/N:HCV08020,DOC:SLO1263316	4.00	051	ST
536101	PIN:DIA NO. 3,MTRL SS ASTM A564 GR 630,T	5.00	141	ST1
1047044	O-RING: INSIDE DIAMETER 171MM,MATL NBR	1.00	051	EA
816729	KIT-VLV-RPR;OVERHAULING,BALL VALVE	2.00	051	EA
585997	VALVE:TYP EXPANSION	1.00	051	ST
430881	RING,RETAINING:1/4IN,TYP EXTERNAL	1.00	051	ST
602532	SEAL,RING:MT EPOXY RESIN	1.00	051	ST
593717	O-RING:ID 28.5MM,WD 1.6MM	6.00	051	ST
630545	TRANSMITTER:RNG 0-279; 0-310DEG	1.00	061	ST
643248	LVR:TYP ROCKER ARM,APL STEAM TURBINE,P/N	1.00	091	ST
624468	GSKT PRE-CUT :RUBBER,TUBE SHEET	1.00	051	ST
9101740	SHAFT (TO BE DELETED REF.ROSE 1436)	1.00	051	ST
623649	LIGHT,INDICATING:COLR GREEN,MOUNT PANEL	4.00	021	ST
802918	PACKING:ID 25 X OD 35 X THK 7MM,GRAPHITE	1.00	051	ST
593529	GSKT-PRE-CUT;DN 250,CHLOROPRENE RUBBER	2.00	051	ST
1189021	BOLT-MCHN:DIA M10,LG 50MM,MTRL HASTEALLO	30.00	051	EA
1069193	SEAL: TYP PISTON 166 HPD,APPL PUMP	1.00	051	EA
602460	PACKING:DIA 6MM,PTFE,ROUND	2.00	051	ST1
630229	NUT:U-SHAPED	1.00	051	ST
590413	RELAY:TYP LATCHING	2.00	011	ST
1204421	O-RIG;180MM,4MM,VITON,80	1.00	051	EA
800773	GSKT,SPWD:4IN,300LB,GRAPHITE,SS 316	1.00	051	ST
597309	VALVE:TYP SHUT OFF,VLV SZ 1/8IN	1.00	051	ST
634472	COLLAR:	1.00	051	ST
579167	RTD:WIRE 3,HD WITHOUT,SH MT SS,STEM SZ	1.00	101	ST
604637	FUSE:2A,550VAC,DIA 12 X LG 60MM,CLIP IN	10.00	021	ST
620573	FUSE:1A,250VAC,DIA 5 X LG 20MM,FERRULE	2.00	021	ST
588988	WINDOW:TYP CROSS,SZ DIA 72 X 8MM	1.00	131	ST
589960	FUSE:	4.00	021	ST
631209	BRG,BALL:ST 2 SHIELDS,ROW SINGLE	2.00	051	ST
617589	SCKT-ELECT;CARRIER,ROUND,(50) PIN	1.00	021	ST
600573	GSKT PRE-CUT :ID 72 X OD 90 X THK 0.2MM	1.00	051	ST
589855	FILTER:TYP REPLACEMENT ELEMENT,MED AIR	3.00	051	ST
583804	MDUL;4-WIRE	2.00	031	ST
589182	CONNECTOR:	2.00	051	ST
612128	SWTCH-PUSH;230/660VAC 6/10A,SPST,1NC,RED	2.00	021	ST
639332	SPRING,VALVE:SS ASTM A283	2.00	051	ST
639484	BRG,THRUST:MT STEEL	1.00	051	ST
644911	BELT,SAFETY:TYP POSITIONING,SZ WD 1 X L	85.00	121	ST
615982	O-RING:ID 28.17MM,WD 3.53MM	1.00	051	ST
917852	BAR:TYP ANGLE,MT SS 304,SZ SQ 50MM,LG 6M	1.00	131	EA
594721	RING:TYP CENTER	2.00	051	ST
586134	BRG-SLV;JOURNAL	1.00	051	ST1
589116	BLOCK, CONTACT: P/N:800Z00594	12.00	021	ST
668932	FUSE;FAST ACTING,4A,250V,CERAMIC,FERRULE	5.00	051	EA
609718	KIT,VALVE REPAIR:GLAND PACKING AND SEAT	1.00	051	ST1
288175	O-RIG:I DIA 66.34MM,WD 2.62MM,MTRL BUNA	3.00	051	ST1
9101642	WHEEL,GEAR [TO BE DELETED]	2.00	051	ST
21782	SEAL,LABYRINTH:OIL LABYRINTH-LOW SPEED	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
581492	MODULE:PHASE INVERTER	2.00	031	ST
590484	RELAY:COIL 110VDC,4PST,CONT 690V 10A	10.00	011	ST
585585	FILTER,ELEMENT:SS 316,STRAINER SCREEN	2.00	051	ST
592934	GSKT PRE-CUT :ID 58 X OD 70 X THK 3MM	2.00	051	ST
607286	BUSH;ID 11 X OD 17 X LG 8MM,STEEL	8.00	051	ST
587846	KIT,PUMP REPAIR:TYP HYDRAULIC PUMP SEAL	2.00	081	KIT
634486	OILER:	2.00	101	ST
582697	MONITOR:TYP VIBRATION	1.00	061	ST
535333	HUSG;BEARING,A743 CF-8M	3.00	051	EA
585515	STEM, VALVE: VALVE STYLE 2-WAY	3.00	051	ST
580118	REFLECTOR:	9.00	061	ST
581424	CRCUT;LOGIC TS	2.00	011	ST
615818	SEAL,OIL:	1.00	051	ST
585974	DISC,VALVE:SUCKION	6.00	051	ST
141961	O-RIG;2.9MM,1.78MM,VITON A	1.00	051	EA
1080498	RING: SIZE ID 132 X OD 118 X THK 12MM	12.00	051	EA
617472	ROTOR:	4.00	081	ST1
587437	KIT-VLV-RPR;SOFT PART,REVERSE JET PILOT	1.00	051	KIT
1042518	CONTACTOR: TYP AC OPERATED,AMPERAGE 400A	1.00	011	EA
615677	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	2.00	081	ST
580029	LAMP-INCNDSCNT;TUNGSTEN,100W,110V AC	2.00	021	ST
1208460	VLV-RLF:DSGN RTNG 150 X 150LB,BDY MTRL P	1.00	051	EA
952709	SLEEVE,SHAFT:	1.00	051	ST
632142	GSKT PRE-CUT :P#1200-S,BONNET,10IN	2.00	051	ST
587028	GSKT JKTD:SS 304,SHP ROUND	5.00	051	ST
593265	GSKT PRE-CUT :ID 19 X OD 23MM,ROUND	1.00	051	ST
622622	GSKT:OUTSIDE NDE	1.00	051	ST
1197671	SPROCKET: BORE 2.4375IN,TEETH 144	2.00	051	EA
588989	WINDOW:TYP CROSS,SZ DIA 82 X 8MM	1.00	131	ST
1557165	RELAY:COIL V 24VAC,ACTION SPDT,CNTCT RT	1.00	011	EA
629590	KIT:TYP SOFT PARTS,CMPSNG VALVE,DOC:G85	1.00	081	ST1
635200	SCREW,SELF TAPPING:6.3MM DIA,13MM LG	8.00	051	ST
901148	MODULE:DUAL THYRISTOR,PWR S 1600V 105A	3.00	031	EA
580397	SHAFT:	2.00	051	ST
579830	BURETTE:TYP TIP,MT PTFE	1.00	071	ST
628745	ACTUTR-ELCTRC;380VAC 3PH 60HZ,IP68/TE	1.00	900	ST
1075328	RTD: TYP PT100,TEMP RT 0-400C/H,WIRE 6	3.00	101	EA
642184	SEAT,VALVE:LIFT SPRING SAFETY TYPE	2.00	051	ST
807560	NUT,LOCK:DIA 42MM,SS ASTM A743,THD	1.00	051	EA
584348	INDICATOR:RNG 20-35VDC	1.00	021	ST
1572085	FTG-OUTLT:TYP WELDOLET,BRNCH CNCTN BW,RU	1.00	051	EA
941654	IMPELLER,PUMP:DIA 5.3IN,ALLOY 20	1.00	081	ST
637178	HOSE,HYD: WORKING PRESSURE RANGE	2.00	051	ST
615458	O-RING:MT BUNA-N,SHOR - HRD 70A	1.00	051	ST
630212	PIN,SPRING:	4.00	051	ST1
589797	THERMOCOUPLE:TYP K,INS DIA 4.8MM,DESLG	1.00	061	ST
579794	STPR;CERAMIC	1.00	051	ST
1586999	JNT-EXPNSN:TYP FABRIC,SZ A=302; B=508MM	4.00	051	EA
1000782	METER, ELECTRICAL: TYP AMMETER	1.00	101	EA
1065081	STEM:TYP BELLOWS,SZ DIA 10 X LG 315MM,P/	2.00	051	ASY
506432	LIGHT,INDICATING:	6.00	021	ST
598155	BRG,SLEEVE:TYP BUSH	1.00	051	ST
643802	O-RIG:I DIA 221.84MM,WD 3.53MM,MTRL VITO	1.00	051	ST
589681	CONTACTOR:TYP MAGNETIC,AMP 32A,3 POLE	2.00	011	ST
580078	LENS,INDICATING LIGHT:	1.00	021	ST
634636	TRNSDUCR;PRESSURE	1.00	061	ST
588995	WINDOW:TYP CROSS,SZ DIA 82 X 14MM	1.00	131	ST
799485	STATION: TYPE START-STOP	1.00	011	ST
582370	CONVERTER:O/P 4-20MA	1.00	061	ST
624243	WASHER:CS ASTM A283,D,BEARING	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
600266	GSKT,SPWD:20IN,600LB,GRAPHITE	2.00	051	ST
928461	TRANSFORMER,INSTRUMENT:TYP CURRENT	1.00	011	EA
1032807	CIRCUIT: TYP EV IF,STD ASTM,P/N:K9633JA	2.00	011	EA
641952	DISC,VALVE:SS ASTM A276 GR 304,VLV SZ 2	2.00	051	ST
1038198	GSKT, SPWD: TYP SPIRAL JOINT	1.00	051	ST
580954	PLUG,VALVE:VLV SZ DN 80,SS	1.00	051	ST
620146	SET:	2.00	081	ST1
51535	SPRING,COMPRESSION:CLOSED & GROUND	1.00	051	ST
955247	CIRCUIT:TYP MAIN BOARD,APPL GAS CHROMATO	1.00	011	PAK
623823	LGHT-INDCTG;PILOT,230V,2.6W,PANEL,SCREW	3.00	021	ST
596427	BTM	1.00	061	ST
590572	SWITCH,PRESSURE:0.34-1.76BAR	2.00	061	ST
615831	ASSEMBLY;DISC PACK,COUPLING	1.00	081	ST1
798966	SOLENOID:TYP CLOSING RELEASE	4.00	011	ST
588950	FILTER,ELEMENT:SS 304,STRAINER SCREEN	1.00	051	ST
176875	VALVE,NEEDLE:VLV SZ 1/4IN,BDY MATL BRASS	1.00	051	EA
9101915	TRANSFORMER,2000/5A,CT CL.X. VK=200(RCT+	1.00	051	ST
602833	SEAL,RING:MT ALLOY 25,APLC CONTROL VALVE	2.00	051	ST
610471	SWITCH,SELECTOR:TYP VOLTMETER,POSITION 7	1.00	021	ST
621603	O-RING:MT NBR,APLC CENTRIFUGAL PUMP	2.00	051	ST1
590574	SWITCH:TYP SELECTOR,ACTN 3 POSITION	1.00	021	ST
709581	BRG,FLG:BALL,ID 35MM,BOLT DIA 12MM	1.00	051	EA
619775	CAM:MT IRON JIS G5501 GR FC250	1.00	051	ST
620182	BLOCK,TERMINAL:	1.00	021	ST
584258	BARRIER:TYP DUAL CHANNEL	6.00	031	ST
588053	KIT,ACTUATOR REPAIR,DUPWITH MAT.# 588055	2.00	061	ST1
634173	PSTNR;ELECTRO PNEUMATIC POSITIONER SET	2.00	061	ST
623182	LOCK:TYP BRACKET	2.00	051	ST
631660	VALVE,RELIEF:VLV SZ G 3/4IN,TYP SAFETY	1.00	051	ST
582693	MONITOR:TYP SYSTEM	1.00	031	ST
998471	REAGENT: TRADE NAME NITRAVER 5 NITRATE	4.00	001	PAK
615985	GSKT:VALVE/COMPRESSOR	1.00	051	ST
589190	SLEEVE,SHAFT:SS ASTM A276 GR 316	2.00	051	ST
615125	CMPNSTR	1.00	051	ST
9102226	SEAL,MECH;COMPLETE; 55-G-02 A/B/C	2.00	051	EA
579823	BEAKER,LABORATORY:TYP GRADUATED,1000ML	6.00	071	ST
620472	KIT,SEAL:TYP PACKING,APLC MOTOR OPERETED	2.00	051	ST1
80153	GSKT PRE-CUT :	5.00	051	ST
629150	KIT-VLV-RPR:TYP SOFT PART,APL RELIEF,CMP	1.00	051	ST1
616923	LIGHT,INDICATING:TYP PILOT	2.00	021	ST
616660	SWITCH,DISCONNECT:TYP ATS CONTROL	1.00	021	ST
578087	KIT-VLV-RPR:TYP SOFT PART,CMPSNG PACKIN	1.00	051	ST1
642612	O-RING:ID 33.47MM,APLC SEAL	1.00	051	ST
586033	GLAND,PACKING:TYP YOKE	2.00	051	ST
592493	GSKT-PRE-CUT;RECTANGULAR,ASBESTOS	1.00	051	ST
643039	GSKT,SPWD:1/2IN,GRAPHITE,SS 316	6.00	051	ST
623020	SWITCH,SELECTOR:TYP AMMETER,4	1.00	021	ST
594342	PACKING:GRAPHILEX,SQUARE	4.00	051	ST
905174	INSERT,ELECTRONIC:O/P 4-20MA DC	2.00	061	EA
216601	O-RING:ID 144.6MM,WD 5.7MM,MT NBR	4.00	051	ST
618144	MTR-ELCTRC;18.5KW,380VAC 36A 60HZ,180L,F	1.00	900	ST
599601	GSKT PRE-CUT :ASBESTOS	2.00	051	ST
1087171	PIN-TPR:TPR SZ 3,P/N:G11299X0032,MNFR:EM	8.00	051	EA
590834	SWITCH:	3.00	011	ST
644989	KIT-VLV-RPR;PACKAGE SPARES	1.00	051	ST1
596208	HOOD;SLIDERING SEALING,SS	1.00	121	ST
644507	CUPLG-PIPE;ID(1 X 1/2) X OD 1-3/4IN,SW	1.00	051	ST
596949	SEAT,VALVE:ID 145MM,OD 175 X 185MM	1.00	051	ST
43311	SLV	1.00	051	EA
621585	IMPELLER,PUMP:SS JIS G5121 GR SC514	1.00	081	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
606951	STUD-DUBL-END;M16,M16,110MM,STEEL,25MM	1.00	051	ST
1606613	PCKG:SZ WDMM,MTRL GRAPHITE,SHP ROUND,TYP	2.00	111	EA
596679	FILTER,OIL:PAPER,DIA 4-7/8 X LG 11-1/2IN	2.00	051	ST
589578	CHARGER:	2.00	081	ST
609157	GLASS:SZ 10ML,SHP CYLINDRICAL	1.00	121	ST
582077	IMPELLER,PUMP:DIA 83 X 155 X 110MM	1.00	081	ST
599681	GSKT,SPWD:T#1806,SEAT RING	6.00	051	ST
642992	PACKING:GRAPHITE,TYP GATE VALVE	18.00	051	ST1
215790	O-RING:ID 109.5MM,WD 2MM,MT NBR	1.00	051	ST
628725	CRCUT;ACTUATOR	1.00	011	ST
416349	LIGHT,INDICATING:TYP PILOT,VOLT 230V	2.00	021	EA
653265	JOINT:TYP BONNET,APLC CONTROL VALVE	1.00	051	EA
604854	FUSE;ULTRA FAST BLOW,250A,660V,CERAMIC	6.00	021	ST
600207	GSKT PRE-CUT :THK 1.6MM,REINZ AFM 34,FF	2.00	051	ST
592583	GSKT-PRE-CUT;ID 131 X OD 150 X THK 1MM	2.00	051	ST
587972	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	KIT
588948	FILTER,ELEMENT:SS 304,STRAINER SCREEN	1.00	051	ST
588091	BEARING:	1.00	081	ST
590652	SWITCH:TYP KEY	1.00	011	ST
1029757	CYLINDER: TYP SIGHT GLASS,MNFR:BUHLER AG	3.00	081	EA
639689	O-RIG;ANGLE VALVE	1.00	051	ST
593579	SHEET,GASKET:SZ WD 24 X LG 3610MM	1.00	051	ST
597333	VLV-RLF;BRASS,1/4 X 1/4,SPRING	2.00	051	ST
643761	BRG-RLR;NEEDLE,SINGLE,35MM,32MM,20MM	1.00	051	ST
634032	TUBE:TYP ENCLOSING	1.00	131	ST1
607361	BUSHING,ELECTRICAL CONDUCTOR:	1.00	021	ST
905123	MDUL;CONTROL GROUP	1.00	031	EA
643226	SPACER:TYP STEAM AND EXHAUST END	1.00	051	ST1
141997	SEAT,VALVE:VLV SZ 2 X 3 X 2IN,CONTROL	2.00	051	EA
636168	GSKT,SPWD:1-1/2IN,300LB,T#1806,SHP ROUND	2.00	051	ST
604718	FUSE:4A,500V,OFFSET BOLTED TAG	7.00	021	ST
599493	GSKT PRE-CUT :V#6500	2.00	051	ST
1189676	DSPLY-UNIT-DATA:SZ WD 120 X HT 90MM,DSPL	1.00	141	ST
474405	BLADE,ELECTRICAL:TYP SWITCH GEAR	3.00	011	EA
634179	DISC,VALVE:METAL,ANGLE	1.00	051	ST
584527	SWITCH,PUSHBUTTON:250/380VAC 10/7.5A	1.00	021	ST
548481	SEAL:ID 20 X OD 35 X THK 10MM,GROOVED	2.00	051	EA
849959	TRANSMITTER:TYP CONDUCTIVITY,220VAC	1.00	061	ASY
623434	GSKT:DISCHARGE PR CONNECTION	2.00	051	ST
578799	SCRN;FILTER,SS,DIA 11 X DP 2MM	2.00	051	ST
79428	CONTACTOR:TYP MAGNETIC,3 POLE	2.00	011	ST
625119	PACKING:GRAPHITE,TYP GLAND	2.00	051	ST1
602560	RING,WEAR:MATL SS ASTM A276 TP 420/SS JI	2.00	081	ST
587377	KIT,VALVE REPAIR:BALL VALVE	1.00	051	KIT
643052	PACKING:GRAPHITE,TYP GATE VALVE	4.00	051	ST1
624260	BRG:	1.00	051	ST
1081017	CONTROLLER: TYP TEMPERATURE,P/N:24447715	1.00	061	EA
632984	SEAL:APLC ON-OFF VALVE(MOV)	1.00	051	ST1
601457	O-RING:ID 32,WD 210	4.00	051	ST
591856	PACKING:TYP FEMALE ADAPTOR	2.00	051	ST
620014	GSKT PRE-CUT :NBR	2.00	051	ST
922181	PLAT,MTL:SZ WD 8FT X LG 4FT X THK 5MM	1.00	131	ST
607631	COUPLING,SHAFT:N-EUPEX RIGID FLEXIBLE,OD	1.00	051	ST
1036706	SEAL, RING: INSIDE DIAMETER 90MM,TYP K	1.00	051	EA
623051	RELAY:COIL 24VDC,SPDT,CONT 30A	3.00	011	ST
588735	PACKING:MT CRANE 1066/PTFE	1.00	051	ST1
628571	UNIT:TYP AMPLIFIER BUFFER	1.00	011	ST
607780	FLANGE:TYP THREADED	2.00	051	ST
653214	GSKT,SPWD:IRMT SS 316,OR MT SS 316	8.00	051	EA
1073453	STEM, VALVE: VLV STYL ON/OFF	2.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1567683	VLV-CNTRL:TYP BUTTERFLY / WAFER (T1),S	8.00	051	ASY
585271	FILTER,ELEMENT:CARTRIDGE REGULATOR	2.00	051	ST
616219	BREAKER,CIRCUIT:16A,277/380VAC	4.00	011	ST
588953	FILTER,ELEMENT:SS 304,STRAINER SCREEN	1.00	051	ST
595786	BRCKT;FIRE EXTINGUISHER,WD 55 X THK 2MM	10.00	051	ST
610664	BELT-V	1.00	051	ST
592526	GSKT PRE-CUT :THK 2MM,ROUND	1.00	051	ST
582312	SENSOR,CONDUCTIVITY:0.1CM,SZ 15CM	1.00	011	ST
606746	SCREW,MACHINE:M6 DIA,16MM LG	30.00	051	ST
587859	DISC-RUPTUR	3.00	051	KIT
577999	KIT:TYP FILTER	1.00	081	ST
588498	KIT-VLV-RPR:TYP SPARE,APL BALL (SIZE:6 I	1.00	051	ST1
616707	COIL,ELECTRICAL:ELEC TRT 0.6MH	1.00	011	ST
593158	GSKT PRE-CUT :ID 33.5 X OD 39 X THK 2MM	20.00	051	ST
601633	O-RING: APPL ACTUATOR SPINDLE	2.00	051	ST
622263	TRNSFRMR-INST;CURRENT,100/1A,0.72/3KV,CE	2.00	011	ST
612817	BRG:P/N:99-610420,MNFR:BOUSTEAD INTERNAT	1.00	051	ST
627234	PACKING:GRAFOIL	2.00	051	ST1
475735	PACKING:PTFE,TYP RING	2.00	051	EA
598861	HUB:	1.00	051	ST
1594099	STRNR-PG:TYP Y-TYPE,SZ 1IN,P RTNG 300LB	1.00	051	EA
614855	SEAL, LABYRINTH: P/N:4G060B294BX22209	1.00	051	ST
592540	GSKT PRE-CUT :ID 85 X OD 120 X THK 1MM	2.00	051	ST
607554	COUPLING,PIPE:SZ 2 X 1IN,MT PVC ASTM D1	9.00	051	ST
897446	VALVE, GATE: VALVE SIZE 1-1/2IN,CNCT SW	8.00	051	ST
590845	SWTCH-PRSUR;CL1 GR BCD; CL2 GR EFG,SPDT	1.00	061	ST
937795	KIT,ACTUATOR REPAIR:	1.00	061	KIT
600277	KIT:TYP GASKET	2.00	081	ST
605768	TRNSFRMR;160VA,110V AC,SINGLE,220V AC	1.00	011	ST
842044	VALVE,GATE:TYP WEDGE,VLV SZ 1-1/2IN	1.00	051	EA
601956	O-RING:ID 36MM	1.00	051	ST
955088	VALVE, BALL: VALVE SIZE 1-1/2IN	1.00	051	EA
605715	TRANSFORMER,INSTRUMENT:CURR RT 250/5A	1.00	011	ST
664394	PLUG, VALVE: VALVE SIZE 6IN	1.00	051	EA
600003	GSKT,SPWD:8IN,GRAPHITE,SS 316	2.00	051	ST
608062	SPACER:TYP SLEEVE	1.00	051	ST
638973	GSKT PRE-CUT :THK 0.12IN	1.00	051	ST1
1050892	SEAL, OIL: INSIDE DIAMETER 17MM	2.00	051	EA
578282	KIT,VALVE REPAIR:HOLDING VALVE	1.00	051	KIT
642684	NUT:SS 321/DIN WN 1.4541	1.00	051	ST
644166	CHEMICAL:DIETHYLENE GLYCOL,TYP C4H10O3	2.00	001	L
1037406	DPHRGM-ACTUTR:SZ DIA 430MM,ACTUTR SZ 1IN	2.00	061	EA
188388	CORE:TYP MAGNETIC CORE L.L.S.B,MATL AL,A	1.00	051	ST
587723	KIT-VLV-RPR:TYP SOFT PARTS,CMPRSNG ORING	6.00	051	ST
619637	IMPELLER,PUMP:TYP CLOSED	1.00	081	ST
586893	WHEEL:	1.00	091	ST
653070	RING,PISTON:TYP GUIDE	1.00	051	ST1
638177	PIN:	2.00	051	ST
596804	FILTER:TYP VENT	2.00	051	ST
591939	BUSH,VALVE:ACETAL,VLV SZ 18IN	1.00	051	ST
642917	O-RING:APLC LOWER SHAFT	10.00	051	ST
632587	AMPLIFIER:TYP SWITCHING	1.00	031	ST
529152	INSULATOR:TYP PILOT,MT CERAMIC	4.00	031	EA
626662	VALVE:TYP FILTER,VLV SZ 1-1/2IN	2.00	051	ST
619657	RING,LANTERN:MT SS 316	2.00	081	ST
609599	WASHER,LOCK:SZ 27.5MM,MATL STEEL,INSIDE	1.00	051	ST
577680	LIGHT:TYP STROBE,VOLT 24VAC,COLOR RED	5.00	121	ST
774905	HTR;MEASURING CHAMBER,ANALYZER	2.00	011	EA
1062839	RETAINER:TYP OIL RING,MATL CS ASTM A283	1.00	051	EA
982004	FUSE:AM 800A,VLTG 250V,STD UL; CSA,P/N:F	1.00	021	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
587076	ASSEMBLY:NOZZLE	1.00	081	ST
604158	SET:TYP ELECTRICAL BRUSH	10.00	021	ST
596376	GLAND:SZ ID 16 X OD 21.5MM	1.00	051	ST
1248880	GSKT PRE-CUT :TYP FLAT,SIZE SQ 177 X THK	2.00	051	EA
1038468	RING: SIZE ID10 X OD20 X THK 5MM	10.00	051	EA
1594364	FLG-PIPE:TYP RAISED FACE, SZ 1/2IN,MTRL C	1.00	131	EA
622264	TRNSFRMR-INST;CURRENT,200/1A,0.72/3KV,CE	2.00	011	ST
584587	HEAD:TYP PRESSURE OPERATED CONTROL	1.00	101	ST
634287	DISC,VALVE:ANGLE	1.00	051	ST
612262	SLEEVE:TYP INTERMEDIATE	1.00	051	ST
601010	GSKT-PRE-CUT;ROUND	2.00	051	ST
597207	SPRG-CMPRSN;10.5MM,13MM,40MM	4.00	051	ST
606190	BOLT,EYE:16MM,50MM LG,2MM,THIMBLE	2.00	051	ST
610289	ELBOW,TUBE ADAPTOR:SZ OD 38MM	1.00	051	ST
807012	KIT:TYP GASKET; O-RING	1.00	081	SE
610311	VLV-GLB;DN 20MM,PN 16	3.00	051	ST
900660	CONVERTER,FREQUENCY:	1.00	031	EA
642762	RING:PTFE/KOHLER,TYP SLIDING	8.00	051	ST
600071	GSKT, SPWD: FILLER MATERIAL GRAFOIL	1.00	051	ST
594946	SEAL-RIG;V SHAPE	1.00	051	ST
578233	KIT-VLV-RPR:TYP SOFT PARTS,APL VALVE (SI	1.00	051	ST1
933025	VALVE:TYP GOVERNOR	8.00	051	ST
602834	RING,PISTON:ALLOY 25,TYP CONTROL VALVE	1.00	051	ST
632489	O-RING:APLC GLAND	2.00	051	ST
627268	STRIP,VALVE:MT STEEL/PTFE	4.00	051	ST
1067700	GSKT-PRE-CUT:SZ ID 34.5 X OD 48.5 X THK	1.00	051	EA
593085	GSKT PRE-CUT :ID 21 X OD 95 X THK 5MM	2.00	051	ST
996796	SNSR:TYP TOTAL DC CURRENT,RTNG 24KW,P/N	1.00	061	EA
1023964	GSKT,RJ:SHAP OVAL,CODE R24,MATL SOFT IRO	4.00	051	EA
579914	LAMP,INCANDESCENT:TYP MINIATURE	19.00	021	ST
949970	VALVE,GATE:TYP SOLID/FLEXIBLE WEDGE	1.00	051	EA
876309	SWITCH, SELECTOR: TYPE MAIN/RESERVE	1.00	021	EA
614227	TRANSFORMER,INSTRUMENT:VA RT 500VA,VOLT	1.00	011	ST
585928	VALVE,SOLENOID:ST 4/3 WAY,ELEC TRT	1.00	051	ST
583675	ANNUNCIATOR:	2.00	011	ST
643115	GSKT,SPWD:2IN,GRAPHITE,SS 316	5.00	051	ST
593744	O-RING:ID 68MM,WD 4MM	2.00	051	ST
588286	GSKT PRE-CUT :ROUND	2.00	051	ST
592250	REDUCER:TYP PRESSURE	1.00	061	ST
597094	SPRING,VALVE:SS,33MM,DIA 1MM	1.00	051	ST
1026138	GUIDE: P/N:SLO0499700,DOC:SOL36648/2	2.00	091	ST
579837	PIPETTE:TYP GRADUATED,CAP 20ML,MT GLASS	4.00	071	ST
610464	STUD,D/END:DIA-A M12,DIA-B M12,LG 91MM	8.00	051	ST
1085324	COLLAR: TYP THRUST,MATL S45C, EQUIP	2.00	051	EA
596482	BASKET,STRAINER:SZ WD 355 X LG 640MM	1.00	051	ST
584433	MTR-ELECT;AMMETER,0-4000A	1.00	101	ST
602219	PACKING:	2.00	051	ST1
584422	METER,ELECTRICAL:TYP VOLT,RNG 0-5000V	5.00	101	ST
624262	COUPLING:	1.00	051	ST
619628	O-RING:MT NBR,APLC GAS CHARGING PORT	2.00	051	ST
627203	VALVE,GLOBE:VLV SZ 6IN,DES RTG 300LB	2.00	051	ST
622385	LAMP,INCANDESCENT:COLOR CLEAR,BASE BA 9	3.00	021	ST
617570	SWTCH-SFTY;3PST,115-690VAC 20/25A	1.00	011	ST
599444	GSKT,SPWD:PTFE,SS 316,APLC CASING	6.00	051	ST
644429	NUT,HEX:DIA M20,GS,HT 21MM,THD 2.5MM	2.00	051	ST
606014	CIRCUIT:TYP COMMUNICATION PROCESSOR UNIT	1.00	011	ST
602216	PACKING:CARBON,TYP CONDENSATE PUMP	8.00	051	ST
614890	RING,WEAR:APLC CASING	1.00	081	ST
619276	HOSE,STEAM:ID 3.8MM,LG 30MM	2.00	051	ST
632758	THERMOWELL:DRILLED BARSTOCK,250MM,MT SS	1.00	061	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1012915	KIT, VALVE REPAIR: TYP REPLACEMENT	1.00	051	KIT
616598	BRKR-CRCUT;16A,277/480VAC; 250/500VDC,2	2.00	011	ST
584416	METER,ELECTRICAL:TYP AMMETER,RANGE 0-15A	1.00	101	ST
141955	PLUG,VALVE:VLV SZ 2IN,CONTROL,SS	1.00	051	EA
846658	SEAL,OIL:	2.00	051	ST
579827	BURETTE:MT GLASS	1.00	071	ST
596511	DIAPHRAGM,VALVE:SZ DIA 160 X THK 0.5MM	4.00	051	ST
623631	POWER SUPPLY:TYP AC TO DC	1.00	900	ST
634577	STEM:	1.00	051	ST
585027	DISC,VALVE:VLV SZ 1-1/2IN,CHECK	1.00	051	ST
900580	SEAT-VLV;GLOBE SHUT OFF,DN 200	1.00	051	EA
1300025	BRG:TYP D1FH03,P/N:181510,MNFR:METSO COR	1.00	051	EA
615282	O-RING:	2.00	051	ST
589078	TRANSCEIVER:TYP ETHERNET THINNET	1.00	031	ST
584701	SHAFT:TYP LABYRINTH,MT AL	2.00	051	ST1
585725	VALVE,ANGLE:VLV SZ 3/4IN	2.00	051	ST
587663	KIT-VLV-RPR:TYP SOFT PART,APL BALL (SIZE	3.00	051	ST
1505159	SEAT,VALVE:TYP BACK,VALVE TYPE GATE VALV	1.00	051	EA
143410	RETAINER:TYP DISC,MT SS	1.00	051	EA
1030730	SCREW, SET: MATL SCM 435,P/N:KS-M6X16	2.00	051	ST
726722	PLATE:ALUMINUM	1.00	131	ST
1557163	SENSOR:TYP AIR PRESSURE,RANGE 0 - 200PSI	1.00	061	EA
642965	GSKT PRE-CUT :PTFE,COVER,DN 100	4.00	051	ST
926933	THERMOCOUPLE: TYP K- DOUBLE ELEMENT	1.00	061	EA
604509	FUSE:250A,CURRENT LIMITING	3.00	021	ST
627253	SPRING,VALVE:VLV SZ 1IN	3.00	051	ST
589452	BREAKER,CIRCUIT:50A,220/690VAC; 250VDC	1.00	011	ST1
644793	GSKT PRE-CUT :ID 168 X OD 250 X THK	1.00	051	ST
602418	PACKING:GRAPHITE,TYP GLAND	2.00	051	ST
593041	GSKT PRE-CUT :ID 62 X OD 84 X THK 5MM	1.00	051	ST
634562	WASHER,LOCK:	1.00	051	ST
589911	FUSE:2.5A,250V,DIA 6.5 X LG 31.75MM	10.00	021	ST
628967	VALVE,BALL:VLV SZ 6IN,DES RTG 150LB	1.00	051	ST
634767	FRAME:TYP FILTER MODULE	2.00	121	ST
641336	MODULE:STATOR/ROTOR ASSEMBLY (MOTOR)	1.00	031	ST
591699	STUD-CNTNUS-THRD;1IN,8 UNC,202MM,L7	6.00	051	ST
641435	WASHER:STEEL,ID 400MM	1.00	051	ST
589652	CONTACT:TYP MAIN ISOLATING	199.00	011	ST
643593	VALVE,CONT:TYP FLOW	1.00	051	ST
603678	CLIP;VIBRO	1.00	051	ST
604583	FUSE:25A,380V,FERRULE,CURRENT LIMITING	10.00	021	ST
1226575	BOARD,PRINTED CIRCUIT:TYP ELECTRONIC,FNC	1.00	031	EA
602047	O-RING:MT NITRILE RUBBER,APLC SEAL BOX	6.00	051	ST
591974	BUSH:DU	2.00	051	ST
634420	OILR	10.00	101	ST
579802	DSPNSR;ELECTROLYTE SOLUTION	1.00	071	ST
1601547	DISC-RUPTUR:TYP CONVENTIONAL METAL BURST	1.00	051	EA
605078	RELAY:COIL 24VDC,3PDT,CONT 380VAC 10A	1.00	011	ST
594236	PACKING:ID 25.5 X OD 36.5 X THK 5.5MM	2.00	051	ST
580352	ROTOR:	1.00	900	ST
1029644	BARRIER, ZENER: RT 24V,POLARITY POSITIVE	1.00	031	EA
636387	THERMOMETER, DIAL: TYP BI-METALLIC	3.00	101	ST
591074	TIMER:TYP ELECTRONIC,OPER ON DELAY	3.00	101	ST
585015	DISC,BRAKE:	1.00	051	ST
740970	RING,WEAR:ID 95MM,OD 105MM,THK 12MM	3.00	081	ST
642437	CONE:MT SS DIN WN 1.4021 GR X20CR13	1.00	051	ST
603855	SLEEVE:SZ DIA 406 X 150MM	1.00	051	ST
772060	GUIDE,VALVE:VLV ST PRESSURE RELIEF	1.00	051	ST
603926	TERMINAL:	1.00	021	ST
592973	GSKT-PRE-CUT;BOX BUSH,OVAL,CORK	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
580486	SHFT;DRIVE	2.00	051	ST
783614	BRKR-CRCUT;70-90A,460V AC,100KA,3,10	1.00	011	ST
1031341	KIT: TYP MAINTANANCE,P/N:76390K	2.00	081	KIT
630860	MDUL;STAGE,24V DC,PACKAGING UNIT	1.00	031	ST
583076	LIGHT,INDICATING:TYP PILOT,VOLT 220/6V	2.00	021	ST
624969	CIRCUIT:	1.00	011	ST
905109	GAUGE, PRESSURE: RANGE 0-10BAR	1.00	101	EA
586408	BRG,SLEEVE:TYP JOURNAL,P/N:50280-2739/20	1.00	051	ST
607639	COUPLING,SHAFT:N-EUPEX FLEXIBLE,BORE 80	1.00	051	ST
580767	PLATE:SZ LG 120MM,PTFE	2.00	131	ST
884039	RLY-OVRLD;SOLID STATE,1NO-1NC,3-12A,IP20	1.00	011	EA
618728	KEY,SHAFT:TYP PARALLEL	2.00	051	ST
602528	SEAL:MATL NBR,TYP V RING,APPL REAR COVER	3.00	051	ST
1024540	INDCTR;GROUND FAULT,30-300MA,ON/OFF	1.00	061	EA
615329	NUT:	2.00	051	ST
582476	GAUGE,PRESSURE:0-60PSI,ELEMT SS,CONNM SS	1.00	101	ST
1003921	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
642878	SPRING,EXTENSION:MACHINE LOOP X MACHINE	1.00	051	ST
1032822	DIAPHRAGM, REGULATOR: SIZE OD 22MM	3.00	061	EA
642976	PACKING:ALCHEM,TYP STUFFING BOX	3.00	051	ST1
602187	PACKING:RECTANGULAR,TYP GLAND	3.00	051	ST
361667	RELAY:COIL 24VDC,8PST,CONT 595VAC 10A	1.00	051	ST
600569	GSKT PRE-CUT :ID 32 X OD 39 X THK 1MM	2.00	051	ST
596346	SV;CHECK	1.00	071	ST
623817	RLY;230V AC,DPDT,250VAC 5A 1250VA,RAIL	1.00	900	ST
902246	RELAY,PROTECTION:MODULAR,RT 67-300VAC	1.00	031	EA
633145	TRANSMITTER, PRESSURE: RANGE 0.03-3MPA	1.00	061	ST
612097	DPHRGM-VLV;DIA 290MM,DN 40-50	1.00	051	ST
584632	REPEATER:	1.00	031	ST
605347	SWITCH,PUSHBUTTON:	2.00	011	ST
805313	CIRCUIT:TYP ISOLATING DRIVER	2.00	011	EA
634689	SWITCH,PRESSURE:-400 TO 0MM	1.00	061	ST
589889	FUSE:1250A	14.00	021	ST
589514	BREAKER,CIRCUIT:60A,POLE 2	1.00	011	ST
641766	HOUSING:TYP LOWER BEARING	4.00	051	ST
619998	VALVE,RELIEF:	1.00	051	ST
1035817	O RING:INSIDE DIAMETER 55MM,WIDTH 2MM,MA	1.00	051	EA
619383	O-RING:MT VITON,APLC SUBMERGED PUMP	6.00	051	ST
600895	GSKT PRE-CUT :ROUND	5.00	051	ST
593039	GSKT-PRE-CUT;TANK COVER,RECTANGULAR,CORK	1.00	051	ST
609167	GSKT-PRE-CUT;PACKING,ROUND,(4) DIA 12MM	2.00	051	ST
610641	SHFT	1.00	051	ST
594370	PCKG-BULK;WIRE-INSERTED CARBON YARN,1-14	2.00	051	ROL
628624	RING,LANTERN:APLC BUTTERFLY VALVE	3.00	081	ST
643055	GSKT,SPWD:1/2IN,GRAPHITE,SS 316	3.00	051	ST
624519	GLASS,SIGHT:	1.00	101	ST
627261	GSKT,SPWD:1IN,800LB,GRAFOIL,SS 316	1.00	051	ST
590538	RELAY,OVERLOAD:10-14A,1NO-1NC,THERMAL	2.00	011	ST
616835	CONTROLLER:	1.00	061	ST
601993	O-RING:	4.00	051	ST
602116	PACKING:V#2630/BUNA-N DUCK,V SHAPE ROUND	2.00	051	ST
909859	ELEMENT,THERMAL:TYP RTD / 1 X PT100	1.00	051	EA
581544	MDUL;IGBT	1.00	031	ST
604675	FUSE;SLOW BLOW; DIAZED,2A,500V,CERAMIC	13.00	021	ST
593886	O-RING:	2.00	051	ST
626973	FUSE:35A	10.00	021	ST
638155	VALVE:	1.00	051	ST1
592453	GSKT-PRE-CUT;COVER,ROUND,ASBESTOS	1.00	051	ST
1246812	KIT,VALVE REPAIR:APPL 12 IN 150LB BOLTED	1.00	051	KIT
610082	KIT;JOINING	2.00	081	KIT

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
902240	RELAY,OVERLOAD:2.8-4A,1NO-1NC,THERMAL	1.00	011	EA
617880	RING:TYP THRUST	2.00	051	ST
588364	KIT:TYP TOE PIECE AND TRUNNION	1.00	081	ST1
600478	GSKT PRE-CUT :	1.00	051	ST
635720	BUSH:	2.00	051	ST
622265	TRNSFRMR-INST;CURRENT,80/1A,0.72/3KV,3VA	2.00	011	ST
587393	KIT,ACTUATOR REPAIR:	2.00	051	KIT
582412	CONVERTER:TYP RTD/I	2.00	061	ST
1612191	PORT:TYP GAS PORT,MTRL SS304,SZ LG 110MM	1.00	081	ASY
615138	FLPR;CHECK VALVE	1.00	051	ST
635737	SPRING:AS JIS G3522 SWPB/A230	1.00	051	ST
593345	GSKT-JCKTD;PIVATHERM SUPER,ROUND	4.00	051	ST
624917	ASSEMBLY:TYP MOV/SNUBBER	2.00	011	ST
775349	CIRCUIT:TYP OPTICAL PICK-UP	1.00	011	EA
586344	BRG,ROLL:ID 25MM,OD 52MM,WD 15MM	1.00	051	ST
1023966	GSKT-PRE-CUT:TYP RAISED FACE,SZ ID 508 X	2.00	051	EA
111814	BREAKER,CIRCUIT:4A,600VAC,POLE 3,CE; UL	1.00	051	EA
591215	THYRISTOR:	7.00	031	ST
640257	SWITCH,SELECTOR:690VAC 20A,TYP ON/OFF	1.00	021	ST
601425	O-RING:MT NBR/S30	2.00	051	ST
463395	RELAY:COIL 120VAC	1.00	011	EA
616922	TRANSFORMER,INSTRUMENT:VA RT 5VA	2.00	011	ST
604742	FUSE:200A,415/500VAC,DIA 31 X LG 136MM	13.00	021	ST
588943	FILTER,ELEMENT:SS 316	2.00	051	ST
592686	GSKT,SPWD:DN 25,PN 320	13.00	051	ST
618918	CONTACTOR:COILV 99-121VDC	1.00	011	ST
616550	METER:TYP FREQUENCY,RNG 55-65HZ	1.00	900	ST
582081	IMPELLER:MT CI GR GG-20	1.00	081	ST
588909	UNIT:TYP INVERTER	1.00	051	ST
599227	SHOE,BRAKE:SZ DIA 9IN,MT STEEL	1.00	081	ST1
631274	O-RING:APLC FLANGE	5.00	051	ST
602368	PACKING:PTFE,RECTANGULAR	2.00	051	ST1
594772	RIG;THREADED,SS,ID 40 X OD 60 X THK 8MM	1.00	051	ST
593012	GSKT-PRE-CUT;RECTANGULAR,CORK	4.00	051	ST
615024	ELBW-PIPE;OD 168.3 X THK 2MM,BW,30,LONG	1.00	051	ST
626401	BLOCK,TERMINAL:ELEC TRT 600V 87A	15.00	021	ST
595215	SEAL-LBYRNTH	3.00	051	ST
599382	GSKT PRE-CUT :NON ASBESTOS,ROUND	1.00	051	ST
600294	GSKT-SPRL-WUND:TYP BASIC WITH INNER AND	2.00	051	ST
624206	BRG:	1.00	051	ST
616753	RELAY,PROTECTION:OVERCURRENT	1.00	900	ST
585772	VALVE,GATE:VLV SZ 1/2IN,DES RTG CL 800	1.00	051	ST
605376	SWITCH,SAFETY:TYP EMERGENCY,ACTN TPST	2.00	021	ST
579962	LAMP-INCNDSCNT;PILOT,6.5V,CLEAR,E 10	23.00	021	ST
596818	FILTER,ELEMENT:STD DIN 18302	23.00	051	ST
588937	CUPLG	1.00	051	ST
901557	SCREW,MACHINE:DIA 1/4IN,SS DIN WN 1.4104	1.00	051	EA
636629	BUSH:SS 403	1.00	051	ST
601016	GSKT,SPWD:1IN,GRAPHITE,SS 316	1.00	051	ST
587374	KIT,VALVE REPAIR:TYP 8IN 800LB BALL VALV	1.00	051	KIT
581443	DIODE:TYP RECTIFIER,VOLT 2200,AMP 200A	2.00	031	ST
1606698	SEAT-VLV:TYP RING,VLV TYP ECCENTRIC ROTA	1.00	051	ASY
232089	BLOCK,CONTACT:TYP AUXILIARY SWITCH	1.00	021	EA
629835	SEAT,VALVE:VLV SZ 2IN,BALL,UNFILLED PTFE	2.00	051	ST
595172	SEAL;ID 27 X OD 87 X THK 10MM	1.00	051	ST
634119	GSKT PRE-CUT :V#6501	2.00	051	ST
731136	COVER:TYP INTERMEDIATE	1.00	051	ST
629277	O-RING SET:APLC BUTTERFLY VALVE,2	1.00	051	ST1
609148	CONTROLLER:TYP ENERGY	1.00	021	ST
602237	PACKING:	1.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
585961	GSKT PRE-CUT :BLUE GUARD 3000,ELLIPTICAL	1.00	051	ST
625436	RLY-OVRLD;THERMAL,1NO-1NC,17-25A,CLOSED	2.00	011	ST
594296	PKG;ID 20 X OD 33 X THK 7MM,GRAPHITE	1.00	051	ST1
587206	KIT-VLV-RPR;BALL VALVE	3.00	051	ST1
1012980	SCREW, MACHINE: DIAMETER M8,LENGTH 20MM	1.00	051	EA
615592	RETAINER:TYP SLEEVE	1.00	051	ST
602210	PACKING:VITON,TYP TUBE	2.00	051	ST
1239472	TRAP,STEAM:TYP POWER DYNE,SIZE 3/4IN,CNC	2.00	051	EA
603069	GSKT PRE-CUT :EPDM,ROUND	1.00	051	ST
800721	GSKT,SPWD:3IN,600LB,GRAPHITE,SS 316	1.00	051	ST
1394075	TRNSMTR:MTRL CAST ALUMINUM,CNCT NPT 3/4	2.00	061	EA
952609	SPOOL:TYP NOZZLE,SZ 6IN	1.00	051	ST
1034140	SLEEVE, SHAFT: INSIDE DIAMETER 50	1.00	051	ST
594873	CIRCLIP:TYP EXTERNAL	6.00	051	ST
600405	GSKT,SPWD:SHP RECTANGULAR	1.00	051	ST
594429	GSKT PRE-CUT :ID 18 X OD 25 X THK 2MM	1.00	051	ST
606792	SCREW,CAP:M4 DIA,10MM LG,MT AS,HEX	11.00	051	ST
643010	PACKING:PTFE,TYP STUFFING BOX	4.00	051	ST1
602358	PACKING:	4.00	051	ST
1605701	VLV-GLB:VLV SZ 1IN,DSGN RTNG 800LB,BDY M	2.00	051	EA
627227	PACKING:TYP GLAND	2.00	051	ST
804507	KIT-VLV-RPR:TYP SOFT PART,APL CONTROL,CM	2.00	051	KIT
750372	KIT-VLV-RPR;MAINTENANCE,BUTTERFLY VALVE	2.00	051	KIT
1588568	KIT-ACTUTR-RPR;OVEHAULING	1.00	061	KIT
1003919	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
968705	TRNSMTR-PRSUR:RNG 0-10.34BAR,TYP HART PR	1.00	061	EA
604064	BREAKER,CIRCUIT:AMPERAGE 6A,VOLTAGE 240-	1.00	011	ST
144877	SEAT,VALVE:VLV SZ 1-1/2IN,CONTROL,SS	1.00	051	EA
586537	BRG:SZ ID 35MM	2.00	051	ST
625193	HEAD:TYP PILOT INDICATING LAMP; WHITE	2.00	101	ST
590657	SWITCH,SELECTOR:125-600VAC 5-10A	1.00	021	ST
1012966	SCREW, MACHINE: DIAMETER M8,LENGTH 30MM	1.00	051	EA
935643	PIPE:SZ 3/4IN,LG 6M,SCHD 10S	2.00	131	ST
578465	SET:TYP O SEAL	1.00	081	ST1
630579	O-RING:APLC INNER	2.00	051	ST
590478	RELAY:COIL 24VDC,4PST,CONT 595VAC 10A	1.00	900	ST
566261	GSKT,SPWD:GRAPHITE,SS 316,APLC BONNET	3.00	051	ST
571662	MDUL;GATING,380VAC 3PH 50/60HZ	1.00	031	ST
905121	HORN:TYP ELECTRONIC ALARM,RT 24VDC	1.00	121	EA
582839	THERMOMETER,DIAL:RNG 0-100DEG C	1.00	101	ST
632610	CPSUL;PRESSURE TRANSMITTER	4.00	071	ST
373861	BASE,RELAY:	1.00	041	ST
620608	BLOCK,TERMINAL:TERM STUD BOLT,CIRCUIT 3	1.00	021	ST
597818	GAS:NITROGEN (N2)	10.00	001	ST
610081	PLATE:TYP BLANK,GS,STD BS EN 10142	5.00	131	ST
615207	TRANSFORMER,INSTRUMENT:VA RT 50VA	1.00	011	ST
189903	GSKT:SS	2.00	051	ST
713281	BUSH:PTFE,GOVERNOR DRIVE	2.00	051	EA
195163	GSKT PRE-CUT :ID 406 X OD 540 X THK 3MM	2.00	051	ST
580079	LENS,PUSHBUTTON:COLOR CLEAR	10.00	011	ST
636956	GSKT-PRE-CUT:SZ ID (450 X 450) X OD (54	3.00	051	ST
603442	BLCK-PLUMR;1IN,2,CI	1.00	051	ST
583919	MODULE:TYP MULTI-PURPOSE INTERFACE	1.00	011	ST
597805	ELECTRODE:MT SILVER/SILVER CHLORIDE,691	1.00	051	ST
760498	PLUG, VALVE: VALVE SIZE 1/2IN	1.00	051	EA
937385	MODULE:FLASH EPROM (CURRENT VERSION)	1.00	031	EA
587764	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	KIT
643070	PACKING:GRAPHITE,TYP GATE VALVE	6.00	051	ST1
807627	O-RING:ID 88.22MM,WD 2.62MM,MT TEFLON	2.00	051	EA
604694	FUSE:125A,500VAC,BLADE,FAST BLOW; HRC	13.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
930347	BRG, BALL: MNFR:NEUMAN & ESSER GROUP	4.00	051	ST
1009589	GUIDE, VALVE: VLV STYL SAFETY RELIEF	1.00	051	ST
636251	BUSH:SS 403	4.00	051	ST
898462	BOARD,TERMINAL:	1.00	021	EA
633013	O-RING:ID 125MM,WD 3.55MM,MT NBR	6.00	051	ST1
598078	BRG-RLR;SPHERICAL,DOUBLE,100MM,180MM	2.00	051	ST
644860	INDICATOR:TYP TEMPERATURE,SZ DIA 60MM,M	2.00	101	ST
617648	BUSH:TYP BEARING	8.00	051	ST
600607	GSKT PRE-CUT :BLIND FLANGE T5	2.00	051	ST
593268	GSKT PRE-CUT :	2.00	051	ST
1046283	JOINT, EXPANSION: TYP FLEXIBLE	2.00	051	EA
588952	FILTER,ELEMENT:SS 304,STRAINER SCREEN	2.00	051	ST
1198154	REDUCER, PIPE: SIZE 12 X 10IN	2.00	051	EA
195276	RELAY,PROTECTION:RT 1A 3PH 50/60HZ	1.00	051	ST1
759229	GLAND:TYP ASSEMBLY,MT SS 316	6.00	051	ST
619345	BLCK-TRMNL;800V,CAPTIVE SCREW,10MM2,1	9.00	021	ST
601965	O-RING SET:4	8.00	051	ST
603193	SEAL,OIL:	1.00	051	ST
1038449	PLUG, VALVE: VALVE SIZE 1-1/2IN	1.00	051	EA
603924	TERMINAL:	5.00	021	ST
643063	GSKT,SPWD:1/2IN,GRAPHITE,SS 316	15.00	051	ST
590355	RELAY:TYP LEVEL	3.00	011	ST
600052	GSKT,SPWD:GRAFOIL,IRID 660MM,SS 316	2.00	051	ST
617085	HEAD:	2.00	101	ST
898245	BREAKER,CIRCUIT:16A,240/415VAC	1.00	011	EA
587372	KIT,VALVE REPAIR:BALL VALVE	1.00	051	ST
628539	TACHOMETER:TYP INDUSTRIAL,RT 230VAC	2.00	061	ST
587470	KIT-VLV-RPR:APL WAFER CHECK VALVE,CMPRSN	1.00	051	ST
615760	RETAINER:TYP OIL RING,MT CS ASTM A283 GR	1.00	051	ST
615696	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	2.00	081	ST
1225361	CIRCUIT:TYP SBC,APPL GAS CHROMATOGRPH AN	1.00	011	EA
577235	BTRY;RECHARGABLE NI-CD,3.6 V. 1.2AH	1.00	011	EA
581866	PIPE:SZ DIA 6 X 4,LG 340	1.00	131	ST
799587	FIXTURE:TYP LIGHTING,MT COMPOSITE	2.00	021	ST
632694	CONVERTER:TYP PRESSURE-CURRENT	1.00	061	ST
583918	MODULE,POWER SUPPLY:EMERGENCY SHUTDOWN	1.00	031	ST
589916	FUSE:250MA,250VAC,DIA 6.3 X LG 32MM	8.00	021	ST
940972	KIT, ACTUATOR REPAIR: APPL BALL VALVE	1.00	051	KIT
965526	IMPELLER,PUMP:MATL CS ASTM A216 GR WCB,P	1.00	081	ST
625340	BREAKER,CIRCUIT:2A,POLE 2	2.00	011	ST
799233	SHOWER SUPERSEDED BY 7276455	4.00	121	ST
599114	PULLEY,V-BELT:SPB,GROOVE 3,DIA 250MM	1.00	051	ST
597727	GAUGE:TYP NEEDLE	2.00	051	ST
637032	BRG,SLEEVE:TYP JOURNAL	1.00	051	ST
680102	ROD,WELDING:CLAS AWS E310-15,DIA 2.5MM	50.00	051	KG
599428	GSKT,SPWD:GRAPHITE/V#6592-GGZ,SHP ROUND	1.00	051	ST
600154	GSKT JKTD:CS,TYP DOUBLE	4.00	051	ST
616594	BRKR-CRCUT;2A,277/480VAC; 250/500VDC,6KA	2.00	011	ST
639340	SPRING,VALVE:SPRING WIRE ASTM A232	1.00	051	ST
608069	UNION,PIPE:SZ 1-1/2IN,CONN FNPT,MT GI	20.00	051	ST
632775	THERMOWELL:DRILLED BARSTOCK,1010MM,MT SS	1.00	061	ST
80083	RELAY:	22.00	011	ST
603847	SLEEVE:	1.00	051	ST
734700	PIN:MTRL STEEL,TYP WRIST,P/N:2110030006	1.00	141	EA
893400	MDUL;FLASH MEMORY	1.00	031	EA
1239153	SEAL,MECHANICAL:SIZE 2.250IN,TYP QBQ 225	1.00	111	EA
616188	LENS,INDICATING LIGHT:	2.00	021	ST
602582	RING,WEAR:	1.00	081	ST
1626696	TRNSMTR-PRSUR;0.46-14MPA,DPHARP GAUGE	2.00	051	EA
1229631	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
601632	O-RING:APLC ACTUATOR CYLINDER	1.00	051	ST
616703	TRANSFORMER,INSTRUMENT:VOLT R 0.72/3KV	2.00	011	ST
589403	BREAKER,CIRCUIT:6A,POLE 2	2.00	011	ST
808837	SEAT,VALVE:VLV SZ 16IN,GATE	3.00	051	ST
579792	STPR	2.00	051	ST
592860	GSKT-PRE-CUT;FLANGE,ROUND,CORK	4.00	051	ST
1024063	UNIT: TYP PROTECTION,P/N:MA100	1.00	051	EA
612548	GLOBE,LIGHTING:TYP SCREWED,COLOR CLEAR	2.00	021	ST
628633	RETAINER:TYP SEAL RING	1.00	051	ST
1628161	GLASS TUBE FOR ULTRAWAVE EQUIPMENT	1.00	051	EA
600600	GSKT SET: APPL HEAT EXCHANGER	6.00	051	ST
593328	GSKT PRE-CUT :ID 900 X OD 926 X THK 3MM	5.00	051	ST
592050	COUPLING,SHAFT,HALF:	2.00	051	ST
608091	FERRULE:SZ ID 6 X OD (7.5 X 9) X LG 9MM	1.00	051	ST
266078	RELAY:COIL 110VAC 50/60HZ,4PDT	1.00	051	EA
1627391	GUG-PRSUR;0-40 (0-550 PSI & 4000 KPA)BAR	1.00	051	ST
596703	FILTER,BAG:SQ 610MM X 6,SQUARE	1.00	051	ST
630937	KIT,VALVE REPAIR:SEAL	1.00	051	ST
644636	CHEMICAL:POTASSIUM HYDROXIDE,LIQUID	10.00	001	L
593716	O-RING:ID 47MM,WD 4.5MM	4.00	051	ST
800682	SWITCH,PRESSURE:0.07-0.22WC	1.00	061	ST
624864	FAN:TYP COOLING,VOLT R 725FT3/MIN	2.00	900	ST
9101845	REPAIR KIT	2.00	051	ST
998968	SHIELD: TYP BEARING,P/N:529204 01	1.00	121	ST
921517	WIRE,WELDING:TYP FILLER,STYL ER347 SI,MA	70.00	051	KG
191024	RELAY,TIME DELAY:0.05-1S	1.00	051	ST
1035462	TRANSMITTER, FLOW: RANGE 0-500000KG/HR	1.00	061	EA
593728	O-RING:ID 24MM,WD 2MM	9.00	051	ST
615621	RETAINER:TYP OIL RING,MT SS 400 ASTM	1.00	051	ST
433034	BRKR-CRCUT:AM 2A,VLTG 400V AC,INTRUPT CP	4.00	021	ST
626581	KIT-SEAL;DRIVING SHAFT	2.00	051	ST1
599356	GSKT:DISCHARGE VALVE,IRON	6.00	051	ST
584795	DIAPHRAGM,VALVE:MT E/P RUBBER (H0060)	1.00	061	ST
602563	RING,WEAR:MATL SS ASTM A276 TP 420/SS JI	2.00	081	ST
1235599	SPRING,VALVE:MATL ALLOY STEEL,VALVE SIZE	1.00	051	ASY
642233	FUSE:	8.00	021	ST
628395	SWITCH,LEVEL:	1.00	061	ST
593316	GSKT:ID 61.02 X OD 69.42MM,THK 4.2MM	60.00	051	ST
586622	V-BELT SET:3	1.00	051	ST
623246	BREAKER,CIRCUIT:20-25A,MANUAL MOTOR	1.00	011	ST
605758	TRANSFORMER:TYP AUXILIARY,VA RT 220KVA	1.00	011	ST
595244	SEAL,OIL:ID 96MM,OD 115MM,WD 7MM,MT RUB	7.00	051	ST
644466	STUD,D/END:DIA-A M16,DIA-B M16,LG 66MM	1.00	051	ST
615393	SLEEVE,SHAFT:	1.00	051	ST
1009254	METER, FLOW: RANGE 0-8000KG/HR	1.00	101	EA
604820	FUSE;ANTI SURGE,0.315A,250V AC,CERAMIC	10.00	021	ST
589144	CIRCLIP:TYP RETAINING RING	1.00	051	ST
643379	RING,PISTON:MATL CARBON / PTFE,P/N:U0267	2.00	051	ST
374676	BREAKER,CIRCUIT:8A,400VAC,INTP CAP 6KA	1.00	041	ST
578107	KIT:TYP INSULATION ENTRY	3.00	081	ST
620299	SHAFT:MT AS ASTM A322 GR 4140	1.00	900	ST
582086	IMPLR-PUMP;CI GR GG-20	1.00	081	ST
1009592	GUIDE, VALVE: VLV STYL SAFETY RELIEF	1.00	051	ST
1226567	PANEL,CONTROL:TYP PLC,APPL VSD PANEL,PWR	1.00	021	EA
627163	KIT,VALVE REPAIR:BASE MAINTENANCE	1.00	051	ST1
588277	DIAPHRAGM,VALVE:VLV TP CONTROL,VLV SZ 4	2.00	061	ST
631626	SPRING:TYP PRESSURE	6.00	051	ST
580947	PLUG-VLV;CONTROL,DN 40MM,SS	1.00	051	ST
595049	GSKT-PRE-CUT;ID 155 X OD 255 X THK 1.2MM	2.00	051	ST
493388	BRG,ROLL:ID 76.2MM,OD 136.53MM	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
742298	CONNECTOR:TYP FLEXIBLE,SZ NPT 1/2IN,SS	2.00	051	ST
594343	PACKING:SQUARE,TYP UNILON	8.00	051	ST
622347	BASE,RELAY:	3.00	011	ST
915517	ACTUATOR, PNEUMATIC: TYP DIAPHRAGM	1.00	061	EA
641268	VALVE,SOLENOID:	1.00	051	ST
579820	BEAKER,LABORATORY:TYP GRADUATED,50ML	30.00	071	ST
1227134	WASHER,LOCK:SZ M58,MATL 1.4571,INSIDE DI	1.00	051	EA
601989	O-RING:	4.00	051	ST
634516	SHIM: P/N:P203V2301,P/N:5-314976-02	1.00	051	ST
591160	INTERFACE:TYP PCA	2.00	011	ST
632086	GSKT PRE-CUT :P#1300-S,BONNET,16IN	1.00	051	ST
1033928	KIT-VLV-RPR:TYP SOFT PART,APL ON OFF BAL	1.00	051	KIT
644393	BOLT,UPSET:M27,165MM,GS,THD 3MM	2.00	051	ST
906009	NUT:RETAINING	7.00	051	ST
624956	ASSEMBLY:TYP SNUBBER	2.00	011	ST
617626	SEAL:APLC UNDERWATER GRANULATOR	2.00	051	ST
642968	PACKING:ALCHEM,TYP STUFFING BOX	4.00	051	ST1
582959	BURETTE:CAP 50ML,MT GLASS,GRDTNS 0.1ML	11.00	071	ST
1043395	O-RING: INSIDE DIAMETER 520MM,MATL EPDM	30.00	051	ST
592652	GSKT,SPWD:80MM,NON ASBESTOS,CS GALV	5.00	051	ST
604819	FUSE;ANTI SURGE,0.25A,250V AC,CERAMIC	10.00	021	ST
584883	DISC,BRAKE:	1.00	051	ST
623969	SWITCH,LIMIT:	2.00	061	ST
585498	SPRING:TYP CLAPPER	2.00	051	ST
639778	SEAT,VALVE:CONTROL,SS 316	4.00	051	ST1
581278	CRCUT;MAIN CONTROL	1.00	011	ST
587776	KIT,VALVE REPAIR:SOFT GOODS	1.00	051	KIT
599986	GSKT PRE-CUT :ROUND	6.00	051	ST
643301	GSKT:ID 19 X OD 28MM,TUBE END,THK 1MM	2.00	051	ST
615612	RING:BRONZE JIS H5111 BC6/ASTM B584	2.00	051	ST
602919	SEAL,RING:	2.00	051	ST
635660	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPSNG GA	2.00	061	ST1
643921	DISC,VALVE:VLV SZ 1 X 2IN,SAFETY	1.00	051	ST
609632	RING:	2.00	051	ST
584920	DISC,VALVE:SS ASTM A564,630,PRESSURE AND	1.00	051	ST
612882	CONNECTOR,ELECTRICAL:TYP BATTERY MALE	2.00	021	ST
621884	BLCK-TRMNL:CRCUT 12,P/N:CR151B2,MNFR:GE-	3.00	021	ST
1245516	SWTCH ASSY:TYP OPTICAL,PTNTL 220VAC,CUR	1.00	011	ASY
595042	GSKT-PRE-CUT;ID 3.5 X OD 14.1 X THK 3MM	1.00	051	ST
1594416	TRAP-STM:TYP INVERTED BUCKET, SZ 1/2IN,CN	1.00	051	EA
584389	INDICATOR:TYP POSITION,RNG 110VDC	1.00	061	ST
588028	KIT-VLV-RPR:TYP SOFT PART,APL PRESSURE A	2.00	051	ST1
914253	METER,FLOW:TYP VARIABLE AREA	1.00	101	EA
1032199	PIPE: SIZE 4IN,LENGTH 6000MM,SCHD 40	1.00	131	EA
587751	KIT:TYP GC FID DETECTOR	1.00	081	ST
640255	GSKT PRE-CUT :	1.00	051	ST
625548	BREAKER,CIRCUIT:16A,POLE 3	2.00	011	ST
603218	SEAL,OIL:TYP SINGLE LIP	3.00	051	ST
582123	EJECTOR:SZ LG 288MM,MT GLASS,WATER	1.00	051	ST
786446	KIT, VALVE REPAIR: TYP OVERHAULING	1.00	051	KIT
531947	PIN:DIA 20MM,LG 105MM,P/N:648132,MNFR:NE	2.00	051	EA
636611	O-RING:MT RUBBER	2.00	051	ST
585044	DISC,VALVE:SS ASTM A276,304,RELIEF	1.00	051	ST
614990	GSKT;SEAL	4.00	051	ST
9101896	SLEEVE, MECHANICAL SEAL MATL: SUS 403	1.00	051	ST
642843	BRG-RLR	1.00	051	ST
624960	DIODE:TYP POWER,VOLT 400V,AMP 3A	7.00	031	ST
600862	O-RING:ID 24.99MM,WD 3.53MM,MT PTFE	10.00	051	ST
1229247	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	8.00	051	EA
584619	SCREEN:40,MATL SS 316	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
633212	SEAL-MCH;16 X 18.8MM,BALANCED	2.00	051	ST
604373	CONTACTOR:TYP MAGNETIC,AMP 32A,3 POLE	2.00	011	ST
638175	SPRING:	3.00	051	ST
593065	GSKT-PRE-CUT;GLAND PLATE,U,CORK	1.00	051	ST
594417	RING:ID 45 X OD 60.5 X THK 5MM,SS	1.00	051	ST
615813	SEAL:TYP AIR,P/N:AAA3791150-01073,MNFR:A	1.00	051	ST
615106	GSKT-PRE-CUT;FLAT RING,ROUND,SILICON	5.00	051	ST
802992	ACTUATOR PNU,PNEUMATIC:TYP CYLINDER	2.00	061	EA
605250	COIL-ELECT;SOLENOID,24V DC	1.00	011	ST
611349	VALVE,SOLENOID:ST 5/2 WAY,CONN G 1/2-14	1.00	011	ST
583926	MDUL;BUTANE + PROPANE METERING	2.00	031	ST
1225365	RING,WEAR:INSIDE DIAMETER 178MM,MATL AST	1.00	081	EA
611159	GSKT PRE-CUT :GRAPHITE/NON ASBESTOS,RF	5.00	051	ST
585963	VALVE:TYP EXHAUST	1.00	051	ST
722984	PIN:UNS S30403	1.00	051	ST
919982	CEL;FIVE RING CONDUCTIVITY	1.00	011	EA
584340	STBLSR	2.00	051	ST
9101895	SLEEVE, MECHANICAL SEAL MATL: SUS 403	1.00	051	ST
619300	PAD:TYP THRUST,SZ DN13,26D X 72.5MM,MT	1.00	051	ST
612878	RING,WEAR:APLC 1ST STAGE IMPELLER EYE	2.00	081	ST
623756	CONTACTOR:TYP FORWARD/REVERSE,POLE 4,AMP	1.00	011	ST
578423	SET:TYP GLAND PACKING	1.00	081	ST1
597802	ELECTRODE:TYP SOLITRODE - COMBINED LL PH	2.00	051	ST
583167	LIGHT,INDICATING:VOLT 120VAC,COLOR GREEN	1.00	021	ST
616582	TRANSFORMER,INSTRUMENT:VA RT 10VA	1.00	011	ST
653213	GSKT,SPWD:IRMT SS 316,OR MT SS 316	20.00	051	EA
579309	GAUGE,PRESSURE:0-27MBAR ABS,TEST	1.00	101	ST
789323	CNTCT-AUXLRY;AUXILIARY	1.00	011	EA
579712	DAMPER:TYP SHOCK,SZ LG 254/389	1.00	051	ST
744627	SET:TYP SPRING,APLC LABYRINTH RING	1.00	081	ST1
623655	BREAKER,CIRCUIT:15A,240/600VAC; 250VDC	1.00	011	ST
9101965	SAME AS 63-01-1565	10.00	051	ST
1038462	RING, WEAR: INSIDE DIAMETER 185MM	1.00	081	ST
636573	GSKT PRE-CUT :THK 1/8IN	3.00	051	ST
593453	GSKT PRE-CUT :ID 14 X OD 18MM,GRAPHITE	2.00	051	ST
587384	KIT,VALVE REPAIR:BUTTERFLY VALVE	1.00	051	KIT
718286	SHAFT: TYP IDLER GEAR	1.00	011	EA
928361	SWITCH,SELECTOR:600VAC 10A,TYP CONTROL	1.00	021	EA
1064288	SEAT, VALVE: INSIDE DIAMETER 130MM	1.00	051	EA
594092	O-RING:APLC SEAL	1.00	051	ST
1614573	FRUL:TYP CAPILLARY,SZ 0.5MM,MTRL GRAPHIT	1.00	051	PAK
614163	RING,RETAINING:SNAP	2.00	051	ST
642196	GSKT:VALVE	3.00	051	ST
635701	SEAT,VALVE:SS 403	1.00	051	ST
594368	PACKING:ID 30 X OD 48 X THK 8,GRAPHITE	20.00	051	ST
282418	PIN:DIA 6MM,LG 32.5MM	2.00	051	EA
579000	COMPENSATOR:TYP VIBRATION SCREEN	1.00	051	ST
585194	FILTER,FUEL:	2.00	051	ST
1080853	TROLLEY: CAPACITY 2TON,TYP AIR POWERED	1.00	091	EA
1040463	VALVE, SOLENOID: STYL STRAIGHTWAY	1.00	051	EA
605211	RELAY,OVERLOAD:0.16-0.25A,1NO-1NC	1.00	011	ST
1602372	FLG-PIPE:TYP BLIND; RAISED FACE; SERRATE	1.00	131	EA
642602	O-RING:ID 34.54MM,WD 3.53MM,APLC SEAL	12.00	051	ST
618141	MTR-ELCTRC;0.55KW,380VAC 1.45A 60HZ,90S	1.00	900	ST
601828	O-RING:MT BUNA-N,SHOR - HRD 70A,APLC	6.00	051	ST
578198	KIT-VLV-RPR:TYP SOFT PARTS,APL BARSTOCK	1.00	051	ST
591862	ADAPTOR,PIPE:INLET 1IN,MNPT,OUT M20	6.00	051	ST
857035	SHIM:	2.00	051	SE
493443	RIG-RTNG;EXTERNAL	1.00	051	EA
627211	GSKT,SPWD:6IN,30LB,GRAPHITE,SS 316	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
498380	SPRING,VALVE:CS DIN WN 1.8159,VLV SZ DN	1.00	051	EA
631609	BUSH:DISTANCE (SPACER)	2.00	051	ST
622334	CONTACTOR:STD CSA; IEC 337-1; UL	1.00	011	ST
635568	SEAL:GRAPHITE	2.00	051	ST
587186	DTCTR-RSTNC-TMPRTUR:STM SZ DIA 5 X LG 21	1.00	101	ST
578419	SET:TYP GLAND PACKING	1.00	081	ST1
938745	RING:TI ASTM B348 GR 2	1.00	051	EA
642531	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
577407	GSKT-PRE-CUT	5.00	051	ST
644505	COUPLING,PIPE:ID 1 X OD 1-3/4 X LG	1.00	051	ST
642488	KIT,VALVE REPAIR:PLUG VALVE,SEALING	5.00	051	ST
628599	BRG,THRUST:	3.00	051	ST
628659	SEAT,VALVE:VLV SZ 10IN,GATE,AS ASTM A182	2.00	051	ST
596950	SEAT,VALVE:CONTROL	2.00	051	ST
593011	GSKT-PRE-CUT;RECTANGULAR,CORK	1.00	051	ST
581334	CIRCUIT:TYP FUNCTION CONTROLLER	1.00	011	ST
804319	KIT,SEAL:TYP PACKING	1.00	051	ST
1605764	GSKT-KIT-INSULTG:TYP FLANGES ISOLATION,N	2.00	051	KIT
1071610	KIT, PUMP REPAIR: TYP RPM,APPL PUMP	1.00	081	EA
600021	GSKT,SPWD:GRAFOIL,IRID 900MM,SS 316	3.00	051	ST
588033	KIT-VLV-RPR:TYP SOFT PART,APL PRESSURE A	6.00	051	ST1
603232	SEAL,MECHANICAL:CARTRIDGE	3.00	900	ST
1235855	DEVICE:TYP PRESSURE PALLET,APPL PRESSURE	1.00	081	EA
612397	ASSEMBLY:REAR COVER	2.00	081	ST
602810	PACKING:SQUARE (CROSS SECTION),TYP RING	18.00	051	ST
130373	GSKT;CASING,1/16IN,ROUND,WITHOUT	2.00	051	EA
1025515	PACKING: MATL GRAFOIL,SHAP CYLINDRICAL	1.00	051	ST1
588302	JOINT:APLC CONTROL VALVE	15.00	051	ST1
595560	KEY	2.00	051	ST
615738	RETAINER:TYP OIL RING,MT CS ASTM A283 GR	1.00	051	ST
590784	SWITCH,PUSHBUTTON:CONTAR 1NO-1NC	5.00	101	ST
1247223	PLATE:TYP SEAL,SIZE WD 10 X LG 152MM,MAT	8.00	131	EA
636725	FLOAT:TYP SIDE,SZ DIA 54MM,MT TITANIUM	1.00	061	ST
582852	THERMOMETER:SZ LG 80MM,CONN G1/2BIN	1.00	061	ST
1612226	GSKT-KIT-INSULTG:TYP VCFS,NMNL FLNG SZ 8	2.00	051	KIT
582433	SENSOR:TYP DETECTOR	1.00	101	ST
626684	SEAL,OIL:	2.00	051	ST
643086	GSKT,SPWD:1/2IN,GRAPHITE,SS 316	2.00	051	ST
913831	POWER SUPPLY:I/P 240VAC 101MA 50/60HZ	1.00	021	ASY
643009	GSKT PRE-CUT :PTFE,COVER,DN 80	4.00	051	ST
588352	GSKT,SPWD:APLC CHECK VALVE	1.00	051	ST1
623536	BUSHING,ELECTRICAL CONDUCTOR:	3.00	021	ST
596014	COLLECTOR:TYP ELECTRON	2.00	061	ST
991603	DIAPHRAGM,VALVE:MATL POLYCHLOROPRENE,VAL	4.00	051	EA
609586	GSKT PRE-CUT :ID 42 X OD 74.5 X THK 2MM	1.00	051	ST
1586436	STEM-VLV:VLV STYL GATE VALVE,VLV SZ 8IN	1.00	051	EA
608671	BAR,ROUND:SZ 50MM,MT AS EN-19	48.00	131	M
939069	BRG,THRUST:	1.00	051	ST1
624943	RESISTOR:1K OHM,RT 25W	2.00	031	ST
590412	RELAY,TIME DELAY:	2.00	011	ST
619707	RING,RETAINING:MT TS JIS G4401 GR SK5	1.00	051	ST
601134	GSKT PRE-CUT :PTFE,2 X 20IN	2.00	051	ST
592420	GSKT-PRE-CUT;ID 58.5 X OD 65.5 X THK 3MM	1.00	051	ST
619654	ASSEMBLY:BELLOW	1.00	081	ST
599417	GSKT PRE-CUT :GRAPHITE/P#6633,6IN	4.00	051	ST
606019	RESISTOR:TYP NEUTRAL/REACTOR	2.00	031	ST
584671	ARM:TYP BUSH ROCKER	2.00	051	ST
630948	ACTUTR-PNUMTC:TYP SPRING RETURN,OPRTD MA	1.00	061	ST
629177	KIT-VLV-RPR:TYP SOFT PARTS,APL RELIEF VA	2.00	051	ST1
580635	LVR;CAM	2.00	091	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
616222	BREAKER,CIRCUIT:16A,415VAC,INTP CAP 6KA	2.00	011	ST
46107	GSKT-SPRL-WUND;SS 316,GRAPHITE FLEXICARB	10.00	051	EA
612019	SPRING:TYP STRONG BACK RETAINER	10.00	051	ST
628001	PLUG,VALVE:VLV SZ 1IN,CONTROL,MONEL	1.00	051	ST
44195	FLANGE,PIPE:TYP RAISED FACE,SIZE 1-1/2IN	18.00	131	EA
590799	SWITCH,PRESSURE:0-10BAR	1.00	061	ST
1028854	PIN: P/N:BR-21A-109,DOC:F3135-2010	6.00	051	ST
653257	SEAL,RING:TYP BACKING,APLC CONTROL VALVE	1.00	051	EA
1615991	TRNSMTR-DFRNTL-PRSUR;-5 TO 100PSI,4-20MA	1.00	061	EA
602329	KIT-VLV-RPR:TYP SOFT PARTS,APL PNEUMATIC	1.00	051	ST
682110	BRG,PLUM BLK:ID 50MM,WD 114 X LG 203MM	1.00	051	EA
590248	MODULE,POWER SUPPLY:O/P 5VDC 20A	1.00	031	ST
591965	BUSH:DU,ACTUATOR A	4.00	051	ST
584862	DIAPHRAGM,VALVE:MT PTFE,VLV SZ 1-1/2IN	2.00	051	ST
1023182	SNSR;OXYGEN,0-25;PN:XNXXSO1SS	15.00	011	ASY
1026553	GSKT, SPWD: NOMINAL FLANGE SIZE 616MM	3.00	051	EA
642908	O-RIG;LOWER SHAFT	10.00	051	ST
1599836	TRNSFRMR:TYP CONTROL,VA RTNG 63VA,PRMRY	1.00	011	EA
958151	ASSEMBLY: TYP BOLT TRIP COLLAR	2.00	081	ST
599418	GSKT-PRE-CUT;GRAPHITE/P#6633	4.00	051	ST
615577	GSKT,SPWD:GRAFOIL,SS 316,SHP ROUND,BASIC	3.00	051	ST
634514	RING,RETAINING:	1.00	051	ST
1080510	O-RING: INSIDE DIAMETER 10MM,WIDTH 3MM	2.00	051	EA
593225	GSKT PRE-CUT :	6.00	051	ST
1589918	RIG;SPLIT,FUEL GAS HEATER	2.00	051	EA
805502	ELECTRODE:TYP REFERENCE CELL	1.00	051	EA
642845	BRG-RLR	1.00	051	ST
600142	GSKT-SPRL-WUND;BASIC WITH INNER RING	4.00	051	ST
578804	PARTITION:TYP WALL	2.00	141	ST
583152	HOLDER,LAMP:TYP INDICATION	9.00	021	ST
623995	BRKR-CRCUT:AM 32A,PL 2P,TYP MINIATURE,TE	1.00	011	ST
618175	FUSE:20A	2.00	021	ST
589805	THERMOCOUPLE:TYP K,INS DIA 6.4MM,DESLG	1.00	061	ST
1025088	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	1.00	051	EA
590750	SWITCH,TEMPERATURE:110-190DEG C	2.00	021	ST
892080	GSKT PRE-CUT :ARAMID FIBER/EPDM,ROUND	2.00	051	EA
612388	COUPLING:	2.00	051	ST
855796	VARISTOR:VOLT 24-70VDC; 24-48VAC	4.00	061	EA
799457	COUPLING:CS ASTM A668 GR 1010,COMPLETE	4.00	051	ST
1087647	SET: TYP PIPE LATERAL,QTY 14	1.00	081	SE
586829	SHOE:TYP JOURNAL,SZ 8.75 X 8.75 X THK 5	3.00	051	ST
607802	FLG-PIPE;RF,3/4IN,150LB,WELD NECK	1.00	051	ST
639591	GSKT SET:APLC AIRCOOLERS	1.00	051	ST
595263	GSKT;CONTROL VALVE BLOCK	2.00	051	ST
601093	GSKT,SPWD:3/4 X 4IN,PTFE,SS 314	2.00	051	ST
605533	SWITCH:TYP KEY	1.00	011	ST
584080	GLAND:	1.00	051	ST
631249	ELEMENT:TYP FLOW,SZ 12IN	1.00	051	ST
1629403	CAP-PIPE;4IN,PE,PVC	5.00	051	EA
618006	PLUG:M20,ENTRY STOPPER,LIGHTING FIXTURES	4.00	051	ST
904188	SWITCH,PUSHBUTTON:125-277VAC 10-20A,DPDT	1.00	021	EA
602252	PACKING:	1.00	051	ST1
588720	GSKT SET:	1.00	051	ST1
969658	BOLT, U: SZ 8IN,MATL SS 316,THREADS 2MM	4.00	051	ST1
609703	SEAT,VALVE:VLV SZ 12IN,BUTTERFLY,BUNA-N	1.00	051	ST
585590	FILTER,ELEMENT:SS 316,STRAINER SCREEN	1.00	051	ST
731547	SPINDLE:	1.00	101	ST
644747	GSKT,SPWD:12IN,300LB,GRAPHITE,SS 316	2.00	051	ST
622592	FILTER,OIL:	3.00	051	ST
1031933	O-RING: WIDTH 8MM,MATL EDPM/FDA	2.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
603596	CIRCLIP:SZ ID 72 X THK 2.5MM,MT STEEL	6.00	051	ST
802587	SET:TYP PACKED COLUMN	1.00	081	SE
855080	VALVE:TYP ACCESS,VALVE SIZE 1/4IN,BODY M	2.00	051	EA
1056062	VALVE: TYP SAMPLE INJECTION,P/N:7725I	1.00	051	EA
587418	KIT-CYLNDR-RPR:TYP SOFT PARTS,APL 3 WAY	1.00	091	ST
588915	UNIT:TYP EOL	1.00	051	ST
1064372	BRG-SLV:I DIA 26MM,TYP CONTROL VALVE,OUT	1.00	051	EA
476626	O-RIG:I DIA 84.4MM,WD 3.1MM,MTRL NBR,DOC	7.00	051	ST1
588662	KIT-PUMP-RPR:TYP KIT,PUMP REPAIR,APL INC	2.00	081	ST1
1030729	SCREW, SET: MATL SCM 435,P/N:KS-M6X10	2.00	051	ST
619678	TUBE:MT A1050TD/PE	2.00	051	ST
605889	CAPACITOR:TYP FIXED,ST ELECTROLYTIC CAN	3.00	031	ST
593306	GSKT:PLUG,ROUND,HOLES WITHOUT	8.00	051	ST
1528680	BLOCK,CONTACT:TYP DOUBLE,ELEC RT 600VAC	1.00	021	EA
1003968	PLATE: TYP ORIFICE,SIZE 3IN,MATL SS 316	1.00	131	EA
642585	O-RING:ID 120.24MM,WD 3.53MM	2.00	051	ST
798669	GSKT, SPWD: WINDING MATERIAL SS 316	2.00	051	ST
1595318	GSKT-PRE-CUT:TYP FF, SZ ID 711.2 X OD 927	2.00	051	EA
619746	ASSEMBLY:TYP VALVE OIL PORT,APLC PROPOR	2.00	081	ST
610883	ASSEMBLY:TYP FRONT PLATE	1.00	900	ST
639777	SEAT,VALVE:CONTROL,SS 316	2.00	051	ST1
631637	NUT,HEX:DIA M42,GR 5,THD 1.5MM,DIN 934	3.00	051	ST
1022932	PLATE: TYP SPRING,P/N:SLP53784	4.00	131	ST
623637	SWITCH:TYP CONTROL	2.00	021	ST
593021	GSKT PRE-CUT :ID 62 X OD 169 X THK 5MM	4.00	051	ST
635009	RING:AL/BRONZE,TYP CLAMP	1.00	051	ST
605157	HEATER:TYP RESISTANCE,RT 80W	2.00	011	ST
616711	FUSE:2A,500V,PLUG IN; FERRULE	2.00	021	ST
585289	SEAT,VALVE:VLV SZ 3IN,BUTTERFLY,EPDM	1.00	051	ST
577646	GEAR:TYP WHEEL	1.00	081	ST
601994	O RING:APPL LP CONDENSATE PUMPS,P/N:5G83	2.00	051	ST
612062	SWTCH-PUSH;240/415/500VAC 8/5/4A,WHITE	2.00	021	ST
586343	BRG,ROLL: P/N:23373-098-000-3	1.00	051	ST
602177	PACKING:RECTANGULAR,TYP GLAND	1.00	051	ST
1040356	HANDLE: TYP ROTARY,P/N:LV429338	1.00	101	EA
29260	ELBOW,PIPE:SZ 8IN,CS ASTM A234,90,BW,RAD	1.00	051	EA
1617030	TRNSFRMR-CURNT;*****,10VA,10/1A,MEASURE	1.00	051	EA
616386	TRANSFORMER,INSTRUMENT:CURR RT 400/5A	3.00	011	ST
1626062	VLV-RLF;SAFETY,250 PSI,BRONZE,160PSI G	1.00	051	EA
607370	BUSH:	2.00	051	ST
586923	ASSEMBLY:TYP COUPLING	1.00	051	ST1
1086384	DISC, RUPTURE: BURST PRESSURE 60BAR G	1.00	051	EA
600044	GSKT,SPWD:GRAFOIL,IRID 800MM,SS 316	1.00	051	ST
588986	WINDOW:TYP CROSS,SIZE DIA 62 X 8MM,MATL	1.00	131	ST
614812	KEY,SHAFT:TYP PARALLEL	1.00	051	ST
1566040	KIT,ACTUATOR REPAIR:TYP REPLACEMENT,CMPR	1.00	061	KIT
594395	PACKING:TYP GLAND	2.00	051	ST
1206171	CARD:TYP LCD DISPLAY,APPLN LEVEL TRANSMI	1.00	141	EA
639374	SPRING,VALVE:SS 316/SS 304	3.00	051	ST
618211	MODULE:(8) DIGITAL INPUT,PWR S 24VDC	1.00	031	ST
930806	THERMOMETER, DIAL: RANGE 80-130DEG C	1.00	101	EA
373582	VLV-CHCK;FITTING,R 1-1/4IN,6BAR,BRASS	2.00	051	ST
584621	FILTER,ELEMENT:6MESH,SS 316	2.00	051	ST
615246	O-RING:ID 128.9MM,WD 3.1MM,MT FLOURINE	3.00	051	ST
69751	SEAL-RIG:I DIA 44MM,OUT DIA 68.6MM,THK 1	2.00	051	ST1
580689	CVR;PROTECTION,WD 36 X LG 40MM,PLASTIC	1.00	051	ST
593974	O-RING:ID 7.8MM	2.00	051	ST
79776	RELAY,TIME DELAY:1.2SEC-300HR ON DELAY	1.00	011	ST
71457	RELAY, OVERLOAD: TYP THERMAL,P/N:LRD16	1.00	011	ST
578820	HOLDER,FUSE:FUSE 10 X 38	2.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
969267	GAUGE, PRESSURE: RANGE 0-80BAR G	1.00	101	EA
903109	BOARD,TERMINAL:	1.00	021	EA
589782	FILTER,ELEMENT:TYP SEALANT LINE FILTER	8.00	051	ST
586345	BRG,ROLL:TYP CYLINDRICAL	1.00	051	ST
610746	DEVICE:TYP MOTOR AIR SWEEP,STD CSA; UL	2.00	081	ST
606482	PIN:DIA M18,LG 1.5,THREADED	1.00	051	ST
593005	GSKT-PRE-CUT;ID 286 X OD 350 X THK 5MM	1.00	051	ST
577962	KIT,PUMP REPAIR:TYP SOFT GOODS,P/N:1402P	4.00	081	ST1
619285	SEAT,VALVE:ID 25MM,THK 9MM,VLV SZ DN 10	1.00	051	ST
590347	RELAY:COIL 220VAC 60HZ,TYP AUXILLIARY	1.00	011	ST
636244	SPRING:AS JIS G4801 GR SUP8	3.00	051	ST
605866	CAPACITOR:TYP ELECTROLYTIC/FIXED,CAPCIT	3.00	031	ST
624926	ASSEMBLY:TYP ASM.HARM.FILT	1.00	011	ST
587872	KIT;FIRE FIGHTING TRUCK	1.00	081	KIT
9101820	KIT,GASKET,P/N:251813,(USE 7045262)	1.00	051	ST
590882	SWITCH,PRESSURE:TYP OIL,MPT	1.00	061	ST
578105	MEMBRANE:	2.00	081	ST
606096	THYRISTOR:	2.00	031	ST
579580	THRMTR;OUTDOOR HANGING,1DEG C/2DEG F	10.00	061	ST
587410	KIT-VLV-RPR:TYP SOFT PARTS,APL ROTARY SH	1.00	051	ST
599333	GSKT PRE-CUT :MATL NON ASBESTOS/V#6500,D	3.00	051	ST
636336	PLUG,VALVE:VLV SZ 1IN	1.00	051	ST
637685	GSKT PRE-CUT :EPDM	2.00	051	ST1
1526790	DIAPHRAGM,VALVE:SIZE ID 8 X OD 227 X THK	2.00	051	EA
596865	RGULTR;TEMPERATURE,SW 5MM	2.00	061	ST
923792	SLEEVE:TYP PIPE,SZ DIA 3-1/2IN	17.00	051	ST
598761	GEAR,HELICAL:	1.00	081	ST
619673	SCREW,CAP:16MM DIA,150MM LG,MT SS 304	4.00	051	ST
600125	GSKT,SPWD:IRID 900.1MM,SS 316	1.00	051	ST
615501	O-RING:ID 80MM,WD 3MM,MT RUBBER	2.00	051	ST
609604	PACKING:ID 35 X OD 51 X THK 8	7.00	051	ST
601988	O-RING:MT VITON	1.00	051	ST
594147	O-RING:APLC PNEUMATIC HOIST	2.00	051	ST
395550	SLEEVE,SHAFT:ID 45MM,OD 50MM,LG 55MM	2.00	051	ST
586183	BRG,ROLL:ID 50MM,OD 110MM,WD 29.5MM	2.00	051	ST
1527012	GSKT PRE-CUT :TYP FLAT FACE,SIZE ID 221	3.00	051	EA
902309	MODULE:	1.00	031	EA
641368	MODULE:	1.00	031	ST
629538	FILTER,ELEMENT:HASTELLOY C 276,STRAINER	1.00	051	ST
914188	SENSOR:TYP MAGNETIC PICKOFF	2.00	061	EA
589901	FUSE;630A	3.00	021	ST
606030	RCTFR	1.00	021	ST
578557	SET;SPRING	1.00	081	ST1
399944	KIT:TYP REPAIR,APPL POSITIONER,P/N:R3610	1.00	051	ST
459553	PLUG,VALVE:VLV SZ 8IN,CONTROL	1.00	051	EA
628866	KIT:TYP INTERNAL	2.00	081	KIT
600601	GSKT JKTD:SHP ROUND	5.00	051	ST
864804	FLANGE,PIPE:TYP BLIND RF,SIZE 12IN,MATL	2.00	131	EA
581667	HOSE:HIGH PRESSURE	1.00	051	ST
891086	COVER: TYP DEFLECTOR,APPL PUMP	1.00	051	ST
1012898	PLUG, VALVE: VALVE SIZE 1IN,MATL SS 316	1.00	051	EA
602852	RING:	1.00	051	ST
615603	BOLT:12MM,48MM,AS JIS G4105 GR	23.00	051	ST
722657	DISC:A276-316	1.00	051	ST
197081	CMPUND-SLG:TYP SILICON 1211,CNTNR TYP TU	3.00	001	ST
585290	SEAT,VALVE:VLV SZ 4IN,BUTTERFLY,EPDM	1.00	051	ST
586854	IDLER,SLOTTED:TYP RETURN	1.00	091	ST
1530921	SEAL;DIA 266MM,PTFE,PISTON,DOSING PUMP	1.00	051	EA
1026164	CONTROLLER, PNEUMATIC: RANGE 10-120MM	1.00	061	EA
615394	BUSH:CARBON	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
609726	KIT,VALVE REPAIR:GLAND PACKING AND SEAT	1.00	051	ST1
644679	MODULE,POWER SUPPLY:	1.00	031	ST
634496	SET: TYP BEARING,P/N:P203V2301	1.00	081	ST1
580742	PISTON:TYP COVER,APLC TILT CYLINDER	1.00	091	ST
624520	SPRING:	1.00	051	ST
473343	GSKT-PRE-CUT:SZ ID 2 X OD 2.5 X THK 0.03	8.00	051	EA
820737	BRKR-CRCUT:AM 4A,VLTG 400V,INTRUPT CPCTY	1.00	011	ST
19257	SPRG-VLV;STEEL;PN:21917 (NEW)	16.00	051	ST
587605	KIT,VALVE REPAIR:SEAL	5.00	051	KIT
643863	DISC,VALVE:CS ASTM A105/CS ASTM A217	1.00	051	ST
600413	GSKT:	1.00	051	ST
581532	MDUL;DIODE	1.00	031	ST
910948	REAGENT:DPD FREE CHLORINE,POWDER PILLOWS	3.00	001	PKG
623861	TUBE:SZ ID 37 X OD 45 X LG 185MM,MT SS	1.00	131	ST
616733	METER,ELECTRICAL:TYP VOLT,RNG 0-4.5KV	2.00	101	ST
589773	FILTER,ELEMENT:140MICRON,SS 316	2.00	051	ST
581855	PIPE:SZ DIA 14 X 11,LG 150	1.00	131	ST
596563	DISC,VALVE:SIZE DIA 137 X LG 70MM,MATL S	1.00	051	ST
744661	UNIT:TYP OIL SCREEN	1.00	051	ST
607440	BUSH;ID 35.5 X OD 41.5 X THK 9.4MM	4.00	051	ST
1572082	KIT-ACTUTR-RPR:TYP SPARE PART,CMPRSNG O-	1.00	061	KIT
580843	PLT;LAMPHOLDER COVER	2.00	131	ST
1612229	GSKT-KIT-INSULTG:TYP VCXT,NMNL FLNG SZ 1	4.00	051	KIT
593329	GSKT;3MM,ID 33 X OD 39MM,AL/IT,ROUND	3.00	051	ST
920973	COUPLING,PIPE:2IN,SCH 40S,SS ASME SA312	5.00	051	ST1
642546	BRG:SHAFT	4.00	051	ST
738747	SPACER:SZ ID 40 X OD 50 X THK 2-1/2MM	2.00	051	ST
393693	GSKT-PRE-CUT:TYP FLAT RING,SZ ID 330 X O	1.00	051	ST
573123	PLUG:	1.00	051	EA
1576601	RTR:TYP 8-PORT VALVE,APL TOC ANALYZER,P/	2.00	051	EA
1039122	KIT, VALVE REPAIR: TYP OVERHAULING	2.00	051	KIT
410236	REACTOR:	1.00	011	ST
579560	THRMTR-DIAL;0-60°C,4-1/6IN,LG 15-9/16IN	1.00	101	ST
578060	KIT-PUMP-RPR:TYP SOFT PARTS,CMPRSNG PACK	1.00	081	ST
627377	LENS,INDICATING LIGHT:COLOR RED	2.00	021	ST
118393	GSKT,SPWD:T#1806-GR,SS 304,SHP ROUND	16.00	061	EA
600904	GSKT PRE-CUT :	1.00	051	ST
588585	KIT,VALVE REPAIR:SEAT AND O-RINGS	1.00	051	ST1
615202	SWITCH,DISCONNECT:24KV 16KA,TYP EARTHING	1.00	011	ST
259790	RELAY,OVERLOAD:48-65A,MOTOR PROTECTION	1.00	011	EA
643805	O-RING:MT VITON	1.00	051	ST
642872	BRG-RLR	1.00	051	ST
632640	KIT-VLV-RPR:TYP SOFT PART,APL CONTROL,CM	1.00	051	KIT
586759	MOTOR:SPRING CHARGING	1.00	011	ST
643799	O-RIG:I DIA 202.79MM,WD 3.53MM,MTRL VITO	1.00	051	ST
592865	GSKT PRE-CUT :ID 22 X OD 28 X THK 2.5MM	2.00	051	ST
606639	SCRW-CAP;M30,62MM,STEEL,3.5MM	16.00	051	ST
643724	BUSH:BRONZE	2.00	051	ST
907302	SET:TYP GAS TUBE DRIER	1.00	081	EA
513610	BRKR-CRCUT:AM 220A,VLTG 220-690V AC,INTR	1.00	081	ST
625417	MTR-ELECT;AMMETER,ANALOG,0-800A,CE; DIN	2.00	101	ST
541786	SWITCH,SAFETY:500VAC 32A	1.00	021	EA
601782	O-RING:MT NBR,APLC COOLING WATER PUMP	6.00	051	ST
806771	INSULATOR:TYP SINGLE PHASE BUSBAR	1.00	051	ST
592989	GSKT PRE-CUT :	1.00	051	ST
636851	GSKT,SPWD:V#8590,SHP ROUND	1.00	051	ST
619652	ASSEMBLY:TYP VALVE OIL PORT,APLC PROPOR	1.00	051	ST
1612144	FTG-OUTLT:TYP WELDOLET,BRNCH CNCTN BW,RU	1.00	051	EA
609751	RELAY:COIL 12VDC	1.00	011	ST
584511	SWITCH,PUSHBUTTON:500V 10A,SPDT,1NO-1NC	2.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
588919	MECHANISM:TYP ON OFF ASSEMBLY	6.00	051	ST
653179	DISC:DN 6IN,SS ASTM A276 GR TP304	1.00	051	EA
636644	SPRING:MT AS JIS G3522 SWPB	1.00	051	ST
863498	JOINT:TYP SPIRAL	1.00	051	EA
610885	ARBOUR:	1.00	051	ST
608944	FUNNEL:MT BOROSILICATE GLASS	20.00	071	ST
616186	LENS,INDICATING LIGHT:COLOR RED	2.00	021	ST
602063	O-RING:MT NITRILE RUBBER	6.00	051	ST1
640602	SWITCH:	1.00	021	ST
595132	SEAL-RIG;4IN,4-5/8IN,9/16IN	1.00	051	ST
618022	RLY;LEAK DETECTOR	1.00	011	ST
644357	TRANSFORMER:TYP DRY,VA RT 1500VA	1.00	011	ST
1026488	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	1.00	051	EA
600625	GSKT PRE-CUT :ROUND	1.00	051	ST
587957	KIT,VALVE REPAIR:SEAL	1.00	051	KIT
602601	RING,WEAR:	3.00	081	ST
1612240	GSKT-KIT-INSULTG:TYP VCXT,NMNL FLNG SZ 2	2.00	051	KIT
593043	GSKT PRE-CUT :	1.00	051	ST
1008032	MODULE: TYP RC SNUBBER THYRISTOR	1.00	031	EA
855584	SHAFT:MATL SS 316,TYP WITHOUT SLEEVE,END	1.00	051	EA
583208	OILER:TYP CONSTANT LEVEL	1.00	101	ST
506424	ACTVTR:TYP HACH REAGENT KITS,TRD NM NITR	3.00	001	PKG
607090	SPRING:TYP BELLEVILLE WASHER	4.00	051	ST
582350	CONTROLLER:TYP TEMPERATURE	1.00	081	ST
644775	GSKT PRE-CUT :ID 240 X OD 260 X THK 3MM	2.00	051	ST
630566	PACKING:TYP CONTROL VALVE	1.00	051	ST1
608457	CHART,ROLL:	20.00	141	ST
633017	COUPLING: TYP RIGID,P/N:104.940.099.587	1.00	051	ST
607230	STEM:TYP HOSE	1.00	051	ST
1080177	GAUGE: RANGE 0-100DEG,TYP TEMPERATURE	1.00	101	EA
1030731	SCREW, SET: MATL SCM 435,P/N:KS-M5X5	2.00	051	ST
803152	PACKING:ID 56 X OD 71 X THK 8MM,GRAPHITE	1.00	051	ST
594798	RING:TYP LOCATION	2.00	051	ST
596389	GLAND:TYP CYLINDER	1.00	051	ST
159919	REGULATOR,PNEUMATIC:TYP DIAPHRAGM	3.00	061	EA
618418	SOCKET:	1.00	101	ST
605825	AMPLIFIER:TYP SWITCHING	1.00	031	ST
590860	SWITCH:TYP MAGNETIC,SPDT,1NO-1NC	1.00	021	ST
610151	BLOCK,TERMINAL:	2.00	021	ST
627348	RELAY:COIL 120VAC,TYP AUXILLIARY,4NO	2.00	900	ST
619738	SPRING,COMPRESSION:SWPA/A230	2.00	051	ST
598201	BRG,BALL:IBI 13143,ID 45MM,OD 75MM	2.00	051	ST
947743	FUSE:TYP SEMIC,AMPERAGE 200A,VOLTAGE 250	4.00	021	ST
601202	GSKT,SPWD:3IN,150LB,PTFE,SHP RECTANGULAR	2.00	051	ST
617118	MOTOR,ELECTRIC:2.2KW,480VAC 60HZ,PH	1.00	011	ST
604240	SOLENOID:TYP CLOSING COIL,COILV 110VDC	2.00	011	ST
630843	SWTCH-PRSUR;4-17BAR,SPDT,IP66,CE	1.00	061	ST
580351	PISTON:	1.00	091	ST
1054151	DIODE: P/N:150-1039,MNFR:ABB	2.00	031	PAK
581904	HTSHRNK;SLEEVE,ID 25.4 X LG 1200MM,PVC	10.00	001	ST
643119	PACKING:GRAPHITE,TYP GLOBE VALVES	2.00	051	ST1
738146	SEAL:APLC LPG METERING- ARAMCO	2.00	051	ST1
604744	FUSE:100M125A,415VAC,DIA 21.4 X LG 111MM	14.00	021	ST
639636	PLUG,VALVE:VLV SZ 3/4IN,PLUG	1.00	051	ST
635585	RING,RETAINING:TYP STEM,SS 316	1.00	051	ST
591264	BOLT,MACH:HD HEX	6.00	051	ST
897702	GSKT,SPWD:DN 65,PN 16	1.00	051	EA
615691	BUSH,PUMP:SS ASTM A276 / SS JIS G4305 GR	2.00	081	ST
800672	THERMOMETER,DIAL:TYP BIMETAL	2.00	101	ST
705100	KEY,SHAFT:TYP BEARING	2.00	061	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
597125	SPRING:TYP PRESSURE	3.00	051	ST
644462	WASHER:STEEL,ID 26MM,OD 43MM,THK 4MM	16.00	051	ST
604244	COIL:	1.00	011	ST
970603	DISPLAY UNIT,DATA:TYP TOUCH SCREEN,SIZE	1.00	141	EA
851589	SET:TYP ANCHOR BOLT	34.00	081	SE
582663	GLASS,SIGHT:SZ DIA 55MM,COLOR CLEAR	6.00	101	ST
577824	ASSEMBLY:TYP STATOR ALTERNATOR	1.00	011	ST
634695	SWITCH:TYP MICRO	1.00	021	ST
619272	BUSH:BOILER	1.00	051	ST
616599	BRKR-CRCUT;32A,277/480VAC; 250/500VDC,2	2.00	011	ST
605203	RLY;240/288VAC 50/60HZ,10PST,10NO,CLOSED	1.00	011	ST
594002	O-RING:	2.00	051	ST
1035491	MOTOR, ELECTRIC: PWR RT 1.3KW,PHASE 3	1.00	011	EA
578348	KIT,VALVE REPAIR:TYP FLANGE INSULATING	2.00	081	KIT
1065103	NUT, LOCK: DIAMETER DIA 92MM,THREADS 6	1.00	051	EA
582950	BEAKER,LABORATORY:TYP GRADUATED,250ML	20.00	071	ST
643191	LEVER:APLC FOR STEAM TURBINES	1.00	091	ST
580967	PLUG,VALVE:VLV SZ DN 15-25,SS	1.00	051	ST
1526182	SOCKET:TYP AUXILIARY RELAY,SIZE WD 6.2 X	1.00	101	EA
608160	FITTING,GREASE NIPPLE:SZ DIA 5MM,MT	11.00	051	ST
631635	SOCKET:TYP SCREWED	2.00	101	ST
627174	GSKT SET:	2.00	051	ST1
1026168	SENSOR: TYP TEMPERATURE,RT 100OHM	1.00	011	EA
668602	ASSEMBLY:VALVE PILOT/STEM	1.00	081	EA
643693	BRG,ROLL:ID 40MM,OD 60MM,WD 3MM,TYP	1.00	051	ST
634638	THERMOMETER:RNG 0-120DEG C	1.00	061	ST
599518	GSKT PRE-CUT :V#6500	2.00	051	ST
599446	GSKT,SPWD:PTFE,SS 316,APLC CASING	1.00	051	ST
622808	ADAPTOR: TYP BEARING,MATL SS,P/N:144345	2.00	051	ST
638289	CARTRIDGE:TYP SEPARATOR	1.00	051	ST1
67844	RLY:COIL V 24VAC 50/60HZ,ACTN SPDT,CNTCT	1.00	051	ST
627277	SLEEVE,SHAFT:SS 316/PTFE	1.00	051	ST
639317	SPRING,VALVE:SS ASTM A313 GR TP302	1.00	051	ST
617560	THROWER:NBR, SZ 34.35 X 95 X 7.5MM	2.00	081	ST
738814	RING:TYP CAM	2.00	051	ST
607368	BUSHING,ELECTRICAL CONDUCTOR:	1.00	021	ST
804334	KIT,SEAL:TYP PACKING	1.00	051	ST
586339	SET:TYP BEARING	7.00	081	ST
643795	WIRE:STEEL,APLC PUMP	1.00	021	ST
587722	KIT: TYPE PACKING,APPLICATION ANALYZER	1.00	081	ST
591803	WASHER:DISHED PACK	1.00	051	ST
898414	O-RIG-ST;PRESSURE RELIEF VALVE	2.00	051	SE
628598	BRG,SLEEVE:TYP BUSHING	2.00	051	ST
601231	GSKT,SPWD:6IN,150PSIG,PTFE,SHP ROUND	1.00	051	ST
307482	O-RING, DIN 3771- 91.67X 3.53-N-FPM 90	4.00	051	ST
601011	GSKT PRE-CUT :CORK	2.00	051	ST
613867	CUSHION:COLOR WHITE	2.00	051	ST
642542	BRG:SHAFT	1.00	051	ST
615071	TEE-PIPE-RDUCR;SS 321,DIN 2615	1.00	051	ST
508929	SCREW,CAP:SOCKET	6.00	051	EA
606795	SCREW,CAP:M6 DIA,16MM LG,CSK,THD 1MM	33.00	051	ST
603231	SEAL-MCH;95MM,1502/GR1S1/BP,SS	1.00	051	ST
610577	CUT-OUT:TYP MANUAL SAFETY	1.00	061	ST
1229696	CORD,COMMUNICATION:TYP MOLDED PATCH,LENG	1.00	031	EA
611172	TRANSFORMER:TYP STEP DOWN,VA RT 315VA	3.00	011	ST
630197	PLUG:SEAL SYSTEM PRODUCT FEED PUMP	2.00	051	ST
587851	KIT,VALVE REPAIR:INLET	1.00	051	KIT
615551	RING:	2.00	051	ST
629159	SPRG-VLV:MTRL AS JIS G4801 GR SUP10,VLV	1.00	051	ST
9102090	KEY A10X8X45 X6CRNIMOT1117122 IDENT# 012	20.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1602679	NZL-TRCH:TYP GAS LENS,SZ 15/16IN,MTRL AL	1.00	051	BOX
583156	LAMP,INCANDESCENT:TYP FLASHING	2.00	021	ST
245947	RELAY: COIL V 110VDC,ACTION 4PST	1.00	011	EA
636992	SEAL:BUFFER GAS	1.00	051	ST
1025018	GSKT JKTD:TYP DOUBLE METAL JACKETED,JACK	1.00	051	EA
577992	KIT;SERVICE	2.00	081	ST
624679	O-RING:MT BUNA-N,APLC SEAL -RELIEF VALVE	2.00	051	ST
597815	GAS:HYDROGEN SULPHIDE	30.00	001	ST
582466	GUG-DFRNTL-PRSUR;0-25CM WC,FNPT 1/8IN	1.00	061	ST
594684	WASHER,LOCK:NOM SZ 12MM,OD 20MM,THK	26.00	051	ST
609576	BELLOWS:TYP EXPANSION	1.00	900	ST
579240	GUG-PRSUR;0-4BAR,100MM,MNPT 1/2IN,BOTTOM	1.00	101	ST
638422	RING:TYP FEMALE ADJUSTING	2.00	051	ST
568367	DIAPHRAGM:MT PTFE	1.00	051	EA
588682	TRANSMITTER,DIFF.PRESS.:	1.00	061	ST1
798730	BALLAST: TYPE HG MERCURY VAPOUR	15.00	021	ST
581460	MODULE:TRANSISTOR,45KVA INVERTER	3.00	031	ST
892389	KIT, VALVE REPAIR: TYPE RETAINER NUT	3.00	051	SE
163242	KIT,ACTUATOR REPAIR:	1.00	900	KIT
583382	BLOCK,TERMINAL:TERM (6) BOLTED,CIRCUIT 3	1.00	021	ST
634768	BATTERY:	2.00	011	ST
600393	GSKT,SPWD:TYP BASIC WITH INNER RING,SHAP	1.00	051	ST
595973	SWTCH-PUSH;600V AC,BLACK,PANEL,ROUND	1.00	021	ST
603024	SEAL:TYP PRIMARY	1.00	051	ST
606770	SCREW,CAP:M6 DIA,12MM LG,HEX SOCKET	29.00	051	ST
1081180	KIT: TYP GLAND PACKING,APPL CRANE 285K	1.00	081	KIT
627344	SWITCH:DPDT	1.00	021	ST
591922	BUSH:PTFE,OXIDATION REACTOR AGITATOR	2.00	051	ST
615869	GSKT:	1.00	051	ST
9101689	SET, GASKET, MATL ASBESTOS (MARKED X)	3.00	051	SE
1086741	KIT: TYP PACKING,APPL AIR COMPRESSOR	2.00	081	EA
600884	GSKT PRE-CUT :ROUND	2.00	051	ST
587346	KIT,ACTUATOR REPAIR:TYP SEAL	1.00	061	ST
610884	ASSEMBLY:TYP REAR PLATE	1.00	131	ST
581982	CASING,PUMP:TYP COVER	1.00	081	ST
585092	FILTER:	4.00	031	ST
585665	VALVE,CONT:	1.00	051	ST
625195	HEAD:TYP PILOT INDICATING LAMP; ORANGE	1.00	101	ST
1231579	PULLEY:TYP HTD TOOTH BELT,SIZE OD 122.1	1.00	051	SE
738132	O-RING:APLC LPG METERING	2.00	051	ST
587366	KIT-VLV-RPR:APL MAIN VALVE,CMPRSNG SEAT/	1.00	900	ST
590383	RELAY:COIL 230VAC 60HZ,TYP AUXILLIARY	31.00	011	ST
619785	CAM:MT IRON JIS G5501 GR FC250/A48	2.00	051	ST
589785	THERMOCOUPLE:TYP K,INS DIA 4.8MM,DESLG	1.00	061	ST
644183	COMPOUND:TYP SILICA GEL,CAN 2.5KG	36.00	001	KG
579915	LAMP,INCANDESCENT:W 55W,VOLT 12V	2.00	021	ST
584358	METER, FLOW: RANGE 13-50L/HR,P/N:15831	1.00	101	ST
632840	GAUGE,PRESSURE:0-4KG/CM2,BOURDON	1.00	101	ST
599616	ADHESIVE:TYP GLUE	2.00	001	KG
583625	CIRCUIT:TYP DPC,APLC NUCLEAR LEVEL INST	2.00	031	ST
799226	RELAY,TIME DELAY:10SEC,COIL 24VDC,SPDT	2.00	011	ST
602438	PACKING:ID 1-1/2 IN X OD 57.9MM,GRAPHITE	1.00	051	ST1
631138	RTD:TYP DOUBLE PT100	1.00	101	ST
642586	GSKT:COVER	1.00	051	ST
586067	BURNER:TYP JET,PILOT,MT SS 314/1.4841/1	3.00	051	ST
1024325	STRIP, WEAR: TYP GUIDE BAR,PROFILE FLAT	1.00	091	EA
601059	GSKT PRE-CUT :PTFE	2.00	051	ST
597277	STEM,VALVE:VLV ST BALL	1.00	051	ST
616871	RELAY,OVERLOAD:2.2-3.1A,THERMAL	1.00	011	ST
587775	KIT:TYP CALIBRATION	1.00	081	KIT

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
598561	BELT:TYP TIMING,SZ DIA 430 X WD 18MM	2.00	051	ST
589336	BTL;DROPPING,30ML,GLASS,NARROW MOUTH	15.00	071	ST
579845	CRUCIBLE:TYP MEDIUM HEIGHT,CAP 49ML,SZ	2.00	071	ST
625360	TRANSFORMER:TYP CONTROL,VA RT 400VA	2.00	011	ST
592848	GSKT-PRE-CUT;BOX GLAND PLATE,RECTANGULAR	2.00	051	ST
771719	BRG:TYP BUSH,SIZE 6IN,MATL PTFE/PEEK,P/N	4.00	051	EA
927017	O-RING:ID 104.14MM,WD 5.33MM	1.00	051	EA
610548	PULLEY,V-BELT:GROOVE 1,DIA 80MM	3.00	051	ST
615958	RING, PISTON: P/N:030-3125-130	8.00	051	ST1
632732	O-RING:APLC CONTROLLER MODULE	8.00	051	ST
582335	CONTROL:TYP DIFFERENTIAL PRESSURE	1.00	061	ST
619696	BLADDER,ACCUMULATOR:MT NBR	2.00	081	ST
616616	BREAKER,CIRCUIT:32A,220/690VAC; 250VDC	1.00	011	ST
600076	SCREEN:TYP PERPORATED,MATL SS 304	4.00	051	ST
642503	RING:TYP SEALING,APLC PLUG VALVE	5.00	051	ST
668586	SLEEVE:TYP RING,APLC PUMP	1.00	051	EA
626846	BATTERY,STORAGE:	2.00	011	ST
22471	RTD:	1.00	011	ST
602443	PACKING:1-5/8 IN X 61.2MM,GRAPHITE	2.00	051	ST1
267945	SUPPRESSOR:TYP INTERFERENCE,RT 24-250VDC	2.00	051	EA
609638	TUBE:MT POLYAMIDE	1.00	131	M
1617031	TRNSFRMR-CURNT:PTNTL 15VA,CURNT RT 30/1A	1.00	051	EA
619149	KIT-VLV-RPR:TYP SOFT PARTS,APL 50 X 80 M	1.00	051	ST
600064	GSKT,SPWD:GRAFOIL,IRID 711MM,SS 316	4.00	051	ST
602836	RING,PISTON:ALLOY 25,TYP CONTROL VALVE	1.00	051	ST
598010	BRG,BALL:ROW DOUBLE,TYP ANGULAR CONTACT	1.00	051	ST
588760	KIT-VLV-RPR	1.00	051	ST1
585414	SPRING:MT SWPB	1.00	051	ST
600206	GSKT PRE-CUT :THK 1.6MM,REINZ AFM 34,FF	3.00	051	ST
905393	TRANSMITTER,PRESSURE:0-6BARG	1.00	061	EA
584013	TUBE:TYP HEAT EXCHANGER	7.00	131	ST
601355	O-RING:MT NBR,APLC CCR REGENERATION ISO	2.00	051	ST
590880	SWITCH,PRESSURE:SPST,TYP HIGH	2.00	061	ST
928453	COVER, ELECTRICAL BOX: TYP FRONT	1.00	021	EA
625420	RLY-CNTRL;PHASE SEQUENCE FAILURE,RAIL	1.00	900	ST
586902	MODULE:TYP ALARM	1.00	011	ST
315317	FUSE:5A,32VDC	2.00	021	ST
585668	VALVE,CONT:	1.00	051	ST
633090	DIAPHRAGM, ACTUATOR: P/N:2E670002202	3.00	061	ST
636842	DISC,VALVE:AS ASTM A743,SCS 1	1.00	051	ST
642874	BRG-RLR	3.00	051	ST
612383	HEAD,PUMP:TYP PISTON	2.00	900	ST
620077	O-RIG;23.4MM,3.53MM,NBR,90A	2.00	051	ST
624552	RIG-WEAR:I DIA 107MM,MTRL CI JIS G5502 G	1.00	081	ST
1244256	REGULATOR,PNEUMATIC:TYP PRESSURE REDUCIN	1.00	061	EA
416908	O-RING:MT VITON	1.00	051	EA
609019	DISC,VALVE:SS 316 STELLITED,SAFETY	1.00	051	ST
1001721	RIG-RTNG;ID 26 X THK 1.2MM,LOCKING	1.00	051	EA
82684	STUD,ALL-THD:DIA 3/4IN,120MM LG	16.00	051	ST
604358	CONTACTOR:TYP AUXILIARY,110VAC	1.00	011	ST
568668	RING,BACK-UP:MT FKM; FMS 17G34	3.00	051	EA
608018	REDUCER,PIPE:SZ 1-1/2 X 1-1/4IN,BW	1.00	051	ST
1035603	SEAL-OIL;100MM,130MM,13MM,NBR,TC	1.00	051	EA
585079	FILTER,AIR:	1.00	051	ST
923373	NUT,LOCK:STEEL	1.00	051	EA
617808	BOLT,MACH:M16,LG 45MM,GS,2MM,GR 5.8	4.00	051	ST
642911	O-RING:APLC LOWER SHAFT	10.00	051	ST
639420	SPRING,VALVE:SPRING STEEL ASTM A232	2.00	051	ST
608626	GSKT PRE-CUT :ID 342 X OD 400 X THK 1MM	1.00	051	ST
608873	FLASK:TYP ERLNMEYER NARROW MOUTH,CAP	15.00	071	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
154153	BLCK-TRMNL:ELCTRCL RTNG 750V 40A,TRMNL T	12.00	021	EA
604869	FUSE:8A,600VAC,DIA 13/32 X LG 1-1/2IN	10.00	021	ST
802621	SEAL,RING:ID 150MM,OD 190MM,THK 2MM	1.00	051	ST
627970	SEAT,VALVE:SS 316	1.00	051	ST
583124	LAMP,HID:TYP MULTI-VAPOUR,W 400W	1.00	021	ST
607492	CAP:TYP PROTECTIVE,SZ DIA 40MM	5.00	051	ST
621592	GSKT PRE-CUT :NON ASBESTOS/V#6500	2.00	051	ST1
577990	KIT,CYLINDER REPAIR:SEAL	2.00	091	ST1
585537	STEM,VALVE:VLV ST MANUAL CONTROL ANGLE	2.00	051	ST
904464	GAUGE,PRESSURE:10BAR G,DIGITAL	3.00	101	EA
601981	O-RING SET:APLC SPACER SLEEVE,5	2.00	051	ST
590634	SWITCH,PUSHBUTTON:250V 6A,4PST,2NO-2NC	2.00	021	ST
637871	KIT, VALVE REPAIR: APPL BALL VALVE	1.00	051	ST1
630499	SENSOR:TYP FLOW,SZ 1IN,ELECT FEMALE 20MM	1.00	011	ST
635129	SWITCH:TYP VIBRATION SENSITIVE	2.00	021	ST
604659	FUSE:10A,250VAC,DIA 10 X LG 37MM,FERRULE	6.00	021	ST
612454	O-RING SET:4	2.00	051	ST1
601333	O-RING:MT NBR	2.00	051	ST
585037	DISC,VALVE:SS ASTM A276,316,RELIEF	1.00	051	ST
585028	DISC,VALVE:PTFE,VLV SZ 1IN,GLOBE	1.00	051	ST
592118	GSKT PRE-CUT :ROUND,2IN	2.00	051	ST
639414	SPRING,VALVE:STEEL WIRE ASTM A231	1.00	051	ST
1032648	RIG-PSTN;268.2MM,300MM,8.78MM,TEFLON	8.00	051	EA
585802	VALVE,GLOBE:VALVE SIZE 1/2IN,DSGN RT CL	1.00	051	ST
1197990	SLEEVE: TYP OUTSIDE SEAL	1.00	051	EA
1232590	GSKT PRE-CUT :TYP FLAT,SIZE ID 171 X OD	1.00	051	EA
1046826	ASSEMBLY: TYP HEATING RESISTOR	1.00	081	EA
637091	KIT-VLV-RPR:TYP SOFT PARTS,CMPRSNG PACKI	1.00	051	ST1
1075171	SWITCH: TYP DOOR INTERLOCK,ACTION SPCO	1.00	021	EA
590950	TRANSFORMER,INSTRUMENT:VA RT 7.5VA	2.00	011	ST
599924	GSKT PRE-CUT :PTFE	3.00	051	ST
603154	SEAL:PIN JOINT-SM	2.00	051	ST
619856	O-RING:ID 60MM,MT NBR	2.00	051	ST
905150	METER,FLOW:TYP CORIOLIS MASS	2.00	101	EA
605199	RELAY:	1.00	011	ST
620278	RING,WEAR:SS ASTM A276 TP 420	1.00	081	ST
626654	GSKT;2.7MM	2.00	051	ST
588400	GSKT SET:APLC CHECK VALVE	1.00	051	ST1
590694	SWITCH:	1.00	021	ST
654889	BREAKER,CIRCUIT:220VAC,3P,250VDC,NS80H	1.00	011	EA
605185	RELAY,TIME DELAY:0SEC-10HR	1.00	011	ST
641968	SPRING,VALVE:SS 304	1.00	051	ST
601818	O-RING:ID 84.51MM,WD 3MM,MT VITON	2.00	051	ST
608890	PT;GRADUATED,1ML,BOROSILICATE GLASS	6.00	071	ST
582724	CIRCUIT: TYPE TEMPERATURE BOARD	1.00	011	ST
614478	STUD CNTNS THD:LG 250MM,MTRL AS ASTM A19	2.00	051	ST
1078974	O-RIG;330MM,330MM,O-RING	2.00	051	EA
890671	SLEEVE,SHAFT:TYP NUT	1.00	051	ST
594609	RING:TYP MULTI HOSE	1.00	051	ST
1246824	KIT,VALVE REPAIR:APPL 6 IN 150LB RF BOLT	1.00	051	KIT
928438	DIODE:TYP DISC,VOLTAGE 600V,AMPERAGE 800	1.00	031	EA
581478	MODULE:TRANSISTOR,3.5KVA INVERTER	1.00	031	ST
533531	RELAY,OVERLOAD:4.5-6.5A,THERMAL	1.00	011	EA
594220	PCKG;ID 11.5 X OD 22 X THK 6MM,PTFE	1.00	051	ST
588267	O-RING SET:APLC CONTROL VALVE	6.00	051	ST
584345	INDICATOR:TYP LOOP POWERED,SZ 4IN	1.00	061	ST
1000999	FUSE: AMPERAGE 400A,CNCT CENTRE BOLTED	2.00	021	EA
636530	FIXTURE:RT 220VAC 250W 60HZ	13.00	021	ST1
588990	WINDOW:TYP CROSS,SZ DIA 62 X 8MM,MT	2.00	131	ST
624680	GSKT PRE-CUT :NON ASBESTOS	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
587308	KIT,PUMP REPAIR:	1.00	900	ST
581475	MODULE:	2.00	031	ST
587398	KIT;VANE	8.00	081	KIT
594554	RING:ID 215 X OD 235MM	1.00	051	ST
643181	BUSH:STEAM TURBINES	1.00	051	ST
609358	COUPLER,HOSE:SZ 1IN	3.00	051	ST
933678	SHEET,GASKET:SZ WD 1.8 X LG 10M,THK 1MM	1.00	051	ROL
897451	VALVE,GATE:	2.00	051	ST
618214	MODULE:(16) DIGITAL OUTPUT,PWR S 24VDC	1.00	031	ST
637183	STUD CNTNS THD:DIA M39,THRD 4MM,LG 330MM	36.00	051	ST1
642782	BUSH,VALVE:PTFE/GFK,GUIDE	8.00	051	ST
587385	KIT-VLV-RPR:APL PILOT GAS OPERATED PRESS	2.00	051	KIT
609704	SEAT,VALVE:VLV SZ 14IN,BUTTERFLY,BUNA-N	1.00	051	ST
624017	FUSE:0.25A,250VAC	10.00	021	ST
918770	SWITCH,DISCONNECT:500V 400A	1.00	011	ST
593033	GSKT-PRE-CUT;RECTANGULAR,CORK	1.00	051	ST
615962	SPRING,EXTENSION:	3.00	051	ST
593564	GSKT-PRE-CUT;ID 156 X OD 216 X THK 2MM	2.00	051	ST
906093	AMPLFR:TYP ISOLATION/SEPERATION,IN 4-20M	2.00	031	EA
624278	SEAL:DIAPHRAGM 2-4TH	1.00	051	ST
601357	O-RING:MT NBR	1.00	051	ST
609772	SWITCH:TYP MICRO	1.00	021	ST
799179	KIT,COMPRESSOR REPAIR:	1.00	081	KIT
634025	KIT:TYP SPRING STEM	3.00	081	ST
624976	CIRCUIT:TYP DMP2 DISPLAY	1.00	011	ST
599767	GSKT:	1.00	051	ST
612774	HLDR-LAMP;COLUMN,220VAC 100W 60HZ	2.00	021	ST
596789	MEDIA:TYP FILTER MATTE,ROLL	9.00	051	ST
900606	SEAT-VLV;ANGLE SHUT OFF,DN 200	1.00	051	EA
23391	STARTER,ELECTRIC MOTOR:TYP MAGNETIC,SPEC	1.00	011	ST
683267	BRG,FLG:ID 30MM,BOLT 2,SHP ELLIPTICAL	1.00	051	EA
628067	SEAT,VALVE:VLV SZ 2IN,CONTROL,SS 316L	1.00	051	ST
585760	VALVE,GATE:VLV SZ 1/2IN,DES RTG CL 800	2.00	051	ST
642981	GSKT PRE-CUT :PTFE,COVER,DN 15	4.00	051	ST
588851	SWITCH,PUSHBUTTON:550VAC/110VDC 6A	2.00	021	ST
590760	SWTCH-TMPRTUR	1.00	021	ST
643592	RACK:	1.00	051	ST
635728	PACKING:V#6500	1.00	051	ST
591193	CIRCUIT:TYP MAIN PROCESSOR	1.00	011	ST
1521766	KIT,VALVE REPAIR:APPL PCV,TYP REPLACEMEN	1.00	051	KIT
1597304	KIT-PUMP-RPR:TYP PULSATION DAMPER,APL CH	1.00	081	KIT
644621	THERMOWELL:TYP SCREWED,STRAIGHT,9IN,12-	1.00	061	ST
584066	TUBE:MT NEOPRENE RUBBER	4.00	131	ST
591800	BRG,THRUST:MATL DELRIN,DOC:1-1	4.00	051	ST1
630942	THERMOMETER,DIAL:	1.00	101	ST
853833	FLANGE,PIPE:TYP LAPPED	3.00	051	ST
613541	TRANSFORMER,INSTRUMENT:CURR RT 315/1A	1.00	011	ST
785255	CAGE,VALVE:VLV ST GLOBE CONTROL	1.00	051	ST
600402	GSKT,SPWD:SHP RECTANGULAR	1.00	051	ST
416389	BLOCK,CONTACT:TYP AUXILIARY	4.00	900	EA
598087	BRG-RLR;DOUBLE,75MM,160MM,55MM,53963	2.00	051	ST
611010	GSKT PRE-CUT :ROUND	2.00	051	ST
624889	BREAKER,CIRCUIT:175A,POLE 3	1.00	011	ST
595002	GSKT PRE-CUT :	1.00	051	ST
610724	CAP:TYP CENTRAL SUPPLY KNOCKOUT	1.00	051	ST
643803	O-RING:MT VITON	1.00	051	ST
625449	COIL,ELECTRICAL:FUNC CLOSING,ELEC TRT 2	1.00	011	ST
609776	RESISTOR:500OHM,RT 200W	1.00	031	ST
584724	SEAL,LABYRINTH:	1.00	900	ST
603653	CLIP;GS	13.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
385562	LINER:TYP CYLINDER	1.00	051	ST
582651	GAUGE,PRESSURE:2.5-10BAR	1.00	101	ST
604109	BRKR-CRCUT;20A,10KA,3,MINIATURE	7.00	011	ST
969094	SENSOR: TYP INDUCTIVE,RANGE 6MM,RT 8V	1.00	011	ST
619759	KIT,PUMP REPAIR:APLC PROPORTIONING PUMP	1.00	081	ST1
688264	WASHER,LOCK:SPRING	1.00	051	EA
602581	RING,WEAR:	1.00	081	ST
642778	SEAT,VALVE:VLV SZ DN 100,BALL,GFK/PTFE	8.00	051	ST1
900656	CONVERTER,FREQUENCY:TYP VARIABLE,INPUT 4	1.00	031	EA
617672	DIE:TYP PLATE,MT SS 431	1.00	101	ST
623818	RELAY:COIL V 220V,TYP LEVEL CONTROL,P/N	1.00	900	ST
643753	BRG	1.00	051	ST
590708	SWITCH:TYP PRESSURE	1.00	061	ST
273425	RTNR:TYP GUIDE,SZ ID 1.12IN,P/N:007844.1	1.00	051	EA
598612	BELT,V:OC 2120MM,TOP WD 10MM,THK 8MM	4.00	051	ST
173285	TEE,PIPE:SZ 12IN,BW,CS ASTM A234,RT SCH	2.00	051	EA
628414	TRANSMITTER,PRESSURE:0-1BAR ABS	1.00	061	ST
1010818	SPROCKET: TYP MOTOR PULLEY,BORE 60MM	1.00	051	ST
1026776	RELAY: CNTCT RT 500VAC,TYP AUXILIARY	4.00	011	EA
642706	RING:PTFE/KOHLE,TYP SLIDING	8.00	051	ST
583276	ROTOR:	1.00	081	ST
643121	GSKT,SPWD:1/2IN,GRAPHITE,SS 316	2.00	051	ST
585411	SPRING,VALVE:SS	13.00	051	ST
738796	RAM:TYP VALVE	1.00	061	ST
642744	SEAL:DN 65,GFK/PTFE,STEM	8.00	051	ST
628011	PLUG,VALVE:VLV SZ 2IN,CONTROL,SS 316L GR	1.00	051	ST
597960	BRG,SLEEVE:ID 44MM,TYP SPLIT BUSHING	1.00	051	ST1
607229	STEM:TYP HOSE	1.00	081	ST
424406	LAMP,INCANDESCENT:TYP MINIATURE PILOT	2.00	021	ST
612225	TRANSMITTER:TYP CURRENT,O/P 0-20MA	1.00	061	ST
1201759	MODULE:TYP DIGITAL IN-OUT,APPL PLC,P/N:8	1.00	031	EA
634145	GSKT PRE-CUT :V#6500,CUSHION	4.00	051	ST
623678	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPRSNG LI	2.00	061	ST
607887	INSERT:CARBIDE	30.00	051	ST
279393	O-RING:ID 1-3/4IN,WD 1/8IN,MT NBR	1.00	051	EA
626991	TERMINATOR:TYP EXTERNAL	2.00	021	ST
605872	CAPACITOR:	1.00	031	ST
144560	SEAT,VALVE:VLV SZ 1IN,CONTROL VALVE	1.00	051	EA
9101822	SHAFT SEAL KIT 100 MM DIA.	1.00	051	SE
643748	BRG-BAL;12427,35MM,62MM,14MM,2 SEALS	1.00	051	ST
592593	GSKT PRE-CUT :ID 77 X OD 96 X THK 2MM	8.00	051	ST
602102	PACKING:GRAPHITE,P#6610 AND P#6315	3.00	051	ST1
1613193	WDG-VLV:VLV STYL GATE,VLV SZ 3IN,MTRL AS	1.00	101	EA
585473	SPRING,COMPRESSION:CLOSE/GROUND	1.00	051	ST
594589	GSKT PRE-CUT :ROUND,JOINT	5.00	051	ST
630537	SWITCH:TYP MICRO,SPDT	1.00	021	ST
1038426	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	4.00	051	EA
1037128	KIT, VALVE REPAIR: APPL BUTTERFLY VALVE	2.00	051	KIT
615009	PIPE;OD 168.3 X THK 2MM,6000MM,SS 321	6.00	131	M
582334	CONTROL:TYP DIFFERENTIAL PRESSURE	1.00	061	ST
197590	BRG-THRUST:ROLR ELMNT BALL,I DIA 55MM,OU	1.00	051	ST
595308	SEAL,MECHANICAL:43MM,UNBALANCED	1.00	900	ST1
1593495	KIT-ACTUTR-RPR;REPLACEMENT	1.00	061	KIT
967010	RLY:COIL V 24VDC 17MA,ACTN DPDT,TYP MINI	5.00	011	ST
1015073	GSKT JKTD:TYP DOUBLE JACKET,STYL ROUND W	2.00	051	EA
905589	PLUG,VALVE:VLV SZ DN 25	1.00	051	EA
643281	PACKING:TYP FLANGE	1.00	051	ST
1085319	KEY, SHAFT: TYP COUNTER,MATL S40C	2.00	051	EA
1073711	CIRCUIT, POWER SUPPLY: INPUT 240V	1.00	021	EA
602235	PACKING:	1.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
636385	SWITCH,PRESSURE:-1 TO 0.7BAR G	1.00	061	ST
622749	MOTOR,ELECTRIC:4KW,380VAC 8.6A 60HZ	1.00	011	ST
596299	RTNR;ID 1.58 X OD 2-3/8 X DP 3/4IN,SS	1.00	051	ST
587555	KIT-VLV-RPR:TYP SOFT PART,APL BALL,CMPRS	2.00	051	ST
1202615	POWER SUPPLY:TYP IGCT,INPUT 100 - 240VAC	1.00	021	EA
633208	CAP;M18 X 6MM	2.00	051	ST
598546	BELT-THD;NOTCHED	2.00	051	ST
1251034	ACTUATOR,PNEUMATIC:TYP RACK AND PINION,S	2.00	061	EA
213240	SEAL-OIL:I DIA 28MM,OUT DIA 52MM,WD 10MM	2.00	051	ST
591573	PIN:SNC 415/STEEL NICR,CROSS HEAD	2.00	051	ST
607972	NOZZLE:SZ 3/16IN,CONN FPT,MT SS	1.00	051	ST
602287	GSKT PRE-CUT :ID 116 X OD 140 X THK 2MM	1.00	051	ST
599046	PULLEY,V-BELT:DIA OD 165,MT AL	1.00	051	ST
631258	SWITCH,SELECTOR:TYP AUTO/MANUAL	1.00	081	ST
618486	SWITCH,PRESSURE:ACTN SPDT	2.00	021	ST
1033751	THERMOMETER, DIAL: RANGE 0-160DEG C	1.00	101	EA
639622	PLUG,VALVE:VLV SZ 1IN,PLUG,SS ASTM A351	1.00	051	ST
590929	TRANSFORMER,INSTRUMENT:	2.00	011	ST
619301	SEAL,RING:ID 36MM,OD 42MM,THK 2MM,STD	1.00	051	ST
583385	BLOCK,CONTACT:TYP CURRENT TEST BOX U	1.00	021	ST
635703	SPRING:MT AS JIS G3522 SWPB	1.00	051	ST
627244	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	2.00	051	ST
239621	BLWS:TYP HIGH PRESSURE,MTRL SS 316L,P/N	2.00	051	EA
632325	GSKT SET:	1.00	051	ST1
597312	REGULATOR:TYP PRESSURE,RT 100BAR	1.00	061	ST
589820	SCREEN:TYP PERFORATED,MT SS,150,SZ DIA	1.00	051	ST
584056	TUBE:TYP PNEUMATIC CONTROL	1.00	131	ST
610987	BULB:TYP MINI LAMP	2.00	021	ST
630462	SWITCH,PRESSURE:20-180PSI,125VAC 5A,SPDT	1.00	061	ST
584480	BARRIER:TYP ANALOG OUTPUT	1.00	121	ST
1588616	FLG-PIPE:TYP RAISED FACE ORIFICE,SZ 6IN	6.00	131	SE
631671	VLV-GLB;G 3/8IN,PN 40,THD BSP,STOP	2.00	051	ST
580527	SHAFT:	1.00	051	ST
1628118	ULTRA WAVE THERMOWELL KIT (TANTALIUM)	1.00	051	KIT
620979	TRANSFORMER:TYP CONTROL VOLTAGE,PRIM V	1.00	011	ST
636332	PLUG,VALVE:VLV SZ 1IN	1.00	051	ST
585880	VALVE,CHECK:TYP DISCHARGE	1.00	900	ST
599481	GSKT,SPWD:GRAFOIL,SS 316,SHP ROUND,BASIC	2.00	051	ST
586949	ASSEMBLY: TYPE FURNACE,MNFR:AMETEK INC	2.00	081	ST
1453246	CNTNR;ROUND CARBOY,11 DIA X 20-7/8 H IN	2.00	001	EA
730815	COVER:TYP INTERMEDIATE,APLC PSV	1.00	051	ST
636955	STRAINER:	1.00	051	ST
1009255	METER, FLOW: RANGE 0-800KG/HR	1.00	101	EA
643120	PACKING:GRAPHITE,TYP GLOBE VALVE	2.00	051	ST1
629519	GSKT PRE-CUT :V#6500,CUSHION	4.00	051	ST
616716	HEATER:RT 220VAC 65W	2.00	011	ST
620669	SET:TYP SEAL PLATE,APLC ELECTRIC MOTOR	2.00	081	ST
949962	VALVE,GATE:TYP SOLID/FLEXIBLE WEDGE	1.00	051	EA
606417	PIN:	1.00	051	ST
596784	SHEET:FILTER,1 X 1.6M,MT POLYSTER	15.00	131	ST
1065069	PLUG-VLV:VLV STYL LINEAR,VLV SZ DN50,DIA	1.00	051	EA
800656	TRANSMITTER,PRESSURE:0-100BAR,DIGITAL	2.00	061	ST
622713	MOTOR,ELECTRIC:11KW,380VAC 21A 60HZ	1.00	011	ST
626385	BLOCK,TERMINAL:ELEC TRT 600V 30A	395.00	021	ST
1078795	COLUMN, ANALYSIS: TYP CAPILLARY	1.00	061	EA
591222	VARISTOR:	10.00	031	ST
642514	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
1592895	RIG-RTNG:SZ ID 1 X OD 1.5 X THK 0.06IN,M	1.00	051	EA
587008	ASSEMBLY:DECLUTCH SHAFT	1.00	081	ST1
798611	THERMOMETER,DIAL:TYP GAS FILLED	1.00	101	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
930309	RING: MNFR:NEUMAN & ESSER GROUP	1.00	051	ST
590304	RELAY:	1.00	011	ST
623636	SWITCH,SELECTOR:	3.00	021	ST
632807	SWITCH,LEVEL:SZ 580MM	1.00	061	ST
599424	GSKT-SPRL-WUND;GRAPHITE/V#6592-GGZ,ROUND	3.00	051	ST
639342	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
1242199	CUPLG-SHFT;JAW COUPLING,1/2IN,95MM	1.00	051	EA
627647	CONTACTOR:TYP MAGNETIC,COILV 220VAC 60HZ	2.00	011	ST
9101929	STAR FOR COUPLING, TYPE: TX75	4.00	051	ST
730399	SWITCH:TYP CONTROL,CONTRT 600V/ 10A	1.00	011	EA
905111	THERMOMETER, DIAL: TYP BI-METALLIC	1.00	101	EA
964179	CHEMICAL: TYP N-UNDECANE,CTNR BOTTLE	1.00	001	BOT
628006	PLUG,VALVE:VLV SZ 1-1/2IN,CONTROL,SS	1.00	051	ST
610426	BOLT,MACH:M24,LG 80MM,GS,3MM,GR 4.6	12.00	051	ST
934883	RLY;530 V,ON OFF,3-32VDC 50A 450OHM	1.00	011	ST
1056656	FAN: TYP EXTERNAL,P/N:3AAM80037	1.00	081	EA
589225	SLEEVE:PTFE	1.00	051	ST
588408	GSKT PRE-CUT :	1.00	051	ST
799465	BOX-ELECT;METAL ALLOY	1.00	021	EA
9102401	BRUSH,CARBON FOR TACHO ESA MOTOR	4.00	051	ST
831761	HOLDER,VALVE DISC:VLV ST SAFETY RELIEF	1.00	051	EA
1595044	STEM-VLV:VLV STYL GATE,VLV SZ 20IN,SZ DI	3.00	051	EA
596546	DISC:ID 3/8 X OD 15/16 X THK 3/16IN	1.00	051	ST
629295	GSKT:NBR,SUBMERSIBLE PUMP	1.00	051	ST1
609716	KIT,VALVE REPAIR:GLAND PACKING AND SEAT	1.00	051	ST1
603724	CONNECTOR,ELECTRICAL:TYP SPRING	2.00	021	ST
860066	FLANGE,PIPE:TYP BLIND RF,SIZE 2IN,MATL C	1.00	131	EA
590879	SWITCH,LIMIT:	2.00	061	ST
634546	PIN:ROLL	1.00	051	ST1
582849	THERMOMETER:	1.00	061	ST
637049	COUPLING:	2.00	051	ST
578685	AXLE:	1.00	051	ST
798636	BOLT:1-1/8IN,155MM,AS ASTM A193,8 UNC	2.00	051	ST
1038438	BUSH: SIZE ID 84 X OD 137 X LG 22MM	2.00	051	ST
456392	CIRCUIT:TYP FLASHER,APLC ANNUNCIATOR	2.00	051	EA
585405	SPRING,VALVE:SS	34.00	051	ST
628809	ASSEMBLY:CONTACTOR	2.00	081	ST
615575	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	2.00	081	ST
615319	RING:TYP SPRING	1.00	051	ST1
834558	STUD CNTNS THD:TYP BOLT,DIA 1-1/8IN,THRD	30.00	051	ST1
585635	VALVE:TYP OIL COMPENSATING,CONN MNPT	1.00	051	ST
615489	BRG:SZ ID 65 X OD 120 X WD 31MM	1.00	051	ST
585871	VALVE,SOLENOID:ST 5/2 WAY	1.00	051	ST
905145	MODULE:(8) CHANNEL RELAY	1.00	031	EA
79809	RELAY,TIME DELAY:ON/OFF DELAY,COIL	2.00	051	ST
592451	GSKT:SEAT	1.00	051	ST
1056508	GSKT PRE-CUT : MATL GARLOCK GYLON	1.00	051	EA
627138	GSKT,SPWD:GRAPHITE,SS,SHP ROUND,BASIC	2.00	051	ST
602407	PACKING:DIA 9MM,PTFE,ROUND	2.00	051	ST1
639400	WSHR;STEEL	2.00	051	ST
585277	SEAT,VALVE:SS ASTM A276	2.00	051	ST
674819	BRG,ROLL:ID 35MM,OD 80MM,WD 31MM	2.00	051	EA
605104	RELAY:COIL 110VAC,CONT 500VAC 6A	2.00	011	ST
1595216	SCRW:DIA 10MM,TYP BLEED,LG 50MM,HD HEX,M	2.00	051	EA
800792	GSKT,SPWD:3IN,300LB,GRAPHITE,SS 316	1.00	051	ST
599326	GSKT PRE-CUT :NON ASBESTOS/T#1995	8.00	051	ST
634508	VALVE:TYP THROTTLE	1.00	051	ST
610079	LID;HINGED SERVICE OUTLET UNIT	3.00	101	ST
643915	DIAPHRAGM,VALVE:	2.00	051	ST
599870	GSKT,SPWD:2IN,GRAFOIL,SS 316	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
629412	SWTCH-LMT	2.00	061	ST
838783	GSKT JKTD:ID 476 X OD 496MM,SHP ROUND	3.00	051	ST
905395	RTR;MOTOR UNIT	1.00	081	EA
584017	TUBE:TYP HEAT EXCHANGER	12.00	131	ST
590221	POWER SUPPLY:OP VOLT +/-15VDC	1.00	021	ST
722888	WIPER:MT FELT SAE F3	1.00	051	EA
601659	O-RING:MT VITON	1.00	051	ST
1003956	METER, FLOW: RANGE 0-4200KG/HR	1.00	101	EA
731551	SPRING:	1.00	051	ST
643814	KIT-CMPRSR-RPR:TYP SOFT PARTS,CMPRSNG SP	1.00	081	KIT
412861	O-RING:MT NITRILE RUBBER,APLC FILTER	1.00	051	EA
595915	METER,ELECTRICAL:RNG 0-2.5A	2.00	101	ST
526840	RECEPTACLE,ELECTRICAL:ELEC TRT 125VAC	4.00	021	ST
614219	REGULATOR,PNEUMATIC:TYP AIR	2.00	061	ST
580819	GSKT:FF,NBR	2.00	051	ST
616921	METER,ELECTRICAL:TYP AMMETER	1.00	101	ST
588508	KIT-VLV-RPR:APL BALL VALVE,CMPRSNG SEAT	1.00	051	ST1
594332	PCKG;ID 12 X OD 20 X THK 8MM,GRAPHITE	5.00	051	ST
631623	PLUG,PIPE:BSP G1/4-19IN,HEXAGON SOCKET	2.00	051	ST
967209	KEY, SHAFT: MATL SS ASTM A240 GR 316L	1.00	051	ST
478496	ASSEMBLY:SOURCE BASE	2.00	081	EA
598753	GEAR-SPUR;PLAIN,80,328MM,65MM,58MM,STEEL	1.00	900	ST
583539	ASSEMBLY:PLUG/SIPHONE	1.00	081	ST
643754	BRG-RLR;STRAIGHT; NEEDLE; TAPER CUP,18MM	1.00	051	ST
936581	KIT,ACTUATOR REPAIR:TYP WEARING PARTS	5.00	061	SE
604245	COIL:	1.00	011	ST
601312	O-RING:ID 74.4MM,WD 3.1MM,MT VITON	6.00	051	ST
592085	COUPLING,PIPE:2-1/2IN,COMPRESSION	1.00	051	ST
578921	COOLER:TYP OIL	1.00	081	ST
1060656	RING, BACK-UP: INSIDE DIAMETER 29MM	1.00	051	SE
373586	VLV;SUCTION,3",6BAR,STEEL,PLUG	2.00	021	ST
597311	VALVE,RELIEF:VLV SZ 1/4IN,BDY MATL BRASS	1.00	051	ST
619674	RING,LANTERN:MT CS JIS G4051 GR S25C	2.00	081	ST
588740	KIT-VLV-RPR:TYP SOFT PART,APL GLOBE AND	1.00	051	ST1
644644	LIGHT,INDICATING:TYP PILOT,VOLT 24VDC	3.00	021	ST
592613	GSKT;CLIP ON,THK 3MM,EPDM,IRREGULAR	10.00	051	ST
583983	HOSE;LOWER BOTTOM	1.00	051	ST
593584	SEAL:WD 5 X LG 2000 X THK 2.5MM,PTFE	2.00	051	M
583474	PLUG:PISTON ROD	16.00	051	ST
632156	GSKT:PLUG,STEEL	2.00	051	ST
598086	BRG-RLR;DOUBLE,70MM,150MM,51MM,53827	2.00	051	ST
593454	GSKT PRE-CUT :ID 21 X OD 26MM,GRAPHITE	2.00	051	ST
610576	CUT-OUT,THERMAL:TYP AUTO SAFETY LIMIT	1.00	061	ST
589398	BREAKER,CIRCUIT:200A	1.00	011	ST
900653	CONVERTER,FREQUENCY:TYP VECTOR CONTROL	1.00	031	EA
620579	TMR;ELECTRONIC,MULTIFUNCTION,240VAC 8A	1.00	101	ST
643664	BRG,ROLL:STD DIN 5405	1.00	051	ST
604344	RELAY:COIL 230/240VAC 50/60HZ,DPDT	2.00	011	ST
583618	CIRCUIT:TYP ISOLATED CURRENT OUTPUT	1.00	011	ST
602380	PACKING:PTFE,SQUARE	2.00	051	ST1
599762	GSKT JKTD:CS	2.00	051	ST
1072024	BOARD, PRINTED CIRCUIT: TYP GROUNDING	1.00	031	ST
634504	COLLAR:	1.00	051	ST
616381	TRANSFORMER,INSTRUMENT:CURR RT 15/5A	3.00	011	ST
593266	GSKT PRE-CUT :ROUND	1.00	051	ST
1033143	O-RING: INSIDE DIAMETER 2.734IN	2.00	051	EA
630481	D;BRIDGE,50V,35A	2.00	031	ST
593297	GSKT PRE-CUT :ID 175 X OD 200 X THK 2MM	2.00	051	ST
583082	LIGHT,INDICATING:TYP PILOT	2.00	021	ST
619258	FILTER,AIR:	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
623003	LIGHT,INDICATING:TYP PILOT LED,COLOR RED	3.00	021	ST
771220	BAFFLE:TYP OIL	2.00	081	ST1
801422	SPACER:TYP RING,MT CS ASTM A576 GR 1020	1.00	051	EA
591155	MODULE:DIGITAL LCD	3.00	031	ST
586116	BRG:GUIDE	2.00	051	ST1
582636	GAUGE,PRESSURE:0-160MBAR,100MM,MPT 1/2IN	1.00	101	ST
638393	DETECTOR,FIRE PROTECTION:TYP SMOKE	1.00	121	ST
598990	MOTOR,ELECTRIC:18KW,380VAC 50/60HZ	1.00	011	ST
1003967	METER, FLOW: TYP SQUARE EDGE ORIFICE	1.00	101	EA
1049185	COVER: TYP GEARBOX,DOC:MD87/93(A)	1.00	051	EA
697914	BLOCK:TYP TEST	2.00	131	EA
306834	O-RING:ID 390MM,WD 4MM,MT EPDM	8.00	051	ST
615768	RING:	2.00	051	ST
584171	SHIELD:TYP LEVEL GAUGE	14.00	121	ST
613309	CASING,PUMP:	1.00	900	ST
615950	SPRING:	2.00	051	ST
593931	O-RIG;9.25MM,1.78MM,FLOUROSILICONE	2.00	051	ST
607859	INSERT:CARBIDE	30.00	051	ST
593255	GSKT PRE-CUT :ID 88 X OD 137 X THK 1MM	6.00	051	ST
1081015	THRM CUPL;ELEMENT,40 - 1000°C,AISI 316	1.00	061	EA
924521	GSKT PRE-CUT :ID 800 X OD 832 X THK 3MM	1.00	051	ST
802921	PACKING:ID 20 X OD 38 X THK 6MM,GRAPHITE	1.00	051	ST
604131	BREAKER,CIRCUIT:25A	1.00	011	ST
905112	BOX,ELECTRICAL:TYP TERMINAL	1.00	021	EA
158768	LINK:TYP SWITCH	2.00	051	EA
960350	CYLINDER: TYP BASE,MATL DIN 1693 GGG-40	2.00	081	EA
595793	BRACKET:TYP BEARING	1.00	900	ST
634518	BUSH:REDUCER,STEAM TURBINE	1.00	051	ST
588097	PLUG-VLV;CONTROL,SS 316	2.00	051	ST1
590943	TRANSFORMER,INSTRUMENT:VA RT 10/15VA	1.00	011	ST
596554	DISC:DIA 63 X THK 9MM,BRASS,PRESSURE	213.00	051	ST
639313	SPNDL:MTRL SS ASTM A276 GR 403 / STEEL A	1.00	101	ST
9102465	POTASSIUM CHROMATE, 1 KG BOTTLE	1.00	051	BOT
797733	PLAT:TYP LOCKING	18.00	900	EA
599331	GSKT:BEARING CASE SUPPORT	7.00	051	ST
624172	SEAL,OIL:P/N:SLP-L705-004,MNFR:ELLIOTT T	1.00	051	ST
579316	GUG-VCUM;100-1102MBAR	1.00	061	ST
604932	FUSE:800A,500/550VAC,CENTRE BLADE BOLTED	2.00	021	ST
795409	RTD:TYP PT100,100OHM,TEMP R 80-90DEG C	2.00	101	ST
9102096	ROD,TIE,200.4 A2A 1.0711.07	3.00	051	ST
606098	MDUL;THYRISTOR	6.00	031	ST
634107	BELLOWS:TYP PRESSURE REGULATOR	1.00	051	ST
923260	REDUCER,PIPE:SZ 2 X 1IN,BW,CS ASTM A234	1.00	051	ST
618487	SWITCH,PRESSURE:ACTN SPDT	2.00	021	ST
1237154	SPRING,VALVE:MATL CS,VALVE SIZE 3/4 X 1I	1.00	051	ASY
635657	ASSEMBLY: TYP SPRING CATRIDGE,DOC:40906	2.00	081	ST1
589978	FUSE:	2.00	021	ST
643209	SCREW,SET:	1.00	051	ST
804321	KIT,SEAL:TYP PACKING	1.00	051	ST
132114	RIG-RTNG;UPPER	1.00	051	EA
633008	NUT,HEX:DIA M48,AS DIN WN 1.7709	1.00	051	ST
592626	GSKT-PRE-CUT;VESSEL,ROUND	2.00	051	ST
623043	POWER SUPPLY:	1.00	031	ST
1023613	PACKING,BULK:TYP LIQUID END,MATL NBR,SIZ	3.00	051	EA
586321	BRG,BALL:IBI 15182,ID 105MM,OD 190MM,WD	2.00	051	ST
592845	GSKT-PRE-CUT;BOX GLAND PLATE,U,CORK	1.00	051	ST
1001824	RELAY, PROTECTION: TYP SUBSTATION	2.00	031	EA
738129	NUT,HEX:	8.00	051	ST
585817	VALVE,NEEDLE:VLV SZ 1IN	1.00	051	ST
583573	PLUG,VALVE:VLV SZ 4IN,CONTROL,SS	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
597283	ASSEMBLY:VALVE STEM	50.00	081	ST
636289	SEAT,VALVE:SS 316	1.00	051	ST
801003	GAUGE, PRESSURE: RANGE 0-100BAR	1.00	101	ST
9102139	SPRING, FOR MECH. SEAL	81.00	051	ST
590695	SWITCH:TYP AUXILIARY,CONTAR 6NO-2NC	5.00	021	ST
1085346	SHAFT: MATL SCM 435,TYP OUTPUT	1.00	051	EA
632038	GSKT PRE-CUT :P#1200-S,BONNET,4IN	2.00	051	ST
608791	TUBING,METALLIC:MATL COPPER,OUTSIDE DIAM	24.00	131	M
602476	PACKING:PTFE,SQUARE	2.00	051	ST1
624881	THYRISTOR:AMP 130A	3.00	031	ST
608213	BLADE:TYP AGITATOR,SZ WD 50 X LG 250 X	1.00	101	ST
9102445	2-CARBOXYBEZALDEHYDE 99%	1.00	051	KG
642635	SEAL,OIL:ID 57.71MM,OD 67.59MM,WD 6.35MM	1.00	051	ST
587073	TRANSMITTER, TEMPERATURE:	1.00	061	ST
1619072	LAMP:TYP CADIMUM HOLLOW CATHODE,WTG N/A	1.00	051	EA
614162	PULLEY:TYP DRIVEN	1.00	051	ST
1559502	PIPE MTLIC:NMNL PIPE SZ DSGNTN 2IN,MTRL	1.00	131	EA
585310	SEAT,VALVE:VLV SZ 3IN,BUTTERFLY	1.00	051	ST
586570	BRG,BALL:ID 12MM,ST 2 SEALS,ROW SINGLE	2.00	051	ST
591858	ADAPTOR:TYP IGNITION ROD	1.00	131	ST
643235	LEVER:	1.00	091	ST
594248	PACKING:ID 63 X OD 87 X THK 12MM,TYP	1.00	051	ST1
643378	SHIM:TYP ACTUATOR,MT SS 316	2.00	051	ST
601271	O-RIG;94.4MM,3.1MM,VITON	3.00	051	ST
1045252	CONTACTOR: TYP AC OPERATED,AMPERAGE 125	1.00	011	EA
78136	SWITCH,SELECTOR:600VAC 16A 60HZ,KNOB	2.00	051	ST
1245799	NUT:DIAMETER 112MM,MATL A283 GR.D,TYP CO	1.00	051	EA
643511	SEAL,OIL:	2.00	051	ST
600341	GSKT,SPWD:SHP ROUND	14.00	051	ST
770240	STUD CNTNS THD:DIA 1-1/2IN,THRD 8 UN,LG	5.00	051	ST
587739	KIT,VALVE REPAIR:FILTER REGULATOR	2.00	051	ST
627089	BRG:	1.00	051	ST
616658	SWITCH,SELECTOR:TYP VOLTMETER,7	1.00	021	ST
632634	KIT-VLV-RPR:TYP SPARE,APL CONTROL,CMPSRN	1.00	051	KIT
590881	SWITCH,PRESSURE:SPST,TYP LOW,FLARE 1/4IN	2.00	061	ST
1012963	HANDLE: TYP LIFTING,P/N:555 61 01	1.00	101	EA
588502	KIT-VLV-RPR:TYP SOFT PARTS,APL BALL VALV	1.00	051	ST1
595203	SEAL,MECHANICAL:OD 90 X WD 12MM	1.00	051	ST
593543	GSKT PRE-CUT :ROUND	2.00	051	ST
635662	PACKING:PTFE,IRREGULAR ROUND,TYP GLAND	2.00	051	ST1
625438	SWTCH-DSCNCT;690VAC 32A 50/60HZ,RAIL	2.00	011	ST
581137	RCPTCL-ELECT;SINGLE,2,3,250VAC 20A 2HP	30.00	021	ST
604596	FUSE:35A,660VAC; 460VDC	13.00	021	ST
619795	SHIM:	2.00	051	ST1
620049	BRG,ROLL:ID 10MM,OD 15MM,WD 8MM	3.00	051	ST
619945	GSKT,SPWD:6IN,150LB,NON ASBESTOS/V#596	2.00	051	ST
612847	LENS:TYP DIFFUSER	2.00	121	ST
600611	GSKT PRE-CUT :ROUND	2.00	051	ST
606491	PIN,SPLIT:DIA 3MM,LG 47MM,CS	3.00	051	ST
596120	HANDLE:SZ DIA 27 X LG 53MM,MT PLASTIC	1.00	101	ST
620346	BELT:	8.00	051	ST1
357856	MDUL;(16) FLOATING DIGITAL OUTPUT,240V	1.00	051	ST
627165	NOZZLE,VALVE:MT SS 416	1.00	051	ST
627664	RELAY,TIME DELAY:OPER OFF DELAY	2.00	011	ST
625316	METER:TYP VOLTAGE	2.00	101	ST
1247873	GSKT PRE-CUT :TYP FLAT FACE,SIZE ID 219	2.00	051	EA
643072	GSKT,SPWD:1/2IN,GRAPHITE,SS 316	1.00	051	ST
588319	KIT-VLV-RPR:TYP SOFT PARTS,CMPSRNG GASKE	1.00	051	ST1
604492	FUSE:250VAC,DIA 5 X LG 20MM,FERRULE	4.00	021	ST
585714	VALVE,CHECK:TYP SWING,VLV SZ 4IN	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
605810	TIMER:OPER ON DELAY,CONTRT 240VAC 10A	2.00	101	ST
273403	MODULE:INTERFACE	1.00	031	EA
1081655	GAUGE, PRESSURE: RANGE 0-16BAR,CNCT FNPT	1.00	101	EA
579763	WPR;LINE FREE,SQ 100MM,COTTON	12.00	101	BX
1552048	CARD,COMPUTER:TYP ATI FIREPRO V4800 1 GB	5.00	141	EA
930269	CONTACTOR:POLE 3,380VAC	2.00	011	ST
598927	MOTOR,ELECTRIC:0.37KW	1.00	011	ST
601199	GSKT PRE-CUT :DIA 559MM,GRAPHITE,ROUND	1.00	051	ST
1033149	GSKT JKTD: SIZE ID 900 X OD 980 X THK 3	1.00	051	EA
9102448	BARIUM PERCHLORATE SOLUTION, 0.005 MOLE/	114.00	051	L
606099	THYRISTOR:	2.00	031	ST
637010	KIT,VALVE REPAIR:TYP L/S/R/O/C KNOB ASS	6.00	081	KIT
632673	GAUGE,PRESSURE:0-10BAR,100MM	1.00	101	ST
581842	PIPE:SZ 6IN,LG 6000MM,SCHD 40,PVC ASTM	5.00	131	ST
658717	SNIPS:TYP AVIATION	7.00	101	EA
606880	SCREW,SELF TAPPING:1IN LG,FLAT PHILLIPS	65.00	051	ST
578957	CARTRIDGE:TYP HELIUM,MT AL	13.00	051	ST
589451	BREAKER, CIRCUIT: AMPERAGE 40A,POLE 4	1.00	011	ST1
595276	SEAL:	4.00	051	ST
595389	SEAL:	2.00	051	ST
1550027	BRG:TYP JOURNAL,SIZE N/A,SINGLE,MATL SS	2.00	051	EA
593327	GSKT:WD 20 X LG 800 X THK 4MM	2.00	051	ST
878560	O-RING: INSIDE DIAMETER 32MM,WIDTH 2MM	10.00	051	EA
608948	SWTCH-LVL;250VAC/DC 1A,FLOAT,CE; SEV	1.00	061	ST
901180	UNIT,CONTROL:TYP THYRISTOR SWITCHING	1.00	011	EA
624187	NUT,LOCK:CS ASTM A283,GR D,BEARING	2.00	051	ST
1251344	GSKT PRE-CUT :TYP FLAT,SIZE ID 275 X OD	3.00	051	EA
598281	BRG,ROLL:TYP NEEDLE	2.00	051	ST
917850	FLOAT:MT SS	1.00	061	ST
688099	MODULE:THERMISTOR PROTECTION	1.00	051	EA
643573	IMPLR-PUMP:DIA 248MM,TYP OPEN,MTRL CD4MC	1.00	081	ST
105377	SWITCH,SELECTOR:115VAC	1.00	051	ST
596911	REGULATOR:	1.00	061	ST
643229	SLINGER:TYP OIL INNER	1.00	101	ST
604125	BREAKER,CIRCUIT:10A,400VAC,INTP CAP 10KA	2.00	011	ST
917508	CUP;SAMPLE,64 MM (2.5 IN),GLASS,CLEAR	2.00	051	EA
636780	RELAY:COIL 24VDC,CONT 5A	2.00	011	ST
596864	RGULTR;TEMPERATURE,SW 5MM	2.00	061	ST
592841	GSKT PRE-CUT :	1.00	051	ST
599274	STATOR:TYP LOW PRESSURE	1.00	011	ST
1022163	MODULE: TYP POLARISATION,PWR SRC 24VDC	4.00	031	ST
744633	GEAR:	1.00	081	ST
578891	THERMOSTAT:TYP CAPILLARY,RNG 0-300DEG C	2.00	081	ST
578838	MTR-ELCTRC;1.8KW,250/440VAC 3.45A 60HZ,F	1.00	011	ST
9101779	DEFLECTOR 45X12 CR N1188[TO BE DELETED]	4.00	051	ST
611771	BRKR-CRCUT;0.1-0.16A,415-690V AC,100KA,3	2.00	011	ST
588205	TAG:TYP PLATE,COLOR BLACK/WHITE	10.00	121	ST
1022972	SWITCH: TYP ETHERNET,P/N:MICOM H352-V2	1.00	021	EA
585656	SHUT TARGET	1.00	051	ST
601982	O-RING SET:APLC BEARING SLEEVE,5	2.00	051	ST
599361	GSKT PRE-CUT :NON ASBESTOS,ROUND	1.00	051	ST
627265	VALVE,GATE:VLV SZ 1IN,DES RTG CL 800	1.00	900	ST
580364	ROTOR:	1.00	081	ST
582966	KNOB:TYP PROPORTIONING,ST HAND KNURLED	4.00	141	ST
583396	BOX, ELECTRICAL: TYPE SWITCH	2.00	021	ST
604788	FUSE;ULTRA FAST BLOW,7A,240V AC,CERAMIC	10.00	021	ST
727424	CIRCUIT:APLC SMART TRANSMITTER	1.00	011	EA
587935	KIT-VLV-RPR:TYP SOFT PARTS,OPRTNG PRSUR	1.00	051	KIT
1031282	GSKT PRE-CUT :TYP RAISED FACE,SIZE ID 11	10.00	051	EA
1003940	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
626379	FILTER,ELEMENT:HASTELLOY C276,STRAINER	2.00	051	ST
1202609	RLY:COIL V 24V DC,ACTN SPDT,CNTCT RTNG 1	2.00	011	EA
939964	PLUG:SCREW,SCREW PUMP	1.00	051	EA
643354	POWER SUPPLY:TYP UNIT,I/P 220VAC	1.00	021	ST
659449	NUT,HEX:DIA 3/4IN,CS ASTM A194,GR 2H	144.00	051	EA
698633	PLUG, VALVE: VLV STYL CONTROL	2.00	051	EA
632041	GSKT PRE-CUT :P#6630,BONNET,4IN	2.00	051	ST
587441	KIT-CYLNDR-RPR;CYLINDER NOSE	1.00	091	KIT
740244	BRKR-CRCUT;50A,230/400V,1,MINIATURE,C50	1.00	011	EA
29248	TEE,PIPE REDUCER:SZ 12 X 8IN,BW,CS ASTM	2.00	051	EA
9102424	PIN (1 SET OF 4 PCS) [USE 7033494]	1.00	051	SE
186448	FUSE;TIME DELAY,100A,500V,CERAMIC	25.00	051	ST
616758	CAPACITOR,BANK:ELEC RT 3300VAC; 3PH; 60	1.00	031	ST
610487	STUD,D/END:DIA-A M20,DIA-B M20,LG 55MM	8.00	051	ST
1062793	GSKT PRE-CUT : SHAP ROUND,P/N:5642433150	2.00	051	EA
590531	RELAY,PROTECTION:UNDER/OVER VOLTAGE	2.00	031	ST
605987	INVERTER:TYP DC-AC,PWR RT 540VDC,O/P 30	3.00	011	ST
593722	O-RING:	3.00	051	ST1
609811	UNIT,CONTROL:TYP DIGITAL INPUT	1.00	011	ST
78885	BASE,RELAY:TYP (16) BLADE MALE SOCKET	10.00	051	ST
578186	KIT;SEALING REPAIR,DRIVING SHAFT	1.00	081	ST
630203	RING,RETAINING:	1.00	051	ST
590717	BRKR-CRCUT;10A,400V AC,2,CE; VDE	2.00	011	ST
767855	MODULE:ELECTRONIC CHASIS ASSEMBLY	1.00	051	ST
9101643	WHEEL,GEAR Z-28,PART# 5/200460	1.00	051	ST
585062	DISC,VALVE:MT SS ASTM A276/STELLITED,VL	1.00	051	ST
898264	BREAKER,CIRCUIT:13-18A,690VAC 50/60HZ	1.00	011	EA
1036287	MODULE: TYP BINARY INPUT,DOC:SPIR 232704	1.00	031	EA
1000684	SCREW, MACHINE: DIAMETER M8,LENGTH 60MM	4.00	051	ST
590408	RELAY:TYP LOCKOUT	1.00	900	ST
615335	BUSH:	1.00	051	ST1
581800	HOSE:ID 50 X OD 62MM,RUBBER,CLAMP ON	1.00	051	ST
583352	SHFT;STUB	1.00	051	ST
607907	JNT-UNVRSL;KNUCKLE,STEEL	2.00	051	ST
615672	RING:BRONZE JIS H5111 BC6/ASTM B584	2.00	051	ST
623187	CIRCUIT:TYP EPROM	2.00	031	ST
1524605	SHFT-PUMP;DRIVE,330MM,SS A276 TY.316L	2.00	081	EA
630866	HEATER:TYP ANTI CONDENSATION,RT 220VAC	1.00	011	ST
588384	KIT-VLV-RPR:TYP SOFT PARTS,APL CLAPPER V	1.00	051	ST1
592417	GSKT-PRE-CUT;STEM,ROUND,PTFE	1.00	051	ST
9101751	COVER,BEARING ANTRS 45[TO BE DELETED]	2.00	051	ST
916332	BREAKER,CIRCUIT:16A,130VAC,INTP CAP 20KA	1.00	051	EA
618362	POWER SUPPLY:	1.00	021	ST
642705	GUIDE,VALVE:VLV ST BALL,VLV SZ DN 15	4.00	051	ST
632744	POSITIONER,VALVE:I/P 4-20MA	1.00	061	ST
588215	KIT,VALVE REPAIR:SEAL	1.00	051	ST1
619577	GSKT PRE-CUT :V#6500	1.00	051	ST
593124	GSKT PRE-CUT :WD (70 X 165) X LG 2260 X	1.00	051	ST
628385	BUSH,VALVE:SS 304 AISI NITRATED,VLV SZ	2.00	051	ST
602247	PACKING:	2.00	051	ST1
638095	SEAL:	1.00	900	ST1
588639	THROWER:TYP THROW RING,APPLN STEAM TURBI	1.00	081	ST1
591043	SWITCH,SPEED:24VDC	2.00	021	ST
622346	TIMER:TYP DIGITAL	1.00	101	ST
609750	FUSE:7A,250V	5.00	021	ST
616589	BRKR-CRCUT;1A,277/480VAC; 250/500VDC,6KA	2.00	011	ST
612275	GSKT:SS ASTM A276 TP 410	3.00	051	ST
581485	CIRCUIT:TYP DC LINK,APLC INVERTER	1.00	011	ST
244873	CAPACITOR:CAPCIT 55MICRO F,VOLT 440V	2.00	031	EA
590483	RELAY:COIL V 24VDC,ACTION 4PDT,CNTCT RT	20.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
586322	BRG,ROLL:ID 40MM,OD 90MM,WD 33MM,TYP	3.00	051	ST
604651	FUSE:80A,8.3KV,FERRULE	3.00	021	ST
602955	SEAL,MECHANICAL:2-3/4IN,BALANCED	1.00	900	ST1
584657	GEAR,SPUR:TYP LOWER DRIVE ROLL,MT CS	1.00	081	ST
628113	GSKT:SEAT,SS ASTM A182 GR F6A	3.00	051	ST
5344	CNTCT-AUXLR;4 POLE,2NO-2NC,120VAC 60HZ	2.00	011	ST
632757	THERMOWELL:DRILLED BARSTOCK,250MM,MT SS	1.00	061	ST
592424	GSKT-PRE-CUT;COVER,ROUND	2.00	051	ST
114881	GSKT,SPWD:T#1804,SS 304,APLC BODY	10.00	051	EA
615116	CMPNSTR	1.00	051	ST
602497	KIT-VLV-RPR:TYP SOFT PARTS,APL ISOLATION	1.00	051	ST
591684	SCREW,MACHINE:	6.00	051	ST
585278	SEAT,VALVE:SS ASTM A276 TP 316	2.00	051	ST
604270	CONTACT:TYP STEERING	2.00	011	ST
585594	STRAINER:	2.00	051	ST
611997	BREAKER,CIRCUIT:1.6-2.5A,200/690VAC	2.00	011	ST
1005413	VALVE, GATE: VALVE SIZE 2IN,TRIM	1.00	051	EA
642591	SEAL:APLC VALVE COVER	1.00	051	ST
635514	GSKT PRE-CUT :NITRILE RUBBER	1.00	051	ST
629574	GASKET,PRE-CUT:1 TO 2IN,MT MONEL	2.00	051	ST
600955	GSKT:CAPSULE,PTFE/SS 316	6.00	051	ST
590509	RELAY:COIL 208/240VAC 50/60HZ,DPDT	1.00	011	ST
736988	CIRCUIT:TYP PCA/FUSE BOARD,APLC	2.00	061	ST
76230	LENS,INDICATING LIGHT:SIZE DIA 22MM,COLR	10.00	900	ST
642636	GSKT:	4.00	051	ST
1629481	FLTR;DISC,10MICRO M,OD 0.312IN	3.00	051	EA
590886	SWTCH;COMPARTMENT,FIRE FIGHTING TRUCKS	3.00	021	ST
595855	GUG-DFRNTL-PRSUR;0-1BAR,MPT,BOTTOM,STEM	1.00	061	ST
644753	GSKT PRE-CUT :ASBESTOS/TEADIT NA 1000	4.00	051	ST
585179	FLTR-ELMNT	1.00	051	ST
588019	KIT-VLV-RPR:DOC:95TD-925A-084	2.00	051	ST1
627666	ISOLATOR,ELECTRICAL:	1.00	011	ST
582642	GUG;40-120DEG C; 100-250DEG F	1.00	101	ST
616697	BASIN:TYP DISPOSABLE,SZ DIA 51 X DP 18MM	5.00	111	PKG
585820	KIT-VLV-RPR:TYP SOFT PART,APL WAFER CHEC	1.00	051	ST1
581063	PLUG-ELECT;230V 16A,2P+E,FREE STRAIGHT	43.00	021	ST
9101857	REPAIR KIT	1.00	051	ST
1026031	WASHER: P/N:FNC01084,DOC:SOH01427	4.00	051	ST
616674	SOCKET,ELECTRICAL:	2.00	021	ST
1234994	SPRG-VLV;INCONEL X750,8 X 10IN,150LB	1.00	051	EA
633016	KEY-SHFT;SS DIN WN 1.4571	1.00	051	ST
1038848	SLEEVE, SHAFT: INSIDE DIAMETER 105MM	1.00	051	SE
617610	TRANSDUCER:APLC MOTOR OPERATED VALVES	1.00	061	ST
600563	GSKT PRE-CUT :	2.00	051	ST
638012	CIRCUIT:TYP DIGITAL OUTPUT	1.00	011	ST
600972	KIT-SEAL:TYP SOFT PARTS,APL KIT,SEAL,CMP	1.00	051	ST
618453	COUPLING,SHAFT:	1.00	051	ST
589597	SHUNT:	1.00	011	ST
643339	MODULE:INPUT/OUTPUT,PWR S 24VDC	1.00	031	ST
925340	GSKT,SPWD:250MM,PN 25,GRAPHITE,SS	2.00	051	ST
971286	STUD CNTNS THD:TYP BOLT,DIA 1-1/2IN,THRD	7.00	051	EA
1036288	MODULE: TYP RTD INPUT,INPUT 5V,APPL DCS	1.00	031	EA
1035405	GSKT, SPWD: NOMINAL FLANGE SIZE 24IN	23.00	051	EA
643597	PIN:	2.00	051	ST
1582320	TRAY:TYP SIEVE PRB-200FL,MTRL CS,DOC:121	1.00	141	ASY
601478	O-RING:MT FKM,APLC AGITATOR	2.00	051	ST
779337	BRG-BAL;70MM,125MM,24MM,OPEN,SINGLE	2.00	051	ST1
598999	MOTOR,ELECTRIC:240VAC	1.00	011	ST
615777	RETAINER:TYP OIL RING,MT CS ASTM A283 GR	1.00	051	ST
1595323	GSKT-PRE-CUT:TYP FLAT RING,SZ ID 84 IN X	9.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
613564	VALVE,SOLENOID:ST 3/2 WAY	2.00	051	ST
578003	KIT:TYP FILTER MOUNTING	2.00	081	ST
620252	IMPELLER,PUMP:MT SS ASTM A276 GR 403,TY	1.00	051	ST
615049	ELBW;OD 60.3 X THK 2MM,90,1.5MM	2.00	051	ST
590699	SWITCH:TYP THERMOSTATIC ON-OFF	1.00	021	ST
615620	NUT:SS ASTM A283,GR D,SHAFT	2.00	051	ST
604841	FUSE;SUBMINIATURE FAST BLOW,0.125A,125V	20.00	021	ST
595232	SEAL,OIL:ID 35MM,OD 47MM,WD 5MM,MT RUBB	2.00	051	ST
605534	SWITCH:TYP MASTER	1.00	021	ST
624475	GSKT: TYP BONNET,P/N:U026761347529122	1.00	051	ST
583635	CIRCUIT:TYP TRANSMITTER	3.00	011	ST
602514	RING,WEAR:SS ASTM A473 TP 420	2.00	081	ST
592992	GSKT-PRE-CUT;ID 35 X OD 115 X THK 5.5MM	4.00	051	ST
603102	SWITCH,LEVEL:CONTRT 24VDC 2A,270	1.00	900	ST
642108	DISC,VALVE:SS 316,SAFETY RELIEF	1.00	051	ST
584249	MODULE: TYP DIGITAL LCD, REF#: OLD	1.00	031	ST
599388	GSKT PRE-CUT :RUBBER	10.00	051	ST
828410	SWITCH,NETWORK:TYP INDUSTRIAL ETHERNET,8	2.00	031	EA
586663	BELT,V:	1.00	051	ST
599567	GSKT PRE-CUT :RTFE,2IN	2.00	051	ST
616049	CONNECTOR,LUG:TYP ROUND,185MM2,CRIMPING	4.00	021	ST
533522	RELAY,OVERLOAD:1.7-2.4A,THERMAL	1.00	011	EA
542164	TRANSFORMER:TYP CONTROL,VA RT 100VA,PRIM	2.00	011	EA
608535	RING:TYP CASING,MT SS ASTM A276 TP 420	1.00	081	ST
1624846	DVC;LINE MONITORING,CONTROL SYSTEM	50.00	051	EA
643197	CONROD: TYP CONNECTING,P/N:W182613-002	1.00	081	ST
612419	ASSEMBLY:VALVE STEM	12.00	081	ST
593070	GSKT PRE-CUT :	2.00	051	ST
627198	PACKING:GARLOCK EVSP,TYP GLAND	4.00	051	ST1
602994	SEAL,LABYRINTH:APLC BALL BEARING	1.00	051	ST1
868923	CHEMICAL:1,3-DIMETHYLBENZENE	1.00	001	BOT
578144	KIT,PUMP REPAIR:APLC WATER PUMP	1.00	081	ST
609152	CIRCUIT:TYP ELECTRONIC	1.00	011	ST
477653	METER,ELECTRICAL:TYP FREQUENCY	1.00	061	EA
603328	TAPE,HEAT TRACING:	80.00	001	M
1056511	DIAPHRAGM, VALVE: VALVE SIZE 50 NB	1.00	051	EA
1605389	GUD-VLV:VLV STYL PILOT OPERATED PRESSURE	1.00	051	EA
9101863	REPAIR KIT	1.00	051	ST
624194	BRG,ROLL: TYP SELF-ALIGNING,P/N:23144B	2.00	051	ST
592463	GSKT PRE-CUT :	2.00	051	ST
9101865	REPAIR KIT	7.00	051	ST
622299	SWTCH-SLCTR;AUTO/MANUAL,2,THUMB KNOB,10A	1.00	021	ST
1078782	DIAPHRAGM, VALVE: MATL EPDM,P/N:SPR_1514	1.00	051	EA
602310	PACKING:PTFE,SQUARE	2.00	051	ST
586892	WHEEL:MT CS	1.00	091	ST
618471	BARRIER,ZENER:RT 2.97VDC 296MA	1.00	031	ST
587733	KIT: TYPE ANALYZER,P/N:102597	2.00	081	ST
639338	SPRING,VALVE:MUSIC WIRE ASTM A228	1.00	051	ST
623028	METER,ELECTRICAL:	1.00	101	ST
604044	BREAKER,CIRCUIT:250VAC,POLE 1,THERMAL	1.00	011	ST
615135	O-RIG;CHECK VALVE	2.00	051	ST
641866	BARRIER:TYP INTRINSICALLY SAFE	1.00	121	ST
620315	COUPLING,SHAFT:RIGID FLEXIBLE	2.00	051	ST
119660	O-RIG;89.4MM,3.1MM,NBR,OIL PUMP	3.00	051	EA
634101	SWITCH,TEMPERATURE:66-190DEG C,SZ 254MM	1.00	021	ST
262400	O-RIG:APL PISTON,P/N:001114.650.000,MNFR	13.00	051	EA
589537	POWER SUPPLY:OP VOLT 24VDC	1.00	021	ST
588501	KIT-VLV-RPR:TYP SOFT PARTS,CMPSNG BEARI	1.00	051	ST1
607574	HUB;COUPLING	1.00	051	ST
590696	SWITCH:TYP AUXILLIARY,CONTAR 4NO-2NC	1.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
592663	GSKT,SPWD:100MM,NON ASBESTOS	75.00	051	ST
608488	BAFFLE:TYP OIL	1.00	081	ST
593514	GSKT-PRE-CUT;ID 13 X OD 20MM,ROUND	20.00	051	ST
73461	O-RING:ID 247.24MM,WD 3.53MM,MT EPDM	2.00	051	ST
616704	TRANSFORMER,INSTRUMENT:VOLT R 230VAC	2.00	011	ST
592952	GSKT-PRE-CUT;FLANGE,ROUND	1.00	051	ST
578383	SET:TYP PACKING	1.00	081	ST1
615588	KEY,SHAFT:TYP PARALLEL,MT SS ASTM A276	2.00	051	ST
1088826	GSKT, SPWD: NOMINAL FLANGE SIZE 4IN	8.00	051	EA
998962	BUSHG	2.00	051	ST
578076	SET:	1.00	081	ST
586279	BRG,SLEEVE:TYP JOURNAL INLET END	4.00	051	ST
612513	SPRING:TYP TRIP LEVER	2.00	051	ST
614651	IMPELLER,PUMP:	1.00	081	ST
344249	O-RING, DIN 3771- 58.00X 4.00-N-NBR 70	3.00	051	ST
627979	PLUG,VALVE:VLV SZ 2IN,CONTROL	1.00	051	ST
596848	FLT;DIA 90 X LG 170MM,STEEL	1.00	061	ST
587037	IGNITOR:TYP GAS BURNER,SZ LG 2130MM	2.00	051	ST
578985	CEL;MOISTURE ANALYZER,LG 115MM	2.00	011	ST
9102198	LINK,DC,WITH TRANSFORMATOR T4 00213(TO B	2.00	051	EA
636084	SWITCH:TYP MICRO	1.00	021	ST
601952	O-RING:APLC SHAFT SLEEVE SEAL	5.00	051	ST
1023393	GSKT JKTD:TYP DOUBLE,JACKET MATERIAL SS	1.00	051	EA
612081	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG SPRING	1.00	051	KIT
941235	SCREW: DIAMETER M10,LENGTH 35MM	1.00	051	SE
581744	HOSE:TYP FLEXIBLE,SZ ID 50 X OD 60 X TH	5.00	051	ST
605808	RELAY,TIME DELAY:0.5SEC-21MIN ON DELAY	1.00	011	ST
904391	CABLE,COMMUNICATIONS:TYP V-NET/IP	1.00	031	EA
581411	CIRCUIT:TYP MICRO COMPUTER	1.00	011	ST
582650	GAUGE,PRESSURE:BOURDON	1.00	101	ST
627936	GSKT PRE-CUT :ROUND	2.00	051	ST
627128	VALVE,CHECK:TYP BALL,VLV SZ 1IN	1.00	051	ST
638016	SEAL:	1.00	051	ST
590638	SWITCH,PRESSURE:20-100MM H2O,SPDT	3.00	061	ST
983150	SPRING, VALVE: VALVE SIZE 1 X 2IN	1.00	051	EA
593755	O-RIG;5.28MM,1.78MM,NEOPRENE RUBBER,60A	6.00	051	ST
592997	GSKT PRE-CUT :ID 80 X OD 104 X THK 5MM	4.00	051	ST
1248988	VLV-RLF:TYP SAFETY,DSGN RTNG 150LB,BDY M	1.00	051	EA
595541	FRAME:TYP PAINT ROLLER,SZ DIA 1-1/2 X L	2.00	121	ST
1525489	PIN:MATL ASTM A564,STD ASME,APPLN ON/OFF	1.00	141	EA
596300	RETAINER:	1.00	051	ST
587610	KIT,TERMINATION:LONG LINE	31.00	021	ST
160733	DISPLACER:TYP LEVEL CONTROLLER	1.00	900	EA
702548	PIN:TRUNNION	1.00	051	EA
643856	DISC,VALVE:SS ASTM A564,630,VLV SZ 1-1/2	1.00	051	ST
606082	CRCUT;FIXED RESISTOR	1.00	011	ST
1031235	LEVER: APPL GOVERNOR VALVE,P/N:3TOYO983A	1.00	091	ST
599519	GSKT PRE-CUT :MATL V#6500,DOC:N-9195 C	2.00	051	ST
652118	FUSE:180A,660V,FOR HEAT TRACE SYSTEM	6.00	071	EA
900584	SEAT,VALVE:VLV SZ DN 250,ANGLE SHUT OFF	1.00	051	EA
587609	KIT:TYP FUSE,APLC FIRE AND GAS SYSTEM	1.00	081	ST
628305	VALVE, BALL: VALVE SIZE 1IN, MDL/MACH#:	1.00	051	ST
577535	COMPOUND,SEALING:CAN 500G	7.00	001	ST
589649	CONTACT,AUXILIARY:TYP CONTACTOR	1.00	011	ST
587408	PACKING:JC 1625/DIE FORMED GRAPHOIL GTK	1.00	051	ST
627148	GSKT,SPWD:4IN,300LB,GRAPHITE,SS 316	1.00	051	ST
639269	SPRING,VALVE:SS ASTM A313 GR TP302	1.00	051	ST
617775	RELAY,OVERLOAD:25-100A,(2) 1NO-1NC	1.00	011	ST
619632	GSKT PRE-CUT :V#6500	2.00	051	ST
707833	FUSE:60A,250VAC/DC	2.00	021	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
608460	GUIDE,VALVE:VLV ST LOWER STEAM	4.00	051	ST
608300	SOCKET,ELECTRICAL:TYP FREE STRAIGHT	10.00	021	ST
740423	GSKT SET:	1.00	051	EA
713206	BRG-BAL;35MM,72MM,17MM,MOTOR	4.00	051	EA
1081174	BRG, PLAIN : INSIDE DIAMETER 40MM	2.00	051	EA
593878	O-RING:WD 3/8IN,MT VITON	6.00	051	ST
603401	CORD,COMMUNICATIONS:TYP PATCH CORD	1.00	031	ST
593002	GSKT PRE-CUT :ID 695 X OD 818 X OD 10MM	3.00	051	ST
644516	TEE,PIPE:SZ DIA 25 X 25 X 25MM,SS	8.00	051	ST
639645	SHAFT:	1.00	051	ST
627620	FUSE:40A	2.00	021	ST
9102345	WASHER,PART# 346.40.003.2F/5(DELETED)	1.00	051	ST
539323	FUSE:4A,300VAC,DIA 0.63IN,FERRULE	2.00	011	EA
615583	INSERT,COUPLING:TYP TRANSMISSION	1.00	051	ST
587296	KIT-ACTUTR-RPR:TYP KIT,ACTUATOR REPAIR,C	1.00	061	ST
610581	CONTACTOR:	1.00	011	ST
624944	FUSE:	6.00	021	ST
610961	BRG,ROLL:ID 80MM,OD 140MM,WD 26MM	5.00	051	ST
624942	INSULATOR:	7.00	051	ST
642432	SEAL:GRAPHITE	4.00	051	ST
608837	LUBRICNT:LIQUID,DRUM 208L	208.00	001	L
592230	NOZZLE:CONN MPT,APLC EJECTORS	1.00	051	ST
837417	COUPLING,SHAFT:MEMBRANE,BORE 36MM	2.00	051	EA
624209	PIN:	1.00	051	ST1
922521	GSKT PRE-CUT :ID 675 X OD 775 X THK 3MM	2.00	051	ST
636414	BRG,ROLL:ID 140MM,OD 300MM,WD 62MM,TYP	2.00	051	ST
913722	STEM,VALVE:VLV ST GLOBE CONTROL	1.00	051	EA
192786	RELAY:COIL 24VAC 50/60HZ,SPDT,CONT	1.00	051	ST
619680	TUBE:MT A1050TD/PE	2.00	131	ST
738387	SPRING,VALVE:SS GR TP304	1.00	051	ST
643525	BRG,BALL:	2.00	051	ST
618519	POWER SUPPLY:TYP STABILIZED,I/P 380VAC	1.00	021	ST
610425	BOLT,MACH:M20,LG 80MM,GS,2.5MM,GR 4.6	35.00	051	ST
596955	SEAT-VLV;CONTROL,DN 40,20MM,(45 X 50)MM	1.00	051	ST
216194	CATALYST-CHM	1.00	001	ST
420857	FAN:TYP RADIAL,VOLT R 190FT/MIN	1.00	081	ST
631054	SWTCH;MICRO,SPST,1NO,SUBMERCIBLE PUMP	2.00	021	ST
630783	REGULATOR,PNEUMATIC:INLET PRESSURE 17.2B	1.00	061	ST
800802	GSKT,SPWD:16IN,150LB,GRAPHITE,SS 316	1.00	051	ST
581462	INTEGRATED CIRCUIT:FUNC 8 BIT X 64KB	2.00	031	ST
598744	GEAR,SPUR:TYP PLAIN,TEETH 26,OD 28MM	2.00	081	ST
1039703	GSKT PRE-CUT :TYP FLAT RING,SIZE ID 43 X	3.00	051	EA
608183	TEE,PIPE:SZ 1IN,PVC-I,RT SCH 40	4.00	051	ST
615849	O-RING:APLC NITROGEN PLANT PACKAGE	1.00	051	ST
582736	RTD:TYP PT100,100OHM	1.00	101	ST
637043	NUT,HEX:	1.00	051	ST
612757	LENS:TYP DIFFUSER	2.00	121	ST
612932	BREAKER,CIRCUIT:36 - 50 A,400V 60HZ	1.00	011	ST
603472	SWITCH:TYP AUXILIARY,APLC TUBE MACHINE	1.00	011	ST
627194	GSKT, SPWD: NOMINAL FLANGE SIZE 2IN	2.00	051	ST
599844	GSKT JKTD:ID 490 X OD 510 X THK 3MM,SS	1.00	051	ST
637985	BALL,VALVE:MT TITANIUM ASTM B348	1.00	051	ST
584030	TUBE:SZ OD 114.3 X THK 1.25MM,MT CS	1.00	131	ST
1190665	STEM, VALVE: VALVE SIZE 6IN, S/N#: 0762	2.00	051	EA
872264	PIN:CS,AIR COMPRESSOR PISTON	4.00	051	ST
580959	PLUG,VALVE:VLV SZ DN 40,SS	2.00	051	ST
578674	DRIVE:	1.00	081	ST
585883	VALVE:	1.00	051	ST
1543153	SEAL,OIL:INSIDE DIAMETER 35MM,OUTSIDE DI	1.00	051	EA
590884	SWTCH-SLCTR;MASTER DISCONNECT,2	1.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
596345	SIEVE:TYP CURVED	1.00	071	ST
330991	RELAY,OVERLOAD:13-19A,1NO-1NC,THERMAL	1.00	011	ST
944080	BLCK-CNTCT;ACTUATOR/INDICATOR COMPONENT	1.00	021	EA
643091	PACKING:GRAPHITE,TYP GLOBE VALVE	1.00	051	ST1
614683	NUT:IMPELLER	1.00	051	ST
594426	RIG;SLIDE,PTFE,ID 14 X OD 21 X THK 1.5MM	2.00	051	ST
632643	KIT-VLV-RPR:CMPSNG MOTOR POWER SUPPLY,G	1.00	051	KIT
376010	CONVERTER,SIGNAL:TYP DC TO DC	1.00	031	ST
906932	SENSOR:TYP COMBUSTIBLE GAS,RT 10VDC 0.8A	2.00	011	ASY
1003937	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
584404	SCALE:TYP AMMETER FRONT PLATE	1.00	051	ST
726684	STEM:MT ALUMINUM	1.00	051	ST
1588623	ELBW-PIPE:SZ 5IN,CNCT BW,DEG 90DEG,MTRL	5.00	051	EA
616837	RELAY,PROTECTION:	1.00	031	ST
586199	BRG,ROLL:ID 80MM,OD 170MM,WD 39MM	1.00	051	ST1
578392	KIT:TYP GASKET	2.00	081	ST1
588780	KIT:APPL SPINDLE MOULDER,WORKSHOP MAINT	1.00	081	ST1
584387	INDICATOR:TYP REMOTE	1.00	061	ST
642362	UNIT,CONTROL:TYP ESCUTCHEON	14.00	131	ST
607488	CAP,TUBE:SZ 8MM,CONN THD,MT SS 316	10.00	051	ST
728677	KIT:TYP EXCHANGE MEMBRANE HEAD	4.00	081	PAK
585409	SPRING,VALVE:SS	14.00	051	ST
595906	MTR;HOUR,0-99999.99	1.00	101	ST
599985	GSKT,SPWD:E-TUBE,APLC LEVEL DISPLACERS	12.00	051	ST
1480935	SPRING:SIZE 3/8-1/2 ,WIRE DIA 5.26 X LG	6.00	081	EA
26619	BRG,ROLL:ID 40MM,OD 47MM,WD 20MM	1.00	051	ST
641912	KIT-ACTUTR-RPR:TYP KIT,ACTUATOR REPAIR,C	1.00	061	ST
592443	GSKT-PRE-CUT;COVER,ROUND	1.00	051	ST
595506	DISPENSER:TYP SOAP,MT SS,CAP 40OZ	5.00	071	ST
590910	TRANSFORMER:TYP CONTROL	1.00	011	ST
1065067	RIG;SEAT,316L NACE/COCR-A	1.00	051	EA
1029627	GAUGE, PRESSURE: RANGE 0-4KG/CM2	2.00	101	EA
618732	SWITCH,SELECTOR:3	1.00	021	ST
601437	O-RING,CORD:THK 0.275IN	27.00	051	ST
608661	BAR,ROUND:SZ DIA 6MM,MT MS	6.00	131	M
597740	HNDWHL;AL,DIA 315MM	1.00	051	ST
759757	DISC-VLV:VLV TYP SAFETY RELIEF,P/N:50351	2.00	051	EA
593395	GSKT PRE-CUT :ID 35 X OD 52MM,ASBESTOS	2.00	051	ST
738360	BUSH,VALVE:ASTM A 439 D2(NI-RESIST),YOKE	1.00	051	ST
593666	O-RIG;72.69MM,2.62MM,BUNA-N	2.00	051	ST
1024051	KIT-VLV-RPR:TYP SOFT WEAR,CMPSNG GASKET	1.00	081	SE
1235854	DEVICE:TYP VACUUM PALLET,APPL PRESSURE/V	1.00	081	EA
595289	SEAL:APLC SPOOL VALVE	1.00	051	ST
802915	PACKING:ID 48 X OD 68 X THK 10MM	1.00	051	ST
587770	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	KIT
635717	BEARING:	1.00	051	ST
615093	CLR;DIA 14 IN X THK 2MM,SS DIN WN 1.4541	2.00	051	ST
1080656	SEAL, RING: INSIDE DIAMETER 40MM	2.00	051	EA
907440	CYLINDER:	1.00	081	EA
917848	SEAL:RUBBER,FLOAT,APLC EVAPORATOR	4.00	051	ST
653217	GSKT,SPWD:IRMT SS 316,OR MT SS 316	6.00	051	EA
579603	TRANSDUCER:TYP INCREMENTAL	1.00	061	ST
580468	SHAFT:TYP DRIVE	1.00	051	ST
593066	GSKT-PRE-CUT;BOX FLANGE,RECTANGULAR,CORK	1.00	051	ST
129624	FLTR-HYDRULC;GENEAL PURPOSE,MOBILE CRANE	1.00	051	EA
595833	INDICATOR:TYP TEMPERATURE	1.00	061	ST
627224	PACKING:GRAPHITE,ROUND,TYP SEALING RING	2.00	051	ST
586215	BRG,SLEEVE:TYP STRIP,MT CARBON	1.00	051	ST
599303	GEARBOX:TYP SPEED REDUCER,RATIO 81.1:1	1.00	081	ST
627233	VALVE,BALL:VLV SZ 2IN,DES RTG 300LB	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
912484	CARD: TYP POWER,P/N:2030052, EQUIP	1.00	141	EA
805428	SPRING:DIA 80 X LG 380,SS,TYP CLOSING	1.00	051	ST
595911	METER,ELECTRICAL:TYP AMMETER,RNG 0-200A	1.00	101	ST
883379	GSKT,SPWD:24IN,150LB,GRAPHITE,SS 304	4.00	051	EA
583160	LAMP,INCANDESCENT:TYP MINIATURE PILOT	2.00	021	ST
638137	SEAL:FLEX	1.00	051	ST
804583	CIRCUIT:TYP ELECTRONIC	3.00	011	ST
610486	STUD,D/END:DIA-A M16,DIA-B M16,LG 50MM	8.00	051	ST
590183	HEATER:TYP ANTICONDESATION,RT 220V 80W	1.00	900	ST
917510	BR;LIGHT BARRIER,PLASTIC	1.00	121	EA
1033514	FAN: TYP AXIAL,VOLUME RATING 4950M3/HR	1.00	081	EA
921873	PLAT,MTL:SZ WD 4FT X LG 8FT X THK 9MM	3.00	131	ST
618069	SEAL:APLC MOTOR	3.00	051	ST
623048	FUSE:AMP 30A	4.00	021	ST
606419	PIN;BOLT	2.00	051	ST
590169	FUSE:1A,250V,DIA 5 X LG 20MM,FERRULE	625.00	021	ST
631095	SWITCH,LIMIT:SPDT,SEALED	1.00	061	ST
239595	RETAINER:TYP SPINDLE	3.00	051	EA
616173	BRKR-CRCUT;20A,10KA,4,MINIATURE	2.00	011	ST
585200	FILTER,ELEMENT:TYP COOLANT CONDITIONER	3.00	051	ST
621599	JET:TYP LUBE,MT CS JIS G4051 GR S20C	2.00	051	ST
579349	GLASS,SIGHT:SZ DIA 4MM,MT GLASS	2.00	101	ST
627658	BLOCK,TERMINAL:	7.00	021	ST
626992	UNIT,CONTROL:TYP V-NET GROUNDING	2.00	011	ST
643240	STRAINER:	1.00	051	ST
948604	CAGE, VALVE: VLV STYL GLOBE,SIZE 6IN	2.00	051	ST
643813	KIT-VLV-RPR:APL CHECK VALVE (SIZE:6 IN)	1.00	051	KIT
635487	VALVE:VLV SZ 1/2IN,CONN NPT,STY 3-WAY	1.00	051	ST
591634	PIN:COPPER ALLOY ASTM B163	3.00	051	ST
632679	SIPHON:MT SS 316	1.00	061	ST
577411	PACKING:ID 19 X OD 24 X THK 3	5.00	051	ST
590480	RELAY:COIL 24VDC,3PDT	6.00	011	ST
615680	NUT:SS ASTM A283,GR D,SHAFT	2.00	051	ST
632032	GSKT PRE-CUT :P#6630,BONNET,3IN	2.00	051	ST
111594	WASHER,LOCK:ID 65MM,OD 92MM,THK 1.5MM	2.00	051	EA
1628115	FOR USING IN ULTRA WAVE SINGLE REACTION	1.00	051	EA
806927	KIT,VALVE REPAIR:BUCCHOLZ RELAY NITRILE	2.00	051	SE
160953	ASSEMBLY:TORQUE TUBE	1.00	081	EA
537626	RELAY,OVERLOAD:10-16A,1NO-1NC,THERMAL	1.00	011	EA
582558	GAUGE, PRESSURE: RANGE 0-6BAR,MOUNT STEM	1.00	101	ST
1023589	KIT-VLV-RPR:APL CONTROL,CMPSNG PACKING;	1.00	051	KIT
626704	OPERATOR,SWITCH:TYP OPEN PUSHBUTTON,COL	2.00	021	ST
272882	PWR-SUPLY;PCB,110V,24V,CONTROLLER	2.00	021	EA
596952	SEAT-VLV;CONTROL,DN 65,1-9/16IN,7/8IN	1.00	051	ST
1626150	VLV-RLF;SAFETY,250 PSI,BRONZE,54PSI G	1.00	051	EA
582244	VENTILATOR:	3.00	081	ST
607705	COUPLING,SHAFT:DOC:EL-434-0014-9900907	1.00	051	ST
252721	WSHR-LOCK;CS ASTM A576,1040	1.00	051	EA
599342	GSKT:IRON	9.00	051	ST
643489	BRG:PISTON	2.00	051	ST
599010	MOTOR,ELECTRIC:0.7KW,190VAC 3.4A 50HZ	5.00	900	ST
1586750	PIPE-MTLC:NMNL P SZ DSGNTN 10IN,SCHDUL 2	5.00	131	EA
624259	SPRING,VALVE:	1.00	051	ST
640645	DIAPHRAGM, ACTUATOR: TYP PNEUMATIC	2.00	061	ST
593010	GSKT-PRE-CUT;RECTANGULAR,CORK	1.00	051	ST
610178	COMPOUND,SEALING:TYP JOINT,CAN	4.00	001	KG
596962	SEAT-VLV;CONTROL,DN 40,20MM,70MM,20MM	1.00	051	ST
613308	CASING,PUMP:TYP VOLUTE	1.00	900	ST
615882	GSKT:	1.00	051	ST
921810	ELBOW,PIPE:SZ 2IN,SS ASTM A403,45,BW	2.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
664414	GSKT-PRE-CUT;ROUND,ACRYLIC,WITHOUT	1.00	051	EA
1009471	IMPELLER, PUMP: P/N:545514 01/545515 01	1.00	081	SE
1029626	GAUGE, PRESSURE: RANGE 0-16KG/CM2	1.00	101	EA
593130	GSKT,SPWD:ASBESTOS/ ITC W,IRID 68MM	4.00	051	ST
100693	BRG,THRUST:BALL,ID 70MM,OD 95MM,WD 18MM	3.00	051	ST
600417	GSKT:	1.00	051	ST
634071	GSKT PRE-CUT :P#1300-S,BONNET,3IN	2.00	051	ST
538854	PLUNGER:SZ DIA 5/8IN,MT STEEL	1.00	051	EA
580432	SHFT;20 X 25MM,830MM,STEEL	1.00	900	ST
1038460	RING, WEAR: INSIDE DIAMETER 150MM	1.00	081	ST
926863	THERMOWELL: SHANK STYLE BARSTOCK TAPERED	1.00	061	EA
639386	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
589387	BREAKER:	1.00	011	ST
615988	GSKT:NITROGEN PLANT PACKAGE	1.00	051	ST
785297	SEAL;OD 121 ID 98 MM,SS 316,SHIM	1.00	051	ST
589193	SLEEVE,SHAFT:SS ASTM A276 GR 304	2.00	051	ST
609611	STATOR:	2.00	011	ST
995029	GEAR,SET:TYP WORM,APPL CHEMICAL INJECTIO	1.00	081	EA
626886	BASE,RELAY:	1.00	011	ST
1058108	MODULE: TYP MASTER/SLAVE CONTROL LOGIC	1.00	031	EA
597566	VALVE,SOLENOID:ST 3/2 WAY	1.00	051	ST
599484	GSKT,SPWD:GRAFOIL,SS 304,APLC SLEEVE	1.00	051	ST
580943	PLUG-VLV;CONTROL,DN 25MM	1.00	051	ST
604262	CONTACT,AUXILIARY:VOLT 120V	1.00	021	ST
590859	KNOB:TYP CONTROL SWITCH HANDLE	1.00	141	ST
615099	GSKT-PRE-CUT;FLAT RING,ROUND,SILICON	10.00	051	ST
627149	PACKING:GRAPHITE,ROUND,TYP SEALING RING	4.00	051	ST
588976	SCRN:MTRL SS,APL AUTO-MANUAL TRANSFER SY	3.00	051	ST
605183	RELAY:TYP STATIC	1.00	011	ST
1527027	JOINT,EXPANSION:TYP NON METALLIC,SIZE DN	2.00	051	EA
607097	WASHER:ID 12.1MM,OD 25MM,THK 3MM	4.00	051	ST
624909	UNIT:TYP CURRENT RATE BOOST CKT	2.00	011	ST
602221	PACKING:	2.00	051	ST1
591913	SEAT,VALVE:VLV SZ 2 X 3IN,MANUAL CONTROL	2.00	051	ST
602511	RING,WEAR:SS ASTM A473 TP 420	1.00	081	ST
1595339	STUD-ASMBLY:TYP BOLT,DIA 1-3/4IN,LG 400M	120.00	051	ASY
619286	GUIDE,VALVE:VLV SZ DN 10,MT CS DIN WN 1	2.00	051	ST
603954	CONTAINER:WASHING,CAP 500ML	8.00	001	ST
637616	BRG,SLEEVE:TYP TOP SHAFT	2.00	051	ST1
578517	GSKT SET:APLC TRANSFORMERS	1.00	051	ST
906401	RSTR;1KOHM,0.75W,5	5.00	031	EA
599726	GSKT JKTD:SHP ROUND	1.00	051	ST
591187	PROCESSOR:TYP COMMUNICATION	1.00	031	ST
1022985	DEVICE: P/N:REU615,DOC:09-ABB REU615	2.00	081	EA
620635	PLATE:TYP SEAL,APLC ELECTRIC MOTOR	2.00	131	ST
591814	WASHER,TAB:ID 1/4IN,STRAIGHT	2.00	051	ST
902249	SWITCH,PUSHBUTTON:240VAC,1NO,GREEN,FLUSH	2.00	021	EA
395966	BRG;BLOCK,ID 25MM,STEEL	2.00	051	ST
591656	SCREW,MACHINE:	3.00	051	ST
633010	O-RING SET:4	1.00	051	ST1
617314	ISOLATOR,ELECTRICAL:ELEC TRT 200A,POLE 4	1.00	021	ST
622304	OPERATOR,SWITCH:TYP PUSHBUTTON,COLOR RED	4.00	011	ST
591466	NUT,TUBE FITTING:SZ 1/16IN,SS	4.00	051	ST
578869	FAN:	2.00	081	ST
608641	RING:DIA 16-1/2 X WD 3/16IN,AL	4.00	051	ST
587773	KIT-VLV-RPR:TYP SPARE,APL DIFFERENTIAL C	1.00	051	KIT
596020	BRACKET:TYP JUNCTION BOX SUPPORT	2.00	051	ST
588684	TRANSMITTER,FLOW:TYP ELECTRONIC	1.00	061	ST1
643488	BRG:	1.00	051	ST
923648	KIT:TYP SCR BRIDGE	1.00	081	SE

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
590311	RELAY:COIL 24VDC,4PDT	12.00	011	ST
594418	RING:ID 55 X OD 74 X THK 4.6MM,SS	1.00	051	ST
623185	ASSEMBLY;MOTOR,LEVEL GAUGE-TANK GAUGING	2.00	900	ST1
598867	HUB	4.00	051	ST
610083	END;STOP,GS	1.00	051	ST
263567	PIN:CROSSHEAD	2.00	051	EA
602091	PACKING:CARBON	3.00	051	ST
584412	METER,ELECTRICAL:TYP VOLT,RNG 0-600VDC	1.00	101	ST
1099	ASSEMBLY:TYP NOZZLE,P/N:C0128CB,MNFR:FOX	1.00	081	ST
800066	SEAT-VLV;CONTROL,2-1/2IN	1.00	051	EA
599574	GSKT PRE-CUT :CARBON,6IN	1.00	051	ST
589434	BREAKER,CIRCUIT:10A,220V,MOLDED CASE	1.00	011	ST
609672	GREASE:P/N:VOM5000010,MNFR:APPLIKON,P/N:	1.00	001	ST
855816	OPERATOR,SWITCH:TYP PILOT LIGHT	1.00	011	EA
1589895	VLV:TYP FLOW CONTROL,VLV SZ 1/8IN,DSGN R	1.00	051	EA
584613	LINING:TYP BRAKE	1.00	051	ST
605733	TRANSFORMER:TYP CONTROL,PH SINGLE,MOUNT	2.00	011	ST
210154	O-RING:ID 44.4MM,WD 3.1MM,MT NBR,APLC	1.00	051	ST
634795	HEATER:TYP LONG LINE	34.00	001	M
588590	KIT,VALVE REPAIR:SEAT AND O-RINGS	1.00	051	ST1
605904	CHOKE:	3.00	031	ST
624979	SUPPORT:	5.00	031	ST
617010	KIT:TYP CONNECTION	1.00	081	ST
606644	SCREW:M36 DIA,225MM LG,STEEL,THD 4MM	3.00	051	ST
591182	BATTERY,PACK:TYP NI-CD,VOLT 6VDC,4AH	2.00	011	ST
617459	GSKT:ID 21 X OD 26MM,SEAL RING,ROUND,AL	41.00	051	ST
584677	GLAND:	2.00	051	ST
898214	BREAKER,CIRCUIT:320A,380-415/500VAC	1.00	011	EA
586948	ASSEMBLY:OIL DASH-POT	1.00	081	ST
632696	SWITCH,PRESSURE:0-1BAR G,NPT 1/4IN	2.00	061	ST
609454	CYLINDER,GRADUATED:MT GLASS,STD NESSLER	15.00	071	PAA
1197833	ROD, WELDING: CLS AWS A5.22	3.00	051	PAK
631571	GSKT,SPWD:2IN,150LB,P#2601-GGO	2.00	051	ST
636338	SEAT,VALVE:VLV SZ 1IN	1.00	051	ST
606824	SCREW,CAP:HEX SOCKET	4.00	051	ST
592852	GSKT-PRE-CUT;BOX GLAND PLATE,U,CORK	1.00	051	ST
643089	PACKING:GRAPHITE,TYP GLOBE VALVE	1.00	051	ST1
592307	KNIFE:TYP EDGE	2.00	101	ST
605854	BUFFER:MT RUBBER,SZ 50 X 20	3.00	051	ST
579655	CONVERTER, SIGNAL: TYP ANALYZER	1.00	061	ST
622848	SPRING,VALVE:2.4BAR	2.00	051	ST
630957	RELAY:COIL 24VDC,4PST,CONT 600VAC 10A	1.00	011	ST
620139	O-RING:ID 20.3MM,WD 2.62MM,MT FKM	4.00	051	ST
586085	ELECTRODE:TYP PRE-GELLED,APLC LIFEPAK	2.00	051	ST
601306	O-RING:ID 37.69MM,WD 3.53MM,MT EPDM	4.00	051	ST
615837	GSKT PRE-CUT :NON ASBESTOS	2.00	051	ST
930184	TRANSFORMER:VA RT 85,CURR RT 85A,PH 3	1.00	011	EA
1616949	BRKR-CRCUT:AM 40A,VLTG 800V AC,INTRUPT C	1.00	051	EA
603748	CONNECTOR,ELECTRICAL:	1.00	021	ST
603073	O-RIG:MTRL EPDM,APL 78IN MOTOR OPERATED	1.00	051	ST
253603	TRANSCEIVER:TYP H1	1.00	031	EA
900650	CONVERTER,FREQUENCY:TYP VECTOR CONTROL	1.00	031	EA
1612678	PIN-GRVD-HDLS:TYP E,LG 0.38IN,DIA 2.25IN	1.00	051	EA
486539	SLIDE: TYP 6 PORT,P/N:764M006-61	2.00	051	EA
1039868	O-RIG-ST;SAFETY VALVE,5	1.00	051	EA
1555517	STUBEND:TYP SHORT PATTERN,SIZE 6IN,FLANG	6.00	051	EA
601675	O-RING:MT NBR	3.00	051	ST
831638	VALVE,BFY:VLV SZ 8IN,DES RTG PN 10	1.00	051	ST
1000711	HOLDER, FUSE: FUSE STYLE CYLINDRICAL	2.00	021	EA
594527	RING:ID 1-7/16 X OD 1-9/16IN,SS 316	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
875703	DETECTOR,FIRE PROTECTION:TYP SMOKE,TEMP	1.00	121	EA
596426	RING:TYP BOTTOM PACKING	1.00	051	ST
600045	GSKT,SPWD:GRAFOIL,IRID 800MM,SS 316	1.00	051	ST
604010	BREAKER,CIRCUIT:25A,400VAC,INTP CAP 16KA	2.00	011	ST
618014	ASSEMBLY:MICRO SWITCH	2.00	081	ST
789124	BRUSH,ELECTRICAL:MT CARBON	1.00	021	ST
624886	SWITCH:TYP BYPASS,CONTRT 200A	1.00	021	ST
598357	BRG,BALL:P/N:16005,MNFR:NSK	1.00	051	ST
1555506	KIT-VLV-RPR;MAINTENANCE,BALL VALVE	1.00	051	KIT
624561	RING,PISTON:TYP OIL	2.00	051	ST
595004	SEAL;ID 4 X OD (12 X 16) X THK 10MM	1.00	051	ST
585710	VALVE,CHECK:TYP SWING,VLV SZ 2IN	2.00	051	ST
638014	CIRCUIT:TYP ISOLATED ANALOG OUTPUT	1.00	011	ST
613313	BRACKET:TYP BEARING	1.00	051	ST
630200	BOLT,MACH:HD HEX	1.00	051	ST1
941449	GSKT-PRE-CUT;FLAT RING,THK 1.6MM,3/4IN	2.00	051	EA
636636	SPRING:AS JIS G4801 GR SUP8	2.00	051	ST
593097	GSKT PRE-CUT :DIA 20 X THK 5MM,CORK	1.00	051	ST
643056	PACKING:GRAPHITE,TYP GATE VALVE	18.00	051	ST1
1034070	SWITCH, PUSHBUTTON: CNTCT RT 24VDC	2.00	021	EA
602228	PACKING:	1.00	051	ST1
587081	UNIT:TYP AIR SWIRLER	4.00	081	ST
1586063	SNUBR:TYP EXCESS FLOW CHECK,DOC:141760-C	1.00	011	EA
585975	GUIDE,VALVE:VLV ST DISCHARGE	6.00	051	ST
642834	SEAL:	1.00	051	ST
725916	SEAT,VALVE:GG-20	1.00	051	ST
805364	KIT,SEAL:TYP PACKING,APLC PUMP	4.00	051	SE
1563319	STARTER,ELECTRIC MOTOR:INDUSTRY SIZE 6,C	1.00	011	ST
601590	O-RING:	1.00	051	ST
642198	CELL:TYP CONDUCTIVITY	1.00	011	ST
578180	KIT-CYLNDR-RPR;SEALING	4.00	091	ST
601785	O-RING:ID 189.87MM,WD 5.33MM,MT NBR,STD	5.00	051	ST
605065	RELAY,OVERLOAD:32-50A,1NO-1NC,THERMAL	2.00	011	ST
741047	SENSOR:TYP CURRENT,RT 200A	1.00	061	EA
600622	GSKT PRE-CUT :RUBBER	2.00	051	ST
625280	BLCK-TRMNL;750V,BOLTED,2.5MM2,3	3.00	021	ST
592380	SEAL;ID 6 X OD 10 X THK 4MM,BRONZE	20.00	051	ST
630704	DETECTOR:TYP TEMPERATURE	1.00	101	ST
603666	CLIP:TYP UHC HOSE	40.00	051	ST
585398	SPRING,COMPRESSION:CLOSE/GROUND	2.00	051	ST
590290	RELAY:COIL 24VDC,DPDT,CONT 120VAC/28VDC	1.00	011	ST
580126	LENS:TYP LIGHT FIXTURE	10.00	121	ST
1587837	CMPUND-SLG:TYP ADHESIVE,CNTNR TYP 10.1FL	2.00	001	PAK
616677	TRANSFORMER,INSTRUMENT:VA RT 3VA,CURR RT	2.00	011	ST
643161	ADAPTOR:TYP SEAT,MT SS ASTM A276	1.00	051	ST
585576	STRAINER,PIPING:SZ 1IN,CONN FLANGED RF	4.00	051	ST
601114	GSKT,SPWD:3 X 6IN,PTFE,SS 304	2.00	051	ST
589530	BREAKER,CIRCUIT:63A,230/440VAC	1.00	011	ST
760174	STUD;14MM,65MM,CS	2.00	051	ST
607908	JNT-UNVRSL;BALL THROTTLE,STEEL	4.00	051	ST
759936	BRKR-CRCUT;6.3A,S0	1.00	011	ST
586655	BELT,V:IN CIRC 6000MM,TOP WD 12.7MM	2.00	051	ST
589900	FUSE:100A	3.00	021	ST
614649	SHAFT,PUMP:	1.00	051	ST
623928	GSKT:STEEL	1.00	051	ST
587069	CELL:	1.00	011	ST
1029656	SEAL, MECHANICAL: TYP ELASTOMER BELLOWS	1.00	051	EA
613236	PSTNR-VLV;CONTROL	1.00	061	ST
636773	BLOCK,TERMINAL:ELEC TRT 300-380VAC 10A	2.00	021	ST
805485	HOSE: SIZE DIA 1-1/2 IN X LG 15 M	2.00	051	RE

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
602814	RING:APLC CASING	1.00	051	ST
656795	BAG:TYP ZIP LIP, WD 5" X LG 8" X THK 4MM	2,000.00	001	EA
580725	PLATE SUPERSEDED BY 7276579	42.00	021	ST
600593	GSKT:	1.00	051	ST
299363	SWITCH, AUXILLIARY BLOCK 1NO	1.00	011	ST
1049182	BREATHER: MATL STEEL,P/N:POS.NO 118	2.00	081	EA
590395	RELAY,PROTECTION:LOCK OUT	2.00	900	ST
597294	BASKET,STRAINER:SZ DIA 85 X LG 190MM,MT	1.00	051	ST
1080513	O-RING: INSIDE DIAMETER 36.8MM	1.00	051	EA
644553	GSKT PRE-CUT :ID 170 X OD 220 X THK 2MM	1.00	051	ST
612865	MEMBRANE:TYP COUPLING	2.00	051	ST1
584227	PAD,BEARING:TYP TILTING	1.00	051	ST
589133	RING,CIRCLIP:	5.00	051	ST
591112	CAPACITOR:TYP FIXED,CAPCIT 10MICRO F	4.00	031	ST
49352	GSKT,SPWD:APLC SLEEVE	1.00	051	EA
737399	CONTACT,AUXILIARY:	2.00	011	ST
601382	GSKT PRE-CUT :VITON,ROUND	1.00	051	ST
587370	KIT,VALVE REPAIR:BALL VALVE	1.00	051	ST
9102157	BEARING,ROLLER,SPHERICAL, 22238-C3	2.00	051	EA
589417	BREAKER,CIRCUIT:5A,125/500VAC	2.00	011	ST
951126	RELAY:COIL 208VAC 60HZ,TYP AUXILIARY	2.00	051	EA
618470	PIECE:TYP THRUST	4.00	051	ST
591241	SCREW,CAP:M6 DIA,14MM LG,MT STEEL,HEX	2.00	051	ST
636282	O-RING:ID 4.5MM	2.00	051	ST
626463	CIRCLIP:TYP EXTERNAL,ST PIN HOLE	3.00	051	ST
642928	PACKING:ALCHEM,TYP STUFFING BOX	6.00	051	ST1
621910	BREAKER,CIRCUIT:15A	2.00	011	ST
598982	MOTOR,ELECTRIC:4KW,230/400VAC 50HZ	1.00	900	ST
603075	SEAL:TYP GLAND,MT EPDM	2.00	051	ST
611302	BTL;CHEMICAL RESISTANT,1000ML,LDPE	1.00	071	ST
586711	GEAR,WORM:	1.00	081	ST
370621	O-RING, DIN 3771- 53.57X 3.53-N-NBR 70	2.00	051	ST
602589	RING,WEAR:MATL SS ASTM A276 TP 420/SS JI	3.00	081	ST
642620	GSKT-PRE-CUT	1.00	051	ST
1621076	FAN:TYP HEATSINK COOLING, SZ DIA 183MM,EL	1.00	051	EA
863816	MCHNSM;BARREL	1.00	051	SE
595346	COMPOUND,SEALING:	1.00	001	ST
602231	PACKING:	1.00	051	ST1
597790	ELECTRODE,WELDING:ASTM ECUSN-C	2.00	051	PAK
302386	BELT-V;V,SPZ-1487,1487MM,9.7MM,8MM	4.00	081	ST
603654	SEAL-OIL;17MM,32MM,10MM	1.00	051	ST
602336	PACKING:TYP GLAND	24.00	051	ST
595337	SEAL,OIL:ID 30MM,OD 42MM,WD 7MM,MT VITON	2.00	051	ST
804357	O-RING:ID 145MM,WD 5MM,MT FKM	4.00	051	ST
615291	GSKT PRE-CUT :	1.00	051	ST1
900902	CONTACTOR:TYP MAGNETIC,POLE 3	1.00	011	EA
616397	TRANSFORMER,INSTRUMENT:VA RT 10VA	5.00	011	ST
630236	MANIFOLD,VALVE:	1.00	051	ST1
608086	REDUCER,TUBE:SZ 12 X 6MM,CONN	5.00	051	ST
800702	GSKT,SPWD:4IN,600LB,GRAPHITE,SS 316	1.00	051	ST
642999	GSKT PRE-CUT :PTFE,COVER,DN 40	4.00	051	ST
587512	KIT-VLV-RPR:TYP SPARE,APL WAFER CHECK (S	1.00	051	ST
588391	SET:TYP TRIM TRAP	1.00	081	ST1
912500	CONTROLLER,ELECTRONIC:TYP FILTER	1.00	031	EA
629528	SEAL,LABYRINTH:SPLIT,AA JIS H5202 GR	6.00	051	ST1
939962	PLUG:SCREW,SCREW PUMP	1.00	051	EA
598205	BRG-BAL;10267,10MM,26MM,8MM,2 SEALS	8.00	051	ST
615981	O-RING:ID 21.82MM,WD 3.53MM,STD AS 568A	1.00	051	ST
462107	SEAT,VALVE:VLV SZ 1IN,PRESSURE CONTROL	2.00	051	EA
589150	OUTLET:TYP FLEXIBLE CONNECTION	2.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
43521	BRG-BAL:IBI 13825,I DIA 55MM,OUT DIA 120	1.00	051	EA
586992	TIP:TYP PILOT,MT SS/STEEL	3.00	101	ST
588122	SET;SEAL	1.00	081	ST1
586404	BRG,BALL:IBI 15335.5,INSIDE DIAMETER 120	2.00	051	ST1
1247400	VALVE:TYP FLEXILOCK TRAY,VALVE SIZE THK	631.00	051	EA
868919	CHEMICAL:2-METHYLNAPHTHALENE	2.00	001	BOT
631014	TRANSMITTER, TEMPERATURE: TYP DIGITAL	1.00	061	ST
825057	CHEMICAL,ORGANIC AMIDE:	3,525.00	001	KG
610741	LGHT-INDCTG:TYP LED,VLTG 250V,WTG 0.5W,T	2.00	021	ST
643169	SLNGR:TYP OIL INNER,DOC:CD-192245 N	1.00	101	ST
1612142	ELBW-PIPE:SZ 20IN,CNCT BW,DEG 45,MTRL AS	1.00	051	EA
597431	VLV-RLF;450PSI G,BRASS,1/4IN,MNPT	1.00	051	ST
589313	BLOCK,TERMINAL:ELEC TRT 300V 25A	1.00	021	ST
1202960	KIT:TYP MEMBRANE REPLACEMENT,CMPRSNG MEM	6.00	081	KIT
637590	SPRG-VLV;1-1/2 X F X 2IN	1.00	051	ST1
599737	GSKT,SPWD:GRAFOIL,SS 316,APLC BONNET	1.00	051	ST
142581	CAGE,VALVE:VLV ST CONTROL,VLV SZ 3IN	1.00	051	EA
599280	RACE:TYP INNER ROLLER BEARING	1.00	091	ST
580902	PLATE:TYP SNUBBER	1.00	011	ST
640599	EXTRACTOR,SQUARE ROOT:	1.00	061	ST
583282	FLTR-ELMNT:TYP TANK STRAINER,P/N:3.B.20	2.00	051	ST
627609	TIMER:TYP PNEUMATIC,OPER ON DELAY	2.00	101	ST
503445	ASSEMBLY:BELLOW DISC/RING HOLDER,APLC	1.00	081	ASY
1557030	CAPACITOR,LINE:KVAR RATING 200KVAR,ELEC	1.00	031	EA
635711	SPRING:MT AS JIS G4801 GR SUP6	1.00	051	ST
622140	CIRCUIT:TYP (8) CHANNEL EXPANSION ANALOG	1.00	011	ST
592976	GSKT PRE-CUT :	1.00	051	ST
197991	O-RING:ID 164.3MM,WD 5.7MM,MT NBR	2.00	051	ST
592716	GSKT,SPWD:16IN,300LB,GRAPHITE,SS 316	2.00	051	ST
585505	STEM,VALVE:VLV ST BALL	1.00	051	ST
616180	BRKR-CRCUT;100A,10KA,3,PANEL/SURFACE	1.00	011	ST
612471	SCREW:IMPELLER LOCKING	1.00	051	ST
583698	MODULE:TYP (16) DIGITAL INPUT	1.00	011	ST
605212	RELAY,OVERLOAD:2.5-4A,1NO-1NC,THERMAL	1.00	011	ST
583762	CRCUT;SWITCHING,FLOW CONTROL	1.00	011	ST
1080682	SEAL, RING: INSIDE DIAMETER 134MM	1.00	051	EA
590592	SWTCH-LMT:CNTCT RTNG 660 V; 16 A,TYP GEA	1.00	061	ST
1045868	VALVE, RELIEF: TYP SAFETY,DOC:9721082	1.00	051	EA
642934	BRG:SZ ID 60 X OD 190MM,MT AL	1.00	051	ST
900655	CONVERTER,FREQUENCY:I/P 380-480VAC	1.00	031	EA
584376	GAUGE:TYP OIL TEMPERATURE,RNG 0-120DEG C	2.00	021	ST
635018	PLATE:AL/BRONZE	1.00	131	ST
642019	DISC,VALVE:	1.00	051	ST
1022982	BOARD: TYP CSM BACK PLANE,P/N:1085-272	1.00	051	EA
607131	GSKT:	3.00	051	ST
602914	RING,PISTON:TYP COMPRESSION	1.00	051	ST
596976	SEAT-VLV;89MM,110 X 126MM,48MM,CAST AS	1.00	051	ST
582877	INTEGRATED CIRCUIT:FUNC EPROM	1.00	031	ST
636646	BELLOWS:MT RUBBER	1.00	051	ST
580650	BODY,VALVE:VLV ST BUTTERFLY,VLV SZ 100MM	5.00	051	ST
638969	GSKT PRE-CUT :	1.00	051	ST1
577764	ASSEMBLY:APLC REMOTE RESPONSE INDICATOR	2.00	081	ST
593075	GSKT;ID 600 X OD 685MM,GRAPHITE/MONEL	1.00	051	ST
608187	TEE,PIPE:SZ 2-1/2IN,PVC-I,RT SCH 40	1.00	051	ST
611224	TRANSDUCER:TYP CURRENT,I/P 0-1A	1.00	061	ST
601151	GSKT PRE-CUT :PTFE,2IN	2.00	051	ST
615576	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	2.00	081	ST
627146	PACKING:GRAPHITE,ROUND,TYP SEALING RING	3.00	051	ST
1588785	KIT-VLV-RPR:TYP OVERHAULING,APL BUTTERFL	1.00	051	KIT
1001733	TRNSFRMR;CONTROL,160VA,3/33A,400V AC	1.00	011	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
604547	FUSE:400A,660V	8.00	021	ST
638115	GSKT PRE-CUT :SQ 25 X THK 0.063IN,SQUARE	2.00	051	ST
634763	MODULE,POWER SUPPLY:	1.00	031	ST
626887	RELAY: COIL V 100/110V,ACTION DPDT	1.00	011	ST
1034560	GUG-DFRNTL-PRSUR:RNG 0-1BAR G,DL SZ 100M	2.00	061	ST
610215	SEAL,RING:TYP V SHAPE	1.00	051	ST
604620	FUSE:25A,32VDC,BLADE	5.00	021	ST
599330	GSKT:BEARING CASE SUPPORT	7.00	051	ST
585225	FLOAT:MT SS 316	1.00	061	ST
596379	GLAND:SZ ID 12.5 X OD 19MM	1.00	051	ST
587953	KIT,VALVE REPAIR:SEAL	1.00	051	KIT
601318	O-RING:MT VITON	2.00	051	ST
632827	GLASS,LEVEL GAUGE:	1.00	101	ST
615324	SPRING:	1.00	051	ST
633099	GSKT PRE-CUT :T#1806,RF,ANSI CLASS 300	1.00	051	ST
579883	LVR;WD 23 X LG 102MM,GS	10.00	091	ST
577399	GSKT PRE-CUT :ID 125 X OD 142 X THK 3MM	3.00	051	ST
641894	TRANSMITTER,PRESSURE:ELECTRONIC	1.00	061	ST
872265	GSKT SET:TYP CYLINDER HEAD	48.00	051	ST
600126	GSKT-SPRL-WUND;BASIC WITH INNER RING	2.00	051	ST
634656	CONVERTER:I/P 4-20MA,O/P 0.2-1BAR G	1.00	061	ST
1033926	KIT-ACTUTR-RPR:TYP KIT,ACTUATOR REPAIR,C	1.00	061	KIT
594416	RIG;PACKING,SS,ID 51 X OD 66 X THK 4.8MM	1.00	051	ST
1196591	INDICATOR:TYP PROCESS,SIZE WD 86 X LG 19	1.00	061	EA
591113	CAPACITOR:	4.00	031	ST
627187	STRIP,VALVE:APLC ISOLATION VALVES	1.00	051	ST
583038	FIXTURE,HID LIGHTING:TYP MARINE	6.00	021	ST
618428	PIN:MOTOR	1.00	051	ST
595516	BAR:	1.00	131	ST
633159	GAUGE, DIFFERENTIAL PRESSURE:	1.00	061	ST
604713	FUSE:6.3A,250VAC,DIA 5 X LG 20MM,FERRULE	2.00	021	ST
615198	TOOL:TYP LIP SEAL INSTALLATION	1.00	101	ST
638218	GSKT:COVER	1.00	051	ST
589539	BRKR-CRCUT;16A,MINIATURE	1.00	011	ST
581305	CRCUT;3-PHASE RECTIFIER CONTROL	1.00	011	ST
9102367	WASHER,SPRING ST (GV) M16(205.00),(TO BE	26.00	051	ST
631568	GVRNR;STEAM TURBINE	2.00	081	ST
584403	SCALE:TYP AMMETER FRONT PLATE	1.00	051	ST
595605	KEY:	2.00	051	ST
592455	GSKT-PRE-CUT;COVER,ROUND,GRAPHITE	1.00	051	ST
688105	RELAY,TIME DELAY:ON DELAY MAKE	2.00	051	EA
636973	PACKING:T#1995	2.00	051	ST
615753	RING:BRONZE JIS H5111 BC6/ASTM B584	1.00	051	ST
583976	HOSE-HYDRULC;FPT,90 DEG BEND SWIVEL,FPT	2.00	051	ST1
605710	TRANSFORMER,INSTRUMENT:CURR RT 600/5A	1.00	011	ST
622292	SOCKET,ELECTRICAL:	6.00	021	ST
589673	CONTACTOR:4 POLE,220VAC 60HZ	1.00	900	ST
589401	BREAKER,CIRCUIT:3A,220/550VAC	1.00	011	ST
581659	HOSE:HIGH PRESSURE	1.00	051	ST
1605765	GSKT-KIT-INSULTG:TYP FLANGES ISOLATION,N	2.00	051	KIT
615277	SPRING:TYP OVERSPEED TRIP DEVICE	1.00	051	ST
1251743	SEAT,VALVE:TYP BACK,VALVE TYPE GATE VALV	1.00	051	EA
628102	GSKT:SEAT,SS 316L	3.00	051	ST
601322	O-RING:MT VITON	6.00	051	ST
620137	O-RING:ID 32MM,WD 2MM,MT FKM	8.00	051	ST
1245060	BREAKER,CIRCUIT:AMPERAGE 63A,VOLTAGE 380	1.00	011	EA
873744	GSKT PRE-CUT : MATL V#6501,SHAP ROUND	1.00	051	EA
589077	TRANSCEIVER:TYP ETHERNET FIBER OPTIC	1.00	031	ST
595007	SEAL:	7.00	051	ST
609983	PLATE,WALL:TYP COVER,GANG 2,STD CSA; UL	10.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1009166	BELLOWS: TYP PRESSURE RELIEF VALVE	1.00	051	ASY
592289	BLADE,FAN:SIZE DIA 144IN,P/N:33-01-0153	1.00	011	ST
643221	GSKT:3/4IN,THK 4.5MM	2.00	051	ST
9101746	SHAFT 19K,(TO BE DELETED REF.RTSNI 1347)	1.00	051	ST
587534	KIT,VALVE REPAIR:SOFT SPARES	1.00	051	ST
606108	VARISTOR:VOLT 127-240VAC; 150-250VDC	1.00	031	ST
631663	VLV-CHCK;NON RETURN	2.00	051	ST
602915	SEAL:RING,APLC 2ND STAGE	1.00	051	ST
600115	GSKT,SPWD:GRAFOIL,IRID 1801.8MM,SS 316	2.00	051	ST
585916	VALVE,GATE:VLV SZ 1/2IN,DES RTG CL 800	1.00	051	ST
606105	TRNSTR;BIPOLAR,PNP,PCB	5.00	031	ST
1580772	FLG-PIPE:TYP RAISED FACE,SZ 1IN,MTRL CS	2.00	131	EA
587230	FUSE:	2.00	021	ST1
595098	SEAL;ID 19 X OD 25 X THK 13MM,RUBBER	11.00	051	ST
604559	FUSE:15A,500V,FERRULE,CURRENT LIMITING	60.00	021	ST
627151	KIT,VALVE REPAIR:WORMSHAFT AND WORMWHEEL	1.00	051	ST1
586329	BRG,BALL:ID 30MM,ST OPEN,ROW DOUBLE,CAGE	1.00	051	ST
902316	SWITCH,PUSHBUTTON:24VAC/DC,1NO,WHITE	2.00	021	EA
597346	VALVE:	1.00	051	ST
588340	DISC,VALVE:SS,316,SAFETY BURNER RELIEF	1.00	051	ST
595385	SEAL-RIG;11.4MM,16.3MM,1.5MM,USIT	6.00	051	ST
76192	SWITCH,PUSHBUTTON:380VAC 10A,SPST,1NO	6.00	021	ST
629143	NOZZLE, VALVE: VALVE SIZE 1 X D X 2IN	1.00	051	ST
630226	WASHER:CD	1.00	051	ST
596926	GASKET,PRE-CUT:MT NBR	1.00	051	ST
584244	TAG:WARNING	2.00	121	ST
579486	SWITCH,PROXIMITY:8.2VDC	1.00	011	ST
642769	RING:PTFE/KOHLE,TYP SLIDING	8.00	051	ST
624078	SWITCH:TYP FAN,CONTRT 10A	2.00	021	ST
580850	PLATE:TYP PRESSURE	1.00	131	ST
585203	FILTER:	1.00	051	ST
618872	FUSE;10A,600V AC,CAPTIVE SCREW	2.00	021	ST
1058432	RLY;24 V,ON OFF,500 V,SWITCHES,NO NC,BOX	1.00	011	ST
599410	GSKT JKTD:ID 2427 X OD 2465 X THK 3.2MM	12.00	051	ST
284276	BRG-SLV:I DIA 35MM,TYP BUSHING; STRIP,LG	9.00	051	EA
612654	BTRY-PACK;6V DC,7AH,WIRE LEADS	8.00	011	ST1
608589	GUIDE,VALVE:VLV ST GLOBE	4.00	051	ST
709168	BRG, BALL: IBI 11198,WIDTH 14MM,MNFR:SKF	1.00	051	EA
905798	CLEANER:TYP CONDENSER	2.00	001	EA
845323	RELAY:TYP CONTROL VALVE	4.00	011	ST
1231580	PULLEY:TYP HTD TOOTH BELT,SIZE OD 496.3	1.00	051	SE
584009	TUBING:TYP HEAT SHRINK	1.00	131	ST
592875	GSKT-PRE-CUT;BOX GLAND PLATE,RECTANGULAR	2.00	051	ST
617644	DISPLAY UNIT,DATA:TYP DISTANCE LEDGE,P/N	5.00	141	ST
103268	CHEMICAL:TRISODIUM PHOSPHATE	1.00	001	BOT
618016	ASSEMBLY:FUSE/FUSE HOLDER	2.00	081	ST
589768	CONTACTOR:TYP MAGNETIC,AMP 40A,3 POLE	3.00	011	ST1
585014	DISC-VLV;SS ASTM A276,316,SAFETY RELIEF	4.00	051	ST
616390	METER:	2.00	101	ST
73386	NUT-LOCK:TYP BEARING,DIA M45,THRDS 1.5MM	1.00	051	ST
602895	SEAL,RING:ID 200MM,MT PTFE	1.00	051	ST
585915	VALVE,GATE:VLV SZ 1IN,DES RTG CL 800	1.00	051	ST
636313	PCKG:SZ WD 5MM,MTRL P#4519M,SHP ROUND,TY	2.00	051	ST1
631254	GAUGE:	1.00	101	ST
900638	CONTACT,AUXILIARY:	2.00	011	EA
636246	BUSH:SS 403	2.00	051	ST
1022550	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
604094	BREAKER,CIRCUIT:1-1.6A,230-690VAC	1.00	011	ST
9101645	ASSEMBLY,LIMIT SWITCH	2.00	051	ST
617270	BREAKER,CIRCUIT:10A,POLE 1	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
900664	CONVERTER,FREQUENCY:TYP VECTOR CONTROL	1.00	031	EA
842624	TRNSFRMR;CURRENT,12 - 20 VA,12 V,MONO	2.00	011	EA
770778	SLEEVE,SHAFT:	1.00	051	EA
643326	THERMOCOUPLE:TYP D - 2,SH MT SUS303	1.00	061	ST
578257	KIT,CYLINDER REPAIR:SEAL	1.00	091	ST
1012832	NUT: DIAMETER M24,P/N:009 288 008	4.00	051	EA
610975	HOSE:	3.00	051	ST
1605156	BLWS:TYP SAFETY VALVE,MTRL SS 316L/SS 40	1.00	051	ASY
587698	KIT-CYLNDR-RPR;SOFT PARTS,FORKLIFT	2.00	091	ST
713274	SPRING,EXTENSION:OD 38MM,TOT LG 30MM	2.00	051	EA
1617035	TRNSFRMR-CURNT:PTNTL 10VA,CURNT RT 30/1A	1.00	051	EA
607122	WASHER,SEALING:	1.00	051	ST
617490	BRG-BAL;13204,45MM,85MM,30.16MM,OPEN	1.00	051	ST1
615728	RETAINER:TYP SLEEVE	1.00	051	ST
644795	GSKT,SPWD:GRAPHITE,IRID 340MM	4.00	051	ST
982814	GUD-VLV;PRESSURE RELIEF,0.75 IN,SS 316	4.00	051	EA
602114	PACKING:V#2630/BUNA-N DUCK,V SHAPE ROUND	1.00	051	ST
227768	O-RIG;483MM,3MM,NBR,ROTARY VALVE	1.00	051	EA
610710	PULY-V-BELT	1.00	051	ST
599578	GSKT PRE-CUT :NON ASBESTOS,RF,6IN	2.00	051	ST
583271	PISTON:	1.00	091	ST
730848	GSKT:PSV	1.00	051	ST
600336	GSKT PRE-CUT :NEOPRENE RUBBER	2.00	051	ST
590523	RELAY:COIL 12VDC,SPDT,CONT 12VDC 40/30A	1.00	011	ST
613283	CNCTR-CMUNCTN;BNC JACK/PLUG,ROUND	2.00	031	ST
595949	BASE:MT CS	3.00	051	ST
627226	PACKING:GRAPHITE,ROUND,TYP SEALING RING	3.00	051	ST
582393	CONVERTER,SIGNAL:	1.00	061	ST
590264	MODULE,POWER SUPPLY:APLC PROCESS INTERF	1.00	021	ST
775036	BLADDER:	1.00	081	ST
612105	SWITCH,SELECTOR:POS 3,OPER CAM/LEVER	2.00	011	ST
644501	ELBW-PIPE;1/2IN,SW,45,3000LB,F304L	1.00	051	ST
598769	GEAR,HELICAL:	1.00	081	ST
627428	TRMNL;ANTISURGE /SPIRAL WOUND,T	2.00	051	ST
1616391	SWTCH-DSCNCT:CNTCT RTNG 750V AC,TYP FUSE	1.00	021	EA
638208	CIRCLIP:TYP EXTERNAL,ST PIN HOLE	2.00	051	ST
642922	O-RING:APLC UPPER SHAFT	10.00	051	ST
608204	BLD-FAN;OD 2.4M,STEEL	1.00	011	ST
642674	PACKING:	1.00	051	ST1
615066	TEE-PIPE;DN 4 IN X THK 2MM,DIN 2615	1.00	051	ST
637022	SET:TYP BEARING ROLLING ELEMENT	1.00	081	ST1
581746	HOSE: SIZE ID 1-1/4 X LG 48IN,RT 800LB	2.00	051	ST
496711	WASHER:STEEL,THRUST BEARING	8.00	051	EA
432408	SWITCH,LIMIT:SPDT	1.00	061	ST
454450	SEAL-OIL:I DIA 2-1/8IN,OUT DIA 2-7/8IN,W	2.00	051	EA
697913	BLOCK,CONTACT:TYP TEST	1.00	131	EA
594353	PACKING:ID 26 X OD 32 X THK 3MM,PTFE	1.00	051	ST1
596461	FLTR-ELMNT;STRAINER,DIA 120 X LG 235MM	1.00	051	ST
596520	DIAPHRAGM:TYP LIFT PUMP,SZ DIA 55MM,MT	2.00	051	ST
577304	POWER SUPPLY:TYP ANALYZER	1.00	900	ST
616795	CONTACTOR:TYP MAGNETIC,AMP 135/150A	2.00	011	ST
589315	TERMINAL:	2.00	021	ST
1023884	KIT: TYP SPLICE CONNECTION,P/N:S-150	1.00	081	KIT
505118	SPRING:TYP DOUBLE TORSION	1.00	031	EA
621881	TRANSFORMER,DISTRIBUTION:KVA 750KVA	2.00	900	ST
587492	KIT-VLV-RPR:APL WAFER CHECK VALVE,CMPRSN	1.00	051	ST
634196	KIT-ACTUTR-RPR:TYP ACTUATOR REPAIR,CMPRS	1.00	061	ST
166049	SCREW,SET:	5.00	051	EA
635709	PACKING:V#6500	1.00	051	ST
798663	GSKT,SPWD: MNFR: UNKNOWN,P/N: 3G32050355	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1025649	COUPLING,HOSE:SIZE 3/4IN,CNCT FNPT,MATL	3.00	051	ST1
587725	KIT: TYPE ANALYZER,P/N:SS-4P4T-K9	6.00	081	ST
592702	GSKT,SPWD:20IN,150LB,GRAPHITE,SS 316	2.00	051	ST
599502	GSKT PRE-CUT :MATL V#6500,DOC:N-9186 E	4.00	051	ST
919649	VALVE,CHECK:TYP DISC,VLV SZ 4IN	2.00	051	ST
881528	BREAKER,CIRCUIT:43A,480VAC,INTP CAP 50A	1.00	011	ST
616587	COIL,ELECTRICAL:FUNC CLOSING/HOLDING	1.00	011	ST
737132	SPINDLE:TYP VALVE,MT 1.4571 / 316 TI	1.00	101	ST
640368	PACKING:7/8 IN X 35.7,GRAFOIL	1.00	051	ST1
581255	CIRCUIT,POWER SUPPLY:TYP PRINTED BOARD	1.00	021	ST
588749	KIT:TYP PACKING RING AND GASKET	1.00	081	ST1
580818	PLATE:TYP CENTER,SZ DIA 120 X THK 9.2MM	2.00	131	ST
905957	ACTATR,PNU:TYP DOUBLE ACTING	1.00	061	EA
9102003	PACKING, COMPRESSED PACKING, 45MM X 56MM	4.00	051	ST
588954	FILTER,ELEMENT:SS 304,STRAINER SCREEN	6.00	051	ST
584748	ACTATR:SZ 6IN	1.00	061	ST
1596786	PCKG:SZ WD 5MM,MTRL PTFE,SHP ROUND,TYP S	1.00	111	SE
600131	GSKT-SPRL-WUND;BASIC WITH INNER RING	1.00	051	ST
580337	PISTON:APLC PRODUCTION DISTRIBUTION VAL	1.00	900	ST
603141	SEAL,OIL:	1.00	051	ST
603456	BLOCK:SZ 125MM,MT SS	1.00	051	ST
613223	AMPLIFIER:TYP DUAL CHANNEL SWITCH ISOLA	1.00	031	ST
908975	FITTING,OUTLET:TYP WELDOLET,RUN SZ 12IN	1.00	051	EA
738100	SEAT-VLV	2.00	051	ST
585798	VALVE,GLOBE:VLV SZ 3/4IN,DES RTG CL 800	2.00	051	ST
592859	GSKT-PRE-CUT;BOX GLAND PLATE,U,CORK	1.00	051	ST
593619	SEAL;WD 20MM,RUBBER	1.00	051	ST
869314	O-RING:MT NBR,APLC AIR MOTOR	1.00	051	ST
606712	SCREW,CAP:M12 DIA,55MM LG,ALLEN	10.00	051	ST
595921	METER:TYP PULSE	1.00	101	ST
588765	KIT-VLV-RPR:TYP SOFT PART,CMPSNG PACKIN	1.00	051	ST1
584917	DISC,VALVE:SS ASTM A276,304,PRESSURE AND	1.00	051	ST
612268	SLINGER: TYP EXHAUST/INLET END OIL	3.00	101	ST
628739	ACTUTR-ELCTRC;380VAC 3PH 60HZ,IP68/TE	1.00	900	ST
802619	SEAL,RING:ID 50MM,OD 75MM,THK 4MM	2.00	051	ST
1192707	SEAT,VALVE:TYP BALANCED HF,VALVE TYPE GL	1.00	051	EA
595383	GSKT-PRE-CUT;ROUND	2.00	051	ST
583012	LIGHT,INDICATING:TYP INDICATING	2.00	021	ST
738099	PLATE,WASHER:	2.00	051	ST
1208414	DISC,VALVE:MATL SS 316,VALVE SIZE 4IN,VA	2.00	051	ST
926954	RTD: TYP DOUBLE ELEMENT; PT100,WIRE 3	1.00	101	EA
586113	BRG-SLV:TYP JOURNAL,P/N:NEW P/N:6005301	1.00	051	ST
1202608	FUSE:TYP BOLT ON,VOLTAGE 5500V,STD UL,P/	3.00	021	EA
608541	RING,WEAR:SS ASTM A276 TP 420	1.00	081	ST
579331	GLASS,SIGHT:SZ DIA 63 X TH 10MM,MT GLASS	5.00	101	ST
620283	COVER:TYP BEARING,MT SS ASTM A276 GR WCA	1.00	051	ST
610455	BREAKER,CIRCUIT:6.3A,240/440VAC	2.00	011	ST
636512	GSKT,SPWD:36IN,600LB,IRID 917.7MM	1.00	051	ST
1087885	O RING SET: MTRL VITON,P/N:TFB10300OR	1.00	051	SE
805613	BLOCK,TERMINAL:ELEC TRT 500V 30A	4.00	021	ST
591809	WASHER:DISHED PACK	1.00	051	ST
591947	BUSH:TYP THROAT	1.00	081	ST
578188	KIT-ACTUTR-RPR;SEALING,ROTARY ACTUATOR	1.00	061	ST
584478	KIT,VALVE REPAIR:SOFT GOODS	1.00	051	KIT
612549	GSKT:	1.00	051	ST
1594890	SEAL:SZ WD 15MM,MTRL LOW NITRILE-APV-GDC	2.00	051	EA
593940	O-RING:	2.00	051	ST
1025248	O-RING: INSIDE DIAMETER 280MM,MATL VITON	1.00	051	ST
581582	MODULE:TYP STATUS INDICATION INPUT	1.00	011	ST
588158	GSKT,SPWD:PTFE GLASS FILLED,UNS S31603	2.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
594344	PACKING:GRAPHILEX,SQUARE	4.00	051	ST
586203	BRG,SLEEVE:TYP STRIP,MT PTFE	2.00	051	ST
586713	GEAR,WORM:	1.00	081	ST
797513	BRG,BALL:TYP COMBINATION	2.00	051	ST
633113	VALVE:TYP TRANSFER,CONN FNPT,STY 3/2 WAY	1.00	051	ST
580451	SHAFT:MATL AS GR 42CRM04,STD ONORM EN 10	1.00	051	ST
612276	DISC,VALVE:SS ASTM A240 GR 410	2.00	051	ST
381252	BRG-RLR:TYP SPHERICAL; SELF-ALIGINING; S	5.00	041	ST
585823	KIT-VLV-RPR:TYP SOFT PARTS,CMPRSNG WASHE	1.00	051	ST1
595875	INDICATOR,SIGHT FLOW:	1.00	061	ST
594276	PACKING:12 X 12 X 300MM,PTFE FILLED	6.00	051	ST
602611	RING,BACK-UP:ID 111.937MM	4.00	051	ST
622875	PULLEY:TYP MOTOR SHEAVE	1.00	051	ST
579916	LAMP-INCNDSCNT;22KW,380V	2.00	021	ST
800788	GSKT,SPWD:18IN,150LB,GRAPHITE,SS 316	1.00	051	ST
604868	FUSE:8A,500VAC/DC,DIA 10 X LG 38MM	16.00	021	ST
503330	PIN:MATL SS 616,TYP UPPER ADJUSTING RING	1.00	051	EA
590942	TRANSFORMER,INSTRUMENT:VA RT 10/15VA	1.00	011	ST
614800	SLEEVE:TYP BEARING,APLC DRIVE END	1.00	051	ST
608631	GSKT-SPRL-WUND:TYP BASIC WITH OUTER RING	1.00	051	ST
627284	P2111FSLEEVE,SHAFT:SS 304/PTFE,TYP LOWER	1.00	051	ST
284589	THERMOCOUPLE:JUNC SINGLE EXPOSED,WIRE	2.00	051	EA
583181	LIGHTER:TYP FLINT	4.00	101	ST
904917	PLUG,VALVE:VLV SZ DN 25,GLOBE CONTROL	1.00	051	EA
590477	RELAY:COIL 24VDC,8PST,CONT 595VAC 10A	1.00	900	ST
619290	SEAL,RING:ID 10MM,THK 1MM,MT GYLOCK,STD	1.00	051	ST
640485	GEAR:MT CS GR S45C,STD JIS G4051	5.00	081	ST
631686	OL;CABLE TIE GUN,TIGHTEN AND TRIM	5.00	101	ST
805395	O-RING: MNFR: ORGA,HOLLAND,P/N: 30B06301	2.00	051	ST
602292	PACKING:TYP TRIP VALVE	1.00	051	ST1
910765	FLTR;CARTRIDGE	1.00	051	ST
905139	GAUGE, DIFFERENTIAL PRESSURE:	1.00	061	EA
585965	VLV-SLND;4/3 WAY,24VDC 39W,BASE MOUNT,CS	2.00	900	ST
1007819	GSKT PRE-CUT : MATL CERAMIC FIBRE	5.00	051	ST
595908	METER,ELECTRICAL:TYP AMMETER,RNG 0-1800A	1.00	101	ST
619816	SEAL,OIL:ID 70MM,OD 90MM,WD 10MM	2.00	051	ST
1571154	JNT-EXPNSN:TYP EJ-48.1,SZ INLET 6 X OUTL	1.00	051	ASY
600161	GSKT PRE-CUT :GRAFOIL GH*R,RETURN BONNET	2.00	051	ST
593244	GSKT PRE-CUT :ID 115 X OD 132 X THK 1MM	3.00	051	ST
924978	SEAL,RING:MT PTFE,TYP UPPER STEM	2.00	051	SE
604501	FUSE;1A,250V AC,FERRULE,DIA 5 X LG 20MM	2.00	021	ST
602918	O-RING:APLC ENGINE	2.00	051	ST
597037	SPRG-CMPRSN;13MM,17MM,22MM,AS	1.00	051	ST
636743	GSKT-ST	1.00	051	ST1
1215348	UNIT:TYP SYSMAC DIGITAL I/O,APPL PLC,MTR	1.00	051	EA
829298	O-RING:ID 144.4MM,WD 3.1MM,MT NBR	1.00	051	EA
616605	COIL,ELECTRICAL:TYP CHOKE	2.00	011	ST
586373	BRG-BAL;85MM,150MM,28MM,OPEN,SINGLE	1.00	051	ST
578421	SET:TYP GLAND PACKING	2.00	081	ST1
601076	GSKT PRE-CUT :PTFE	2.00	051	ST
590201	HEATER, SPACE: P/N:27-2551-2720	1.00	011	ST
1037162	POWER SUPPLY: INPUT 24-60VDC,MOUNT RACK	1.00	021	EA
581113	PLUG,VALVE:CONTROL	1.00	051	ST
592229	NOZZLE:TYP 2ND STAGE,CONN MPT	2.00	051	ST
602985	SEAL,OIL:MT NBR	3.00	051	ST
800989	BLADDER,ACCUMULATOR:SERVICE OIL	2.00	081	ST
628537	FUSE:1.5A	2.00	021	ST
600352	GSKT,SPWD:APLC STEAM TURBINE GENERATOR	1.00	051	ST
644326	SLV;JOINT,ID 6.5 X OD 8 X LG 13MM,AL	1.00	051	ST
930342	O-RING: MNFR:NEUMAN & ESSER GROUP	4.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
608983	COVER:REGULAR VINYL WITH VELCRO	4.00	051	ST
585046	DISC,VALVE:SS ASTM A564,360,RELIEF	1.00	051	ST
639405	SPRING,VALVE:AS ASTM A229	1.00	051	ST
578668	UNIT:TYP AIR,SERVICE	1.00	081	ST
578418	KIT-VLV-RPR:TYP SOFT PART,APL BUTTERFLY	1.00	051	ST
615020	ELBW;OD 139.7 X THK 2MM,45,1000MM	1.00	051	ST
591981	BUSH:ALCOA A750,OIL CONSOLE UNIT	1.00	051	ST
636463	PACKING:GRAPHITE,TYP GLAND	1.00	051	ST1
916532	TEE,PIPE REDUCER:SZ 6 X 4IN,BW	3.00	051	EA
615650	RETAINER:TYP SLEEVE	1.00	051	ST
614195	TRAP,STEAM:SZ 1IN,CONN FLANGE RF,PR RT	2.00	051	ST
626689	SEAL,OIL:	1.00	051	ST
587322	KIT-VLV-RPR:TYP SOFT PART,APL BALL (SIZE	1.00	051	ST
593156	GSKT PRE-CUT :ID 21.2 X OD 26 X THK 2MM	20.00	051	ST
591136	CAPACITOR:CONN WIRE LEADS	1.00	081	ST
609743	FUSE:2A,250VAC	8.00	021	ST
593267	GSKT PRE-CUT :ID 13 X OD 20MM,ROUND	2.00	051	ST
636311	SEAT-VLV:VLV TYP CONTROL,VLV SZ 2IN,MTRL	3.00	051	ST
614697	SLEEVE: TYP SPACING,P/N:018046	1.00	051	ST
626883	CONTACT,AUXILIARY:TYP BREAKER	1.00	011	ST
800774	GSKT,SPWD:10IN,300,GRAPHITE,SS 316	1.00	051	ST
607818	INSRT-ELCTRNC;ELECTRONIC	1.00	061	ST
632120	GSKT PRE-CUT :P#2601-GGO,BONNET,3IN	1.00	051	ST
630184	WASHER:CD	1.00	051	ST1
596957	SEAT,VALVE:	1.00	051	ST
609618	WORM:	1.00	081	ST
616725	TRANSDUCER:I/P 0-6.67VDC,O/P 4-20MA,SUPP	1.00	061	ST
582206	FAN:TYP COOLING,ELEC TRT 220VAC 50/60HZ	2.00	081	ST
643751	BRG-BAL;30MM,72MM,27MM,2 SEALS,SINGLE	1.00	051	ST
592896	GSKT PRE-CUT :ID 81 X OD 98 X THK 1MM	2.00	051	ST
594983	SEAL,OIL:	2.00	051	ST
653268	GSKT:SEALING PLUG,STEEL	1.00	051	EA
579022	COMPENSATOR:	1.00	051	ST
642493	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
610507	STUD:DIA M16,60MM LG,GS,THD 2MM,GR 5.6	12.00	051	ST
616654	TRANSFORMER,INSTRUMENT:VOLT R 260VAC	1.00	011	ST
628441	SPRING:TYP GROUND	3.00	051	ST
1033831	MODULE: TYP ANALOG OUTPUT 4 CHANNEL	1.00	031	EA
617125	RELAY,OVERLOAD:8-12A,1NO-1NC,THERMAL	2.00	011	ST
600026	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	4.00	051	ST
642606	SPRING:	2.00	051	ST
519134	ELEMENT,HEATER OVERLOAD:	2.00	051	EA
644776	GSKT PRE-CUT :ID 419 X OD 445 X THK 3MM	2.00	051	ST
620345	BRG:	4.00	051	ST1
622798	SPINDLE:MT ASTM A565 GR 616	2.00	101	ST
1231582	PULLEY:TYP HTD TOOTH BELT,SIZE OD 852.8	2.00	051	SE
629511	POINTER:TYP FRICTION ADJUSTABLE	4.00	061	ST
601259	KIT,VALVE REPAIR:TYP SOFTGOODS	1.00	051	ST
800705	GSKT,SPWD:8IN,600LB,GRAPHITE,SS 316	1.00	051	ST
524550	RELAY,OVERLOAD:1.6-2.5A,1NO-1NC	2.00	011	ST
616824	SEAL,RING:TYP V SHAPE,APLC MOTOR	2.00	051	ST
193321	SUPERSEDED BY 109346	2.00	051	ST
644321	CNCTR-CNDUT;SS,ID 6 X OD 12 X LG 40MM	47.00	021	ST
603309	WIPER:MT FELT	1.00	101	ST
912495	THERMOWELL: SHANK STYLE STRAIGHT	1.00	061	EA
642550	BRG:SHAFT	4.00	051	ST
1217221	RELAY,CONTROL:TYP VOLTAGE,CUR 5A,CONTCT	1.00	031	EA
593063	GSKT-PRE-CUT;BOX BASE,RECTANGULAR,CORK	1.00	051	ST
617030	BREAKER,CIRCUIT:AMPERAGE 2A,VOLTAGE 240-	1.00	011	ST
608298	SOCKET,ELECTRICAL:TYP FREE STRAIGHT	7.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1012890	TRANSMITTER, DIFFERENTIAL PRESSURE:	1.00	061	EA
1035459	TRANSMITTER, FLOW: RANGE 0-500000KG/HR	1.00	061	EA
578262	UNIT:TYP CONSTRAINER	2.00	051	ST
600753	GSKT,RJ:OVAL,IRON,3/4IN,PR RT 150LB	2.00	051	ST
803163	ASSEMBLY:GAUGE PRESSURE	1.00	081	ST
567986	SWITCH,SELECTOR:2(TRIP & CLOSE),SPRING	2.00	031	EA
615457	GSKT:CHILLER PACKAGE	1.00	051	ST
1557462	FITTING,OUTLET:TYP WELDOLET,BRNCH CNCT B	4.00	051	EA
601358	O-RING:MT VITON	1.00	051	ST
1012845	RELAY: COIL V 230VAC,CNTCT RT 690VAC 10A	1.00	011	EA
618430	CLUTCH:TYP SLIP	1.00	051	ST
608839	OIL:TYP SILICONE,CAN 500G	3.00	001	ST
642988	PACKING:GRAPHITE,TYP GATE VALVE	2.00	051	ST1
577709	SWITCH:TYP COMPLETE MASTER ASSY	1.00	011	ST
612189	KIT-VLV-RPR:TYP SPARE,APL PLUG,CMPRSNG S	1.00	051	KIT
583786	MODULE:TYP FLASHER	1.00	011	ST
505111	RIG-RTNG;UPPER,GROOVE	2.00	031	EA
592565	GSKT-PRE-CUT;ID 90 X OD 142 X THK 2MM	1.00	051	ST
1003907	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
586710	GEAR,WORM:MT STEEL	1.00	081	ST
1003965	PLATE: TYP ORIFICE,SIZE 3 IN	1.00	131	EA
23618	SWITCH,PRESSURE:TYP LOW BELLOW,CLASSIFIC	1.00	900	ST
919938	REDUCER,PIPE:SZ 6 X 4IN,BW	12.00	051	ST
1579182	KIT-VLV-RPR:TYP SOFT PARTS,APL BUTTERFLY	1.00	051	KIT
930294	SEAL, MECHANICAL: MNFR:POMPE CUCCHI SRL	2.00	051	SE
627398	MODULE:(16) CHANNEL OUTPUT	4.00	031	ST
1038064	VALVE, CONT: DSGN RT 3-5KG/CM2,STD ASTM	2.00	051	EA
584399	MTR-ELECT;AMMETER	5.00	101	ST
608217	BLADE,WIPER:SZ LG 430MM,MT RUBBER	2.00	051	ST
216221	O-RING:ID 45.5MM,WD 2MM,MT NBR	3.00	051	ST
634482	PIN,TAPER:	1.00	051	ST
616633	BREAKER,CIRCUIT:2A	1.00	011	ST
870034	SEAL,LABYRINTH:INBOARD (VBXX-D)	4.00	051	EA
612491	BAFFLE:TYP OIL STEAM END	1.00	081	ST1
594867	RING,RETAINING:TYP INTERNAL,SZ DIA 60 X	10.00	051	ST
968300	PLUG: MATL CS ASTM A105,81584	1.00	051	ST
580501	SHAFT:CARDAN	1.00	051	ST
141284	BRG,BALL:IBI 11267,ID 20MM,OD 52MM	2.00	051	EA
600099	GSKT,SPWD:GRAPHITE,IRID 81-1/4IN,SS 321	1.00	051	ST
605867	CAPACITOR:TYP FIXED,CAPCIT 2200MICRO F	1.00	031	ST
1575784	CNCTR:TYP MATING,SZ DIA 10MM,P/N:540244-	1.00	031	EA
798635	SOLUTN:TYP BUFFER CONDUCTIVITY,4PH	5.00	001	BOT
604127	BREAKER,CIRCUIT:315A	1.00	011	ST
901142	MODULE:STANDARD ABO	1.00	031	EA
582237	THERMOSTAT:TYP CAPILLARY,RNG 20-300DEG C	6.00	081	ST
584239	HEAD:TYP PILOT INDICATING LAMP; GREEN	2.00	101	ST
414894	MOTOR SUPERSEDED BY 1556007	1.00	011	EA
266561	GSKT-PRE-CUT;6IN,ROUND,WITHOUT	1.00	051	EA
607110	WASHER,LOCK:BRAKE SYSTEM	6.00	051	ST
587653	KIT,VALVE REPAIR:INCINERATOR PACKAGE	1.00	051	KIT
584767	BASKET,STRAINER:SZ DN 20,MESH 0.5 MM	1.00	051	ST
1022970	DEVICE: TYP FRONT FACE WITH LEDS AND LCD	1.00	081	EA
1024693	STUD,D/END: DIAMETER-A 7/8IN,GRD B7	8.00	051	EA
580424	SHAFT:DIA 10 X 14MM,LG 140MM,SS	1.00	051	ST
630845	SWITCH,PRESSURE:-1 TO 12BAR G	1.00	061	ST
250757	VLV-GATE;SOLID WEDGE,50MM,16BAR	1.00	051	EA
789146	COIL,ELECTRICAL:FUNC CLOSING	1.00	011	EA
963798	PLUG, VALVE: VALVE SIZE DN 8IN	1.00	051	ST
640648	PLUG,VALVE:	1.00	051	ST
798505	GAUGE,PRESSURE:0-200PSI,BOURDON	1.00	101	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
901643	OPERATOR:TYP STORED ENERGY	1.00	011	EA
1032799	O-RING: INSIDE DIAMETER 91MM,WIDTH 3MM	2.00	051	EA
617982	RELAY:TYP AUXILIARY,CONTAR 2NO-1NC	1.00	031	ST
1035306	TUBING: TYP PERISTALTIC,MATL PVC	8.00	131	PAK
1222674	BRG,ROLL:TYP SPHERICAL,ROW DOUBLE,INSIDE	1.00	051	EA
587758	KIT,VALVE REPAIR:BALL VALVE	3.00	051	KIT
589796	THERMOCOUPLE:TYP K,INS DIA 4.8MM,DESLG	1.00	061	ST
110494	O-RING:MT SILICONE RUBBER	3.00	051	EA
166171	SPNDL:TYP PRESSURE SAFETY/RELIEF VALVE,P	1.00	101	EA
633180	CIRCUIT:TYP ANALOG INPUT	1.00	011	ST
605354	SWITCH,LIMIT:	6.00	061	ST
579665	TRANSMITTER,TEMPERATURE:	1.00	021	ST
617762	TRANSFORMER:TYP CONTROL,PRIM V 400VAC	1.00	011	ST
792462	GSKT PRE-CUT :ID 390 X OD 440 X THK 3MM	1.00	051	ST
616563	METER:RNG 0-2A	1.00	101	ST
595624	SET;KEY,100/300ML CONTAINER	1.00	081	ST
639597	PLUG,VALVE:VLV SZ 3/4IN,PLUG	1.00	051	ST
610999	SWTCH;ROCKER,SPST,1NO,PANEL	2.00	021	ST
630225	BOLT,MACH:HD HEX	1.00	051	ST
599442	GSKT,SPWD:PTFE,SS 316,APLC CASING	1.00	051	ST
643503	GSKT SET:TYP HEAT EXCHANGER	2.00	051	KIT
625435	RLY-OVRD;THERMAL,1NO-1NC,1.6-2.5A	2.00	011	ST
576792	UNIT:	1.00	051	EA
610134	LIGHT,INDICATING:TYP PILOT,VOLT 120/400V	2.00	021	ST
770811	PIN:	2.00	051	ST
1528525	CONTACT,AUXILIARY:TYP FRONT MOUNT,CONTAC	1.00	021	EA
609771	BELT:TYP DRIVE	4.00	051	ST
808692	RECTIFIER:TYP HOIST	1.00	021	ST
1025936	STUD: DIAMETER 30MM,TYP BOLT, EQUIP	4.00	051	ST
1091104	TAPE: TYP GUIDING,SIZE LG 76 X THK 2MM	1.00	001	EA
580437	SHAFT:	2.00	051	ST
612129	CBL-CMUNCTN;INTERCONNECTING,PVC	1.00	031	ST
591572	PIN,DOWEL:SS ASTM A276	7.00	051	ST
582709	COUNTER,ELECTRICAL:	1.00	011	ST
593845	O-RING:MT EPDM,APLC CAN BRG CARRIER	1.00	051	ST
620151	GSKT,SPWD:GRAPHITE/V#6591,SS 316	2.00	051	ST
578352	KIT,VALVE REPAIR:TYP FLANGE INSULATING	2.00	081	KIT
579758	CH-SOL	9.00	001	CA
597288	SP	8.00	051	ST
638152	SEAL,LABYRINTH:RING PACKING	8.00	051	ST
632132	GSKT PRE-CUT :P#1300-S,BONNET,6IN	3.00	051	ST
1043976	BELT: P/N:2405, 6-1,DOC:2405, 2406	1.00	051	SE
616908	SWTCH-FLOW;100-1000CM/SEC,SPST,24V DC,CE	5.00	011	ST
594078	O-RING:APLC SEAL	1.00	051	ST
835749	REACTOR:TYP MAINS CHOKE F.FU	1.00	011	ST
594172	O-RING:ID 30MM,WD 2.65MM,STD DIN 3771	2.00	051	ST
635196	WASHER:CS DIN WN 1.0037,ID 29MM,OD 38MM	1.00	051	ST1
585630	VALVE,RELIEF:TYP OIL,CONN MNPT	1.00	051	ST
580828	PLT-WAL;IVORY; TOGGLE SWITCH,1,CSA; UL	54.00	021	ST
580724	PLATE,WALL:	54.00	021	ST
709860	EXTINGUISHER:FIRE,CAP 2.5G,RT A	4.00	121	EA
144472	PLUG-VLV;STEM ASSY,CONTROL,1IN,SS	1.00	051	EA
868787	CHEMICAL:1,4-DIETHYLBENZENE	1.00	001	BOT
805389	LIGHT,INDICATING:TYP PILOT,VOLTAGE 400V	3.00	021	ST
615284	O-RING:APLC COUPLING	2.00	051	ST
73834	STUD,ALL-THD:DIA 1-1/2IN,200MM LG	11.00	051	ST1
589856	FILTER:TYP REPLACEMENT ELEMENT	3.00	051	ST
587312	KIT,ACTUATOR REPAIR:TYP SEAL	1.00	061	KIT
581970	BOWL:	1.00	111	ST
624323	O-RING:STD AS 568A,APLC STEAM TURBINE	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
594384	PACKING:TYP GLAND	9.00	051	ST
595056	KIT;SLIP RING SEAL	1.00	081	ST
600409	GSKT:	1.00	051	ST
605844	BUFFER:TYP MACHINE,MT STEEL AND RUBBER	2.00	051	ST
1215303	GUIDE,VALVE:VLV STYL REDUCED BORE BALL V	1.00	051	EA
578212	SEAL:	1.00	081	ST
619794	SHIM:	1.00	051	ST1
587486	KIT-VLV-RPR:TYP SOFT PART,APL WAFER CHEC	1.00	051	ST
639708	KIT,VALVE REPAIR:TYP CONTROL	1.00	051	ST1
625536	BREAKER,CIRCUIT:40A,240-415VAC	2.00	011	ST
587622	KIT,VALVE REPAIR:HI-SEAL	1.00	051	KIT
589840	FUSE:	8.00	021	ST
377160	MESH:SZ 1100 X 1400MM,WIRE SZ 1.5MM,MT	1.00	051	ST
624509	PUMP: P/N:RU02676106981103,DOC:405-30357	1.00	081	ST
581657	HOSE:ID 4 X LG 19MM,HIGH PRESSURE	1.00	051	ST
638539	KEY:TYP THRUST COLLAR	2.00	051	ST
615953	BRG:	2.00	051	ST1
599735	GSKT,SPWD:GRAFOIL,SS 316,APLC DISC	1.00	051	ST
590759	SWITCH:	2.00	021	ST
585621	VALVE,SOLENOID:	1.00	051	ST
577759	ASSEMBLY:TYP OVERSPEED SWITCH	1.00	031	ST
614262	GSKT,SPWD:6IN,600LB,SS 304	11.00	051	ST
642847	SEAL:	1.00	051	ST
622358	FUSE:12A	3.00	021	ST
900581	SEAT,VALVE:VLV SZ DN 150,GLOBE SHUT OFF	1.00	051	EA
798332	PLUG,VALVE:VLV SZ 1IN,CONTROL,SS S44004	1.00	051	ST
589323	BLOCK,TERMINAL:ELEC RT 380V,TERMINAL TYP	6.00	021	ST
493996	RING:TYP GREASING CHAMBER	4.00	051	EA
582879	CIRCUIT:TYP SOFTWARE	1.00	031	ST
642735	SEAL:PTFE,APLC BODY	8.00	051	ST
598555	BELT-V;1087MM,10MM,10MM,RUBBER,1100MM	1.00	051	ST
578417	SEAT,VALVE:VLV SZ DN 300,BUTTERFLY,PTFE	1.00	051	ST
1599159	CNTRLR:TYP TEMPERATURE,RNG -20 TO 60DEG	1.00	061	EA
593401	GSKT-SPRL-WUND;200 X 210MM,285 X 398MM	4.00	051	ST
600040	GSKT,SPWD:GRAFOIL,IRID 700MM,SS 316	2.00	051	ST
626390	BREAKER,CIRCUIT:32A,220VAC,INTP CAP 7KA	2.00	011	ST
615320	RING:TYP SPRING	1.00	051	ST1
380913	O-RING, POS.8751-FOR CLAMPING & EXPAND	5.00	051	ST
619662	COUPLING,SHAFT,HALF:JAW FLEXIBLE,FC250	2.00	051	ST
588759	KIT-VLV-RPR:TYP SOFT PARTS,APL GATE,GLOB	1.00	051	ST1
634976	HEATER:TYP AUTO TRACE	34.00	001	M
1046598	VALVE, BALL: VALVE SIZE 100MM,STD ANSI	1.00	051	EA
617646	KEY,SHAFT:TYP PARALLEL	4.00	051	ST
577293	SET:TYP NOX ANALYZER,APLC FIRED HEATER	1.00	081	ST1
643094	GSKT,SPWD:2IN,GRAPHITE,SS 316	1.00	051	ST
1617037	TRNSFRMR-CURNT:PTNTL 10VA,CURNT RT 40/1A	1.00	051	EA
592231	NOZZLE:TYP SINGLE STAGE,CONN MPT	1.00	051	ST
586584	BRG,BALL:ID 3/4IN,ST 2 SHIELDS	2.00	051	ST
631658	SCREW:R 1/8-28BSPIN DIA,GS,THD 28 UNC	4.00	051	ST
609848	GLASS:TYP SAFETY,COLOR CLEAR,SHP ROUND	2.00	121	ST
599327	GSKT,SPWD:T#18344-NA/NON ASBESTOS	2.00	051	ST
905096	GAUGE, PRESSURE: RANGE 0-4BAR	1.00	101	EA
78947	RELAY:COIL 24VDC,4PDT,CONT 240VAC 5A	10.00	051	ST
578340	KIT: TYP HARDNESS TEST,P/N:.11104.0001	1.00	081	ST
635730	SPRING:MT AS JIS G3522 SWPB	1.00	051	ST
621961	THERMOCOUPLE:TYP BEARING TEMPERATURE	1.00	061	ST
615219	HOLDER,FUSE:AMP 30-32A,VOLT 400/600VAC	2.00	021	ST
420853	CIRCUIT:TYP PRE-CHARGING PCU1	2.00	011	ST
643668	BRG,ROLL:ID 25MM,OD 37MM,WD 17MM,TYP	1.00	051	ST
643864	SEAT,VALVE:VLV SZ 2IN	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
582385	CONVERTER:TYP MODBUS	1.00	061	ST
418709	VALVE:TYP PILOT,VLV SZ 4 MM,BDY MATL SS	4.00	081	EA
600311	GSKT,SPWD:GRAPHITE,SS 316,IRMT SS 316	2.00	051	ST
876941	CAGE VLV,VALVE:VLV ST GLOBE,VLV SZ 3IN	1.00	051	EA
969374	THERMOWELL: SHANK STYLE DRILLED	1.00	061	EA
898263	BREAKER,CIRCUIT:630A,380-415/500VAC	1.00	011	EA
642690	SEAT,VALVE:VLV SZ DN 65,GLOBE VALVE	1.00	051	ST
563847	FUSE;250A,690V,DIN 2	1.00	011	EA
1003978	PLATE: TYP ORIFICE,SIZE 2 IN,MATL SS 321	1.00	131	EA
944253	SWTCH-TMPRTUR;190-260°C,6M	1.00	021	EA
599545	GSKT,SPWD:10IN,150LB,T#1836-GR-SS	4.00	051	ST
615321	RING:TYP SPRING	1.00	051	ST1
714841	SWITCH,PRESSURE:TYP ALARM	1.00	061	EA
579188	GAUGE,COMBINATION:0-16BAR,-20 TO 60DEG C	2.00	061	ST
600111	GSKT,SPWD:GRAFOIL,IRID 1700.2MM,SS 316	4.00	051	ST
636889	O-RING:ID 70MM,WD 4MM,MT VITON A	1.00	051	ST
19949	WASHER,LOCK:ID 46MM,OD 68MM,THK 1.5MM	1.00	051	ST
624964	BLOCK,TERMINAL:ELEC TRT 15A	3.00	021	ST
607772	FITTING:TYP STRAIGHT,MT STEEL	4.00	051	ST
593344	GSKT-PRE-CUT;KLINGERSIL C-4409L	2.00	051	ST
613228	FILTER:TYP UNIT CONTROL	2.00	011	ST
588864	UNIT:TYP EARTH FAULT OPTION	1.00	051	ST
614261	GSKT,SPWD:28IN,300LB,GRAPHITE,SS 304	4.00	051	ST
906583	CIRCUIT:TYP MAIN PCB,APLC AIR COMPRESSOR	1.00	011	ST
612608	FIXTURE:	2.00	021	ST
580756	OUTLT-SRVC;SERVICE,1,3,230VAC 16A	4.00	021	ST
607858	INSERT:CARBIDE	30.00	051	ST
612887	RING:TYP THRUST,APLC DRIVE SHAFT	2.00	051	ST
584579	PULLER,FUSE:TYP HANDLE; SAFETY GRIP	3.00	021	ST
637057	VALVE,NEEDLE:	1.00	051	ST
799298	LAMP;INDICATING,220V,GREEN	1.00	021	EA
9102461	SODIUM HYDROXIDE SOL 5 ML	128.00	051	BOT
592595	GSKT PRE-CUT :ID 358 X OD 400 X THK 2MM	1.00	051	ST
594228	PCKG;ID 13.5 X OD 24 X THK 10MM,PTFE	1.00	051	ST
804687	SHOE,BEARING:TYP JOURNAL	2.00	051	SE
901134	TRANSFORMER:TYP TYPE E1250,VA RT 1250VA	1.00	011	EA
1148552	BRNG THRST:MTRL STEEL 6B,P/N:977023	1.00	051	EA
596787	FILTER:TYP TRANSMISSION	1.00	051	ST
619681	COUPLING,SHAFT,HALF:JAW FLEXIBLE,FC250	2.00	051	ST
600582	GSKT PRE-CUT :	1.00	051	ST
587450	KIT-VLV-RPR;SOFT PART	1.00	051	KIT
583278	ROTOR:	1.00	081	ST
618483	BUSH:POLYMER FILTER (NSF)	12.00	051	ST
900658	CONVERTER,FREQUENCY:TYP COMPACT UNIT	1.00	031	EA
618539	CIRCLIP:TYP INTERNAL	7.00	051	ST
616987	CABLE,POWER:TYP HEAT RESISTANCE	2.00	021	M
613361	SEAL-RIG;V SHAPE	2.00	051	ST
889902	O-RING: INSIDE DIAMETER 66.4MM	6.00	051	EA
587902	KIT,VALVE REPAIR:GASKET AND PACKING	1.00	051	KIT
592411	GSKT-PRE-CUT;COVER,ROUND,GRAPHITE	1.00	051	ST
1015065	METER, ELECTRICAL: TYP AMMETER,P/N:EQ96	1.00	101	EA
610575	HEATER:TYP FINNED	1.00	011	ST
623030	METER,ELECTRICAL:TYP VOLT,RNG 0-150V	3.00	101	ST
589395	BREAKER,CIRCUIT:660VAC	1.00	011	ST
601412	O-RING:MT PTFE,APLC SLEEVE	3.00	051	ST
620478	PLATE:TYP END	12.00	131	ST
589826	STRAINER:TYP Y ELEMENT,MT SS 316,30	2.00	051	ST
738098	PLT-WSHR	2.00	051	ST
589821	STRAINER:TYP FILTER ELEMENT,MT SS 316,30	2.00	051	ST
1602645	LOOP:TYP SAMPLE LOOP,GC VALVE,SZ 500MICR	1.00	071	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
629155	NOZZLE, VALVE: VALVE SIZE 1 X D X 2IN	1.00	051	ST
637287	BRG,SLEEVE:TYP DRIVE END/SELF LUBRICATED	1.00	051	ST
589801	THERMOCOUPLE:TYP K,INS DIA 6.4MM,DESLG	1.00	061	ST
1214209	MODULE:TYP DISCRETE I/O,INPUT 24VDC,O/P	2.00	031	EA
578204	KIT,CYLINDER REPAIR:SEAL	1.00	091	ST
617084	RTD:	6.00	101	ST
622546	PUMP:TYP HYDRAULIC	1.00	081	ST
603234	SEAL,MECHANICAL:CARTRIDGE	1.00	900	ST
1205711	SPRING ASSEMBLY:TYP ACTUATOR,P/N:251370,	1.00	051	ASY
662797	FITTING,OUTLET:TYP WELDOLET,RUN SZ 6IN	1.00	051	EA
580753	OUTLET,SERVICE:	6.00	021	ST
633150	THERMOMETER, DIAL: RANGE 0-250DEG C	1.00	101	ST
593019	GSKT-PRE-CUT;ID 546 X OD 660 X THK 9MM	2.00	051	ST
590692	SWITCH,SELECTOR:TYP MANUAL TEST	1.00	021	ST
644546	GSKT PRE-CUT :ID 508 X OD 528 X THK 3MM	1.00	051	ST
591741	STUD CNTNS THD:DIA 1-3/8IN,THRD 8 UN,LG	7.00	051	ST
968195	SCREW, MACHINE: MATL CS ASTM A307,GRD A	4.00	051	ST
924388	VALVE,GLOBE:VLV SZ 1/4IN,DES RTG 800LB	2.00	051	ST
9102415	VALVE,ISOLATION,DN20PN40,FOR 6300-V23	1.00	051	ST
637211	KIT-VLV-RPR:TYP SOFT PART,APL MOTOR OPER	2.00	051	KIT
606777	SCREW,CAP:M6 DIA,16MM LG,MT STEEL ZINC	26.00	051	ST
1024326	KIT, SEAL: TYP GASKET/ORING,APPL PUMP	1.00	051	EA
642407	CONE:	1.00	051	ST
589386	BRKR-CRCUT;220/250VAC; 125VDC,DIN RAIL	1.00	011	ST
585223	FLOAT:TYP LITTLE,MT SS 316/RUBBER	2.00	061	ST
592524	GSKT-PRE-CUT;ID 36 X OD 44 X THK 1MM	1.00	051	ST
600619	GSKT:ID 62 X OD 85MM,THK 12MM,ROUND	1.00	051	ST
608436	CEL;PRECISION	2.00	011	PAA
618253	CRCUT;ABM RECTIFIER	3.00	011	ST
1023605	GSKT, SPWD: NOMINAL FLANGE SIZE 1 IN	2.00	051	EA
591130	CAPACITOR:TYP FIXED	1.00	031	ST
620413	O-RING SET:APLC PRESSURE RELIEF VALVE	2.00	051	ST
583299	SHAFT,PUMP:AS	1.00	051	ST
484443	O-RING:ID 2-3/4IN,WD 1/8IN,MT NBR	1.00	051	EA
583108	LIGHT,INDICATING:TYP SYNCHRONISING	12.00	021	ST
600718	GSKT,SPWD:1-1/2IN,600LB,GRAPHITE	4.00	051	ST
637586	KIT,VALVE REPAIR:BUTTERFLY VALVE,HI-SEAL	1.00	051	KIT
1048690	KIT, SEAL: TYP GASKETS AND O-RINGS	2.00	051	KIT
641887	SENSOR:TYP TEMPERATURE	1.00	011	ST
644368	BOLT,MACH:M12,LG 40MM,GS,1.75MM,HD HEX	3.00	051	ST
167871	NUT:TYP STEM,P/N:74-523-0014,MNFR:VELAN	4.00	051	EA
963519	ADJUSTER: MNFR:MILTON ROY COMPANY	1.00	051	EA
578810	WINDOW:	1.00	131	ST
620002	GSKT PRE-CUT :THK 1.5MM,ASBESTOS V#1500	15.00	051	ST
602571	RING,WEAR:	1.00	081	ST
588041	KIT-VLV-RPR:TYP SOFT PARTS,CMPRSNG GASKE	2.00	051	ST1
9102334	SCREW,HEXAGON SOCKET HEAD CAP,(TO BE DEL	443.00	051	ST
588979	FILTER,ELEMENT:SS 304,SCREEN	1.00	051	ST
630946	REGULATOR, PNEUMATIC: TYP PRESSURE	1.00	061	ST
631213	PLUG:FILTER	2.00	051	ST
592276	NIPPLE:TYP GREASE FITTINGS	15.00	051	ST
1586377	GSKT-SPRL-WUND:TYP BASIC WITH INNER AND	11.00	051	EA
587850	KIT,PUMP REPAIR:TYP SEAL	2.00	081	KIT
1247363	GSKT PRE-CUT :TYP RAISED FACE,SIZE ID 11	3.00	051	EA
579733	FILTER,BAG:DIA 7 X LG 43IN,POLYESTER	1.00	051	ST
635011	DOWEL: MATL MONEL K500,DOC:P/L16478	1.00	051	ST1
607864	INSERT:CARBIDE	12.00	051	ST
624077	HEATER,SPACE:RT 220VAC 100W 60HZ	2.00	011	ST
590011	FUSE:	3.00	021	ST
625038	SEAT,VALVE:VLV SZ 3IN,CONTROL	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
611815	SWITCH,DISCONNECT:1000A,PANEL	1.00	011	ST
586964	DISC,BRAKE:	1.00	051	ST
590932	TRANSFORMER,INSTRUMENT:VA RT 1KVA	1.00	011	ST
629587	FILTER,ELEMENT:60MESH,SS 304,STRAINER	2.00	051	ST
604481	RTD:TYP SINGLE PT100,TEMP R -40 TO 150	1.00	101	ST
625270	BLCK-TRMNL;(6) BOLTED,3	2.00	021	ST
600159	GSKT-SPRL-WUND:TYP BASIC WITH OUTER RING	5.00	051	ST
580761	ROD:TYP PLATE CONTACT	1.00	131	ST
592866	GSKT PRE-CUT :ID 33 X OD 43 X THK 3MM	2.00	051	ST
612223	AMPLIFIER:TYP SWITCHING	1.00	031	ST
642496	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
642122	GSKT SET:	1.00	051	ST
643236	LATCH:	1.00	091	ST
570811	FUSE:50A,660V,WD 30 X LG 80 X HT 53	4.00	021	EA
1232967	ASSEMBLY:TYP FASTENER,APPL SIEVE TRAYS,D	15.00	081	ASY
600262	GSKT,SPWD:8IN,600LB,GRAPHITE	1.00	051	ST
638004	COLUMN:TYP CAPILLARY SCRIBER	1.00	101	ST
624465	STUD CNTNS THD:MTRL AS ASTM A193,MTRL GR	15.00	051	ST
624511	GLASS,SIGHT:	1.00	101	ST
1039883	GSKT PRE-CUT : MATL KLINGERSIL C4500	1.00	051	EA
838848	STUD CNTNS THD:TYP SHELL CLOSURE,DIA 5/8	10.00	051	ST
612550	GUARD:APLC LIGHTING FIXTURE	2.00	121	ST
1008182	ELBOW, PIPE: SIZE 1IN,MATL SS ASTM A403	4.00	051	EA
612313	SWTCH-PRSUR;OIL	4.00	061	ST
1084970	KIT, VALVE REPAIR: DOC:339-0023-000	1.00	051	KIT
1223724	POWER SUPPLY:TYP COMPACT SWITCHED MODE,I	1.00	021	EA
605776	TRNSFRMR;AUXILIARY,7VA,220V AC,SINGLE	1.00	011	ST
596477	BSKT-STRNR;DIA 14 X LG 35MM,SQ 24MM	1.00	051	ST
79286	BLOCK,CONTACT:TYP AUXILIARY	2.00	021	ST
636345	GSKT-SPRL-WUND;T#1806-GR,1IN,ROUND	1.00	051	ST
612055	BREAKER,CIRCUIT:1.8 - 2.5 A,400V 60HZ	1.00	011	ST
619873	SEAL,OIL:TYP DE	1.00	051	ST
625549	BREAKER,CIRCUIT:10A,POLE 4	1.00	011	ST
622035	SWITCH,SAFETY:600/690VAC 20/25A,TYP MAIN	2.00	011	ST
954399	FITTING, OUTLET: TYPE NIPOLET	2.00	051	ST
642846	BRG-RLR	1.00	051	ST
1086693	SET: TYP PACKING AND GASKET,STD ASTM	3.00	081	SE
644439	NUT,HEX:DIA 24MM,GS,HT 25MM,THD 3MM	4.00	051	ST
639723	KIT,VALVE REPAIR:CONTROL	2.00	051	ST1
1087696	DIAPHRAGM, VALVE: VALVE SIZE 3.5IN	1.00	051	EA
631597	NUT,CAP:DIA M12,THD 1.75MM,DIN 1587-5	12.00	051	ST
615548	NUT,LOCK:SS ASTM A276/JIS G4305,GRUB	2.00	051	ST
748253	ACTUATOR:APLC VALVE,OPER HAND	1.00	061	ST
602538	RING,WEAR:SS ASTM A473 TP 420	1.00	081	ST
599702	GSKT JKTD:ID 1166 X OD 1216 X THK 3MM	9.00	051	ST
642876	SEAL:	1.00	051	ST
626588	KIT-SEAL;DRIVING SHAFT	2.00	051	ST1
1049710	KIT-SEAL:TYP REPAIR,APL MECHANICAL SEAL	1.00	051	EA
642899	BRG,ROLL:ID 35MM,OD 80MM,WD 21MM,ROW	1.00	051	ST
639467	STEM,VALVE:VLV ST PRESSURE AND RELIEF	1.00	051	ST
597270	STEM-VLV;RELIEF,DIA 2-1/2 X LG 39IN,20IN	1.00	051	ST
1609670	PAD:TYP SET OF 25 PIECES FOR QUARTZ CRUC	1.00	900	ST1
603123	SEAL,RING:MT SS-DSA	4.00	051	ST
592621	GSKT-PRE-CUT;VESSEL,ROUND	2.00	051	ST
625351	RELAY:COIL 110VAC 50/60HZ,4PDT	2.00	900	ST
903174	DISC:RESILIENT PRELOADING	2.00	051	EA
597532	VLV-CHCK;NON RETURN,DN 50	1.00	051	ST
624870	COIL,ELECTRICAL:TYP INDUCTOR	1.00	011	ST
624876	TIMER SUPERSEDED BY 7276465	2.00	101	ST
626699	RELAY,OVERLOAD:	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
587046	GSKT PRE-CUT :SS 316/GRAPHITE,ROUND	3.00	051	ST
805301	RGNT:TYP SULFAVER 4,TRD NM SULFAVER 4,CN	4.00	001	PKG
1610585	FRUL:TYP FRONT,SZ DIA 1/8 X LG 0.25IN,MT	4.00	051	EA
799966	KIT-ACTUTR-RPR;OVERHAULING	2.00	061	SE
826019	MODULE:ANALOG INPUT	1.00	031	ST
1188251	ASSEMBLY: , TYP HUB TUBE	2.00	081	ASY
600731	GSKT-PRE-CUT;FF,14IN,ROUND,EPDM,150LB	10.00	051	ST
583797	MODULE:	22.00	031	ST
596126	HANDLE:TYP STEAM WASHER,MT PLASTIC HARD	1.00	101	ST
590633	SWTCH-TGL:CNTCT RTNG 250 VAC; 20 A,SZ WD	1.00	021	ST
582854	TRANSDUCER:TYP CURRENT TO PRESSURE,I/P	1.00	061	ST
1554380	BATTERY,STORAGE:AMP HOURS 10AH,TYP VALVE	2.00	011	EA
1080636	GSKT: SIZE ID 400 X OD 437MM,TYP BASIC	1.00	051	EA
681795	TUBE,VENTURI:MT AL	12.00	051	EA
610547	PULY-V-BELT	2.00	051	ST
587509	KIT-VLV-RPR:TYP SOFT PART,APL WAFER CHEC	1.00	051	ST
802909	PACKING:ID 30 X OD 46 X THK 8MM,GRAPHITE	1.00	051	ST
603314	SPIDER,COUPLING:MT CR	2.00	051	ST
1602176	SNSR-CURNT;DC,205A,10V;PN:OP6282B	1.00	011	EA
738716	RAM:TYP VALVE	1.00	061	ST
1009706	BELLOWS: TYP PRESSURE RELIEF VALVE	1.00	051	ASY
580081	LIGHT,INDICATING:TYP PILOT	3.00	021	ST
624016	FUSE:5A,250VAC	10.00	021	ST
590835	SWITCH,SELECTOR:TYP KEY,SPDT	1.00	021	ST
905138	BOX,ELECTRICAL:TYP TERMINAL	1.00	021	EA
615023	ELBW-PIPE;OD 219.1 X THK 3MM,BW,45,LONG	1.00	051	ST
593210	GSKT PRE-CUT :ID 43 X OD 55 X THK 2MM	2.00	051	ST
612890	RELAY:	2.00	011	ST
593718	O-RING:ID 13.3MM,WD 2.4MM	6.00	051	ST
602178	PACKING:RECTANGULAR,TYP GLAND	10.00	051	ST
636393	FLOAT:TYP LEVEL SWITCH	1.00	061	ST
1210488	SLEEVE:TYP SPACER,SIZE ID 60 X OD 85 X L	1.00	051	ST
909558	NOZZLE:TYP SELECTABLE GALLONAGE	19.00	051	EA
737130	SPINDLE:TYP VALVE,MT 1.4462 / ALLOY 2205	1.00	101	ST
581526	MODULE:PWR S 600VAC 125A 3 PH	3.00	031	ST
587772	KIT-VLV-RPR:CMPSNG BEARING; O RING; OIL	2.00	051	KIT
598547	BELT;WD 13 X LG 355MM	10.00	051	ST
591579	PIN:DIA 5/16IN,LG 3-1/4IN,BRASS,DRIVE	1.00	051	ST
166428	O-RING:ID 53.64MM,WD 2.62MM,MT VITON A	3.00	051	EA
642749	SEAL:DN 65,PTFE,APLC BODY	8.00	051	ST
586613	BELT,TOOTHED:TYP HTD	1.00	051	ST
734707	SPCR:TYP GEAR,MTRL STEEL,P/N:2190071006	1.00	051	EA
902315	SWITCH,SELECTOR:2NO,2,KEY,DIA 22MM	2.00	021	EA
588772	KIT,PUMP REPAIR:APLC PUMP	1.00	081	ST1
583058	LIGHT,INDICATING:COLOR AMBER	2.00	021	ST
644637	FIXTURE,HID LIGHTING:TYP INDUSTRIAL,TUN	3.00	021	ST
607592	COUPLING:	1.00	051	ST
1024821	INDICATOR: TYP REMOTE SIGNAL	1.00	061	EA
616567	BLOCK,TERMINAL:	2.00	021	ST
602119	PACKING:V#2630/BUNA-N DUCK,V SHAPE ROUND	2.00	051	ST
587417	KIT,PUMP REPAIR:TYP KOP	1.00	900	KIT
611295	VARISTOR:	3.00	031	ST
625489	RELAY,OVERLOAD:12.5-20A,1NO-1NC,THERMAL	2.00	011	ST
615161	TOOL:TYP SHAFT LOADING	1.00	101	ST
582748	SENSOR: TYP VARIABLE PRESSURE,DOC:480	3.00	011	ST
589811	DETECTOR:TYP THERMOELEMENT	5.00	101	ST
595250	SEAL,OIL:ID 38MM,OD 52MM,WD 22MM	2.00	091	ST1
717359	CIRCUIT:TYP RESOLVER BOARD,APLC ACTUATOR	2.00	091	EA
1225937	CONE:TYP HORIZONTAL / BI-DIRECTIONAL,STD	1.00	051	EA
642773	RING:TYP STUFFING BOX	7.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
580603	SHFT;30MM,1200MM,SS DIN WN 1.4571	1.00	051	ST
580399	SHAFT:	1.00	051	ST
916775	CRCUT;HOUSE KEEPING ASSEMBLY;PN:1210903	1.00	021	EA
611838	BREAKER,CIRCUIT:16A	1.00	011	ST
1035610	KIT,SEAL:TYP REPAIR,APPL MECHANICAL SEAL	1.00	051	EA
1250657	DIAPHRAGM,VALVE:MATL NR-POLYAMIDE FABRIC	1.00	051	EA
590518	BREAKER,CIRCUIT:6-10A,230-690VAC	1.00	011	ST
600930	O-RING:ID 106MM,WD 2.56MM	1.00	051	ST
612860	FIXTURE:TYP WITH EMERGENCY UNIT	1.00	021	ST
514379	LIGHT,INDICATING:TYP INCANDESCENT	3.00	051	ST
603791	SLEEVE:TYP PLUG VALVE	2.00	051	ST
604122	BRKR-CRCUT;2A,415V AC,6KA,2,RAIL,VDE	1.00	011	ST
590072	FUSE;FAST ACTING,160A,660VAC; 450VDC	6.00	021	ST
271892	ACLRMTR:TYP COMPRESSOR UNIT,FRQ 100MV,P/	9.00	061	EA
600101	GSKT,SPWD:GRAPHITE,OR OD 49IN,SS 321	1.00	051	ST
613225	AMPLFR;LIMIT SWITCH	1.00	031	ST
562348	GSKT,SPWD:8IN,150LB,PTFE,IRID 215.9MM	6.00	051	EA
616710	HOLDER,FUSE:	2.00	021	ST
602529	SEAL,RING:MT NBR,TYP PISTON ROD	6.00	051	ST
600759	GSKT PRE-CUT :	2.00	051	ST
616744	TRANSFORMER,INSTRUMENT:VA RT 100VA	2.00	011	ST
639311	SPRING,VALVE:SS 316/SS 304	2.00	051	ST
602958	SEAL,MECHANICAL:2-1/2 X 2-1/4IN	1.00	900	ST1
588955	FILTER,ELEMENT:SS 304,STRAINER SCREEN	1.00	051	ST
357992	O-RING, DIN 3771- 140.00X 3.55-N-EPDM 70	6.00	051	ST
593468	GSKT:THICKNESS 2MM,SIZE ID 280 X OD 310M	1.00	051	ST
622842	MTR-FLOW;POSITIVE DISPLACEMENT	1.00	101	ST
561763	SPINDLE:TYP PRESSURE SAFETY/RELIEF VALVE	1.00	101	EA
595303	GSKT PRE-CUT :KLINGER C-4400,SEALING	5.00	051	ST
616593	RLY;110V DC,4PST,230-690VAC 6-1/10A	2.00	011	ST
610654	BELT-V	8.00	051	ST
612120	FUSE:63A,7.2KV,FUSARC	3.00	021	ST
623053	SOCKET,ELECTRICAL:	2.00	021	ST
1605757	GSKT-KIT-INSULTG:TYP FLANGES ISOLATION,N	2.00	051	KIT
578416	SET:TYP GLAND PACKING	2.00	081	ST1
724765	O-RING:APLC PRESSURE SAFETY VALVE	2.00	051	ST
9102164	BEARING,COVER,UPPER SIDE,PART#360.10 (MA	1.00	051	EA
634953	CHEMICAL:1,3,5-TRIMETHYL BENZENE	1.00	001	BOT
612272	PACKING:GRAPHITE,TYP RING	3.00	051	ST1
606350	NUT,HEX:DIA M20,GR 17H,THD 1.5MM	6.00	051	ST
628820	O-RING:APLC MOTOR OPERATED VALVES	2.00	051	ST
1000709	HOLDER, FUSE: FUSE STYLE CYLINDRICAL	10.00	021	EA
627985	PLUG,VALVE:VLV SZ 4IN,CONTROL,UNS S31600	2.00	051	ST
900644	CONTACT, AUXILIARY: TYP SIGNAL,SUPPL:ABB	1.00	011	EA
573357	SEAT,VALVE:VALVE TYPE GLOBE CONTROL,VALV	1.00	051	EA
590925	TRNSFRMR-INST;CURRENT,1/0.025A	2.00	011	ST
639483	WASHER:SS 410	2.00	051	ST
604853	FUSE:315A,500VAC,BLADE,FAST BLOW	2.00	021	ST
627381	HOLDER,LAMP:TYP SOCKET/RECEPTACLES	2.00	021	ST
578181	KIT-CYLNDR-RPR;SEAL	1.00	091	ST
592065	COUPLING:	2.00	051	ST
1555461	TEE,PIPE:SIZE 4 X 3IN,CNCT BW,MATL SS AS	1.00	051	EA
603330	CABLE:TYP BRAKE,SZ DIA 2 X LG 1045MM,MT	2.00	021	ST
580928	VALVE,CONTROL:	2.00	051	ST
597297	BSKT-STRNR;SS	1.00	051	ST
653204	GSKT,SPWD:SPIRAL	6.00	051	EA
599322	GSKT PRE-CUT :T#1995 NON ASBESTOS	2.00	051	ST
1586825	JNT-EXPNSN:TYP FABRIC,SZ A=302; B=508MM	4.00	051	EA
639371	SPRING,VALVE:SS 316/SS 304	2.00	051	ST
602285	PACKING:MT NBR	1.00	081	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
624487	VALVE,RELIEF:TYP SAFETY	1.00	051	ST
578605	UNIT:TYP END OF LINE TERMINATION,APLC F	14.00	061	ST
641203	RING:TYP HOLDING AND PACKING	1.00	051	ST1
602360	PACKING:IRREGULAR ROUND,TYP REAR	2.00	051	ST
585716	VALVE,RELIEF:TYP PRESSURE	1.00	051	ST
638197	RING,RETAINING:TYP SNAP	1.00	051	ST1
616460	UNIT:TYP HYDRAULIC	1.00	900	ST
591469	NUT,HEX:	4.00	051	ST
582147	FRAME:SZ WD 20 X LG 55MM,MT GS	10.00	051	ST
602309	PACKING:PTFE,SQUARE	3.00	051	ST
613233	TRNSMTR-DFRNTL-PRSUR;6-60MEGBAR G	1.00	061	ST
634038	DISPLACER: TYP LEVEL,SIZE LG 356MM	1.00	061	ST
632606	TRANSMITTER,PRESSURE:0.14-14MPA	2.00	061	ST
628127	SPACER:TYP PACKING,MT FLEXIGRAPH	2.00	051	ST
587475	KIT-VLV-RPR:TYP SOFT PART,APL WAFER CHEC	1.00	051	ST
759685	GSKT:ID 338 X OD 350MM,FLAT RING	4.00	051	ST
581061	PLUG,ELECTRICAL:110-130VAC 16A,P 2	12.00	021	ST
612040	SWTCH-SLCTR;CAM,2,THUMB KNOB	2.00	021	ST
588647	KIT:TYP GOVERNOR END BEARING	1.00	081	ST1
590140	FUSE:600A,250VAC,DIA 2.6 X LG 8IN	2.00	021	ST
643626	PACKING:U	2.00	051	ST
587227	KIT,VALVE REPAIR:SEAL	1.00	051	ST1
707664	MODULE:TYP POWER ADAPTER	2.00	021	EA
639753	KIT,VALVE REPAIR:CONTROL	1.00	051	ST1
619253	SHIM:TYP DISC	1.00	051	ST
608478	BAFFLE:TYP OIL	1.00	081	ST
588201	PLUG,VALVE:VLV SZ 2IN,GLOBE,SS 316	2.00	051	ST
599721	GSKT JKTD:SHP ROUND	1.00	051	ST
626589	SOLENOID VALVE,220V 60HZ, CAT:SC-B262C00	1.00	051	ST
514438	PLATE:TYP HIGH THETA CHANNEL,TITANIUM	1.00	900	ST
9102376	BUSH, B (TO BE DELETED REF.RTSNI 1347)	1.00	051	ST
578571	UNIT:TYP KEYPAD	1.00	051	ST
627944	SCREW,SET:GR A2	2.00	051	ST
616542	UNIT:TYP RELAY INTERFACE	1.00	051	ST
612378	HEAD,PUMP:PUMP DOSING	1.00	900	ST
628365	ACTUATOR:TYP ELECTRIC,RT 300LB	1.00	061	ST
624463	GSKT PRE-CUT :ROUND	2.00	051	ST
642919	O-RING:APLC UPPER SHAFT	10.00	051	ST
603969	BIT,MASONRY:TYP DRILL, SZ DIA 16MM,SHANK	15.00	101	ST
1068129	MDUL;BUS,ELE 24V,CHOCK CHANGER	2.00	031	ST
9102391	NIPPLE,DOUBLE, 1/2"-340, FOR 6116-Y11	7.00	051	ST
619589	SPACER:MT SS 316	1.00	051	ST
898199	BREAKER,CIRCUIT:100-125A,415VAC	1.00	011	EA
1045256	CONTACTOR: TYP AC OPERATED,AMPERAGE 45A	1.00	011	EA
118378	GSKT,SPWD:T#1804R,SS,SHP ROUND,BASIC	2.00	051	EA
618920	BRKR-CRCUT;2KA,2	1.00	011	ST
587419	KIT:TYP REPAIR	1.00	081	ST
601998	O-RING:ID 2.734IN,WD 0.139IN,MT BUNA-N	1.00	051	ST
59711	REDUCER,PIPE:SZ 4 X 3IN,BW,CS ASTM A234	1.00	051	ST
1610118	GSKT-PRE-CUT:TYP FLAT FACE, SZ ID 33.3 X	1.00	051	EA
588203	KIT-VLV-RPR:TYP SOFT PART,APL CONTROL,CM	2.00	051	ST
284381	BRG-SLV:TYP BUSHING; STRIP, LG 64MM,P/N:6	1.00	051	EA
946848	DISC,VALVE:SS ASTM A276,304	3.00	051	EA
595876	INDICATOR:TYP TEMPERATURE CONTROLLER,SZ	1.00	031	ST
596067	GUIDE,VALVE:VLV ST CONTROL	1.00	051	ST
600898	GSKT PRE-CUT :	17.00	051	ST
631198	MODULE:TYP ANALOG INPUT	1.00	011	ST
595674	ROD,BRAZING:DIA 2.4MM,MT BRASS,BOX 5KG	20.00	051	KG
831764	HOLDER,VALVE DISC:VLV ST SAFETY RELIEF	1.00	051	EA
590911	TRANSFORMER:VA RT 700VA,PRIM V 220VAC	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
877850	SHIM;SPACER,0.13MM,5	8.00	051	EA
602517	RING,RETAINING:SNAP	2.00	051	ST
640591	SWITCH,PRESSURE:0.25-1.6BAR,110/250VAC	1.00	061	ST
616702	SWITCH,SELECTOR:TYP INTER TRIP CONTROL	1.00	021	ST
373546	O-RING, DIN 3771- 180.00X 6.00-N-EPDM 70	7.00	051	ST
793896	ROTOR:TYP BRAKE,APLC HOIST MOTOR	2.00	081	EA
604192	BRUSH,ELECTRICAL:TYP STARTER (-)	2.00	021	ST
1228564	GSKT:TYP DUMMY CROSS GUIDE COVER,APPL RE	2.00	051	EA
595278	SEAL:	2.00	051	ST
606583	RIVET,BLIND:TYP POP,DIA 3.2MM,LG 0.390IN	4,000.00	051	ST
943180	CIRCUIT:TYP FIRING CONTROL BOARD	1.00	011	ST
9102417	SWITCH, PUSH BUTTON TYPE 8703, STAHL MAK	2.00	051	ST
644169	CHEMICAL:POTASSIUM IODIDE,POWDER,BOTTLE	1.00	001	KG
625245	DETECTOR:TYP TEMPERATURE	2.00	101	ST
605634	SWTCH-TGL;SPDT,1NO-1NC,3 SOLDER PIN	1.00	021	ST
644611	THERMOCOUPLE:INS DIA 5MM,DESLG 36MM	1.00	061	ST
1022919	PIN: TYP HYDRAULIC CYLINDER,P/N:SLP60531	1.00	051	ST
629184	NOZZLE,VALVE:MT SS ASTM A276 GR 316L	1.00	051	ST
85189	GSKT,SPWD:T#1806,SHP ROUND,BASIC	1.00	051	ST
419180	O-RING:ID 29.7 MM,WD 3.5 MM	4.00	051	EA
830252	REACTOR:TYP ASSEMBLY	1.00	011	ST
636959	GSKT PRE-CUT :THK 3MM,V#6501,6IN	1.00	051	ST
578300	KIT,VALVE REPAIR:	2.00	051	ST
604321	CONTACTOR:TYP MOTOR,AMP 42A,3 POLE	1.00	011	ST
618233	WASHER:ID 34.5MM,OD 52MM,THK 2MM,A2-70	8.00	051	ST
597557	VALVE,SOLENOID:	1.00	051	ST
576993	UNIT:TYP LIMIT INTERFACE SWITCH	1.00	051	EA
594638	RING,LANTERN:ID 340MM,OD 360MM,THK 35MM	2.00	081	ST
672696	DIAPHRAGM:TYP PUMP,MT PTFE	1.00	051	EA
637546	KIT:TYP FLOW METER	1.00	081	ST
616005	GSKT PRE-CUT :NOVUS,RF,20IN	1.00	051	ST
615580	RETAINER:TYP OIL RING,MT CS ASTM A283 GR	1.00	051	ST
951997	WASHER:SPRING	1.00	051	ST
1551801	VALVE,CHECK:TYP BALL,VALVE SIZE 3/4IN,DS	4.00	051	EA
9101832	REPAIR KIT	13.00	051	ST
85192	GSKT,SPWD:T#1804,SHP ROUND,BASIC	2.00	051	ST
905203	VALVE,CONT:SZ DN 80,DES RTG 150LB	1.00	051	EA
585193	FLTR-BAG;WATER	2.00	051	ST
597647	VALVE,SOLENOID:	1.00	051	ST
876953	CAGE VLV,VALVE:VLV ST GLOBE	1.00	051	EA
578203	KIT:TYP AIR MOTOR SEAL	1.00	081	ST
642683	RING:PTFE/TFM 4220,TYP ANTISTATIC	8.00	051	ST
13070	TAPE:TYP LEVEL GAUGE READING,MT SS 316	2.00	001	ST
637074	OIL,INDUSTRIAL:TYP LUBRICANT,TRADE NAME	205.00	001	L
766707	BREAKER,CIRCUIT:2.5A,460VAC	1.00	011	ST
599438	GSKT,SPWD:PTFE,SS 316,APLC CASING	1.00	051	ST
593084	GSKT PRE-CUT :SQ 70 X THK 5MM,CORK	2.00	051	ST
585001	DISC-VLV;V4A,200MM,SAFETY AND BUTTERFLY	1.00	051	ST
612671	CAPACITOR:TYP FIXED,CAPCIT 8MICRO F	5.00	031	ST
626972	BLOCK,CONTACT:TYP AUXILIARY	7.00	021	ST
628621	RETAINER:TYP SEAL RING	1.00	051	ST
608882	FLASK:TYP VOLUMETRIC,CAP 20ML,MT	5.00	071	ST
972810	RING: MATL EK 305/SS DIN WN 1.4057	1.00	051	SE
643909	FLOAT:SZ DN 6IN,MT HATELLOY ASTM B575	1.00	900	ST
930029	KIT, VALVE REPAIR: TYP REPLACEMENT	1.00	051	EA
609457	SYRINGE:TYP MICROVOLUMETRIC FIXED NEEDLE	9.00	071	ST
9101894	SLEEVE, MECHANICAL SEAL MATL: SUS 403	1.00	051	ST
602910	RIG-RTNG	1.00	051	ST
588637	BOLT,MACH:	1.00	051	ST1
804364	RING,WEAR:ID 180MM,OD 220MM,THK 30MM	2.00	081	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
868027	O-RIG;104.5MM,2MM,NBR,METERING PUMP(LE)	1.00	051	EA
1051530	REGULATOR,PNEUMATIC:TYP AIR FILTER,INLET	1.00	061	EA
595293	SEAL:VALVE EXHAUST	6.00	051	ST
643743	BRG-BAL;12489,35MM,72MM,23MM,OPEN,DOUBLE	1.00	051	ST
591949	BUSH:TYP THROTTLE,MT STEEL	1.00	081	ST
599732	GSKT,SPWD:GRAFOIL,SS 316,APLC BOTTOM	1.00	051	ST
189028	BRG, BALL: INSIDE DIAMETER 35MM	1.00	051	ST
633114	VALVE:TYP LOCK UP,DES RTG 5-100PSIG	1.00	051	ST
595724	SHIM:	2.00	051	ST
642477	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
592460	GSKT PRE-CUT :ID 86 X OD 99 X THK 0.5MM	2.00	051	ST
1085322	KEY, SHAFT: TYP OUTPUT,MATL S40C	2.00	051	EA
642368	UNIT:TYP STRAIN RELIEF	12.00	051	ST
825438	BRG: SIZE SHAFT 45MM,STYL ROUND	2.00	900	ST
631106	PROBE:TYP SPEED	1.00	061	ST
634023	TUBE:TYP ENCLOSING	3.00	131	ST
640510	TRANSMITTER,DIFF.PRESS.:TYP ELECTRONIC	1.00	061	ST
621035	SWITCH,LIMIT:	9.00	061	ST
343156	CBL-ELECT;4 CORE FINE STRANDED CU,6MM2	1.00	021	M
1548359	MTR-FLOW:TYP TURBINE,RNG 67-668M3/HR,CNC	1.00	061	ST
606040	RESISTOR:33OHM	2.00	031	ST
630868	RELAY:TYP CONTACTOR CONTROL	1.00	011	ST
601222	GSKT:	1.00	051	ST
609768	CAM:TYP DOOR LIMIT,APLC ELEVATOR	1.00	051	ST
578622	UNIT:TYP EXTENSION	1.00	051	ST
594923	RING:RUBBER	10.00	051	ST
186721	O-RIG;MISC,HOUSING	4.00	051	ST
612857	FIXTURE:TYP WITH EMERGENCY UNIT	1.00	021	ST
585784	VALVE,GLOBE:VLV SZ 3/4IN,DES RTG 800LB	3.00	051	ST
622342	OPERATOR,SWITCH:TYP STOP PUSHBUTTON,COL	2.00	021	ST
593024	GSKT-PRE-CUT;ID 25 X OD 114 X THK 5MM	4.00	051	ST
1198831	FLANGE,PIPE:SCHDL 20S,TYP RAISED FACE,SI	1.00	051	EA
9101824	SHAFT SEAL KIT 100 MM DIA.	1.00	051	SE
616662	SWITCH,PUSHBUTTON:240-500VAC 8-4A,SPDT	2.00	021	ST
627672	HOLDER,FUSE:1P,AMP 63A,VOLT 380V	2.00	021	ST
634258	STEM,VALVE:VLV ST PLUG,VLV SZ DN 3IN,MT	1.00	051	ST
596473	FLTR-ELMNT;BASKET,SS WIRE CLOTH	1.00	051	ST
600391	GSKT:	1.00	051	ST
260093	BRKR-CRCUT;2.5A,400/690V AC,3,CL 10	1.00	011	EA
578326	KIT:TYP JOINT REPAIR	3.00	081	KIT
508538	GUG-DFRNTL-PRSUR;0-25MM WC,FNPT 1/8IN	1.00	061	EA
1038463	BUSH: SIZE ID 39 X OD 61 X LG 12MM	2.00	051	ST
931036	BELLOWS: TYP ASSEMBLY	1.00	051	ST1
1027245	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,THRD U	4.00	051	ST1
643729	TIP:MT BRONZE	2.00	101	ST
604178	SET:TYP ELECTRICAL BRUSH	3.00	021	ST
1003915	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
68025	BRG,BALL:IBI 10403,ID 12MM,OD 28MM	17.00	051	ST
584402	SCALE:TYP AMMETER FRONT PLATE	2.00	051	ST
587035	KIT:APLC STEAM CONTROL FLARE SYSTEM	1.00	081	ST
583691	MODULE:TYP MOTHER BOARD	1.00	011	ST
930353	KEY,SHAFT:MT SS ASTM A240 GR 316 L	1.00	051	ST
783864	CIRCUIT:TYP FRONT PANEL KEY BOARD	1.00	051	EA
1215349	UNIT:TYP SYSMAC CS1W,APPL PLC,MTRL SI,ST	1.00	051	EA
898190	BREAKER,CIRCUIT:400A,380-415/500VAC	1.00	011	EA
618071	BRG-BAL;12459,35MM,72MM,17MM,SEAL,SINGLE	2.00	051	ST
639739	KIT-VLV-RPR:TYP CONTROL,CMPSNG BODY GAS	1.00	051	ST1
901133	TRANSFORMER:TYP TYPE E1000,VA RT 1KVA	1.00	011	EA
607854	INSERT:CARBIDE	30.00	051	ST
612874	BUSH:TYP SUCTION BELL	2.00	081	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1594077	GSKT-SPRL-WUND:TYP BASIC WITH OUTER RING	2.00	051	EA
627684	FUSE:25A,500V	6.00	021	ST
616925	LIGHT,INDICATING:TYP PILOT	2.00	021	ST
798323	PLUG,VALVE:VLV SZ 3IN,CONTROL,SS 316	1.00	051	ST
1024934	CAGE, VALVE: VLV STYL CONTROL	1.00	051	EA
640567	ELECTRODE:MT SS 316	2.00	051	ST
930692	THERMOWELL:DRILLED BARSTOCK,150MM	1.00	061	EA
626451	O-RING:	2.00	051	ST
596740	FILTER,ELEMENT:SZ ID 45 X OD 122 X LG 2	3.00	051	ST
642936	SCRW;16 X 18MM,SCREW,SS	2.00	051	ST
583214	COLLAR:TYP SHAFT,MT CEMENTED CARBIDE/WC	3.00	051	ST
605200	RLY-CNTRL;PHASE FAILURE/IMBALANCE,RAIL	1.00	031	ST
602105	PACKING:GRAPHITE,P#6610 AND P#6315	2.00	051	ST1
625041	GAUGE,PRESSURE:0-60PSI,NPT 1/8IN	1.00	101	ST
640592	SENSOR:TYP CONDUCTIVITY	1.00	011	ST
952570	VALVE,CHECK:TYP SWING DISC,VLV SZ 8IN	1.00	051	EA
631604	WASHER,PRESSURE CLEANING:PRESSURE	7.00	051	ST
619823	BLOCK,TERMINAL:TERM (6) BOLTED,CIRCUIT 3	4.00	021	ST
604097	BREAKER,CIRCUIT:0.16-0.25A,230-690VAC	1.00	011	ST
612465	GSKT PRE-CUT :ROUND	2.00	051	ST
592457	GSKT PRE-CUT :	2.00	051	ST
584444	METER,ELECTRICAL:	1.00	900	ST
602010	O-RING:APLC INCINERATOR PACKAGE	2.00	051	ST
608777	BLOCK,TERMINAL:ELEC TRT 600V 20-25A	10.00	021	ST
631253	GAUGE,PRESSURE:0-0.016BAR G,100MM	1.00	101	ST
622521	BRG,SLEEVE:	1.00	051	ST
1023965	GSKT,RJ:SHAP OVAL,MATL SOFT IRON,SIZE ID	4.00	051	EA
639717	KIT,VALVE REPAIR:TYP CONTROL	1.00	051	ST1
730271	BREAKER,CIRCUIT:4-6.3A	3.00	051	EA
1026108	STUD CNTNS THD:DIA 1-1/2IN,THRD UNC 8,LG	10.00	051	ST1
593173	GSKT,SPWD:350MM,PN 25,GRAPHIITE	30.00	051	ST
603200	SEAL, OIL: MATL NBR,P/N:SSLO-Q232	2.00	051	ST
630955	KIT:APLC POSITIONER	1.00	081	ST
805315	COIL,ELECTRICAL:TYP CLOSING	2.00	011	ST
1079360	PIPE: SIZE 3IN,LENGTH 6M,SCHD XS,ENDS PE	6.00	101	M
581457	MODULE:ELECTRIC THYRISTOR DIODE	2.00	031	ST
628168	GLAND,PACKING:	2.00	051	ST
606100	THYRISTOR:TYP ECC CORD	1.00	031	ST
596485	VALVE,BALL:VLV SZ DN 20	1.00	051	ST
805366	KIT,SEAL:TYP PACKING,APLC GATE VALVE	1.00	051	ST
1595342	BOLT-MCHN:DIA 1-1/2IN,LG 250MM,MTRL CS A	36.00	051	EA
1573988	VLV-GATE:TYP SOLID EDGE,VLV SZ 6IN,DSGN	1.00	051	EA
274216	GSKT-PRE-CUT:SHR ROUND,HLS WITHOUT,P/N:1	1.00	051	EA
37719	TUBE:TYP CATALYST	1.00	011	EA
526640	SLUTN:TYP CHEMICAL OXYGEN DEMAND STANDAR	1.00	001	BOT
594552	GSKT PRE-CUT :ID 61 X OD 67 X THK 2.5MM	9.00	051	ST
1615895	DNSTMTR;FIXED, SMART HEADMOUNT,13-28V DC	1.00	101	ST
45473	BFL:TYP OIL,P/N:W146306-102,MNFR:DRESSER	2.00	081	EA
590754	SWTCH-TGL;250VAC 6A,SPST,1NO	1.00	021	ST
635350	COIL,ELECTRICAL:TYP BRAKE	1.00	011	ST
585004	DISC-VLV;V4A,80MM,SAFETY AND BUTTERFLY	1.00	051	ST
1001839	VALVE, BALL: VALVE SIZE 2IN,OPER LEVER	1.00	051	EA
827047	FAN;EXHAUST VENTILATION,380VAC 60HZ	1.00	081	ST
616029	HEATER,SPACE:RT 240VAC 250W 60HZ	2.00	011	ST
637157	VALVE,BALL:CONN NPT,APP DRAIN TANK	2.00	051	ST
604861	FUSE:315A,1200VAC,BLADE,FAST BLOW	12.00	021	ST
1024441	THERMOMETER, DIAL: TYP BIMETAL	1.00	101	EA
1612231	GSKT-KIT-INSULTG:TYP VCXT,NMNL FLNG SZ 2	10.00	051	KIT
637858	SEAL-LBYRNTH;STEAM DRIVE TURBINE	1.00	051	ST
161164	DIAPHRAGM,REGULATOR:MT SS	2.00	061	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1009472	IMPELLER, PUMP: P/N:545516 02/545515 04	1.00	081	SE
605619	BLCK-CNTCT;SWITCH,1NO	1.00	021	ST
579189	GAUGE,COMBINATION:0-25BAR,-20 TO 80DEG C	2.00	061	ST
618429	PTNTMTR	1.00	031	ST
633119	DIAPHRAGM,ACTUATOR:	1.00	061	ST
601767	O-RING:ID 359.3MM,WD 5.7MM,MT NBR,STD	1.00	051	ST
612742	BALLAST:TYP FLUORESCENT LAMP	11.00	021	ST
598762	GEAR:	1.00	081	ST
627383	LENS,INDICATING LIGHT:COLOR RED	1.00	021	ST
1524746	DISC,VALVE:MATL ASTM A351,P RT 600LB,GRD	1.00	051	EA
599746	GSKT,SPWD:SS 316	1.00	051	ST
621011	BREAKER,CIRCUIT:10A,125/550VAC	2.00	011	ST
590913	TRANSFORMER,IGNITION:VOLT R 110/220VAC	2.00	011	ST
798956	MODULE,POWER SUPPLY:I/P 110-240VAC 26W	1.00	031	ST
641904	BRG-THRUST:MTRL STEEL GR 6B,P/N:1028142	14.00	051	ST
723728	O-RING:MT VITON,APLC PRESSURE RELIEF	1.00	051	ST
590315	RELAY:COIL 24VDC,4PST,CONT 10A,TYP	2.00	011	ST
609365	COUPLER,HOSE:SZ 1IN,CONN FEMALE HEAD	3.00	051	ST
590208	LIMITER:TYP HYDRAULIC	1.00	031	ST
616670	CONVERTER:TYP DC-DC,I/P 44-110VDC,O/P 2	1.00	061	ST
9102143	VALVE,SLEEVE PASSAGE,R1/2(TO BE DELETED)	1.00	051	ST
615706	NUT,LOCK:SS ASTM A276/JIS G4305,GRUB	1.00	051	ST
605637	SWTCH-SFTY;220-500VAC 25A,PANEL	1.00	011	ST
587228	KIT-VLV-RPR:TYP SOFT PART,APL CONTROL,CM	1.00	051	ST1
600791	GSKT PRE-CUT :	3.00	051	ST
579760	CLEANER:TYP ANTI-STATIC	4.00	001	CA
1007972	GSKT PRE-CUT : MATL CERAMIC FIBRE	2.00	051	ST
615560	RETAINER:TYP OIL RING,MATL CS ASTM A283	1.00	051	ST
583377	BODY:TYP LAMP	4.00	081	ST
637952	KIT,VALVE REPAIR:TYP BALL VALVE,DOC:L 24	2.00	051	ST1
600788	GSKT PRE-CUT :	2.00	051	ST
628442	SPRING:SS ASTM A473 GR 302,TYP GROUND	3.00	051	ST
606039	RESISTOR:150OHM,RT 95W,CONN TAB TERMINAL	2.00	031	ST
638236	KIT,COMPRESSOR REPAIR:TYP SEAL	1.00	081	KIT
626688	SEAL,OIL:	1.00	051	ST
636860	PUMP,ROTARY:TYP SCREW	1.00	081	ST
1210289	LAMP:TYP LONG LIFE DEUTERIUM,CNCT 8 PIN	1.00	021	ST
626687	BOARD,TERMINAL:	1.00	021	ST
600092	GSKT PRE-CUT :ROUND	1.00	051	ST
629431	UNIT:TYP TRIP SIGNAL	18.00	011	ST
17483	DISPLAY UNIT,DATA:SIZE HT 16MM,READOUT D	2.00	051	ST
618466	BOLT,MACH:	12.00	051	ST
609773	SWITCH:TYP GATE	1.00	021	ST
9101771	HOSE,RADIATOR FOR UPPER	1.00	051	ST
580659	ASSEMBLY:CABLE BOX	2.00	081	ST
601460	O-RING:APLC MONITOR	2.00	051	ST
592994	GSKT-PRE-CUT;WD 276 X LG 436 X THK 9	3.00	051	ST
585217	FLOAT:TYP MAGNETIC LEVEL GAUGE	1.00	061	ST
582620	GAUGE,PRESSURE:0-2.5BAR,ELEMT MONEL	4.00	101	ST
1072055	CIRCUIT: TYP SENSOR ELECTRONIC PVT	1.00	011	SE
634473	COLLAR:	1.00	051	ST
583867	UNIT:TYP TRIP,APLC CIRCUIT BREAKER	1.00	051	ST
626596	RECEPTACLE,ELECTRICAL:ELEC TRT	3.00	021	ST
589250	BRG,SLEEVE:MT CS JIS G4051 GR S20C/WJ2	2.00	051	ST
1080673	PRCSR;COMMUNICATION MODULE	1.00	031	EA
596582	DISC-VLV;ID 28 X OD 33 X THK 4MM,PTFE	1.00	051	ST
738135	STUD:BOLT	1.00	051	ST1
439162	SEAT-VLV;RING	1.00	001	EA
872268	RING,RETAINING:TYP SNAP	4.00	051	ST
596905	ASSEMBLY;FILTER AND LUBRICATOR	1.00	081	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
627255	PACKING:GRAPHITE,TYP GLAND	2.00	051	ST1
644779	GSKT PRE-CUT :ID 60 X OD 107MM	1.00	051	ST
601451	O-RING:ID 5-3/8IN,WD 0.139IN	2.00	051	ST
1088401	GEARBOX: TYP VALVE OPERATOR	1.00	081	EA
804638	GSKT PRE-CUT :ID 60 X OD 105 X THK 1.5MM	2.00	051	ST
632674	GAUGE, PRESSURE: RANGE 0-16BAR G	1.00	101	ST
642980	PACKING:ALCHEM,TYP STUFFING BOX	2.00	051	ST1
586198	SET:TYP BEARING ROLLER	1.00	051	ST1
980640	BELLOWS: TYP PRESSURE RELIEF VALVE	2.00	051	ASY
584238	SWITCH,SELECTOR:ACTN NO NC	2.00	011	ST
627240	PACKING:GRAFOIL	2.00	051	ST1
583017	DIODE,LIGHT EMITTING:COLOR CAMDEN GREEN	20.00	031	ST
625415	SWTCH-SLCTR;VOLTMETER,7,THUMB KNOB	2.00	021	ST
602530	RING,PISTON:SS 316,TYP OIL SCRAPER	3.00	051	ST
627668	BREAKER,CIRCUIT:75A	2.00	011	ST
424101	RELAY:COIL 110-120/115-120VAC 50/60HZ	2.00	011	ST
589660	BLOCK,CONTACT:TYP AUXILIARY	3.00	021	ST
532291	ROPE-WIRE:DIA 5/8IN,STRNGTH 3TON,STRUCT	1.00	091	EA
612487	SPCR;CARBON RING,CS	1.00	051	ST1
408267	STRIP,VALVE:	1.00	051	ST
599463	GSKT PRE-CUT :OIL SHEET	9.00	051	ST
866076	FLANGE,PIPE:TYP SPECTACLE BLIND RF,SIZE	1.00	051	EA
907832	SEAL,RING:TYP SHAFT	4.00	051	EA
618040	METER,ELECTRICAL:TYP VOLT,RNG 0-150VDC	2.00	101	ST
600047	GSKT,SPWD:GRAFOIL,IRID 489MM,SS 316	4.00	051	ST
643745	BRG-BAL;12080,30MM,72MM,27MM,OPEN,DOUBLE	1.00	051	ST
627142	GSKT,SPWD:GRAPHITE,SS,SHP ROUND,BASIC	2.00	051	ST
636320	PLUG,VALVE:VLV SZ 1IN,SS 316	1.00	051	ST
1064289	SEAT, VALVE: INSIDE DIAMETER 25MM	1.00	051	EA
628032	PIN:DIA 1IN,SS 316L GR6,PLUG STEM	6.00	051	ST
615833	BRG,SLEEVE:TYP SPHERICALLY SEATED	1.00	051	ST1
640610	PROXIMITOR:5M	1.00	061	ST
643075	PACKING:GRAPHITE,TYP GATE VALVE	4.00	051	ST1
600062	GSKT,SPWD:GRAFOIL,IRID 584MM,SS 316	5.00	051	ST
487174	MODULE:ISOLATOR,FIRE ALARM	1.00	011	EA
595065	GSKT-PRE-CUT;FLAT RING,ROUND,RUBBER	1.00	051	ST
580746	COVER:	1.00	051	ST
622575	BRG:	1.00	051	ST1
273967	BAL-VLV:MTRL SS ASTM A351 GR CF8M; HCR,P	1.00	051	EA
642627	PORT:	1.00	071	ST
871872	CIRCUIT:TYP ISOLATED OUTPUT 4-20 MA	1.00	011	ASY
609698	KIT,VALVE REPAIR:PACKING AND SEAT	1.00	051	ST1
655620	RELAY:CONTACTOR CONTROL,110V,2NO/2NC	1.00	051	EA
578263	KIT,VALVE REPAIR:SERVICE	1.00	051	ST
581807	HOSE: SIZE 4IN,RT 10BAR,MATL PVC/STEEL	2.00	051	M
617768	SWITCH,SELECTOR:	1.00	011	ST
613019	SOLENOID:TYP STARTER MOTOR	1.00	011	ST
608876	FLASK:TYP HEAT RESISTANT.KJELDAHL,CAP	20.00	071	ST
588095	PLUG,VALVE:CONTROL,SS 316	2.00	051	ST1
623112	SWITCH,SAFETY:220VAC,TYP ON/OFF	6.00	011	ST
546763	DIAPHRAGM:TP SANDWITCH	1.00	051	EA
602018	O-RING:ID 200MM	1.00	051	ST
1233476	O RING:MATL TEFLON,APPL PRESSURE SAFETY	1.00	051	EA
610798	WHL;FAN	2.00	091	ST
265265	CAGE,VALVE:VLV SZ 1IN	2.00	051	EA
600736	GSKT PRE-CUT :	2.00	051	ST
760310	SCRW-CAP;10MM,140MM,CS,HEXAGONAL	2.00	051	ST
635155	SEAL,RING:TYP V SHAPE,APLC ELECTRIC	2.00	051	ST
585792	VALVE,GLOBE:VLV SZ 1/2IN,DES RTG CL 800	1.00	051	ST
1576711	INVRTR:TYP DRIVE,PWR RTNG 11KW,O/P 380-4	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
617772	CONTROLLER:TYP POWER	2.00	031	ST
802908	PACKING:ID 32 X OD 47 X THK 8MM,GRAPHITE	1.00	051	ST
9102277	RUBBER BUFFER TYPE-A 75X40 (TO BE DELET	4.00	051	ST
637053	O-RING:APLC FILTER ELEMENT	9.00	051	ST
426281	VALVE,CHECK:TYP DISC/SPRING,VLV SZ 6MM	1.00	051	ST
622272	CONTACTOR:TYP MAIN,3 POLE,460	1.00	011	ST
619827	WASHER,LOCK:ID 70MM,OD 90MM,PRE-LOAD	7.00	051	ST
589864	ELEMENT: TYPE LOGIC ELEMENT "NOT"	4.00	051	ST
636265	PACKING:V#6500	1.00	051	ST
579041	CONTROL:TYP TIGHTNESS	1.00	061	ST
1032806	CIRCUIT: TYP TEMPARATURE IF,STD ASTM	2.00	011	EA
624885	SWTCH-TGL;SPDT	2.00	021	ST
9101650	ASSY,ALTERNATOR	1.00	051	ST
612425	ASSEMBLY:HOSE/NOZZLE	2.00	081	ST
622350	TERMINAL:	15.00	021	ST
805378	KIT,SEAL:TYP PACKING,APLC PUMP	3.00	051	SE
599473	GSKT,SPWD:PTFE,SS 316,SHP ROUND,BASIC	13.00	051	ST
1585945	BOLT-ASMBLY:NMNL DIA 1-3/4IN,LG 390MM,MT	368.00	051	ASY
593431	GSKT PRE-CUT :	1.00	051	ST
1227157	RING:TYP SEGMENTAL,MATL 1.4122+QT750,SIZ	2.00	051	EA
759583	RETAINER:TYP O-RING	1.00	051	EA
603459	BLOCK,CONTACT:	17.00	021	ST
644398	BOLT,UPSET:M24,130MM,GS,THD 3MM	2.00	051	ST
607470	KIT:TYP CAP MEMBRANE	4.00	081	ST
853834	TEE,PIPE:SZ 1-1/2IN,RTG 3000LB,CONN SW	6.00	051	ST
642991	GSKT,SPWD:3/4IN,GRAPHITE,SS 316	15.00	051	ST
999287	CAP: TYP BLADDER KIT,P/N:190441-00225	1.00	051	ST
585766	VALVE,GATE:VLV SZ 1IN,DES RTG CL 800	1.00	051	ST
643665	BRG,ROLL:STD DIN 5405	1.00	051	ST
587204	KIT-VLV-RPR:TYP SOFT PARTS,APL BALL VALV	2.00	051	ST
628124	SPACER:TYP PACKING,MT FLEXIGRAPH	1.00	051	ST
578989	CELL:TYP CONDUCTIVITY	1.00	011	ST
627993	PLUG,VALVE:VLV SZ 8IN,CONTROL,UNS S31600	1.00	051	ST
941448	GSKT-PRE-CUT;THK 1.6MM,1IN,FLAT RING	3.00	051	EA
604780	FUSE;ULTRA FAST BLOW,2A,500V AC,CERAMIC	7.00	021	ST
592888	GSKT-PRE-CUT;OVAL,GRAPHITE	2.00	051	ST
1620982	PIN:DIA 10MM,LG 55MM,MTRL 1.4460,TYP VAL	1.00	051	EA
530265	PLUG,VALVE:CONTROL	1.00	051	EA
594355	GSKT PRE-CUT :ID 13 X OD 20 X THK 3MM	1.00	051	ST
634114	KIT-ACTUTR-RPR:TYP REPLACEMENT,CMPRSNG O	1.00	061	ST
584874	DIAPHRAGM: MATERIAL PTFE,P/N:102380	1.00	051	ST
800780	GSKT,SPWD:4IN,600LB,GRAPHITE,SS 316	1.00	051	ST
592951	GSKT-PRE-CUT;ID 260 X OD 330 X THK 3MM	1.00	051	ST
599533	GSKT PRE-CUT :LSP SEAL/KTB HSG	3.00	051	ST
593061	GSKT PRE-CUT :	2.00	051	ST
618126	BLOCK,TERMINAL:	2.00	021	ST
583293	SHAFT:MT CS UNI 7845 GR C45	1.00	051	ST
615682	RETAINER:TYP OIL RING,MT CS ASTM A283 GR	1.00	051	ST
539926	BELT-V;609.6MM,13MM,9MM,RUBBER,668.02MM	1.00	011	ST
734628	CAP:TYP OIL CAP VENTED	1.00	051	EA
612285	MEMBRANE:TYP COUPLING	1.00	051	ST
587880	KIT,ACTUATOR REPAIR:TYP SEAL	1.00	061	KIT
1202329	PUMP,DIAPHRAGM:TYP AIR POWERED DOUBLE-DI	1.00	081	EA
643775	JOINT:APLC UNIVERSAL MILLING MACHINE	1.00	051	ST
616220	CONTACTOR:TYP MAGNETIC,AMP 40A,3 POLE	2.00	011	ST
1046837	COIL, ELECTRICAL: TYP CLOSING,STD ASTM	1.00	011	EA
917207	TEE,PIPE:SZ 2IN,RTG SCH 80S,CONN BW	1.00	051	EA
738292	PIN:ROLL	2.00	051	ST
601277	O-RING:ID 425.5MM,WD 9MM,MT FKM	2.00	051	ST
588867	UNIT:TYP EMERGENCY,APLC EXPLOSION PROOF	10.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
527971	CIRCUIT:TYP TRACE PRE-AMPLIFIER	1.00	011	EA
723138	GSKT:MTRL GRAPH/SST,17F46,APL CONTROL VA	11.00	051	EA
590940	TRANSFORMER,INSTRUMENT:VA RT 10/15VA	2.00	011	ST
631680	VENT:TYP AIR,SZ G 1/4 X G 3/8IN	2.00	081	ST
578379	SET:TYP PACKING	1.00	081	ST
930808	THERMOWELL:DRILLED BAR STOCK	1.00	061	EA
594304	PCKG;ID 23 X OD 36 X THK 6MM,GRAPHITE	1.00	051	ST1
722869	RING:SS 304,TYP ADJUSTING	1.00	051	ST
593284	GSKT-PRE-CUT;ID 20 X OD 26MM,ROUND	3.00	051	ST
898866	GSKT SET:TYP FLAT; PRE-CUT	3.00	051	SE
1214346	MODULE:TYP BASE,INPUT 10-30VAC,O/P 5VDC,	1.00	031	EA
610770	SEAL:RUBBER,CORNER STRIP	6.00	051	ST
624681	DISC,VALVE:RELIEF	2.00	051	ST
589388	BREAKER, CIRCUIT: AMPERAGE 16A,POLE 2	30.00	011	ST
594225	PCKG;ID X 13 OD X 25 THK 10MM,PTFE	1.00	051	ST1
589316	TERMINAL:	2.00	021	ST
592277	TEE,HOSE ADAPTOR:SZ 5/16IN	3.00	051	ST
1214487	MODULE:TYP 16 RELAY OUTPUTS,INPUT 100-24	1.00	031	EA
506012	CONTACTOR:400V,COILV 48VAC 60HZ	4.00	011	ST
644806	GSKT PRE-CUT :ID 200 X OD 240 X THK 2MM	1.00	051	ST
944790	PANEL,CONTROL:TYP BASIC OPERATOR	1.00	021	EA
799990	VALVE,GLOBE:VLV SZ 2IN,DES RTG 1500LB	1.00	051	EA
1604540	KIT-SEAL;GASKET WASH	1.00	051	KIT
634615	PSTNR-VLV;ELECTRO PNEUMATIC,2.8BAR,FPT	1.00	061	ST
604286	CONTACTOR:TYP MAGNETIC,10 AMP,240VAC,CO	2.00	011	ST
630959	LIGHT,INDICATING:	1.00	021	ST
619761	BUSH,PUMP:BC3	1.00	081	ST
269129	SWITCH,PRESSURE:4-20PSIG	1.00	061	EA
1029112	BOARD: TYP CIRCUIT,P/N:0P2406A	2.00	051	EA
9101662	ASSY,CLUTCH DISC	1.00	051	ST
605809	TIMER:SUPP 220VAC,RNG 0-3S	1.00	101	ST
599645	GSKT CAMPRO:TYP SANDWITCH,UNS S31600,3MM	3.00	051	ST
611327	STOPPER:SZ TOP DIA 24 X BOTTOM DIA 17 X	10.00	051	ST
615590	NUT,LOCK:SS ASTM A276/JIS G4305,GRUB	1.00	051	ST
588718	KIT-VLV-RPR:TYP SOFT PART,APL RELIEF,CMP	1.00	051	ST1
599477	GSKT,SPWD:PTFE,SS 316,SHP ROUND,BASIC	12.00	051	ST
609589	GSKT PRE-CUT :ID 20 X OD 40 X THK 2MM	1.00	051	ST
868773	GAS:CALIBRATION MIXTURE,CYLINDER 10L	1.00	001	CY
590924	TRANSFORMER,INSTRUMENT:VA RT 1.75VA	1.00	011	ST
1084551	RING: SIZE DIA 110MM,TYP LABYRINTH	1.00	051	EA
603893	SLV;DI GR GGG-F	1.00	051	ST
636114	CIRCUIT:TYP ULTRASONIC LEVEL CONTROL	2.00	061	ST
615275	TRANSMISSION:	1.00	031	ST1
601591	O-RING:	1.00	051	ST
615778	RETAINER:TYP OIL RING,MT CS ASTM A283 GR	1.00	051	ST
550777	FLTR-ELMNT;Y STRAINER,3/8IN,SS	2.00	051	EA
631232	SWITCH,LEVEL:	1.00	061	ST
593067	GSKT PRE-CUT :	1.00	051	ST
587940	KIT-VLV-RPR:TYP SOFT PART,APL GATE (SIZE	1.00	051	KIT
642824	SEAL,RING:ID 70MM,THK 2MM	1.00	051	ST
609766	MAGNET:SZ LG 8IN	2.00	061	ST
580693	CVR:TYP PROTECTIVE,SZ WD 7-1/2 X LG 29-1	4.00	051	ST
423525	O-RING:ID 184.3MM,WD 5.7MM,MT NBR	2.00	051	ST
1010526	KIT, SEAL: APPL CATHODIC PROTECTION	5.00	051	KIT
584259	BARRIER:TYP DUAL CHANNEL	2.00	031	ST
599434	GSKT,SPWD:PTFE,SS 316,APLC CASING	2.00	051	ST
642909	GSKT:	8.00	051	ST
602818	RING,WEAR:SS 316L,APLC IMPELLER	3.00	081	ST
1245469	DISC,VALVE:MATL ASTM A217,P RT 300LB,GRD	1.00	051	EA
639434	SPRING,VALVE:SS 316	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
595063	GSKT-PRE-CUT;FF,RUBBER	1.00	051	ST
607396	BUSH:TRANSMISSION	1.00	051	ST
1022537	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
637027	RING,RETAINING:SNAP	1.00	051	ST
588135	PACKING:GRAPHITE	1.00	051	ST1
589699	CONTACTOR:TYP MAGNETIC,AMP 265A,POLE 3	1.00	900	ST
617590	CR;PIN	4.00	051	ST
628800	WASHER:BEARING BACK UP	4.00	051	ST
1524805	BATH:TYP EXTENDED LIGHT,CAPACITY ID 50MI	1.00	071	EA
606984	WSHR;42MM,STEEL,43.5MM,50.5MM,0.3MM	32.00	051	ST
590934	TRANSFORMER,INSTRUMENT:VOLT R 440/110VAC	1.00	011	ST
1025094	GSKT	1.00	051	EA
618496	FIXTURE,FLUORESCENT LIGHTING:	4.00	021	ST
607267	CIRCUIT:TYP ADAPTER	1.00	011	ST
1047037	RELEASE: TYP SHUNT CLOSING,STD IEC	1.00	011	EA
377344	O-RING, BRAKE GRP.F/DRIVE AXLE KAMAG 80T	13.00	051	ST
595199	SEAL,OIL:ID 25MM,OD 35MM,WD 4MM	1.00	051	ST
592502	GSKT-SPRL-WUND;BASIC,133MM,192MM,4.5MM	2.00	051	ST
804609	BRKR-CRCUT;63A,500V DC,30KA,3	1.00	011	EA
730801	GOVERNOR:	2.00	051	ST
595961	OPERATOR,SWITCH:TYP PUSHBUTTON	16.00	021	ST
637236	BALL,VALVE:VLV SZ 1-1/2IN,MT SS 316	1.00	051	ST
1022538	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
643366	CIRCUIT:TYP COMMUNICATION CARD	1.00	011	ST
595154	SEAL,MECHANICAL:35MM	1.00	051	ST
593086	SEAL-RIG;22MM,32MM,4MM,RUBBER,QUAD RING	10.00	051	ST
880200	DRYR;SHELL	2.00	081	EA
631214	FILTER:	2.00	051	ST
546385	SEAL,RING:ID 22MM,OD 27MM,THK 1.5MM	1.00	051	EA
9101903	SLEEVE, MECHANICAL SEAL MATL: SUS 403	1.00	051	ST
619757	O-RING:ID 69.4MM,WD 3.1MM	3.00	051	ST
930022	KIT, VALVE REPAIR: TYP REPLACEMENT	1.00	051	EA
608945	FUNNEL:MT BOROSILICATE GLASS	24.00	071	ST
617807	BOLT,MACH:M20,LG 70MM,GS,2.5MM,GR 5.6	8.00	051	ST
610677	CONTROLLER:TYP TEMPERATURE,RNG 45DEG C	3.00	061	ST
643177	LEVER:	1.00	091	ST
1529437	PACKING:SIZE DIA 20MM,MATL CS,SHAP ROUND	1.00	111	SE
905100	MTR-FLOW;FLANGED 1-1/2IN,SS,EN 10204	2.00	101	EA
644951	REDUCER,PIPE:SZ 4 X 2IN,NPS	1.00	051	ST
577332	SWTCH-LVL;CAPACITANCE,DIA 20 X LG 500MM	1.00	061	ST
580951	PLUG,VALVE:VLV SZ DN 25-32MM,CONTROL,SS	1.00	051	ST
905285	POWER SUPPLY:I/P 230VAC 2.1/1A 47-63HZ	1.00	021	EA
653629	KIT-SEAL	1.00	051	ST1
898192	BREAKER,CIRCUIT:800A,690VAC	1.00	011	EA
611198	CONTACTOR:TYP MAGNETIC,3 POLE,460VAC	3.00	011	ST
605687	SWITCH,SELECTOR:30MM	1.00	021	ST
593017	GSKT PRE-CUT :	1.00	051	ST
1031932	O-RING: WIDTH 8MM,MATL EDPM/FDA	3.00	051	EA
639648	SHAFT:	1.00	051	ST
939971	MEMBRAN CPLG,MEMBRAN CPLG:TP FLEXIBLE	1.00	051	ST1
725209	BUSHING:TYP GUIDE,MT SS	1.00	051	ST
711605	CNTCTR:PL 3,AM 25A,LN VLTG 120VAC 50/60H	1.00	011	EA
586153	BRG,ROLL:ID 70MM,TYP CYLINDRICAL	1.00	051	ST1
357011	MDUL;DIGITAL OUTPUT,220V	1.00	031	ST
607781	FLANGE:TYP THREADED	3.00	051	ST
615312	SEAL,RING:TYP GLAND	1.00	051	ST1
44143	FLG-PIPE:TYP RAISED FACE,SZ 6IN,MTRL CS	4.00	051	EA
1013869	GEARBOX: TYP GEAR OPERATOR, REF#: ME	1.00	081	ASY
337676	NUT,TUBE FITTING:SZ DIA M16,STEEL	20.00	051	ST
617607	SLEEVE:	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1001829	RELAY, PROTECTION: TYP MOTOR,MOUNT PANEL	1.00	031	EA
622558	LINER: MATL SS ASTM A479 GR 316	1.00	051	ST
737008	SPINDLE:TYP VALVE,MT 1.4122 / 420	1.00	101	ST
511444	WORM:	1.00	041	ST
935061	TRANSMITTER,LEVEL:RANGE 0 TO 2600MM,CNCT	1.00	061	ST
633079	SEAT,VALVE:VLV SZ 1IN	1.00	051	ST
930017	SHAFT, VALVE: APPL BUTTERFLY VALVEIN	1.00	051	EA
968302	WASHER, LOCK: MATL SS ASTM A479,GRD 316L	1.00	051	ST
109069	LIGHT,INDICATING:TYP PILOT,COLOR GREEN	9.00	021	ST
609361	COUPLER,HOSE:SZ 1IN	1.00	051	ST
597924	BRG-BAL;13824,55MM,120MM,29MM,OPEN,STEEL	2.00	051	ST
610604	CONTACTOR:	2.00	011	ST
624874	SHUNT;50MV 400A	2.00	011	ST
616554	SWITCH,SELECTOR:600VAC 20A,TYP	1.00	021	ST
642557	KIT-VLV-RPR;SEALING	4.00	051	ST
596474	FLTR-ELMNT;BASKET,SS WIRE CLOTH	1.00	051	ST
635665	PACKING:PTFE,IRREGULAR ROUND,TYP GLAND	1.00	051	ST1
623045	MODULE:(16) INPUT,PWR S 24VDC	1.00	031	ST
1033649	PROBE: TYP TEMPERATURE,P/N:NTCPB2	1.00	061	EA
580962	PLUG,VALVE:VLV SZ DN 65	1.00	051	ST
592099	O-RIG;RUBBER,FLANGE	2.00	051	ST
585019	DISC	1.00	051	ST
592930	GSKT:ID 10 X OD 15MM,THK 1MM,ROUND,CU	1.00	051	ST
639786	SEAT,VALVE:VLV SZ 3IN,CONTROL	1.00	051	ST1
611002	LAMP-INCNDSCNT	2.00	021	ST
71149	MODULE:(32) DIGITAL OUTPUT,O/P 24VDC	1.00	051	ST
906132	STEM,VALVE:	2.00	051	EA
602254	PACKING:	1.00	051	ST1
618823	UNIT:TYP DC CURRENT MEASURING,APPL UPS,M	2.00	101	ST
539073	RELAY,OVERLOAD:0.4-0.63A,1NO-1NC,THERMAL	1.00	011	EA
588632	KIT;TOE PIECE AND TRUNNION	1.00	081	ST1
595623	KEY;PARALLEL	2.00	051	ST
589128	CLMP;ADJUSTABLE	1.00	051	ST
586094	TIP:TYP STAGED GAS,MT STEEL	36.00	101	ST
620238	LEVEL:TYP GAUGE	3.00	101	ST
604030	BREAKER,CIRCUIT:16A,230/440VAC	1.00	011	ST
642906	GSKT:	8.00	051	ST
1524911	PACKING:MATL GRAPHITE,SHAP ROUND,TYP MAI	1.00	111	SE
638139	GSKT SET:	3.00	051	ST1
566097	STEM,VALVE:VLV ST CONTROL,MT SS 316L	2.00	011	ST
588433	O-RING SET:	4.00	051	ST1
587154	D-LGHT-EMTG;5MM,ROUND,RED	1.00	031	ST
583803	MDUL;2- WIRE	1.00	031	ST
615822	BRG,THRUST:	1.00	051	ST
9101657	ASSY,STARTER MOTOR	1.00	051	ST
630883	FLTR-ELCTRNC;50-60HZ,240VAC 2.5A	1.00	031	ST
642102	O-RING: MATL BUNA-N,DOC:B-47523-41	2.00	051	ST
584191	GLASS,LEVEL GAUGE:SZ 220 X 34 X 17MM	3.00	101	ST
644599	GLASS,SIGHT:SZ DIA 150 X TH 30MM	2.00	101	ST
610504	SWITCH,PUSHBUTTON:600VAC 10A,SPST,1NC	2.00	021	ST
1590927	BRG:SZ ID 33.8 X OD 36 X WD 33MM,ROW 5,S	1.00	051	EA
9101754	PLATE,REINFORCE CW6R-5[TO BE DELETED]	4.00	051	ST
583031	DIODE,LIGHT EMITTING:COLOR GREEN,ELEC T	2.00	021	ST
930679	GAUGE, DIFFERENTIAL PRESSURE: STD EX	1.00	061	EA
600974	GSKT PRE-CUT :ROUND	1.00	051	ST
1031951	KIT-ACTUTR-RPR:TYP WEAR PARTS,CMPRSNG SE	2.00	061	KIT
476810	O-RING:ID 82.14MM,WD 3.53MM,MT BUNA-N	2.00	051	EA
636189	VALVE,RELIEF:VLV SZ 3/4IN,TYP FULL FLOW	1.00	051	ST
598156	BRG,THRUST:ID 30MM,2 PIECE	6.00	051	ST
639413	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
237786	BRG,ROLL:ID 95MM,OD 200MM,WD 67MM	2.00	051	EA
1546092	BOLT,ANCH:DIAMETER M20,LENGTH 150MM,MATL	8.00	051	EA
642707	SEAL:PTFE,APLC BODY	8.00	051	ST
628887	GSKT:VACUUM VALVE NOZZLE	1.00	051	ST
578596	UNIT:	1.00	021	ST
580929	PLUG-VLV;CONTROL,DN 25MM	1.00	051	ST
429204	O-RIG:P/N:31019326,MNFR:DRESSER AL-RUSHA	2.00	051	ST
598537	BELT, V: INSIDE CIRCUMFERENCE 2432MM	2.00	051	ST1
802932	SEAL,RING:ID 112MM,OD 140MM,THK 4MM	6.00	051	ST
580428	SHAFT:DIA 20MM,LG 165MM,SS	1.00	051	ST
622508	CIRCLIP:TYP EXTERNAL,SZ ID 17 X THK 1MM	1.00	051	ST
587782	KIT,VALVE REPAIR:SEAL	1.00	051	KIT
961371	SHIM: MATL SS 316,P/N:13B0867X012	19.00	051	EA
804297	GSKT PRE-CUT :ID 41.5 X OD 51 X THK 3MM	4.00	051	ST
876989	PLUG,VALVE:GLOBE CONTROL 8IN,SS 416 HT	1.00	051	EA
731255	MDUL;24V,PROGRAMMABLE LOGIC CONTROLLER	1.00	031	ST
633140	SWITCH,LEVEL:	1.00	061	ST
612404	TIP:TYP PILOT,MT CA ST-0606 CK 20/SS	5.00	101	ST
623628	BREAKER,CIRCUIT:2A,220/250VAC; 125VDC	5.00	011	ST
804589	HLDR-FUSE;SCREW IN CAP,BASE,6A,230V	7.00	021	SE
604320	CONTACTOR:TYP MAGNETIC,AMP 15,3 POLE	1.00	011	ST
610645	MOTOR,ELECTRIC:0.5HP	6.00	011	ST
645764	NUT:SS 400,BEARING	2.00	051	EA
935727	GSKT PRE-CUT :	2.00	051	ST
578886	THERMOSTAT:TYP HEATER CAPILARY	1.00	081	ST
755423	RING:STEEL,TYP OIL SPLASH	1.00	051	ST
619675	RING,RETAINING:MT TS JIS G4401 GR SK5	2.00	051	ST
1049414	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	1.00	051	EA
626863	UNIT;DC CURRENT MEASURING	2.00	051	ST
635164	WASHER,FLAT:MS,DIN 126	1.00	051	ST
905986	SYRINGE:TYP AUTO SAMPLER,CAP 2.5ML	2.00	071	EA
624890	BREAKER,CIRCUIT:125A,POLE 3	1.00	011	ST
615681	RETAINER:TYP OIL RING,MT CS ASTM A283 GR	1.00	051	ST
590672	SWITCH,PUSHBUTTON:	2.00	011	ST
9101699	FAN, RADIAL, 180MM DIA, 380/415VAC(TO BE	1.00	051	ST
617430	THROWER:TYP OIL	2.00	081	ST
608776	KIT:TYP MICRO SWITCH	1.00	021	ST
594869	CIRCLIP:TYP INTERNAL	6.00	051	ST
590707	SWITCH:TYP MICRO,PWR S 24VDC 5A	1.00	021	ST
608486	GSKT PRE-CUT :KLINGERSIL,DIAPHRAGM,1IN	3.00	051	ST
1024040	BREAKER, CIRCUIT: AMPERAGE 10A,POLE 1	1.00	011	EA
592204	SPRINKLER,FIRE PROTECTION:	2.00	121	ST
642837	BRG,ROLL:ID 15MM,OD 35MM,WD 11MM,TYP	2.00	051	ST
643057	GSKT,SPWD:3/4IN,GRAPHITE,SS 316	15.00	051	ST
624462	SHEET,GASKET:	1.00	051	ST
42366	SEAL:APLC VALVE COVER	1.00	051	EA
601117	GSKT PRE-CUT :PTFE	2.00	051	ST
901139	MODULE:IGBT-TRANSISTOR,PWR S 1200V 400A	12.00	031	EA
611039	GOVERNOR:TYP COUPLING SLEEVE	1.00	081	ST
903106	CIRCLIP:STD DIN 472	1.00	051	EA
586911	BUZZER:TYP ELECTRONIC CHIME	2.00	121	ST
677068	BREAKER,CIRCUIT:15A,120VAC,POLE 1	2.00	021	EA
616954	TRANSFORMER,INSTRUMENT:VA RT 5VA	2.00	011	ST
606456	CONNECTOR:TYP MALE	1.00	051	ST
579980	LAMP-INCNDSCNT;HALOGEN,20W,12V DC,WHITE	2.00	021	ST
604858	FUSE:35A,660VAC,BLADE	2.00	021	ST
619385	GSKT SET:APLC SUBMERGED PUMP	2.00	051	ST
578974	LOAD-CEL;50KG	1.00	061	ST
467552	VALVE:TYP REFILL,BDY MATL CI / STEEL	1.00	051	EA
584823	DIAPHRAGM,ACTUATOR:ACT SZ 1-1/2IN	1.00	061	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
587543	KIT-VLV-RPR:TYP SOFT PARTS,CMPRSNG PACKI	1.00	051	KIT
802904	PACKING:ID 24 X OD 37 X THK 6MM,GRAPHITE	1.00	051	ST
628082	SEAT,VALVE:VLV SZ 8IN,CONTROL	1.00	051	ST
146633	GSKT:GRAPHITE 17F28	2.00	051	EA
615107	GSKT-PRE-CUT;FLAT RING,ROUND,SILICON	5.00	051	ST
627287	DISC,VALVE:SS,316,VLV SZ 8IN,CHECK	2.00	051	ST
656793	BAG:TYP ZIP LIP, WD 3" X LG 5" X THK 4MM	1,163.00	001	EA
1247361	GSKT PRE-CUT :TYP FULL FACE,SIZE ID 169	2.00	051	EA
578883	THERMOSTAT:ELEC TRT 220VAC 15A,SPDT	1.00	081	ST
910149	MODULE:TYP NETWORK COMMUNICATION,APPL CO	1.00	031	EA
632746	CONVERTER:TYP REMOTE MOUNTING	3.00	061	ST
799451	LIGHT,INDICATING:TYP PILOT,VOLT 230V	3.00	021	ST
603440	BLCK-PLUMR;7-5/8IN,2,STEEL	1.00	051	ST
617466	PIN:DIA 4MM,LG 8MM,SS	12.00	051	ST
625446	SWTCH-DSCNCT;690VAC 32A,RAIL	2.00	011	ST
629156	SPRING, VALVE: VALVE SIZE 1 X D X 2IN	1.00	051	ST
1064134	UNIT:TYP HUMAN INTERFACE,APPL MICOM SCAD	4.00	051	EA
117826	METER,FLOW:RNG 0-65MM,FPT 1/4IN	2.00	051	EA
615712	BUSH,PUMP:BRONZE BC6/B584,BEARING COVER	2.00	081	ST
11850	BRG,SLEEVE:P/N:T88367C,MNFR:DRESSER-RAND	1.00	051	ST
631614	PIN:COUPLING	3.00	051	ST
591850	WASHER:SS,316L,PACKING	1.00	051	ST
1029636	GAUGE, PRESSURE: RANGE 0-6BAR	2.00	101	EA
588865	UNIT;EARTH FAULT OPTION	1.00	051	ST
590800	SWITCH,PRESSURE:0.1-1BAR	1.00	061	ST
627113	SPRING,VALVE:SS 316,VLV SZ 6IN	4.00	051	ST
594506	GSKT:ID 18 X OD 21MM,SEAL RING,THK 1MM	1.00	051	ST
601227	GSKT,RJ:R-40,SS 316,PR RT 300PSIG	1.00	051	ST
1008036	BREAKER, CIRCUIT: AMPERAGE 16/0.03A	1.00	011	EA
594807	SEAL,RING:MT PTFE,APLC BALL VALVE	2.00	051	ST
642921	GSKT:	8.00	051	ST
592470	GSKT PRE-CUT :ID 285 X OD 310 X THK 1MM	4.00	051	ST
642813	SEAL,OIL:ID 45MM,OD 68MM,WD 12MM	1.00	051	ST
415158	RELAY,OVERLOAD:30A,THERMAL,AUTO/MANUAL	1.00	011	EA
496185	SEAT,VALVE:VALVE TYPE GLOBE,VALVE SIZE 3	1.00	051	EA
632066	GSKT PRE-CUT :P#1200-S,BONNET,10IN	2.00	051	ST
579736	BAG:SZ WD 10 X LG 16IN,MT POLYETHYLENE	10.00	001	KG
592432	GSKT PRE-CUT :ID 160 X OD 170 X THK 2MM	1.00	051	ST
590147	FUSE:2A,120VAC	14.00	021	ST
798959	RELAY,PROTECTION:BUCHHOLZ,MOUNT FLANGE	1.00	031	ST
625442	SWTCH-DSCNCT;500VAC 315A 50/60HZ,RAIL	1.00	011	ST
578017	KIT:APLC RETRACTOR	6.00	081	ST
617726	GSKT PRE-CUT :ID 798 X OD 840 X THK 3MM	6.00	051	ST
589893	FUSE:10A,600VAC; 300VDC	3.00	021	ST
608320	CRMPR;HAND TOOL	1.00	101	ST
593465	O-RING:APLC BATTERY OPERATED FORKLIFT	2.00	051	ST
623535	BUSHG-ELECT-CNDUCTR;HIGH VOLTAGE	3.00	021	ST
644222	FLUID:TYP GLYCERINE,200 CC	1.00	001	ST
605876	CAPACITOR:TYP FIXED,CAPCIT 100MICRO F	1.00	031	ST
579453	SENSOR:TYP TEMPERATURE,SZ LG 1000MM	1.00	011	ST
324858	O-RING, DIN 3771- 90.00X 3.00-N-NBR 70	1.00	051	ST
609061	GATE:TYP FILL,SZ DN 300MM	1.00	051	ST
635470	SEAT,VALVE:BALL,CS ASTM A350 GR LF2	1.00	051	ST
806730	CRCUT;ANALOG OUTPUT BOARD,ANALYZER	1.00	021	EA
622306	OPERATOR,SWITCH:TYP PUSHBUTTON,COLR YELL	4.00	011	ST
598898	LINK-CHN-TRNSMSN;DIN 8187	6.00	051	ST
617595	PIN;SOCKET	10.00	051	ST
1034824	TRANSMITTER, DIFFERENTIAL PRESSURE:	1.00	061	EA
618124	SEAL-OIL;25MM,37MM,7MM	2.00	051	ST
1075327	RTD: TYP PT100,TEMP RT 400DEG,WIRE 6	1.00	101	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
616561	SWTCH;EARTHING,250VAC 16A,SPDT,1NO-1NC	1.00	900	ST
903993	TERMINATOR,CABLE:TYP PLUG	1.00	021	EA
592911	GSKT PRE-CUT :ID 132 X OD 148 X THK	4.00	051	ST
626691	ISOLATOR,ELECTRICAL:ELEC TRT 11KW	1.00	011	ST
616666	MODULE:TYP UNDER VOLTAGE,O/P RELAY DPDT	1.00	031	ST
599663	GSKT,SPWD:T#1806,APLC BODY	3.00	051	ST
604439	ELEMENT,HEATER:	2.00	011	ST
631037	CIRCUIT:TYP (16) POINT RELAY OUTPUT	1.00	011	ST
641724	RLY;24V DC,4PST,690V 10A,3NO-1NC,CLOSED	1.00	011	ST
596572	DISC,VALVE:OD 35MM,BRONZE	1.00	051	ST
604336	CONTACTOR:TYP MAGNETIC,POLE 3,AMPERAGE 2	4.00	011	ST
602754	RING,WEAR:APLC CASING	2.00	081	ST
58763	ELBOW,PIPE:SZ 4IN,CS ASTM A234,90,BW	1.00	051	ST
999339	DISC: TYP BOTTOM,P/N:522990 80	1.00	051	ST
617116	COMMUNICATOR,HART MODEL : 275R1E15C0000	1.00	061	ST
624255	BRG:A	1.00	051	ST
723647	DISC:UNS S31600,INSERT,ASTM A479	2.00	051	ST
626710	FUSE:1A	14.00	021	ST
616635	BREAKER,CIRCUIT:6A,254/440VAC	1.00	011	ST
1038470	RING, WEAR: INSIDE DIAMETER 220MM	2.00	081	ST
623027	METER:TYP VOLTAGE,RNG 0-150V	2.00	101	ST
1606643	KIT-ACTUTR-RPR;SOFT WEAR	1.00	061	KIT
659432	NUT,HEX:DIA 3/8IN,CS ASTM A563,GR A,THD	1,350.00	051	EA
623926	GSKT:CAP,STEEL	1.00	051	ST
583092	LGHT-INDCTG;LED,GREEN/RED	6.00	021	ST
643704	BUSH:	1.00	051	ST
818806	BRG-RLR:TYP CYLINDRICAL,CG MTRL STEEL,P/	1.00	051	EA
974691	ASSEMBLY: TYP STANDARD OBSERVATION DOOR	2.00	081	ASY
585082	FILTER,OIL:CARTRIDGE	2.00	051	ST
603842	SLV-SHFT	1.00	051	ST
607391	BUSH:ID 26 X OD 33 X DP 18MM,STEEL	2.00	051	ST
608513	O-RING:	2.00	051	ST
590704	SWTCH-SLCTR;MAIN ON-OFF,3PST,3NO,2	1.00	021	ST
540902	CAPACITOR:ST ELECTROLYTIC CAN	1.00	031	EA
605736	TRANSFORMER,INSTRUMENT:CURR RT 1000/5A	1.00	011	ST
731543	SEAT:	1.00	051	ST
603033	GSKT PRE-CUT :	2.00	051	ST
620818	SEAL,RING:MT SYNTHETIC RUBBER,TYP V	2.00	051	ST
599304	GEARBOX:TYP SPEED REDUCER,RATIO 63.6:1	1.00	081	ST
632726	PROXIMITOR:	1.00	061	ST
617861	GSKT:WD 20 X LG 800 X THK 4MM	7.00	051	ST
615909	PIN:DRIVE	1.00	051	ST
1024090	PACKING: SIZE ID 16 X OD 26 X HT 30MM	1.00	051	ST1
587085	DIAPHRAGM:MT PTFE	1.00	051	ST
658751	TIP,TORCH:TYP CUTTING,ACETYLENE	30.00	051	EA
597763	TRAP:TYP FLOAT	1.00	900	ST
605959	DISPLAY UNIT:PWR S 60MV 10A	1.00	101	ST
634079	MANIFOLD,VALVE:	1.00	051	ST1
581626	MODULE:DIGITAL OUTPUT	1.00	031	ST
1248402	GSKT PRE-CUT :TYP FLAT,SIZE ID 222 X OD	6.00	051	EA
1388056	GLASS:TYP ASSESSMENT	2.00	051	EA
596928	SEAT:ID 45MM,THK 52MM,CONICAL	2.00	051	ST
589103	BLOCK,TERMINAL:TERM (35) FEMALE PIN,CIR	3.00	051	ST
1566093	KIT,VALVE REPAIR:APPL GLOBE VALVE,CMPSRN	1.00	051	KIT
1024645	CONTACTOR: TYP MK1,P/N:WIQ80306	1.00	011	EA
634470	SEAL,RING:	10.00	051	ST
586017	BALL,VALVE:VLV SZ 4IN	1.00	051	ST
423723	CIRCUIT:TYP ANALOG INPUT,APLC ROTARY	1.00	051	ST
578265	KIT,VALVE REPAIR:SEAL	1.00	051	ST
578194	KIT-VLV-RPR:TYP SOFT PARTS,CMPSRNG STEM	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
608869	CYLINDER,GRADUATED:SZ 50ML,MT	4.00	071	ST
609452	FLASK: TYP IODINE,CAPACITY 250ML	10.00	071	ST
582618	GAUGE,PRESSURE:	1.00	101	ST
599741	GSKT,SPWD:GRAFOIL,SS 316,APLC BOTTOM	1.00	051	ST
581635	RELAY,OVERLOAD:	1.00	011	ST
632890	FUSE:15A	6.00	021	ST
592519	GSKT PRE-CUT :ID 67 X OD 77 X THK 0.5MM	6.00	051	ST
591214	SUPPRESSOR:	6.00	031	ST
9102163	BEARING	1.00	051	EA
272041	NUT,CAP:HT 38MM,SS 316	1.00	051	EA
744788	PACKING:GRAPHITE,CYLINFRICAL,TYP STEM	1.00	051	SE
653166	GLAND,PACKING:MT SS ASTM A351 GR CF8	2.00	051	EA
622796	GUIDE, VALVE: VLV STYL SAFETY,P/N:109056	2.00	051	ST
589416	BREAKER,CIRCUIT:10A,125/550VAC	4.00	011	ST
978411	RELAY: COIL V 220-240VAC 50/60HZ	1.00	011	EA
594926	RING:MT RUBBER	10.00	051	ST
643026	PACKING:PTFE,TYP STUFFING BOX	2.00	051	ST1
124580	SPRING: TYP LABYRINTH PACKING	12.00	051	EA
642357	BUSH,VALVE:SS DIN WN 1.4541,INSERT	1.00	051	ST
624930	RESISTOR:10OHM,RT 5W	6.00	031	ST
619641	RING,RETAINING:MT TS JIS G4401 GR SK5	2.00	051	ST
590200	HEATER, SPACE: TYPE THERMOSTAT	1.00	011	ST
597464	VALVE,CHECK:VLV SZ 13MM,BDY MATL SS	1.00	051	ST
600408	GSKT,SPWD:SHP RECTANGULAR	2.00	051	ST
774380	STUD-CNTNUS-THRD;3/4IN,10 UNC,205MM,B7	15.00	051	EA
602961	SEAL,MECHANICAL:1 X 7/8IN,BALANCED	1.00	900	ST
593027	GSKT-PRE-CUT;FLANGE,RECTANGULAR,CORK	1.00	051	ST
998769	KIT, PUMP REPAIR: APPL LUBE OIL PUMP	1.00	081	KIT
627288	SPRING,VALVE:SS 316,VLV SZ 8IN	2.00	051	ST
597801	ELECTRODE:TYP DOUBLE PLATINUM,691	1.00	051	ST
653195	GSKT,SPWD:INCONEL X 750,IRMT SS 321	2.00	051	EA
604647	FUSE:2A,550V,DIA 1/2 X LG 1-3/4IN,SCREW	12.00	021	ST
1004835	REGULATOR: TYP OIL PRESSURE,CNCT THD	1.00	061	ASY
793024	RELAY:COIL 24VDC,PLUG-IN	1.00	011	ST
593046	GSKT PRE-CUT :	2.00	051	ST
636175	GSKT,SPWD:1IN,300LB,T#1806,SHP ROUND,RF	2.00	051	ST
582681	KIT:TYP REPAIR,APLC STEAM TRAP	1.00	081	ST
636322	STEM,VALVE:VLV ST PLUG,VLV SZ DN 1IN	2.00	051	ST
587074	CNVRTR-SGNL;CURRENT TO PNEUMATIC (I/P)	1.00	061	ST
629174	NOZZLE,VALVE:MT SS ASTM A276 GR 304	1.00	051	ST
592684	GSKT,SPWD:40MM,NON ASBESTOS	44.00	051	ST
587153	ASSEMBLY;HEATER BLOCK	1.00	081	ST
904186	FLAP:TYP SCHRADER VALVE	2.00	051	EA
605757	TRANSFORMER:TYP CONTROL,VA RT 1057VA	1.00	011	ST
653225	GSKT,SPWD:E-MICA,IRMT SS 321	2.00	051	EA
126025	O-RING:ID 139.29MM,WD 3.53MM,MT VITON	20.00	051	EA
586214	BRG,THRUST:1 PIECE,MT PTFE	1.00	051	ST
1062101	TRANSMITTER, PRESSURE: RANGE 2000PSIG	1.00	061	EA
928434	MODULE: TYP RECTIFIER,P/N:0M-94000	1.00	031	EA
592461	GSKT PRE-CUT :ID 30 X OD 40 X THK 0.5MM	13.00	051	ST
594307	PCKG;ID 23 X OD 36 X THK 6MM,GRAPHITE	1.00	051	ST1
957524	GSKT SET: APPLICATION OIL COOLER	2.00	051	ST1
596462	FLTR-ELMNT;BASKET,DIA 48 X LG 115MM	1.00	051	ST
643171	SLNGR;OIL,ID 132 X OD 137 X THK 4MM	1.00	101	ST
618642	RELAY:COIL 220VAC 60HZ,4PST	3.00	011	ST
1012964	SCREW, MACHINE: DIAMETER M6,LENGTH 16MM	2.00	051	EA
1192390	SCREEN: , TYP STRAINER,MNFR:UOP	1.00	051	EA
622542	SET;SEAL,PRE-DEWATERING SECTION,CE	1.00	081	ST1
626964	BLOCK:TYP LIGHT INDICATION	2.00	131	ST
984072	BELT, V: P/N:SPC2120FOZ-Q-FEN	3.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
800046	DISC-VLV;SS,4IN,BUTTERFLY	1.00	051	EA
628439	SPRING:TYP GROUND	3.00	051	ST
604521	FUSE:300A,500VAC,CURRENT LIMITING	2.00	021	ST
604970	LIMITER:	2.00	011	ST
1042817	O RING:INSIDE DIAMETER 404MM,WIDTH 5.7MM	2.00	051	EA
634070	GSKT:PLUG,STEEL	1.00	051	ST
1064276	SLEEVE, SHAFT: INSIDE DIAMETER 100MM	1.00	051	EA
614229	RELAY,PROTECTION:OVERCURRENT	2.00	031	ST
1526181	SOCKET:TYP AUXILIARY RELAY,SIZE WD 14 X	1.00	101	EA
591060	DFUSR	1.00	081	ST
598931	MOTOR,ELECTRIC:0.55KW	1.00	011	ST
636903	GSKT PRE-CUT :ROUND	1.00	051	ST
593096	GSKT PRE-CUT :DIA 20 X THK 5MM,CORK	1.00	051	ST
617511	PULLEY:	2.00	051	ST
641835	SWITCH, PRESSURE: TYP DIFFERENTIAL	1.00	061	ST
637186	GSKT PRE-CUT :ID 142 X OD 185 X THK 3MM	1.00	051	ST
1035611	KIT,SEAL:TYP REPAIR,APPL MECHANICAL SEAL	1.00	051	EA
1602380	PIPE-MTLC:NMNL P SZ DSGNTN 12IN,SCHDUL 2	1.00	131	EA
580643	BODY:TYP COOLING,MT AL	1.00	081	ST
1215745	FITTING,OUTLET:TYP WELDOLET,BRNCH CNCT B	2.00	051	EA
597047	SPRG-CMPRSN;16MM,21MM,118MM	1.00	051	ST
578602	ALARM:TYP AUDIBLE	7.00	121	ST
615934	PULLEY: TYP DRIVE,P/N:1183/1185/3457	1.00	051	ST
603665	CLIP:	1.00	051	ST
627359	TRANSFORMER,INSTRUMENT:CURR RT 50/5A	1.00	900	ST
635030	CIRCUIT:TYP PRINTED WIRING BOARD	1.00	011	ST
606487	PIN:DIA 25MM,LG 85MM,STEEL,PIVOT TILT	2.00	051	ST
605059	RELAY:COIL 24VAC/DC,4PDT,TYP MODULE	2.00	011	ST
807287	INTERFACE: TYPE BOARD,P/N:S0-02210907	1.00	051	EA
579591	RTD:TYP PT100,100OHM,STEM SZ DIA 3MM	1.00	101	ST
357041	MODULE, F. FOR CP 535 - SIMATIC S5	1.00	031	ST
636963	SHEET,GASKET:MT NON ASBESTOS	2.00	051	ST
619304	GSKT PRE-CUT :ID 60 X OD 83 X THK 1MM	2.00	051	ST
643176	LATCH:	1.00	091	ST
272889	O-RIG:I DIA 171.04MM,WD 3.53MM,MTRL BUNA	5.00	051	EA
1064528	GSKT PRE-CUT : MATL CAST STEEL	1.00	051	EA
593099	GSKT PRE-CUT :ID 32 X OD 43 X THK 3MM	1.00	051	ST
585415	SPRING:TYP PLATE	14.00	051	ST
800068	SEAT-VLV;GLOBE,3IN,PTFE	2.00	051	EA
580142	BALLAST:TYP FLUORESCENT LAMP	20.00	021	ST
580096	LIGHT,INDICATING:TYP PILOT,VOLT 250V	2.00	021	ST
615208	TRANSFORMER,INSTRUMENT:VA RT 50VA	1.00	011	ST
993970	THERMOSTAT: TYP ENCLOSURE INTERNAL	1.00	061	EA
738596	CMPNSTR;ELASTIC PIPE CONNECTION	1.00	051	ST
581066	PLUG,ELECTRICAL:380-415VAC 32A,P 3	7.00	021	ST
626953	SENSOR:TYP PT 100	2.00	011	ST
1056131	KIT: TYP MAINTENANCE,P/N:RPV088	1.00	081	EA
617032	POWER SUPPLY:I/P 110VAC,OP VOLT 24VDC	1.00	031	ST
586909	HORN:RT 24VDC	1.00	121	ST
641768	BRG,ROLL:	3.00	051	ST1
589635	COIL,ELECTRICAL:TYP SOLENOID VALVE	1.00	011	ST
616681	TRANSFORMER,INSTRUMENT:CURR RT 150/1A	1.00	011	ST
616607	RSTR;3.3K OHM,5W,SOLDER PIN,5	2.00	031	ST
589258	PACKING:GRAPHITE,TYP SLEEVE	19.00	051	ST
952050	WASHER:	8.00	051	ST
1038436	BUSH;ID 49 X OD 94 X LG 22MM,THROTTLE	1.00	051	ST
644236	CHEMICAL:SULPHURIC ACID,TYP H2SO4,LIQUID	33.50	001	L
643016	PACKING:PTFE,TYP STUFFING BOX	4.00	051	ST1
504781	MODULE:VOLTAGE INPUT MULTIPLEXER	2.00	031	EA
635632	GSKT PRE-CUT :GRAFOIL,BODY/CONNECTOR,2IN	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1040423	GSKT PRE-CUT : MATL DPAF,SHAP ROUND	1.00	051	ST
805415	PLUG,VALVE:VLV SZ 14IN,CONTROL,SST 316L	1.00	051	ST
616762	TRANSFORMER,INSTRUMENT:CURR RT 5/1A	2.00	011	ST
599395	GSKT,SPWD:1IN,T#1806-GR,SHP ROUND	1.00	051	ST
1003982	PLATE: TYP ORIFICE,SIZE 8IN,MATL SS 316	1.00	131	EA
9101860	REPAIR KIT (DELETE UPON CONSUMPTION)	1.00	051	ST
583130	LAMP,FLUORESCENT:	2.00	021	ST
588006	SEAL,RING:MT CARBON	2.00	051	ST1
1001739	TRNSFRMR;CONTROL,100VA,380V,48V	1.00	011	EA
593851	O-RIG;CAN BRG CARRIER	1.00	051	ST
635191	INSUL:TYP THERMAL,SZ DIA 100 X THK 10MM	1.00	001	ST1
642478	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
1523561	FAN:TYP EXTERNAL,SPD 1785RPM,ELEC RT 330	1.00	081	EA
587380	KIT,VALVE REPAIR:BALL VALVE	1.00	051	KIT
1031281	TRANSMISSION:TYP ROTARY,APPL PUMP COUPLI	3.00	031	EA
606662	BOLT,MACH:M30,LG 240MM,CS,3.5MM,HD HEX	1.00	051	ST
582828	THERMOMETER,DIAL:RNG 0-300DEG C	1.00	101	ST
624512	GLASS,SIGHT:	1.00	101	ST
595585	KEY-STCK;8 X 6MM,300MM,STEEL ZINC PLATED	2.00	081	ST
585530	STEM,VALVE:VLV ST MANUAL CONTROL ANGLE	1.00	051	ST
1233153	GSKT,SPWD:TYP BASIC WITH INNER AND OUTER	3.00	051	EA
605344	SWITCH,LIMIT:ACTN SPDT	2.00	021	ST
599998	GSKT,SPWD:GRAPHITE,SS 316	1.00	051	ST
587871	KIT-PUMP-RPR;REPLACEMENT	1.00	081	KIT
602179	PACKING:SQUARE,TYP GLAND	5.00	051	ST
696325	GSKT PRE-CUT :SQ 130 X THK 0.5MM	2.00	021	EA
639388	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
631578	NUT,LOCK:DIA M16,SELF LOCKING,THD 2MM	5.00	051	ST1
593091	GSKT PRE-CUT :ID 32 X OD 43 X THK 2.5MM	1.00	051	ST
644460	WASHER,LOCK:STEEL,ID 12MM,OD 24MM	32.00	051	ST
582673	GLASS,SIGHT:SZ 5/8IN,RT 500PSIG,SHP ROU	1.00	061	ST
1035458	TRANSMITTER, FLOW: RANGE 0-200000KG/HR	1.00	061	EA
589500	BREAKER,CIRCUIT:1A	1.00	011	ST
617859	GSKT:	1.00	051	ST
925065	KEY;LEAD SCREW LOCK	2.00	051	EA
600873	GSKT,SPWD:SHP ROUND	1.00	051	ST
1217231	RLY SLD STT:TYP MINIATURE,PTNTL 2.5KV,CU	1.00	011	EA
581188	CRCUT;FAULT	2.00	011	ST
547033	GAUGE,PRESSURE:	2.00	051	EA
905226	KIT,SEAL:	2.00	051	ST1
580582	SHAFT:	1.00	051	ST
611024	COUPLING,PIPE:3-1/2IN,COMPRESSION	2.00	051	ST
633000	SLEEVE:SZ DIA (82 X 120) X 40MM	1.00	051	ST
490322	ASSEMBLY:GEAR OUTPUT	1.00	081	EA
625526	CONTACT,AUXILIARY:CONTAR 1NO-1NC	3.00	011	ST
582767	THERMOCOUPLE:TYP E,DESLG 261MM	1.00	061	ST
627629	FUSE:6A,380V	6.00	021	ST
636894	BLDR;ACCUMULATOR,33.8L,NBR A576 GR 1045	1.00	081	ST
631110	RELAY:3PDT,CONT 250VAC/DC 4A	1.00	011	ST
599989	GSKT PRE-CUT :ROUND	1.00	051	ST
609472	COUPLING:	1.00	051	ST
602742	RING:TYP NOZZLE,APLC RELIEF VALVE	1.00	051	ST
627604	BREAKER,CIRCUIT:AMPERAGE 33A,VOLTAGE 400	2.00	011	ST
9102066	KEY,FITTING PN 6006(DELETED REF. ROSE RT	1.00	051	ST
615660	RETAINER:TYP OIL RING,MT CS ASTM A283 GR	1.00	051	ST
1590199	KIT-ACTUTR-RPR:TYP MAINTENANCE,CMPRSNG H	1.00	061	KIT
592501	GSKT-SPRL-WUND;BASIC,108MM,161MM,4.5MM	1.00	051	ST1
585260	REGULATOR:TYP PILOT	1.00	061	ST
603967	BIT,MASONRY:TYP DRILL,SZ DIA 10MM,CUTTI	12.00	101	ST
782402	GSKT PRE-CUT :	1.00	051	SE

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
601317	O-RING:MT VITON	2.00	051	ST
1214413	MODL COMM:TYP SERIAL,APPLN PLC,O/P 4-20M	1.00	031	EA
705077	GSKT PRE-CUT :KLINGERSIL C,ROUND	1.00	051	EA
588339	GSKT SET:	1.00	051	ST1
608647	BAR,ROUND:SZ 50MM,MT SS ASTM A276-91A,G	6.00	131	M
975384	GLAND: MATL SS 316,P/N:K9034BH	6.00	051	EA
774376	STUD-CNTNUS-THRD;3/4IN,10 UNC,220MM,B7	70.00	051	EA
580955	PLUG,VALVE:VLV SZ DN 200,STEEL	1.00	051	ST
644840	BAR,ROUND:SZ 1-1/2IN,LG 8IN,MT AL	1.00	131	ST
1573989	WDG-VLV:VLV STYL GATE,VLV SZ 10IN,MTRL C	4.00	101	EA
599437	GSKT,SPWD:GRAFOIL,SS 316,FILL THK 4.5	4.00	051	ST
604545	FUSE:25A,600VAC,DIA 10 X LG 38MM,FERRULE	22.00	021	ST
1046819	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	1.00	051	EA
737113	SPINDLE:TYP VALVE,MT 1.4571 / 316 TI	1.00	101	ST
842620	TRNSFRMR;CURRENT,315A,15V,MONO,60HZ	2.00	011	EA
590537	RELAY:	1.00	011	ST
1079896	GAS: TYP CALIBRATION MIXTURE	1.00	001	CY
769719	CABLE:	5.00	021	EA
609612	O-RING:ID 82.14MM,WD 3.53MM,STD AS 568A	10.00	051	ST
616552	RSTR;1K OHM,STUD	3.00	031	ST
619767	TUBE:MT A1050TD/PE	1.00	051	ST
581993	CASING,PUMP:TYP VOLUTE	1.00	900	ST
643689	BUSH:BRUSHED	1.00	051	ST
617580	BRKR-CRCUT;1A,250VAC 50/60HZ,15/50KA,2	2.00	011	ST
742223	O-RING SET:APLC CENTRIFUGAL PUMP	1.00	051	ST
587400	KIT:TYP RELAY	1.00	061	ST
622562	SPRING,VALVE:SS ASTM A313 GR TP316	2.00	051	ST
475000	GSKT:ES,ROUND,SS 316,CONTROL VALVE	3.00	051	EA
1000788	SWITCH, SELECTOR: CNTCT RT 690VAC 20A	1.00	021	EA
641360	CONTACTOR:AMPERAGE 20A,LINE VOLTAGE 690V	2.00	011	ST
625302	CONTACTOR:AMP 125A,3 POLE	1.00	900	ST
636227	O-RING:MT RUBBER	1.00	051	ST
644714	GSKT PRE-CUT :ASBESTOS/TEADIT NA 1000	2.00	051	ST
579190	GAUGE,PRESSURE:0-16BAR; 0-225PSIG,3IN	2.00	101	ST
950097	GSKT:INTERNAL,COPPER,DESUPERHEATER	1.00	051	EA
636836	VALVE:BDY MATL SS 403	1.00	051	ST
577791	ASSEMBLY:FAN/MOTOR	1.00	900	ST
601349	O-RING:MT VITON	4.00	051	ST
1576627	PLUG-VLV:VLV STYL GLOBE,VLV SZ 8IN,MTRL	1.00	051	ASY
1563108	KIT,VALVE REPAIR:APPL 8IN SERIES 2500-1	1.00	051	KIT
595068	SEAL,OIL:ID 24MM,OD 35MM,WD 7MM	1.00	051	ST
600764	GSKT PRE-CUT :	2.00	051	ST
590747	SWITCH,PRESSURE:125/250VAC 11A; 30VDC 5A	4.00	061	ST
603463	BLOCK,CONTACT:	1.00	021	ST
632282	SPRG-VLV;CS	1.00	051	ST
584512	SWITCH,SELECTOR:1NO-1NC	1.00	021	ST
726676	PALLET:MT ALUMINUM	1.00	001	ST
583644	MODULE:(32) DIGITAL OUTPUT	1.00	031	ST
615724	SLEEVE:TYP DISTANCE; SPACER,SS ASTM A276	1.00	051	ST
596755	FILTER,ELEMENT:CELLULOSE FIBRE,ID 120 X	1.00	051	ST
803046	BALLAST: TYPE HG MERCURY VAPOUR	2.00	021	ST
629198	NOZZLE,VALVE:MT SS ASTM A276 GR 304	1.00	051	ST
583029	DIODE,LIGHT EMITTING:COLOR WHITE,ELEC T	1.00	021	ST
599090	PULY-V-BELT;SPZ,3	1.00	051	ST
1051226	BOLT, MACH: DIAMETER 5/8IN,LENGTH 75MM	20.00	051	ST1
609779	KIT,VALVE REPAIR:GASKET	1.00	051	KIT
590128	FUSE:0.5A,MICRO	1.00	021	ST
805409	MODEM:TYP COMMUNICATION,PWR S 100-240VAC	1.00	031	EA
650662	PIN:STEEL,STOP	4.00	051	EA
615115	CMPNSTR	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
933021	CONTACTOR:TYP MAGNETIC,POLE 3	1.00	011	ST
1620975	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPRSNG OR	1.00	051	KIT
632917	BRG,THRUST:	1.00	051	ST1
800787	GSKT,SPWD:16IN,150LB,GRAPHIET,SS 316	1.00	051	ST
738725	RAM:TYP VALVE	2.00	061	ST
643680	FILTER,OIL:	1.00	051	ST
590687	SWITCH,LIMIT:	1.00	061	ST
599727	GSKT JKTD:SHP ROUND	1.00	051	ST
613262	GAUGE, PRESSURE: RANGE 0-6BAR,FILLED NON	2.00	101	ST
619564	SHIM:	2.00	051	ST1
630182	GUIDE:TYP CHAIN	1.00	091	ST
602525	SET:TYP PISTON RING	2.00	081	ST
1003934	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
643080	GSKT,SPWD:1/2IN,GRAPHITE,SS 316	2.00	051	ST
642771	SEAT,VALVE:VLV SZ DN 100,BALL,GFK/PTFE	8.00	051	ST1
603749	CONNECTOR:	1.00	021	ST
643859	KIT: APPL PRESSURE SAFETY VALVE	2.00	081	SE
594064	O-RING:ID 469MM,WD 8MM,MT PTFE	1.00	051	ST
600888	GSKT PRE-CUT :ROUND	2.00	051	ST
373612	RIG-RTNG;ID 52 X THK 2MM,INTERNAL,METAL	12.00	021	ST
925791	GSKT SET: MNFR:BOPP & REUTHER	12.00	051	SE
635201	DAMPER,VIBRATION:DIA 75/M12 X 55	2.00	051	ST1
1024436	THERMOMETER, DIAL: TYP BIMETAL	1.00	101	EA
616796	RELAY,OVERLOAD:65-95A,1NO-1NC,THERMAL	2.00	011	ST
611057	GSKT PRE-CUT :THK 5MM,RUBBER,RF,3/4IN	80.00	051	ST
610538	PULY-V-BELT	1.00	051	ST
961372	WASHER: MATL N07718 HT,TYP THRUST	4.00	051	EA
592887	GSKT-SPRL-WUND;BASIC,52 X 85MM,4.5MM,SS	2.00	051	ST
626701	OPERATOR,SWITCH:TYP START PUSHBUTTON	2.00	011	ST
1025173	BOARD: TYP CPU,P/N:827056	1.00	051	EA
1076499	GSKT, SPWD: WINDING MATERIAL SS 316L	2.00	051	EA
622781	SPRING,VALVE:	1.00	051	ST1
599565	GSKT PRE-CUT :RTFE,1IN	2.00	051	ST
635474	VALVE:VLV SZ 1/2IN,CONN NPT	1.00	051	ST
592836	GSKT-PRE-CUT;PUMP,ROUND	2.00	051	ST
619583	SHAFT,PUMP:	1.00	051	ST
738359	STEM,VALVE:MT TP 304,STD ASTM A 276	1.00	051	ST
619570	SEAT,VALVE:SS 316	4.00	051	ST
606881	SCREW,SELF TAPPING:1-1/2IN LG,FLAT	250.00	051	ST
580336	PSTN;SS DIN WN 1.4541	1.00	900	ST
396122	KIT;REPAIR	1.00	900	ST
610662	BRG,BALL:ID 25MM,ST 2 SHIELDS,ROW SINGLE	2.00	051	ST
602857	SEAL,RING:TYP V SHAPE	1.00	051	ST
611774	BRKR-CRCUT;25A,230/400V AC,6KA,1,RAIL	2.00	011	ST
584863	DIAPHRAGM,VALVE:MT PTFE,VLV SZ 2IN	3.00	051	ST
624826	CONVERTER:TYP DC-DC	1.00	061	ST
626540	RECTIFIER:VOLT 24VDC	1.00	021	ST
422227	O-RING:ID 119.4MM,WD 3.1MM,MT VITON	2.00	051	ST
598286	BRG,ROLL:ID 70MM,OD 176.2MM,WD 54.7MM	1.00	051	ST
192521	BELT-V:TOP WD 13MM,THK 10MM,MTRL RUBBER	1.00	051	ST
616687	TRANSFORMER,INSTRUMENT:VA RT 3VA,CURR RT	2.00	011	ST
601631	O-RING:APLC PISTON ROD COVER	3.00	051	ST
1004149	MODULE: TYP ENHANCED KEYPHASOR	1.00	031	EA
600976	GSKT PRE-CUT : SIZE 20IN,SHAP ROUND	2.00	051	ST
635605	GSKT PRE-CUT :GRAFOIL,UPPER COVER,6IN	1.00	051	ST
614849	SHAFT,PUMP:	1.00	051	ST
602580	RING,WEAR:	1.00	081	ST
592609	GSKT PRE-CUT :ID 75 X OD 115 X THK1.2MM	4.00	051	ST
609961	DOOR: P/N:800-2827-0100,DOC:N-GH-SD-E-02	2.00	121	ST
1198295	TEE, PIPE: SIZE 12 X 12IN	2.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
642969	GSKT PRE-CUT :PTFE,COVER,DN 125	4.00	051	ST
609247	SPACER:SZ DIA 5.2 X THK 1.8MM	1.00	051	ST
644335	FUSE:35A,1200V	6.00	021	ST
639410	SPRING,VALVE:AS ASTM A29 GR 5155	1.00	051	ST
723641	BOLT:CS JIS G4051 GR S20C	1.00	051	ST
582614	GUG-PRSUR;OXYGEN,STEEL	3.00	101	ST
590691	SWITCH:	1.00	021	ST
593705	O-RING:WD 7MM,MT NBR	2.00	051	ST
937033	CYLINDER, ACTUATING, LINEAR:	1.00	061	ST
619291	SEAL,RING:ID 8MM,OD 12MM,THK 1MM,MT COP	1.00	051	ST
594534	RING:ID 180 X OD 185 X THK 24MM,PLASTIC	2.00	051	ST
643257	SCREW,SET:	1.00	051	ST
588620	SPRING,VALVE:CRES	1.00	051	ST1
596066	GUIDE,VALVE:VLV ST CONTROL	1.00	051	ST
631111	RLY;24VDC 5A,DPDT,250VAC/30VDC 10A	3.00	011	ST
608625	GSKT:ID (40 X 107) X OD (294 X 398)MM	2.00	051	ST
633202	AMPLFR;TRIP	1.00	031	ST
582194	FAN:TYP AIR MOTOR,VOLT R 300M3/HR	1.00	081	ST
604703	FUSE:350A,500V,BLADE,FAST BLOW; HRC	7.00	021	ST
638823	ACTUATOR:	1.00	061	ST
620244	IMPELLER,PUMP:MT SS ASTM A276 GR 403,TY	1.00	051	ST
597371	VALVE,SOLENOID:ST 3/2 WAY,DESRT 315BAR	1.00	051	ST
9101834	REPAIR KIT; S1018	5.00	051	ST
628878	GSKT PRE-CUT :NON ASBESTOS	2.00	051	ST
432233	REACTOR, OUTPUT FOR SIMOVERT MASTERDRIVE	1.00	011	ST
47900	GSKT,SPWD:SHP ROUND,BASIC,APLC BONNET	1.00	081	EA
1547430	DIAPHRAGM,VALVE:SIZE THK 0.25MM,MATL TEF	2.00	051	EA
805387	LIGHT,INDICATING:TYP PILOT,VOLTAGE 400V	1.00	021	ST
1024062	TRANSDUCER: TYP CURRENT,INPUT 0-1A	1.00	061	EA
737191	GLASS,SIGHT:	1.00	101	ST
610118	CONTACT,AUXILIARY:TYP SWITCH,STD UL	1.00	011	ST
1193124	PACKING:SIZE DIA 30 X WD 6CM,SHAP ROUND	1.00	051	SE
9102202	GEARBOX, SPEED REDUCER, 63:1, 1400 RPM I	2.00	051	EA
639711	PLUG,VALVE:CONTROL	1.00	051	ST1
608321	OL;FUSE,HAND,PLASTIC	3.00	101	ST
637995	BAL-VLV;TITANIUM ASTM B348	1.00	051	ST
623281	CONTACTOR:	1.00	011	ST
593659	O-RIG;32.69MM,5.33MM,BUNA-N	2.00	051	ST
592435	GSKT PRE-CUT :ID 39 X OD 48.5 X THK 2MM	2.00	051	ST
642723	SEAL:GFK/PTFE,STEM	8.00	051	ST
584894	DISC,VALVE:SS ASTM A276,304,PRESSURE AND	1.00	051	ST
591796	WASHER,SEALING:	10.00	051	ST
697315	FUSE:6.3A,40.5KV,STUD BOLT,CURRENT	3.00	051	EA
595853	INDICATOR:TYP SPEED,DIGITAL,SCALE 0-500	1.00	061	ST
802926	PACKING:ID 20 X OD 33 X THK 6MM,GRAPHITE	1.00	051	ST
607345	BUSH,VALVE:ID 15 X OD 18.5MM,SHAFT	2.00	051	ST
623036	LIGHT:TYP PILOT,VOLT 24VDC,COLOR RED	2.00	021	ST
9101909	CONTACTOR , MAGNETIC LC1-D40 , P/N:LC1-D	1.00	051	ST
580392	SHFT;35MM,180MM,SS	2.00	051	ST
603261	SEAL:APLC NITROGEN PLANT PACKAGE	1.00	051	ST
592839	GSKT-PRE-CUT;ID 60 X OD 140 X THK 5MM	2.00	051	ST
530755	KIT:TYP TERMINATION,APLC CABLE	1.00	081	ST
581422	CIRCUIT:TYP LOGIC TS	1.00	011	ST
645626	BRG,BALL:IBI 14449,ID 70MM,OD 150MM	1.00	051	EA
600241	GSKT,SPWD:46IN,150LB,GRAPHITE	2.00	051	ST
612496	SLINGER:	2.00	101	ST
618485	SWITCH,PRESSURE:2.1-14BAR,125/250VAC 1A	3.00	061	ST
607276	BUSH;ID 55 X OD 65 X HT 40MM,AL/PLASTIC	1.00	051	ST
579793	STPR;PLASTIC	1.00	051	ST
799496	METER,ELECTRICAL:TYP VOLT,RNG 0-60V	2.00	101	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
800921	O-RING:ID 7/16IN,WD 3/32IN,MT VITON	90.00	051	EA
578063	KIT:TYP CHLORINE CELL	2.00	081	ST
1065063	RIG:TYP SEAT,MTRL 316-A,SZ ID 107 X OD 1	1.00	051	EA
582167	FAN:	2.00	081	ST
580755	OUTLT-SRVC;SERVICE,1,3,240VAC 40A	7.00	021	ST
644340	FUSE:400A,1200V	3.00	021	ST
600568	GSKT PRE-CUT :SIZE ID 274 X OD 290 X THK	2.00	051	ST
630502	MODULE:DIGITAL REMOTE FINAL DRIVER	1.00	031	ST
596889	REGULATOR,PNEUMATIC:TYP PRESSURE GAS,IN	2.00	061	ST
635555	O-RING:MT FKM	1.00	051	ST
619202	CIRCUIT:TYP SURGE PROTECTOR	1.00	011	ST
744350	CIRCUIT: TYP INPUT/OUTPUT INTERFACE	3.00	011	ST
587955	KIT,VALVE REPAIR:SEAL	1.00	051	KIT
644689	CIRCUIT:TYP ELECTRONIC MA-CARD	1.00	011	ST
795406	DTCTR-RSTNC-TMPRTUR;PT100,100OHM,80-90°C	2.00	101	ST
589063	RECEIVER,OPTICAL:TYP FIBRE OPTIC VIDEO	1.00	031	ST
1022526	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
640656	PLUG,VALVE:VLV SZ 3IN,GLOBE,SS 416	1.00	051	ST
594093	O-RING:APLC SEAL	1.00	051	ST
605450	SWITCH,SAFETY:TYP EMERGENCY STOP	2.00	011	ST
771063	STUD:DIA M36,160MM LG,AS,THD 3MM,GR B16	3.00	051	ST
1029650	IMPELLER:TYP NON-CLOG CUTTING,SIZE DIA 1	1.00	081	EA
589312	TERMINAL:	1.00	021	ST
1595340	STUD-ASMBLY:TYP BOLT,DIA 1-1/2IN,LG 340M	288.00	051	ASY
599159	ROLLER:TYP MACHINE,SZ DIA 20MM,MT STEEL	1.00	051	ST
592783	GSKT PRE-CUT :THK 1/8IN,IT-MO/REINZ	3.00	051	ST
619665	RING:CS JIS GR STPG370	1.00	051	ST
628625	RETAINER:TYP SEAL RING	1.00	051	ST
624330	BOLT:HUB	1.00	051	ST1
587765	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	KIT
805321	DISKETTE:CAP 250MB	1.00	141	ST
1049492	STUD CNTNS THD:TYP BOLT,DIA 1-1/4IN,THRD	5.00	051	ST1
588726	KIT,VALVE REPAIR:TYP PACKING SET,DOC:GA-	1.00	051	ST1
628644	RING,LANTERN:APLC BUTTERFLY VALVE	2.00	081	ST
589497	BREAKER,CIRCUIT:POLE 2	2.00	011	ST
644707	GSKT PRE-CUT :ASBESTOS/TEADIT NA 1000	2.00	051	ST
588110	REGULATOR, PNEUMATIC: P/N:78-40-H	2.00	061	ST
642951	PACKING:NON ASBESTOS,TYP STUFFING BOX	4.00	051	ST1
593382	GSKT:EPDM	2.00	051	ST
1085749	RELAY,CONTROL:TYP MOTOR,SUPPLY 24-250VDC	4.00	031	EA
607210	NAIL:TYP FINISHING,HD ST SMALL CUPPED	7.00	051	KG
582996	DIODE,LIGHT EMITTING:COLOR AMBER	2.00	021	ST
590749	SWITCH,PRESSURE:125/250VAC 11A; 30VDC 5A	2.00	061	ST
612352	SEAL,LABYRINTH:GRAPHITE	2.00	051	ST
591940	BUSH,VALVE:ACETAL,VLV SZ 10IN	1.00	051	ST
1612197	GSKT-KIT-INSULTG:TYP VCFS,NMNL FLNG SZ 6	2.00	051	KIT
614232	RELAY:COIL 110VAC,2NO-2NC	4.00	011	ST
592456	GSKT PRE-CUT :ID 105 X OD 117 X THK	2.00	051	ST
593008	GSKT-PRE-CUT;RECTANGULAR,CORK	2.00	051	ST
826481	DIAPHRAGM:TYP DOUBLE,MT PTFE	1.00	051	ASY
602361	PACKING:IRREGULAR ROUND,TYP FRONT	48.00	051	ST
705532	KIT,VALVE REPAIR:SEAL AND BEARING	2.00	051	EA
598062	BRG-BAL;10417,12MM,32MM,10MM,SINGLE	2.00	051	ST
617432	BRG-RLR;CYLINDRICAL	1.00	051	ST
612805	FIXTURE,FLUORESCENT LIGHTING:VOLT 220V	3.00	021	ST
9102330	SCREW,HEXAGON,SIZE M12 X 30 - 8.8,(MARK	15.00	051	ST
642852	SEAL,RING:ID 50MM,THK 3MM	3.00	051	ST
9102270	SWITCH,600V 400A,TYPE: 3KL57301(TO BE DE	1.00	051	ST
583015	DIODE,LIGHT EMITTING:COLOR RED	4.00	031	ST
583682	CIRCUIT:TYP LIM,DSU	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
599750	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	1.00	051	ST
1004128	BLOWER: TYP VACUUM; ROOTS,P/N:032770000	1.00	081	ST
46705	O-RING:ID 40.67MM,WD 5.33MM,MT VITON	10.00	051	EA
615327	VALVE:TYP GOVERNOR,VLV SZ 50MM	3.00	051	ST
641686	HOLDER,FUSE:FUSE D II,DIAZED	2.00	021	ST
1218254	COUNTER:TYP 8 DIGIT,RANGE -10 TO 50DEG C	3.00	061	EA
1246706	REAGENT:TRADE NAME 1-HEXANESULFONIC ACID	275.00	001	G
771998	SHIM:TYP DIFFUSER	1.00	051	ST
1071332	CYLINDER: EQUIP MDL#: B1JA 8/35 U	1.00	081	EA
1003935	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
582989	GLOBE,LIGHTING:TYP FLOURESCENT LAMP	43.00	021	ST
930308	RING: MNFR:NEUMAN & ESSER GROUP	1.00	051	ST
616904	CONTACTOR:TYP MAGNETIC,AMP 9A,3 POLE	3.00	011	ST
599736	GSKT,SPWD:GRAFOIL,SS 316,APLC BOTTOM	1.00	051	ST
641779	SHAFT:DOC:2620D016077	1.00	051	ST
798665	GSKT,SPWD: MNFR: UNKNOWN,P/N: 3SB0200017	1.00	051	ST
296791	OIL-HYDRULC:TYP ANTI-WEAR,TRD NM MOBIL D	208.00	001	L
596929	SEAT;45MM,52MM,STEEL,CONICAL	1.00	051	ST
627636	UNIT:TYP CONTROL	1.00	011	ST
608517	PCKG:TYP STEM,P/N:03-1145/7/778,MNFR:SEV	1.00	051	ST
608520	RING,WEAR:SS ASTM A276 TP 420	2.00	081	ST
629290	SLEEVE:	2.00	051	ST
616562	TRANSFORMER,INSTRUMENT:VA RT 10VA	1.00	011	ST
806911	SWITCH,SELECTOR:TYP PROCESSOR,4	1.00	021	EA
579445	PROBE:TYP VIBRATION,APLC AIR COMPRESSOR	3.00	011	ST
583874	MODULE:TYP FUSE	1.00	011	ST
587562	KIT-VLV-RPR:TYP SPARE,CMPRSNG SEAT,SEAL	2.00	051	ST1
9102323	NUT WITH STUD M12 (205.00), P/N: 6(TO BE	12.00	051	ST
1052167	MAGNET: TYP LOCKING,P/N:1VCF339750R1912	1.00	061	EA
581525	MODULE:PWR S 600VAC 125A 3 PH	3.00	031	ST
600966	GSKT PRE-CUT :RECTANGULAR	2.00	051	ST
602598	RING,WEAR:	2.00	081	ST
578673	DRIVE:	1.00	081	ST
600343	GSKT PRE-CUT :ROUND	8.00	051	ST
588198	KIT:TYP SOFT PARTS,CMPRSNG GASKET SET/SE	1.00	081	ST1
605612	SWITCH,PUSHBUTTON:COLOR RED,HD ST MUSHR	156.00	011	ST
632991	INDICATOR:TYP REMOTE RESPONSE	18.00	061	ST
637664	BALL,VALVE:VLV SZ 3/4IN,MT SS ASTM A479	1.00	051	ST
615297	RING,BACK-UP:MT PTFE	2.00	051	ST
628663	SEAT,VALVE:VLV SZ 4IN,GATE,AS ASTM A182	2.00	051	ST
592564	GSKT-PRE-CUT;ID 520 X OD 577 X THK 2MM	2.00	051	ST
605493	SWITCH,PROXIMITY:INDUCTIVE	1.00	011	ST
625115	VALVE,NEEDLE:VLV SZ 1/4IN,DESRT 5000PSIG	2.00	051	ST
930030	KIT, VALVE REPAIR: TYP REPLACEMENT	1.00	051	EA
615678	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	2.00	081	ST
586060	GLAND,PACKING:TYP YOKE BUSH,MT DI ASTM	1.00	051	ST
592651	GSKT,SPWD:65MM,NON ASBESTOS,CS GALV	2.00	051	ST
1012965	HOUSING: TYP STATOR,P/N:555 64 02	1.00	051	EA
1059844	CNTCT-AUXLRY:TYP SWITCH,CNTCT ARNG 3NO-1	1.00	011	EA
774928	FILTER,ELEMENT:2MICRON,SUCTION AIR	4.00	051	ST
592861	GSKT-PRE-CUT;BUSHING,ROUND,CORK	3.00	051	ST
602602	RING,WEAR:	1.00	081	ST
831109	OILR;CONSTANT LEVEL	3.00	101	EA
629515	FITTING:TYP SHOWER HEAD,MT SS 304	1.00	081	ST
583946	HOSE, FLEXIBLE METAL: HOSE SZ 1/2IN	5.00	051	ST
1022683	RELAY, PROTECTION: TYP EARTH FAULT	1.00	031	EA
628053	PIN	4.00	051	ST
596358	ARM:TYP FLAP,SZ LG 20MM,MT BRONZE	1.00	131	ST
590411	RELAY,PROTECTION:TYP INSTANTANEOUS	2.00	011	ST
602317	PACKING:PTFE,SQUARE	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
643780	JOINT:	2.00	051	ST
602896	SEAL,RING:ID 100MM,MT PTFE	2.00	051	ST
637989	KIT,VALVE REPAIR:TYP BALL VALVE,DOC:L 24	2.00	051	ST1
604375	RELAY:COIL 220VAC 60HZ,4PST	2.00	011	ST
1586982	GUD-VLV:VLV STYL SAFETY RELIEF VALVE,VLV	1.00	051	EA
578460	SET:TYP FUSE	1.00	081	ST1
610518	TRNSFRMR;CONTROL	4.00	011	ST
603133	SEAL,OIL:MT RUBBER	2.00	051	ST
1024096	ASSEMBLY:TYP CHECK VALVE,APPL MEA INJECT	1.00	081	EA
722536	NOZZLE:TYP UNKNOWN,MT A276-316	1.00	051	ST
586211	BRG,SLEEVE:TYP STRIP,MT PTFE	1.00	051	ST
633167	CIRCUIT:TYP AC TO DC PROCESSOR,APPL INST	1.00	011	ST
580741	PLATE:TYP CALIBRATION,SZ 60MM,GLASS	4.00	131	ST
621919	STARTER,ELECTRIC MOTOR:	1.00	011	ST
609711	SEAT,VALVE:VLV SZ 24IN,BUTTERFLY,BUNA-N	1.00	051	ST
1033469	VALVE, BFY: VALVE SIZE DN 150,TYP WAFER	4.00	051	EA
604478	ELMNT-HTR;380V,667W,CRNI	4.00	011	ST
588663	GSKT SET:	3.00	051	ST1
582351	CONTROLLER:TYP TEMPERATURE	1.00	081	ST
624143	WASHER:SS 316L,PACKING	3.00	051	ST
599305	GEARBOX:TYP SPEED REDUCER,RATIO 32:1	1.00	081	ST
1024365	NOZZLE: TYP STEAM,SIZE 1-1/2IN	1.00	051	EA
639446	SCREW,SET:SOCKET HEX	2.00	051	ST1
9101882	REPAIR KIT, MATL: ASTM B348.2/ INCOLOY "	2.00	051	SE
584968	DISC:2IN,SAFETY	1.00	051	ST
244984	FUSE:3.2A,300VAC,DIA 0.63IN,FERRULE	5.00	051	EA
601361	O-RING:MT VITON	2.00	051	ST
928452	CONVERTER: TYP MODBUS PROTOCOL	1.00	061	EA
602475	PACKING:PTFE,SQUARE	2.00	051	ST1
9102169	BEARING,BALL,6005TBP64; (USE 79-01-0809,	30.00	051	EA
642713	RING:PTFE/KOHLE,TYP SLIDING	8.00	051	ST
629591	SCREEN:6,MATL SS 304	2.00	051	ST
644545	GSKT,SPWD:DN 32MM,PN 10-40,IRID 42MM	2.00	051	ST
592052	COUPLING,SHAFT,HALF:	1.00	051	ST
617144	FUSE:	3.00	021	ST
853716	SET;ULTRASONIC TRANSDUCER,FLOW METER	1.00	081	PAA
1063894	FUSE: AMPERAGE 15A,VOLTAGE 250V	1.00	021	EA
603818	BRG,SLEEVE:ID 7-7/8IN,TYP ADAPTER,OD 9IN	1.00	051	ST
641909	KIT-VLV-RPR:TYP SOFT PARTS,CMPRSNG O RIN	1.00	051	ST
587695	KIT;LATCH,FORKLIFT	2.00	081	ST
600414	GSKT,SPWD:SHP ROUND	1.00	051	ST
585933	VALVE, ANGLE: TYPE FINE METERING	3.00	051	ST
602495	PACKING:GRAFOIL,RECTANGULAR	1.00	051	ST
642487	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
594299	PCKG;ID 27 X OD 40 X THK 12MM,GRAPHITE	1.00	051	ST1
731141	PIN:ROLL	2.00	051	ST
799766	DISC-BRK;COMPOSITE,HOIST	1.00	051	ST
235632	GSKT,SPWD:GRAPHITE TAPE,SS 316L	1.00	051	ST1
1003941	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
805619	BATTERY,DRY CELL:TYP LITHIUM,VOLT 3V	2.00	011	ST
590878	SWITCH:TYP MOTOR CONTROL	1.00	021	ST
627235	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	3.00	051	ST
637012	SEAL,LABYRINTH:BUFFER GAS	1.00	051	ST
640256	PACKING:THK 3.15MM,PTFE,ROUND,TYP STEM	1.00	051	ST1
580669	BOX:TYP DEEP SQUARE,SZ 1-1/2IN	10.00	001	ST
602261	KIT,VALVE REPAIR:GASKET AND PACKING	1.00	051	ST
804339	KIT,SEAL:TYP PACKING	1.00	051	ST
609829	VALVE,SOLENOID:ST 2/2 WAY	1.00	051	ST
610319	IMPELLER,FAN:TYP BALANCED RADIAL,CS DIN	1.00	081	ST
590178	FUSE:20A,500VAC,DIA 13/32 X LG 1-1/2IN	1.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
618829	ARMATURE:TYP BRAKE	2.00	900	ST
590228	POWER SUPPLY:	1.00	051	ST
542709	HOLDER,FUSE:AMP 63A	3.00	021	EA
586627	SET:TYP BATTERY CHARGER	1.00	081	ST
616571	MTR-ELECT;AMMETER,ANALOG,0-300/1800A,CE	2.00	101	ST
641434	GSKT PRE-CUT :DIA 400MM	1.00	051	ST
603637	CLIP,ELECTRICAL:	15.00	021	ST
573944	ASSEMBLY:TYP ENCODER,APPL LIMITORQUE MXA	1.00	081	EA
601285	O-RIG;45MM,3.1MM,NBR,L.O. MAIN PIPE	2.00	051	ST
608303	SOCKET,ELECTRICAL:TYP PANEL LARGE FLANGE	5.00	021	ST
1247968	GSKT,SPWD:TYP BASIC WITH INNER & OUTER R	1.00	051	EA
621908	SHUNT:TYP TRIP,RT 120-240V	2.00	081	ST
580936	PLUG-VLV;CONTROL,DN 100MM	1.00	051	ST
600178	GSKT PRE-CUT :THK 1.6MM,REINZ AFM 34,FF	20.00	051	ST
799760	SWITCH: TYPE ON/OFF,ACTION 2P	1.00	021	ST
581734	HOSE,RADIATOR:ID 25MM,OD 33MM,LG 230MM	2.00	051	ST
586212	BRG,THRUST:1 PIECE,MT PTFE	1.00	051	ST
458988	O-RIG;179.5MM,3MM,BUNA-N	2.00	051	EA
617635	BUSH:ID 20 X OD 30 X LG 30MM,CYLINDER	12.00	051	ST
592268	FERRULE,TUBE ADAPTOR:TUBE SZ 1/16IN	5.00	051	ST
588756	KIT-VLV-RPR:TYP SOFT PARTS,APL GATE/GLOB	1.00	051	ST1
636286	O-RING:APLC TRANSMISSION UNIT	2.00	051	ST
621880	COIL,ELECTRICAL:ELEC TRT 120VAC 60HZ	3.00	011	ST
601064	GSKT PRE-CUT :PTFE,3IN	2.00	051	ST
630953	BELLOWS:	1.00	051	ST
604702	FUSE:315A,500V,WD 26 X LG 150 X DP 5MM	12.00	021	ST
1251635	WEDGE,VALVE:VLV STYL GATE VALVE,VALVE SI	1.00	101	EA
1192472	SEAL, LABYRINTH: TYP INPRO,APPL PUMP	1.00	051	EA
602217	PACKING:TYP GOVERNOR VALVE	2.00	051	ST
1023983	RTD: TYP SPRING LOADED,RESISTANCE 100OHM	2.00	101	EA
584430	MTR-ELECT;AMMETER,0-600A	1.00	101	ST
605375	SWITCH,PRESSURE:4-54PSIG,FNPT 1/8IN	1.00	061	ST
9101833	REPAIR KIT	3.00	051	ST
611612	CRCUT;CENTRAL PROCESSING UNIT MICRO	1.00	011	ST
928602	TRANSFORMER, INSTRUMENT: TYP CURRENT	1.00	011	EA
615566	SLEEVE:TYP DISTANCE; SPACER,SS ASTM A276	1.00	051	ST
738290	STUD:OPERATOR	6.00	051	ST
596706	FILTER,OIL:CRYSTAL,DIA 210 X LG 240MM	1.00	051	ST
597166	SPRING:DIA 63 X LG 89 X WIRE THK 1.15MM	5.00	051	ST
141516	BRG,THRUST:BALL,ID 30MM,OD 47MM,WD 11MM	1.00	051	EA
1065096	PCKG:SZ ID 10 X OD 20 X THK 2MM,MTRL GR	1.00	051	EA
615007	PIPE;OD 114.3 X THK 2MM,6000MM,SS 321	6.00	131	M
612924	FUSE:80A	4.00	021	ST
1572060	MESH:SZ 1000 X 1000MM,MSH SZ 80,WR SZ 0	1.00	051	EA
606414	PIN:	1.00	051	ST
627681	FUSE:1A,500V	7.00	021	ST
1004003	PLATE: TYP ORIFICE,SIZE 3 IN,MATL SS 316	1.00	131	EA
628099	GSKT:SEAT,SS 316L	3.00	051	ST
601153	GSKT PRE-CUT :PTFE,2 X 4IN	2.00	051	ST
799484	STATION: TYPE START-STOP	1.00	011	ST
619879	SEAL,OIL:	1.00	051	ST
602185	PACKING:RECTANGULAR,TYP GLAND	20.00	051	ST
1217197	KIT,VALVE REPAIR:APPL 3IN GATE VALVE,TYP	1.00	051	KIT
637976	KIT,VALVE REPAIR:DOC:L2400	1.00	051	ST1
642553	KIT,VALVE REPAIR:BUTTERFLY,SEAL	4.00	051	ST
583677	CIRCUIT:TYP RECEIVER FAN/TILT DRIVER	1.00	011	ST
585685	VALVE,RELIEF:TYP PRESSURE REDUCING	2.00	061	ST
1038424	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	2.00	051	EA
607769	ADAPTOR,TUBE TO PIPE:T SZ 22MM	2.00	051	ST
738385	RAM:TYP VALVE	1.00	061	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
960507	MOTOR, ELECTRIC: PWR RT 0.14KW	1.00	011	ST
789153	COIL,ELECTRICAL:FUNC OPENING	1.00	011	EA
562789	UNIT:TYP TRANSMISSION,APLC TRANSMISSION	1.00	051	ST1
588218	KIT, PUMP REPAIR: DOC:OW309004-00	3.00	081	ST1
1025043	GSKT-SPRL-WUND:TYP BASIC WITH INNER RING	2.00	051	EA
631560	WASHER,PRESSURE CLEANING:PRESSURE	2.00	051	ST1
603744	PLUG-ELECT;160A,FEMALE	2.00	021	ST
9102097	SHEET,PERMANITE,SUPER(CAF230)SHEET,COLOU	2.00	051	ST
588127	KIT-SEAL:TYP SOFT PARTS,CMPNNT QTY O'RIN	1.00	051	ST1
583912	MODULE:RECTIFIER,PWR S 220VDC	1.00	031	ST
1626631	HEAD ASSY-S200 SST PUMP 100UL	1.00	051	EA
720914	SET:TYP EC 250,APLC FUSE LET	1.00	081	SE
635590	GSKT PRE-CUT :GRAFOIL,BODY/CONNECTOR,2IN	1.00	051	ST
623198	SWITCH,DISCONNECT:TYP MAIN ON-OFF,STD EN	2.00	011	ST
9101737	SHAFT [TO BE DELETED]	2.00	051	ST
619898	SEAL,OIL:	2.00	051	ST
599641	GSKT CAMPRO:TYP SANDWITCH,UNS S31600,3MM	1.00	051	ST
284517	SWTCH-PRSUR:ACTN SPDT,CNCT MPT 1/8IN,CNT	1.00	011	EA
592076	CUPLG-SHFT;GOVERNER DRIVE	2.00	051	ST
639323	SPINDLE:MT SS ASTM A276 GR 403	2.00	101	ST
738555	PINION:TYP SHAFT	1.00	081	ST
1208446	COUPLING,SHAFT:TYP LOWER,OUTSIDE DIAMETE	2.00	051	EA
610639	FUSE	1.00	021	ST
723748	SPINDLE:MT SS 403	1.00	101	ST
600346	GSKT,SPWD:	2.00	051	ST
637592	TRANSFORMER:TYP CONTROL,VA RT 100VA	1.00	011	ST
961619	GSKT PRE-CUT : MATL VITON,SHAP ROUND	3.00	051	EA
586600	V BELT SET:NUMBER OF BELTS 6,P/N:5.4307	5.00	051	ST
643130	PACKING:GRAPHITE,TYP GLOBE VALVES	2.00	051	ST1
1000791	LIGHT, INDICATING: TYP PILOT SIGNAL	1.00	021	EA
588288	DIAPHRAGM,VALVE:VLV TP CONTROL,VLV SZ 1	1.00	061	ST1
604388	RELAY:4PST,CONT 595VAC 10A	2.00	011	ST
593200	GSKT PRE-CUT :ID 81 X OD 95 X THK 2MM	50.00	051	ST
1549180	VALVE,CONT:TYP ROTARY PLUG,SIZE 3IN,DSGN	1.00	051	ASY
584787	DPHRGM-ACTUTR;CONTROL VALVE	2.00	061	ST
236345	SEAT,VALVE:VLV SZ 3IN,CONTROL,SS 316	1.00	051	EA
599554	GSKT,SPWD:FILLER THICKNESS 4.5MM,FILLER	2.00	051	ST
610706	CONTACTOR:TYP POWER COMPRESSOR	1.00	011	ST
592482	GSKT-PRE-CUT;COVER,ROUND,PTFE	1.00	051	ST
595510	CARTRIDGE:	1.00	051	ST
416667	BUSHING,ELECTRICAL CONDUCTOR:	1.00	021	ST1
584142	IMPELLER:MT CI	1.00	081	ST
1003997	PLATE: TYP ORIFICE,SIZE 3IN,MATL SS 316	1.00	131	EA
906636	SYRINGE:TYP GAS TIGHT,CAPACITY 50MICRO L	5.00	071	EA
626408	OPERATOR,SWITCH:TYP PUSHBUTTON LOCK	5.00	011	ST
620237	DEFLECTOR:MT BRASS ASTM B16 GR C36000	2.00	081	ST
644742	GSKT PRE-CUT :	2.00	051	ST
627135	GSKT:	2.00	051	ST
607344	BUSH,VALVE:ID 16 X OD 18MM,SHAFT	2.00	051	ST
1035277	MODULE: TYP DIGITAL OUTPUT,O/P 24VDC	3.00	031	EA
590533	RELAY,PROTECTION:OVERCURRENT	1.00	031	ST
738721	RAM:TYP VALVE	1.00	061	ST
1003979	PLATE: TYP ORIFICE,SIZE 2 IN	1.00	131	EA
605795	KNOB:TYP SWITCH OPERATOR,MT PLASTIC	2.00	141	ST
965527	SHAFT,PUMP:LENGTH 66IN,MATL UNS S40300/A	1.00	051	ST
620604	SEAL,RING:TYP V SHAPE,MT SYNTHETIC RUBB	1.00	081	ST
587244	KIT,VALVE REPAIR:SEAT RING	2.00	051	ST
626683	BOARD,TERMINAL:	1.00	021	ST
1012348	GSKT, SPWD: NOMINAL FLANGE SIZE 10IN	4.00	051	ST
111267	WASHER:NOM SZ M24,EMO52,CLAW	25,892.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
615050	RDUCR-PIPE;6 X 5IN,BW,CONCENTRIC	1.00	051	ST
588790	KIT-VLV-RPR;PACKING/GASKET	1.00	051	ST1
1302790	BOLT:DIAMETER M12,LENGTH 40MM,MATL GALV,	460.00	051	EA
600075	GSKT,SPWD:GRAFOIL,IRID 337MM,SS 316	4.00	051	ST
584333	BRACKET:TYP END	2.00	051	ST
636747	KIT,VALVE REPAIR:PLUG	1.00	051	ST1
998972	BUSHING: P/N:545508 01,DOC:529209-83	1.00	051	ST
627252	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	2.00	051	ST
624252	SEAL,OIL:	1.00	051	ST
642948	PACKING:NON ASBESTOS,TYP STUFFING BOX	6.00	051	ST1
594080	SEAL,OIL:	1.00	051	ST
9102173	BEARING,BALL	4.00	051	EA
596452	ACTUATOR,ELECTRIC MOTOR:TYP TRIPING COIL	1.00	081	ST
610184	BREAKER,CIRCUIT:250A,POLE 3	1.00	011	ST
582613	GAUGE, PRESSURE: RANGE 0-10BAR	3.00	101	ST
616394	METER:TYP AMPERAGE,RNG 0-400/800/5A	2.00	101	ST
632599	SWITCH,PRESSURE:RANGE 0-100MBAR	1.00	061	ST
1023986	RTD: TYP SPRING LOADED,RESISTANCE 100OHM	1.00	101	EA
9102320	NUT,SHAFT,PART#3055(DELETED CROSS REF.RT	2.00	051	ST
734782	O-RING:MT DURO URETHANE	6.00	051	EA
631692	CBL-TIE;SELF ADHESIVE BASE,3.6MM,19MM	100.00	021	ST
600449	GSKT,SPWD:GRAPHITE,SS 316,IRMT CS	2.00	051	ST
1023140	GAUGE, PRESSURE: RANGE 0-1.6BAR	1.00	101	EA
615569	NUT,LOCK:SS ASTM A276/JIS G4305,GRUB	2.00	051	ST
1045599	RING, BACK-UP: INSIDE DIAMETER 92.9MM	2.00	051	EA
599069	PULLEY:TYP TAPERLOCK,GROOVE 3	1.00	051	ST
1574459	VLV-SLND:VLV SZ 6IN,STYL 3/2 WAY,ELCTRCL	1.00	051	EA
1549181	VALVE,CONT:TYP GLOBE,SIZE 2IN,DSGN RT 30	1.00	051	ASY
610057	MOTOR,ELECTRIC:2.2KW	2.00	011	ST
627608	RELAY,TIME DELAY:OPER OFF DELAY	2.00	011	ST
616601	RELAY:COIL 110VDC,4PDT,CONT 440V 10A	7.00	011	ST
586831	SHOE,BEARING:TYP THRUST	10.00	051	ST
636321	STEM,VALVE:VLV ST PLUG,MT SS 630	1.00	051	ST
643252	VALVE:	1.00	051	ST
598991	MOTOR,ELECTRIC:0.37KW,380VAC 50/60HZ	1.00	011	ST
724439	RELAY:COIL 110VDC,TYP AUXILIARY,2NO-2NC	2.00	011	EA
577969	KIT,PUMP REPAIR:TYP SOFT GOODS,P/N:8421P	4.00	081	ST1
630436	CIRCLIP:TYP INTERNAL,STD DIN 472	2.00	051	ST
619379	INTERFACE:PWR S 24/125VAC/DC	1.00	031	ST
639709	KIT,VALVE REPAIR:CONTROL	1.00	051	ST1
627966	MODULE:TYP 15 CHANNEL DIGITAL OUTPUT	1.00	011	ST
1524419	SEAL,OIL:INSIDE DIAMETER 20MM,OUTSIDE DI	1.00	051	EA
582307	CIRCUIT: TYPE ANALYZER PHOTOCELL,1100A	1.00	011	ST
587771	KIT,VALVE REPAIR:BALL VALVE	1.00	051	KIT
623039	LENS,INDICATING LIGHT:TYP PILOT	2.00	021	ST
599569	GSKT PRE-CUT :RTFE,4IN	1.00	051	ST
635729	SPRING:MT AS JIS G3522 SWPB	1.00	051	ST
640565	RING:TYP SPACER	1.00	051	ST1
627243	PACKING:GRAFOIL	2.00	051	ST1
578278	KIT-SEAL:TYP SOFT PARTS,CMPNNT QTY PTFE	1.00	051	KIT
1084533	SLV:TYP METALIC,SZ ID 45 X OD 67 X WD 25	1.00	051	EA
1057421	GSKT PRE-CUT : MATL PTFE,SHAP ROUND	4.00	051	ST
598115	BRG,FLG:BALL,ID 65MM,BOLT 4,SHP ROUND	2.00	051	ST
586900	PULLEY:TYP SHEAVE	1.00	051	ST
630582	NOZZLE:TYP CONTROLLER PNEUMATIC	1.00	051	ST
623978	SWITCH,SELECTOR:POS 2	3.00	011	ST
1001736	CBL-ELECT;4 CORE CU,6MM2,CE	1.00	021	EA
732527	COVER: TYP ROTARY-FRONT,P/N:C01079J-1203	1.00	051	ST
608219	BLADE,WIPER:SZ LG 390MM,MT RUBBER	2.00	051	ST
586190	BRG,SLEEVE:TYP JOURNAL	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
634623	SWTCH-SLCTR;ON/OFF,2,LEVER KNOB	2.00	021	ST
1034071	SWITCH, PUSHBUTTON: CNTCT RT 24VDC	2.00	021	EA
611758	BRKR-CRCUT;20A,230/400V AC,6KA,1,RAIL	2.00	011	ST
590501	RELAY,TIME DELAY:2-1000SEC ON DELAY	1.00	011	ST
589180	CONNECTOR:TYP REDUCER	1.00	051	ST
578112	KIT:TYP RELAY	4.00	081	ST
637090	BRG,SLEEVE:TYP LUG,MT TEFLON	2.00	051	ST1
603809	SLEEVE:TYP COVER	2.00	051	ST
596303	RETAINER:TYP RING	4.00	051	ST
577398	GSKT PRE-CUT :ID 65 X OD 76 X THK 3MM	2.00	051	ST
610127	METER,ELECTRICAL:TYP VOLT,RNG 0-500VAC	1.00	101	ST
1081983	TRANSFORMER, INSTRUMENT: VA RATING 5VA	10.00	011	EA
493688	SEAL,OIL:MT NITRILE RUBBER	1.00	051	EA
1202610	CAPACITOR:TYP NCL SNUBBER,CAPACITANCE 0.	3.00	031	EA
604678	FUSE:16A,500V,PLUG IN; FERRULE	23.00	021	ST
597558	VLV;MNPT,HAND ACTUATED	1.00	051	ST
868034	SEAL-OIL;45MM,60MM,7MM,NBR,SPRING LOADED	1.00	051	EA
581531	MDUL;BUS,9V DC	4.00	031	ST
855818	HEAD:TYP SIGNAL LAMP	1.00	101	EA
618307	BRG,BALL:TYP RADIAL,DOC:2553-201/2-90	1.00	051	ST
590535	RELAY,PROTECTION:	1.00	031	ST
617473	STRTR-ELCTRC-MTR;MANUAL,115-600V 2.5A,3	1.00	011	ST
627971	STEM,VALVE:VLV ST GLOBE,VLV SZ 1/2IN	1.00	051	ST
635566	O-RING: MATL FKM,APPL BALL VALVE	2.00	051	ST
592495	GSKT PRE-CUT :ID 61 X OD 101 X THK 2MM	5.00	051	ST
586125	BRG,SLEEVE:TYP BUSHING,MT CARBON	1.00	051	ST
581670	HOSE: SIZE ID 1/4 X OD 5/8 X LG 396IN	2.00	051	ST
588105	O-RING:ID 21.7MM,WD 3.5MM,MT BUNA-N	15.00	051	ST1
590952	TRANSFORMER,INSTRUMENT:VA RT 7.5/15VA	1.00	011	ST
809361	MDUL:TYP DIGITAL OUTPUT,O/P 16,PWR SURC	2.00	031	EA
877096	DISC,VALVE:PTFE,FMS 17F3,VLV SZ 3IN	1.00	051	EA
636886	RING:ID 30 X OD 40 X THK 1MM,TYP THRUST	1.00	051	ST
615736	GSKT,SPWD:GRAFOIL,SS 316	2.00	051	ST
582925	PROXIMITOR:SCALE 200MV/MIL,5/8MM,5M	3.00	061	ST
608878	FLASK:TYP ROUND BOTTOM,CAP 250ML,MT	14.00	071	ST
592588	GSKT PRE-CUT :ID 65 X OD 191 X THK 2MM	2.00	051	ST
639339	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
1039702	GSKT PRE-CUT :TYP FLAT RING,SIZE ID 24 X	6.00	051	EA
596071	GUIDE:SZ DIA 60MM	1.00	081	ST
614718	RIG-WEAR:MTRL SS DIN WN 1.4404,APL CASIN	1.00	081	ST1
586325	BEARING:	2.00	051	ST
592154	JOINT EXP,EXPANSION:APLC ENGINE	1.00	051	ST
583936	CRCUT;INPUT DIGITAL TERMINATION ISOLATOR	1.00	011	ST
583350	SHAFT:DISCONNECT	1.00	051	ST
636241	BUSH:SS 403	1.00	051	ST1
618005	RETAINER:TYP LAMP HOLDER	4.00	051	ST
619273	BRG,BALL:IBI 10403,ID 12MM,OD 28MM	1.00	051	ST1
69091	RING,RETAINING:TYP CONTROLLER PNEUMATIC	4.00	051	ST
635187	BOLT:GR 8.8	2.00	051	ST
1003990	PLATE: TYP ORIFICE,SIZE 18IN,MATL SS 316	1.00	131	EA
950098	GSKT PRE-CUT :ID 73 X OD 165 X THK 1.5MM	1.00	051	EA
597882	BRG-RLR;TAPERED,DOUBLE,1.178IN,2.833IN	2.00	051	ST
587095	ASSEMBLY:PULLEY	2.00	081	ST
676940	FUSE:10A,250V,DIA 14 X LG 50MM,FERRULE	3.00	021	EA
592900	GSKT,SPWD:GRAPHITE,SS,SHP ROUND,BASIC	2.00	051	ST
1026151	DETECTOR, LEAK: TYP OVER LOAD CUTT OFF	2.00	061	EA
597264	STEM-VLV;DIA 12 X LG 255MM,SS	1.00	051	ST
102143	REGULATOR,PNEUMATIC:TYP PRESSURE	1.00	011	ST
1081023	INDICATOR: TYP OIL LEVEL ,SIZE 1.4IN	1.00	061	ST
1589894	TUBG-MTLC:MTRL SS,TYP STRAIGHT SECTION,O	4.00	131	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
619341	KIT-TRMNTN:TYP SOFT PARTS,CMPRSNG FILTER	10.00	021	ST1
591424	SCREW,CAP:MT ASTM A283,GR D	4.00	051	ST1
589927	FUSE:0.05A,125V,PLUG IN	2.00	021	ST
324033	CONTACTOR:TYP MAGNETIC,AMP 400A,3 POLE	1.00	011	ST
806740	CRCUT;DIGITAL INPUT BOARD,ANALYZER	1.00	021	EA
608799	AGNR:	2.00	001	ST
977421	CHEMICAL COMPOUND, ORGANIC ALIPHATIC:	5.00	001	BOT
200058	CRCUT:TYP COMMUNICATION PROCESSOR UNIT,P	3.00	011	ST
1065346	KIT-VLV-RPR:TYP SOFT PARTS,APL EMERGENCY	1.00	051	KIT
609587	VALVE,BALL:VLV SZ DN 32,CONN NPT	1.00	051	ST
643244	LEVER:	1.00	091	ST
639457	WASHER:STEEL,LOWER	1.00	051	ST
635731	GEAR,BEVEL:MT CS JIS G4051 GR S45C/AISI	1.00	081	ST
64761	OIL,IND:GLYGOYLE 22	3.00	001	DR
430504	LUBRICANT:FORM LIQUID,TYP GLYGOYLE HE-32	3.00	001	DR
632786	KIT,ACTUATOR REPAIR:TYP SEAL,APLC CYCLAR	1.00	061	ST1
578406	SET:TYP GLAND PACKING	2.00	081	ST1
579561	THRMTR-DIAL;0-60°C,4-1/16IN,LG 15-7/16IN	2.00	101	ST
580436	SHAFT:	2.00	051	ST
643621	O-RING:ID 7.8MM,WD 1.9MM,STD JIS-B2401	2.00	051	ST
642429	SEAL:GRAPHITE	4.00	051	ST
589389	BREAKER,CIRCUIT:10A,110/250VDC	1.00	011	ST
592014	BUSH:TOP ROLL TAPER	1.00	051	ST
608966	CONNECTOR:TYP UNIVERSAL	2.00	051	ST
868038	BRG-RLR;TAPERED,SINGLE,40MM,80MM,24.8MM	2.00	051	EA
581978	CSG-PUMP;VOLUTE	1.00	900	ST
585992	VALVE,RELIEF:TYP ACTUATOR	1.00	051	ST
583480	PLUG,PIPE:	2.00	051	ST
590460	RELAY,TIME DELAY:	1.00	011	ST
513445	RELAY:TYP POWER	1.00	021	ST
581984	CASING,PUMP:	2.00	131	ST
616181	BRKR-CRCUT;80A,10KA,3,PANEL/SURFACE	1.00	011	ST
588144	BEARING,SLEEVE:MT CS	1.00	081	ST1
578384	SET:TYP PACKING	1.00	081	ST1
636194	LABEL:ELECTRIC TRACED	10.00	141	ST
615550	RETAINER:TYP SLEEVE	1.00	051	ST
608437	BURETTE:TYP AUTOMATIC,CAP 10ML,MT GLASS	10.00	071	ST
604961	HEATER:TYP STRIP,RT 250W	1.00	011	ST
599728	GSKT JKTD:SHP ROUND	1.00	051	ST
634135	SHEET,GASKET:MT V#VF-35E	3.00	051	ST
723729	O-RING:MT VITON,APLC PRESSURE RELIEF	1.00	051	ST
600242	GSKT,SPWD:52IN,150LB,GRAPHITE,SS 316	3.00	051	ST
578528	KIT;GASKET AND SEAL	1.00	081	ST1
17709	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,THRD 1	46.00	051	ST
615642	RETAINER:TYP OIL RING,MT CS ASTM A283 GR	1.00	051	ST
644721	GSKT PRE-CUT :THK 1/8IN,PTFE,ROUND,RF	4.00	051	ST
1038065	VALVE, SOLENOID: STYL 5/2 WAY	2.00	051	EA
585865	VALVE:TYP DYNA,BDY MATL SS 304	6.00	051	ST
1586756	PLT-MTLC:SZ WD 4 X LG 8 FT X THK 12.7 MM	8.00	131	EA
615052	RDUCR-PIPE;10 X 8IN,BW,CONCENTRIC	1.00	051	ST
872354	KIT,VALVE REPAIR:BUTTERFLY VALVE	1.00	051	KIT
580759	PLATE:TYP INSTRUMENT, SZ DIA 80MM	1.00	131	ST
629367	SWTCH-LVL;SPDT,FLOAT	1.00	900	ST
610552	CUT-OUT,THERMAL:TYP AUTO RESET	2.00	061	ST
602315	PACKING:GRAPHITE/TEFLON BRAIDED (GTJ +	4.00	051	ST
631693	CBL-TIE;SELF ADHESIVE BASE,12.7MM,12.7MM	150.00	021	ST
598337	BRG,THRUST:ID 200MM,OD 330MM,WD 23MM	1.00	051	ST
602519	KIT-PUMP-RPR:APL CENTRIFUGAL PUMP,CMPRSN	1.00	081	ST1
587221	STUD CNTNS THD:THRD UNC,LG 3IN,DOC:27687	9.00	051	ST1
738364	KIT-VLV-RPR:TYP PRV PILOT,APL SAFETY VAL	3.00	051	KIT

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
600889	GSKT PRE-CUT :KLINGERSIL C-8200	14.00	051	ST
606304	NUT:COVER	2.00	051	ST
596271	PIECE:TYP CLAMP JAWS,SZ THK 2.5MM	2.00	051	ST
623663	FUSE:2A,500VAC,DIA 6.3 X LG 32MM,FERRULE	2.00	021	ST
1544415	O RING:INSIDE DIAMETER 70.5MM,WIDTH 2MM	2.00	051	EA
627215	PACKING:GARLOCK EVSP,TYP GLAND	2.00	051	ST1
590817	SWTCH-SLCTR;DISPLAY	3.00	021	ST
600203	GSKT PRE-CUT :THK 1.6MM,REINZ AFM 34,FF	3.00	051	ST
594352	PACKING:ID 30 X OD 47 X THK 9,PTFE	2.00	051	ST
1613108	DISC-VLV:MTRL 1.41221/1.4404,P RTNG 10.3	1.00	051	ASY
605391	SWITCH,PUSHBUTTON:SPDT,2NO,GREEN,PANEL	2.00	021	ST
584361	INDCTR:TYP REMOTE ALARM,P/N:RA400Z,MNFR	1.00	061	ST
630571	O-RING:APLC CONTROL VALVE	2.00	051	ST
584435	MTR-ELECT;AMMETER,0-2500A	1.00	101	ST
1521292	DIODE:TYP ZENER,THRESHOLD 200DEG C,TOLER	1.00	031	EA
594077	O-RING:APLC SEAL	1.00	051	ST
601426	O-RING:MT NBR,APLC PROPORTIONING PUMP	4.00	051	ST
642700	SEAL:PTFE,APLC BODY	8.00	051	ST
606752	SCREW,MACHINE:M4 DIA,8MM LG	20.00	051	ST
618434	CIRCUIT:TYP ELECTRONIC IWG	1.00	011	ST
631146	FILTER, ELEMENT: MATL BRASS	1.00	051	ST
640208	PACKING: SIZE 1-1/8 IN X 45.2,DOC:205	8.00	051	ST
605349	SWITCH,PRESSURE:220VAC 6A	1.00	061	ST
581627	CRCUT;DIGITAL CONTROLLER,SLAVE INTERFACE	1.00	011	ST
585032	DISC,VALVE:MONEL,RELIEF	1.00	051	ST
601009	GSKT SET:TYP CAP	1.00	051	ST
584400	SCALE:TYP AMMETER FRONT PLATE	1.00	051	ST
449452	CRCUT;ELECTRONIC	2.00	041	EA
582378	CONVERTER:	1.00	061	ST
580766	PLATE:SZ LG 188MM,PTFE	10.00	131	ST
638041	GSKT PRE-CUT :8IN	1.00	051	ST
642743	SEAT,VALVE:VLV SZ DN 65,BALL,GFK/PTFE	8.00	051	ST1
585922	VALVE,GATE:VLV SZ 1-1/2IN,DES RTG CL 800	3.00	051	ST
281721	FUSE:1A,250V,DIA 1/4 X LG 1-1/4IN	10.00	081	EA
905583	PLUG,VALVE:VLV SZ DN 150	2.00	051	EA
588349	GSKT,SPWD:TYP BASIC,SHAP ROUND,DOC:CHE-1	1.00	051	ST1
949966	VALVE,GATE:TYP SOLID WEDGE,VLV SZ 2IN	1.00	051	EA
569076	STRTR-ELCTRC-MTR;MANUAL,3,2.5-4A,UL	1.00	011	EA
603289	KIT-CYLNDR-RPR:TYP REPLACEMENT,APL PRESS	2.00	091	KIT
583041	FIXTURE,HID LIGHTING:TYP FLOOD	3.00	021	ST
643136	PACKING:GRAPHITE,TYP GLOBE VALVE	1.00	051	ST1
653164	GLAND,PACKING:MT SS ASTM A351 GR CF8	5.00	051	EA
1022541	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
612996	BOARD,TERMINAL:	2.00	021	ST
606604	BOLT,MACH:M8,LG 16MM,STEEL,1.25MM	153.00	051	ST
577986	KIT;RING	1.00	081	ST
600626	GSKT PRE-CUT :ROUND	1.00	051	ST
764994	O-RING:ID 30MM,WD 3MM,MT NBR	4.00	051	ST
805482	BALLAST:TYP HIGH PRESSURE SODIUM LAMP	1.00	021	SE
643539	STRAINER:TYP SUCTION	2.00	051	ST
723727	O-RING:MT BUNA-N	1.00	051	ST
258355	O-RING:ID 104.14MM,WD 5.33MM,MT EPDM	2.00	051	EA
871903	RELAY:COIL 24VAC/DC	2.00	011	EA
612012	ELECTRODE:MT SILVER	1.00	051	ST
585210	FLOAT:MT SS 321	1.00	061	ST
601345	O-RING:MT VITON	2.00	051	ST
590008	FUSE:25A	35.00	021	ST
587697	KIT-CYLNDR-RPR;SOFT PARTS,FORKLIFT,SEAL	2.00	091	ST
600902	GSKT PRE-CUT :KLINGERSIL C-4400	6.00	051	ST
627241	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
540521	BELLOWS:MT BRASS	1.00	051	EA
604714	FUSE:250A,WD 20 X LG 60MM,SCREW CLAMP	1.00	021	ST
619260	SHAFT:CS DIN WN 1.0503,SLIDE	1.00	051	ST
627591	BREAKER,CIRCUIT:47A	1.00	011	ST
590748	SWITCH,PRESSURE:125/250VAC 11A; 30VDC 5A	1.00	061	ST
605950	MDUL;DIODE	1.00	031	ST
795413	RTD:TYP PT100,100OHM,WIRE 3,SH MT SS 316	1.00	101	ST
627121	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	2.00	051	ST
597671	KIT-VLV-RPR;SOFT PART	4.00	051	ST
643652	SLINGER:TYP OIL	1.00	101	ST
599566	GSKT PRE-CUT :RTFE,1IN	1.00	051	ST
588000	KIT-ACTUTR-RPR;SEAL	4.00	061	ST1
618424	PIN:	1.00	051	ST
597544	VALVE,SOLENOID:	1.00	051	ST
599055	PULLEY:TYP FAN,SZ ID 60 X OD 363 X THK	1.00	051	ST
870422	NUT,HEX:DIA 17MM,SS,HT 40.5MM,THD 16TPI	9.00	051	ST
632155	GSKT PRE-CUT :P#1300-S,BONNET,4IN	2.00	051	ST
629322	SEAT,VALVE:VLV SZ 10IN,CONTROL,BUNA-N	1.00	051	ST
633148	THERMOMETER, DIAL: RANGE 0-100DEG C	1.00	101	ST
1631175	PULY-V-BELT;A, B,4,13.95IN,CAST IRON	1.00	051	EA
589685	CONTACTOR:TYP MAGNETIC,AMP 275A,4 POLE	2.00	011	ST
1081656	SWITCH: TYP CONTROL,ACTION OFF-ON	1.00	021	EA
948593	CRTRDG-RSPRTR:TYP ORGANIC VAPOR,STD NIOS	167.00	121	EA
582727	SWTCH-PRXMTY;SPEED/INDUCTIVE	2.00	011	ST
590777	SWITCH:TYP CURRENT	6.00	031	ST
703397	CAGE,VALVE:VLV ST CONTROL,VLV SZ 1,1-1/4	1.00	051	EA
856647	RELAY,PNU:SUP PR -14.7 TO 20PSIG	2.00	061	ST
795405	RTD:TYP PT100,100OHM,TEMP R 80-90DEG C	1.00	101	ST
601690	O-RING:ID 13.4MM,WD 3MM	2.00	051	ST
594237	PACKING:ID 35.7 X OD 56 X THK 10MM,PTFE	3.00	051	ST1
643053	PACKING:GRAPHITE,TYP GATE VALVE	6.00	051	ST1
577988	SEAL:CASING AND FLANGE	2.00	051	ST1
642491	KIT,VALVE REPAIR:WEDGE	5.00	051	ST
644409	BOLT,MACH:DIAMETER M20,LENGTH 110MM,MATL	1.00	051	ST
586112	BRG, SLEEVE: TYP JOURNAL,MNFR:DRESSER	1.00	051	ST
588274	GSKT PRE-CUT :ROUND	2.00	051	ST
265392	PSTNR-VLV;DIGITAL ,20PSI G, 4-20 MA,AL	1.00	051	EA
956036	KIT-VLV-RPR:TYP SOFT PART,APL FLOATING B	2.00	051	ST1
602032	O-RING: MATERIAL PTFE,SUPPL:SERVOMEX	4.00	051	ST
143450	SEAL-RIG;HASTELLOY C/TFE,CONTROL VALVE	1.00	051	EA
604684	FUSE:125A,3.6KV	3.00	021	ST
695219	THERMOSTAT:TYP HEAT TRACING	1.00	081	EA
615037	ASSEMBLY;CONE	1.00	081	ST1
1084969	BUSHG:TYP UNLOADER,MTRL SST 17-4,P/N:06	2.00	051	EA
1205885	O RING:MATL IIR,APPL SCREW CONVEYOR DIAP	1.00	051	EA
9102158	BEARING,ROLLER,SPH; 22316-ESTVP	4.00	051	EA
628662	SEAT,VALVE:VLV SZ 3IN,GATE,AS ASTM A182	2.00	051	ST
490326	ASSEMBLY:GEAR OUTPUT	1.00	081	EA
1022162	CONTROLLER, ELECTRONIC: TYP COMPACT BASE	1.00	031	ST
583169	HEAD:TYP SIGNAL LAMP	4.00	101	ST
592903	GSKT-PRE-CUT;ID 210 X OD 231 X THK 2MM	2.00	051	ST
582960	BURETTE:TYP AUTOMATIC,CAP 25ML,MT GLASS	29.00	071	ST
591149	DIODE:TYP SILICON	2.00	031	ST
800048	KIT-ACTUTR-RPR;WEARING PARTS	3.00	061	SE
1064354	VALVE: TYP SWITCHING,VALVE SIZE 1-1/4IN	1.00	051	EA
605960	MTR-ELECT;VOLT	1.00	101	ST
719398	WIRE LOCKING, PART NO.: 82894	10.00	051	ST
333807	BREAKER, M/C 20.00A W/O AUX C 5SX2320-7	1.00	051	ST
600851	GSKT,SPWD:PTFE,UNS S31600,SHP ROUND	1.00	051	ST
591132	CAPACITOR:CONN AXIAL LEAD SOLDER	1.00	031	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
636827	DEFLECTOR:MT CS JIS G4051 GR S35C	1.00	081	ST
624513	PACKING:	1.00	051	ST1
607613	COUPLING:ID 5.5 X OD 15 X THK 22,AL	2.00	051	ST
1001826	INTERFACE: PWR SRC 12/24VDC 500MA	1.00	061	EA
1003966	METER, FLOW: TYP SQUARE EDGE ORIFICE	1.00	101	EA
585314	SEAT,VALVE:VLV SZ 3IN,BALL,NITRILE	1.00	051	ST
102368	SPROCKET:TYP SINGLE HUB,ST SIMPLEX	1.00	051	ST
636779	RELAY,PROTECTION:EMERGENCY STOP	1.00	031	ST
591398	BOLT,MACH:M20,LG 100MM,AL BRONZE,2.5MM	4.00	051	ST
929046	BREAKER,CIRCUIT:2A,400/415VAC	1.00	011	EA
638691	GSKT PRE-CUT :	1.00	051	ST1
736761	PIN:LEVER,ASME	6.00	051	ST
627392	RELAY:COIL 230VAC,TYP ALARM	9.00	900	ST
1022529	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
811042	GSKT PRE-CUT :	2.00	051	EA
608190	TEE,PIPE REDUCER:SZ 3 X 1IN,SOLVENT WELD	1.00	051	ST
600196	GSKT PRE-CUT :	1.00	051	ST
643507	KIT,PUMP REPAIR:TYP SEAL	1.00	081	KIT
617717	BOLT,MACH:M20,LG 80MM,GS,2.5MM,GR 5.6/5	20.00	051	ST
587473	KIT-VLV-RPR:TYP SOFT PART,APL WAFER CHEC	1.00	051	ST
1025089	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	1.00	051	EA
74864	BREAKER,CIRCUIT:32A,380/660VAC	1.00	051	ST
604340	CONTACTOR:TYP MAGNETIC,AMP 63A,3 POLE	1.00	011	ST
607426	BUSH:DIA 20MM,FAN	2.00	051	ST
998966	SLEEVE: P/N:63433,MNFR:ALFA LAVAL AB	1.00	051	ST
614641	SEAL,MECHANICAL:2-3/4IN,CARTRIDGE	1.00	900	ST
653169	BELLOWS:MT RUBBER	1.00	051	EA
618048	SWITCH,SAFETY:220VAC 16A	2.00	011	ST
590627	TAG:TYP PLATE,TAG NO,MT SS	2.00	121	ST
591664	SCRW-CAP;M16,55MM,Z100,2MM	6.00	051	ST
624903	CIRCUIT,POWER SUPPLY:	4.00	900	ST
638273	O-RING:APLC STEM	1.00	051	ST
600319	GSKT:OD 35 X ID 29MM,PLUG,THK 1.5MM	40.00	051	ST
1244508	UNIT:TYP MEASUREMENT INTERFACE (MIU),APP	1.00	011	EA
1638514	BKR-LBRTRY;SAMPLE,OD 35 X HT 106MM,GLASS	12.00	051	EA
586706	BUSH,VALVE:	2.00	051	ST
582769	THERMOCOUPLE:JUNC SINGLE,WIRE 2	1.00	061	ST
600609	GSKT PRE-CUT :ROUND	2.00	051	ST
599007	MOTOR,ELECTRIC:6KW,143-150VAC 14.5A 50HZ	1.00	900	ST
637737	PAD:TYP ANTI VIBRATION	1.00	051	ST1
639421	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
606087	SUPPRESSOR:TYP NOISE,RT 48VAC/70VDC	1.00	031	ST
617088	SENSOR:TYP MODULE,ELECTRICAL CONNECTION	2.00	011	ST
585456	SPRING:	2.00	051	ST
604209	BRUSH:TYP BEAKER BRISTLE HEAD	20.00	051	ST
248201	MONITOR:TYP ROTATION SPEED	1.00	900	EA
617153	BREAKER,CIRCUIT:1A,POLE 3	2.00	011	ST
584462	METER,ELECTRICAL:TYP AMMETER,RNG 0-3A	1.00	101	ST
1052453	COUPLING, SHAFT: TYP MAGNETIC	2.00	051	EA
602815	RING:TYP CASING (T),APLC PUMP	1.00	051	ST
638600	VLV-RLF:TYP SAFETY,BDY MTRL SS 316,VLV S	2.00	051	ST
1014670	MODULE: TYP MONITOR,PWR SRC 15-32VDC	1.00	031	EA
620025	GSKT PRE-CUT :NBR,OBROUND	2.00	051	ST
596766	FILTER:TYP CARTRIDGE	4.00	051	ST
605629	STN;PUSHBUTTON,SQ 100 X DP 154.5MM,METAL	20.00	011	ST
1530258	TEE,PIPE:SIZE 2 X 1IN,RT 3000LB,CNCT SW	1.00	051	EA
430887	O-RIG;RUBBER,METERING PUMP	1.00	051	ST
141628	BRG,ROLL:ID 110MM,OD 240MM,WD 50MM	1.00	051	EA
772062	GSKT SET:	1.00	051	ST1
594173	O-RING:	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
624256	BRG:	1.00	051	ST1
643085	PACKING:GRAPHITE,TYP GLOBE VALVE	2.00	051	ST1
586140	BRG,BALL:	2.00	051	ST
917943	RTD: TYP SINGLE,RESISTANCE 100OHM	1.00	101	EA
607120	WASHER,LOCK:	1.00	051	ST
116116	GSKT JKTD:ID 1301 X OD 1333 X THK 3MM	1.00	051	EA
834125	KIT-ACTUTR-RPR;SLIDE VALVE	1.00	061	SE
628568	BRG:MT POLYETHYLENE	1.00	051	ST1
1604305	KIT-INSTLTN;PTFE	1.00	051	SE
56849	STUD CNTNS THD:TYP BOLT,DIA 1-1/4IN,THRD	20.00	051	ST1
1530121	O-RIG;0.239IN,0.070IN,BUNA-N,DOSING PUMP	1.00	051	EA
142001	SEAT,VALVE:VLV SZ 2IN,CONTROL	3.00	051	EA
644938	FLANGE,PIPE:MATL CS,P/N:40,MNFR:MEMO DTD	2.00	051	ST
875060	BRG-SLV:P/N:54-354-010-501,MNFR:SIEMENS	2.00	051	EA
1619071	LAMP:TYP MAGNESIUM,WTG N/A,VLTG 350V AC	1.00	051	EA
592921	GSKT JKTD:ID 453 X OD 473 X THK 3MM	2.00	051	ST
602076	PACKING:SHU U,MT NBR	7.00	051	ST
605139	RELAY:COIL 24/110VDC,4PDT,CONT 440V 6.3A	5.00	011	ST
607102	WASHER,LOCK:NOM SZ M5,ID 5.1MM,OD 8.8MM	3.00	051	ST
586189	BRG,SLEEVE:TYP JOURNAL	1.00	051	ST
588612	GSKT SET:	2.00	051	ST1
1073052	CIRCUIT, POWER SUPPLY: O/P 4-20MA	1.00	021	ST
902258	SWITCH,LIMIT:1NC	1.00	061	EA
616396	TRANSFORMER,INSTRUMENT:TYP CURRENT	10.00	011	ST
587078	IGNITOR:TYP GAS	2.00	051	ST
906096	FUSE:15A,32V	5.00	021	EA
644706	GSKT PRE-CUT :ASBESTOS/NOVUS 20,ROUND	4.00	051	ST
593227	GSKT PRE-CUT :	2.00	051	ST
585486	SPRING:TYP INTERNAL	4.00	051	ST
585562	GUIDE:TYP STOP ROPE	1.00	091	ST
1035929	TRANSMITTER, TEMPERATURE: O/P 4-20MA	1.00	061	EA
1077213	GSKT, SPWD: NOMINAL FLANGE SIZE 6IN	1.00	051	SE
628387	BUSH,VALVE:SS 304 NIRIDED,VLV SZ 20IN	2.00	051	ST
604640	FUSE;CURRENT LIMITING,200A,500V AC	6.00	021	ST
587730	KIT, VALVE REPAIR: TYPE SEAL	4.00	051	ST
643910	O-RIG-CORD:THK 15MM,MTRL RUBBER,LG 600MM	1.00	051	ST
632698	SWITCH,PRESSURE:NPT 1/4IN	1.00	061	ST
627622	CONNECTOR,ELECTRICAL:ELEC TRT 400VAC 12	2.00	011	ST
799190	KIT,VALVE REPAIR:VALVE,STEM PACKING	1.00	051	KIT
800059	PLUG-VLV;GLOBE,1-1/2IN,SS	2.00	051	EA
583892	CIRCUIT:	1.00	011	ST
605056	CONTACTOR:TYP POWER CONTROL,AMP 16A	2.00	011	ST
613004	BLOCK,CONTACT:TYP TIMER,ELEC TRT 500V 1	2.00	101	ST
590191	HEATER,SPACE:TYP MINI,SIZE WD 45 X HT 12	8.00	011	ST
619703	GSKT PRE-CUT :V#6500	2.00	051	ST
644800	PACKING:ID 85 X OD 107 X THK 11MM,PTFE	2.00	051	ST
626537	FUSE:2A	19.00	021	ST
625256	GSKT PRE-CUT :GRAPHITE	4.00	051	ST
642613	PLUG	1.00	051	ST
607892	INSERT:CARBIDE	12.00	051	ST
579976	LAMP-INCNDSCNT;HALOGEN,42W,10.8V DC	2.00	021	ST
636605	SHIM:SZ (1)1.6; (2)0.8MM,MT SS 304,3	6.00	051	ST1
612652	GSKT:ID 305 X OD 406MM,THK 3MM,REINZ AFM	1.00	051	ST
592905	GSKT PRE-CUT :	2.00	051	ST
596749	FILTER,FUEL:OD 50 X HT 95MM,FIBRE	5.00	051	ST
563874	INTRFC;PCA,220V DC,IEC	1.00	061	EA
602341	PACKING:PTFE	2.00	051	ST
602106	PACKING:GRAPHITE,P#6610 AND P#6315	2.00	051	ST1
634556	PIN,SPRING:	2.00	051	ST
498376	SPRING,VALVE:CS DIN WN 1.8159,VLV SZ DN	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
642582	GSKT-PRE-CUT	1.00	051	ST
930320	SPIDER, INSERT, COUPLING: EQUIP MDL#:	2.00	051	ST
643873	DISC,VALVE:SS 316,SAFETY RELIEF	2.00	051	ST
627989	PLUG,VALVE:VLV SZ 6IN,CONTROL,SS 316	1.00	051	ST
602307	PACKING:GRAPHITE	1.00	051	ST
582217	THERMOSTAT:TYP (2) POSITION SWITCH	1.00	081	ST
642699	SEAL:GFK/PTFE,STEM	8.00	051	ST
1198855	FITTING, OUTLET: TYP SOCKOLET	12.00	051	EA
468126	DISC:TYP BACK UP,SZ 6IN,MTRL A.F.,P/N:60	2.00	051	EA
618160	BEARING:	1.00	051	ST
1617040	TRNSFRMR-CURNT:PTNTL 10VA,CURNT RT 60/1A	1.00	051	EA
875739	ASSEMBLY:APLC GLOBE CONTROL VALVE	1.00	081	EA
934030	MULTIPLEXER:TYP ANALYSER,SUPPL:ABDUL KAR	1.00	031	ST
1605770	GSKT-KIT-INSULTG:TYP FLANGES ISOLATION,N	6.00	051	KIT
1003955	METER, FLOW: RANGE 0-105KG/HR	1.00	101	EA
591868	SEAT,VALVE:VLV SZ DN 3,MANUAL CONTROL	1.00	051	ST
1228957	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	1.00	051	EA
615792	DISC:SS ASTM A479 GR 420	1.00	051	ST
1234899	KIT,VALVE REPAIR:APPL 8 IN X 6 IN REDUCE	1.00	051	KIT
593126	GSKT PRE-CUT :OD 37 X THK 1.5MM	1.00	051	ST
28912	BLOCK,CONTACT:CONTAR NO	2.00	021	ST
589616	VALVE,SOLENOID:ST 5/2 WAY,ELEC TRT 24VDC	16.00	011	ST
1595320	GSKT-PRE-CUT:TYP FLAT RING,SZ ID 72 IN X	4.00	051	EA
577951	KIT-SEAL:TYP SOFT PARTS,CMPNNT QTY 2 PCS	1.00	051	ST
610062	MODULE, POWER SUPPLY: OUTPUT 24VDC	1.00	031	ST
604418	HUB:TYP COUPLING ELEMENT	1.00	051	ST
588635	RING:CARBON	1.00	900	ST1
738683	PALLET,MT.HANDLNG:900 X 1345CM,1500KG	291.00	001	ST
582832	THERMOMETER,DIAL:RNG -40 TO 160DEG C	1.00	101	ST
643132	PACKING:GRAPHITE,TYP GLOBE VALVE	2.00	051	ST1
266846	GSKT-PRE-CUT:SHP ROUND,MTRL RUBBER,HLS W	6.00	051	EA
585276	SEAT,VALVE:SS ASTM A276 TP 316	2.00	051	ST
930695	THERMOWELL:DRILLED BARSTOCK,150MM	1.00	061	EA
629304	IMPELLER,PUMP:DIA 190MM,TYP CLOSED	1.00	081	ST
619687	VALVE,CHECK:TYP DISC/SPRING	2.00	051	ST
617606	CLUTCH:TYP SLIP	1.00	051	ST
639428	SPRING,VALVE:	1.00	051	ST
644876	CASE:TYP MANUAL MOTOR STARTER	7.00	051	ST
590927	TRANSFORMER,INSTRUMENT:CURR RT 2/0.025A	2.00	011	ST
620198	NUT,LOCK:TYP BEARING,DIAMETER M45,THREAD	2.00	051	ST
630880	LENS,INDICATING LIGHT:COLOR GREEN	1.00	021	ST
643283	O RING:APPL INNER,P/N:200802401/459,MNFR	1.00	051	ST
1613292	RTNR;SEAT,SS 316;PN:001222.181.0008300	1.00	051	ST
603070	SEAL:MT EPDM	1.00	051	ST
896051	ELBOW,PIPE:SZ 8 IN	4.00	051	ST
631649	SCREW:1/2IN DIA,THD 13 UNC	2.00	051	ST
1198908	PANEL, CONTROL: TYP FRONT	1.00	021	EA
608551	RING:SS ASTM A276 TP 420	1.00	051	ST
634166	AMPLIFIER:TYP FLAME FAILURE	6.00	031	ST
626293	FILE:SHP FLAT,SZ LG 10IN,BASTARD CUT	24.00	101	ST
577469	METER:TYP TURBINE,RANGE 6.8-68M3/HR,P/N	1.00	101	ST
603673	CLIP;VIBRO	1.00	051	ST
1523573	VALVE,CHECK:TYP WAFER,VALVE SIZE DN 300	1.00	051	EA
602515	RING:SS ASTM A276 TP 403,TYP ROCK	1.00	051	ST1
1190652	PWR-SUPPLY:IN 85-264V AC,OUT VLTG 24V DC	1.00	021	EA
586045	GLAND,PACKING:TYP YOKE	2.00	051	ST
1571367	STEM-VLV:VLV STYL GLOBE,VLV SZ 1-1/2IN,S	1.00	051	ASY
695699	KIT,VALVE REPAIR:MAIN VALVE,SEAL	1.00	021	KIT
589042	CORD,COMMUNICATIONS:TYP LOCAL BUS	1.00	031	ST
592043	COUPLING:SS ASTM A276,403,SCREW	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1205687	BRG,THRUST:MATL STELL 6,P/N:H002288,MNFR	1.00	051	EA
588706	PACKING:TYP GLAND	2.00	051	ST1
644510	ADPTR-PIPE;31MM,FNPT,13MM,MNPT,SS	2.00	051	ST
590405	DISC:CERAMIC,MULTIPLE,RELAY	2.00	051	ST
1030559	FUSE: AMPERAGE 200A,VOLTAGE 250V	3.00	021	EA
582148	FRAME:SZ WD 20 X LG 5MM,MT GS	10.00	051	ST
591589	PIN:	4.00	051	ST
581864	PIPE:	1.00	131	ST
608516	PACKING:TYP STEM	5.00	051	ST
588258	DIAPHRAGM,ACTUATOR:TYP CONTROL	1.00	061	ST
738287	SCREW,CAP:	1.00	051	ST1
1091105	MODULE: TYP KEYPHASOR,INPUT 24VDC	1.00	031	EA
642736	SEAT,VALVE:VLV SZ DN 50,BALL,GFK/PTFE	8.00	051	ST1
585752	VALVE, GATE: TYP WEDGE,VALVE SIZE 3/4IN	2.00	051	ST
629547	LUBRICNT:	3.00	001	ST
540503	FUSE:TYP ONE TIME,AM 2A,VLTG 250V AC,CNC	10.00	021	EA
603072	SEAL:TYP GLAND,MT EPDM	2.00	051	ST
628440	SPRING:SS ASTM A473 GR 302,TYP GROUND	3.00	051	ST
625444	SWITCH,DISCONNECT:	1.00	011	ST
597729	GAUGE:TYP NEEDLE	2.00	051	ST
642710	RING:TYP STUFFING BOX	7.00	051	ST1
642765	SEAL:GFK/PTFE,STEM	8.00	051	ST
633209	SCRW-CAP;M6,16MM,HEX SOCKET,1MM	5.00	051	ST1
641396	MODULE:	1.00	031	ST
1003920	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
265658	BRKR-CRCUT;1.8-2.5A,690 V AC (50 HZ),3P	1.00	051	EA
579335	GLASS:TYP PANE	1.00	121	ST
924441	O-RING:MT EPDM,APLC CHECK VALVE	5.00	051	ST
589181	CONNECTOR:	2.00	051	ST
72443	O-RIG;78.74MM,5.33MM,NBR	1.00	051	ST
597714	VALVE,SOLENOID:	1.00	051	ST
603021	SEAL:TYP RING,APLC BUTTERFLY VALVE	1.00	051	ST
587371	KIT,VALVE REPAIR:BALL VALVE	1.00	051	ST
615820	SEAL-OIL:TYP PINION,P/N:AAA3403157-00040	1.00	051	ST
1215733	RELAY,OVERLOAD:TYP THERMAL,AMP RANGE 1.6	1.00	011	EA
629241	O-RING:	1.00	051	ST
610163	SWTCH-PUSH:CNTCT ARNG 1NO,CLR GREEN,HD S	2.00	021	ST
594539	RING,WEAR:ID 290MM,OD 315MM,THK 60MM,SS	1.00	081	ST1
592468	GSKT PRE-CUT :ID 175 X OD 192 X THK	6.00	051	ST
636794	BRG,BALL:	1.00	051	ST
589015	PROBE:	1.00	061	ST
603375	CABLE:TYP FLEXIBLE,SZ LG 100M/ROLL	2.00	021	ROL
623586	BREAKER,CIRCUIT:INTP CAP 30A,POLE 3	1.00	011	ST
905101	METER,FLOW:TYP VORTEX,STD ATEX; CSA; FM	1.00	101	EA
9102440	BENZONIC ACID AR	5,000.00	051	G
610701	CONTACTOR:TYP MAGNETIC,AMP 100A,3 POLE	1.00	011	ST
725134	SCREEN:	1.00	051	ST
589619	COIL,ELECTRICAL:TYP CONTACTOR,FUNC HOLD	1.00	011	ST
589445	BREAKER,CIRCUIT:63A,220/690VAC; 250VDC	1.00	011	ST1
639633	KIT-VLV-RPR:APL PLUG VALVES,CMPRSNG SLEE	1.00	051	KIT
612907	MTR-ELCTRC;0.09KW,1360/1700RPM,FLANGE,F	1.00	011	ST
1032763	RING, WEAR: INSIDE DIAMETER 80MM	4.00	081	ST
920972	COUPLING,PIPE:3IN,SCH 40S,SS ASME SA312	15.00	051	ST1
723719	GUIDE:MT SS 304	1.00	091	ST
849954	SHIM:SZ ID 20 X OD 38MM,THK 0.5MM	22.00	051	ST
252138	SENSOR:TYP TEMPERATURE	1.00	011	EA
1072032	BOARD, PRINTED CIRCUIT: P/N:52028446	1.00	031	SE
642856	BRG-BAL;14014,60MM,110MM,22MM,2 SHIELDS	3.00	051	ST
600112	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	3.00	051	ST
643088	GSKT,SPWD:3/4IN,GRAPHITE,SS 316	13.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
795407	RTD:TYP PT100,100OHM,WIRE 3,SH MT SS 316	1.00	101	ST
611250	CONTACTOR:TYP MAGNETIC,3 POLE,460VAC	1.00	011	ST
1035002	GSKT PRE-CUT : SHAP ROUND,P/N:19470-1823	3.00	051	EA
618116	BLCK-TRMNL;660V,(6) BOLTED,10MM2,3	3.00	021	ST
583938	MONITOR:PWR S 24VDC	1.00	061	ST
594331	PCKG;ID 25 X OD 38 X THK 12MM,GRAPHITE	1.00	051	ST
635575	O-RING:APLC ANTI-EXTRUSION	2.00	051	ST
1022551	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
635719	SEAT,VALVE:SS 403	2.00	051	ST
644374	BOLT,MACH:M16,LG 40MM,GS,2MM,HD HEX	1.00	051	ST
599714	GSKT PRE-CUT :ROUND	1.00	051	ST
618207	THERMOMETER,DIAL:TYP BI-METALLIC	1.00	101	ST
602477	PACKING:PTFE,SQUARE	2.00	051	ST1
9102230	WIRE,WELDING,1.6 MM; ER-70S-2;(7061083)	2.00	051	SE
1029724	STRAINER: TYP SUCTION,MESH 1/4 X 1.0IN	3.00	051	EA
582181	FAN:	1.00	900	ST
629577	GSKT:CAP,MONEL	2.00	051	ST
617698	BOLT:M16,60MM,GS,2MM,DOG POINT,GR 5.6	4.00	051	ST
999331	COUNTER: TYP REVOLUTION,P/N:62813	1.00	061	ST
653196	GSKT,SPWD:IRMT SS 347,OR MT SS 347	4.00	051	EA
627750	BRG,ROLL:	1.00	051	ST
605705	TRANSFORMER,INSTRUMENT:	1.00	011	ST
780818	NOZZLE:TYP GAS,APLC PILOT BURNER	3.00	051	ST
918208	BUSH,VALVE:SS JIS SUS 403,VLV SZ 6IN	1.00	051	ST
632561	SWITCH,PROXIMITY:5MM,INDUCTIVE,5-60VDC	1.00	011	ST
602128	PACKING:T#2240,SQUARE	1.00	051	ST
1065318	BLOCK, TERMINAL: P/N:M4/6,DOC:96E0885	10.00	021	ST
1628149	BOTTOM O-RING KIT FOR ULTRA WAVE	1.00	051	KIT
634571	KIT,VALVE REPAIR:VALVE BUTTERFLY	1.00	051	ST
601205	GSKT-PRE-CUT;PACKING,WD 165 X LG 315MM	1.00	051	ST
642820	SEAL,RING:ID 16MM,OD 20MM	8.00	051	ST
602959	SEAL,OIL:MT NBR	6.00	051	ST
600586	GSKT,SPWD:SS 316,SHP ROUND	1.00	051	ST
1605760	GSKT-KIT-INSULTG:TYP FLANGES ISOLATION,N	6.00	051	KIT
578910	BRG,BALL:ID 30MM,TYP LINEAR MOTION	2.00	051	ST
611007	KIT;FIRE FIGHTING TRUCKS	2.00	081	KIT
582236	THERMOSTAT:TYP CAPILLARY,RNG 20-110DEG C	2.00	081	ST
596428	BTM	1.00	061	ST
638548	PIN,SPRING:LG 12IN	1.00	051	ST
930314	SHAFT PUMP: MNFR:NEUMAN & ESSER GROUP	1.00	051	ST
969371	THERMOWELL: SHANK STYLE BARSTOCK TAPERED	1.00	061	EA
643800	O-RIG;47.35MM,1.78MM,KALREZ 7075	1.00	051	ST
618066	BOX,ELECTRICAL:TYP CABLE ENTRY	2.00	021	ST
623648	LIGHT,INDICATING:TYP PILOT	3.00	021	ST
583089	LAMP,INCANDESCENT:TYP PILOT,W 2W	2.00	021	ST
643083	PACKING:GRAPHITE,TYP GATE VALVE	1.00	051	ST1
77916	O-RIG;21.89MM,2.62MM,NBR	2.00	051	ST
596698	FILTER,AIR:WD 610 X HT 610 X THK 50.8MM	2.00	051	ST
868040	BRG-THRUST;ROLLER,47MM,5MM,SINGLE PIECE	2.00	051	EA
1065095	RIG-BCKUP:I DIA 72MM,OUT DIA 92MM,THK 10	1.00	051	EA
582980	CATCH:TYP SAFETY	1.00	021	ST
614167	KIT:TYP SEGMENT,BOLT AND WASHER	102.00	081	ST
599334	GSKT PRE-CUT :V#6500	9.00	051	ST
506008	CONTACTOR:400V,COILV 48VAC 11KW 60HZ	2.00	011	ST
578623	UNIT,CONTROL:TYP ACCESS	1.00	011	ST
608381	MAGNET:SZ WD 80 X LG 175 X THK 55	1.00	061	ST
618491	THERMOMETER,DIAL:	2.00	101	ST
604759	FUSE:100A,660VAC; 350VDC,OFFSET BOLTED	6.00	021	ST
589928	FUSE:1A,125V,PLUG IN	5.00	021	ST
1019866	TRAP, STEAM: SIZE 3/4IN,CNCT FLANGED RF	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
599404	GSKT PRE-CUT :V#1500	1.00	051	ST1
602395	PACKING:PTFE,SQUARE	2.00	051	ST1
588961	SCREEN:	12.00	051	ST
653210	GSKT,SPWD:IRMT SS 347,OR MT SS 347	2.00	051	EA
805316	COIL,ELECTRICAL:TYP OPENING	2.00	011	ST
633959	STEM,VALVE:VLV ST WAFER ON/OFF BUTTERFLY	1.00	051	ST
584413	METER,ELECTRICAL:RNG 4-20MA/0-100PCT	2.00	101	ST
643815	KIT-CMPRSR-RPR:TYP REPLACEMENT,CMPRSNG O	1.00	081	KIT
628379	CIRCUIT:TYP FRONT PANEL FLOW COMPUTER	1.00	011	ST
9101738	SHAFT,AB 28	2.00	051	ST
634535	WASHER,LOCK:	1.00	051	ST
644656	PLATE:TYP INTERMEDIATE	1.00	131	ST
585709	VALVE,CHECK:TYP SWING,VLV SZ 4IN	1.00	051	ST
612377	COUPLING,SHAFT:RIGID FLEXIBLE	1.00	051	ST
612833	ASSEMBLY:PEDESTAL UNIT	1.00	081	ST1
555362	RING:DUCTILE IRON-60-42-10,TYP ADAPTER	3.00	051	EA
1586749	ELBW-PIPE:SZ ID 49.3 X OD 60.3MM,CNCT BW	2.00	051	EA
602997	SEAL,OIL:MT NBR	2.00	051	ST
591177	INTERFACE:TYP BACKUP LINK	1.00	011	ST
632059	GSKT PRE-CUT :P#1200-S,BONNET,8IN	2.00	051	ST
604532	FUSE:4A,250V,FERRULE,CURRENT LIMITING	9.00	021	ST
1085251	COVER: TYP OUTPUT SHAFT,MATL FC 200	1.00	051	EA
495998	ASSEMBLY:PLUG/STEM,APLC VALVE	1.00	081	EA
918679	VALVE, CONT: SIZE DN 300,DSGN RT 150LB	1.00	051	EA
642624	SCREEN:	1.00	051	ST
630238	ROTOR:TYP SHAFT	1.00	081	ST
623635	LIGHT,INDICATING:VOLT 220VAC	2.00	021	ST
632141	GSKT,SPWD:2IN,600LB,APLC BONNET	2.00	051	ST
588012	GSKT SET:APLC PRESSURE RELIEF VALVE	3.00	051	ST1
602184	PACKING:RECTANGULAR,TYP GLAND	15.00	051	ST
587337	KIT:TYP SOFT PARTS,CMPRSNG GASKET/O RING	2.00	081	ST
606325	NUT:	1.00	051	ST
237721	GSKT PRE-CUT :NON ASBESTOS,ROUND	2.00	051	EA
1582031	TRAY:TYP COLUMN,MTRL CS,DOC:121808-D001	1.00	141	ASY
644861	TESTER:TYP PROXIMITY SWITCH INITIATOR	1.00	061	ST
582766	THERMOCOUPLE: JUNCTION SINGLE,WIRE 2	4.00	061	ST
644803	SEAL,RING:ID 30MM,OD 41MM,MT AL	1.00	051	ST
606041	RESISTOR:14K OHM,CONN RADIAL SOLDER	1.00	031	ST
594502	CORD,ELECTRICAL:TYP ROUND,MT PTFE	10.00	021	ROL
961282	SOLUTION:TYP KCL,CONCENTRATION 3.3M,CTNR	6.00	900	EA
582920	METER,TACHOMETER:RNG 0-4000RPM	1.00	061	ST
588618	O-RING:APLC ROTARY VALVE	1.00	051	ST1
1024041	BREAKER, CIRCUIT: AMPERAGE 5A,POLE 1	1.00	011	EA
605489	SWITCH,TOGGLE:24VDC,4PDT,4NO-4NC	1.00	021	ST
632796	WRENCH,ADJUSTABLE:LG 10IN	4.00	101	ST
619315	GSKT:ID 30 X OD 62MM,THK 7MM,ROUND	2.00	051	ST
610586	CAPACITOR:TYP FIXED	1.00	031	ST
331843	GREASE,INDUSTRIAL:TYP SILICONE OIL,TEMP	25.00	001	ST
617765	LGHT;FLOURESCENT TUBE,230VAC 50/60HZ,30W	1.00	021	ST
9102267	PANEL,INDICATOR,144 X 144,24 FIELDS(TO B	1.00	051	ST
84815	PACKING:PTFE,TYP GLAND	1.00	051	ST
583942	MODULE:	1.00	031	ST
642974	PACKING:ALCHEM,TYP STUFFING BOX	3.00	051	ST1
618093	BLCK-TRMNL;380VAC 60HZ,(6) BOLTED,3	2.00	021	ST
590124	FUSE	2.00	021	ST
586402	BRG,ROLL:TYP SPHERICAL RADIAL,ROW DOUBLE	1.00	051	ST
445331	TEE,PIPE REDUCER:SIZE 1 X 3/4IN,CNCT SW,	2.00	051	EA
805418	RECTIFIER:TYP BRIDGE,VOLT 1200V,AMP 72A	3.00	021	ST
581666	HOSE:HIGH PRESSURE	1.00	051	ST
630241	BRG:SINGLE ROW	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
618082	CABLE,POWER:	1.00	021	ST
624249	BRG,ROLL: TYP SELF-ALIGNING	2.00	051	ST
805405	O-RING:ID 294MM,WD 300MM,MT RUBBER	2.00	051	ST
609187	BSN;FLAT BOTTEMED PLAIN RIM WITH LIP	1.00	111	ST
584198	CIRCUIT:TYP DUAL PORT OPTICALLY ISOLATED	4.00	011	ST
582471	GAUGE,PRESSURE:0-200KPA,40MM,BOURDON	1.00	101	ST
590605	SWITCH:TYP VIBRO	1.00	021	ST
632641	KIT-VLV-RPR:TYP SPARE,APL CONTROL,CMPSRN	1.00	051	KIT
1087175	PIN-TPR	4.00	051	EA
585137	FILTER,AIR:TYP INLET AMB	2.00	051	ST
616797	RELAY,PROTECTION:OVER/UNDER SPEED	1.00	900	ST
571096	STEM,VALVE:	1.00	051	EA
591537	NUT,HEX:	16.00	051	ST
1022983	POWER SUPPLY: TYP INTEGRAL,P/N:8001-686	1.00	021	EA
1034061	BLOCK, CONTACT: ELEC RT 230V,CIRCUIT 10A	1.00	021	EA
636824	NUT,LOCK:CS A36,BEARING	1.00	051	ST
588330	DISC-VLV;ASTM A565 GR 616,4 X P2 X 6IN	1.00	051	ST1
600056	GSKT,SPWD:GRAFOIL,IRID 591MM,SS 316	2.00	051	ST
631155	PCKG;SQUARE,SHAFT	1.00	051	ST
1233287	CABLE,FIBER OPTIC:TYP SINGLE MODE,SHEATH	2.00	021	EA
595103	SEAL:SZ ID 17 X OD 24 X THK 2MM,MT STEEL	10.00	051	ST
642499	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
1619100	BODY:TYP SUPPORT,MTRL HOT-DIP GALVANIZED	6.00	051	EA
593816	O-RIG;100.96MM,5.33MM,RUBBER	2.00	051	ST
641651	KIT-PUMP-RPR:TYP MAINTENANCE,APL CENTRIF	2.00	900	KIT
615949	SPRING:	2.00	051	ST
597409	VLV-SLND;2 WAY,230VAC 50/60HZ 15VA,1/2IN	3.00	051	ST
612639	REFLECTOR:	2.00	061	ST
902242	RELAY,OVERLOAD:60-200A,ELECTRONIC,AUTO	1.00	011	EA
853692	WASHER,LOCK:MATL CS JIS G3101,INSIDE DIA	2.00	051	EA
616580	TRANSFORMER, INSTRUMENT: TYPE CURRENT	2.00	011	ST
595661	RAIL:	3.00	051	ST
601315	O-RING:MT VITON	2.00	051	ST
594145	O-RING:APLC PNEUMATIC HOIST	2.00	051	ST
600252	GSKT,SPWD:40IN,300LB,GRAPHITE	19.00	051	ST
591545	NUT,LOCK:	1.00	051	ST
614166	SHAFT:DIA 80MM	1.00	051	ST
615026	ELBW-PIPE;OD 114.3 X THK 2MM,BW,90,LONG	2.00	051	ST
600322	GSKT PRE-CUT :NEOPRENE RUBBER	4.00	051	ST
828545	KIT:TYP QUALITY AUDIT STANDARD,P/N:QAS30	1.00	081	KIT
592339	CIRCUIT:	1.00	011	ST
167205	SWTCH-LMT;VALVE	2.00	011	EA
599555	GSKT,SPWD:12IN,300LB,T#1836-GR-SS	2.00	051	ST
618212	MODULE:(16) DIGITAL INPUT,PWR S 24VDC	1.00	031	ST
9102302	BOLT,A2;M10X40 (TO BE DELETED REF.ROSE 1	24.00	051	ST
1226571	ASSEMBLY:TYP OPTICAL INTERFACE BOARD(OIB	1.00	081	ASY
615080	FLG;LAP JOINT FF,DN 5 IN X THK 20MM,AL	2.00	051	ST
628588	POWER SUPPLY:	1.00	021	ST
617462	WASHER:ID 30MM,OD 36.4MM,THK 0.5MM	3.00	051	ST
632861	PACKING:	4.00	051	ST1
584647	RETAINER:MT BABBIT/STEEL	2.00	051	ST1
1033148	GSKT JKTD: TYP DOUBLE,DOC:SPIR 232106	1.00	051	EA
961168	SEAT, VALVE: VALVE SIZE 1IN,DOC:EZ-1,9	1.00	051	EA
1031866	INJECTOR: TYP SEA SPRAY NEBULIZER	1.00	061	ASY
620085	GSKT PRE-CUT :NBR	2.00	051	ST
637100	MEMBRANE:TYP DISK PACK	1.00	051	ST
620859	BOARD,TERMINAL:	1.00	021	ST
643688	BRG,ROLL:ID 30MM,OD 37MM,WD 20MM,TYP	1.00	051	ST
606663	BOLT,MACH:M30,LG 180MM,STEEL,3.5MM	4.00	051	ST
764558	PSTNR-VLV:TYP ROTARY,SUPLY PRSUR 5-145PS	1.00	061	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
643854	SEAT,VALVE:VLV SZ 12IN	1.00	051	ST1
858508	MODULE:FREQUENCY INVERTER,O/P 2.4A	1.00	031	EA
611837	BREAKER,CIRCUIT:6A	2.00	011	ST
767507	BAFFLE:TYP OIL PLATE	2.00	081	ST1
583079	LAMP,INCANDESCENT:VOLT 6V,BASE BA 9S	72.00	021	ST
600870	GSKT PRE-CUT :ROUND	2.00	051	ST
602410	PACKING:DIA 12 MM,GRAPHITE,ROUND	1.00	051	ST1
614645	SHAFT,PUMP:	1.00	051	ST
636761	MODULE:(16) ANALOG INPUT,I/P 4-20MA	1.00	031	ST
585430	SPRING,COMPRESSION:	3.00	051	ST
578498	PACKING:TYP GLAND	5.00	051	ST1
583233	CYLINDER:TYP HYDRAULIC	1.00	061	ST
161168	DIAPHRAGM,REGULATOR:MT SS	2.00	061	EA
912494	THERMOWELL: SHANK STYLE STRAIGHT	1.00	061	EA
1075113	CONTACT, AUXILIARY: VOLTAGE 110VDC	1.00	011	EA
631220	SWITCH,PRESSURE:	1.00	061	ST1
1022549	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
599340	GSKT PRE-CUT :THK 1.5MM,V#6500	2.00	051	ST
624873	COIL,ELECTRICAL:TYP INDUCTOR	3.00	011	ST
587423	KIT,VALVE REPAIR:BUTTERFLY VALVE	1.00	051	ST
930361	GSKT PRE-CUT : MNFR:NEUMAN & ESSER GROUP	4.00	051	ST
1270574	BELT,V:TYP MOLDED NORCH,RFRNC NMBR AX-28	1.00	051	EA
326889	BRG - BALL DEEP GROOVE - 75X 115X 20MM	1.00	051	ST
583397	BOX:TYP SAFETY JUNCTION	1.00	001	ST
602597	RING,WEAR:	2.00	081	ST
607619	COUPLING,PIPE:SZ ID 25 X LG 15MM,CONN F	6.00	051	ST
600804	GSKT PRE-CUT :	1.00	051	ST
941602	MONITOR:TYP OSCILLATING	3.00	061	EA
602987	SEAL,OIL:MT NBR	2.00	051	ST
638383	KIT-VLV-RPR:TYP SOFT PARTS,APL BUTTERFLY	2.00	051	KIT
924979	SEAL,RING:MT PTFE,TYP UPPER STEM	2.00	051	EA
629256	O-RING SET:	4.00	051	ST
636601	NUT,LOCK:STEEL	1.00	051	ST
616831	TRANSFORMER,INSTRUMENT:VA RT 5VA	2.00	011	ST
641629	SEAL,MECHANICAL:4-7/8 X 4-1/2IN	1.00	900	ST
1626398	BSKT-STRNR;2IN,40MESH,SS 316,ROUND	1.00	051	EA
903593	RELAY:CONT 24VAC,TYP COUPLING	1.00	011	EA
578569	UNIT:TYP CONTROL	1.00	011	ST
1024067	UNIT: TYP THERMAL MAGNETIC PROTECTION	1.00	051	EA
617541	RING:	1.00	051	ST
9102054	SEAL,DOOR,4030072,(TO BE DELETED)	2.00	051	ST
759232	GLND;ASSEMBLY,DIA 2 X LG 230MM,SS 316	6.00	051	ST
582392	CONVERTER:TYP PROTOCOL,O/P 3000VDC	1.00	061	ST
587191	KIT:TYP SOFT PARTS,CMPSNG WASHER/NUT/PT	5.00	081	ST
363311	O-RING:ID 210MM,WD 3MM,MT NBR	1.00	051	ST
357550	SWTCH-PRXMTY;INDUCTIVE,4 TO 20 MA,48 V	3.00	031	ST
892647	HOSE,FIRE:ID 5IN,LG 50FT,STORZ COUPLING	23.00	121	EA
1070672	DEVICE: TYP WEIGHING INDICATOR	1.00	081	EA
939573	POWER SUPPLY:APLC ACTUATOR	1.00	031	EA
604649	FUSE:32A,660VAC,DIA 21 X LG 83MM,OFFSET	8.00	021	ST
638183	SHIM:	1.00	051	ST1
1637719	BURT;50ML;PN:285220360;M:WA 50 V	1.00	051	ASY
614164	BRG-FLG-BLCK	1.00	051	ST
596577	DISC,VALVE:ID 44 X OD 62 X THK 5MM,PTFE	1.00	051	ST
582944	SPRAYER:TYP EYEBATH	2.00	071	ST
596218	CASING,PUMP:MT STEEL	1.00	081	ST
597556	VALVE,SOLENOID:	1.00	051	ST
1004690	MODULE: TYP (32) POINTS,O/P 10-31VDC	2.00	031	EA
589405	BREAKER,CIRCUIT:15A,220/600VAC; 250VDC	1.00	011	ST
588126	SEAL,OIL:	2.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
606673	SCRW	2.00	051	ST
611004	GUG-CMPUND	1.00	061	ST
618004	SPRING:TYP LAMP HOLDER	2.00	051	ST
965885	CHAMBER: TYP CYCLONIC SPRAY	1.00	081	ASY
644875	SIEVE:SZ DIA 40 X WD 40 X LG 629MM	50.00	071	ST
639350	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
1022678	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	2.00	051	EA
328364	BRG,ROLL: INSIDE DIAMETER 55MM,IBI 51334	2.00	051	ST
508304	WIRE-WLDG;FILLER,SS 310,1.6MM,AWS A5.9	2.00	051	KG
578349	KIT,VALVE REPAIR:TYP FLANGE INSULATING	1.00	081	KIT
1039088	O-RING: INSIDE DIAMETER 160MM,WIDTH 6MM	2.00	051	EA
578671	LUBRICATOR:PR RT 12BAR	1.00	081	ST
643230	SLINGER:TYP OIL OUTER, SZ DIA 2.8IN	1.00	101	ST
118467	STRIP:TYP FLEXURE	1.00	061	EA
615552	BUSH,PUMP:SS ASTM A276 / SS JIS G4305 GR	2.00	081	ST
636953	VALVE,CHECK:	1.00	051	ST
998969	SLEEVE: APPL FEED AND DISCHARGE PUMP	1.00	051	SE
592877	GSKT-SPRL-WUND;55MM,73MM,3MM,GRAPHITE,SS	1.00	051	ST
511231	OIL,INDUSTRIAL:TYP GEAR, GLYGOYLE 30	3.00	001	DR
573198	ASSEMBLY;PLUG/STEM	1.00	081	EA
625347	CONTACT,AUXILIARY:	3.00	011	ST
582555	GAUGE, PRESSURE: , RANGE 0-40BAR	1.00	101	ST
635670	PACKING:ID 15 X OD 21 X THK 9MM	1.00	051	ST1
604619	FUSE:20A,32VDC,BLADE	10.00	021	ST
357007	MDUL;(8) DIGITAL INPUT,24V DC,24VDC	1.00	031	ST
632417	DISC,RUPTURE:	1.00	051	ST
628816	FLANGE:TYP NIPPLE	2.00	051	ST1
600618	GSKT:ID 575 X OD 67MM,THK 1MM,ROUND	4.00	051	ST
579261	GLASS,LEVEL GAUGE:TYP PRISMATIC GAUGE	1.00	101	ST
456401	O-RING:ID 3-1/8IN,WD 1/8IN	1.00	051	EA
1000326	HOSE, AIR: LENGTH 15M,RT 17BAR	2.00	051	ST1
1022534	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
1024795	KIT, ACTUATOR REPAIR: TYP SERVICE	2.00	061	EA
1012976	CONNECTOR, LUG: CONDUCTOR 1.6-2.5MM2	1.00	021	EA
639637	SHAFT:FAN	1.00	051	ST
1009590	SPINDLE, VALVE: APPL SAFETY RELIEF	1.00	101	ST
1240654	PIN,GROOVED HEADLESS:TYP CYLINDRICAL,MTR	1.00	051	EA
14253	LENS,INDICATING LIGHT:TYP PILOT	2.00	051	ST
631013	INDICATOR:TYP SPEED,RNG 0-30000RPM	1.00	061	ST
1024354	CABLE: SIZE OD 3.2 X LG 628000MM	1.00	021	EA
118113	FUSE:3A,125V,DIA 6 X LG 30MM,FERRULE	6.00	011	EA
1540172	HOSE-FLXBL-MTL;1/4IN,60CM,316LSS	5.00	051	EA
45000	ELBOW,PIPE:SIZE 3/4IN,CNCT THD,DEGREE 90	7.00	051	EA
628604	RING,LANTERN:APLC BUTTERFLY VALVE	1.00	081	ST
617572	CIRCUIT,POWER SUPPLY:APLC CONTROL PANEL	1.00	021	ST
1029629	GAUGE, PRESSURE: RANGE 0-10KG/CM2	2.00	101	EA
908921	RELAY:COIL 24VAC/DC,CONT 250VAC 10A	4.00	011	EA
614681	SCREW:LOCKING	1.00	051	ST1
587768	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	KIT
641431	PNL-CNTRL;INTERFACE	1.00	021	ST
586920	BELL:TYP FIRE ALARM, SZ DIA 4IN	2.00	121	ST
1192923	KIT, SEAL: , TYP O-RING & SEAL	2.00	051	ST
588118	GSKT SET:APLC STEAM SURFACE CONDENSER	1.00	051	ST1
581585	MODULE:TYP EARTH LEAKAGE	1.00	011	ST
1024257	PACKING: MATL GRAFOIL,SHAP CYLINDRICAL	1.00	051	ST1
602333	GLAND:TYP FOLLOWER	1.00	051	ST
898240	BREAKER,CIRCUIT:25A,230/400VAC	1.00	011	EA
618061	SWITCH,LEVEL:	1.00	061	ST
632497	THERMOMETER, DIAL: RANGE 0-300DEG C	1.00	101	ST
637080	COMPOUND,SEALING:TYP ADHESIVE	3.00	001	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
581447	MODULE:DIGITAL CURRENT OUTPUT,O/P 5MA-2A	1.00	031	ST
615766	RETAINER:TYP SLEEVE	1.00	051	ST
582281	FILTER,ELEMENT:CARTRIDGE	2.00	051	ST
102378	CIRCLIP:TYP RETAINING RING	1.00	051	ST
586998	KIT:TYP SEAL FACES AND GASKET	1.00	081	ST
571696	CPCTR;DC LINK,7500MICRO F,800V	1.00	031	ST
581863	PIPE:	1.00	131	ST
634016	STRIP,TERMINAL:	3.00	021	ST
587500	KIT-VLV-RPR:TYP SPARE,APL WAFER CHECK (S	1.00	051	ST
586083	ELECTRODE:TYP TEMPERATURE	1.00	051	ST
605172	RELAY:COIL 110VAC 50HZ,3NO-1NC	1.00	011	ST
644188	CHEMICAL:N-PROPANOL/1-PROPANOL,LIQUID	2.00	001	BOT
583172	HEAD:TYP SIGNAL LAMP,P/N:26342522 W,MNFR	2.00	101	ST
801907	PISTON:APLC AXIAL FORCED FLOW FANS	3.00	091	SE
592338	NOZZLE:TYP EXTENSION,CONN MPT	1.00	051	ST
613341	TRAP:TYP MOISTURE	2.00	051	ST
605658	RELAY:COIL 230VAC 60HZ,TYP SPEED CONTROL	1.00	011	ST1
582238	THERMOSTAT:	1.00	081	ST
605095	MODULE:RELAY INTERFACE	6.00	031	ST
621855	FUSE:63A	3.00	021	ST
599742	GSKT,SPWD:GRAFOIL,SS 316,APLC DISC	2.00	051	ST
9101907	BREAKER, MCCB,4P,NS100N TM63D, P/N:2900	1.00	051	SE
595117	SEAL;ID 1100 X OD 1182 X THK 9MM,EPDM	1.00	900	ST
641852	BARRIER:	1.00	121	ST
1549583	GSKT PRE-CUT :TYP RAISED FACE,SIZE ID 50	2.00	051	EA
601095	GSKT PRE-CUT :PTFE	2.00	051	ST
1612239	GSKT-KIT-INSULTG:TYP VCXT,NMNL FLNG SZ 8	4.00	051	KIT
617336	SENSOR:RNG 0-500PPM	1.00	011	ST
581332	CIRCUIT:TYP FUNCTION CONTROLLER	1.00	011	ST
738144	SEAL:RETAINER,APLC LPG METERING- ARAMCO	1.00	051	ST
641850	SWITCH,PRESSURE:2.4-26BAR,30VDC 1A	1.00	061	ST
79282	BLOCK,CONTACT:TYP AUXILIARY	2.00	021	ST
621980	SEAL-RIG;SPRING LOADED,BEARING	1.00	051	ST
594610	RING:TYP MULTI HOSE	1.00	051	ST
1056513	RING: SIZE DIA 60MM,MATL CS,DOC:WDKS	2.00	051	SE
639600	PLUG,VALVE:VLV SZ 1IN,PLUG,SS ASTM A351	2.00	051	ST
604756	FUSE:50A,550VAC,DIA 13/16 X LG 2-15/16IN	40.00	021	ST
582671	GLASS,SIGHT:SZ DIA 160 X TH 5.5MM	9.00	101	ST
1087911	INSERT: TYP SEAL,SIZE DIA 250 X THK 50MM	1.00	051	EA
446465	FLANGE,PIPE:TYP RAISED FACE,SIZE 2IN,CNC	2.00	131	EA
603455	BLCK-TRMNL;110-20V,CAPTIVE SCREW,3	1.00	021	ST
1235601	ASSEMBLY:TYP BUTT AND WRAP LAMINATION JO	4.00	081	ASY
618216	BATTERY,DRY CELL:TYP BACK-UP PLC	2.00	011	ST
614797	RING,RETAINING:TYP BEARING	1.00	051	ST
948985	PNL-CNTRL;CONTROL,MACHINE	1.00	021	ST
589827	STRAINER:TYP Y ELEMENT,MT SS 316,6	2.00	051	ST
582903	ANALYSER: TYP CONDUCTIVITY MEASUREMENT	1.00	061	ST
588767	KIT:TYP PACKING RING AND GASKET	1.00	051	ST1
628603	BRG,THRUST:	3.00	051	ST
583097	LIGHT,INDICATING:TYP PILOT,COLOR RED	3.00	021	ST
595746	SHIM:SZ ID 12 X OD 25MM,THK 2MM	2.00	051	ST
634148	WINDOW:TYP CELL	2.00	131	ST
469304	SCREW, SET: P/N:E23K452,DOC:ES/8652609	2.00	051	EA
4910	BRG,SLEEVE:TYP MAGNET CAP	1.00	051	ST
643074	GSKT,SPWD:3/4IN,GRAPHITE,SS 316	5.00	051	ST
619033	POWER SUPPLY:I/P 230VAC,OP VOLT 24VDC	1.00	021	ST
617026	BREAKER,CIRCUIT:20A,POLE 1,MINIATURE	1.00	011	ST
593720	O-RING:ID 80MM,WD 4.5MM	4.00	051	ST
600276	SHEET,GASKET:SZ 36IN,MT NON ASBESTOS	2.00	051	ST
585417	SPRING:TYP SIDE,MT SS 304	13.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
597956	BRG-RLR;NEEDLE,SINGLE,19MM,30MM,20MM	2.00	051	ST
619552	BALL,VALVE:DIA 1/4IN,MT HASTELLOY C/B336	4.00	051	ST
351876	CONTACTOR:TYP MAGNETIC,AMP 30A,3 POLE	1.00	011	ST
590832	SWITCH, PRESSURE: RANGE 15-80PSIG	1.00	061	ST
590622	SWITCH,PRESSURE:-1 TO 2BAR,CSA; FM; UL	1.00	061	ST
595542	KEY:MATL STEEL/HARD PLASTIC	1.00	051	ST
1081196	INDICATOR: TYP OIL LEVEL,SIZE DIA 42MM	2.00	061	ST
631136	KIT,SEAL:TYP SOFT GOODS	1.00	051	ST
644641	FIXTURE,HID LIGHTING:	1.00	021	ST
607694	COUPLING:MT SS DIN WN 1.4571	1.00	051	ST
93502	GUIDE:TYP RING,APLC ELECTRIC HOIST-LE-3	5.00	051	ST
1070024	BLOCK, CONTACT: TYP AUXILIARY,CIRCUIT 1	1.00	021	EA
1022670	CONTACTOR: AMPERAGE 115A,POLE 3	2.00	011	EA
596798	VENT:TYP ENCLOSURE	1.00	051	ST
662070	FLANGE,PIPE:TYP RAISED FACE,SIZE 10IN,CN	5.00	131	EA
13160	BRG,ROLL:ID 25MM,OD 32MM,WD 16MM	1.00	051	ST
1035820	O RING:INSIDE DIAMETER 35MM,WIDTH 2MM,MA	1.00	051	EA
593673	O-RIG;1-15/16IN,3/32IN,BUNA-N	6.00	051	ST
642581	GSKT:COVER	1.00	051	ST
596986	SEAT-VLV;BALL,20MM,22MM,35MM,7MM	1.00	051	ST
642679	PACKING:	1.00	051	ST1
838866	GSKT SET:TYP SPIRAL WOUND	3.00	051	SE
442465	HOUSING:TYP CELL	2.00	051	EA
635102	LIGHT,INDICATING:COLOR GREEN	22.00	021	ST
607564	COUPLING,SHAFT,HALF:AGITATOR GEARBOX	1.00	051	ST
630887	SWTCH;LOAD,24/260VAC 5A	2.00	021	ST
612499	SHIM:MTRL STEEL,P/N:627328,MNFR:INGERSOL	1.00	051	ST1
731343	VALVE,RELIEF:VLV SZ DN20	1.00	051	ST
1031935	O-RING: WIDTH 5MM,MATL EDPM/FDA	1.00	051	EA
418925	HOSE, FLEXIBLE METAL: HOSE SZ 3/16IN	1.00	051	EA
631104	TUBE:TYP SYPHON	5.00	131	ST
644853	INDICATOR:TYP SET POINT AND TEMPERATURE	1.00	101	ST
1087182	DIAPHRAGM, ACTUATOR: TYP MEMBRANE	2.00	061	EA
591806	WASHER:DISHED PACK	2.00	051	ST
584493	BARRIER:	1.00	121	ST
616028	HEATER,SPACE:RT 240VAC 150W 60HZ	2.00	011	ST
606624	SCREW,CAP:7/32IN DIA,3-9/16IN LG	41.00	051	ST
1202612	TXFRMR CRNT:CRRNT RTIO 1000/1,TYP CT,CLA	1.00	011	EA
615907	GSKT PRE-CUT :CORK,BEARING COVER	1.00	051	ST
643333	DETECTOR:TYP IONIZATION SMOKE	1.00	061	ST
592935	GSKT PRE-CUT :ID 39 X OD 37 X THK 2MM	4.00	051	ST
605127	RLY;110VAC 50/60HZ,PANEL SURFACE,OPEN	1.00	011	ST
602194	PACKING:SHP H-SHAPED ROUND,MT BUNA-N	1.00	051	ST
708571	SPRING,VALVE:INCONEL X,VLV SZ 6IN	3.00	051	EA
604552	FUSE:25A,500VAC/DC,DIA 13/32 X LG 1.5IN	70.00	021	ST
615065	RDUCR-PIPE;12 X 10IN,BW,ECCENTRIC	1.00	051	ST
592291	BLADE,FAN:SZ DIA 156IN	2.00	011	ST
624289	SEAL,RING:	2.00	051	ST
643865	SEAT,VALVE:GATE; GLOBE AND CHECK	1.00	051	ST
1214347	PWR-SUPLY;ANALOG INPUT - LIMIT ALARM,2A	1.00	021	EA
644436	NUT,HEX:DIA M20,GS,HT 16MM,THD 2.5MM	1.00	051	ST
905142	CRCUT;COMPACT FLASH	1.00	011	EA
1576710	INVRTR:TYP DRIVE,PWR RTNG 5.5KW,O/P 380-	1.00	011	ST
17863	TAPE, HEAT TRACING: P/N:5BTV2-CT	1.00	001	ST
588493	PACKING:GRAPHITE	1.00	051	ST1
606800	SCREW,CAP:M5 DIA,22MM LG,HEX SOCKET	33.00	051	ST
420863	REACTOR:	1.00	011	ST
1003908	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
581664	HOSE:HIGH PRESSURE	1.00	051	ST
589102	BLOCK,TERMINAL:TERM (35) MALE PIN,CIRCU	10.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
701611	SENSOR:TYP PRESSURE	1.00	900	EA
1245847	DEFLECTOR:TYP BEARING HOUSING,SIZE DIA 1	2.00	081	EA
1033142	O-RING: INSIDE DIAMETER 1.589IN	2.00	051	EA
1057483	KIT-VLV-RPR:TYP SOFT PARTS,APL EMERGENCY	1.00	051	KIT
606823	SCREW,CAP:HEX SOCKET	4.00	051	ST
1578745	PLUG-TUBE:DIA 30.45 X 26.45MM,MTRL CS AS	300.00	051	EA
596580	DISC-VLV;ID 11 X OD 20 X THK 4MM,PTFE	1.00	051	ST
591201	ASSEMBLY:RECTIFIER	1.00	081	ST
610593	RELAY:	1.00	011	ST
590617	SWITCH, PRESSURE: RANGE 2.1-14BAR	2.00	061	ST
578430	PACKING:ASBESTO/GRAPHITE	1.00	051	ST1
642657	O-RING:APLC SEAL	1.00	051	ST
588999	WINDOW,SIGHT:MT PYREX GLASS	1.00	131	ST
626466	DEVICE:TYP TORQUE TRANSMISSION	2.00	081	ST
1064556	BRG, SLEEVE: INSIDE DIAMETER 46MM	1.00	051	EA
642725	RING:PTFE/TFM 4220,TYP ANTISTATIC	7.00	051	ST
576738	ACID-INRGNC;PHOSPHORIC ACID,LIQUID,H3O4P	22.50	001	L
599167	ROLLER:TYP CURVE	4.00	051	ST
705586	BUSH,PUMP:BOWL	1.00	081	ST1
255098	MODULE: APPL DIGITAL CONTROL SYSTEM	1.00	031	EA
1549179	VALVE,CONT:TYP ECCENTRIC ROTARY PLUG,SIZ	1.00	051	ASY
587949	KIT,VALVE REPAIR:SEAL	1.00	051	KIT
590275	PROTECTOR;FLANGE LEAK	1.00	001	ST
610300	VLV-CNTRL;DN 200,PN 25,026-97	1.00	051	ST
1025057	GSKT: TYP GARLOCK GASKET,SHAP ROUND	1.00	051	EA
627614	SWITCH,PUSHBUTTON:CONTAR 1NO-1NC	2.00	021	ST
586754	MOTOR,ELECTRIC:4KW,380VAC 9A 60HZ	1.00	900	ST
417085	MODULE:GP SENSOR,I/P 0-2068KPA,O/P	1.00	031	EA
627016	CONTACTOR:TYP MAGNETIC,AMP 80A,3 POLE	1.00	011	ST
936166	GSKT:THICKNESS 0.7MM,SIZE OD 79 X ID 62	1.00	051	EA
610976	SWITCH,PRESSURE:SPST,TYP FAN,FPT	1.00	061	ST
643615	PUMP:	1.00	081	ST
641574	SEAL,MECHANICAL:4-3/8 X 4IN	1.00	900	ST
907008	TUBE:TYP INNER COMBUSTION	3.00	131	EA
588411	O-RING:APLC PH SENSOR	2.00	051	ST
615826	GSKT:INSPECTION COVER AND OIL UNIT	1.00	051	ST
626398	CONTACTOR:TYP MAGNETIC	3.00	011	ST
1595322	GSKT-PRE-CUT:TYP FLAT RING,SZ ID 78 IN X	6.00	051	EA
589501	BREAKER,CIRCUIT:0.5A	1.00	011	ST
585730	VALVE,ANGLE:VLV SZ 1-1/4IN	1.00	051	ST
268463	CONTACTOR:TYP MAGNETIC,AMP 40A,3 POLE	2.00	011	EA
627245	VALVE,GATE:VLV SZ 1-1/2IN,DES RTG CL 800	2.00	051	ST
742219	HOSE, FLEXIBLE METAL: MATL MS / SS	2.00	051	ST
599498	GSKT PRE-CUT :MATL V#6500,DOC:N-9151 D	4.00	051	ST
800793	GSKT,SPWD:4IN,300LB,GRAPHITE,SS 316	4.00	051	ST
1030719	GSKT, SPWD: NOMINAL FLANGE SIZE 2IN	1.00	051	EA
902029	CONTROLLER,ELECTRONIC:TYP POWER FACTOR	1.00	031	EA
1012877	WHEEL: TYP WORM,P/N:515799 04	1.00	091	EA
583363	CAM:MT AS JIS G4102 GR SNC815	1.00	051	ST
616382	TRANSFORMER,INSTRUMENT:CURR RT 25/5A	3.00	011	ST
616196	RELAY,OVERLOAD:48-65A,1NO-1NC,THERMAL	2.00	011	ST
587062	ASSEMBLY;VALVE CUP/STEM	1.00	081	ST
871950	CHOKE: TYP OUTPUT,MNFR:SIEMENS AG	1.00	031	EA
643852	STEM,VALVE:VLV ST GUIDE	2.00	051	ST
1573118	O-RIG-ST:MTRL VITON,APL DRIVING SHAFT,QT	2.00	051	SE
602842	RING,WEAR:SS ASTM A473 TP 420	1.00	081	ST
604627	FUSE:6A,550VAC,DIA 13.8 X LG 58.7MM	10.00	021	ST
1088391	BRG,ROLL: INSIDE DIAMETER 130MM	1.00	051	EA
581797	HOSE,HYD: END 1 CONNECTION MPT	2.00	051	ST
587699	KIT-CYLNDR-RPR;SOFT PARTS,FORKLIFT	1.00	091	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
605520	SWITCH,LEVEL:	1.00	061	ST
588337	DISC,VALVE:VLV SZ 4 X P X 6IN	1.00	051	ST
593784	O RING:INSIDE DIAMETER 208.92MM,WIDTH 5	8.00	051	ST
587921	KIT-VLV-RPR:TYP SOFT PART,APL GATE AND G	1.00	051	KIT
615068	TEE-PIPE-RDUCR;DN (4 X 6 IN) X THK 2 MM	1.00	051	ST
607204	NAIL:TYP CONCRETE,LG 1-1/2IN,MT GS	5.00	051	KG
588622	GSKT SET:APLC FLOWMETER	2.00	051	ST1
593740	O-RING:ID 5MM,WD 1.8MM	6.00	051	ST
604491	FUSE:63A,600VAC,WD 6 X LG 15 X THK 13MM	10.00	021	ST
629310	SCREW,CAP:SOCKET	6.00	051	ST1
624555	BUSH,PUMP:BLOCK	1.00	081	ST
586743	LINK:MT TINNED COPPER,TYP NEUTRAL	1.00	051	ST
627262	PACKING:GRAPHITE BRAIDED	2.00	051	ST1
350415	COUPLING:	1.00	051	ST
607291	BUSH:ID 6 X OD 12 X LG 15MM,STEEL	2.00	051	ST
582043	PUMP:TYP WATER JET FILTER,RT 3-6BAR	5.00	081	ST
590601	SWITCH, PRESSURE: RANGE 0-40MBAR	1.00	061	ST
1244606	BREAKER,CIRCUIT:AMPERAGE 160A,VOLTAGE 38	1.00	011	EA
1004142	BREAKER, CIRCUIT: AMPERAGE 10A,POLE 2	1.00	011	EA
23685	LAMP,INCANDESCENT:TYP PILOT,W 2W	35.00	011	ST
598450	BRG,BALL:ID 30MM,OD 72.2MM,WD 38.2MM	2.00	051	ST
619269	O-RING:ID 72.75MM,WD 1.78MM,MT NBR	2.00	051	ST
592405	GSKT-PRE-CUT;ID 13 X OD 19 X THK 2MM	1.00	051	ST
591878	ADAPTOR:TYP SEAT,MT SS ASTM A276 STELLI	1.00	051	ST
632709	O-RING:	1.00	051	ST
600077	GSKT SET:TYP BONNET,APLC STEAM TRAP	2.00	051	ST
502446	ADAPTOR,TUBE TO PIPE:T SZ 6MM	10.00	051	EA
622197	FUSE:2A	15.00	021	ST
597661	VALVE:TYP BODY COLD	2.00	051	ST
596989	SEAT,VALVE:ID 105MM,OD 135MM,VLV SZ 4IN	2.00	051	ST
402285	BREAKER,CIRCUIT:10A,POLE 1,S201 P-K10	3.00	011	ST
586014	BALL:SZ 3/8IN,MT BRASS	108.00	051	ST
628614	BRG,SLEEVE:TYP BUSHING	2.00	051	ST
583506	PLUG:CS ASTM A105,SHOULDER,AIR COOLER	932.00	051	ST
599508	GSKT,SPWD:V#7590,SS 304,SHP ROUND	6.00	051	ST
1612196	GSKT-KIT-INSULTG:TYP VCFS,NMNL FLNG SZ 3	2.00	051	KIT
582305	FILTER,ELEMENT:CARTRIDGE	1.00	051	ST
588631	SET:TYP CONNECTING ROD	1.00	081	ST1
1235801	SEAT,VALVE:TYP VACUUM,VALVE TYPE PRESSUR	1.00	051	EA
605962	DISPLAY UNIT:TYP AMPERAGE,PWR S 2.5A	2.00	101	ST
617187	CUT-OUT:TYP MANUAL LINEAR	2.00	061	ST
833542	BOLT,MACH:3/4IN,LG 60MM,AS ASTM A193	11.00	051	SE
618010	O-RING:APLC BATTER TUBE END CAP	4.00	051	ST
631174	SEAT-VLV;2IN,SS	1.00	051	ST
615532	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	2.00	081	ST
189024	RING,RETAINING:TYP SNAP,MT STEEL	2.00	051	ST
861681	KIT-VLV-RPR:TYP SOFT PARTS,APL VACUUM RE	2.00	051	SE
602829	RING,PISTON:CARBON/PTFE	1.00	051	ST
915041	SEAT,VALVE:VLV SZ 1IN,ANGLE,SS ASTM A276	1.00	051	ST
616801	TRANSDUCER:I/P -15 TO 15 MVAR/110VAC 5A	1.00	061	ST
588027	GSKT SET:APLC PRESSURE RELIEF VALVE	1.00	051	ST1
1022973	SWITCH: TYP ETHERNET,P/N:2071767 A01	1.00	021	EA
1246086	KIT,VALVE REPAIR:APPL GATE VALVE 4 IN,TY	1.00	051	KIT
600344	GSKT,SPWD:TYP BASIC WITH OUTER RING,FILL	10.00	051	ST
577401	GSKT PRE-CUT :	4.00	051	ST
639759	KIT,VALVE REPAIR:CONTROL	1.00	051	ST1
616745	RLY:COIL V 110V DC,ACTN 4PST,CNTCT RTNG	2.00	011	ST
793025	SOCKET,ELECTRICAL:TYP RELAY	1.00	021	ST
607568	COUPLING:	1.00	051	ST
1007821	GSKT PRE-CUT : MATL CERAMIC FIBRE	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
503328	PIN:MATL SS 416,TYP LOWER ADJUSTING RING	1.00	051	EA
643322	PROXIMITOR:5 M	1.00	061	ST
1241848	PIPE:SIZE 6IN,TYP RTR PIPE,LENGTH 6200MM	3.00	101	EA
609756	BATTERY,DRY CELL:TYP EMERGENCY,VOLT 6VDC	1.00	011	ST
643512	RING,RETAINING:TYP LOCK	1.00	051	ST
616738	TRANSFORMER,INSTRUMENT:VA RT 5VA	1.00	011	ST
580963	VALVE,CONTROL:	2.00	051	ST
579635	TRANSMITTER:TYP SPEED,RNG 0-1666HZ	1.00	061	ST
622364	OPERATOR,SWITCH:TYP PUSHBUTTON,COLOR RED	6.00	011	ST
1054154	CORD, COMMUNICATIONS: TYP MODBUS	1.00	031	EA
602478	PACKING:PTFE,SQUARE	2.00	051	ST1
635534	GSKT:CORRUGATED	1.00	051	ST
582714	PROBE:TYP VIBRATION,APLC KEYPHASOR	2.00	011	ST
597480	VLV-SLND;PILOT	1.00	051	ST
1225529	SNSR CRNT:TYP HALL EFFECT,CUR 1000A,PTNT	1.00	011	EA
462143	SPRING,VALVE:SS 302,VLV SZ 1/2IN	2.00	051	EA
627290	PACKING:GRAPHITE,ROUND,TYP SEALING RING	2.00	051	ST
598089	BRG-RLR;DOUBLE,130MM,200MM,52MM,STEEL	2.00	051	ST
592827	GSKT-PRE-CUT;U,CORK	1.00	051	ST
1246809	KIT,VALVE REPAIR:APPL 6 IN 150LB BOLTED	1.00	051	KIT
901715	TUBE:TYP BLOWING	1.00	131	EA
588430	SEAL,MECHANICAL:DOUBLE	1.00	051	ST1
586349	BRG,ROLL:	1.00	051	ST
584910	DISC,VALVE:SS ASTM A276,304,PRESSURE AND	1.00	051	ST
592078	COUPLING:TYP ELECTROMAGNETIC TOOTH	1.00	051	ST
639367	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
1214412	MODULE:TYP Q SERIES CPU,INPUT 100-120VAC	1.00	031	EA
627992	PLUG,VALVE:VLV SZ 6IN,CONTROL,UNS S31600	1.00	051	ST
582683	KIT:TYP REPAIR,APLC STEAM TRAP	4.00	081	ST
644465	STUD,D/END:DIA-A M16,DIA-B M16,LG 86MM	1.00	051	ST
608061	SPACER:TYP SLEEVE	1.00	051	ST
601477	O-RING:MT FKM,APLC AGITATOR	2.00	051	ST
618237	SEAL:DIA 23 X LG 26,SLEEVE	4.00	051	ST
596609	FLTR-ELMNT;CARTRIDGE,DIA 22 X HT 195MM	2.00	051	ST
799214	MODULE:COMMUNICATION,PWR S 5VDC 1A,DCS	1.00	031	EA
9102378	CAP, DISTRIBUTOR, 65 MM ID X 75 MM OD, M	2.00	051	ST
612557	GUARD:APLC LIGHTING FIXTURE	2.00	121	ST
1031602	SNSR;LOAD	1.00	011	EA
583020	LIGHT:TYP DOOR ALARM	1.00	021	ST1
578427	GSKT SET:	2.00	051	ST1
643250	SEAT:	1.00	051	ST
624585	SPRING,VALVE:	1.00	051	ST
1022918	PIN: TYP HYDRAULIC CYLINDER,P/N:SLP60530	1.00	051	ST
584640	ASSEMBLY:DERIVATIVE RESTRICTOR	1.00	081	ST
1022984	BUZZER: P/N:HY 606-24,SUPPL:AMETEK INC	1.00	121	EA
635123	SEAL,RING:TYP V SHAPE,APLC MOTOR	3.00	051	ST
619214	HOOK,LOAD RATED:1TON	1.00	091	ST
598914	ELECTRIC:380VAC 9A 310HZHZ,1830RPM	4.00	011	ST
597554	VLV;9BAR,MNPT	1.00	051	ST
610503	STUD CNTNS THD:TYP THREADED,DIA M27,THRD	15.00	051	ST
578544	WRENCH,SET:TYP ALLEN KEY,15	4.00	101	ST1
642864	SEAL,RING:ID 165MM,THK 2MM	1.00	051	ST
609860	KIT;REPAIR,LIGHTING FIXTURES	1.00	081	KIT
642105	HOLDER,VALVE DISC:MT SS 403	1.00	051	ST1
812010	SEAT,VALVE:VLV SZ DN 50,CONTROL	1.00	051	ST
622365	PLUG,ELECTRICAL:30A	2.00	021	ST
624948	FILTER:	2.00	031	ST
609739	CLUTCH:TYP SHAFT	2.00	051	ST
581962	TUBING,METALLIC:MT COPPER,OD 12.5MM	4.00	131	ST
1009445	COUPLING, SHAFT: TYP OIL PUMP	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1540131	MODULE:TYP TEST,PWR SRC 24VDC,APPL SWITC	4.00	031	EA
603025	SET:TYP SEAL VALVE BALL	1.00	051	ST
620251	NUT,LOCK:TYP BEARING,DIAMETER M55,THREAD	1.00	051	ST
630202	SPACER:	1.00	051	ST
643720	BRG,ROLL:ID 17MM,OD 23MM,WD 12MM,TYP	1.00	051	ST
1056655	CORD, COMMUNICATIONS: TYP MODBUS	1.00	031	EA
1571050	JNT-EXPNSN:TYP EJ-46.1,SZ 16IN,LG 250MM	2.00	051	ASY
1081185	PACKING: SIZE ID 25.1 X OD 41.5MM,SHAP U	1.00	051	EA
892442	CLVS:TYP BEARING BLOCK,LG 40MM,MTRL GS,P	1.00	051	EA
1225380	SPG ASSY:TYP PRESSURE SAFETY VALVE,MTRL	1.00	051	ASY
1065059	STEM-VLV:VLV STYL GLOBAL,VLV SZ NPS 4,SZ	1.00	051	EA
586991	ASSEMBLY;TILE,BURNERS ON FIRED HEATERS	10.00	081	ST
644627	FILTER,BAG:DIA 180 X LG 600MM	1.00	051	ST
589311	TERMINAL:	2.00	021	ST
644303	PLT;UP AND DOWN INSERTION	1.00	131	ST
637158	VALVE:TYP HAND	3.00	051	ST
603452	BLOCK,TERMINAL:ELEC TRT 500V,TERM	10.00	021	ST
900643	CONTACT,AUXILIARY:TYP SIGNAL	1.00	011	EA
1612833	VLV-SLND;3 WAY,24V DC,7 BAR AT 40 DEG C	1.00	051	EA
798633	SOLUTN:TYP BUFFER CONDUCTIVITY ANALYZER	5.00	001	BOT
599323	GSKT PRE-CUT :T#1995/NON ASBESTOS	3.00	051	ST
610838	FUSE:	3.00	021	ST
594316	PCKG;ID 15 X OD 22 X THK 10MM,PTFE	1.00	051	ST1
608468	GSKT-SPRL-WUND;SS 304,CASING	3.00	051	ST
623822	OPRTR-SWTCH;PUSHBUTTON,BLACK,ROUND	3.00	011	ST
785296	SEAL;OD 121 ID 90 TH 0.5 MM,BALL	1.00	051	ST
599990	GSKT PRE-CUT :ROUND	1.00	051	ST
643264	SEAT,VALVE:HAND	1.00	051	ST
585683	VALVE,RELIEF:VLV SZ 3/4IN	1.00	051	ST
599460	GSKT PRE-CUT :OIL SHEET	4.00	051	ST
582735	SENSOR:TYP RESISTANCE	1.00	101	ST
614901	METER:TYP HOUR,ST PANEL MOUNT	1.00	101	ST
597719	VALVE,RELIEF:TYP GAS PRESSURE REDUCING	1.00	061	ST
9102241	SLEEVE,SPACER,PART# 525.1 (MARKED X)	3.00	051	ST
1226573	ASSEMBLY:TYP CUSTOMER DPM BOARD,APPL VSD	1.00	081	ASY
1504881	STEM,VALVE:VLV STYL GATE VALVE,VALVE SIZ	1.00	051	EA
620392	RETAINER:TYP SEAT,MT SS ASTM A276 GR 307	2.00	900	ST
981407	CABLE, CONTROL: CONDUCTOR 2	1.00	021	EA
606727	SCRW-WOOD;1IN,FLAT PHILLIPS	6.00	051	ST1
632033	GSKT PRE-CUT :P#1300-S,BONNET,3IN	2.00	051	ST
644318	BLOCK:TYP HYDRAULIC LIFTING,SZ DIA 130	1.00	131	ST
956758	DIAPHRAGM, ACTUATOR: RATING 6BAR	2.00	061	EA
585548	STEM,VALVE:VLV ST MANUAL CONTROL ANGLE	1.00	051	ST
604350	CONTACTOR:	1.00	011	ST
612527	FIXTURE:RT 220V 3 X 3W6 60HZ	5.00	021	ST
904161	GAUGE,PRESSURE:-0.6 TO 1BAR,100MM	1.00	101	EA
608858	CNTCT;VT STATIONARY	3.00	011	ST
723642	BUSHING:TYP SHAFT,MT TEFLON	1.00	051	ST
636232	BUSH:SS 403	2.00	051	ST
1628160	HOLDER FOR SAMPLE RACK , M16 BOLT	1.00	051	EA
924530	STUD CNTNS THD:TYP BOLT,DIA 1-3/4IN,LG 4	38.00	051	EA
605782	TRANSFORMER,INSTRUMENT:TYP CURRENT	1.00	011	ST
912753	DIAPHRAGM,ACTUATOR:ACT SZ 252,RT 6BAR	2.00	061	EA
724766	O-RING:APLC PRESSURE SAFETY VALVE	2.00	051	ST
626692	FUSE:	5.00	021	ST
626538	FUSE:4A	19.00	021	ST
867558	O-RING:MT FFKM	8.00	051	EA
612238	PROGRAMMER:TYP PROGRAMMING AND DISPLAY	1.00	061	ST
641626	SEAL,MECHANICAL:4 X 3-5/8IN	2.00	900	ST
587397	GSKT SET:TYP VANE	8.00	051	KIT

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
627623	BLOCK,TERMINAL:	7.00	021	ST
596505	DIAPHRAGM:SZ SQ 38MM,MT RUBBER	1.00	051	ST
616839	PROTECTOR:TYP INTERNAL MOTOR	1.00	001	ST
606228	BOLT,EYE:20MM,115MM LG	15.00	051	ST
770800	BUSH,VALVE:GOVERNOR VALVE ASSEMBLY	2.00	051	ST
1597587	KIT-ACTUTR-RPR:TYP SOFT WEAR,CMPRSNG O-R	1.00	061	KIT
603786	GUD;SLEEVE,ID 16 X OD 18 X LG 12MM	4.00	091	ST
943971	YOKE, VALVE: VLV STYL GLOBE	1.00	051	EA
897668	ELBOW,PIPE:SZ DIA 1IN	4.00	051	ST
631184	PACKING:TYP GLAND	1.00	051	ST
1248080	RELAY:COIL V 24VDC,ACTION SPDT,TYP AUXIL	1.00	011	ASY
579025	ASSEMBLY:TYP COMPENSATOR	1.00	051	ST
619562	SHIM:	1.00	051	ST1
606094	THYRISTOR:	4.00	031	ST
642960	PACKING:ALCHEM,TYP STUFFING BOX	6.00	051	ST1
590305	RELAY:COIL 200/220VAC,4PDT,TYP AUXILIARY	10.00	011	ST
601584	O-RING:MT NBR,APLC COVER	2.00	051	ST
604582	FUSE:355A,CURRENT LIMITING	3.00	021	ST
607617	COUPLER,HOSE:TYP CLAW FEMALE	1.00	051	ST
583479	PLUG,PIPE:1/2IN,MI,MNPT	4.00	051	ST
540509	FUSE:4A,250VAC,DIA 14 X LG 51MM,FERRULE	7.00	021	EA
600302	GSKT,SPWD:GRAPHITE,SS 316,IRMT SS 316	2.00	051	ST
643673	BUSH:	1.00	051	ST
619278	GSKT PRE-CUT :ID 132 X OD 168 X THK	1.00	051	ST
602826	RING,WEAR:SS 304,APLC IMPELLER	1.00	081	ST
998961	SLEEVE: APPL SEPARATOR,P/N:522984 01	1.00	051	ST
595239	SET:TYP SEAL	1.00	081	ST1
577916	KIT:TYP ELECTRIC RCD CIRCUIT	1.00	011	KIT
620081	STUD CNTNS THD:DIA 3/4IN,THRD 10 UNC,LG	3.00	051	ST
584886	DISC,BRAKE:	1.00	051	ST
1576760	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPRSNG DI	1.00	061	KIT
581111	PLUG-VLV;DRAIN,STEEL	1.00	051	ST
616869	RELAY, OVERLOAD: AMP RANGE 24-32A	1.00	011	ST
577367	CIRCUIT:TYP ANALYZER CONTROL	1.00	011	ST
582319	CELL,LOAD:	1.00	061	ST
195238	BRG-RLR:TYP TAPERED CONE AND CUP,ROW SIN	1.00	051	ST
594770	PACKING:ID 140 X OD 180 X THK 20MM	3.00	051	ST
605395	SWITCH,TOGGLE:250V 16A,SPST,SPADE	2.00	021	ST
577749	ASSEMBLY:FRAME/GLASS,APLC FLOODLIGHT	20.00	081	ST
612562	GUARD:	2.00	121	ST
605863	CAPACITOR:TYP FIXED,CAPCIT 0.22MICRO F	8.00	031	ST
591937	BUSH,VALVE:ACETAL,VLV SZ 14IN	1.00	051	ST
577800	ASSEMBLY;HORN	5.00	081	ST
644387	BOLT,MACH:M20,LG 70MM,GS,2.5MM,HD HEX	1.00	051	ST
907280	SYRINGE:TYP GAS TIGHT,CAP 250MICRO L	3.00	071	EA
826352	PLUG, VALVE: VALVE SIZE 1IN,10 - 334	1.00	051	ST
3141	BRG,ROLL:ID 110MM,OD 200MM,WD 53MM	2.00	051	ST
1022968	DEVICE: TYP BASE COMMUNICATION BOARD	1.00	081	EA
612263	O-RING:ID 6IN,WD 1/8IN,MT BUNA-N	1.00	051	ST
1229626	STUD-CNTNUS-THRD:TYP ALL THREADED,DIA 7/	15.00	051	ASY
799240	TRANSFORMER,IGNITION:VOLT R 220/6000VAC	2.00	011	ST
592854	GSKT-PRE-CUT;RECTANGULAR,CORK	1.00	051	ST
394108	SWTCH-PRXMTY;1.5MM,8 V,DIA 7.9 X LG 41MM	1.00	011	ST
617753	BREAKER,CIRCUIT:15/16A,400VAC	1.00	011	ST
589942	FUSE:0.5A	186.00	021	ST
3157	GSKT,SPWD:SHP ROUND,BASIC	3.00	051	ST
581215	CIRCUIT:	1.00	011	ST
588945	FILTER,ELEMENT:SS 316	1.00	051	ST
610682	VLV;MODULATING	1.00	900	ST
603399	PLUG:TYP CABLE CONNECTING	2.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
456278	GSKT:ID 270 X OD 279MM,THK 1MM,ROUND	3.00	051	EA
1075129	SEAT, VALVE: VALVE SIZE 6 IN,P/N:058091	2.00	051	ST
589083	BLOCK,TERMINAL:ELEC TRT 600V 30-36A,TERM	20.00	021	ST
940358	KIT-ACTUTR-RPR:TYP MAINTENANCE,P/N:754K0	1.00	061	EA
593258	GSKT PRE-CUT :ID 11 X OD 16MM,PTFE,ROUND	2.00	051	ST
617983	COIL,ELECTRICAL:TYP CIRCUIT BREAKER,FUN	1.00	011	ST
614226	REACTOR:TYP CURRENT LIMITING	1.00	011	ST
580544	SHAFT:	1.00	051	ST
1085386	PINION, GEAR: MATL SCM 420,TYP HELICAL	1.00	081	EA
1576628	SEAT-VLV:TYP RING,VLV TYP GLOBE,VLV SZ 8	1.00	051	SE
583016	DIODE,LIGHT EMITTING:COLOR YELLOW	2.00	031	ST
799182	KIT,VALVE REPAIR:2 IN BALL VALVE,SPARE	1.00	051	KIT
610671	BRG,BALL:ID 17MM,ST 2 SHIELDS,ROW SINGLE	2.00	051	ST
418625	O-RING:ID 109.6 MM,WD 5.7 MM,MT NBR	1.00	051	EA
589436	BREAKER,CIRCUIT:12.5A,220-690VAC	1.00	011	ST
578467	O-RING SET:6	1.00	051	ST1
578313	KIT-VLV-RPR;SMALL PARTS	5.00	051	ST
587853	KIT-VLV-RPR:TYP SPARE,APL CHECK,CMPRSNG	1.00	051	KIT
578354	KIT,VALVE REPAIR:TYP FLANGE INSULATING	2.00	081	KIT
579834	PIPETTE:TYP GRADUATED,CAP 2ML,MT GLASS	25.00	071	ST
1081950	TRNSMTR-TMPRTUR;20 - 60°C,KFD2-UT2-1	1.00	061	EA
626660	VALVE:TYP RADIATOR DISCONNECTING	5.00	051	ST
644709	GSKT PRE-CUT :ASBESTOS/TEADIT NA 1000	8.00	051	ST
594327	PCKG;ID 23 X OD 35 X THK 11MM,GRAPHITE	1.00	051	ST1
9101637	WHEEL,GEAR,Z-76	1.00	051	ST
594256	PCKG;ASBESTOS/KLINGER SIL C-4409	1.00	051	ST1
876817	CAGE-VLV:VLV STYL GLOBE,VLV SZ 2IN,MTRL	1.00	051	EA
617257	SEAL,RING:TYP V SHAPE,APLC MOTOR	1.00	051	ST
583757	CIRCUIT:TYP DIGITAL OUTPUT	1.00	011	ST
605763	TRANSFORMER:PRIM V 110VAC,FREQ 50/60HZ	2.00	011	ST
1547519	BRG:TYP NDE,SZ WD 30MM,ROW SINGLE,APL MO	3.00	051	EA
729675	ACTUTR;MOTORIZED,220V 60HZ,ELECTRIC	1.00	061	ST
78857	RELAY:COIL 110VDC,4PDT,CONT 250V 10A	3.00	011	ST
605836	AMPLIFIER:TYP TRIP,I/P 0-10VDC 0-100MA	1.00	031	ST
1088406	GEARBOX: APPL SLIDE GATE VALVE	1.00	081	EA
609770	MAGNET:	1.00	061	ST
592924	GSKT PRE-CUT :	1.00	051	ST
615558	GSKT,SPWD:PTFE,SS 316,SHP ROUND,BASIC	4.00	051	ST
642756	SEAL:PTFE,APLC BODY	8.00	051	ST
631689	CLMP;CABLE TIE	100.00	051	ST
538604	BRKR-CRCUT:AM 10A,VLTG 400V AC,INTRUPT C	2.00	051	EA
1223095	BREAKER,CIRCUIT:AMPERAGE 10A,VOLTAGE 277	1.00	011	EA
588299	DIAPHRAGM,ACTUATOR:ACT SZ 6IN,RT 150LB	1.00	061	ST
589653	SWITCH:TYP AUXILIARY,CONTAR 6NO-6NC	1.00	021	ST
602667	SEAT,VALVE:CONTROL,SS 316	2.00	051	ST
615808	SEAL:AIR	1.00	051	ST
593409	GSKT-PRE-CUT;FLAT RING,ROUND	4.00	051	ST
1024874	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
620153	GSKT,SPWD:4IN,300LB,NON ASBESTOS; V#596	2.00	051	ST
590163	FUSE:4A,250V,DIA 5 X LG 20MM,FERRULE	2.00	021	ST
653172	BELLOWS:MT RUBBER	1.00	051	EA
591229	ISOLATOR,ELECTRICAL:ELEC TRT 75A,POLE 3	1.00	021	ST
627935	KIT,VALVE REPAIR:DRIVING SHAFT,SEALING	2.00	051	ST1
615769	BUSH,PUMP:SS ASTM A276 / SS JIS G4305 GR	2.00	081	ST
1024089	PACKING: SHAP CYLINDRICAL,TYP VALVE	1.00	051	ST1
585000	DISC-VLV;V4A,250MM,SAFETY AND BUTTERFLY	1.00	051	ST
644769	GSKT PRE-CUT :ID 60 X OD 160MM	4.00	051	ST
803074	PACKING:ID 20 X OD 33 X THK 6.4MM	1.00	051	ST
252754	FUSE: AMPERAGE 6A,VOLTAGE 500V,TYP HRC	6.00	051	EA
584630	PIECE:TYP STAGE,MT SS JIS G4305 GR 420J1	1.00	081	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
9101744	SHAFT, PART# 15[TO BE DELETED]	1.00	051	ST
638181	BUSH:COMPRESSOR AND TURBINE	2.00	051	ST
594408	RIG	1.00	051	ST
579252	GUG-LVL;1050MM,950MM,MNPT 3/4IN,20PSI,1	1.00	101	ST
644249	CHEMICAL:SODIUM BIPHENYL,LIQUID,BOTTLE	20.00	001	PAK
1034143	SWITCH, PUSHBUTTON: CNTCT RT 690VAC 16A	1.00	021	EA
641437	O-RING:ID 400MM,MT NYLON	2.00	051	ST
344846	FUSE:10A,415V,DIA 13 X LG 29MM,FERRULE	9.00	051	ST
593715	O-RING:	6.00	051	ST
644444	NUT,HEX:DIA 24MM,GS,HT 24.5MM,THD 3MM	1.00	051	ST
1045867	VALVE, RELIEF: VALVE SIZE 6 X R X 8IN	1.00	051	EA
593133	GSKT,SPWD:IT-C,IRID 125MM,OR OD 300MM	3.00	051	ST
622586	PUMP,ROTARY:TYP GEROTOR	1.00	081	ST
619382	NUT,LOCK:SS 316,NYLON INSERT,HEX HALF	2.00	051	ST
581883	PIPE:	1.00	131	ST
738102	WHL	2.00	091	ST
630242	BRG:DOUBLE ROW	2.00	051	ST
586148	BRG, BALL: INSIDE DIAMETER 100MM	1.00	051	ST
1555263	FITTING,OUTLET:TYP WELDOLET,BRNCH CNCT B	1.00	051	EA
606267	FASTENER:	1.00	051	ST
629195	KIT,VALVE REPAIR:RELIEF VALVE	2.00	051	ST1
801006	GSKT,RJ:ROUND,AISI 316L,DIA 2IN	1.00	051	ST
585998	VALVE:VLV SZ MOTOR EXPANSION	1.00	051	ST
619833	SEAL,OIL:ID 20MM,OD 30MM,WD 7MM,TYP	1.00	051	ST
635710	PACKING:V#6500	2.00	051	ST
111671	CIRCUIT:TYP MEMORY 8KB EPROM	3.00	051	EA
603058	SEAL:	1.00	051	ST
1054157	D;BLOCKING	1.00	031	EA
617650	SPRING,COMPRESSION:OD 20MM,LG 49.5MM	12.00	051	ST
1558290	MEDIA:TYP HEAT RECOVERY,FORM BLOCK,SIZE	1.00	051	SE
593872	O-RING:	10.00	051	ST
579223	GUG-PRSUR;0-1.6BAR,160MM,MNPT 1/2IN,SS	1.00	101	ST
587318	GSKT PRE-CUT :KIT	1.00	051	ST1
592201	SPRINKLER,FIRE PROTECTION:	2.00	121	ST
602916	RING:APLC SCRAPER LOADED	1.00	051	ST
614661	SLEEVE, COUPLING: P/N:04000930	1.00	051	ST1
615168	TOOL:TYP LOCK INPUT	1.00	101	ST
1012970	HOSE:SIZE DIA 25 X LG 90MM,TYP INSULATIN	1.00	051	EA
587331	KIT-VLV-RPR:TYP SPARE,APL BALL,CMPRSNG P	2.00	051	ST
642574	O-RING:MT BUNA-N	3.00	051	ST
616398	RELEASE:TYP SOLID STATE	5.00	011	ST
642863	BRG-BAL;10403,12MM,28MM,8MM,OPEN,SINGLE	1.00	051	ST
622357	CONTACTOR:TYP MAGNETIC,3 POLE,460-575VAC	2.00	011	ST
596174	HOLDER,FUSE:FERRULE,AMP 20A,VOLT 600V	2.00	021	ST
644801	SEAL:WD 7 X ID 3 X OD 60MM,STEEL	1.00	051	ST
49374	GSKT,SPWD:NON ASBESTOS/FLEXITE-SUPER	4.00	051	EA
421365	ELECTRODE:TYP GENERAL	2.00	051	ST
643508	SEAL,OIL:	2.00	051	ST
579984	LIGHT,INDICATING:VOLT 250V,W 2.5W	2.00	021	ST
587977	PAD, BEARING: TYP THRUST,DOC:F3136-3220	1.00	051	ST1
579663	TRANSMITTER:TYP MOISTURE/TEMPERATURE	2.00	061	ST
587942	KIT-VLV-RPR:TYP SOFT PART,APL GLOBE (SIZ	1.00	051	KIT
578072	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG PACKIN	1.00	051	ST1
607261	ADPTR;MOUNTING,EK CONTACT ELECTRIC	6.00	051	ST
593457	SEAL;DN 25	10.00	051	ST
724426	DISC:	2.00	051	ST
592772	GSKT PRE-CUT :THK 1/16IN,REINZ AFM 30	5.00	051	ST
636233	BUSH:SS 403	2.00	051	ST
1088533	CIRCUIT: TYP MAIN BOARD,STD CSE,CUR 2A	1.00	011	EA
1045866	VALVE, RELIEF: VALVE SIZE 1 X E X 2IN	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
639642	SHAFT:	1.00	051	ST
952100	SCRAPER:	1.00	101	ST
615221	FUSE:2A,110VDC,DIA 10.3 X LG 38MM	3.00	021	ST
636318	STEM,VALVE:VLV ST PLUG,VLV SZ DN 2IN	1.00	051	ST
1040629	VALVE, SOLENOID: STYL 2 WAY,ELEC RT 10A	1.00	051	EA
1022672	CONTACTOR: TYP RESISTIVE LOAD,POLE 4	1.00	011	EA
9101739	SHAFT,470NTT-U5A-QUENCH 16MNCRS5,(MARKED	3.00	051	ST
599774	GSKT PRE-CUT :NON ASBESTOS,ROUND	4.00	051	ST
592267	COLUMN:SZ 1/32IN,TYP FERRULE	26.00	051	ST
693737	FLTR-ELMNT:TYP CORE ACTIVITED,SZ 3-3/4 X	1.00	051	EA
930793	GAUGE, PRESSURE: RANGE 0-16BAR	1.00	101	EA
601372	O-RING:MT NBR,APLC CCR REGENERATION ISO	2.00	051	ST
584529	FUSE:AMP 5,VOLT 600	1.00	021	ST
609727	KIT,VALVE REPAIR:GLAND PACKING AND SEAT	1.00	051	ST1
589321	BLOCK,TERMINAL:	1.00	021	ST
636642	BUSH:	1.00	051	ST
588587	KIT,VALVE REPAIR:SEAT AND O-RINGS	1.00	051	ST1
637077	GSKT PRE-CUT :ROUND	2.00	051	ST
619671	O-RING:MT FKM,STD AS 568A-245	2.00	051	ST
1239154	BALL,VALVE:VALVE SIZE 10INCH,OPRTG PRESS	1.00	051	EA
636394	SWITCH,LEVEL:	1.00	061	ST
585285	SEAT,VALVE:VLV SZ 3IN,BALL,PTFE	2.00	051	ST
601390	O-RING:MT FKM	4.00	051	ST
603066	SEAL:NITRILE RUBBER	2.00	051	ST
591857	ADAPTOR:TYP IGNITION ROD	1.00	051	ST
581937	TUBE:TYP FEP CONNECTION	1.00	131	ST
642877	SPRING:TYP PRESSURE	1.00	051	ST
636610	O-RING:MT RUBBER	1.00	051	ST
602050	BODY,VALVE:VLV ST DRAINAGE	1.00	051	ST
614715	CARTRIDGE:TYP MECHANICAL SEAL	1.00	051	ST
602423	PACKING:GRAPHITE	2.00	051	ST1
905110	CIRCUIT: APPL FIRE ALARM CONTROL PANEL	1.00	011	EA
588374	SLEEVE:TYP SPACER,SZ D80 X 120 X 65MM	1.00	051	ST1
160494	CIRCUIT:TYP DETECTION	3.00	061	EA
591795	WSHR;GRAPHITE/PTFE	2.00	051	ST
555325	BRG,BALL:IBI 13767,ID 55MM,OD 100MM	2.00	051	EA
598759	GEAR,SPUR:	1.00	081	ST1
614235	LGHT-INDCTG;PILOT,100-120/6.3V AC,WHITE	1.00	021	ST
599224	BRK-SHOE;WD 49 X LG 260 X THK 6MM,STEEL	1.00	081	ST
591575	PIN:SNC 415/STEEL NICR,CROSSHEAD	2.00	051	ST
599861	GSKT,SPWD:8IN,GRAPHITE,UNS S31603	1.00	051	ST
619256	GSKT PRE-CUT :SQ 100 X THK 0.5MM,REINZ	1.00	051	ST
930018	SHAFT,VALVE:	1.00	051	EA
604740	FUSE:6.25A,660V,HIGH RUPTURE CAPACITY	10.00	021	ST
602499	PACKING:GRAFOIL,SQUARE	1.00	051	ST
1045870	VALVE, RELIEF: VALVE SIZE 12IN	1.00	051	EA
634537	VALVE:TYP THROTTLE	1.00	051	ST
9101848	REPAIR KIT	2.00	051	ST
374949	KIT;REPAIR	1.00	900	ST1
596646	FILTER,ELEMENT:FINE MESH	2.00	051	ST
1618655	PLUG-VLV:VLV STYL GLOBE,VLV SZ 4IN,MTRL	2.00	051	ASY
627116	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	4.00	051	ST
624560	RING,RETAINING:	2.00	051	ST
607567	COUPLING:DOC:1831-1409-K625- 021-01-01	1.00	051	ST
585755	VALVE, GATE: VALVE SIZE 2IN,CNCT SW	1.00	051	ST
642973	GSKT PRE-CUT :PTFE,COVER,DN 150	2.00	051	ST
600440	GSKT PRE-CUT :GRAPHITE	1.00	051	ST
608865	CYLINDER,GRADUATED:SZ 2000ML,MT	2.00	071	ST
634150	SENSOR:TYP TEMPERATURE	1.00	011	ST
623032	RELAY,PROTECTION:AUTOMATIC SYNCHRONIZING	1.00	031	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
604890	FUSE;NEOZED NORMAL BLOW,20A,500V AC	5.00	021	ST
644585	ELBOW,TUBE:90,PUSH ON	1.00	051	ST
1088423	MODULE: TYP COMMUNICATION GATEWAY	1.00	031	EA
612913	BREAKER,CIRCUIT:4A,POLE 3	1.00	011	ST
1059138	SENSOR: TYP PRESSURE,RANGE 0-16BAR	1.00	011	ST
9101960	GASKET,VZ 63600,MATL-1-4541- (TO BE DELE	5.00	051	ST
1080178	O-RING: INSIDE DIAMETER 11.2MM	6.00	051	EA
804317	KIT,VALVE REPAIR:CARTRIDGE VALVE	1.00	051	KIT
610752	DFLCTR;AIR SWEEP	2.00	081	ST
608582	ASSEMBLY:APLC MOTORISED BUTTERFLY VALVE	2.00	081	ST
639719	KIT, VALVE REPAIR: TYP CONTROL	1.00	051	ST1
642566	BRG:SHAFT,MT GRAPHITE/SS DIN WN 1.4571	1.00	051	ST
1064526	LAMP, FLUORESCENT: WATT 26W,VOLTAGE 85V	2.00	021	EA
599358	GSKT PRE-CUT :V#6500	2.00	051	ST
642423	SEAL:GRAPHITE	3.00	051	ST
73436	STUD CNTNS THD:DIA 1-1/4IN,THRD 8 UN,LG	40.00	051	ST1
643599	BRG:	1.00	051	ST
605770	TRANSFORMER:TYP VOLTAGE	1.00	011	ST
607620	COUPLING,SHAFT:JAW FLEXIBLE,OD 82MM	2.00	051	ST
602038	GSKT PRE-CUT :FLANGE	2.00	051	ST1
9101864	REPAIR KIT	3.00	051	ST
589093	HOLDER,LAMP:	1.00	021	ST
906400	RSTR;1.8KOHM,0.75W,5	5.00	031	EA
588724	PACKING:PTFE	2.00	051	ST1
605263	SWITCH,LIMIT:DPDT,PLUNGER,2NO-2NC,NEMA 4	2.00	061	ST
637596	BASE,RELAY:	3.00	011	ST
585034	DISC, VALVE: MATL SS ASTM A276,GRD 316	1.00	051	ST
615653	BUSH,PUMP:BRONZE BC6/B584,THROTTLE	1.00	081	ST
742236	BAFFLE:TYP OIL EXHAUSE END OUTER	1.00	081	ST
644392	BOLT,UPSET:M27,170MM,GS,THD 3MM	2.00	051	ST
900639	CONTACT,AUXILIARY:	2.00	011	EA
643914	GSKT-PRE-CUT:SZ ID 160 X OD 216 X THK 4M	1.00	051	ST
270757	CRCUT;POINTRAC 31,LEVEL DETECTION MODULE	2.00	051	EA
587888	KIT,VALVE REPAIR:BALL VALVE,SEAT SEAL	1.00	051	KIT
593221	GSKT PRE-CUT :ID 550 X OD 582 X THK 3MM	15.00	051	ST
609338	PACKING:MT PTFE	1.00	051	ST1
579745	BAG:SZ WD 420 X LG 600MM,MT POLYETHYLENE	129.00	001	ST
623667	LIGHT,INDICATING:TYP PILOT,VOLT 240V	2.00	021	ST
616690	TRANSFORMER,INSTRUMENT:CURR RT 0.5/6A	2.00	011	ST
513623	CNTCTR:TYP CONTROL,PL 3,AM 150A,LN VLTG	1.00	011	ST
936074	GOVERNOR:TYP OIL RELAY	1.00	051	EA
604326	CONTACTOR:TYP CONTROL	1.00	011	ST
245915	BREAKER,CIRCUIT:6A,127/250VDC	8.00	011	EA
624972	INVERTER:TYP BASE DRIVE,PWR RT 260VDC	2.00	021	ST
582717	PROBE:TYP VIBRATION,APLC STEAM TURBINE	4.00	011	ST
587969	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	KIT
467176	BRG,ROLL:ID 19MM,OD 53.9MM,WD 22.2MM	2.00	051	EA
163705	FUSE:10A,600VAC,DIA 13/32IN,FERRULE,G	2.00	021	EA
578509	KIT-VLV-RPR:TYP SOFT PARTS,APL GLOBE VAL	1.00	051	ST1
578066	KIT-VLV-RPR:TYP SPARE,CMPRSNG SEAT; PACK	1.00	051	ST
600037	GSKT,SPWD:GRAFOIL,IRID 1143MM,SS 316	3.00	051	ST
590486	RLY;220V AC	1.00	011	ST
1023205	GSKT,RJ:SHAP OVAL RING,MATL SOFT IRON,SI	4.00	051	EA
644763	GSKT PRE-CUT :ID 35 X OD 70 X THK 2MM	6.00	051	ST
800776	GSKT,SPWD:8IN,300LB,GRAPHITE,SS 316	1.00	051	ST
604755	FUSE:63A,550VAC,DIA 3/16 X LG 2-7/8IN	105.00	021	ST
637078	SEAL:APLC AIR COMPRESSOR	4.00	051	ST1
9102447	SODIUM SALICYLATE; LIQUID; 500 GM/BTL;(D	1.00	051	KG
596958	SEAT-VLV;CONTROL,DN 100,95MM,110MM,27MM	2.00	051	ST
634163	KIT,VALVE REPAIR:COMBINATION	3.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
618122	MOTOR,ELECTRIC:0.75KW,380VAC 2.07A 60HZ	1.00	900	ST
580663	BOX:TYP DEEP HANDY,SZ 1-1/2IN	43.00	001	ST
579955	LAMP,INCANDESCENT:TYP PILOT,W 21W	10.00	021	ST
625365	LINK:MT COPPER	6.00	051	ST
738288	O-RING:APLC LPG METERING-ARAMCO	2.00	051	ST
638093	SCREW,CAP:1-1/4IN DIA,22-1/2IN LG,HEX	2.00	051	ST
591106	AMPLIFIER:TYP PRE	1.00	011	ST
579813	BEAKER:MT PYREX,CAP 100ML,TYP GRADUATED	13.00	071	ST
583792	MODULE:TYP BELL OUTPUT	1.00	011	ST
1031236	LEVER: P/N:3T0Y0948D,DOC:10910-0900	2.00	091	ST
617578	D;SUPPRESSOR,1000V,1A,SOLDER LEAD	100.00	031	ST
75652	REGULATOR,PNEUMATIC:TYP PRESSURE	1.00	051	ST
619852	FOLLOWER:MT SS 316	2.00	061	ST
600397	GSKT,RJ:SHAP OCTAGONAL,CODE R-44,SIZE ID	3.00	051	ST
9101819	BEARING CPR02B100 EX & GR	2.00	051	SE
592891	GSKT-SPRL-WUND;BASIC WITH OUTER RING,SS	3.00	051	ST
582340	SWTCH-PRSUR;CONTROL/SENDER OIL,0-80PSI G	1.00	061	ST
911668	TRANSMITTER,PRESSURE:-400 TO 400MBAR	2.00	061	EA
595286	SEAL:APLC ELECTRIC MOTOR	6.00	051	ST
1602710	BOLT-ASMBLY:NMNL DIA 7/8IN,LG 125MM,MTRL	16.00	051	ASY
594427	RIG;ANTISTATIC,PTFE	1.00	051	ST
1032613	SEAL,LABYRINTH:SIZE ID 45 X OD 71 X WD 2	2.00	051	EA
627371	LIGHT, INDICATING: VOLTAGE 220V	3.00	021	ST
141559	KIT:TYP REPAIR,APLC REGULATOR	2.00	081	KIT
588004	RING,PISTON:TYP OIL	1.00	051	ST1
42887	SWITCH,LIMIT:	1.00	011	EA
619556	BREATHER:MT SPCD,CONN MPT	2.00	081	ST
738161	BUSHING:	2.00	051	ST1
642605	SPRING:	2.00	051	ST
597457	VALVE,SOLENOID:ST 2 WAY,ELEC TRT 240VAC	1.00	051	ST
644758	GSKT,RJ:OCTAGONAL,R-26,SS 316/316L,STD	4.00	051	ST
591879	ADAPTOR:TYP SEAT,MT SS ASTM A276 STELLI	1.00	051	ST
629585	FILTER,ELEMENT:SS 304,SCREEN	2.00	051	ST
904198	SWITCH,PRESSURE:100-500PA	2.00	061	EA
622556	COUPLING,SHAFT,HALF:FLEXIBLE	1.00	051	ST
1539661	KIT-VLV-RPR;2 IN PLUG VALVE,150PSI	1.00	051	KIT
584231	PAPER:TYP FAN FOLD,APLC PRINTER	1.00	051	ST
607883	INSERT:CARBIDE	12.00	051	ST
61992	SWTCH-PRSUR:ACTN 3PDT,CNCT FPT 1/2IN,CNT	1.00	011	ST
590568	SWITCH,TEMPERATURE:5-107DEG C	1.00	021	ST
615010	PIPE;OD 193.7 X THK 3MM,6000MM,SS 321	6.00	131	M
587407	KIT,VALVE REPAIR:SEAL	1.00	051	ST
621507	MOTOR,ELECTRIC:37KW,380VAC,PH THREE,225S	1.00	900	ST
578492	KIT-VLV-RPR:TYP SOFT PART,APL GLOVE (SIZ	1.00	051	ST1
855431	GSKT SET:APLC THERMO-DYNAMIC TRAP	3.00	051	SE
597561	VALVE:VLV SZ DN 40,STY 3-WAY	1.00	900	ST
583749	CIRCUIT:TYP (8) CHANNEL ANALOG INPUT	1.00	011	ST
625042	GAUGE,PRESSURE:0-30PSI,MNPT 1/8IN,INPUT	1.00	101	ST
584434	MTR-ELECT;AMMETER,0-500A	1.00	101	ST
938287	KEY,SHAFT:MT CS ASTM A576 GR 1040	1.00	051	EA
631222	SWITCH,FLOW:	1.00	061	ST
1568957	PUMP-RTRY;GEAR OIL PUMP,72GPM,1800RPM	1.00	081	EA
1030712	LINER: MATL SS 400,APPL STOP VALVE	2.00	051	SE
802933	SET:TYP MACHINED LAMINATED SEAL RING	1.00	081	ST
588096	PLUG, VALVE: VLV STYL CONTROL	1.00	051	ST1
620199	IMPELLER,PUMP:MT SS 304,TYP NUT	3.00	051	ST
898905	REACTOR:ELEC TRT 230-690VAC 50-60HZ	1.00	011	EA
1032789	RING, WEAR: INSIDE DIAMETER 310MM	1.00	081	ST
643175	LEVER:	1.00	091	ST
1087697	O RING SET: TYP PLAIN,MTRL VITON	1.00	051	SE

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
599562	GSKT:CHECK	1.00	051	ST
630951	KIT-VLV-RPR;ADSORBER TOWER	1.00	051	ST
577991	KIT,SEAL:APLC CYLINDER	2.00	051	ST1
1609524	ADPTR;WD 8 X LG 95MM,FEMALE THREADED	1.00	051	EA
1647923	CRUCBL;30-40MICRO L,DIA 5MM	2.00	051	SE
800061	SEAT-VLV;GLOBE,1IN,SS	2.00	051	EA
605170	RELAY:COIL 380VAC 50HZ,4PST	1.00	011	ST
622286	SWTCH-SLCTR;START-STOP,3,THUMB KNOB,CE	1.00	021	ST
806769	SNSR;TEMPERATURE	1.00	011	ST
590689	SWITCH:	1.00	021	ST
485231	BELLOWS:MT BRASS	2.00	051	EA
1046286	VALVE, RELIEF: VALVE SIZE 3/4 X D X 1IN	1.00	051	EA
587778	KIT-VLV-RPR;KIT, VALVE REPAIR	1.00	051	KIT
123103	O-RIG;NITRILE RUBBER,PUMP	2.00	051	EA
628655	DISC,VALVE:AS ASTM A182 GR F6,VLV SZ 3IN	2.00	051	ST
1241017	INTRFC:TYP PROVER CONTROL,PWR SURC 5V AC	1.00	061	EA
577279	HEATER:TYP ANALYZER OVEN ASSEMBLY	1.00	900	ST
592292	BLADE,FAN:SIZE 156IN	1.00	011	ST
529788	BRG:TYP CONTROL VALVE,MTRL PTFE/C25/SS 3	1.00	051	ST
589383	BREAKER,CIRCUIT:15A,415VAC	2.00	011	ST
638132	RING:TYP BASE INBOARD	1.00	051	ST
1009321	FILAMENT: TYP ELECTRON IONIZATION (EI)	1.00	051	ASY
578169	KIT;STARTER	1.00	081	ST
642580	GSKT:COVER	1.00	051	ST
603714	CONNECTOR,COMMUNICATIONS:TYP FEMALE	5.00	031	ST
578713	BOOT;LINING CLUTCH;JE-13-MK-VA-1	2.00	121	ST
863727	O-RING:ID 234.5MM,WD 8.4MM	6.00	051	EA
300614	BRG,ROLL:ID 160MM,OD 290MM,WD 80MM	2.00	021	ST
608277	COUPLING,PIPE:1-1/2IN,GS,FNPT	36.00	051	ST
627632	CONTACTOR:TYP MAGNETIC,COILV 220VAC 60HZ	2.00	011	ST
615490	PINION:	1.00	081	ST
590323	RELAY:COIL 110VDC,TYP AUXILLIARY	2.00	011	ST
591233	SWITCH,DISCONNECT:CONTRT 25A	1.00	011	ST
594583	SHIM;RING,ID 25 X OD 34 X THK 1MM,STEEL	2.00	051	ST
577702	ASSEMBLY:TYP ROTARY MAGNET	1.00	031	ST
602239	PACKING:	1.00	051	ST1
634545	COLLAR:	1.00	051	ST
1022548	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
627781	ASSEMBLY:BRAKE	1.00	081	ST
1586755	PLT-MTLC:SZ WD 4 X LG 8 FT X THK 12 MM,M	6.00	131	EA
590751	SWTCH-TMPRTUR:RNG 65-125DEG,TYP T4 SERIE	1.00	021	ST
19767	SEAL,LABYRINTH:BUSHING,TEFLON/GRAPHITE	1.00	131	ST
902320	RELAY:COIL 24VDC,CONT 600VAC 10A	2.00	011	EA
595747	SHIM	2.00	051	ST
636650	SPRING:MT AS JIS G3522 SWPB	1.00	051	ST
1215332	STEM,VALVE:VLV STYL REDUCED BORE BALL VA	1.00	051	EA
589549	BREAKER:	2.00	101	ST
621979	RING,PISTON:TYP OIL	1.00	051	ST
596142	OPERATOR,SWITCH:TYP PUSHBUTTON	5.00	011	ST
942318	MOTOR,VLV ACT:0.28KW,57RPM	1.00	900	EA
615845	GSKT:COUPLING	3.00	051	ST
1038450	PLUG: SIZE OD 12.3 X LG 161MM,APPL VALVE	1.00	051	ASY
1233003	KIT,VALVE REPAIR:APPL BUTTERFLY VALVE 36	1.00	051	KIT
930354	KEY,SHAFT:MT CS ASTM A576 GR 1040	1.00	051	ST
617689	GSKT PRE-CUT :WD 108 X LG 398 X THK 2MM	2.00	051	ST
183431	SPRING,VALVE:AS JIS G3522 SWP-A,VLV SZ	1.00	051	EA
898227	BREAKER,CIRCUIT:80A,380-415/500VAC	1.00	011	EA
598037	BRG,ROLL:ID 20MM,OD 42MM,WD 16MM	1.00	051	EA
1053968	BOX, ELECTRICAL: P/N:MG 1790256/1733002	1.00	021	EA
632708	O-RING:	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
610180	MECHANISM:TYP MOTOR	1.00	051	ST
723627	HOLDER,VALVE DISC:	1.00	051	ST
599869	GSKT PRE-CUT :PTFE,2IN	4.00	051	ST
632687	RTD:TYP PT100,100OHM,TEMP R 0-200DEG C	1.00	101	ST
599001	MOTOR:TYP DRIVING	1.00	011	ST
602021	O-RING:MT SILICON RUBBER (VMQ)	2.00	051	ST
603034	SEAL,OIL:INSIDE DIAMETER 70MM,OUTSIDE DI	2.00	051	ST
836478	CORD,EXTENSION:	2.00	021	ST
638087	BRG-RLR;STRAIGHT; NEEDLE,SINGLE,47.63MM	16.00	051	ST
635506	BRG:MT PTFE GLASS FILLED	2.00	051	ST
587383	KIT,VALVE REPAIR:BUTTERFLY VALVE	1.00	051	KIT
806231	DTCTR-LEAK-INST:TYP GAS DETECTOR,RNG 0-1	2.00	101	EA
1046287	VALVE, RELIEF: VALVE SIZE 3/4 X D X 1IN	2.00	051	EA
592530	GSKT PRE-CUT :IRREGUALR	2.00	051	ST
1231803	GSKT PRE-CUT :TYP FLAT,SIZE ID 358 X OD	1.00	051	EA
602031	O-RING: MATERIAL KALREZ,P/N:00-006K	4.00	051	ST
1054152	CORD, COMMUNICATIONS: TYP MODBUS	1.00	031	EA
584861	DIAPHRAGM,VALVE:MT PTFE,VLV SZ 1IN	5.00	051	ST
603753	HEAD:TYP TERMINAL CONNECTION,STD FM	3.00	101	ST
1077630	KIT-PUMP-RPR:TYP SERVICE,APL ARO METERIN	1.00	081	EA
633170	RSTR;THERMO-RESISTANCE	2.00	031	ST
620284	DEFLECTOR:MT BRASS ASTM B16 GR C36000	1.00	081	ST
594712	O-RIG;88MM,2.5MM,VITON	2.00	051	ST
609962	LENS: MATERIAL GLASS,P/N:264-0292-9903	2.00	121	ST
584378	GAUGE,PRESSURE:0-16BARG; 0-230PSIG,100MM	1.00	101	ST
606577	PIN:CONTROL VALVE	1.00	051	ST
586127	BRG,SLEEVE:TYP BUSHING,MT CARBON	1.00	051	ST
261376	FUSE:3.5A,4.16KV	3.00	011	EA
1025037	GSKT-SPRL-WUND:TYP BASIC WITH INNER RING	1.00	051	EA
597442	VLV-RLF;SS,3/4IN,THD,MANUAL	1.00	051	ST
585181	FILTER,ELECTRONIC:ELEC TRT 40KVA,TYP PE	1.00	051	ST
639640	SHAFT:	1.00	051	ST
598770	GEAR,HELICAL:	1.00	081	ST
592916	GSKT PRE-CUT :ID 38 X OD 73 X THK 2MM	4.00	051	ST
581703	HOSE:SIZE ID 3/16 X LG 20IN,MATL RUBBER	2.00	051	ST
636947	O-RING:	1.00	051	ST
634622	GSKT-PRE-CUT;PTFE	11.00	051	ST
9102412	BEARING, NTN #NJ 320 E	3.00	051	ST
615105	GSKT-PRE-CUT;FLAT RING,ROUND,SILICON	7.00	051	ST
1579094	FTG-OUTLT:TYP SOCKOLET,BRNCH CNCTN SW,RU	1.00	051	EA
588370	GSKT SET:	2.00	051	ST1
577957	KIT:TYP REPAIR,CMPRSNG FILTER/GASKET/OIL	2.00	081	ST
586970	ASSEMBLY;DISPLAY	1.00	081	ST
927078	GSKT,SPWD:6IN,150LB,PTFE,SS 304	2.00	051	EA
581588	MODULE:TYP TIMER	1.00	011	ST
602569	RING,WEAR:	1.00	081	ST
593030	GSKT PRE-CUT :	1.00	051	ST
629203	SPRING,VALVE:AS JIS G4801 GR SUP10	1.00	051	ST
9102150	ELECTRODE,WELDING,AWS-E6-UM-60,(DISPOSE	10.00	051	PAK
1075755	CMPRSR-AIR;LRA 100A,380V 18.5A 60HZ	2.00	081	EA
1035456	TRANSMITTER, FLOW: RANGE 0-35000KG/HR	1.00	061	EA
1247365	GSKT PRE-CUT :TYP RAISED FACE,SIZE ID 89	5.00	051	EA
627376	SOCKET,ELECTRICAL:TYP LAMP	3.00	021	ST
620656	SET:TYP SEAL PLATE,APLC ELECTRIC MOTOR	4.00	081	ST
608403	BAND:TYP CLAMPING	4.00	001	ST
9102002	PACKING, GLAND, 26MM ID X 38MM OD X 6MM	6.00	051	ST
506935	CONTACTOR:TYP MAGNETIC,AMP 50A,3 POLE	2.00	011	EA
580300	CYLNDR-ACTUTG-LNR	2.00	061	ST
628022	PLUG,VALVE:VLV SZ 8IN,CONTROL,SS 316L GR	1.00	051	ST
628643	BRG,THRUST:	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
623660	LIGHT,INDICATING:VOLT 220VAC,COLOR GREEN	2.00	021	ST
1566300	CVR:TYP FAN,SZ WD 25MM,APL MOTOR,DOC:01-	2.00	051	EA
628194	GAUGE, PRESSURE: RANGE 0-30PSI,TYP INPUT	3.00	101	ST
602458	PACKING:PTFE,SQUARE	2.00	051	ST1
610660	PULY-V-BELT	1.00	051	ST
930310	O-RING: MNFR:NEUMAN & ESSER GROUP	4.00	051	ST
9102124	STIRRING DISC VAUTID W 7	5.00	051	ST
593469	GSKT-PRE-CUT;ID 140 X OD 198 X THK 2MM	3.00	051	ST
610559	FUSE:	1.00	021	ST
638971	PACKING:GRAPHITE	1.00	051	ST1
586624	BELT:TYP LOWER,SZ WD 1100 X LG 7300MM	1.00	051	ST
154017	LAMP:TYP ULTRA VIOLET,P/N:110131,MNFR:AS	1.00	021	EA
632716	DISPLACER:SZ 3IN,MT SS 316	1.00	061	ST
581504	DIODE:TYP MODULE	3.00	031	ST
598493	BELT,V:IN CIRC 690MM,TOP WD 10MM,THK 8MM	2.00	051	ST
9102149	ELECTRODE,WELDING,MATL SS, 316 MO,(DISPO	472.00	051	KG
1031943	KIT, VALVE REPAIR: APPL GATE VALVE	1.00	051	KIT
917509	BR;LIGHT BARRIER,PLASTIC	1.00	121	EA
595743	SHIM:	1.00	051	ST
585604	VALVE:TYP DISCHARGE 1ST STAGE	6.00	900	ST
1011164	PLUG, VALVE: VALVE SIZE DN 300	1.00	051	ST
639433	SPINDLE:MT SS ASTM A276	1.00	101	ST
602526	RING:PTFE,TYP RIDER 1ST STAGE	7.00	051	ST
725800	CONTACTOR SUPERSEDED BY 796918	3.00	011	EA
603833	SLEEVE,SHAFT:ID 74MM,OD 90 X 118MM	1.00	051	ST
1234177	KIT,VALVE REPAIR:APPL BALL VALVE,TYP SOF	1.00	051	KIT
589861	ELEMENT: TYPE LOGIC ELEMENT "AND"	4.00	051	ST
615635	BUSH,PUMP:BRONZE BC6/B584,THROTTLE	2.00	081	ST
802913	PACKING:ID 19 X OD 32 X THK 6MM,GRAPHITE	1.00	051	ST
628021	PLUG,VALVE:VLV SZ 6IN,CONTROL,SS 316L	1.00	051	ST
592352	COLLET:TYP IMPELLER LOCK COLLAR	2.00	071	ST
615735	DEFLECTOR:APLC CENTRIFUGAL PUMP	2.00	081	ST
639838	GSKT:COVER,CHILLER	2.00	051	ST
642176	CIRCUIT:TYP CENTRAL PROCESSING UNIT	1.00	011	ST
167201	LEVER:TYP DE CLUTCH,APLC ACTUATOR	1.00	900	EA
579429	MNTR;FLOW CONTROL	1.00	061	ST
1612071	GSKT-KIT-INSULTG:NMNL FLNG SZ 4IN,DSGN R	252.00	051	KIT
1024933	PLUG, VALVE: VALVE SIZE 1-1/2IN	1.00	051	EA
166859	BRG:NEEDLE	5.00	051	EA
615549	RETAINER:TYP SLEEVE	1.00	051	ST
642731	RING:TYP STUFFING BOX	7.00	051	ST1
731588	SEAT:RING	1.00	051	ST
1031270	COUPLING, SHAFT: TYP SPACER,BORE 55MM	3.00	051	EA
139484	MTR;UNIT	1.00	011	EA
1003925	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
643340	MODULE:INPUT CARD,PWR S 24VDC	1.00	031	ST
585279	SEAT,VALVE:	1.00	051	ST
1090725	SEAL, LABYRINTH: TYP BEARING ISOLATOR	1.00	051	EA
592897	GSKT-SPRL-WUND;BASIC,85 X 208MM,4.5MM,SS	2.00	051	ST
644718	GSKT PRE-CUT :THK 1/16IN,NON ASBESTOS	4.00	051	ST
307968	RELAY:COIL 24VDC,4PDT	1.00	051	ST
634125	REGULATOR:TYP PRESSURE	1.00	061	ST
616578	TRANSFORMER,INSTRUMENT:VA RT 10VA	1.00	011	ST
606093	SUPPRESSOR:TYP BACKSTOP,SZ DIA 20H7	1.00	031	ST
496961	SWTCH;AUXILIARY	1.00	021	EA
586724	GEAR-SPUR:TYP MAGNETIC COUPLING,MTRL SS	2.00	081	ST
616743	TRANSFORMER,INSTRUMENT:VA RT 100VA	2.00	011	ST
274677	MTR-ELECT:TYP AMMETER,RNG 0-50A,P/N:1031	1.00	061	EA
623809	CONTACT,AUXILIARY:	2.00	011	ST
653170	BELLOWS:MT RUBBER	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
601344	O-RING:MT VITON	1.00	051	ST
580077	LENS,INDICATING LIGHT:TYP FOG	1.00	021	ST
951593	SUPPRESSOR:TYP SURGE	1.00	131	EA
616165	BREAKER,CIRCUIT:AMPERAGE 16A,INTERRUPT C	2.00	011	ST
730736	VALVE,RELIEF:VLV SZ DN 25 X 40	1.00	051	ST
614700	SLEEVE:TYP BEARING	1.00	051	ST1
600529	GSKT,SPWD:SHP ROUND,APLC CASING	2.00	051	ST
586723	GEAR:TYP DRIVING,MT SS	1.00	081	ST
578306	KIT,PUMP REPAIR:TYP SEAL	2.00	081	ST
588543	KIT,VALVE REPAIR:SEAT AND SEAL	2.00	051	ST1
877488	MODULE:DIODE,PWR S 6-220VDC	9.00	031	EA
602964	SEAL,MECHANICAL:3/4IN,BALANCED	1.00	900	ST
1531459	O-RIG;106MM,5MM,NBR,70 SHORE A,116MM	1.00	051	EA
590066	FUSE:15A	5.00	021	ST
1038467	SEAL, RING: INSIDE DIAMETER 21MM	1.00	051	ST
643806	O-RIG:I DIA 145.72MM,WD 2.62MM,MTRL VITO	1.00	051	ST
930345	SHAFT, PUMP: MNFR:NEUMAN & ESSER GROUP	1.00	051	ST
595064	GSKT-PRE-CUT;FIBRE	1.00	051	ST
603150	SEAL,OIL:	2.00	051	ST
618525	RLY-TIME-DLY;0-1SEC/10SEC/0-1MIN/10MIN	1.00	011	ST
178511	DISC:VISUAL HOSE INSPECTION	3.00	051	EA
867404	NUT,LOCK:DIA ID 35 X OD 52 X THK 2MM	2.00	051	ST1
579638	TRANSMITTER,DIFF.PRESS.:RNG 8.3-250MBAR	1.00	061	ST
643049	GSKT,SPWD:2IN,GRAPHITE,SS 316	1.00	051	ST
643285	PACKING:TYP STEM PLUG	2.00	051	ST
616840	UNIT:TYP RELAY,APLC INTERNAL MOTOR	1.00	051	ST
586170	BRG,ROLL:ID 25MM,OD 52MM,WD 16.25MM	4.00	051	ST
724594	FUSE:4A,DIA 10.3 X LG 38MM	13.00	051	EA
1003951	METER, FLOW: TYP SQUARE EDGE ORIFICE	1.00	101	EA
627361	THERMOSTAT:RNG 30-110DEG F	2.00	081	ST
1078945	COIL: TYP PICK-OFF,SIZE LG 13.25IN	1.00	081	EA
621606	KIT,PUMP REPAIR:TYP SEAL	1.00	051	ST
598930	MOTOR,ELECTRIC:0.75KW	1.00	011	ST
608441	CRUCIBLE:TYP GOOCH,CAP 100ML	13.00	071	ST
118081	O-RIG-ST;LEVEL TRANSMITTER	1.00	051	KIT
604494	FUSE;ULTRA FAST BLOW,4A,125V AC,GLASS	13.00	021	ST
612033	SWITCH,DISCONNECT:TYP MAIN	1.00	011	ST
632774	THERMOWELL:DRILLED BARSTOCK,500MM,MT SS	1.00	061	ST
582891	TRANSMITTER:TYP FIBER OPTIC VIDEO	1.00	061	ST
593064	GSKT PRE-CUT :ID 63 X OD 85 X THK 5MM	1.00	051	ST
243391	BRG,BALL:ID 20MM,OD 47MM,WD 31MM	1.00	051	EA
1594891	SEAL:SZ WD 15MM,MTRL LOW NITRILE-APV-GDC	2.00	051	EA
590397	PLUG:TYP TEST MULTI-FINGERED	1.00	021	ST
900954	CONTACTOR:TYP MAGNETIC,POLE 3	1.00	011	EA
262614	FLTR-AIR:TYP PANEL,SZ WD 14 X LG 30 X TH	2.00	051	EA
1223631	KEY,SHAFT:TYP PARALLEL,SIZE WD 8 X LG 36	1.00	051	EA
153356	COIL,ELECTRICAL:TYP OPERATING	1.00	011	EA
585713	VALVE,CHECK:TYP SWING,VLV SZ 3IN	1.00	051	ST
948083	SWITCH,LIMIT:	3.00	061	ST
619581	SEAL,OIL:MT NBR	1.00	051	ST
826963	GSKT SET:APLC PRESSURE RELIEF VALVE	2.00	051	ST1
617128	BEARING:SZ 35MM	2.00	051	ST
1034739	ACTUATOR, PNEUMATIC: P/N:570550	1.00	061	EA
580095	LIGHT,INDICATING:	3.00	021	ST
606292	NUT-HXGN;M30,STEEL,3.5MM	20.00	051	ST
602753	RING:RUBBER,TYP SPLASH	1.00	051	ST
644616	THERMOWELL:TYP SCREWED,STRAIGHT,2-1/2IN	4.00	061	ST
616913	LIGHT,INDICATING:TYP PILOT	12.00	021	ST
592488	GSKT PRE-CUT :ID 68 X OD 77 X THK 3MM	1.00	051	ST
602536	SEAL,RING:MT NBR,TYP V SHAPE	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
592221	NOZZLE:APLC BODY	3.00	081	ST
605883	CPCTR;FIXED,470MICRO F,16V DC,20	11.00	031	ST
620449	SWITCH,SELECTOR:2,KEY	10.00	021	ST
578040	KIT-VLV-RPR;SEAT AND SHAFT SEAL	2.00	051	ST
602389	PACKING:PTFE,SQUARE	2.00	051	ST1
639476	GSKT PRE-CUT :SYNTHETIC FIBRE	1.00	051	ST
1198290	ELBOW, PIPE: SIZE 12IN,CNCT BW	8.00	051	EA
956149	ACTUATOR, PNEUMATIC: TYPE DIAPHRAGM	1.00	061	EA
602696	RIG-RTNG;INNER	2.00	051	ST
592765	GSKT PRE-CUT :THK 1/16IN,REINZ AFM 30	25.00	051	ST
1223694	COIL,ELECTRICAL:TYP PICK-UP,ELEC RT 110/	3.00	011	EA
587058	ASSEMBLY: TYP BOLT TRIP COLLAR	1.00	081	ST
620819	PLATE:TYP SEAL,APLC ELECTRIC MOTOR	2.00	131	ST
617261	TRMNL-BRD;380V 3.55A 3PH 1.5KW 60HZ	1.00	021	ST
9101684	SET, PACKING, 6 TEFLON IMPREGNATED ASBES	2.00	051	SE
601399	O-RING:MT VITON	1.00	051	ST
594517	GSKT:ID 24 X OD 29MM,SEAL RING,THK 1MM	3.00	051	ST
644634	PC-OTH:CLSS SUBCLSS ORGANIC,CLR CLEAR CO	10.00	001	ML
911661	TRANSMITTER,PRESSURE:0-10BAR,O/P 4-20MA	2.00	061	EA
1025033	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	2.00	051	EA
602220	PACKING:	2.00	051	ST1
599600	GSKT PRE-CUT :PTFE	2.00	051	ST
219903	CLEVIS:TYP ROD END,SHANK DIA 18MM	1.00	031	ST
611325	SPATULA:TYP SPOON END,17MM,LG 180MM	7.00	071	ST
614246	GUIDE:TYP RADIANT TUBE	2.00	091	ST
1585946	STUD-ASMBLY:TYP FULL THREAD,DIA 1-1/2IN	360.00	051	ASY
592563	GSKT-PRE-CUT;VESSEL,ROUND	6.00	051	ST
598993	MOTOR,ELECTRIC:0.63KW,220/380VAC 60HZ	1.00	011	ST
626597	RECEPTACLE,ELECTRICAL:ELEC TRT 125VAC	3.00	021	ST
602572	RING,WEAR:	1.00	081	ST
797724	GSKT PRE-CUT :	2.00	061	EA
634639	TRNSDUCR;FLOAT,JACKET/ INTERCOOLER WATER	1.00	061	ST
604024	BREAKER,CIRCUIT:10A,480VAC,INTP CAP 6KA	1.00	011	ST
115084	PACKING:P#4519M,TYP GLAND	5.00	051	EA
593299	GSKT PRE-CUT :75 X 2.2 X 9MM,ROUND	2.00	051	ST
651030	STEM,VALVE:VLV ST EMERGENCY STOP	3.00	061	EA
598950	MOTOR:220V 0.65/0.14A 100W 2400RPM	1.00	011	ST
742312	GLASS,SIGHT:	2.00	101	ST
639621	KIT,VALVE REPAIR:	1.00	051	KIT
634028	BUSH:	2.00	051	ST
612242	SCALE:TYP BEAM	1.00	051	ST
658749	TIP,TORCH:TYP CUTTING,ACETYLENE	30.00	051	EA
607872	INSERT:CARBIDE	12.00	051	ST
787048	VALVE,CONT:SZ 3IN,DES RTG 300LB	1.00	051	EA
640658	STEM,VALVE:VLV ST GLOBE,VLV SZ 3IN	1.00	051	ST
584725	SEAL,LABYRINTH:	5.00	051	ST
726717	PALLET: MATL SS ,P/N:803344-001	2.00	001	ST
1024108	SCREW, SET: DIAMETER 5/16IN,LENGTH 3/8IN	2.00	051	SE
408493	GSKT PRE-CUT :THK 3MM,RUBBER,ROUND,6IN	2,010.00	051	ST
602396	PACKING:PTFE,SQUARE	2.00	051	ST1
999330	BOLT;HINGED	2.00	051	ST
639448	GUIDE,VALVE:VLV ST PRESSURE AND RELIEF	2.00	051	ST
642772	SEAL:GFK/PTFE,STEM	8.00	051	ST
9102356	WASHER,S.STEEL [TO BE DELETED]	4.00	051	ST
639320	SPINDLE:MT SS ASTM A276 GR 403	2.00	101	ST
639839	GSKT PRE-CUT :PTFE	1.00	051	ST
632633	KIT-VLV-RPR:TYP SPARE,APL CONTROL,CMPRSN	1.00	051	KIT
848975	STUD CNTNS THD:TYP BOLT,DIA 7/8IN,THRD U	3.00	051	ST
631261	SENSOR:TYP MODULE,RNG 150IN H2O	1.00	011	ST
592516	SEAT,VALVE:VLV SZ DN 80,AL 99.5	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
426176	GAUGE,PRESSURE:0-2.5KG/CM2,63MM	1.00	101	ST
593120	GSKT,SPWD:150LB,GRAPHITE,SS 304	4.00	051	ST
578109	KIT;REPAIR,AUTO-TRACE/GLAND/SLEEVE	1.00	081	ST
591356	STUD CNTNS THD:TYP BOLT,DIA M16,THRD 2MM	7.00	051	ST
583541	BREAKER,CIRCUIT:100A,120-240VAC	1.00	011	ST
603697	CONNECTOR,ELECTRICAL:TYP MALE,SZ WD 27	3.00	021	ST
589117	BLOCK:TYP SLIDING,MT CS	4.00	131	ST
1086862	RELAY: COIL V 220VAC,ACTION 2PDT	4.00	011	ST
631263	TRNSMTR-TMPRTUR;0-200°C,SMART ELECTRONIC	2.00	061	ST
998954	WASHER: MATL SS ASTM A479,GRD TP321	1.00	051	EA
584187	GLASS,LEVEL GAUGE:TYP PLAIN/TRANSPARENT	2.00	101	ST
591265	BOLT:5/8IN	5.00	051	ST
600400	GSKT,SPWD:SHP ROUND	1.00	051	ST
616672	DIODE,LIGHT EMITTING:COLOR RED	2.00	031	ST
1034021	PACKING:SIZE OD 110 X THK 3MM,MATL GRAFO	4.00	051	EA
610143	RELEASE:TYP UNDER VOLTAGE,STD CE	1.00	011	ST
946276	SEAL,LABYRINTH:DIA 65MM,INPRO,BRONZE	2.00	051	EA
585540	STEM,VALVE:VLV ST MANUAL CONTROL ANGLE	1.00	051	ST
633966	GSKT PRE-CUT :P#1200-S,BONNET,2IN	4.00	051	ST
593324	GSKT PRE-CUT :REINZ THERMOLIT,ROUND	2.00	051	ST
606321	NUT,LOCK:DIA M27,THD 1.5MM	1.00	051	ST
804274	GSKT PRE-CUT :TYP DELUGE VALVE,SIZE WD 1	2.00	051	ST
627597	RELAY,TIME DELAY:OPER OFF DELAY	4.00	011	ST
628224	TRNSDUCR	2.00	061	ST
897568	TRAP STEAM,STEAM:TYP PISTON,SZ 3/4IN	2.00	051	ST
642661	SPRING:TYP GUIDE	24.00	051	ST
631276	REGULATOR,PNEUMATIC:TYP PURGE	1.00	061	ST
597430	VALVE,CHECK:TYP LIFT,VLV SZ 2IN	1.00	051	ST
582734	SENSOR,CONDUCTIVITY:TYP COMBINED PH	1.00	011	ST
599392	GSKT,SPWD:PTFE/V#7596,SS 316,BASIC	2.00	051	ST
957568	GSKT PRE-CUT : MNFR:DRESSER-RAND	13.00	051	ST
578661	UNIT:	1.00	011	ST
580696	COVER:SZ WD 80 X LG 640MM,STEEL,APLC	2.00	051	ST
619381	KEY,SHAFT:TYP PARALLEL,MT SS 316	1.00	051	ST
726687	STEM: TYP PALLET,MATL SS	1.00	051	ST
598928	MOTOR,ELECTRIC:0.55KW	1.00	011	ST
1080170	DIAPHRAGM, ACTUATOR: SIZE 1400MM	1.00	061	EA
578150	KIT;SPARE	2.00	081	ST1
625540	BRKR-CRCUT:AM 2A,PL 2P,TYP MAIN,P/N:C60H	3.00	011	ST
9102418	LIGHT, PANEL TYPE X-LF26M18,HOFFMAN MAKE	1.00	051	ST
612325	GSKT PRE-CUT :THK 3MM,RUBBER,FF,DN 50	2.00	051	ST
592053	COUPLING,SHAFT,HALF:	2.00	051	ST
587388	KIT-VLV-RPR:TYP SOFT PARTS,APL VENT VALV	4.00	051	KIT
633015	KEY-SHFT;CS DIN WN 1.1.0503.07	1.00	051	ST
633085	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPRSNG GA	1.00	061	ST
1032753	BELT-THD:TYP ANTISTATIC,SZ WD 55 X LG 35	4.00	051	EA
605359	SWTCH-LMT	2.00	061	ST
941236	SET: TYP SCREW,DOC:5-592918/ FYMZ	2.00	081	EA
630220	WASHER:	2.00	051	ST1
606207	STUD,D/END:DIA-A M16,DIA-B M16,LG 100	4.00	051	ST
592067	COUPLING:RIGID	1.00	051	ST
610148	RELEASE:STD CE; UL	3.00	011	ST
596466	FLTR-ELMNT;BASKET,SS WIRE CLOTH	1.00	051	ST
619624	PLUNGER:MT SS ASTM A276 GR 316	1.00	051	ST
1003992	PLATE: TYP ORIFICE,SIZE 10IN,MATL SS 316	1.00	131	EA
596987	SEAT-VLV;BALL,15MM,17MM,32MM,7MM	1.00	051	ST1
609083	DETECTOR:TYP SMOKE	1.00	061	ST
634395	MANIFOLD,VALVE:ST 2 VALVE	1.00	051	ST
463089	BRG,BALL:IBI 14903,INSIDE DIAMETER 90MM,	1.00	051	EA
616564	BLOCK:TYP PITCH DISCONNECTABLE,SZ 8MM	2.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
462720	BRG,ROLL: INSIDE DIAMETER 90MM,IBI 54410	2.00	051	EA
601802	O-RING:ID 94.4MM,WD 3.1MM,MT VITON,STD	2.00	051	ST
878629	SPRING,COMPRESSION:	2.00	051	EA
620603	BLOCK,TERMINAL:TERM BOLTED,CIRCUIT 3	1.00	021	ST
644796	GSKT,SPWD:150LB,GRAPHITE,SS 316	4.00	051	ST
590656	SWTCH-PUSH;125/300VAC 5/3A,SPDT,1NO-1NC	3.00	021	ST
1606770	BAL:TYP SEAMLESS INFLATABLE METER PROVER	1.00	051	EA
605524	SWITCH:	2.00	021	ST
595628	KEY;PARALLEL	1.00	051	ST
593421	GSKT PRE-CUT :ROUND,SEAT	2.00	051	ST
602452	PCKG;ID 1 IN X OD 38.7MM,PTFE	3.00	051	ST
589555	BREAKER,CIRCUIT:3A,400VAC	1.00	011	ST
187133	SHIM:TYP BALL THRUST BEARING,MT STEEL	9.00	051	ST
644422	NUT,HEX:DIA 27MM,STEEL,HT 27MM,THD 3MM	2.00	051	ST
605292	BREAKER,CIRCUIT:25A,220/380V,POLE 4	1.00	011	ST
601234	GSKT PRE-CUT :ID 96 X OD 182MM,GRAPHITE	2.00	051	ST
143470	SEAT,VALVE:VLV SZ 3IN,CONTROL VALVE	2.00	051	EA
590019	FUSE: AMPERAGE 1A,VOLTAGE 250VAC	10.00	021	ST
630543	PISTON:TYP ACTUATOR,SZ DIA 25MM	2.00	091	ST
584005	TUBE: TYP TORQUE,P/N:203000-653-B/653	1.00	131	ST
582992	LIGHT,INDICATING:TYP POWER-ON,VOLT	2.00	021	ST
607688	COUPLING:	1.00	051	ST
612429	FOAM:	10.00	001	DR
600437	PACKING:	1.00	051	ST
887928	PIN:ADJUSTING RING	1.00	051	EA
587141	ASSEMBLY:TYP THRUST BEARING	1.00	051	ST
582752	SENSOR:TYP BLOWN FUSE,RT 240VDC	1.00	011	ST
589444	BREAKER,CIRCUIT:16A,220/690VAC; 250VDC	7.00	011	ST1
373889	TRANSFORMER:TYP CONTROL	1.00	011	ST
636219	SHIM:MT SS	1.00	051	ST1
1226570	ASSEMBLY:TYP CUSTOMER OPTICAL INTERFACE	1.00	081	ASY
596730	FILTER:TYP ELEMENT	3.00	051	ST
629178	NOZZLE,VALVE:MT SS ASTM A276 GR 304	1.00	051	ST
612516	WASHER,LOCK:	1.00	051	ST
614405	STUD CNTNS THD:LG 300MM,MTRL AS ASTM A19	2.00	051	ST
600606	GSKT:MANWAY	1.00	051	ST
613300	SCREW,SET:M5 DIA,8MM LG,THD 0.8MM	6.00	051	ST
636264	PACKING:V#6500	1.00	051	ST
800984	BLOCK,CONTACT:TYP AUXILIARY,ELEC TRT 10A	1.00	021	ST
635598	SPRING,VALVE:SS 301,VLV SZ 6IN,300BAR	4.00	051	ST
602960	SEAL,OIL:MT NBR	4.00	051	ST
615525	RETAINER:TYP SLEEVE	1.00	051	ST
621915	LAMP,INCANDESCENT:VOLT 6V	6.00	021	ST
1040789	PIPE: SIZE 12IN,SCHD 10S,GRD TP 304L CL1	6.00	101	M
609230	BRG-THRUST;ROLLER	1.00	051	ST1
606591	SCREW,MACHINE:M8 DIA,40MM LG,STEEL,HEX	3.00	051	ST
590549	VALVE, SOLENOID: OPERATION NC,CNCT NPT	1.00	051	ST
603458	BLOCK,CONTACT:	17.00	021	ST
643201	SEAT:	1.00	051	ST
597102	SPRING:TYP TENSION,SZ DIA 22 X LG 82MM	8.00	051	ST
682693	BLCK-TRMNL	24.00	051	EA
595074	DISC:70MM,SEALING	2.00	051	ST
776642	RING:UNS S41600,TYP SEAT	2.00	051	EA
1610177	OL:TYP ONLINE EXTRACTION,RNG 6 TO 26IN,P	1.00	101	SE
605499	SWITCH,TOGGLE:120/277V 15A,SPST	3.00	021	ST
616224	HOLDER,FUSE:PLUG IN,FERRULE	2.00	021	ST
583078	LIGHT,INDICATING:TYP PILOT,VOLT 220/6V	3.00	021	ST
142444	SEAT-VLV:VLV TYP CONTROL,VLV SZ 1-1/2IN	2.00	051	EA
580979	PLUG-VLV;CONTROL,DIA 100MM,AS	1.00	051	ST
593696	O-RIG;209.14MM,3.53MM,BUNA-N	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
609639	HOSE:DIA 5 X LG 19,PVC,TRANSPARENT	3.00	051	M
629957	CATCH:TYP SAFETY	1.00	021	ST
628306	VALVE,BALL:VLV SZ 2IN,DES RTG CL 1500	1.00	051	ST
925182	GSKT PRE-CUT : SHAP ROUND,TYP FLAT	6.00	051	ST
591064	RELAY,TIME DELAY:0.05SEC-300HR OFF DELAY	1.00	011	ST
630945	SWITCH:TYP MICRO,(2) SPDT	2.00	021	ST
615140	FLPR;CHECK VALVE	1.00	051	ST
1506434	TRNSMTR-DFRNTL-PRSUR:TYP DIAPHRAGM,SUPPLY	1.00	061	EA
642020	HOLDER,VALVE DISC:	1.00	051	ST
84695	PACKING:GRAFOIL,TYP GLAND	1.00	051	ST1
625421	RLY-TIME-DLY;0-10SEC CLOSING,250VAC 3A	1.00	900	ST
9102403	BRUSH,CARBON FOR TACHO (USE 7038498)	4.00	051	ST
631262	TRANSMITTER,TEMPERATURE:RNG 0-100DEG C	2.00	061	ST
620657	SEAL:FELT,RING	1.00	051	ST
592030	CAP:TYP ROTO	1.00	051	ST
523964	CNTRLR-ELCTRNC:TYP SPEED,ELCTRCL RTNG 38	1.00	031	EA
616608	RSTR;4K OHM,BOLTED,5	2.00	031	ST
593430	GSKT:SEALING,ROUND,HOLES WITHOUT	1.00	051	ST
642611	GSKT:COVER	1.00	051	ST
622352	FUSE:2A	3.00	021	ST
644593	ROPE,SAFETY:SZ LG 8M,ENDS LOOP,8000KG	1.00	121	ST
628651	SEAT,VALVE:VLV SZ 6IN,GATE,AS ASTM A182	2.00	051	ST
638224	BUSH,VALVE:	1.00	051	ST
591941	BUSHING,ELECTRICAL CONDUCTOR:TYP NEUTRA	1.00	021	ST
1579787	PLUG-TUBE:DIA LARGE END 15.3 X SMALL END	15.00	051	EA
579516	SENSOR:TYP LEVEL CAPACITANCE	1.00	011	ST
630811	POWER SUPPLY:I/P 220VAC,OP VOLT 24VDC	1.00	021	ST
579089	CONTROLLER,ELECTRONIC:TYP TEMPERATURE	1.00	031	ST
643073	PACKING:GRAPHITE,TYP GATE VALVE	6.00	051	ST1
800704	GSKT,SPWD:2IN,600LB,GRAPHITE,SS 316	1.00	051	ST
601272	O-RIG;114.4MM,3.1MM,VITON	2.00	051	ST
629581	FILTER,ELEMENT:SQ 20MESH,SS 304,SCREEN	2.00	051	ST
595008	SEAL-OIL;37MM,52MM,7MM,RUBBER	1.00	051	ST
430919	GEAR-WORM:MTRL NYLON,P/N:015-1984-001,MN	2.00	081	ST
642701	SEAT,VALVE:VLV SZ DN 15,BALL,GFK/PTFE	8.00	051	ST1
625525	BREAKER,CIRCUIT:6A,POLE 2	2.00	011	ST
877976	KIT,VALVE REPAIR:TYP GASKET AND SHIM,P/N	2.00	051	KIT
615124	CMPNSTR	1.00	051	ST
603092	SEAL:TYP BONDED,SZ 1-1/4IN	1.00	051	ST
590356	RLY	1.00	011	ST
608495	O-RING:ID 2.9MM	8.00	051	ST
1587070	DISC-VLV:MTRL SS ASTM A276,GRD 304,VLV S	1.00	051	EA
908837	PIN,DOWEL:	2.00	051	EA
688265	BLWS:TYP FEED BACK,P/N:U0106AZ,MNFR:YOKO	1.00	051	EA
644463	WASHER,FLAT:SS,ID 11.5MM,THK 3MM,31MM	2.00	051	ST
596578	DISC-VLV;ID 14 X OD 18 X THK 3MM,PTFE	1.00	051	ST
643164	SLNGR:TYP OIL,DOC:CD-194706	1.00	101	ST
577892	DEVICE:TYP BRAKING POWER LIMIT	1.00	081	ST
724758	NOZZLE:	1.00	051	ST
619768	TUBE:MT A1050TD/PE	1.00	131	ST
617545	BOLT:	2.00	051	ST1
591124	CAPACITOR:TYP FIXED	38.00	031	ST
917250	CIRCUIT:TYP FLASHER	1.00	081	EA
644479	BOLT-MCHN;M20,100MM,GS,2.5MM,HEX	1.00	051	ST
624582	INSERT:TYP DISC	1.00	051	ST
900900	CONTACTOR:TYP MAGNETIC,POLE 3	1.00	011	EA
610989	SOLENOID:TYP MAGNETIC,COILV 12VDC	2.00	011	ST
1045386	VALVE, RELIEF: TYP SAFETY,DSGN RT 150LB	1.00	051	EA
605190	RELAY:	12.00	011	ST
634139	SHEET,GASKET:MT V#VF-35E	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
596416	NEEDLE:TYP SAMPLE INJECTION	2.00	101	ST
628640	RING,LANTERN:APLC BUTTERFLY VALVE	3.00	081	ST
531467	LABEL:ELECTRIC TRACED	5.00	141	EA
583430	PLATE:TYP BAFFLE,MT AL	1.00	900	ST1
892835	RING,PISTON:GRAPHITE 17F27	1.00	051	EA
605731	TRANSFORMER:VA RT 1000VA,PRIM V 20VAC	1.00	011	ST
790302	SNSR;TEMPERATURE,24-240V	3.00	011	ST
601356	O-RING:MT NBR	1.00	051	ST
579437	PROBE:TYP SWITCH,SZ DIA 8 X LG 85MM	3.00	061	ST
578234	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG STEM;	1.00	051	ST1
586879	GEAR,WORM:	1.00	081	ST
599558	GSKT,SPWD:SHP ROUND	1.00	051	ST
622759	MOTOR,ELECTRIC:2.6KW,380VAC 5.8A 60HZ	1.00	011	ST
589443	BREAKER,CIRCUIT:320A,220/690VAC; 250VDC	1.00	011	ST
606149	BOLT,MACH:3/8IN,LG 1/2IN,CS,UNC 16TPI,HD	20.00	051	ST
580679	COVER:	2.00	051	ST
620138	O-RING:ID 40.95MM,WD 2.62MM,MT FKM	8.00	051	ST
42885	SWITCH,LIMIT:	2.00	900	EA
602454	PACKING:1-3/4 IN X 65MM,GRAPHITE	1.00	051	ST1
1003949	METER, FLOW: RANGE 0-23100KG/HR	1.00	101	EA
582451	GAUGE,PRESSURE:0-60BAR G,MNPT 1/2IN	1.00	101	ST
1247872	GSKT PRE-CUT :TYP RAISED FACE,SIZE ID 21	10.00	051	EA
1612961	WDG-VLV:VLV STYL GATE,VLV SZ 4IN,MTRL AS	1.00	101	EA
598067	BRG-RLR;SINGLE,35MM,72MM,17MM,STEEL	2.00	051	ST
581832	SET:TYP FLEXIBLE HOSE,APLC OIL	1.00	081	ST1
1607634	PRB:TYP OXYGEN ANALYSER,SZ 1M,MTRL ****	1.00	061	ASY
653158	COUPLING,PIPE:6IN,SCH 80,SS 304,BE	3.00	051	ST1
905644	FLASK: , CAPACITY 125ML	8.00	071	EA
1025990	LATCH, HOOK: THROAT SIZE 45MM	2.00	091	EA
1188530	SEAL-OIL;100MM,125MM,11MM,RUBBER,LIPSEAL	2.00	051	ST
630877	OPERATOR,SWITCH:TYP PUSHBUTTON	4.00	011	ST
589836	FILTER,ELEMENT:	2.00	051	ST
588737	KIT,VALVE REPAIR:GATE & GLOBE VALVE	1.00	051	ST1
588734	PACKING:MT PTFE	1.00	051	ST1
643014	PACKING:PTFE,TYP STUFFING BOX	4.00	051	ST1
608491	O-RIG;7/32IN,1/16IN,FKM/VITON	8.00	051	ST
612486	PIN:STOP	2.00	051	ST1
628823	FUSE: AMPERAGE 1A,VOLTAGE 250VAC	2.00	021	ST
593038	GSKT PRE-CUT :ID 53 X OD 166 X THK 5MM	3.00	051	ST
1224134	RETAINER:TYP OIL RING,SIZE SQ 60 X LG 56	1.00	051	EA
578397	SET:TYP GLAND PACKING	1.00	081	ST1
582675	CASE:MT GLASS,STD VE413964	1.00	051	ST
592296	BLADE,FAN:SZ DIA 114IN	1.00	011	ST
594497	CORD,ELECTRICAL:TYP ROUND,MT TEFLON	2.00	021	ROL
597652	VALVE:VLV SZ G 3/4IN,DESRT 7BAR,CONN BSP	2.00	900	ST
618524	RLY-CNTRL	1.00	031	ST
590658	SWITCH,PUSHBUTTON:RED	1.00	021	ST
616734	METER,ELECTRICAL:TYP AMMETER,RNG 0-2.5KA	1.00	101	ST
624965	TERMINAL:TYP STRIP	2.00	021	ST
622402	TRANSFORMER,INSTRUMENT:CURR RT 50/5A	1.00	011	ST
9101854	REPAIR KIT	2.00	051	ST
580203	ASSEMBLY:FILTER/REGULATOR/LUBRICATOR	4.00	081	ST
9101836	REPAIR KIT	3.00	051	ST
600958	GSKT PRE-CUT :ROUND	2.00	051	ST
912780	SEAT,VALVE:VLV SZ DN 25,GLOBE CONTROL	1.00	051	EA
610690	PROPELLER:TYP FAN CONDENSER	3.00	081	ST
619750	GUIDE,VALVE:MT SS JIS G5121 GR SCS14/	2.00	051	ST
1570819	VLV-GATE:TYP SOLID WEDGE,VLV SZ 10IN,DSG	3.00	051	EA
619339	HEATER:TYP MINERAL INSULATED	28.00	001	M
600058	GSKT-SPRL-WUND:TYP BASIC WITH INNER RING	4.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
644380	BOLT,MACH:M16,LG 60MM,GS,2MM,HD HEX	1.00	051	ST
608846	TUBE:TYP BARE,SZ OD 88.9MM X LG 6.35 M	1.00	131	ST
903160	BREAKER, CIRCUIT: AMPERAGE 16A,POLE 1	1.00	011	EA
189803	SPACER:TYP CARBON PACKING RING	1.00	051	ST
610643	PULY-V-BELT	2.00	051	ST
592849	GSKT-PRE-CUT;ID 64 X OD 84 X THK 4.5MM	1.00	051	ST
585782	VALVE,GLOBE:VLV SZ 3/4IN,DES RTG CL 1500	2.00	051	ST
642436	SPRING,VALVE:FED STEEL	2.00	051	ST
644757	GSKT,RJ:OCTAGONAL,R-23,SS 316L,STD ANSI	4.00	051	ST
1588359	TEE-PIPE-RDUCR:SZ WD 2 X LG 1IN,CNCT SW	1.00	051	EA
272871	GLAND,PACKING:TYP STEM,SZ 3/8IN	1.00	051	EA
1559503	FLANGE,PIPE:SCHDL 10S,TYP RAISED FACE,SI	1.00	131	EA
41247	GSKT:	1.00	051	EA
619263	GSKT PRE-CUT :SQ 70 X THK 0.5MM,REINZ	1.00	051	ST
110270	DIODE:VOLT 60VDC	4.00	051	EA
609154	PISTON:MT PTFE,APLC POTENTIOMETER	1.00	091	ST
590150	FUSE:0.25A,125VAC,DIA 5 X LG 20MM	9.00	021	ST
1587600	PLT-MTLC:SZ WD 4 FT X LG 8 FT X THK 8 MM	12.00	131	EA
581856	PIPE,SPECIAL PURPOSE:	1.00	131	ST
578199	KIT,VALVE REPAIR:RELIEF VALVE	1.00	051	ST
581335	CIRCUIT:TYP FUNCTION MONITORING	1.00	011	ST
636812	SLEEVE:A48 CLASS 45	1.00	051	ST
197532	BRG-RLR:TYP TAPERED CONE AND CUP,ROW SIN	3.00	051	ST
590247	MODULE,POWER SUPPLY:O/P 24VDC 10A	1.00	031	ST
421816	COUPLING,SHAFT,HALF:DRIVEN,BORE 28MM	2.00	051	ST
592290	BLADE,FAN:SZ DIA 132IN	1.00	011	ST
912664	PLAT:TYP END,APLC VERTICAL FLOW BLOWER	2.00	131	ST
693562	SET:TYP SLEEVE,APPL ANALYZER,P/N:035-629	1.00	051	ST1
615523	SLEEVE:TYP DISTANCE; SPACER,SS ASTM A276	1.00	051	ST
1036637	CABLE, COMMUNICATIONS: TYP SIGNAL	1.00	031	EA
598882	LINK,CHAIN TRANSMISSION:TYPCONNECTING	4.00	051	ST
937353	PLUG:CERAMIC,SAFTY,BATTERY	1.00	051	ST
643302	DIAPHRAGM,ACTUATOR:	1.00	061	ST
601406	O-RING:MT SILICONE RUBBER	10.00	051	ST
585638	VALVE,CHECK:TYP SPRING LOADED	1.00	051	ST
587196	MOTOR:TYP SPRING CHARGING,RT 220VAC	1.00	900	ST
632990	RELAY:TYP SOLID STATE	10.00	011	ST
647146	PLATE:PLASTIC,APLC 2ND STAGE SUCTION	4.00	131	ST
616624	METER,ELECTRICAL:TYP AMMETER,RNG 0-3.6KA	2.00	101	ST
174397	CAP,PIPE:SZ 1/2IN,CONN SW	8.00	131	EA
590017	FUSE:HV	6.00	021	ST
1086692	PACKING: SIZE ID 31 X OD 45 X THK 5MM	2.00	051	EA
9102125	DISC, (TO BE DELETED)	6.00	051	ST
588530	KIT,VALVE REPAIR:SEAT AND SEAL	15.00	051	ST1
602084	GSKT,SPWD:V#8590,SHP ROUND	1.00	051	ST
905124	MNTR-VD;LCD,WD 104 X HT 79.5MM,320 X 240	1.00	061	EA
605721	TRNSFRMR-INST;380V AC,250VA	2.00	011	ST
580083	LIGHT,EXTENSION:TYP HAND,250V VOLT	1.00	021	ST
613351	HOSE-AIR	4.00	051	ST
593087	GSKT-PRE-CUT;THK 1MM,IRREGULAR,CORK	48.00	051	ST
928483	FUSE: AMPERAGE 125A,P/N:516-1125	1.00	021	EA
606868	BOLT,MACH:M10,LG 20MM,1.5MM,GR A2	6.00	051	ST
588332	DISC, VALVE: MATL SS ASTM A565,GRD 616	1.00	051	ST1
592273	NIPPLE:TYP GREASE FITTINGS	15.00	051	ST
636261	SPRING:MT SWP-8	2.00	051	ST
579374	GLS;POLISHED,2-1/8 X 3-1/2IN,GLASS	2.00	121	ST
1034738	ACTUATOR: OPER MANUAL,P/N:570549	1.00	061	EA
609497	MOTOR,ELECTRIC:5.2/5.8KW	1.00	900	ST
602343	PACKING:PTFE	2.00	051	ST
585818	KIT,VALVE REPAIR:CMPRSNG PLATE,HINGE/STO	3.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
615390	RING,WEAR:APLC CASING	1.00	081	ST
594347	GSKT PRE-CUT :ID 10 X OD 17 X THK 1MM	1.00	051	ST
802914	PACKING:ID 26 X OD 39 X THK 7MM,GRAPHITE	1.00	051	ST
642011	SPINDLE:	1.00	101	ST
642638	O-RING:APLC SEAL	1.00	051	ST
615860	TAPE:MT PTFE	1.00	001	ROL
611290	ASSEMBLY:HOSE/NOZZLE,APLC VALVE,UL	16.00	081	ST
1241849	PIPE:SIZE 8IN,TYP RTR PIPE,LENGTH 6200MM	3.00	101	EA
596813	FILTER:	10.00	051	ST
588341	SPRING,VALVE:CS,VLV SZ 1 X D X 2IN	1.00	051	ST1
580721	COVER:	2.00	051	ST
1607589	STEM-VLV:VLV STYL CONTROL,VLV SZ 6IN,SZ	2.00	051	EA
639308	SPRING,VALVE:SS ASTM A313 GR TP304	1.00	051	ST
638960	BRG,SLEEVE:MT PTFE/TFB-175	1.00	051	ST1
644692	TUBE,REFRIGERATION:SZ ID 15 X OD 20MM	65.00	081	ST
653201	GSKT,SPWD:SPIRAL	16.00	051	EA
600204	GSKT PRE-CUT :THK 1.6MM,REINZ AFM 34,FF	2.00	051	ST
643500	STRAINER:TYP SUCTION	2.00	051	ST
589153	CONNECTOR:TYP MALE,SZ 5/16IN	3.00	081	ST
580913	PLUG-VLV;CONTROL,DN 80MM,SS 316	1.00	051	ST
582078	IMPELLER,PUMP:TYP CLOSED,STEEL	1.00	081	ST
598858	HUB;ID 591 X OD 812 X WD 312IN,STEEL	1.00	051	ST
41848	KIT, PUMP REPAIR: TYP MINOR REPAIR	4.00	051	EA
588719	GSKT SET:TYP REPAIR,APLC RELIEF VALVE	5.00	051	ST1
897572	ROD,WLDG:CLAS AWS A5.9:ER310,DIA 2.4MM	3.00	051	LB
918101	SHIM:	1.00	051	ST
615598	GSKT PRE-CUT :NON ASBESTOS	5.00	051	ST
595964	OPERATOR,SWITCH:TYP RESET PUSHBUTTON	2.00	021	ST
632899	FUSE:200A	8.00	021	ST
587757	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	KIT
599466	GSKT PRE-CUT :NON ASBESTOS,ROUND	4.00	051	ST
622300	RELAY,OVERLOAD:THERMAL	1.00	011	ST
596228	HOUSING:TYP CABLE KIT	2.00	051	ST
143029	BRG,FLG:ID 2-7/16IN,HOUSING CAST IRON	2.00	051	EA
602488	PACKING:MATL GRAFOIL,SHAP RECTANGULAR,P/	1.00	051	ST
604715	FUSE:50A,WD 20 X LG 60MM,SCREW CLAMP	1.00	021	ST
601677	O-RING:MT NBR	2.00	051	ST
585254	REGULATOR:TYP PRESSURE,RT 3-15PSIG	1.00	061	ST
771661	SEAL:6IN,PTFE	1.00	051	EA
742217	SCREW,CAP:5/8IN DIA,5IN LG,MT ZNPL,HEX	12.00	051	ST
596628	FLTR-ELMNT;ID 25 X 59 X 247MM,CLOTH/SS	1.00	051	ST
608716	SHEET:WD 1000 X LG 2000 X THK 2MM	17.00	131	ST
275776	CONTROLLER:	1.00	011	EA
580290	CYLINDER:TYP REAR WHEEL RH,SZ LG 90MM,M	1.00	081	ST
643765	BELT:	1.00	051	ST
601295	O-RIG;104.4MM,3.1MM,FKM,STUFFING BOX	2.00	051	ST
593504	GSKT PRE-CUT :	5.00	051	ST
550802	KIT,VALVE REPAIR:SEAL	1.00	051	ST1
642637	O-RING:APLC SEAL	2.00	051	ST
592286	BLADE,FAN:SIZE DIA 132IN,P/N:33-01-0150	1.00	011	ST
1228234	ASSEMBLY:TYP BUTT AND WRAP LAMINATION JO	4.00	081	ASY
634188	FURNACE: TYP ELECTRIC,P/N:70409SE	1.00	081	ST
608897	PIPETTE:TYP VOLUMETRIC,CAP 10ML,MT	6.00	071	ST
584549	GUIDE,VALVE:MT SS ASTM A276	2.00	051	ST
615667	SLEEVE:TYP DISTANCE; SPACER,SS ASTM A276	1.00	051	ST
1607609	CAGE-VLV:VLV STYL CONTROL,VLV SZ 6IN,MTR	2.00	051	EA
695909	GSKT PRE-CUT :	1.00	021	EA
585030	DISC:MT PTFE	1.00	051	ST
615863	SEAL,LABYRINTH:BREAK	1.00	900	ST
639380	SPINDLE:MT SS ASTM A276 GR 304	1.00	101	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1004005	PLATE: TYP ORIFICE,SIZE 2 IN	1.00	131	EA
604597	FUSE:50A,660VAC; 460VDC	17.00	021	ST
592015	BUSH:CS,PLATE ROLLING MACHINE	1.00	051	ST
954397	SEAL, RING: INSIDE DIAMETER 96.7 MM	3.00	051	ST
596513	DIAPHRAGM,REGULATOR:	2.00	061	ST
599487	GSKT PRE-CUT :PTFE GLASS FILLED	4.00	051	ST
1023253	SWITCH, PRESSURE: RANGE - 1 TO 2.5BAR	1.00	061	EA
642608	GSKT:	1.00	051	ST
634073	GSKT:PLUG,STEEL	2.00	051	ST
617013	STRAP: TYP PIPE,MATL SS,P/N:PSE-280	2.00	001	ST
643067	PACKING:GRAPHITE,TYP GATE VALVE	1.00	051	ST1
594422	RIG-BCKUP;14.5MM,22MM,4MM,PTFE	5.00	051	ST
634360	VALVE, SOLENOID: STYL 3 WAY,CNCT NPT	2.00	051	ST
603049	SEAL:	1.00	051	ST
871881	MODULE:ELECTRONIC INTERN CWD2000	1.00	031	ASY
928607	BRKR-CRCUT;2.8-4.2A,600/277V AC,30KA,3	1.00	011	EA
587195	DEVICE:TYP RELAY ACTIVATOR	3.00	081	ST
595052	GSKT-PRE-CUT;ID 75 X OD 120 X THK 1.6MM	1.00	051	ST
9101977	BUSH,70,1 X 85 X 45;(TO BE DELETED REF.R	1.00	051	ST
9101747	PROPELLER, PART# 7001(TO BE DELETED)	1.00	051	ST
642719	BUSH,VALVE:PTFE/GFK,GUIDE	8.00	051	ST
800052	KIT-VLV-RPR;WEARING PARTS	1.00	051	SE
612386	KIT:TYP GEAR RATIO	1.00	081	ST
594847	RING:	4.00	051	ST
585876	ASSEMBLY:TYP GOVERNOR VALVE/STEM	1.00	051	ST
593015	GSKT-PRE-CUT;ID 90 X OD 160X THK 5MM	3.00	051	ST
609602	SEAL,OIL:ID 30MM,OD 62MM,WD 10MM	2.00	051	ST
642648	BRG,ROD END:ID 0.635MM,TYP CONNECTING	1.00	051	ST
600885	GSKT,SPWD:SHP ROUND	2.00	051	ST
642618	GSKT-PRE-CUT	1.00	051	ST
643882	DISC,VALVE:AISI 316,VLV SZ 2 X 3IN	2.00	051	ST
610663	MOTOR,ELECTRIC:3HP,380VAC 5A 60HZ	1.00	011	ST
615783	SPRING:SS 302	2.00	051	ST
452479	SPRING:STEEL,TYP UNLOADER	4.00	051	EA
278518	CNTCTR:TYP MAGNETIC,PL 3,AM 80A,LN VLTG	1.00	011	EA
602409	PACKING:PTFE,SQUARE	2.00	051	ST1
609219	GATE-VLV;SLIDE,DN 350	1.00	051	ST
635189	PIN:DIA 4MM,LG 36MM,STEEL	2.00	051	ST
584313	SHIM:TYP ADJUSTMENT	2.00	051	ST
142516	PLUG-VLV:VLV STYL CONTROL,VLV SZ 2IN,MTR	6.00	051	EA
924532	STUD CNTNS THD:TYP BOLT,DIA 16MM,LG 55MM	70.00	051	ST
588346	SPRG-VLV:MTRL CHROME STEEL,VLV SZ 6 X R	1.00	051	ST1
174916	TEE,PIPE REDUCER:SZ 1 X 1 X 3/4IN,SW,CS	1.00	051	EA
642995	GSKT PRE-CUT :PTFE,COVER,DN 25	4.00	051	ST
105585	JOINT,BALL:	3.00	051	ST
626450	SEAL,LABYRINTH:DIA 100MM,PACKING	1.00	051	ST
643506	PSTN;REGULATOR VALVE	1.00	091	ST
621012	BREAKER,CIRCUIT:15A,125/550VAC	2.00	011	ST
1601055	FLTR;SOLVENT INLET,10MICRO M,LC PUMP	2.00	051	EA
584868	DPHRGM-VLV;RUBBER,DIAPHRAGM	1.00	051	ST1
617031	BREAKER,CIRCUIT:4A,POLE 1	1.00	011	ST
892036	PLUG, VALVE: VALVE SIZE 3IN	1.00	051	ST
587379	KIT,VALVE REPAIR:BALL VALVE	1.00	051	KIT
593754	O-RING:ID 17.3MM,WD 2.4MM	3.00	051	ST
1031946	KIT, VALVE REPAIR: APPL GATE VALVE	1.00	051	KIT
612744	FIXTURE:TYP DOWN LIGHT	2.00	021	ST
579764	CLNR;WIPERS,BOX 100	10.00	001	BX
1078946	KIT: TYP STEM SOFT GOODS,STD ASTM	3.00	081	KIT
800772	GSKT,SPWD:6IN,300LB,GRAPHITE,SS 316	1.00	051	ST
588993	WINDOW:TYP CROSS,SZ DIA 62 X 12MM,MT	2.00	131	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
493980	BUSH,PUMP:COUPLING ROD,SPEC.1.7131	2.00	051	EA
639384	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
598534	BELT;WD 25.4 X LG 866 X THK 1.5,NYLON	2.00	051	ST
579148	MUNT;VIBRATION DAMPENER,DIA 40 X HT 30MM	2.00	051	ST
598913	MOTOR,ELECTRIC:	1.00	011	ST
1024088	PACKING: SHAP CYLINDRICAL,TYP VALVE	1.00	051	ST1
615571	RETAINER:TYP SLEEVE	1.00	051	ST
592629	GSKT PRE-CUT :	5.00	051	ST
496969	SWITCH, PRESSURE: ACTION SPDT,STD FM; UL	1.00	061	EA
624514	SPRING:	1.00	051	ST
591081	ANODE:SZ 4 X 4 X 1IN,ROD DIA 0.5IN	2.00	051	ST
641943	DISC,VALVE:SS ASTM A564 GR 630	2.00	051	ST
584261	BARRIER:	4.00	031	ST
941532	WASHER:GYLON 3510,ANTI-EXTRUSION	2.00	051	EA
596723	FILTER,ELEMENT:EQUIPPED EXHAUST	1.00	051	ST
1012909	SPRING, VALVE: VALVE SIZE 2IN	1.00	051	EA
644922	GSKT PRE-CUT :GRAPHITE,ROUND,DN 15	4.00	051	ST
641934	NOZZLE:MT SS ASTM A276 GR 316	1.00	051	ST
628231	SEAT;PTFE,RING	2.00	051	ST
609879	BLOCK,TERMINAL:	1.00	021	ST
1059595	VALVE, SOLENOID: STYL 3/2-WAYS	1.00	051	ST
847197	RIG-RTNG:SZ DIA 32 X THK 1.2MM,TYP EXTER	1.00	051	ST
592458	GSKT PRE-CUT :ID 2-1/16 X OD 2-7/16 X	4.00	051	ST
621014	RELAY,OVERLOAD:THERMAL,AUTO	3.00	011	ST
590371	RELAY:COIL 110VDC,4PST,CONT 500V 10A	2.00	011	ST
605796	SWITCH,SELECTOR:OPER KEY	3.00	011	ST
638970	BRG,SLEEVE:MT GRAFOIL GR GRB-175	1.00	051	ST1
580969	PLUG,VALVE:VLV SZ DN 40,STEEL	1.00	051	ST
624263	PIN:	1.00	051	ST1
281735	PCKG:TYP RING,P/N:233396,MNFR:NELES METS	1.00	111	EA
541282	BRG,PLUM BLK:ID 1-7/16IN,BOLTS 2,BALL	2.00	051	ST
1025513	KIT-VLV-RPR:TYP SOFT PART,APL TRUNNION B	3.00	051	EA
590193	HEATER:TYP RESISTANCE,SZ LG 350MM,RT 24	1.00	011	ST
591175	INTERFACE:	1.00	031	ST
584684	BREATHER:CONN FLANGE	1.00	081	ST
603840	SLEEVE:SZ 6 X 6MM,FIBRE GLASS	4.00	051	M
973125	PIPE: SIZE 8IN,LENGTH 6000MM,SCHD 10	1.00	131	EA
1022772	WASHER, LOCK: SZ 7/16IN,MATL SS 18.8	8.00	051	EA
600354	GSKT,SPWD:	6.00	051	ST
325464	RELAY, 10A COIL 220V 2NO+2NC CA2-DN22M7	3.00	011	ST
1001731	SUPPRESSOR: TYP RELAY,RT 110/250VAC	1.00	031	EA
928349	ACTATR:APLC CONTROL AND LOAD SWITCH	1.00	061	EA
619878	BRG:MOTOR	1.00	051	ST
612831	ASSEMBLY:PEDESTAL UNIT	1.00	081	ST1
923794	VLV-GATE:TYP SOLID WEDGE,VLV SZ 3IN,DSGN	1.00	051	EA
590772	SWITCH,SELECTOR:TYP AMMETER,5NO-1NC	1.00	021	ST
1040626	SWITCH, PRESSURE: RANGE 1-10KGF/CM2	1.00	061	ST1
634413	GSKT,SPWD:WINDING MATERIAL SS 304,INNER	1.00	051	ST
1044904	TRANSDUCER: TYP CURRENT,INPUT 1-6A	1.00	061	EA
593238	GSKT,SPWD:PN 25,GRAPHITE,SHF ROUND,BASIC	8.00	051	ST
702577	WASHER, LOCK: P/N:401610006,DOC:113	1.00	051	EA
632892	FUSE:6A	2.00	021	ST
615214	SWITCH,PUSHBUTTON:230/660VAC 6/10A,SPST	2.00	021	ST
592205	SPRINKLER,FIRE PROTECTION:	2.00	121	ST
913308	COVER:TYP ELECTRONIC,APLC ACTUATOR	2.00	051	ST
629557	ASSEMBLY:LIQUID SEAL OIL	1.00	081	ST
578595	UNIT:TYP ELECTRONIC	1.00	011	ST
225799	KIT:APLC VALVE POSITIONER	2.00	051	KIT
590166	FUSE:10A,600VAC,DIA 10 X LG 38MM,FERRULE	6.00	021	ST
580966	PLUG,VALVE:VLV SZ DN 25,SS	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
588565	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	ST1
635195	RIVET:DIA 4MM,LG 15MM,MT STEEL	1.00	051	ST1
596995	SEAT,VALVE:	2.00	051	ST
961620	GSKT PRE-CUT : MATL VITON,TYP FF	1.00	051	EA
1023141	GAUGE, PRESSURE: RANGE 0-1.6BAR	1.00	101	EA
790292	CNTCTR;AUXILIARY SWITCH,460V AC,120V AC	2.00	011	ST
608434	CEL;PRECISION	3.00	011	PAA
645765	WASHER:CS JIS G3101,SS400,BEARING	1.00	051	EA
638742	VALVE,BALL:VLV SZ 1IN,DES RTG 150LB	1.00	051	ST
642849	SEAL,RING:ID 22MM,OD 27MM	6.00	051	ST
590104	FUSE:2A	1.00	021	ST
1048854	TRAP, STEAM: SIZE 1IN,CNCT FLANGED RF	2.00	051	EA
589521	BREAKER,CIRCUIT:13A,400/480VAC	1.00	011	ST
909223	BOLT:NECKED-DOWN	8.00	051	ST
638039	O-RING:APLC CYCLAR COMPRESSOR/TURBINE	1.00	051	ST1
40291	GSKT:	1.00	051	EA
583274	ROTOR:	1.00	900	ST
633201	SWITCH:	1.00	021	ST
1070017	CELL, LOAD: TYP WEIGHING,CAPACITY 200KG	1.00	061	EA
631633	PIN:DIA 4MM,LG 10MM,GROOVED,DIN 1472	3.00	051	ST
589594	COIL,ELECTRICAL:TYP CONTACTOR	2.00	011	ST
628957	VALVE,BALL:VLV SZ 1IN,DES RTG 800LB	2.00	051	ST
556557	CIRCUIT:TYP SWITCHING LSU	1.00	011	EA
587218	KIT-VLV-RPR:TYP SOFT PART,APL REGULATING	1.00	051	ST
1040355	BREAKER, CIRCUIT:	1.00	011	EA
612323	GSKT PRE-CUT :THK 3MM,RUBBER,FF,DN 50	11.00	051	ST
588491	PACKING:GRAPHITE	2.00	051	ST1
1206170	FILTER:TYP PLAIN,MICRON 15MICRO,APPLN SA	1.00	051	EA
596558	DISC,BRAKE:SUPPORT	1.00	051	ST
587237	KIT:TYP SOLDER	1.00	051	ST
615589	NUT,LOCK:SS ASTM A276/JIS G4305,GRUB	1.00	051	ST
610155	MECHANISM:TYP MOTOR	1.00	900	ST
599474	GSKT,SPWD:PTFE,SHP ROUND,BASIC	6.00	051	ST
117992	POINTER:TYP FLOW INDICATOR,COLOR BLACK	1.00	051	EA
625284	BLCK-TRMNL;BOLTED,3	3.00	021	ST
1039864	TRANSMITTER, LEVEL: CNCT FLANGE FF 4IN	1.00	061	EA
9101706	GAUGE,OIL LEVEL, R 1" (TO BE DELETED)	1.00	051	ST
600358	GSKT,SPWD:APLC STEAM TURBINE GENERATOR	3.00	051	ST
694074	DIAPHRAGM,ACTUATOR:	2.00	900	EA
629220	RIG;BEARING	1.00	051	ST1
616765	ASSEMBLY:ELECTRIC MOTOR	1.00	900	ST
629305	IMPELLER,PUMP:DIA 190MM,TYP SEMI OPEN	1.00	081	ST
625450	COIL,ELECTRICAL:FUNC OPENING,ELEC TRT 2	1.00	011	ST
642754	BUSH,VALVE:PTFE/GFK,GUIDE	9.00	051	ST
627990	PLUG,VALVE:VLV SZ 6IN,CONTROL,UNS S31600	1.00	051	ST
153331	CIRCUIT:TYP PRESSURE SENSOR,APLC INFRA	3.00	011	EA
841543	REGULATOR,PNEUMATIC:TYP AIR FILTER	1.00	900	EA
589209	SLEEVE:TYP STAGE,SS ASTM A276 / SS JIS	1.00	051	ST
1023595	KIT, PUMP REPAIR: APPL RETRIEVER	1.00	081	KIT
262655	CAPACITOR:TYP FIXED,CAPCIT 3MICRO F,VOLT	1.00	011	EA
587316	GSKT SET:TYP LOWER COVER INLET BEARING	2.00	051	ST1
1057801	SHFT-PUMP;ALLOY STEEL 4140	1.00	081	ASY
145222	KIT-VLV-RPR;MAINTENANCE,CONTROL VALVE	1.00	051	KIT
615944	PUMP:TYP OIL	1.00	081	ST
800840	GSKT,SPWD:4IN,300LB,GRAPHITE,SS 316	1.00	051	ST
598390	BRG,ROLL:ID 15MM,OD 21MM,WD 12MM	2.00	051	ST
592418	GSKT-PRE-CUT;STEM,ROUND,PTFE	1.00	051	ST
634264	RING,BACK-UP:ID 3IN,MT NITRILE RUBBER	2.00	051	ST
602379	PACKING:PTFE,SQUARE	2.00	051	ST1
1012972	CLAMP: SIZE 14-15MM,MATL POLYAMIDE 12	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
580930	PLUG-VLV;CONTROL,DN 20-50MM,SS	1.00	051	ST
584338	MOUNT:	2.00	051	ST
597650	VALVE:TYP SPOOL	1.00	900	ST
668585	HOUSING:TYP BEARING	1.00	051	EA
639266	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
615716	GSKT,SPWD:GRAFOIL,SS 316	3.00	051	ST
604615	FUSE:100A	1.00	021	ST
276435	BRG-BAL:IBI 10745,I DIA 15MM,OUT DIA 42M	4.00	051	EA
614674	RING,WEAR:APLC IMPELLER	1.00	081	ST1
600711	GSKT,SPWD:18IN,300LB,GRAPHITE	2.00	051	ST
580433	SHAFT:	1.00	051	ST
581961	TUBING:TYP SHRINK,OD 5.5MM,LG 1525MM,MT	1.00	131	ST
585199	FILTER,FUEL:DIESEL ENGINE	4.00	051	ST
1029633	GAUGE, PRESSURE: RANGE 0-16KG/CM2	2.00	101	EA
588849	POWER SUPPLY:I/P 220VAC	1.00	031	ST
373425	NITROGEN COMP, P/N: : 00007233	2.00	021	ST
601389	O-RING:MT FKM	4.00	051	ST
1024119	DISC, RUPTURE: SIZE 4IN,MATL SS 316/316L	1.00	051	EA
592058	COUPLING:DRIVE	1.00	051	ST
586646	BELT,V:	4.00	051	ST
604680	FUSE:35A,500VAC,PLUG IN; FERRULE	15.00	021	ST
585124	FLTR-ELMNT:TYP SUCTION,P/N:3.B.24,MNFR:U	3.00	051	ST
599775	GSKT PRE-CUT :NON ASBESTOS,ROUND	4.00	051	ST
602193	PACKING:SHP H-SHAPED ROUND,MT BUNA-N	2.00	051	ST
617693	SIEVE:MT SS DIN WN 1.4541,TYP FILTER,1MM	1.00	071	ST
643110	PACKING:GRAPHITE,TYP GLOBE VALVE	6.00	051	ST1
1612148	FTG-OUTLT:TYP WELDOLET,BRNCH CNCTN BW,RU	2.00	051	EA
583176	LIGHT:TYP STROBE,VOLT 24V,COLOR RED	1.00	021	ST
610126	MTR-ELECT;AMMETER,ANALOG,0-2.5KA,CE; VDE	1.00	101	ST
126476	FLANGE,PIPE:TYP RAISED FACE,SIZE 1IN,CNC	24.00	051	EA
731892	BRG,ROLL:TYP TAPERED,ROW SINGLE	1.00	051	ST
836239	PLATE,METAL:SZ WD 4FT X LG 8FT X THK 8MM	4.00	131	ST
800700	GSKT,SPWD:14IN,300LB,GRAPHITE,SS 316	1.00	051	ST
612042	SET:TYP SWITCH CONSTRUCTION	1.00	011	ST
1008097	GSKT, SPWD: NOMINAL FLANGE SIZE 1IN	1.00	051	EA
610998	GLS-SGHT	2.00	101	ST
1078774	VALVE: TYP SWITCHING,VALVE SIZE 1-1/4IN	1.00	051	EA
930016	SHAFT, VALVE: APPL BUTTERFLY VALVE 6IN	1.00	051	EA
640384	WASHER,LOCK:	2.00	051	ST
634474	PIN:ROLL	2.00	051	ST1
282879	PROBE SUPERSEDED BY 562065	2.00	061	EA
610650	SHFT	2.00	051	ST
783135	RIG;SWIRL,COPPER	8.00	051	ST
896532	FLANGE,PIPE:TYP RAISED FACE,SIZE 32IN,CN	1.00	051	EA
608892	PT;GRADUATED,5ML,BOROSILICATE GLASS	6.00	071	ST
1028926	CAGE: TYP ADAPTER BEARING,MATL CS	2.00	051	ST
643884	GSKT PRE-CUT :GRAFOIL AND SS 316	2.00	051	ST
596721	FLTR-ELMNT;WD 400 X LG 1085 X THK 25MM	1.00	051	ST
159611	FUSE:250MA,250V,DIA 5 X LG 20MM,FERRULE	2.00	051	EA
617639	THROWER:TYP WASTE WATER,NBR	1.00	081	ST
272079	KIT:TYP HEATER,APPL ANALYZER,P/N:800K007	1.00	081	EA
609963	HOLDER,LAMP:TYP PULSE RATED/SOCKET,ELEC	1.00	021	ST
608603	VALVE:TYP BLEED,BDY MATL SS 316,CONN MPT	2.00	051	ST
619693	O-RING:MT VITON,APLC GAS CHARGING PORT	2.00	051	ST
600033	GSKT,SPWD:GRAFOIL,IRID 337MM,SS 316	5.00	051	ST
630442	CIRCUIT:TYP FLOW COMPUTER,DUAL CHANNEL	1.00	031	ST
655132	FUSE:1A,250V,DIA 5 X LG 20MM,GLASS,ENRAF	11.00	011	EA
731553	SPRING:SUP 10	4.00	051	ST
803170	KIT,SEAL:TYP GASKETS AND O-RINGS	1.00	051	SE
904419	SIPHON: TYP U-SHAPE,SIZE LG 250MM	1.00	061	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
582718	PROBE:TYP AIR SAMPLING	1.00	061	ST
1065074	SEAL-RIG:I DIA 73MM,OUT DIA 75MM,THK 10M	1.00	051	EA
644467	STUD,D/END:DIA-A M16,DIA-B M16,LG 80MM	1.00	051	ST
1047046	LINK, FUSE: TYP FERRULE,AMPERAGE 200A	3.00	021	EA
259364	HOLDER,FUSE:FUSE DIA 10.3 X LG 38MM	79.00	021	EA
584375	GAUGE:TYP WINDING TEMPERATURE	1.00	021	ST
601428	O-RING:MT NBR,APLC PROPORTIONING PUMP	2.00	051	ST
592986	GSKT PRE-CUT :	1.00	051	ST
615018	SZ OD 193 X THK 3MM,SS 321,DEG 90	1.00	051	ST
639740	KIT-VLV-RPR:TYP TRIM,CMPSNG PLUG/PLUG S	1.00	051	ST1
1244769	BREAKER,CIRCUIT:AMPERAGE 16A,VOLTAGE 380	1.00	011	EA
581484	THYRISTOR:TYP MODULE,AMP 2 X 25A	2.00	031	ST
597749	BALL:SZ DIA 8MM	3.00	051	ST
619251	HEAD,PUMP:TYP PLUNGER,PUMP SZ 141 X 100	1.00	081	ST
598869	HUB;COUPLING	2.00	051	ST
606084	RESISTOR:RT 40W,TYP FIXED	2.00	031	ST
637044	BOLT,MACH:HD HEX	2.00	051	ST1
875170	SWITCH,PRESSURE:20-300PA,250VAC 1(0.5)A	7.00	011	EA
619705	GSKT PRE-CUT :V#6500	2.00	051	ST
599379	GSKT PRE-CUT :NON ASBESTOS,ROUND	1.00	051	ST
1588925	KIT-ACTUTR-RPR:TYP OVERHALING,CMPSNG RE	1.00	061	KIT
1060940	STEM, VALVE: VLV STYL PISTON,MATL SS 321	1.00	051	ST
615698	GSKT,SPWD:GRAFOIL,SS 316	2.00	051	ST
898206	BREAKER,CIRCUIT:1.6-2.5A,690VAC 50/60HZ	1.00	011	EA
9102146	VALVE,2-WAY DN 63 KV 63 TYPICAL TAG NO.	1.00	051	ST
1232998	GSKT PRE-CUT :TYP FLAT,SIZE ID 170 X SQ	2.00	051	EA
9101792	THERMOWELL, 3" ANSI 300#RF, 304SS, U=548	1.00	051	ST
715805	POSITIONER,VALVE:TYP SMART	1.00	061	EA
584315	SHIM:	1.00	051	ST
599122	PULLEY,V-BELT:SPC,GROOVE 3,DIA 300MM	1.00	051	ST
615278	SPRING:TYP OVERSPEED TRIP DEVICE	1.00	051	ST
588613	PACKING:TYP GLAND	1.00	051	ST1
969263	MODULE: TYP ELECTRONIC DIGITAL HART	1.00	031	EA
602043	O-RING:ID 21.9MM,MT SILICONE RUBBER	4.00	051	ST
587324	KIT-VLV-RPR:TYP SPARE,APL BALL,CMPSNG P	1.00	051	ST
806907	KIT,VALVE REPAIR:MV INSULATOR NITRILE	1.00	051	SE
800837	GSKT,SPWD:3IN,600LB,GRAPHITE/PTFE,SS 316	1.00	051	ST
1031941	KIT, VALVE REPAIR: APPL GATE VALVE	1.00	051	KIT
612579	SEAT,VALVE:EMERGENCY	1.00	051	ST
589843	ELEMENT:MT PAPER	1.00	051	ST
581592	MODULE:TYP MASTER RELAY	1.00	011	ST
960498	MOTOR,ELECTRIC:PWR RT 0.75KW,ELEC RT 380	1.00	011	ST
592222	SPRINKLER,FIRE PROTECTION:	4.00	121	ST
143494	DISC,VALVE:PTFE,VLV SZ 4IN,CONTROL	1.00	051	EA
625329	INDICATOR:TYP FUSE TRIP	2.00	021	ST
588730	PACKING:MT PTFE	1.00	051	ST1
584443	METER,ELECTRICAL SERVICE:	1.00	900	ST
582355	METER,FLOW:	2.00	101	ST
1528623	RELAY,CONTROL:TYP INDUSTRIAL,APPL MOTOR	1.00	031	EA
622694	GSKT:OUTSIDE NDE	3.00	051	ST
625441	SWTCH-DSCNCT;690VAC 32A 50/60HZ,RAIL	2.00	011	ST
901146	MODULE:PRECHARGING (PCC),CONVERTER	1.00	031	EA
589196	SLEEVE,SHAFT:SS ASTM A276 GR 304	1.00	051	ST
783020	RAM:TYP VALVE	1.00	061	ST
9102126	DISC,SHRINK	2.00	051	ST
631216	O-RING:	2.00	051	ST
625372	HTR;WET OIL,380VAC 3KW 3PH	2.00	011	ST
1071145	CAP: TYP END,SIZE OD 22 X HT 9MM	2.00	051	EA
901181	UNIT,CONTROL:TYP THYRISTOR SWITCHING	1.00	011	EA
135937	BELT,V:TOP WD 15MM	7.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1054300	RCTFR	1.00	021	EA
589547	BREAKER,CIRCUIT:60A,600VAC,POLE 3	1.00	011	ST
605893	CAPACITOR:TYP FIXED,CAPCIT 12MICRO F	2.00	031	ST
1235806	HOOD,SAFETY:TYP PRESSURE RELIEF VALVE,MA	4.00	121	EA
901179	UNIT, CONTROL: STANDARD CE; CSA; UL	1.00	011	EA
967008	TIMER: OPERATION ON,ACTION DPDT	1.00	101	ST
632078	GSKT PRE-CUT :P#2601-GGO,BONNET,12IN	2.00	051	ST
605343	SWITCH,SELECTOR:400VAC 10A	1.00	021	ST
588114	CIRCUIT:TYP EPROM,APLC AC/DC UPS	2.00	031	ST1
927213	CIRCUIT:TYP AMPLIFIER	1.00	011	EA
595328	SEAL:APLC VACUUM PUMP SYSTEM	2.00	051	ST
606454	CONNECTOR,COMMUNICATIONS:	1.00	031	ST
578123	KIT-ACTUTR-RPR:TYP KIT,ACTUATOR REPAIR,C	1.00	061	ST
927214	CIRCUIT:TYP ALARM	1.00	011	EA
585670	VALVE,CONT:	1.00	051	ST
625531	BLOCK,TERMINAL:ELEC TRT 600V 105A	42.00	021	ST
580219	CYLNR;LABORATORY,GLASS	1.00	081	ST
642841	SEAL,RING:ID 65MM,THK 4MM	2.00	051	ST
596136	HEAD,PUMP:PUMP ROTARY,MT PLASTIC	1.00	081	ST
592864	GSKT-PRE-CUT;BOX GLAND PLATE,U,CORK	1.00	051	ST
617771	RELAY:COIL 24VDC,4PST	1.00	011	ST
614657	SLV;BEARING,PUMP	2.00	051	ST
591262	BOLT,EYE:3/8IN,STEEL FORGED	2.00	051	ST
635739	PACKING:V#6500	1.00	051	ST
635698	STRAINER:TYP STEAM	1.00	900	ST1
742206	RING,RETAINING:TYP ROTOR SEAL,UNS S31603	2.00	051	ST
903986	BLOCK,CONTACT:TERM SCREW,CONTAR 1NO-1NC	1.00	021	EA
641865	MODULE:CURRENT/VOLTAGE DRIVER,I/P 4-20MA	1.00	031	ST
713113	MDUL;COMMUNICATION INTERFACE	3.00	031	EA
579989	HEAD:TYP PILOT INDICATING LAMP; RED	2.00	101	ST
581581	MODULE:TYP ALARM	2.00	011	ST
603059	SEAL:	1.00	051	ST
605704	TRANSFORMER:TYP POWER	5.00	011	ST
1236391	RING,RETAINING:TYP CIRCLIP,SIZE DIA 9 X	8.00	051	ST
1071612	MODULE: TYP MODBUS BOARD,P/N:V081902.B01	1.00	031	EA
620321	BOLT,MACH:M8,LG 30MM	16.00	051	ST
604188	BRUSH,ELECTRICAL:MT CARBON	2.00	021	ST
607867	INSERT:CARBIDE	40.00	051	ST
196240	GSKT PRE-CUT :ID 168 X OD 222 X THK 3MM	4.00	051	ST
738711	RAM:TYP VALVE	1.00	061	ST
624866	COIL,ELECTRICAL:TYP INDUCTOR	2.00	011	ST
582835	THERMOMETER,DIAL:RNG 0-100DEG C	1.00	101	ST
1049724	GSKT SET:TYP SEALING,APPL DOUBLE OIL COO	1.00	051	EA
602697	GSKT JKTD:SHP ROUND	6.00	051	ST
593182	GSKT PRE-CUT :REINZ AFM 34,ROUND	31.00	051	ST
615908	GSKT:BEARING BRACKET	1.00	051	ST
737190	GSKT SET:APLC BLOWER	1.00	051	ST
609151	PLATE,STOVE:TYP COOKING,SZ DIA 85MM	1.00	011	ST
585121	FILTER,ELECTRONIC:	2.00	031	ST
610137	RESISTOR:RT 250W	1.00	031	ST
600168	GSKT PRE-CUT :THK 1.6IN,REINZ AFM 34,FF	2.00	051	ST
585187	FILTER,BAG:SQ 24 X THK 12IN,SQUARE	1.00	051	ST
582760	SENSOR:	1.00	011	ST
636939	O-RING:	1.00	051	ST1
9101823	SHAFT SEAL KIT 100 MM DIA.	1.00	051	SE
714879	HEATER:TYP ASSEMBLY	1.00	011	ST1
866850	HOLDER,VALVE DISC:VLV ST SAFETY RELIEF	2.00	051	EA
619529	BRG:	2.00	051	ST
617275	BREAKER,CIRCUIT:1-1.6A	1.00	011	ST
631206	SPRING:	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
599347	GSKT PRE-CUT :NON ASBESTOS,ROUND,150LB	6.00	051	ST
948899	BLOCK,PILLOW:	2.00	051	ST
615690	RING:	2.00	051	ST
595264	KIT-VLV-RPR;SEAL,CONTROL VALVE BLOCK	1.00	051	ST
595053	SEAL;ID 600 X OD 626 X THK 20MM	1.00	051	ST
595400	KEY STOCK:SZ SQ 1/2IN,LG 12IN,MT CS	20.00	081	ST
803043	BALLAST: TYPE HG MERCURY VAPOUR LAMP	7.00	021	ST
602457	PACKING:9 X 38.9MM,GRAPHITE	1.00	051	ST1
642468	SEAL:PTFE,DIAPHRAGM	1.00	051	ST
588222	GSKT SET:	5.00	051	ST
1024433	THERMOMETER,DIAL:TYP BIMETAL,RANGE 0-160	1.00	101	EA
609243	CONNECTOR:TYP SPARGING	1.00	051	ST
631645	SOCKET:TYP SCREWED	2.00	101	ST
580034	LAMP-INCNDSCNT;FLOOD,120W,CLEAR,E 27	4.00	021	ST
581872	PIPE:	1.00	131	ST
612345	GSKT PRE-CUT :THK 3MM,RUBBER,FF,4IN	6.00	051	ST
620622	SEAL,RING:TYP V SHAPE,MT SYNTHETIC RUBB	2.00	081	ST
1637456	NDL;SAMPLE,DIA 2MM;PN:285420499	1.00	051	EA
624319	SCREW:	1.00	051	ST1
608419	SLING,WEB:TYP ENDLESS	2.00	091	ST
603197	SEAL:NITRILE RUBBER	1.00	051	ST
600113	GSKT,SPWD:GRAFOIL,IRID 1809.8MM,SS 316	4.00	051	ST
806590	COLUMN-ANLYS;VOLATILE AMINE	1.00	061	ST
600144	GSKT-SPRL-WUND;BASIC WITH INNER RING	2.00	051	ST
502201	O-RING: INSIDE DIAMETER 120.24MM	5.00	051	EA
588725	KIT,VALVE REPAIR:TYP PACKING,DOC:GA-10-B	2.00	051	ST1
636617	STRAINER:MT SS 304	1.00	900	ST
1003998	PLATE: TYP ORIFICE,SIZE 2 IN,MATL SS 316	1.00	131	EA
612245	OILER:	1.00	101	ST
615615	BUSH,PUMP:BRONZE BC6/B584,BEARING COVER	1.00	081	ST
593961	O-RING:ID 85MM,WD 5MM	1.00	051	ST
581862	PIPE:	1.00	131	ST
1223716	GLASS,SIGHT:SIZE AG 3/4 B,TYP OIL LEVEL,	1.00	101	EA
619770	O-RING:MT NBR,APLC PROPORTIONING PUMP	2.00	051	ST
585023	DISC:MT PTFE	4.00	051	ST
601705	O-RING:MT NBR	6.00	051	ST
604807	FUSE;QUICK ACTING,2.5A,250V AC,GLASS	5.00	021	ST
593117	GSKT,SPWD:GRAPHITE,IRMT SS,SHP ROUND	3.00	051	ST
1589551	KIT-SEAL:TYP MAINTENANCE,APL ROTARY VALV	3.00	051	KIT
627978	PLUG,VALVE:VLV SZ 1-1/2IN,CONTROL,UNS	1.00	051	ST
609089	FLASHLIGHT:TYP FLASHING LIGHT AND HORN	2.00	121	ST
587724	KIT: TYPE ANALYZER,P/N:3407-22	12.00	081	ST
616115	TIMER:OPER ON DELAY,CONTAR 1NO-1NC	2.00	101	ST
602399	PACKING:PTFE,SQUARE	2.00	051	ST1
737121	SPINDLE:TYP VALVE,MT 3.7035 / B348 GR.2	1.00	101	ST
644782	GSKT PRE-CUT :ID 90 X OD 142 X THK 2MM	3.00	051	ST
600036	GSKT,SPWD:GRAFOIL,IRID 1051MM,SS 316	1.00	051	ST
828547	WINDW:TYP CELL	1.00	131	PAA
598280	BRG,ROLL:TYP TAPERED	1.00	051	ST
614908	FLINGER: TYP INBOARD,P/N:61185815	1.00	081	ST
1087203	MODULE: TYP ANALOG OUTPUT,O/P 4-20MA	2.00	031	EA
589390	BREAKER,CIRCUIT:15A,220/600VAC; 250VDC	4.00	011	ST
591146	CIRCUIT:APLC TELEPHONE SYSTEM	1.00	011	ST
951562	FUSE:MOTOR CIRCUIT PROTECTION	5.00	021	ST
581965	TUBG;SEMI FLEXIBLE ROLL,0.19IN,1/4IN,30M	114.00	131	M
587752	KIT:TYP GC SAMPLE COLLECTION VIAL	100.00	071	ST
639360	SPRING, VALVE: MATL STEEL WIRE ASTM	1.00	051	ST
582477	GAUGE,PRESSURE:0-60PSI,ELEMT SS,CONNM SS	1.00	101	ST
616623	METER,ELECTRICAL:TYP AMMETER,RNG 0-4.8KA	2.00	101	ST
590475	RELAY:COIL 230VAC 50/60HZ,4PST,CONT	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
634698	SWITCH,LIMIT:SPDT,23VDC 0.1A	1.00	061	ST
1060658	RING, LANTERN: INSIDE DIAMETER 29MM	1.00	081	SE
601588	O-RING:APLC STUFFING BOX	3.00	051	ST
605730	TRANSFORMER,INSTRUMENT:VA RT 250VA,VOLT	1.00	011	ST
1251206	KIT,VALVE REPAIR:TYP SOFT GOODS,OPRTG PR	1.00	051	EA
582228	THERMOSTAT:ELEC TRT 380VAC 10A	1.00	081	ST
636957	GSKT PRE-CUT :300 X OD 900 X THK 3MM	4.00	051	ST
636426	PACKING:TYP RING	5.00	051	ST1
142459	SHIM:TYP GASKET,MTRL SS,P/N:16A1937 X012	1.00	051	EA
587618	KIT:TYP SPLICE LONG LINE	2.00	081	ST
592208	NOZZLE:TYP SPRAY WATER CURTAIN,CONN FPT	1.00	051	ST
635736	SPRING:AS JIS G3522 SWPB/A230	1.00	051	ST
641632	SEAL,MECHANICAL:6 X 5-5/8IN	3.00	900	ST
1064603	REAGENT: TRADE NAME HIGH RANGE SILICA	1.00	001	PKG
582882	TRANSMITTER,TEMPERATURE:APLC WASTE WATER	2.00	061	ST
799584	SWITCH,SELECTOR:690V 20A,TYP WITHOUT OFF	2.00	021	ST
583273	PISTON:APLC ENGINE	1.00	091	ST
621593	STUD CNTNS THD:TYP IMPELLER,DIA 316 SS,P	1.00	051	ST
615734	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	1.00	081	ST
605201	RELAY,PROTECTION:EARTH LEAKAGE	1.00	031	ST
616665	SWITCH,PUSHBUTTON:250VAC 2A,SPST,1NO	2.00	021	ST
9102165	BEARING,BUSH,MATL-1.4122,0230,I-230(TO B	1.00	051	EA
627605	BREAKER,CIRCUIT:8A	1.00	011	ST
643706	BUSH:BRONZE	1.00	051	ST
615022	ELBW;OD 193.7 X THK 3MM,45,1600MM	1.00	051	ST
586050	GLAND,PACKING:TYP YOKE	1.00	051	ST
627374	KIT:APLC AVIATION OBSTRUCTION LIGHTS	3.00	081	ST
592592	GSKT PRE-CUT :ID 125 X OD 145 X THK 2MM	1.00	051	ST
642410	CONE:	1.00	051	ST
900777	CHOKE:TYP OUTPUT THROTTLE,APLC PANEL	1.00	031	EA
636944	GSKT PRE-CUT :ROUND	1.00	051	ST
619384	SEAL,OIL:ID 20MM,OD 40MM,WD 7MM,MT VITON	5.00	051	ST
585741	VALVE,GATE:VLV SZ 2IN,DES RTG CL 1500	1.00	051	ST
592780	GSKT PRE-CUT :THK 1/8IN,ETHYLENE RUBBER	5.00	051	ST
581803	HOSE: MATL PLASTIC,P/N:3000045	2.00	051	M
719043	CAGE,VALVE:VLV ST CONTROL	1.00	051	EA
594930	SEAL-RIG;14.8MM,115MM,7.1MM,SILICON	3.00	051	ST
610515	CUT-OUT:TYP HIGH PRESSURE	2.00	061	ST
1223636	KEY,SHAFT:TYP PARALLEL A,SIZE WD 8 X LG	1.00	051	EA
904000	VALVE:TYP EXPANSION,VLV SZ 5/8 X 7/8IN	2.00	051	EA
581224	CIRCUIT:TYP INVERTER CONTROL,STD UL	2.00	011	ST
617622	PUMP,DIAPHRAGM:TYP METERING,CAP 30L/HR	1.00	900	ST
144866	SEAT,VALVE:VLV SZ 1-1/2IN,CONTROL	1.00	051	EA
602282	GSKT PRE-CUT :WD 30 X LG 755 X HT 435 X	2.00	051	ST
1545292	TIP:TYP PIPETTE,SIZE 1000-10000MICRO L,A	1.00	051	PAK
1612074	GSKT-KIT-INSULTG:NMNL FLNG SZ 36IN,DSGN	2.00	051	KIT
612512	SPRING,TORSION:	2.00	051	ST
653197	GSKT,SPWD:IRMT SS 316,OR MT SS 316	5.00	051	EA
584218	KEYBOARD SUPERSEDED BY 7276586	1.00	141	ST
642573	O-RING:MT BUNA-N	4.00	051	ST
1607613	SEAT-VLV:TYP RING,VLV TYP CONTROL,VLV SZ	2.00	051	EA
587900	KIT,VALVE REPAIR:SEAL	1.00	051	KIT
918307	ELBOW,PIPE:SZ 8IN,SS,90,BW,RAD SR	1.00	051	ST
583148	DIODE, LIGHT EMITTING: P/N:1100941	4.00	031	ST
1003957	METER, FLOW: RANGE 0-37000KG/HR	1.00	101	EA
586832	SHOE,BEARING:TYP THRUST	10.00	051	ST
584242	HEAD:TYP PILOT LIGHT SIGNALLING SYSTEM	6.00	101	ST
846460	PRB;VIBRATION,KEY PHASER	1.00	051	EA
597788	ELECTRODE,WELDING:SZ DIA 3.2MM,MT AL	4.00	051	KG
1059169	ELEMENT: TYP MIXING,MATL 1.4581,P/N:NA	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1003958	METER, FLOW: RANGE 0-47500KG/HR	1.00	101	EA
602949	SEAL,MECHANICAL:2-3/8 X 2-1/8IN	1.00	900	ST1
605608	SWITCH,PUSHBUTTON:SPDT,1NO-1NC,RED,PANEL	3.00	021	ST
644737	GSKT JKTD:PTFE,SHP ROUND,TYP ENVELOPE	4.00	051	ST
583968	HOSE:ASSEMBLY	1.00	051	ST
581192	CIRCUIT:TYP CCU CONTROL BOARD	2.00	011	ST
602199	DIAPHRAGM:TYP PACKING	3.00	051	ST
615122	CMPNSTR	1.00	051	ST
588977	SCREEN:	50.00	051	ST
624869	COIL,ELECTRICAL:TYP INDUCTOR	3.00	011	ST
610028	BLOCK,TERMINAL:TERM (6) BOLTED,CIRCUIT 3	1.00	021	ST
639468	WASHER:STEEL,LOWER	1.00	051	ST
603800	SLEEVE:SZ ID 32 X OD 41 X LG 47MM,PTFE	1.00	051	ST
578806	WNDW;GLASS AND SS	2.00	131	ST
618359	RING:TYP THRUST,SIZE ID 28.5 X OD 35 X T	1.00	051	ST
9101727	SHAFT,DRIVE,39 MMDIA X 888 MMLG,STEEL	1.00	051	ST
618012	BLOCK,TERMINAL:CIRCUIT 6	5.00	021	ST
598895	LINK,FUSE RENEWAL:	10.00	021	ST
930327	SCREW: TYP GRUB , EQUIP MDL#: FG	2.00	051	SE
577403	GSKT PRE-CUT :ID 48 X OD 61MM,ROUND	3.00	051	ST
643027	PACKING:GRAPHITE,TYP GATE VALVE	18.00	051	ST1
643787	SEAL-LBYRNTH:SZ ID 63 X OD 91 X WD 10MM	1.00	051	ST
602313	PACKING:GRAPHITE/TEFLON BRAIDED (GTJ +	2.00	051	ST
579418	MBRN;COUPLING	1.00	051	ST1
632374	RELAY:COIL V 220VAC 50/60HZ,TYP AUXILIAR	1.00	011	ST
808629	SPRING,VALVE:CS,768MM,VLV SZ 4 X 6IN	1.00	051	ST
1234861	ASSEMBLY:TYP BALL AND SEAT,APPL FOR 8X6	1.00	051	EA
906402	RESISTOR:120OHM,RT 0.5W,TOLER 5PCT	5.00	031	EA
9101636	WHEEL,GEAR,Z-39	1.00	051	ST
595251	KIT;OIL SEAL,STEERING	2.00	081	ST1
617123	TRANSFORMER:TYP CONTROL	1.00	011	ST
606042	RESISTOR:6.8K OHM,RT 7W	2.00	031	ST
235726	SEAT,VALVE:VLV SZ 3IN,ROTARY CONTROL	1.00	051	EA
590768	SWITCH,PUSHBUTTON:110-690VAC 6-0.75A	8.00	021	ST1
625239	BLOCK,TERMINAL:TERM (6) BOLTED,CIRCUIT 3	2.00	021	ST
602283	PACKING:ID 128 X OD 142 X 3MM,NBR	4.00	051	ST
612424	O-RIG	2.00	051	ST
585577	FILTER,ELEMENT:STRAINER	1.00	051	ST
165254	O-RIG;10.82MM,1.78MM,70A	2.00	051	EA
632217	SPRG-VLV;CS	2.00	051	ST
1026533	GSKT, SPWD: NOMINAL FLANGE SIZE 6IN	3.00	051	ST
643127	GSKT,SPWD:3/4IN,GRAPHITE,SS 316	3.00	051	ST
610317	SYNCHROSCOPE:ELEC TRT 110VAC 60HZ	1.00	900	ST
613218	VALVE,SOLENOID:	1.00	051	ST
608872	FLASK:TYP CHEMICAL AND HEAT RESISTANT	15.00	071	ST
759274	POWER SUPPLY:I/P 110VAC	2.00	021	ST
593026	GSKT-PRE-CUT;FRONT COVER,RECTANGULAR	1.00	051	ST
1575819	GSKT-PRE-CUT:TYP FF, SZ ID 558.8 X OD 749	1.00	051	EA
640613	RTD:TYP PT100,100OHM,WIRE 3,SH MT SS 316	1.00	101	ST
642927	GSKT PRE-CUT :PTFE,COVER,DN 20	6.00	051	ST
284486	CRCUT:TYP (16) CHANNEL TREND ANALOG OUTP	2.00	011	EA
799293	LAMP,FLUORESCENT:W 20W,VOLT 230V	2.00	021	EA
587376	KIT,VALVE REPAIR:TYP BALL VALVE,DOC:ALFA	1.00	051	KIT
780718	CRCUT;PC BOARD	2.00	051	EA
903941	CIRCUIT:TYP I/O-CONTROLLER-HW2	1.00	011	EA
604842	FUSE;SUBMINIATURE FAST BLOW,0.5A,125V	20.00	021	ST
930338	GEAR, SET: TYPE DRIVING AND DRIVEN BOTH	1.00	081	SE
1201428	TRANSMITTER,PRESSURE:RANGE 6KPA,TYP MULT	1.00	061	EA
902343	CABLE,COMMUNICATIONS:TYP I/O CONNECTION	1.00	031	EA
581496	MODULE:PHASE INVERTER	1.00	031	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
631669	PIPE:STRUCT HOSE	2.00	131	ST
642860	BRG-BAL;11948,30MM,55MM,9MM,OPEN,SINGLE	1.00	051	ST
643246	PIN:	1.00	051	ST
1081197	DIAPHRAGM, VALVE: SIZE 18IN,P/N:SPR-76	1.00	051	EA
627378	LENS,INDICATING LIGHT:COLOR RED	1.00	021	ST
1004004	PLATE: TYP ORIFICE,SIZE 2 IN	1.00	131	EA
612797	CAPACITOR:	2.00	031	ST
633072	SWITCH,TEMPERATURE:50-100DEG C	1.00	021	ST
1012977	SPLICE, CABLE: SIZE LG 17.5MM,MNFR:FLYGT	2.00	021	EA
589895	FUSE:12A,600VAC; 300VDC	2.00	021	ST
635444	TAPE;LEAD ACETATAE,PTFE	24.00	001	ST
584477	KIT,VALVE REPAIR:SEAL	2.00	051	ST
607707	COUPLING,SHAFT:DOC:EL-426-0013-9900885	1.00	051	ST
641775	RING:ID 100 MM,30 MC 5 / 20 - MV-5	3.00	051	ST1
722858	GUIDE:MT SS 304	1.00	091	ST
614882	SEAL,LABYRINTH:APPL LP CONDENSATE PUMPS	1.00	051	ST
601348	O-RING:MT FKM	12.00	051	ST
579570	THERMOMETER,DIAL:	1.00	101	ST
616653	TRANSFORMER,INSTRUMENT:VA RT 7.5VA	1.00	011	ST
480925	PANEL,CONTROL:TYP DISCRETE INPUT OUTPUT	1.00	900	EA
78537	GSKT,SPWD:6IN,ANSI 300LB,GRAPHITE,SS 316	1.00	051	ST
587941	KIT-VLV-RPR:TYP SOFT PARTS,APL GATE VALV	2.00	051	KIT
643124	PACKING:GRAPHITE,TYP GLOBE VALVE	2.00	051	ST1
13489	RECEPTACLE,ELECTRICAL:	1.00	021	ST
623653	BRKR-CRCUT:AM 10A,VLTG 125/600V AC,INTRU	2.00	011	ST
590912	TRANSFORMER,IGNITION:MOUNT PANEL	2.00	011	ST
591073	RELAY,TIME DELAY:P/N:MK7863.81,MNFR:DOLD	1.00	011	ST
616221	BREAKER,CIRCUIT:16A,230/440VAC; 48VDC	2.00	011	ST
1609146	DRV;± 12 V, 5 V, 6W,800 DOSINO	1.00	031	ASY
1029122	SHAFT: MATL SS400,DOC:560906, EQUIP	1.00	051	ST
638203	PLUG,VALVE:RELAY	1.00	051	ST
617592	PIN;5MM,SOCKET	15.00	051	ST
1033953	GSKT PRE-CUT : MATL V#6500,SHAP ROUND	1.00	051	EA
642598	O-RING:ID 19.18MM,APLC SEAL	8.00	051	ST
608465	GSKT,SPWD:GRAPHITE,SS 316,IRMT SS 316	12.00	051	ST
603235	SEAL,MECHANICAL:CARTRIDGE	2.00	051	ST
638109	SEAL,RING:ID 32-5/8IN,OD 32.625IN	1.00	051	ST
590142	FUSE:400A,250V	1.00	021	ST
1003971	PLATE: TYP ORIFICE,SIZE 6IN,MATL SS 316	1.00	131	EA
498604	SEAL,RING:MT CARBON/PTFE	1.00	051	EA
1599016	MDUL-PWR-SUPPLY:O/P 24V DC,IN 90-264 VAC	1.00	031	EA
591400	BOLT,MACH:M20,LG 80MM,AL BRONZE,2.5MM,HD	4.00	051	ST
642996	PACKING:PTFE,TYP STUFFING BOX	4.00	051	ST1
999285	NOZZLE: SIZE 1/2IN,APPL STEAM EJECTOR	1.00	051	EA
546343	SHIM:TYP WASHER,SZ ID 25 X OD 35MM	1.00	051	EA
627354	OPERATOR,SWITCH:TYP PUSHBUTTON STOP LOCK	2.00	011	ST
898200	BREAKER,CIRCUIT:160-200A,415VAC	1.00	011	EA
593023	GSKT PRE-CUT :ID 82 X OD 104 X THK 5MM	3.00	051	ST
585951	VALVE: TYPE CONTROL,VALVE SIZE OD 1/4IN	1.00	051	ST
600321	GSKT PRE-CUT :NON ASBESTOS,ROUND	4.00	051	ST
947177	PROXIMITOR:SCALE 7.87 V/MM,5M	1.00	061	EA
616591	RLY;230VAC 50/60HZ,4PST,AUXILIARY,CLOSED	2.00	011	ST
606219	STUD,D/END:DIA-A 12MM,DIA-B 12MM,LG 91MM	1.00	051	ST
592199	SPRINKLER,FIRE PROTECTION:	8.00	121	ST
597040	SPRG-CMPRSN;8.5MM,10.5MM,17MM,SS	2.00	051	ST
928413	BREAKER, CIRCUIT: AMPERAGE 160A,POLE 3	1.00	011	EA
963799	PLUG, VALVE: VALVE SIZE DN 8	3.00	051	ST
592066	COUPLING,SHAFT:FLEXIBLE	2.00	051	ST
119429	AMPLIFIER:TYP PREAMP	1.00	051	EA
799583	FUSE:600A,250V,SEMICONDUCTOR	1.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
580970	PLUG,VALVE:VLV SZ DN 150MM,CONTROL,STEEL	1.00	051	ST
540916	FUSE:6A,250VAC; 125VDC,DIA 1/4 X LG	5.00	021	EA
595791	BRACKET:TYP HOIST	2.00	051	ST
796623	LINER: TYPE CROSSHEAD,P/N:059 189 005	1.00	051	EA
616814	SWTCH-SLCTR:TYP PANEL,SZ WD 48 X LG 108M	2.00	021	ST
592987	GSKT PRE-CUT :	1.00	051	ST
413939	O-RING:ID 22.1 MM,WD 3.5 MM,MT NBR	2.00	051	EA
608469	GSKT-PRE-CUT;ROUND	6.00	051	ST
632604	TRANSMITTER,PRESSURE:0-140BAR,FPT	1.00	061	ST
606257	DOWEL:	11.00	051	ST
583200	GREASE:TYP LUBRIPLATE 930-AA,CTNR CAN 6L	1.00	001	ST
600969	GSKT PRE-CUT :RECTANGULAR	3.00	051	ST
506010	CONTACTOR:400V,COILV 48VAC 4KW 60HZ	1.00	011	ST
620044	STUD CNTNS THD:DIA 3/4IN,THRD 10 UNC,LG	8.00	051	ST
583771	MODULE:TYP 6 POINT VIBRATION INPUT	1.00	011	ST
1545116	KIT,ACTUATOR REPAIR:TYP REDUCING,CMPRSNG	1.00	061	KIT
577922	KIT:TYP REPAIR,P/N:0852428,MNFR:JUNGHEIN	3.00	081	ST
639580	PLUG,VALVE:CONTROL,SUS 316	4.00	051	ST1
781369	FRAME: TYP CARD,P/N:BR4U-Q5303-A	1.00	131	EA
609702	SEAT,VALVE:VLV SZ 6IN,BUTTERFLY,BUNA-N	1.00	051	ST
608259	KNIFE:	2.00	101	ST
905120	LGHT-INDCTG;FLASHING BEACON,24V DC	1.00	021	EA
1234894	SPRING,VALVE:MATL CHROME STEEL,VALVE SIZ	3.00	051	ASY
589598	COIL,ELECTRICAL:TYP AIR CIRCUIT BREAKER	1.00	011	ST
615624	BOLT:10MM,35MM,AS JIS G4105 GR	12.00	051	ST
615048	ELBW-PIPE;OD 355.6 X THK 3MM,BW,90,LONG	2.00	051	ST
582942	CLOTH:SZ DIA 83.5,MT SS DIN WN 1.4435	38.00	101	ST
582409	DTCTR-RSTNC-TMPRTUR:RSTNC PT100OHM,SHTH	2.00	101	ST
653223	GSKT,SPWD:E-MICA GRAPHITE,IRMT SS 316	1.00	051	EA
642422	SPRING,VALVE:SS DIN WN 1.4310	1.00	051	ST
605886	CPCTR;FIXED,22MICRO F,35V DC,20	10.00	031	ST
611733	SWITCH,PROXIMITY:	2.00	011	ST
609633	RING:	2.00	051	ST
589392	BREAKER,CIRCUIT:15A,200/600VAC; 250VDC	2.00	011	ST
870033	SEAL,LABYRINTH:OUTBOARD (VBXX-D)	3.00	051	EA
515702	COLLET:SZ 3/32IN	30.00	071	EA
1046833	TRANSFORMER, INSTRUMENT: VA RATING 10VA	1.00	011	EA
9101892	SLEEVE, MECHANICAL SEAL MATL: SUS 403	1.00	051	ST
587756	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	KIT
600592	GSKT PRE-CUT :ROUND	1.00	051	ST
1003923	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
637000	SOLENOID:COILV 24VDC	2.00	011	ST
598009	BRG,ROLL:ID 140MM,OD 300MM,WD 62MM,TYP	2.00	051	ST
1595992	GRBX:TYP WORM,RT 60:1,APL BUTTERFLY VALV	2.00	081	EA
1087888	RING, WEAR: INSIDE DIAMETER 191.1MM	1.00	081	EA
587086	DIAPHRAGM:MT PTFE	1.00	051	ST
642356	BUSH,VALVE:SS DIN WN 1.4541,INSERT	1.00	051	ST
579259	GAUGE,PRESSURE:0-160PSI,2IN,MNPT 1/8IN	1.00	101	ST
610633	CAP;POWER SUPPLY KNOCKOUT	3.00	051	ST
918096	PIN:DIA ID 6 X OD 10MM,LG 13MM	28.00	051	ST
1064409	GSKT PRE-CUT :TYP RAISED FACE WITH PARTI	4.00	051	EA
637117	SEAL,OIL:TYP SINGLE LIP	2.00	051	ST
592998	GSKT PRE-CUT :ID 37 X SQ 71 X THK 5MM	2.00	051	ST
766731	BREAKER,CIRCUIT:4A,460VAC,INTP CAP 50KA	1.00	011	ST
608287	BRG,BALL:ID 40MM,ST 2 SEALS	1.00	051	ST
583924	MODULE:TYP NOTIFICATION	1.00	011	ST
905541	SEAT,VALVE:VLV SZ DN 50,GLOBE CONTROL	1.00	051	EA
590612	SWITCH:TYP MICRO	2.00	021	ST
388917	FILTER,AIR:TYP PRIMARY	2.00	051	ST
606497	PIN,SPRING:DIA 5MM,LG 14MM,STEEL	4.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
600074	GSKT JKTD:ID 422 X OD 441 X THK 3MM	2.00	051	ST
587875	KIT,PUMP REPAIR:TYP WATER PUMP	2.00	081	KIT
589446	BREAKER,CIRCUIT:80A,220/690VAC; 250VDC	1.00	011	ST1
1029181	SPRING: P/N:4TOYO978A-1,DOC:10910-0900	2.00	051	ST
991606	GSKT JKTD: JACKET MATERIAL IRON	3.00	051	EA
586398	BRG,THRUST:	2.00	051	ST
642728	SEAL:PTFE,APLC BODY	8.00	051	ST
624933	RESISTOR:15OHM,RT 15W	5.00	031	ST
564978	BRG-SLV:I DIA 45MM,OUT DIA 50MM,LG 47.5M	1.00	051	EA
1035602	SEAL-OIL;90MM,120MM,13MM,NBR,TC	1.00	051	EA
629937	DISC:PRESSURE	1.00	051	ST1
610571	BRG-BAL:I DIA 20MM,STYL 2 SHIELDS,ROW SI	2.00	051	ST
593146	GSKT PRE-CUT :ID 20 X OD 27-1/2 X THK	5.00	051	ST
642694	BUSH,VALVE:PTFE/GFK,GUIDE	8.00	051	ST
603876	SLV;ANTI KINK	1.00	051	ST
594722	GSKT:ID 12 X OD 15.5MM,SEAL RING,ROUND	2.00	051	ST
600660	GSKT JKTD:ID 33.3 X OD 66.5 X THK 3MM	2.00	051	ST
556562	CIRCUIT:TYP ANALOG EXTENSION	1.00	011	EA
855825	MODULE:BUS,PELLETIZER SYSTEM	1.00	031	EA
714656	O-RIG:I DIA 47.22MM,WD 3.53MM,MTRL VITON	8.00	051	EA
600463	GSKT,SPWD:3/4IN,600LB,GRAPHITE,SS 316	1.00	051	ST
269436	FUSE:200A,250V,DIA 1.22 X LG 3.13IN	3.00	021	EA
705320	WASHER,LOCK:BEARING	3.00	051	EA
582695	MONITOR:TYP VIBRATION	1.00	061	ST
628597	RETAINER:TYP SEAL RING	1.00	051	ST
605906	CHOKE:	3.00	031	ST
599009	MOTOR,ELECTRIC:PWR RT 0.02KW	1.00	081	ST
579085	CONTROLLER:TYP PRESSURE,RNG 1-10BAR	1.00	061	ST
591609	PIN:TERMINAL	2.00	051	ST
601118	GSKT,SPWD:3/4 X 1-1/2IN,PTFE,SS 316L	2.00	051	ST
1605755	GSKT-KIT-INSULTG:TYP FLANGES ISOLATION,N	17.00	051	KIT
643808	O-RING:MT VITON	1.00	051	ST
713266	FILTER,ELEMENT:STRAINER SCREEN	1.00	051	EA
622295	WASHER:	10.00	051	ST
631264	TRANSMITTER,PRESSURE:0-12BAR G	1.00	061	ST
580841	PLATE:TYP CENTER	1.00	131	ST
603166	SEAL,MECHANICAL:DOUBLE	3.00	051	ST
593572	GSKT:ID 21 X OD 26MM,THK 2MM,ROUND,CU	1.00	051	ST1
616576	VARISTOR:P/N:3AX1526-OF,MNFR:GENERAL ELE	2.00	031	ST
573703	TRANSDUCER: TYP PRESSURE,P/N:80064658	1.00	061	EA
82418	MODULE:	1.00	051	ST
607231	STEM:TYP HOSE	1.00	051	ST
1026142	GUIDE: TYP ECCENTRIC,APPL STEAM TURBINE	4.00	091	ST
629867	DETECTOR:TYP THERMOELEMENT	1.00	101	ST
630452	SWTCH-PRSUR	1.00	061	ST
202163	BRG-RLR:TYP TAPERED CONE AND CUP,ROW SIN	4.00	011	ST
642517	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
621894	TRANSFORMER,INSTRUMENT:TYP GROUND FAULT	3.00	011	ST
590773	SWITCH,SELECTOR:600VAC 20A,TYP TRIP	1.00	021	ST
615764	KEY,SHAFT:TYP PARALLEL,MT SS ASTM	2.00	051	ST
624203	O-RING SET:2	1.00	051	ST1
624321	RING,RETAINING:	4.00	051	ST
604860	FUSE:63A,1200VAC,BLADE,FAST BLOW; HRC	12.00	021	ST
1594107	VLV-BAL;2 X 3 X 3IN,3000 PSI X 150 LB	1.00	051	EA
619679	O-RING:ID 60MM,MT NBR	2.00	051	ST
107004	PACKING: P/N:B-5675-5/071,DOC:S-8302041	17.00	051	ST1
9102296	BOLT,HEX SCREW,35MM DIA, 4MM THRD, 326MM	25.00	051	ST
585214	FLOAT:MT PLASTIC	2.00	061	ST
731431	NOZZLE:MT SUS 304 STELLITED	2.00	051	ST
609788	ROLLER:TYP HANGER	2.00	091	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
100578	BRG,ROLL:ID 16MM,OD 24MM,WD 20MM	3.00	051	ST
595055	SEAL,OIL:ID 35MM,OD 52MM,WD 10MM	2.00	051	ST
1599747	DISC-VLV:MTRL SS 316,P RTNG 15BAR,VLV SZ	1.00	051	EA
643253	STEM:	1.00	051	ST
798737	DEFLECTOR:MT BRONZE ASTM B584,UNS C83600	1.00	081	ST
644930	STUD CNTNS THD:DIA 1-1/2IN,LG 11IN,MTRL	70.00	051	ST
642726	GUIDE,VALVE:VLV ST BALL,VLV SZ DN 32	4.00	051	ST
616588	CONVERTER:TYP DC-DC	1.00	061	ST
608546	RING,WEAR:SS ASTM A276 TP 420	2.00	081	ST
615293	GSKT:	1.00	051	ST
586397	BRG,BALL:TYP DEEP GROOVE	2.00	051	ST
642848	SEAL,RING:ID 92MM,THK 3MM	1.00	051	ST
636176	PACKING:P#4519M,TYP GLAND	3.00	051	ST
641347	MODULE:ELECTRONIC CHASIS ASSEMBLY	1.00	031	ST
632101	GSKT PRE-CUT :P#1200-S,BONNET,24IN	2.00	051	ST
622588	COUPLING: P/N:AM091209,DOC:NM1002C-12888	1.00	051	ST
629260	GSKT:HANDWHEEL COVER PLATE	4.00	051	ST
612626	LIGHT:TYP FLOOD,VOLT 220VAC 50/60HZ	1.00	021	ST
899065	GSKT CAMPRO:ID 589MM,OD 607MM,SS 316L	2.00	051	EA
621925	SWITCH,SELECTOR:POS 2	3.00	011	ST
627600	ISOLATOR,ELECTRICAL:	2.00	011	ST
609262	PIPE:SZ OD 1.5 IN X 0.5MM,LG 400	1.00	131	ST
619692	O-RIG;69.4MM,3.1MM,VITON	2.00	051	ST
896535	PLAT:TYP END - DRIVE SIDE	2.00	131	ST
589618	RELEASE:TYP UNDER VOLTAGE RELAY,STD CE	1.00	011	ST
944866	RING:	1.00	051	ST
1225938	CONE:TYP HORIZONTAL / BI-DIRECTIONAL,STD	1.00	051	EA
583920	CIRCUIT,POWER SUPPLY:	1.00	021	ST
1040350	BALL, VALVE: VALVE SIZE 3/8IN,MATL CE	2.00	051	EA
582008	PUMP;TRANSFER,FNPT 1/8 X 1/8IN	1.00	081	ST
1028871	SCREW: HEAD FLAT,P/N:BR-16A-207	10.00	051	ST
1025784	KIT:TYP SOFT PARTS,CMPSNG BARRING GEAR	1.00	081	KIT
619988	GSKT PRE-CUT :NBR	2.00	051	ST
600308	GSKT,SPWD:GRAPHITE,SS 316,IRMT SS 316	7.00	051	ST
586200	BRG,ROLL:ID 100MM,OD 215MM,WD 47MM	1.00	051	ST1
593449	GSKT PRE-CUT :THK 2MM,NEOPRENE RUBBER,FF	2.00	051	ST
592831	GSKT-PRE-CUT;COVER,RECTANGULAR,CORK	1.00	051	ST
642894	SPRING:TYP PRESSURE	1.00	051	ST
588301	O-RING SET:	4.00	051	ST
623816	MDUL;MOTOR PROTECTION,230VAC 4VA 50/60HZ	2.00	900	ST
578472	SEAL:TYP END	2.00	081	ST1
609982	PLATE,WALL:TYP COVER,GANG SINGLE	4.00	021	ST
636847	BUSH:SS 403	1.00	051	ST
604838	FUSE;QUICK ACTING,0.25A,250V AC,GLASS	30.00	021	ST
608616	OIL,INDUSTRIAL:CTNR DRUM 208L,P/N:VELOCI	208.00	001	L
1087025	KEY, SHAFT: TYP COUPLING,MATL AISI 304	2.00	081	EA
998982	BARRIER: TYP ACTIVE,P/N:5032	1.00	121	EA
592890	GSKT PRE-CUT :ID 109 X OD 129 X THK 1MM	2.00	051	ST
637869	BAL-VLV;CS ASTM A351 GR CD4MCU	2.00	051	ST
642649	BRG,ROD END:ID 1.27MM,TYP CONNECTING	1.00	051	ST
636341	PLUG,VALVE:VLV SZ 1IN	2.00	051	ST
287672	CONTACTOR:TYP MAGNETIC,AMP 80A,3 POLE	2.00	011	EA
587991	KIT-VLV-RPR:TYP SOFT PART,APL DRIERS ON/	3.00	051	ST1
1000715	HOLDER, FUSE: FUSE STYLE CARTRIDGE	1.00	021	EA
600719	GSKT,SPWD:2IN,600LB,GRAPHITE,IRID 55.6MM	5.00	051	ST
595517	BAR:TYP COLLECTING,SZ WD 8 X THK 3MM,LG	1.00	131	ST
634359	SWITCH,PRESSURE:0.15-2BAR	1.00	061	ST
616168	BREAKER,CIRCUIT:16A,INTP CAP 10KA,POLE 3	2.00	011	ST
616920	BREAKER,CIRCUIT:15A,125/550VAC	2.00	011	ST
581065	PLUG,ELECTRICAL:360-415VAC 16A,P 3	10.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
592914	GSKT,SPWD:2IN,300LB,GRAPHITE,SS 304	20.00	051	ST
619312	ASSEMBLY:PLUNGER	1.00	081	ST
643319	PICKUP:TYP MAGNETIC,APPLN TURBINE SPEED	2.00	061	ST
9102360	WASHER[TO BE DELETED]	157.00	051	ST
638092	SCREW,CAP:1-1/4IN DIA,11-1/2IN LG	4.00	051	ST
582712	PROBE:TYP VIBRATION,APLC KEYPHASOR	2.00	011	ST
584160	EJECTOR:	1.00	051	ST
19163	SPRING,VALVE:	1.00	051	ST
602133	PACKING:ID 40 X OD 59 X THK 9.5MM,T#2240	1.00	051	ST
615069	TEE-PIPE;SQ 8IN X 3MM,DIN 2615	1.00	051	ST
630181	KIT:APLC PNEUMATIC HOIST	1.00	081	ST1
913880	COLUMN,ANALYSIS:SZ ID 0.32MM X LG 60M	1.00	061	ST
627639	SWITCH:TYP ELEMENT	2.00	021	ST
598271	BRG,THRUST:ROLLER,ID 50MM,3 PIECE	2.00	051	ST
595690	ROD:TYP GLOSSY,MT CARBON	1.00	131	ST
577368	CIRCUIT:	1.00	011	ST
643934	SCREW,MACHINE:M6 DIA,10MM LG,STEEL ZINC	2.00	051	ST
1528629	SUPPRESSOR:TYP BLOCK,RT 220V; 50/60 HZ,S	1.00	011	EA
606742	SCREW,MACHINE:M4 DIA,5MM LG,HEX	37.00	051	ST
582341	SWTCH-TMPRTUR;6-24V 3W,95°C,1NO	1.00	021	ST
635669	PACKING:CARBON,SQUARE,TYP GLAND	1.00	051	ST1
37868	STEM,VALVE:VLV ST PRESSURE REGULATOR	1.00	011	EA
461621	HOLDER,VALVE DISC:	1.00	051	EA
1023273	MOTOR, ELECTRIC: PWR RT 38KW,FRAME 225M	1.00	011	EA
597929	BRG,BALL:ID 70MM,OD 150MM,WD 35MM	2.00	051	ST
615328	VALVE:VLV SZ 35MM	3.00	051	ST
1190719	PIN: TYP STEM,P/N:AB5I690190	2.00	051	ST
585982	VLV;PILOT,FNPT,4-WAY	1.00	051	ST
628271	GAUGE,PRESSURE:0-800PSI,4-1/2IN	1.00	101	ST
612806	HOLDER,LAMP:TYP EXIT LIGHT FIXTURE	2.00	021	ST
589200	SLEEVE,COUPLING:SS ASTM A276 GR 403	1.00	051	ST
591011	TRANSFORMER,IGNITION:VOLT R 230/8000VAC	2.00	011	ST
632860	SEAT,VALVE:ON-OFF,SS 316L	1.00	051	ST
643022	PACKING:PTFE,TYP STUFFING BOX	3.00	051	ST1
1029653	O-RING: INSIDE DIAMETER 160MM,WIDTH 3MM	1.00	051	EA
632728	SIEVE:TYP TRANSMITTER	6.00	071	ST
644562	GSKT PRE-CUT :ID 800 X OD 826 X THK 3MM	2.00	051	ST
903108	BOARD,TERMINAL:	1.00	021	EA
600078	GSKT:CAP,MONEL	8.00	051	ST
582251	TRANSFORMER,INSTRUMENT:CURR RT 30A	1.00	011	ST
620317	COUPLING,SHAFT:RIGID FLEXIBLE	1.00	051	ST
582819	THRMTR-DIAL;0-100°C,5IN,NPT 1/2IN	1.00	101	ST
616661	SWITCH,DISCONNECT:TYP CONTROL CB	1.00	021	ST
616966	KIT,TERMINATION:HEAT TRACING CABLE	2.00	021	ST
618673	RELAY:COIL 110V,4PST,CONT 110V	3.00	011	ST
175988	ADPTR-TUBE--PIPE:TUB SZ 3/8IN,TUB CNCTN	10.00	131	EA
738366	RAM:TYP VALVE	1.00	061	ST
582833	THERMOMETER,DIAL:RNG 0-100DEG C	1.00	101	ST
601154	GSKT PRE-CUT :PTFE,2 X 16IN	2.00	051	ST
608147	NIPPLE,PIPE:SZ 2IN,LG 4IN,GI,MNPT	10.00	051	ST
600462	GSKT PRE-CUT :PTFE	2.00	051	ST
589361	BATTERY:	1.00	011	ST
588355	BEARING,BALL:	1.00	081	ST1
805317	CONTACT:TYP CHARGING,AMP 2-3A	1.00	011	ST
592966	GSKT PRE-CUT :	1.00	051	ST
1022164	MODULE, POWER SUPPLY: INPUT 24-28.8VDC	3.00	031	ST
639387	SPRG-VLV:MTRL SWOSC-B,VLV SZ 3 X 4IN,P R	1.00	051	ST
339111	RELAY,OVERLOAD:2.5-4A,1NO-1NC,THERMAL	1.00	011	ST
602115	PACKING:V#6201E/PTFE CARBON FIBRE,SQUARE	2.00	051	ST
621018	CONTACTOR:TYP MAGNETIC,AMP 9A,3 POLE	3.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
490128	METER,ELECTRICAL:TYP VOLT,RNG 0-5KV	1.00	101	EA
1056657	IMPELLER, FAN: TYP EXTERNAL,MNFR:ABB	1.00	081	EA
590207	LIMITER:TYP OIL PRESSURE	1.00	031	ST
584588	SHOWER:TYP HEAD	1.00	121	ST
635692	O-RING:MT RUBBER	1.00	051	ST
979130	PLT-HEAT-EXCHNGR:SZ THK 0.4MM,MTRL SS AS	1.00	081	ST
601712	O-RIG	1.00	051	ST
604769	FUSE:4A,240VAC,OFFSET BLADE,FAST ACTING	20.00	021	ST
623651	BREAKER,CIRCUIT:30A,125/600VAC	2.00	011	ST
624170	GSKT:TYP COVER,P/N:SLP-L705-003,MNFR:ELL	1.00	051	ST
591977	BUSH,PUMP:CI ASTM A536,THROTTLE	1.00	081	ST
602468	PACKING:DIA 9MM,PTFE,ROUND	2.00	051	ST1
605442	SWITCH,PRESSURE:3-30BAR	2.00	061	ST
600288	GSKT,SPWD:IRID 800MM,OR OD 870MM,IRMT SS	2.00	051	ST
633096	RING, LANTERN: MATL SS 316, EQUIP MDL#:	1.00	081	ST
636942	GSKT SET:APLC WEAR	1.00	051	ST1
610653	MTR-ELCTRC;3/4HP,220VAC 50/60HZ,1750RPM	1.00	011	ST
583384	BLOCK,CONTACT:TYP CURRENT TEST BOX I	1.00	021	ST
991605	GSKT SET:APPL PRESSURE CONTROL VALVEIN,P	4.00	051	EA
618464	SPINDLE:MT SS ASTM A276 GR 304	1.00	101	ST
617981	RELAY,PROTECTION:RESTRICTED EARTH FAULT	1.00	031	ST
836330	O-RING:MT VITON	1.00	051	ST1
629190	SPRING,VALVE:AS JIS G4801 GR SUP10	1.00	051	ST
628016	PLUG,VALVE:VLV SZ 4IN,CONTROL	1.00	051	ST
599398	GSKT PRE-CUT :	197.00	051	ST
634601	P/N 244EH-I1	1.00	061	ST
802593	FILTER,AIR:WD 344 X LG 344 X THK 20MM	2.00	051	ST
800789	GSKT,SPWD:4IN,150LB,GRAPHITE,SS 316	1.00	051	ST
614848	RIG-WEAR:I DIA 116MM,MTRL AS ASTM A743 G	1.00	081	ST
628965	VALVE,BALL:VLV SZ 1IN,DES RTG 300LB	1.00	051	ST
905592	PLUG,VALVE:VLV SZ DN 50	1.00	051	EA
1628108	O-RIG;86MM,2.2MM,VITON;PN:OR0206	1.00	051	EA
626378	FILTER,ELEMENT:SS 304,STRAINER SCREEN	2.00	051	ST
1607588	PLUG-VLV:VLV STYL CONTROL,VLV SZ 6IN,MTR	2.00	051	EA
605690	SWITCH,SELECTOR:TYP VOLTMETER	1.00	021	ST
593314	GSKT PRE-CUT :	4.00	051	ST
616736	TRANSFORMER,INSTRUMENT:VA RT 1KVA	1.00	011	ST
595087	SEAL-RIG;62MM,70MM,10MM,RUBBER,STRIPPER	4.00	051	ST
1552609	CORD-EXTNSN;4M	6.00	061	EA
582846	THERMOMETER,DIAL:RNG 0-60DEG C	1.00	101	ST
634236	O-RING SET:	3.00	051	ST
612515	PIN:COUPLING	1.00	051	ST
1628962	BRKR-CRCUT;1A,240V,10 KA,1P,MINIATURE	1.00	051	EA
581493	MODULE:PHASE INVERTER	1.00	031	ST
1008101	GSKT, SPWD: NOMINAL FLANGE SIZE 1-1/2IN	1.00	051	EA
627246	PACKING:GRAFOIL	2.00	051	ST1
583620	CIRCUIT:TYP INPUT/OUTPUT,APPL GAS CHROMA	1.00	011	ST
624936	BLOCK,TERMINAL:ELEC TRT 15A	3.00	021	ST
1044903	LINK, FUSE: TYP FERRULE,AMPERAGE 160A	3.00	021	EA
581090	PLUG,TUBE:DIA 8MM,SS 316	2.00	051	ST
798960	SCREW,CAP:7/16IN DIA,4.75IN LG	16.00	051	ST
1038961	SWITCH, SELECTOR: CNTCT RT 690VAC 20A	1.00	021	EA
1618440	VLV-RLF:TYP THERMAL,DSGN RTNG 300 X 150L	1.00	051	EA
637079	ASSEMBLY:MISCELLANEOUS	2.00	081	ST1
949974	VALVE,CHECK:TYP SWING,VLV SZ 2IN	1.00	051	EA
605174	RELAY:CONTAR 3NO-1NC	1.00	021	ST
940808	ASSEMBLY: TYP BOLT,P/N:1-062-001174	4.00	081	EA
594176	O-RIG;9.8MM,2.4MM	2.00	051	ST
588987	WINDOW:TYP CROSS,SZ DIA 62 X 10MM	2.00	131	ST
605915	CIRCUIT:TYP CB FAULT SIGNALLING	2.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
616667	RESISTOR,VARIABLE:CONN SOLDER BLADE	1.00	031	ST
596932	SEAT,VALVE:CONTROL	6.00	051	ST
512389	PLUG,TUBE:DIA 11.4 X 15.4MM,COPPER,LG	10.00	051	EA
615029	DISC-VLV;SAFETY AND BUTTERFLY	1.00	051	ST
594536	THROWER:TYP RING,STEEL	1.00	081	ST
642495	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
594636	RIG-RTNG;ID 322 X OD 360 X WD 20MM,STEEL	2.00	051	ST
928425	CONTACTOR: TYP MAGNETIC,AMPERAGE 150A	1.00	011	EA
595105	SEAL:SZ ID 34 X OD 43 X THK 3MM,MT STEEL	5.00	051	ST
603153	SEAL:PIN JOINT-SM	2.00	051	ST
589384	BREAKER,CIRCUIT:15A,415VAC	1.00	011	ST
602250	PACKING:	1.00	051	ST1
160152	FUSE:700MA,250V,FERRULE,SLOW BLOW	2.00	061	EA
848789	BREATHER:CONN FPT	1.00	081	EA
644772	GSKT PRE-CUT :ID 550 X OD 582 X THK 3MM	2.00	051	ST
9101724	COLLAR, SCARPER, 27 MM ID X 53 MM OD X 7	18.00	051	ST
923445	O-RIG;15.5MM,2MM,PTFE,PHOSPHATE DOSING	1.00	051	EA
602586	RING,WEAR:SS JIS G4305 GR 420J1	1.00	900	ST
582117	IMPELLER:MT CI GR GG-20	1.00	081	ST
594741	SEAL,RING:ID 65MM,OD 108MM,THK 13.5MM,M	2.00	051	ST
625439	SWTCH-DSCNCT;690VAC 32A 50/60HZ,RAIL	2.00	011	ST
604296	CONTACTOR:AMP 80,3 POLE,600VAC	1.00	011	ST
1560330	VALVE,GLOBE:VALVE SIZE NPS 2-1/2IN,DSGN	1.00	051	EA
917838	PLAT,MTL:SZ SQ 200 X THK 16MM	26.00	131	EA
584270	KEY,SHAFT:TYP PARALLEL EXTENSION	2.00	051	ST
582399	CONVERTER,SIGNAL:O/P 4-20MA	1.00	061	ST
642438	SPRING,VALVE:FED STEEL	1.00	051	ST
9102243	SLEEVE,SPRING,808'6576'01 (TO BE DELETED	4.00	051	ST
1224128	RING,WEAR:INSIDE DIAMETER 142MM,MATL AST	2.00	081	EA
629537	GSKT:SS 316	2.00	051	ST
587540	KIT,PUMP REPAIR:APLC MECHANICAL SEAL	2.00	081	ST
799763	FLG;THERMOCOUPLE,SS	1.00	051	ST
629148	ASSEMBLY:BELLOWS	1.00	081	ST1
495197	TRANSDUCER:TYP CURRENT	1.00	051	EA
633019	SET:TYP BOLT AND NUT,APLC TACKE COUPLING	1.00	051	ST1
625523	BREAKER,CIRCUIT:2A,400VAC,INTP CAP 6KA	2.00	011	ST
601219	GSKT PRE-CUT :GRAPHITE,4IN	2.00	051	ST
602092	PACKING:CARBON	2.00	051	ST
35398	RELAY,TIME DELAY:0.1-30SEC ON PNEUMATIC	1.00	081	EA
598853	GEAR:TYP WHEEL	1.00	081	ST
1042816	O RING:INSIDE DIAMETER 270MM,WIDTH 5.7MM	2.00	051	EA
597093	SPRING,VALVE:MATL SS,OVERALL LENGTH 16MM	1.00	051	ST
1080635	BRG, PLAIN : INSIDE DIAMETER 22MM	1.00	051	EA
1081691	O-RING: INSIDE DIAMETER 90MM,WIDTH 5MM	1.00	051	EA
585809	VALVE,CHECK:TYP BALL,VLV SZ 3/4IN	4.00	051	ST
585822	KIT-VLV-RPR:TYP SOFT PARTS,APL WAFER CHE	1.00	051	ST1
592384	GSKT PRE-CUT :ID 61 X OD 108 X THK 2MM	1.00	051	ST1
1061322	MDUL-PWR-SUPPLY:O/P 28-35V DC,IN 4-20MA,T	1.00	031	EA
627209	PACKING:GARLOCK EVSP,TYP GLAND	2.00	051	ST1
603126	SEAL,RING:MT PTFE GLASS FILLED	3.00	051	ST
610332	COMPOUND:TYP THREAD	1.00	001	BOT
584055	TUBE,METERING:APLC LEVEL CONTROLLER	2.00	051	ST
1089733	KIT, SEAL: TYP SPARE REPAIR	1.00	051	KIT
582155	LUBRICNT:TYP LANTERN	1.00	001	ST1
594412	RING:ID 28 X OD 39.5 X THK 5MM,SS	1.00	051	ST
1033584	PIN,SHEAR:SHAFT DIAMETER 12.7MM,LENGTH 2	3.00	051	EA
606576	PIN:CYLINDRICAL	1.00	051	ST
1079023	MONITOR: TYP PROXIMITOR MONITOR	1.00	061	EA
627259	PACKING:GRAPHITE,TYP GLAND	2.00	051	ST1
636951	O-RING:	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
642979	GSKT PRE-CUT :PTFE,COVER,DN 200	2.00	051	ST
582821	THERMOMETER,DIAL:RNG 0-300DEG C	1.00	101	ST
100690	BRG,THRUST:BALL,ID 15MM,OD 40MM,WD 26MM	4.00	051	ST
744871	CIRCUIT:	1.00	051	EA
593111	GSKT-PRE-CUT;ID 33 X OD 44 X THK 2MM	45.00	051	ST
614903	RING,WEAR:APLC CASING	1.00	081	ST
580748	BLOCK,PILLOW:TYP BEARING COVER	1.00	051	ST
1223824	FILTER,ELECTRONIC:FREQUENCY 50/60HZ,ELEC	1.00	031	EA
590706	SWITCH:CONTRT 24V 5A	1.00	051	ST
1024126	DISC, RUPTURE: SIZE 4IN,P/N:RLS	1.00	051	EA
1048852	BOLT, MACH: DIAMETER 1IN,LENGTH 70MM	25.00	051	ST1
608901	GLASS:TYP DISPLAY,SZ DIA 100MM	15.00	121	ST
602118	PACKING:PTFE CARBON/V#6399 H/R,SQUARE	3.00	051	ST
737646	BAFFLE:TYP OIL	2.00	081	ST
1084556	RING,WEAR:INSIDE DIAMETER 310MM,MATL A27	1.00	081	EA
585519	STEM,VALVE:VLV ST MANUAL CONTROL ANGLE	1.00	051	ST
641382	MDUL:PWR SURC 24V DC,APL MOTOR OPERATED	1.00	031	ST
624877	DIODE:VOLT 900V,AMP 1000A	2.00	031	ST
1007716	GAUGE, DIFFERENTIAL PRESSURE: MOUNT	1.00	061	EA
604874	FUSE;FAST ACTING,2A,440/550V AC,CERAMIC	10.00	021	ST
1035280	MONITOR: TYP SINGLE POINT	1.00	061	EA
683316	TRANSISTOR:	1.00	051	EA
9102144	VALVE (TO BE DELETED REF.ROSE 1436)	2.00	051	ST
589950	FUSE:4A,DIA 14 X LG 51MM	6.00	021	ST
643123	GSKT,SPWD:3/4IN,GRAPHITE,SS 316	2.00	051	ST
643291	SWITCH,PRESSURE:SPDT,FNPT 1/2IN,IP65	1.00	061	ST
9101843	REPAIR KIT	2.00	051	ST
616375	BREAKER,CIRCUIT:63A,380VAC,POLE 4	1.00	011	ST
725275	ASSEMBLY:TYP SEAT RING RETAINER; BUSHING	1.00	081	EA
599717	GSKT, SPWD: NOMINAL FLANGE SIZE 34IN	1.00	051	ST
598285	BEARING:	1.00	051	ST
973003	VALVE, SOLENOID: STYL 3-WAY,OPERATION NC	1.00	051	EA
626410	BLOCK,CONTACT:CONTAR 1NO + 1NC	5.00	021	ST
583913	SWITCH, PRESSURE: RANGE 0-10BAR	3.00	061	ST
603411	WIRE:SZ DIA 1.5MM,GI,STRUCT SINGLE SOLID	2.00	021	KG
605415	SWITCH,PRESSURE:0.9-7BAR	1.00	061	ST
581488	MODULE,POWER SUPPLY:	2.00	021	ST
591069	RELAY,TIME DELAY:0.6SEC-60HR ON DELAY	2.00	011	ST
643659	BRG,ROLL:ID 30MM,OD 35MM,WD 17MM,TYP	1.00	051	ST
613273	SWITCH,PRESSURE:0.5-350MBAR	1.00	061	ST
510728	KEY-SHFT:APL WHEEL,P/N:2110018306,MNFR:D	1.00	051	ST
585284	SEAT,VALVE:VLV SZ 2IN,BALL,PTFE	2.00	051	ST
606665	SCREW,CAP:6MM DIA,12MM LG,HEX SOCKET,THD	16.00	051	ST
9101817	BEARING CPR02B60 EX & GR	2.00	051	SE
606281	NUT,HEX:DIA M16,STEEL,HT 13MM,THD 2MM	4.00	051	ST
620397	KIT,VALVE REPAIR:PRESSURE RELIEF VALVE	2.00	051	ST
614854	SEAL, LABYRINTH: P/N:4G060B294AX22209	1.00	051	ST
611328	FLTR;GLASS MICRO FIBRE,1.2,DIA 55MM	4.00	051	BX
579556	THERMOMETER,DIAL:	1.00	101	ST
628592	COLLAR:TYP THRUST,MT AS ASTM A744	2.00	051	ST
930485	SCRAPER SUPERSEDED BY 7276461	3.00	101	EA
596780	FILTER:TYP RETURN	2.00	051	ST
580722	COVER:	2.00	051	ST
642949	PACKING:NON ASBESTOS,TYP STUFFING BOX	6.00	051	ST1
1003989	METER, FLOW: TYP SQUARE EDGE ORIFICE	1.00	101	EA
589286	SLEEVE:SS 316L; A167-77	2.00	051	ST
634134	GSKT PRE-CUT :VF-35E NON-ASBESTOS	4.00	051	ST
643627	PACKING:U	2.00	051	ST
627182	GSKT,SPWD:GRAPHITE,SS 316L,SHP ROUND	2.00	051	ST
603164	SEAL,MECHANICAL:TYP T59U QRISI/BP,P/N:M4	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1003917	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
596684	FILTER,ELEMENT:	1.00	051	ST
589899	FUSE:125A	3.00	021	ST
832362	CABLE,COMMUNICATIONS:	2.00	031	ST
614889	CRTRDG;MECHANICAL SEAL	2.00	051	ST
597587	VALVE,CHECK:	1.00	051	ST
921518	WIRE,WELDING:TYP FILLER,STYL ER-347SI,MA	55.00	051	KG
595923	METER,ELECTRICAL SERVICE:	4.00	061	ST
603638	CLIP;MINIATURE PROBE	15.00	051	ST
617856	COMPENSATOR:	2.00	051	ST
622758	GSKT:INNER DE	3.00	051	ST
188469	RING,RETAINING:SPRING STEEL	1.00	051	ST
594732	RIG;FLOWING	1.00	051	ST
578074	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG O RING	1.00	051	ST1
999337	DISC: TYP TOP,P/N:522976 02, EQUIP	1.00	051	ST
604102	BREAKER,CIRCUIT:20-25A,230-690VAC	1.00	011	ST
586220	BRG,THRUST:OD 9.5MM,1 PIECE,MT CARBON	2.00	051	ST
592882	GSKT,SPWD:300LB,GRAPHITE,SS,SHP ROUND	2.00	051	ST
731936	BOX-ELECT;3 X 4IN,RECTANGULAR	1.00	021	EA
502445	ADAPTOR,TUBE TO PIPE:T SZ 12MM	18.00	051	EA
905590	PLUG,VALVE:VLV SZ DN 50	1.00	051	EA
383659	BREAKER,CIRCUIT:MOTOR PROTECTION	1.00	021	ST
888668	SWITCH:TYP TORQUE	2.00	051	EA
591148	DIODE:TYP SILICON	2.00	031	ST
900193	FAN:TYP VENTILATION	1.00	081	EA
641967	SPINDLE:TYP PILOT SAFETY VALVE,MT SS 403	1.00	101	ST
616648	TRANSFORMER,INSTRUMENT:VOLT R 640VAC	2.00	011	ST
578601	LGHT-INDCTG;VISUAL XENON BEACON	5.00	021	ST
604256	CONTACT,AUXILIARY:VOLT 440V,AMP 16A	3.00	011	ST
584782	DIAPHRAGM:TYP PUMP,MATL PTFE,P/N:D02A,MN	1.00	051	ST
631193	DIAPHRAGM,VALVE:	2.00	051	ST
600050	GSKT,SPWD:GRAFOIL,IRID 540MM,SS 316	1.00	051	ST
587421	KIT-VLV-RPR:APL BALL (SIZE:1/2 IN; MATER	2.00	051	ST
624168	SEAL,OIL:	3.00	051	ST
592486	GSKT:ID 76 X OD 105MM,THK 12MM,ROUND,AL	1.00	051	ST
580878	PLT;BASE	1.00	131	ST
599000	MOTOR:TYP STEPPER	1.00	011	ST
643194	NUT:ADJUSTING	1.00	051	ST
593593	GSKT;5MM,WD 20 X LG 1700MM,FOAM	2.00	051	ST
592605	GSKT;THK 4.3MM,EPDM,IRREGULAR,VESSEL	6.00	051	ST
594325	PCKG;ID 16 X OD 22.5 X THK 4.5MM,PTFE	1.00	051	ST1
1023598	TRANSFORMER, INSTRUMENT: VA RATING 7.5	2.00	011	EA
922021	CABLE: TYP HIGH TENSION/TEMPERATURE	1.00	021	EA
612015	ELECTRODE:TYP TRIODE	2.00	051	ST
452392	REDUCER, HOSE: SIZE 2-1/2 X 1-1/2IN	32.00	051	EA
1043977	VALVE, SOLENOID: ELEC RT 250VAC 1A	1.00	051	EA
590918	TRANSFORMER,INSTRUMENT:TYP CURRENT	1.00	011	ST
644405	BOLT,UPSET:M16,95MM,GS,THD 2MM	1.00	051	ST
636626	BUSH:SS 403	1.00	051	ST
597036	SPRING,COMPRESSION:	2.00	051	ST
941546	PCKG:P/N:10C2080X012,MNFR:EMERSON - FISH	5.00	061	ST1
579957	LAMP,HID:TYP SINGLE FILAMENT HALOGEN H3	2.00	021	ST
606519	PIN:CATCH	2.00	051	ST
642413	CONE:	1.00	051	ST
608459	GUIDE,VALVE:VLV ST LOWER STEAM	2.00	051	ST
930399	BUSHING:	2.00	051	ST
587625	KIT,VALVE REPAIR:HI-SEAL	1.00	051	KIT
1245688	NUT:DIAMETER 136MM,MATL A276 TYPE 420,TY	1.00	051	EA
590792	SWITCH,SELECTOR:TYP CAM	2.00	021	ST
68168	TUBING:TYP BELLOWS,LG 0.3M	3.00	051	FT

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
702507	PIN:VALVE LIFTING	1.00	051	EA
614993	DISC-VLV;V4A,300MM,SAFETY AND BUTTERFLY	1.00	051	ST
594322	PACKING:ID 90 X OD 110 X THK 10MM	8.00	051	ST
910308	KIT-CYLNDR-RPR;O-RING; GASKET	2.00	091	ST
1001728	TRANSFORMER, INSTRUMENT: TYP CURRENT	1.00	011	EA
978094	FLUID: TYP COOLING,P/N:1111-004-000	3.00	001	EA
607031	WASHER,FLAT:NOM SZ 15MM,SS,ID 16MM,THK	1.00	051	ST
599548	GSKT,SPWD:FILLER THICKNESS 4.5MM,FILLER	2.00	051	ST
15624	STUD-CNTNUS-THRD:TYP BOLT,DIA 7/8IN,THRD	12.00	051	ST
900654	CONVERTER, FREQUENCY: TYP VECTOR CONTROL	1.00	031	EA
631233	SWITCH,LEVEL:	2.00	061	ST
606636	SCREW,CAP:M16 DIA,40MM LG,MT STEEL	16.00	051	ST
634076	GSKT:PLUG,STEEL	1.00	051	ST
578463	KIT;HOSE AND FITTINGS	1.00	081	ST1
930372	KEY, SHAFT: TYPE FEATHER,04 / 46668 / A	1.00	051	ST
592444	GSKT PRE-CUT :ID 29 X OD 32 X THK 1.5MM	4.00	051	ST
586722	FIXTURE,HID LIGHTING:	1.00	021	ST
584385	GAUGE, PRESSURE: RANGE 0-1.6BAR	2.00	101	ST
598947	MOTOR,ELECTRIC:1.1KW,230/400VAC	2.00	900	ST
607838	INSERT:CARBIDE	30.00	051	ST
596374	GLAND:SZ ID 27 X OD 33MM	1.00	051	ST
601266	O RING:MATL FKM,APPL SHAFT SLEEVE,P/N:02	6.00	051	ST
630889	FUSE:0.75A,24VDC	5.00	021	ST
630943	DETECTOR:TYP TEMPERATURE	1.00	101	ST
775635	O -RING:ID 253.59MM,WD 3.53MM,MT VITON	2.00	051	ST
594939	RING:TYP HOLDING	2.00	051	ST
991612	PLUG, VALVE: PLUG DIMENSION DIA 3/8IN	1.00	051	EA
611922	BREAKER,CIRCUIT:1-1.6A,200/690VAC	2.00	011	ST
930023	KIT, VALVE REPAIR: TYP REPLACEMENT	1.00	051	EA
614217	VALVE:TYP TRIP	1.00	900	ST
589158	COUPLER: TYP CONNECTOR FEMALE	1.00	051	ST
511518	O-RING:ID 59MM,WD 3MM,MT FKM	2.00	051	ST
177415	FORM: TYPE GENERAL SERVICES REQUEST	76.00	141	PD
597208	SPRING:SZ 0.2 X 3 X 6 X 5MM	4.00	051	ST
731532	GSKT:	2.00	051	ST
617285	RELAY:DPDT,CONT 250VAC 10A,2NO-2NC	123.00	011	ST
44703	TEE,PIPE:SZ 2IN,BW,CS ASTM A234,RT SCH	5.00	051	EA
1217220	MODULE:TYP MARSHALLING TERMINATION,INPUT	1.00	031	EA
851097	PLUG,VALVE:VLV SZ 2IN,GLOBE,SS 420 HT	1.00	051	EA
1000690	KIT, PUMP REPAIR: TYP O-RING KIT	2.00	081	KIT
581912	TUBE,CAPILLARY:SZ ID 4 X OD 6 X THK 1MM	60.00	131	M
609629	RING:	4.00	051	ST
590145	FUSE:	4.00	021	ST
582331	CONTROLLER:TYP TEMPERATURE	1.00	011	ST
789680	INSERT:TYP TRANSMISSION UNIT,P/N:8176667	1.00	051	EA
911628	SWTCH-PUSH;DIA 40.5 X LG 78MM,RED,RAISED	1.00	021	EA
600610	GSKT PRE-CUT :ROUND	2.00	051	ST
1570317	RIG-WEAR:MTRL SS ASTM A276 TP 420/SS JIS	1.00	051	ST
738162	SCREW,CAP:SOCKET HEAD	1.00	051	ST1
580024	LAMP-INCNDS CNT;FILAMENT,60W,240V AC	2.00	021	ST
634354	VALVE, SOLENOID: COIL 24VDC	4.00	051	ST
619791	SHIM:	1.00	051	ST1
641808	MODULE:SWITCH AMPLIFIER,I/P 8VDC	1.00	031	ST
611200	VARISTOR:	3.00	031	ST
597609	VALVE,BALL:VALVE SIZE 3/8IN,DSGN RT 103B	2.00	051	ST
593441	GSKT PRE-CUT :THK 2MM,NEOPRENE RUBBER	4.00	051	ST
580964	PLUG,VALVE:VLV SZ DN 25,SS	1.00	051	ST
672498	BEARING:TYP BUSH	1.00	051	EA
596591	DISC:200MM,ASBESTOS,CLUTCH	1.00	051	ST
615091	CLR;DIA 10 IN X THK 2MM,SS DIN WN 1.4541	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1029721	PACKING: SIZE 10IN,SHAP ROUND	1.00	051	EA
579761	CLNR;ANTI-GLARE SCREEN,CAN 250ML	8.00	001	CA
850819	PLUG,VALVE:VLV SZ 1IN,GLOBE,SS 316	1.00	051	EA
588030	KIT,VALVE REPAIR:	1.00	051	ST1
607893	INSERT:CARBIDE	12.00	051	ST
637956	BALL,VALVE:VLV SZ 4IN,MT SS ASTM A479 U	1.00	051	ST
585816	VALVE,NEEDLE:VLV SZ 1/4IN	1.00	051	ST
615838	GSKT:SUPPLY HEADER	1.00	051	ST
589502	BREAKER,CIRCUIT:10A	1.00	011	ST
614847	RIG-WEAR:I DIA 172MM,MTRL AS ASTM A743 G	1.00	081	ST
599054	PULLEY:TYP MOTOR,SZ ID 60 X OD 233 X THK	1.00	051	ST
1602382	FLG-PIPE:TYP RAISED FACE,SZ 12IN,MTRL CS	2.00	131	EA
1022969	UNIT: TYP DIGITAL INPUT,P/N:E2071669	1.00	051	EA
587333	KIT:	1.00	051	ST
1586717	KIT-VLV-RPR:TYP SOFT WEAR,CMPRSNG O RING	1.00	051	KIT
615929	RING,RETAINING:	1.00	051	ST
624315	BUSH:LOWER,STEAM TURBINE	1.00	051	ST
1540422	RELAY:COIL V 110-240V,ACTION SPDT,CNTCT	1.00	011	EA
614256	STUD CNTNS THD:DIA 1-5/8IN,LG 270MM,MTRL	8.00	051	ST
581840	PIPE:SZ 3IN,LG 6000MM,SCHD 40	4.00	131	ST
642615	PLUG:	2.00	051	ST
641168	SEAL,OIL:	2.00	051	ST
634739	KIT-ACTUTR-RPR:TYP KIT,ACTUATOR REPAIR,C	1.00	061	ST
1618596	GUZ:TYP PACKING RETAINING,CML SZ OD 5MM	3.00	051	PKG
1032472	STUD CNTNS THD:TYP BOLT,DIA 1-1/2IN,THRD	15.00	051	ST1
862980	SEAL,OIL:TYP INBOARD,P/N:BZV-AY58293A,MN	1.00	051	EA
1233973	KIT,VALVE REPAIR:APPL BALL VALVE,TYP STA	1.00	051	KIT
639687	RING:	1.00	051	ST
596934	SEAT-VLV;65MM,65MM,(84 X 94)MM,33MM	1.00	051	ST
586845	SPROCKET:	1.00	051	ST1
593150	GSKT PRE-CUT :ID 77 X OD 91 X THK 2MM	30.00	051	ST
8632	STUD CNTNS THD:TYP BOLT,DIA 7/8IN,THRD 9	45.00	051	ST1
589422	BREAKER,CIRCUIT:1A,POLE 2	1.00	011	ST
616730	METER,ELECTRICAL:	1.00	101	ST
967777	REGULATOR: TYP LOW FLOW CHANGEOVER	2.00	061	EA
619682	COUPLING,SHAFT,HALF:JAW FLEXIBLE,FC250	2.00	051	ST
585123	FILTER,AIR:TYP FAN	7.00	051	ST
638025	BAL-VLV;SS ASTM A479 UNS S31803	1.00	051	ST
607895	INSERT:CARBIDE	12.00	051	ST
1618654	SEAT-VLV:VLV TYP GLOBE,VLV SZ 3IN,MTRL S	1.00	051	EA
614676	SLEEVE:TYP BEARING	1.00	051	ST
607480	CAP;RADIATOR,DIA 60MM,STEEL	1.00	051	ST
631666	THERMOMETER:RNG 0-300DEG C,CONN G 1/2IN	2.00	061	ST
643106	PACKING:GRAPHITE,TYP GLOBE VALVE	18.00	051	ST1
587903	KIT,VALVE REPAIR:GASKET AND PACKING	1.00	051	KIT
951823	RING:APLC NITROGEN TRANSFER PUMPS	2.00	051	ST
1570450	COLUMN-ANLYS:TYP CAPILLARY COLUMN,SZ 30M	1.00	900	EA
589495	BREAKER,CIRCUIT:AMPERAGE 16A,INTERRUPT C	2.00	011	ST
124270	O-RING:ID 117.07MM,WD 3.53MM,MT VITON	2.00	051	EA
858063	ASSEMBLY: TYP MEMBRANE,APPL COUPLING	2.00	081	SE
643672	BRG,ROLL:	1.00	051	ST
634040	DISPLACER:TYP LEVEL,SZ LG 2438MM	1.00	061	ST
623534	DEVICE:TYP PROTECTION	1.00	900	ST
627204	PACKING:GRAPHITE,ROUND,TYP SEALING RING	1.00	051	ST
641688	TRANSFORMER,INSTRUMENT:VA RT 10	1.00	011	ST
631109	BARRIER:	2.00	121	ST
602509	RING,WEAR:SS ASTM A473 TP 420	2.00	081	ST
643050	PACKING:GRAPHITE,TYP GATE VALVE	2.00	051	ST1
643069	PACKING:GRAPHITE,TYP GATE VALVE	2.00	051	ST1
742331	BALL,VALVE:VLV SZ 4 X 6 IN	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
786678	KIT,CYLINDER REPAIR:	1.00	091	KIT
642767	RING:PTFE/TFM 4220,TYP ANTISTATIC	8.00	051	ST
412784	O-RIG;24MM,3MM,NITROGEN COMPRESSOR	1.00	051	EA
644619	THERMOWELL:TYP SCREWED,STRAIGHT,13IN,13	1.00	061	ST
1192710	STEM, VALVE: , VLV STYL GLOBE	1.00	051	EA
606616	SCREW,CAP:M6 DIA,12MM LG,MT SS,HEX	5.00	051	ST
629871	STUD,D/END:DIA-A M10,DIA-B M10,LG 40MM	1.00	051	ST
602166	PACKING:P#4519M	8.00	051	ST
622888	WINDOW SUPERSEDED BY 7276464	1.00	131	ST
1545240	KIT-VLV-RPR;8 IN GLOBE,22.47BAR G	1.00	051	KIT
932955	GUIDE,VALVE:VLV ST GOVERNOR	8.00	051	ST
581508	MODULE:	1.00	031	ST
597165	SPRING:TYP TENSION,SZ DIA 29 X LG 253MM	4.00	051	ST
580882	PLATE:TYP END II	1.00	131	ST
599873	GSKT,SPWD:1IN,PTFE,UNS S31603	2.00	051	ST
593464	GSKT:ROUND	2.00	051	ST
596408	BREATHER:	1.00	081	ST
9102175	BEARING,CLUTCH RELEASE # 31230-35070	2.00	051	EA
1078791	BUSHING: TYP SHAFT,P/N:11316779	1.00	051	EA
589399	BREAKER,CIRCUIT:30A,110/250VDC	1.00	011	ST
1580316	SEAT-VLV:TYP RING,VLV TYP GLOBE,VLV SZ 6	1.00	051	EA
587766	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	KIT
1540468	RELAY:COIL V 110-240V,ACTION SPDT,CNTCT	1.00	011	EA
643204	STEM:	1.00	051	ST
622730	GSKT:OUTSIDE NDE	3.00	051	ST
616718	DEVICE:TYP THERMOSTAT	2.00	081	ST
580033	LAMP-QURTZ;80W,PAR 38,E 27	2.00	021	ST
761122	WASHER,LOCK:SZ 30MM,INSIDE DIAMETER 30MM	10.00	051	ST
590308	RELAY:	6.00	011	ST
1581978	MCHNSM:TYP TRIP,APL TURBINE,DOC:ET SERIE	1.00	051	EA
1599039	FLG-PIPE:TYP RAISED FACE,SZ 8IN,MTRL CS	8.00	131	EA
585212	FLOAT:TYP MAGNETIC LEVEL GAUGE	1.00	061	ST
635722	BUSH:	2.00	051	ST
615311	SEAL,RING:TYP GLAND	1.00	051	ST1
642709	SEAL:GFK/PTFE,STEM	8.00	051	ST
889879	SWITCH,PRESSURE:0.55-2.8BAR	1.00	061	EA
608946	DISH:TYP PETRI PYREX,SZ OD 9CM	1.00	141	ST
584195	CIRCUIT:TYP ROD AMPLIFIER	1.00	031	ST
117630	RTD:TYP PT100,100OHM	8.00	051	EA
590457	RELAY:COIL 24VDC,CONT 120VAC	1.00	011	ST
643731	BUSH:HEAVY DUTY LATHE MACHINE	2.00	051	ST
640841	RESISTOR:50OHM,RT 210W	2.00	031	ST
641938	HOLDER:TYP DISC,MT SS ASTM A276 GR 316	1.00	051	ST
1038022	VALVE, RELIEF: VALVE SIZE 2IN,TRIM SS	2.00	051	EA
619337	TOOL:TYP CRIMPING,SZ 6MM2	1.00	101	ST
579847	HOOK:TYP COUNTER,SZ WD 31 X LG 38MM	1.00	091	ST
586930	VALVE,CHECK:TYP BALL	6.00	051	ST
1046289	VALVE, RELIEF: TYP SAFETY; CONVENTIONAL	2.00	051	EA
1193120	SEAT, VALVE: , TYP RING	1.00	051	EA
931251	NUT,HEX:DIA 1-1/8IN,AS ASTM A194,GR 2H	2.00	051	ST
644560	GSKT PRE-CUT :ID 240 X OD 260 X THK 3MM	2.00	051	ST
580896	PLATE:TYP SNUBBER	1.00	011	ST
644515	TEE,PIPE:SZ DIA 40 X 40 X 25MM,SS	1.00	051	ST
623970	THERMOSTAT:	2.00	081	ST
621019	RELAY,PROTECTION:	1.00	031	ST
957555	GSKT: TYP BODY JOINT,P/N:245/022JK	1.00	091	ST
586853	IDLER,SLOTTED:TYP TROUGH,ROLL DIA 102MM	1.00	091	ST
568748	PLUG,VALVE:VLV SZ 1IN,SINGLE SEAT GLOBE	1.00	051	EA
582878	DISPLAY UNIT,DATA:TYP ELECTRONIC MODULE	1.00	141	ST
596656	FLTR-ELMNT;ID 12.5 X OD 15.5 X HT 25MM	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
738117	O-RING:APLC LPG METERING- ARAMCO	2.00	051	ST
642978	PACKING:ALCHEM,TYP STUFFING BOX	2.00	051	ST1
602367	PACKING:PTFE,SQUARE	2.00	051	ST1
627619	ISOLATOR,ELECTRICAL:	2.00	011	ST
601462	O-RING:APLC MONITOR	2.00	051	ST
1054290	DIODE: TYP DROPPING,SUPPL:SETZERMANN	1.00	031	EA
612036	SWITCH,DISCONNECT:250A,TYP MAIN,3PST	1.00	011	ST
596753	FILTER:SZ ID 10 X OD 15 X LG 55MM	9.00	051	ST
599440	GSKT,SPWD:PTFE,SS 316,APLC CASING	5.00	051	ST
731139	DISC:	1.00	051	ST
907764	TERMINATOR,CABLE:TYP V-NET 10BASE-2	1.00	021	EA
578120	KIT-PUMP-RPR:TYP SOFT PARTS,CMPRSNG GASK	1.00	081	ST
637206	KIT:	1.00	021	KIT
634985	TAPE:TYP PLAIN GLASS FIXING	1.00	001	ROL
989930	RELAY: COIL V 24VDC,TYP INTERFACE	1.00	011	EA
642677	PACKING:	1.00	051	ST1
634753	HEATER:TYP LONG LINE	60.00	001	M
579251	GUG-PRSUR;0-2760KPA; 0-400PSIG,1-1/4IN	10.00	101	ST
637061	NUT,HEX:DIA 1/2IN,AS ASTM A194,GR 2H,THD	1.00	051	ST1
604527	FUSE:355A,1000VAC,CURRENT LIMITING	2.00	021	ST
618067	BOX,ELECTRICAL:TYP CABLE ENTRY	2.00	021	ST
620825	PLATE:TYP SEAL,APLC ELECTRIC MOTOR	2.00	081	ST
577968	GSKT SET:	1.00	051	ST1
586925	MEMBRANE:TYP COUPLING	2.00	051	ST1
609866	MOTOR,ELECTRIC:	1.00	011	ST
618387	SOCKET,ELECTRICAL:TYP MOTOR PLUG	2.00	021	ST
589751	CONTACTOR:TYP BACK UP	2.00	011	ST
592331	TOOL SUPERSEDED BY 7276597	2.00	101	ST
1003988	PLATE: TYP ORIFICE,SIZE 6IN,MATL SS 316	1.00	131	EA
1022535	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
592270	ELBOW:SZ 5/16IN,TYP MALE	3.00	051	ST
653221	GSKT,SPWD:SPIRAL	2.00	051	EA
1200927	MODULE, COMMUNICATION: I/P 10-30VAC/DC	1.00	031	EA
593412	GSKT PRE-CUT :ID 410 X OD 650 X THK 2MM	1.00	051	ST
799090	BLOCK,CONTACT:TYP MOVING AUXILIARY	2.00	021	ST
596851	FLOAT:TYP MAGNETIC	1.00	061	ST
804323	KIT,SEAL:TYP PACKING	1.00	051	ST
631537	O-RING:MT RUBBER,APLC ACTUATOR	1.00	051	ST
568614	BUSHING:TYP SEAL,MT C95400	2.00	051	EA
612344	GSKT PRE-CUT :THK 3MM,RUBBER,FF,DN 15	8.00	051	ST
594428	RIG;ANTISTATIC,PTFE	1.00	051	ST
587784	KIT,VALVE REPAIR:SEAL	1.00	051	KIT
254959	CIRCUIT:TYP (16) WAY DIGITAL OUTPUT	1.00	011	EA
587505	KIT-VLV-RPR:TYP SOFT PART,APL WAFER CHEC	1.00	051	ST
723734	RETAINER:TYP PRESSURE RELIEF VALVE	1.00	051	ST
582953	BEAKER,LABORATORY:TYP GRADUATED,600ML	25.00	071	ST
599496	GSKT PRE-CUT :MATL V#6500,DOC:P-9576 C	1.00	051	ST
602539	RING:MT CARBON	1.00	051	ST1
1233463	VALVE,CHECK:TYP BALL-LIFT,VALVE SIZE 1IN	2.00	051	EA
618542	NUT:	1.00	051	ST
600725	GSKT,SPWD:12IN,600LB,GRAPHITE	4.00	051	ST
593933	O-RIG;21.95MM,1.78MM,SILICONE	2.00	051	ST
590916	TRANSFORMER,INSTRUMENT:VA RT 5VA	1.00	011	ST
807000	MOTOR,GEARED:PWR RT 110VDC,ELEC RT 110VD	2.00	011	EA
625513	BREAKER,CIRCUIT:3A,400VAC,INTP CAP 6KA	2.00	011	ST
609822	VALVE,SOLENOID:DESRT 35 BAR; 500 PSIG	2.00	051	ST
600395	GSKT,SPWD:SHP RECTANGULAR	2.00	051	ST
588024	KIT, VALVE REPAIR: TYP SOFT SPARES	1.00	051	ST1
579552	THERMOMETER,DIAL:	1.00	101	ST
590342	TIMER:OPER OFF DELAY,SUPP 220VAC 60HZ,R	2.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
716719	DISC,VALVE:PRESSURE RELIEF	3.00	051	EA
583077	LIGHT,INDICATING:TYP PILOT,VOLT 220/6V	4.00	021	ST
594338	PCKG;ID 16 X OD 26 X THK 10MM,GRAPHITE	2.00	051	ST
585272	FILTER,ELEMENT:SS 316	2.00	051	ST
805623	BLCK-TRMNL;600V 60A,SCREW CLAMP,8AWG	10.00	021	ST
615855	CUPLG-SHFT;JAW,84MM,110MM,CS	2.00	051	ST
930370	PIN, DOWEL: MNFR:NEUMAN & ESSER GROUP	2.00	051	ST
587692	KIT;SOFT PARTS	2.00	081	KIT
1000710	HOLDER, FUSE: FUSE STYLE CYLINDRICAL	10.00	021	EA
901123	TRANSFORMER:TYP STEP DOWN,VA RT 1KVA	1.00	011	EA
604904	FUSE:4A,240V,SEMI DELAY	1.00	021	ST
629865	TIMER:OPER ON DELAY,RNG 0.05S-300HR	1.00	011	ST
641392	MODULE:ELECTRONIC CHASIS ASSEMBLY	1.00	031	ST
1602785	VLV:TYP REPLACEMENT,VLV SZ 1/16IN,DSGN R	1.00	051	EA
586987	KIT-VLV-RPR:TYP SPARE,APL CONTROL (RATIN	1.00	051	ST
264734	RELAY,OVERLOAD:0.63-1A,1NO-1NC	2.00	011	EA
1604682	PIPE-MTLC:NMNL P SZ DSGNTN 10IN,SCHDUL 2	1.00	131	EA
635208	NUT,WING:DIA M8,SS DIN WN 1.4301	1.00	051	ST1
584169	SWITCH:TYP MICRO,CONTRT 250VAC 5A,SPDT	1.00	021	ST
604729	FUSE:TYP MEDIUM BLOW,AMPERAGE 4A,VOLTAGE	45.00	021	ST
612423	TUBE;FILL	2.00	131	ST
592566	GSKT-PRE-CUT;VESSEL,ROUND	1.00	051	ST
1238301	O RING SET:MTRL VITON 90,APPL PRESSURE S	1.00	051	SE
637250	BALL,VALVE:VLV SZ 2IN,MT SS 316	1.00	051	ST
770239	STUD,D/END:DIA-A 2IN,DIA-B 2IN,LG 18IN	5.00	051	ST
780077	CIRCUIT,POWER SUPPLY:I/P 110VAC	1.00	031	EA
618242	CNCTR-LUG;RING,1.6-2.5MM2,CRIMPING,M6	2.00	021	ST1
627601	FUSE:50A	2.00	021	ST
594400	KIT;PACKING SHAFT	1.00	081	ST1
589522	BREAKER,CIRCUIT:125/126A,230/440VAC	1.00	011	ST
600973	KIT:TYP GASKET AND STEM SEAL	1.00	051	ST
627385	LENS,INDICATING LIGHT:TYP LOWER	1.00	021	ST
1036834	SCREW, SET: DIAMETER 8MM,LENGTH 8MM	2.00	051	ST
889913	KIT,VALVE REPAIR:GLOBE/CHECK VALVE	1.00	051	ST1
833331	GSKT PRE-CUT :NON-ASBESTOS	2.00	051	ST
588739	KIT:TYP BONNET GASKET; GLAND PACKING	1.00	051	ST1
653266	NOZZLE,VALVE:	1.00	051	EA
592314	PIN:SECONDARY PAWL STOP	2.00	051	ST
984413	PLT-HEAT-EXCHNGR:TYP PRESSURE,SZ THK 0.4	2.00	081	ST
601458	O-RIG;BUNA-N,MAIN HOUSING	2.00	051	ST
643501	CARTRIDGE:TYP RELIEF VALVE	1.00	051	ST
608243	CUTTER:TYP YARN,STD CE	1.00	101	ST1
594439	RING,RETAINING:TYP EXTERNAL	2.00	051	ST
593414	GSKT PRE-CUT :ID 60 X OD 110 X THK 2MM	13.00	051	ST
600280	KIT:TYP GASKET	2.00	081	ST
1629541	TRAP-STM;BIMETALLIC THERMOSTATIC,3/4IN	1.00	051	EA
604835	FUSE:15A	4.00	021	ST
804342	KIT,SEAL:TYP PACKING	1.00	051	ST
628891	GSKT:	2.00	051	ST
633021	BRG-RLR;CYLINDRICAL,SINGLE,80MM,STEEL	2.00	051	ST
628004	PLUG,VALVE:VLV SZ 1IN,CONTROL,SS 316L GR	1.00	051	ST
326068	NUT,LOCK:DIA M75,STEEL,WASHER,THD 2MM	1.00	051	ST
903846	THERMOMETER,DIAL:	3.00	101	EA
988396	O-RING SET: APPL SAFETY VALVE	2.00	051	SE
636317	PLUG,VALVE:VLV SZ 2IN,SS 316/STELLITE	1.00	051	ST
1229387	KIT,VALVE REPAIR:APPL MOV,TYP SOFT GOODS	2.00	051	EA
614185	VALVE,GLOBE:VLV SZ 1IN,DES RTG CL 150	2.00	051	ST
586072	ASSEMBLY:FLAPPER	1.00	081	ST
600435	GSKT PRE-CUT :ROUND	4.00	051	ST
604183	BRUSH,ELECTRICAL:	12.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
597122	SPRING:SS DIN WN 1.4310,TYP BELLEVILLE	25.00	051	ST
1089186	GSKT PRE-CUT : MATL NATURAL RUBBER	3.00	051	EA
605278	BLCK-CNTCT;PUSH BUTTON SWITCH,1NO	1.00	021	ST
587517	KIT-VLV-RPR:TYP SOFT PARTS,APL BUTTERFLY	1.00	051	ST1
624553	OILER:TYP CONSTANT LEVEL	1.00	101	ST
636614	VALVE:BDY MATL SS 403	2.00	051	ST
1612147	FTG-OUTLT:TYP WELDOLET,BRNCH CNCTN BW,RU	1.00	051	EA
587787	KIT,VALVE REPAIR:SEAL	2.00	051	KIT
457129	SEAT-VLV:VLV TYP BUTTERFLY,VLV SZ 24IN,M	3.00	051	EA
617428	RING,RETAINING:	1.00	051	ST1
608868	CYLINDER,GRADUATED:SZ 250ML,MT	5.00	071	ST
1036420	FILTER, AIR: SIZE 10MICRON,TYP 2 STAGE	6.00	051	EA
604938	FUSE:25A,415V	10.00	021	ST
608373	DOG:TYP SHIFT	2.00	101	ST
606090	SUPPRESSOR:TYP OVERVOLTAGE,RT 230VAC	1.00	031	ST
228185	O-RIG;36.17MM,2.62MM,NBR	3.00	051	EA
613322	PIN:CYLINDRICAL	8.00	051	ST
633177	POWER SUPPLY:TYP AC TO DC	1.00	021	ST
1077066	SEAL, MECHANICAL: SHAFT DIAMETER 105MM	1.00	051	EA
1049711	GSKT PRE-CUT :TYP PUMP CASING,NOMINAL FL	1.00	051	EA
579928	FLMNT;EXCHANGE	1.00	051	ST1
1003960	METER, FLOW: RANGE 0-305000KG/HR	1.00	101	EA
960352	CYLINDER: TYP END SET	1.00	081	EA
605487	SWITCH:TYP ENGINE COOLANT,MOUNT PANEL	1.00	021	ST
619965	BRG,ROLL:ID 30MM,OD 40MM,WD 25MM	3.00	051	ST
584397	POTENTIOMETER:10K OHM,W 1W,STD CE	1.00	031	ST
1033927	KIT-ACTUTR-RPR:TYP KIT,ACTUATOR REPAIR,C	1.00	061	KIT
578437	GSKT PRE-CUT :	1.00	051	ST1
620092	GSKT PRE-CUT :NEOPRENE RUBBER	1.00	051	ST
621901	SHUNT:TYP TRIP,RT 120V	3.00	081	ST
600415	GSKT,SPWD:SHP ROUND	1.00	051	ST
927505	ELBOW,PIPE:SZ 1-1/2IN,SS ASTM A182,90,SW	2.00	051	ST
602425	PACKING:2 IN X 73.8MM,GRAPHITE,TYP GLAND	2.00	051	ST1
589852	RTD:TYP PT100,WIRE 3	1.00	101	ST
581220	CRCUT;BUS INTERFACE CARD,PM INVERTER	1.00	011	ST
642250	CIRCUIT:TYP CONTROL	1.00	011	ST
580085	LIGHT,INDICATING:TYP PILOT,VOLT 24VAC/DC	4.00	021	ST
589305	TERMINAL:TYP FUSE	3.00	021	ST
612077	SWTCH-FLOW;SPDT,MPT,IP43/67	1.00	061	ST
578823	HOLDER,FUSE:FUSE 22 X 58	2.00	021	ST
642607	SPRING:TYP MIDDLE	2.00	051	ST
604155	SET:TYP ELECTRICAL BRUSH	12.00	021	ST
1032280	GSKT PRE-CUT : SHAP ROUND,TYP FLAT	10.00	051	ST
588743	KIT:TYP BONNET GASKET; GLAND PACKING	1.00	081	ST1
610567	LGHT-INDCTG;24V AC,RED,PANEL,LOCK NUT	15.00	021	ST
586782	MOTOR:220VAC 3W 50/60HZ 2.5/3RPM	1.00	011	ST
627169	SPRG-VLV	1.00	051	ST1
610681	VLV-SLND	1.00	051	ST
578183	KIT-CYLNDR-RPR;SEALING	1.00	091	ST
1031480	O-RING, CORD: THICKNESS 6MM, EQUIP	4.00	051	EA
585091	FILTER,ELEMENT:DIA 2-1/2 X LG 10 IN	3.00	051	ST
600614	GSKT PRE-CUT :ROUND	2.00	051	ST
930281	RELAY,TIME DELAY:1.5-30SEC	1.00	011	ST
1054725	GAUGE, DIFFERENTIAL PRESSURE:	1.00	061	EA
608501	O-RING:MT VITON	1.00	051	ST
901144	TRANSFORMER:TYP STEP DOWN	1.00	011	EA
656558	ABSRBNT:TYP ABSODAN,GRANULES,SZ BAG 10KG	20.00	001	EA
1028362	BUSHING: TYP BUSHING,P/N:OTSL-50039-010	4.00	051	EA
601001	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	7.00	051	ST
586967	DISC,BRAKE:	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
609155	GLASS:SZ 20ML,SHP CYLINDRICAL	1.00	121	ST
578412	SET:TYP GLAND PACKING	1.00	081	ST1
628972	VALVE,BALL:VLV SZ 1/2IN	1.00	051	ST
631613	WASHER:	3.00	051	ST
634394	GAUGE,PRESSURE:4IN,FNPT 1/2IN,BOURDON	1.00	101	ST
624521	PUMP:	1.00	081	ST
582303	HEATER: TYPE CARTRIDGE,P/N:O1133902	2.00	011	ST
596677	FILTER,OIL:PAPER,DIA 5 X LG 7IN	2.00	051	ST
638174	BUSH,VALVE:STEM	1.00	051	ST
1217232	FILTER,ELECTRONIC:FREQUENCY 50/60HZ,ELEC	1.00	031	EA
610991	LAMP:TYP MINIATURE PILOT,VOLT 12V	2.00	021	ST
644813	O-RING:ID 225MM,WD 5MM,MT RUBBER	2.00	051	ST
581191	CIRCUIT:TYP CONTROLLER,APLC INVERTER	2.00	011	ST
580666	BOX:TYP DEEP HANDY EXTENSION,SIZE 1-7/8I	10.00	001	ST
804344	KIT,SEAL:TYP PACKING	1.00	051	ST
1069729	METER, FLOW: TYP INTEGRAL,CNCT FLANGE	1.00	101	EA
928743	DISC,VALVE:SS,316A,VLV SZ 3IN	2.00	051	EA
627190	GSKT,SPWD:2IN,150LB,GRAPHITE,SHP ROUND	2.00	051	ST
586478	BRG,THRUST:MT SILICON CARBIDE	2.00	051	ST
637112	GSKT:	1.00	051	ST
1086277	VLV-RLF:TYP SAFETY,BDY MTRL SS 316,VLV S	2.00	051	EA
741656	CONTROL:TYP DIGITAL	1.00	061	ST
591651	SCREW,CAP:3/8IN DIA,16MM LG	2.00	051	ST
592195	SPRINKLER,FIRE PROTECTION:	2.00	121	ST
596453	ACTUATOR,ELECTRIC MOTOR:TYP CLOSING COIL	1.00	011	ST
612246	NUT:SS 416	2.00	051	ST
610771	VLV;LIQUID SOAP	3.00	051	ST
787905	BREAKER,CIRCUIT:2A,POLE 2,UL; CSA	1.00	011	EA
600441	GSKT:	1.00	051	ST1
586566	BRG:BLOCK	4.00	051	ST
603473	TIMER:TYP PNEUMATIC MODULE,OPER ON DELAY	2.00	101	ST
800673	THERMOMETER,DIAL:TYP BIMETAL	2.00	101	ST
615087	CLR;DIA 3 IN X THK 2MM,SS DIN WN 1.4541	2.00	051	ST
9102242	SLEEVE,R 1/2 (TO BE DELETED REF.RTSNI 13	2.00	051	ST
772000	SHIM:TYP DIFFUSER	1.00	051	ST
9102393	AXE,(TO BE DELETED REF.ROSE RTSNI 1398)	2.00	051	ST
599743	GSKT,SPWD:GRAFOIL,SS 316,APLC BOTTOM	1.00	051	ST
143047	RETAINER:TYP DISC,MT SS	1.00	051	EA
1022543	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
1033679	RING:TYP JOINT,MATL SS 316L/GRAPHITE,SIZ	7.00	051	ST
612233	SWITCH,LIMIT:	2.00	061	ST
1003999	PLATE: TYP ORIFICE,SIZE 3 IN,MATL SS 316	1.00	131	EA
626383	FILTER,ELEMENT:162MESH,SS 304,STRAINER	2.00	051	ST
908923	RELAY:COIL 230VAC,CONT 250VAC 10A	4.00	011	EA
602675	RING:OD 254.1 X WD 11.9 X THK 3.1MM	2.00	051	ST
443308	TIP,TORCH:TYP CUTTING,ACETYLENE	20.00	051	EA
1084545	DEFLECTOR:TYP OIL,SIZE ID 32 X OD 66 X T	1.00	081	EA
619020	TRANSFORMER:TYP STEP DOWN,VA RT 500VA	1.00	011	ST
726673	NOZZLE:MT A351-CF8	1.00	051	ST
597048	SPRG-CMPRSN;12MM,16MM,59MM	4.00	051	ST
601582	O-RING:MT NBR,APLC STEM	2.00	051	ST
601267	O-RING:MT FKM,APLC SHAFT SLEEVE	22.00	051	ST
583386	BLOCK,TERMINAL:ELEC TRT 34.5KV	1.00	021	ST
1566015	ROTOR:TYP HORIZONTAL,APPL TURBINE METER	1.00	081	ASY
592985	GSKT PRE-CUT :ID 404 X OD 505 X THK 6MM	1.00	051	ST
652332	SENSOR:TYP STEAM TURBINE	2.00	011	EA
615471	O-RIG;126.37MM,6.99MM	1.00	051	ST
620544	BASE-RLY;(8) PIN ROUND,250V 5A 1215W	35.00	011	ST
612060	BREAKER,CIRCUIT:18 - 25A,400V 60HZVAC	1.00	011	ST
638275	PAD:TYP SEALING,MT SS	1.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
588732	PACKING:MT PTFE	1.00	051	ST1
600807	GSKT:WAFER SEAL VALVE	1.00	051	ST
636291	BUSH: TYP GUIDE,APPL ACTUATOR	1.00	051	ST
615974	GSKT:ID 44 X OD 90MM,THK 1MM,ROUND	1.00	051	ST
1037867	GSKT, RJ: SHAP ROUND,MATL TEFLON/SI	2.00	051	EA
604704	FUSE:400A,500V,SLOW BLOW	21.00	021	ST
619837	WASHER:PRE-LOADING	2.00	051	ST
641900	BRG,THRUST:MT STEEL GR 6B	2.00	051	ST
819263	MESH;PLATINUM	1.00	900	ST
604261	CONTACT,MOVEABLE:MT CU ALLOY CR PLATED	1.00	011	ST
584215	DISC:DIA 115MM	2.00	051	ST
578248	KIT,PUMP REPAIR:TYP SEAL	2.00	081	ST
585801	VALVE,GLOBE:VLV SZ 1/4IN,DES RTG CL 800	1.00	051	ST
631630	GUIDE,VALVE:	3.00	051	ST
604748	FUSE:25A,550VAC,DIA 1/2 X LG 2-3/4IN	38.00	021	ST
585132	FILTER:ABSOLUTE	3.00	051	ST
624301	SET:TYP OIL	1.00	081	ST1
592510	GSKT PRE-CUT :ROUND	1.00	051	ST
597073	SPRG-CMPRSN;21MM,27.5MM,50MM,AS	4.00	051	ST
592386	GSKT PRE-CUT :ID 500 X OD 575 X THK 2MM	4.00	051	ST
1371789	NOZZLE:TYP GAS LENS,SIZE 3/8 X LG 1-5/8I	15.00	051	EA
636964	GSKT PRE-CUT :NON ASBESTOS	1.00	051	ST
591417	BOLT,MACH:10MM,LG 65MM	8.00	051	ST
603260	SEAL:	1.00	051	ST
1214343	MODULE:TYP 32-CHANNEL DIGITAL INPUT,INPU	1.00	031	EA
583183	BLST;INDOOR/STREET LIGHTING FIXTURE	1.00	021	ST
581497	MDUL;TRANSISTOR	13.00	031	ST
621909	BREAKER,CIRCUIT:400A,POLE 3	2.00	011	ST
603035	SEAL,OIL:	2.00	081	ST
590698	SWITCH:TYP MICRO	7.00	021	ST
579545	RTD:TYP DOUBLE,WIRE 6,HD WITHOUT	1.00	101	ST
580924	PLUG-VLV;CONTROL,DN 65MM	1.00	051	ST
1034819	GSKT, SPWD: NOMINAL FLANGE SIZE 14IN	2.00	051	EA
578381	SET;PACKING	1.00	081	ST
643608	BRG:	1.00	051	ST
588204	PLATE:	44.00	131	ST
630132	SEAT,VALVE:	1.00	051	ST
618046	RECTIFIER:VOLT 230V,AMP 4A	2.00	021	ST
930795	GAUGE, PRESSURE: RANGE 0-4BAR	1.00	101	EA
639643	SHAFT:	1.00	051	ST
923649	CIRCUIT:TYP SCR BRIDGE P.C BOARD	1.00	011	ST
438380	O-RING:ID 27.7MM,WD 3.5MM,MT NBR	1.00	051	EA
856196	O-RIG:I DIA 18.64MM,WD 3.53MM,MTRL VITON	1.00	051	EA
624507	PACKING:	1.00	051	ST1
9102397	OIL,MOBIL DELVAC 1340, 208L (USE 7036255	208.00	051	L
591225	DTCTR-RSTNC-TMPRTUR:SHTH MTRL SS,STM SZ	1.00	101	ST
634140	SHEET,GASKET:MT V#590	4.00	051	ST
583062	LAMP,INCANDESCENT:TYP SIGNAL,VOLT 120VDC	4.00	021	ST
593407	GSKT,SPWD:40MM,150LB,GRAPHITE	5.00	051	ST
1192471	SEAL, LABYRINTH: TYP INPRO,APPL PUMP	1.00	051	EA
607467	CAP;INDICATOR,DIA 21 X HT 16MM	3.00	051	ST
1523989	COUPLER:TYP QUICK CONNECT BODY,SIZE DIA	39.00	051	EA
642747	BUSH,VALVE:PTFE/GFK,VLV SZ DN 65	10.00	051	ST
599399	GSKT JKTD:ID 1040 X OD 1080 X THK 3MM,SS	2.00	051	ST
617601	CR;MOTOR PIN	4.00	051	ST
619373	FUSE:	3.00	031	ST
898211	BREAKER,CIRCUIT:200A,380-415/500VAC	1.00	011	EA
616726	TRANSDUCER:I/P 0-75VDC,O/P 4-20MA,SUPP	1.00	061	ST
596378	GLAND:SZ ID 12.5 X OD 19MM	1.00	051	ST
583039	FIXTURE:TYP LIGHT,RT 100W	8.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
568605	O-RIG:I DIA 59.92MM,WD 3.53MM,MTRL VITON	11.00	051	EA
642982	PACKING:PTFE,TYP STUFFING BOX	4.00	051	ST1
579743	FILTER,BAG:DIA 5 IN X LG 6FT,CLOTH	1.00	051	ST
583027	DIODE,LIGHT EMITTING:COLOR GREEN,ELEC T	10.00	021	ST
597872	BUSH:TYP NEEDLE,MT HK 1212 DIN 618	2.00	051	ST
643289	O-RING:APLC INNER	1.00	051	ST
630873	ASSEMBLY:BODY/CONTACT	6.00	081	ST
625077	BREAKER,CIRCUIT:16A,POLE 2	4.00	011	ST
629309	SCREW:IMPELLER	4.00	051	ST
1559054	SLEEVE:TYP YOKE,MATL ASTM A439 GR D2,APP	1.00	051	EA
1504882	STEM,VALVE:VLV STYL GATE VALVE,VALVE SIZ	1.00	051	EA
632036	GSKT,SPWD:3IN,600LB,P#2601-ESO	3.00	051	ST
623579	BREAKER,CIRCUIT:POLE 3	1.00	011	ST
1086668	UNIT: TYP POWER SUPPLY,P/N:7150-10	1.00	051	EA
1604195	COAT;FLUID-RESISTANT,LARGE,WHITE	7.00	121	EA
610534	PULY-V-BELT	1.00	051	ST
612927	BREAKER,CIRCUIT:20A,POLE 1	1.00	011	ST
615016	ELBW;OD 139.7 X THK 2MM,DIN 2463,90	1.00	051	ST
950079	CLIP:TYP RETENTION,MT INCONEL X750	1.00	051	EA
634775	SEAT,VALVE:VLV SZ 3IN	2.00	051	ST
615132	O-RIG;CHECK VALVE	2.00	051	ST
601341	O-RING:MT VITON	1.00	051	ST
1065100	SLEEVE: TYP BEARING,P/N:04004647	1.00	051	EA
644927	GSKT:SERRATED,ROUND,METAL,HOLES WITHOUT	4.00	051	ST
379857	TRNSMTR;STEEL,WEIGHT,220V	1.00	900	ST
582699	MONITOR:TYP VIBRATION	1.00	061	ST
963052	BRG: TYP MAIN AND CRANK PIN	5.00	051	ST
596539	DISC,BRAKE:	2.00	051	ST
594819	SEAL,RING:TYP X	2.00	051	ST
903935	CIRCUIT:TYP MOTHERBOARD	1.00	011	EA
1024145	PIN: TYP HYDRAULIC CYLINDER,P/N:FPW10050	1.00	051	ST
614165	BRG-FLG-BLCK	2.00	051	ST1
586936	DISC,VALVE:SS ASTM A351,CF8	2.00	051	ST
616675	RELAY:COIL 220VAC 60HZ,4PST	2.00	011	ST
604442	ELMNT-HTR;HOT INSERT,DIA 10 X LG 100MM	3.00	011	ST
1607823	VLV-CHCK:TYPE PISTON,TYPE 1IN,TYPE 300LB	1.00	051	EA
588714	KIT, VALVE REPAIR: APPL RELIEF VALVE	1.00	051	ST1
616557	BLOCK,CONTACT:	1.00	021	ST
636218	SEAL,RING:MT BRONZE	1.00	051	ST
642830	BRG-THRUST;BALL,25MM,47MM,15MM,3 PIECE	2.00	051	ST
580942	PLUG-VLV;CONTROL,DN 25MM	1.00	051	ST
608066	UNION:TYP FLEXIBLE,MT SILICON,SZ ID 70	1.00	051	ST
1004006	PLATE: TYP ORIFICE,SIZE 4IN,MATL SS 316L	1.00	131	EA
1057313	WSHR-FLAT:MTRL ZINC ASTM B69,I DIA 1.31I	2.00	051	EA
609592	GEAR,SPUR:	1.00	081	ST
616991	CABLE,POWER:TYP HEAT RESISTANCE	47.50	021	M
585501	STEM:	1.00	051	ST
607881	INSERT:CARBIDE	12.00	051	ST
460994	SEAT,VALVE:ID 164.1MM,OD 211.7MM	1.00	051	EA
585593	FILTER,ELEMENT:SS 316,STRAINER SCREEN	1.00	051	ST
74729	RLY-OVRD:TYP THERMAL,CNTCT ARNG 1NO-1NC	2.00	011	ST
1080501	FILTER, OIL: MATL RUBBER,P/N:11316824	1.00	051	ST
1040092	SWITCH, LEVEL: ACTION (1) DPDT	1.00	061	EA
623952	VALVE,BALL:VLV SZ 1-1/2IN,DES RTG 400LB	1.00	051	ST
615038	SPRG-VLV;SS DIN WN 1.4310	1.00	051	ST
584401	SCALE: TYPE AMMETER FRONT PLATE	3.00	051	ST
602304	PACKING:V#2630/BUNA-N DUCK,V SHAPE ROUND	3.00	051	ST
590241	MODULE,POWER SUPPLY:	1.00	031	ST
588736	KIT,VALVE REPAIR:GATE & GLOBE VALVE	1.00	051	ST1
594050	O-RING:ID 60MM,WD 3MM	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
602585	RING,WEAR:	2.00	081	ST
612528	FIXTURE:TYP EMERGENCY	3.00	021	ST
642758	SEAL:GFK/PTFE,STEM	8.00	051	ST
580291	CYLINDER:TYP REAR WHEEL LH,SZ LG 90MM,M	1.00	081	ST
1081693	O-RING: INSIDE DIAMETER 105MM,WIDTH 5MM	1.00	051	EA
631643	DISTRIBUTOR:APLC NITROGEN COMPRESSOR	1.00	021	ST
642742	SEAL:PTFE,APLC BODY	8.00	051	ST
580031	LAMP-INCNDS CNT;25W,240V AC,CLEAR	2.00	021	ST
614891	RING,WEAR:APLC IMPELLER	1.00	081	ST
577918	KIT,SEAL:TYP SHAFT	2.00	051	ST1
740671	LIGHT,INDICATING:TYP SIGNUM ROUND 22MM	5.00	021	ST
631242	ASSEMBLY:TYP LDO SC,APPL DO SENSOR - OXY	1.00	081	ST
800054	PCKG;PTFE,GLOBE VALVE	2.00	051	SE
588206	GSKT PRE-CUT :	1.00	051	ST
67238	O-RIG:I DIA 2.9MM,P/N:A037744,MNFR:FOXBO	4.00	051	ST
584616	LINING:TYP BRAKE	1.00	081	ST
869315	VALVE,CONT:SZ 100MM,DES RTG PN 16	1.00	051	ASY
618111	BLCK-TRMNL;(6) BOLTED,3	3.00	021	ST
599480	GSKT,SPWD:GRAFOIL,SS 316,SHP ROUND,BASIC	7.00	051	ST
589198	SLEEVE,SHAFT:SS ASTM A276 GR 316	1.00	051	ST
588584	KIT,VALVE REPAIR:SEAT AND O-RINGS	1.00	051	ST1
643042	PACKING:GRAPHITE,TYP GATE VALVE	22.00	051	ST1
601253	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	2.00	051	ST
578536	GEAR,SET:TYP CHAIN WHEEL	1.00	091	ST
644639	FIXTURE,HID LIGHTING:TYP FLOOD LIGHT,HPS	6.00	021	ST
802937	SPRING,VALVE:SS 316/ACIER INDX,DIA 2MM	2.00	051	SE
1081945	FUSE: AMPERAGE 20KA ICU,VOLTAGE 230/400V	1.00	021	EA
634526	VALVE:TYP TRIP,OPR MANUALLY	1.00	900	ST
602338	PACKING:TYP GLAND	15.00	051	ST
585895	VALVE,SOLENOID:	1.00	051	ST
486996	MODULE:DATA CONTROL BUS,PWR S 12VDC	1.00	031	EA
639369	DISC,VALVE:SS ASTM A351 GR CF8,VLV SZ 8	1.00	051	ST
590946	TRANSFORMER,INSTRUMENT:VA RT 10/15VA	1.00	011	ST
583087	DIODE,LIGHT EMITTING:COLOR AMBER	4.00	021	ST
625416	MTR-ELECT-SRVC;KILOWATT HOUR/ENERGY	1.00	900	ST
588300	O-RING SET:	1.00	051	ST
643330	SWITCH,PRESSURE:1-6BAR,NPT 1/2IN	1.00	061	ST
898112	FITTING,OUTLET:TYP WELDOLET,RUN SZ 8IN	2.00	051	EA
589411	BRKR-CRCUT;16A,660VAC 50/60HZ,3	3.00	011	ST
596363	ADJUSTER:TYPCHAIN IRREGULAR	2.00	051	ST
1030735	PIN: MATL S45C,P/N:NP-10X34,P/N:NP-10X34	2.00	051	ST
726957	TRANSMITTER,DIFFERENTIAL PRESSURE:RANGE	1.00	061	EA
605754	TRNSFRMR;400VA,400V AC,480/17.8V AC	1.00	011	ST
600205	GSKT PRE-CUT :THK 1.6MM,REINZ AFM 34,FF	2.00	051	ST
619634	RING:SS 316	2.00	051	ST
580035	LAMP,INCANDESCENT:TYP REFLECTOR SPOT	2.00	021	ST
1022539	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
998973	BUSHING: P/N:545509 01,DOC:529209-83	2.00	051	ST
981181	O-RING: INSIDE DIAMETER 335MM,WIDTH 6MM	7.00	051	EA
620107	GSKT PRE-CUT :NBR	2.00	051	ST
615079	FLG;LAP JOINT FF,DN 4 IN X THK 20MM,AL	2.00	051	ST
638088	SEAL,OIL:	16.00	051	ST
615894	SHAFT:STUB-IMPELLER	1.00	051	ST
587779	KIT-VLV-RPR;SEAL	1.00	051	KIT
590948	TRANSFORMER,INSTRUMENT:VA RT 7.5/15VA	1.00	011	ST
643038	PACKING:GRAPHITE,TYP GATE VALVE	6.00	051	ST1
957972	SEAL: TYP BOX,APPL ACTUATOR	1.00	051	ST
581826	HOSE, FLEXIBLE METAL: P/N:HSE 013E	2.00	051	ST
430918	SEAL-RIG:I DIA 4-3/4IN,THK 1/16IN,MTRL B	2.00	051	ST
623657	SWITCH,PUSHBUTTON:DPDT,1NO-1NC,RED,PANEL	2.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
590674	CNTCTR:TYP REMOTE CONTROL,P/N:ESB40-40,M	1.00	011	ST
604621	FUSE:10A,32VDC,BLADE	2.00	021	ST
1059168	NOZZLE: TYP MOTIVE,SIZE DN 65,P/N:NA	1.00	051	EA
587614	KIT,TERMINATION:LONG LINE	6.00	021	ST
643372	WIPER:MT FELT	2.00	101	ST
584129	IMPELLER,PUMP:TYP SEMI OPEN	2.00	081	ST
623993	BREAKER,CIRCUIT:16A,POLE 2	1.00	011	ST
583179	LIGHT,INDICATING:TYP PILOT	7.00	021	ST
904213	SEAL:GRAPHITE,APLC SENSOR	3.00	051	SE
614892	RING,WEAR:APLC IMPELLER	1.00	081	ST
599987	GSKT:HOUSING	5.00	051	ST
584193	CIRCUIT:TYP TRNSF/ISOL,APLC COMPRESSOR	2.00	011	ST
590688	FUSE:20A	19.00	021	ST
929141	HOOD,SAFETY:TYP NON FLAMABLE	20.00	121	EA
123079	GSKT;PTFE,METERING PUMP	6.00	051	EA
668431	BAFFLE:TYP OIL	2.00	081	ST1
612691	GSKT:ID 108 X OD 170MM,THK 3MM,REINZ AFM	2.00	051	ST
1038206	RING: SIZE ID 425 X OD 443 X THK 4.6MM	1.00	051	ST
643791	BRG-BAL:I DIA 60MM,OUT DIA 130MM,WD 31MM	1.00	051	ST
612899	SET:TYP BOLT	2.00	081	ST1
629527	SEAL,LABYRINTH:SPLIT,AA JIS H5202 GR	4.00	051	ST1
1088420	SENSOR, VIBRATION: O/P 50W,TYP SENSOR	2.00	011	EA
634003	STEM,VALVE:VLV ST WAFER ON/OFF BUTTERFLY	1.00	051	ST
602289	GSKT PRE-CUT :WD 30 X LG 500 X HT 440 X	1.00	051	ST
628615	BRG,THRUST:	2.00	051	ST
593154	GSKT PRE-CUT :ID 77 X OD 90 X THK 2MM	20.00	051	ST
616794	UNIT:TYP CONTROL/CONTROLLING DEVICE,APL	1.00	081	ST
430888	PLUG,PIPE:3/8IN,THD	1.00	051	ST
190440	CONTACTOR: TYP MAGNETIC,POLE 3	2.00	051	ST
639649	SHAFT:	1.00	051	ST
653262	JOINT:TYP BONNET,APLC CONTROL VALVE	1.00	051	EA
913882	ASSEMBLY:FLANGELESS ISOLATOR	7.00	081	ST
599067	PULLEY,V-BELT:SPB,GROOVE 3	1.00	051	ST
973747	TRANSMITTER, DIFFERENTIAL PRESSURE:	1.00	061	EA
616560	RLY;110V DC,8PDT,440V 10A,8NO-8NC,CE	1.00	011	ST
604471	ELEMENT,HEATER:TYP TUBULAR,W 2KW	2.00	011	ST
624968	METER:TYP DIGITAL	1.00	011	ST
602191	PACKING:SHP H-SHAPED ROUND,MT BUNA-N	1.00	051	ST
578493	KIT-VLV-RPR:TYP SOFT PARTS,APL GATE VALV	1.00	051	ST1
607588	COUPLING:	1.00	051	ST
644808	GSKT PRE-CUT :ID 127 X OD 200 X THK 3MM	4.00	051	ST
643001	GSKT PRE-CUT :PTFE,COVER,DN 50	4.00	051	ST
578508	KIT-VLV-RPR:TYP SOFT PARTS,APL BALL VALV	2.00	051	ST1
619817	BLOCK,TERMINAL:TERM (6) BOLTED,CIRCUIT 3	1.00	021	ST
9101825	REPAIR KIT MATL:WAUKESHA 88/INCOLOY "C"	2.00	051	ST
589647	CNTCT-AUXLRY;1NO-1NC	4.00	011	ST
622302	STARTER,ELECTRIC MOTOR:TYP SOFT START	1.00	011	ST
617867	RING:TYP FLINGER	4.00	081	ST
1571364	SWTCH-PRSUR:RNG 30PSI,ACTN SPDT(L),ENCLS	1.00	061	EA
738403	O-RIG:I DIA 7.65MM,WD 1.78MM,MTRL VITON	2.00	051	EA
631114	BASE,RELAY:TYP (11) PIN	2.00	011	ST
587798	KIT:	1.00	051	ST
616766	TRANSFORMER,INSTRUMENT:CURR RT 1/1A	2.00	011	ST
611767	KIT;AUXILARY SWITCH MOUNTING	1.00	081	ST
600305	GSKT, SPWD: FILLER MATERIAL GRAPHITE	13.00	051	ST
1244028	KIT,ACTUATOR REPAIR:TYP 1-1/2" BODY:WEIR	1.00	061	KIT
605802	OPERATOR,SWITCH:TYP PUSHBUTTON,ENCL OPEN	1.00	011	ST
233957	BLWS:MTRL SS 316L,P/N:S61246,MNFR:EMERSO	1.00	051	EA
617875	PIN:DRIVE	3.00	051	ST
596948	SEAT-BRG;9IN,SS,CARTRIDGE	1.00	900	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
593059	GSKT-PRE-CUT;FRONT COVER,SQUARE,CORK	1.00	051	ST
620235	FLINGER:MT CS ASTM A576 GR 1025	2.00	081	ST
595003	GSKT PRE-CUT :ROUND	1.00	051	ST
1599813	GSKT-SPRL-WUND:TYP BASIC WITH INNER RING	20.00	051	EA
631162	KIT:TYP PISTON AND SPRING	1.00	081	ST1
642702	SEAL:GFK/PTFE,STEM	8.00	051	ST
745225	SEAL:NBR,SEAT,APLC VALVE	1.00	051	ST
78962	RELAY:COIL 110VAC,3PDT,CONT 250VAC 10A	1.00	011	ST
588459	O-RIG;VITON,SAFETY AND BUTTERFLY VALVE	2.00	051	ST1
616735	RECTIFIER:AMP 15/0.1A	2.00	021	ST
581134	RCPTCL-ELECT;SINGLE,2,3,250VAC 15A 2HP	3.00	021	ST
636887	O-RING:ID 29.2MM,WD 3MM,MT VITON A	1.00	051	ST
783185	CAP:TYP RETAINING,MT COPPER CERAMIC	10.00	051	ST
830895	O-RIG:I DIA 50MM,WD 3MM,MTRL FKM,APL DIV	1.00	051	EA
585402	SPRING:TYP DAMPER,MT SS	64.00	051	ST
1004007	METER, FLOW: TYP SQUARE EDGE ORIFICE	1.00	101	EA
722821	BOLT:CS JIS G4051 GR S20C,LOCK(ADJUSTING	1.00	051	ST
606091	SUPPRESSOR:TYP TRANSIENT	1.00	031	ST
636648	PACKING:V#6500	1.00	051	ST
584451	METER,ELECTRICAL:TYP AMMETER,RNG 0-400A	1.00	101	ST
593253	GSKT PRE-CUT :PTFE,ROUND,VALVE BODY	1.00	051	ST
610984	CUT-OUT-THRML;12V,30A	2.00	061	ST
596585	DISC:ID 30 X OD 90 X THK 2MM	1.00	051	ST
1071623	KIT: TYP SCREEN TERMINATION, EQUIP	1.00	081	EA
582410	DTCTR-RSTNC-TMPRTUR:RSTNC 100OHM,SHTH MT	2.00	101	ST
601771	O-RING:MT NBR,APLC SEA WATER PUMP	5.00	051	ST
600771	GSKT-SPRL-WUND:TYP BASIC WITH INNER & OU	2.00	051	ST
588844	PROGRAMMER:TYP STATION CONTROL UNIT	1.00	061	ST
642835	LINING:TYP BRAKE	1.00	051	ST
592775	GSKT PRE-CUT :THK 1/8IN,PTFE,ROUND,RF	3.00	051	ST
638959	O-RING:ID 39-1/2IN,WD 3/8IN	1.00	051	ST
667072	BRG,FLG:ID 2-15/16IN,BOLT 4,SHQ SQUARE	1.00	051	EA
802588	SET:TYP PACKED COLUMN	1.00	081	SE
805373	KIT,SEAL:TYP PACKING,APLC GLOBE VALVE	1.00	051	ST
585154	FILTER,ELEMENT:TYP OIL,P/N:AAP1404040-00	2.00	051	ST
588840	SWITCH, SELECTOR: TYPE CONTROL UNIT	4.00	021	ST
608796	AGNR:	2.00	001	ST
629186	SPRING,VALVE:STEEL WIRE JIS 3561 SWOCV-V	1.00	051	ST
1001719	SEAL-RIG;130MM,2MM,ROUND,MOTOR 8/2F12	1.00	051	EA
593467	GSKT:THICKNESS 4MM,SIZE ID 325 X OD 425M	2.00	051	ST
612243	RING:APLC WATER CIRCULATION PUMP	4.00	051	ST
594435	RING:ID 61 X OD 82 X THK 25MM,STEEL	3.00	051	ST
637179	HOSE,HYD: WORKING PRESSURE RANGE	2.00	051	ST
29808	CIRCUIT:TYP PROCESSOR	3.00	011	EA
616117	SWITCH,SELECTOR:10A,SPDT,1NO-1NC,2,KEY	3.00	021	ST
580070	LENS:TYP CONDENSER,SZ DIA 40MM,MT GLASS	1.00	121	ST
627237	PACKING:GRAFOIL	2.00	051	ST1
637016	WASHER,LOCK:BELLEVILLE	11.00	051	ST
1579171	SHFT:DIA 25MM,LG 180MM,MTRL A564 GR 630	1.00	051	EA
624562	BAFFLE:TYP OIL	4.00	081	ST
595001	SEAL:	1.00	051	ST
639353	SPRING,VALVE:SS 316	1.00	051	ST
642755	RING:PTFE/KOHLE,TYP SLIDING	8.00	051	ST
640101	BLOCK,CONTACT:TYP ELECTRICAL,ELEC RT 380	6.00	021	ST
638020	KIT-VLV-RPR:TYP SOFT PART,APL BALL (SIZE	2.00	051	ST1
628956	VALVE,BALL:VLV SZ 3/4 IN,DES RTG 800LB	1.00	051	ST
723733	RETAINER:TYP RETAINER SPRING VALVE SIZE	1.00	051	ST
636901	BLDR;ACCUMULATOR,59L,NBR A576 GR 1045	1.00	081	ST
602577	RING,WEAR:	1.00	081	ST
604998	PWR-SUPPLY;208-520VAC 50/60HZ,24V DC,25A	1.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
585773	VALVE,GATE:VALVE SIZE 2IN,DSGN RT CL 800	1.00	051	ST
597336	VALVE,RELIEF:VLV SZ 1/1 X 1/2IN	1.00	051	ST
290475	CAPACITOR,BANK:ELEC TRT 1200V	2.00	011	ST
602693	RIG-PSTN;PTFE	1.00	051	ST
616167	BREAKER,CIRCUIT:AMPERAGE 32A,INTERRUPT C	2.00	011	ST
591104	AMPLIFIER: P/N:2475-0220,SUPPL:SERVOMEX	1.00	031	ST
579006	COMPENSATOR:TYP VIBRATION ALIGNING	1.00	051	ST
605613	SWITCH,PUSHBUTTON:YELLOW,MUSHROOM	10.00	021	ST
1199856	SPROCKET: TYP HIGH TORQU DRIVE	1.00	051	SE
803165	PACKING:ID 20 X OD 32 X HT 30MM	1.00	051	ST
597958	BRG,SLEEVE:ID 44MM,TYP SPLIT BUSHING	1.00	051	ST1
928346	CELL,PHOTOELECTRIC:TYP EXTERNAL	1.00	011	EA
607463	NUT-CAP;1-5/32IN,1/2IN,AL	1.00	051	ST
642732	RING:PTFE/TFM 4220,TYP ANTISTATIC	8.00	051	ST
627179	GSKT,SPWD:GRAPHITE,SS 316L,SHP ROUND	5.00	051	ST
705534	WASHER,LOCK:GEAR	2.00	051	EA
925184	ASSEMBLY:PINS WITH CHAIN	1.00	081	ST1
580411	SHAFT,VALVE:LG 233MM,SS	1.00	051	ST
1033452	KIT, VALVE REPAIR: TYP PACKING; SEAT	1.00	051	KIT
482738	FLANGE,PIPE:TYP RAISED FACE,SIZE 1/2IN,M	2.00	051	EA
612322	GSKT PRE-CUT :THK 3MM,RUBBER,FF,DN 80	6.00	051	ST
592927	GSKT:ID 11 X OD 15MM,INJECTOR,THK 1MM	4.00	051	ST
1022916	PIN: TYP HYDRAULIC CYLINDER,P/N:SLP60463	1.00	051	ST
1540084	SEAT,VALVE:VALVE TYPE GLOBE,VALVE SIZE 2	1.00	051	EA
9101914	TRANSFORMER,2000/5A,CT30VA CL1.0, P/N:CT	2.00	051	ST
636198	SWITCH,PRESSURE:0.2-1BAR G	1.00	061	ST
591590	PIN:	4.00	051	ST
587980	PAD, BEARING: TYP THRUST,DOC:F3135-3220	1.00	051	ST1
607636	COUPLING,SHAFT:N-EUPEX RIGID FLEXIBLE	1.00	051	ST
615776	NUT:SS ASTM A283,GR D,SHAFT	2.00	051	ST
593243	GSKT,SPWD:SS,SHP ROUND,FILL THK 3MM	3.00	051	ST1
1085325	SHAFT: MATL SCM 435,TYP COUNTER	1.00	051	EA
588641	RING:CARBON	1.00	051	ST1
616668	RESISTOR,VARIABLE:	1.00	031	ST
587906	KIT,VALVE REPAIR:GASKET AND PACKING	1.00	051	KIT
579575	DTCTR-RSTNC-TMPRTUR	1.00	101	ST
598897	LINK-CHN-TRNSMSN;DIN 8187	8.00	051	ST
598911	MOTOR,ELECTRIC:	1.00	011	ST
618243	BLCK-TRMNL;800V,CAPTIVE SCREW,6MM2,1	1.00	021	ST
610558	CAP:TYP POWER SUPPLY KNOCKOUT	4.00	051	ST
1024094	PACKING: SIZE ID 9.5 X OD 15.7 X HT	2.00	051	ST1
622289	SWITCH, SELECTOR: POSITION 3,P/N:AN	1.00	021	ST
629917	SHIM:SZ ID 25 X OD 35MM,THK 0.3MM,1	2.00	051	ST
616708	COIL,ELECTRICAL:TYP DISCHARGE	1.00	031	ST
619708	SPRING,COMPRESSION:SWPA/A230	1.00	051	ST
594226	PCKG;ID 16 X OD 26 X THK 10,PTFE	1.00	051	ST1
1059170	NOZZLE: TYP MOTIVE,SIZE DN 65 X LG 85MM	1.00	051	EA
7183	TRANSMITTER,PRESSURE:0-40BAR	1.00	061	ST
368292	BRG,ROLL:ID 45MM,OD 100MM,WD 27.5MM	4.00	051	ST
600392	GSKT,SPWD:SHP ROUND	1.00	051	ST
601042	GSKT,SPWD:3/4IN,150LB,GRAPHITE,SS 316	1.00	051	ST
1566089	KIT,VALVE REPAIR:APPL BUTTERFLY VALVE,TY	1.00	051	KIT
583211	ADHESIVE:TYP GLUE,TIN 5KG	6.00	001	ST
771670	SPRING:6IN,SS 316	3.00	051	EA
9101829	REPAIR KIT	14.00	051	ST
587217	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG DAIPHR	2.00	051	ST
631157	BRG: DOC:303242	1.00	051	ST1
582853	THERMOMETER:CONN M20 X 1.5MM	1.00	061	ST
242921	ACTUATOR, ELECTRIC MOTOR: TYPE ROTARY	1.00	900	EA
607273	BUSH-VLV;VALVE GUIDE,PLASTIC	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
608304	SOCKET,ELECTRICAL:TYP PANEL LARGE FLANGE	5.00	021	ST
600826	GSKT PRE-CUT :T#1995/NON ASBESTOS,ROUND	68.00	051	ST
637970	BALL,VALVE:MT CS ASTM A351 GR CD4MCU	1.00	051	ST
1029655	O RING:INSIDE DIAMETER 32MM,WIDTH 3MM,MA	1.00	051	EA
590013	FUSE:HV	1.00	021	ST
594356	PACKING:SIZE ID 12 X OD 19 X HT 12MM,MAT	1.00	051	ST
617599	HEAD;TORQUE SWITCH	2.00	101	ST1
637103	VALVE,RELIEF:TYP SAFETY	2.00	051	ST
625323	TRNSFRMR;OIL COOLED,1.2KVA,10A,220V AC	1.00	011	ST
607553	COUPLING,PIPE:SZ 2 X 3/4IN,MT PVC ASTM	10.00	051	ST
583157	LAMP,INCANDESCENT:TYP MINIATURE PILOT	2.00	021	ST
583775	MODULE:TYP INTERFACE	2.00	011	ST
642925	GSKT PRE-CUT :PTFE,COVER,DN 15	6.00	051	ST
593317	GSKT PRE-CUT :WD 20 X THK 2MM,ASBESTOS	2.00	051	ST
584623	FILTER,ELEMENT:30MESH,SS 316	1.00	051	ST
583971	HOSE-FIRE	2.00	121	ST
1023703	COUPLING, SHAFT: DOC:3545B3D, S/N#:	1.00	051	ST
604665	FUSE:0.8A,250VAC,DIA 5 X LG 20MM,FERRULE	10.00	021	ST
577655	GEAR-SPUR;WHEEL,CS UNI 7845 GR C45	1.00	081	ST
588729	PACKING:MT PTFE	2.00	051	ST1
1626817	BRKR-CRCUT;3.13A,277/480V,6 KA,2	2.00	051	EA
588894	INSERT,COUPLING:	4.00	051	ST
1009452	COUPLING, SHAFT: TYP FLEXIBLE	1.00	051	SE
637056	VALVE,BALL:	2.00	051	ST
586776	MOTOR:220-240VAC 0.2A 32/5W 4P 50/60HZ	1.00	011	ST
579796	SCALE,WEIGH:	1.00	900	ST
1246811	KIT,VALVE REPAIR:APPL 10 IN 150LB BOLTED	1.00	051	KIT
615343	PIN, COTTER SPLIT: P/N:M3-H0062-07	2.00	051	ST
804584	BASE,FUSE:CYLINDRICAL,AMP 32A	10.00	021	ST
582771	RESISTOR:	1.00	031	ST
611301	FILTER,ELEMENT:PAPER,DIA 90MM	20.00	051	BX
578499	PACKING:TYP GLAND,P/N:1812GP-3,MNFR:NIAL	7.00	051	ST1
1588678	GSKT-SPRL-WUND:TYP BASIC WITH OUTER RING	1.00	051	EA
810449	KIT,VALVE REPAIR:AUTOMATIC VALVE	2.00	051	KIT
275070	BRKR-CRCUT:AM 25A,VLTG 127-220; 380-415V	1.00	011	EA
582625	GAUGE,PRESSURE:0-40BAR G,4-1/2IN	1.00	101	ST
642998	PACKING:PTFE,TYP STUFFING BOX	4.00	051	ST1
597846	FLUX:TYP SILVER BRAZING,POWDER	2.00	001	KG
1226540	RING,WEAR:INSIDE DIAMETER 254MM,MATL AST	1.00	081	EA
591164	INTERFACE:	1.00	061	ST
580075	LENS,INDICATING LIGHT:COLOR WHITE	1.00	021	ST
600059	GSKT,SPWD:GRAFOIL,IRID 650MM,SS 316	1.00	051	ST
582463	THERMOMETER,DIAL:TYP BI-METAL EVERY	1.00	101	ST
641787	KIT-PUMP-RPR:TYP REPAIR KIT,CMPRSNG COUP	1.00	081	ST1
642644	GSKT-PRE-CUT	12.00	051	ST
624882	MODULE:UPS	5.00	031	ST
615391	RING,WEAR:APLC IMPELLER	1.00	081	ST
592192	NOZZLE:TYP MOTIVE SINGLE STAGE,CONN MPT	1.00	051	ST
915297	O-RING: INSIDE DIAMETER 15MM,WIDTH 2MM	1.00	051	EA
592978	GSKT PRE-CUT :	1.00	051	ST
604973	LIMITER:TYP TEMPERATURE	1.00	031	ST
595147	SEAL;ID 135 X OD 143 X THK 8MM,RUBBER	1.00	051	ST
639407	SPRING,VALVE:AS ASTM A29 GR 5155	1.00	051	ST
1087026	KEY, SHAFT: TYP COUPLING,MATL AISI 304	2.00	081	EA
568173	O-RIG:I DIA 59.69MM,WD 5.33MM,MTRL VITON	2.00	051	EA
616685	BLOCK,TERMINAL:	2.00	021	ST
586209	BRG,SLEEVE:TYP STRIP,MT PTFE	2.00	051	ST
1046663	VALVE, BALL: VALVE SIZE 150MM,STD ANSI	1.00	051	EA
609705	SEAT,VALVE:VLV SZ 16IN,BUTTERFLY,BUNA-N	1.00	051	ST
1198038	O-RIG;70MM,3MM,FPM	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
581214	CIRCUIT:TYP INTERCONNECTING	4.00	011	ST
590389	RLY-CNTRL:TYP HIGH BURDEN TRIPPING,SUPLY	2.00	900	ST
627170	SPRING,VALVE:	1.00	051	ST1
585494	SPRING,COMPRESSION:CLOSE/GROUND	2.00	051	ST
1032178	TUBE, METERING: MATL GLASS,P/N:8103481	150.00	071	PAK
594239	PACKING:ID 20 X OD 32 X THK 8.5MM,PTFE	1.00	051	ST
608545	RING:SS ASTM A276 TP 420	1.00	051	ST
600560	GSKT PRE-CUT :RECTANGULAR	2.00	051	ST
756920	KIT,VALVE REPAIR:APPL SAFETY VALVE,TYP M	2.00	051	KIT
591218	MODULE:THYRISTOR,TRANSFORMER	3.00	031	ST
643871	KIT-VLV-RPR:APL BONNET JOINT,CMPSNG NIT	1.00	051	ST
599116	PULLEY:TYP MOTOR,SZ DIA 315MM,GROOVE 4	1.00	051	ST
604745	FUSE:80A,550VAC,DIA 3/4 X LG 3-1/2IN	20.00	021	ST
494004	RING:TYP GREASING CHAMBER	2.00	081	EA
597833	GAS:	10.00	001	ST
79618	RELAY:COIL 24VDC,4PDT,CONT 10A,TYP	1.00	051	ST
413958	BRG-BAL:IBI 14925,I DIA 90MM,OUT DIA 190	2.00	051	EA
1231786	SEAT,VALVE:TYP THREADED RING,VALVE TYPE	1.00	051	EA
578075	KIT-VLV-RPR:TYP SOFT PARTS,CMPSNG GASKE	1.00	051	ST1
636759	MODULE:(32) DIGITAL INPUT,PWR S 24VDC	1.00	031	ST
616949	TRANSFORMER,INSTRUMENT:VA RT 5VA	2.00	011	ST
616018	VALVE,RELIEF:TYP VENT,OPR PRESSURE	1.00	051	ST
1592776	RGULTR:TYP PRESSURE CONTROL,RTNG PN 16,C	1.00	061	ASY
571681	CNTCTR;AC,3POLE,400A,600V,220-240V	1.00	011	ST
619769	SEAL,OIL:MT NBR	2.00	051	ST
604663	FUSE;FAST ACTING,160MA,250V AC,GLASS	10.00	021	ST
879534	O-RING:ID 57MM,WD 3MM,MT NBR,APLC VALVE	10.00	051	EA
593151	GSKT PRE-CUT :ID 106 X OD 118 X THK 2MM	20.00	051	ST
587292	KIT,VALVE REPAIR:	2.00	051	ST
9101870	SET OF BEARINGS	6.00	051	SE
917849	GSKT PRE-CUT :ID 160 X OD 220 X THK 4MM	1.00	051	ST
574306	SEAL-RIG:APL CONTROL VALVE,P/N:10A5351X0	1.00	051	EA
609158	STIRRER: TYP MAGNETIC SWING-OUT	1.00	071	ST
578267	KIT:APLC CONTAINER HANDLER	1.00	081	ST
642774	RING:PTFE/TFM 4220,TYP ANTISTATIC	8.00	051	ST
617542	ROD:TYP COUPLING,APLC SCREW PUMP	1.00	131	ST
601627	O-RING:	7.00	051	ST
618641	RELAY:COIL 240VAC,4PST,CONT 600VAC 10A	5.00	011	ST
590586	CIRCUIT:TYP DVDT ASM	2.00	011	ST
615983	GSKT:WELDING NIPPLE	1.00	051	ST
604711	FUSE:20A,380/400V,DIA 8 X LG 32MM	9.00	021	ST
1237153	SPRING,VALVE:MATL CS,VALVE SIZE 3/4 X 1I	1.00	051	ASY
604534	FUSE:80A,690V,SQ 50 X LG 78MM	9.00	021	ST
615897	SLEEVE,COUPLING:	2.00	051	ST
596200	HOLDER,FUSE:FERRULE,MOUNT PANEL	1.00	021	ST
590626	SWITCH,PROXIMITY:MAGLOCK	1.00	011	ST
584314	SHIM:TYP ADJUSTMENT	2.00	051	ST
632071	GSKT,SPWD:10IN,600LB,P#2601-ESO	2.00	051	ST
165972	GEAR,HELICAL:	1.00	900	EA
593072	GSKT PRE-CUT :	1.00	051	ST
604688	FUSE:35A,500V,BLADE,FAST BLOW; HRC	15.00	021	ST
616919	BREAKER,CIRCUIT:75A,220-690VAC	1.00	011	ST
901456	TUBE:TYP TORQUE,MT INCONEL	1.00	041	ST
593029	GSKT-PRE-CUT;FLANGE,RECTANGULAR,CORK	1.00	051	ST
644178	CHEMICAL:BARIUMCHLORIDE 2-HYDRATE	1,200.00	001	G
1021936	KIT-VLV-RPR;SOFT SPARES,BALL VALVE	2.00	051	KIT
608475	GSKT PRE-CUT :ID 106 X OD 116 X THK 1MM	3.00	051	ST
618494	FIXTURE,FLUORESCENT LIGHTING:	5.00	021	ST
608866	CYLINDER,GRADUATED:SZ 500ML,MT	14.00	071	ST
580425	SHAFT:DIA 19 X 30MM,LG 127MM,STEEL	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
668525	GSKT PRE-CUT :NON ASBESTOS,ROUND	3.00	051	EA
589787	THERMOCOUPLE:TYP K,INS DIA 4.8MM,DESLG	1.00	061	ST
581336	CIRCUIT:TYP COIL DRIVER	1.00	011	ST
855803	INVERTER:TYP FREQUENCY	1.00	011	EA
593113	GSKT-PRE-CUT;ID 53 X OD 60 X THK 2MM	4.00	051	ST
585853	VLV-CHCK	2.00	051	ST
598104	BRG-RLR;TAPERED CONE AND CUP,SINGLE,30MM	2.00	051	ST
606786	SCREW,SET:M6 DIA,8MM LG,HEX SOCKET,CUP	8.00	051	ST
620668	PLATE:TYP SEAL,APLC ELECTRIC MOTOR	3.00	131	ST
584445	METER,ELECTRICAL SERVICE:TYP WATT HOUR	1.00	900	ST
616380	BREAKER,CIRCUIT:63A,380VAC,POLE 3	3.00	011	ST
615573	BUSH,PUMP:BRONZE BC6/B584,BEARING COVER	2.00	081	ST
965879	TORCH: TYP ICP ANALYZER,P/N:N077-0606	1.00	051	ASY
600318	GSKT:OD 40 X ID 35MM,PLUG,THK 1.5MM	1,500.00	051	ST
432687	SWTCH-TGL:CNTCT RTNG 125/250VAC 6/3A,ACT	2.00	021	ST
597347	VLV-SLND;2 WAY,24VAC 50/60HZ,0-1BAR	1.00	051	ST
585197	FILTER,ELEMENT:AIR SECONDARY	2.00	051	ST
587660	KIT-VLV-RPR;SOFT GOODS	1.00	051	ST
615679	GSKT,SPWD:GRAFOIL,APLC HAND HOLE COVER	2.00	051	ST
644723	GSKT PRE-CUT :THK 1/8IN,PTFE,ROUND,RF	4.00	051	ST
614701	SLEEVE:TYP BEARING	1.00	051	ST
587899	KIT,VALVE REPAIR:ON/OFF BALL VALVE,SEAL	1.00	051	KIT
1617325	SWTCH;MEDIA CONVERTER,SINGLE MODE	1.00	011	EA
623668	LIGHT,INDICATING:TYP PILOT,VOLT 240VAC	2.00	021	ST
629165	SPRING,VALVE:AS JIS G4801 GR SUP10	1.00	051	ST
600746	GSKT PRE-CUT :	2.00	051	ST
1035601	SEAL-OIL;80MM,110MM,13MM,NBR,TC	1.00	051	EA
608894	PIPETTE:TYP VOLUMETRIC,CAP 1ML,MT	6.00	071	ST
601005	GSKT:L/SCREW,SS 316	1.00	051	ST
9102372	BUSHING,2-3/4"IDX3-3/8"OD (DELETED)	1.00	051	ST
589340	BOTTLE:TYP REAGENT,1000ML CAP,MT GLASS	2.00	071	ST
627633	BLOCK,TERMINAL:TERM CAPTIVE SCREW,WIRE	17.00	021	ST
155111	REGULATOR:TYP PRESSURE,RT 0-30PSI	2.00	061	EA
450459	O-RING:ID 133.02MM,WD 2.62MM,MT NBR	3.00	051	ST1
871695	FUSE:10A,250VAC,THERMAL	2.00	021	ST
1038931	ELCTRD-WLDG:SZ 2.5MM,AWS CLS A5.4/A5.4M	4.00	051	PAK
643686	BRG,ROLL:ID 25MM,OD 32MM,WD 20MM,TYP	1.00	051	ST
608477	GSKT PRE-CUT :ROUND	5.00	051	ST
585819	KIT-VLV-RPR:TYP SOFT PART,APL WAFER CHEC	1.00	051	ST1
639602	KIT-VLV-RPR:TYP KIT,VALVE REPAIR,CMPSNG	6.00	051	KIT
1588252	GUD-VLV:VLV STYL SAFETY RELIEF VALVE,VLV	1.00	051	EA
619293	O-RING:ID 12.42MM,WD 1.78MM,MT FKM	2.00	051	ST
601962	O-RING:MT VITON	2.00	051	ST
1047038	RELEASE: TYP SHUNT OPENING,STD IEC	1.00	011	EA
634230	STEM-VLV:VLV STYL PLUG CONTROL,VLV SZ DN	1.00	051	ST
1034737	ACTUATOR: TYP ELECTRIC,RT 24VDC 0.2A	1.00	061	EA
584101	JET:APLC HYDROJET MACHINE	12.00	051	ST
604457	ELEMENT:SZ 50 X 30 X 25CM,MT AL	1.00	051	ST
109220	O-RING:ID 152MM,WD 3.53MM,MT FKM	7.00	051	EA
1075781	GSKT CAMPRO: INSIDE DIAMETER 1344.6MM	4.00	051	EA
577408	PACKING:14 X 19MM,REGTANGULAR	1.00	051	ST
731549	SPINDLE:MT SS 403	1.00	101	ST
589683	CONTACTOR:TYP MAGNETIC,AMP 54A,3 POLE	1.00	011	ST
577974	KIT:TYP SOFT PARTS,CMPSNG GASKET/V-RING	2.00	081	ST
1217219	MODULE:TYP MARSHALLING TERMINATION,INPUT	1.00	031	EA
1023256	SWITCH, PRESSURE: RANGE - 1 TO 2.5BAR	1.00	061	EA
624872	COIL,ELECTRICAL:TYP INDUCTOR	3.00	011	ST
596856	MANIFOLD:MT BRONZE	1.00	081	ST
604324	RELAY:COIL 230VAC 50/60HZ,8PST	2.00	011	ST
585110	FILTER,FUEL:OD 4.66 X HT 8.96IN	4.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
603136	SEAL,MECHANICAL:	2.00	900	ST
583150	DIODE,LIGHT EMITTING:COLOR RED	2.00	031	ST
604645	FUSE:3A,15KV,DIA 25 X LG 255MM,FERRULE	3.00	021	ST
642424	CONE:MT SS DIN WN 1.4021 GR X20CR13	1.00	051	ST
596380	GLAND:SZ ID 12.5 X OD 19MM	1.00	051	ST
593003	GSKT PRE-CUT :	1.00	051	ST
724855	RETAINER:	1.00	051	ST
604333	CONTACTOR:TYP MOTOR,AMP 0.8-1.2A,3 POLE	3.00	011	ST
592720	GSKT PRE-CUT :THK 2MM	2.00	051	ST
597074	SPRG-CMPRSN;11MM,15MM,57MM,STEEL	10.00	051	ST
601709	O-RING:	1.00	051	ST
631655	VALVE:	2.00	051	ST
581292	CIRCUIT:TYP DISCRETE INPUT/OUTPUT	3.00	011	ST
582750	SWTCH;FUSE SENSOR	3.00	021	ST
616031	FUSE:SZ DIA 10 X LG 38MM	12.00	021	ST
635510	O-RING:MT FLUOROCARBON	1.00	051	ST
1033648	PROBE: TYP TEMPERATURE,P/N:NTCPB1	1.00	061	EA
631217	KIT,SEAL:	2.00	051	ST
634020	TUBE:TYP ENCLOSING	2.00	131	ST
643125	GSKT,SPWD:1/2IN,GRAPHITE,SS 316	2.00	051	ST
397855	SEAL-RIG;40 MM,50 MM,9 MM,METAL/RUBBER	1.00	051	ST
1085248	PINION, GEAR: TYP HELICAL,NO OF TEETH	1.00	081	EA
615331	VALVE: VALVE SIZE 45MM,P/N:31-55383-09	2.00	051	ST
642724	RING:TYP STUFFING BOX	7.00	051	ST1
588895	MEMBRANE:	1.00	051	ST
581539	MODULE:TYP DIODE-14 INTERVAL	1.00	011	ST
630853	BLOCK: TYP VALVE,P/N:3143.385	1.00	131	ST
619690	VALVE:TYP GAS,BDY MATL SS 304,CONN MNPT	2.00	051	ST
1246187	RETAINER:TYP OIL RING,SIZE DIA 120 X WD	1.00	051	EA
620319	COUPLING,SHAFT:RIGID FLEXIBLE	1.00	051	ST
615745	KEY,SHAFT:TYP PARALLEL,MT SS ASTM	2.00	051	ST
931040	VALVE,RELIEF:VLV SZ 3/4IN,CONN NPT	2.00	051	ST
770246	STUD CNTNS THD:DIA 1-3/4IN,THRD 8 UN,LG	24.00	051	ST1
587931	KIT-VLV-RPR:TYP SOFT PARTS,APL ISOLATION	1.00	051	KIT
585827	KIT-VLV-RPR:APL WAFER CHECK VALVE (SIZE	1.00	051	ST1
1609300	CVR:TYP PROTECTIVE,SZ LG 192 X WD 145MM	1.00	051	EA
999294	PLUG, VALVE: VALVE SIZE 1IN,VLV STYL	3.00	051	EA
1235853	DEVICE:TYP PRESSURE PALLET,APPL PRESSURE	1.00	081	EA
586590	BEARING:	2.00	051	ST
615721	GASKET,PRE-CUT:MT VITON	3.00	051	ST
615075	UNIT;T-SHAPED,SS 321	1.00	051	ST
619842	SEAL,OIL:ID 20MM,OD 30MM,WD 7MM,TYP	2.00	051	ST
1046835	TRANSFORMER, INSTRUMENT: VA RATING 10VA	1.00	011	EA
599435	GSKT,SPWD:PTFE,SS 316,BASIC,APLC CASING	3.00	051	ST
431326	BLWS:P/N:S91740,MNFR:EMERSON - CROSBY,P/	1.00	051	ST
586106	BRG-RLR;SINGLE,80MM,140MM,33MM,54105	1.00	051	ST
905494	INSERT,ELECTRONIC:TYP LEVEL LIMIT SWITCH	1.00	061	EA
615398	OILER:	1.00	101	ST
606557	PIN:DIA 11MM,LG 45MM,STRAIGHT	2.00	051	ST
930341	KEY, SHAFT: TYPE DRIVEN GEAR FEATHER	1.00	051	ST
608485	BAFFLE:TYP OIL,MT C3604BE	1.00	081	ST
590526	RELAY,PROTECTION:DIFFERENTIAL,RT 5A 1PH	1.00	031	ST
601152	GSKT PRE-CUT :PTFE,2 X 3IN	2.00	051	ST
619603	O-RING:MT FKM,APLC GAS CHARGING PORT	2.00	051	ST
1523090	SPRING,VALVE:MATL STEEL,WIRE DIA 0.25MM	1.00	051	EA
600961	GSKT:BONNET	3.00	051	ST
592275	NIPPLE:TYP GREASE FITTINGS	10.00	051	ST
605123	CONTACTOR:TYP MAGNETIC,AMP 9A,4 POLE	2.00	011	ST
612453	O-RING SET:1	1.00	051	ST1
582820	THERMOMETER,DIAL:RNG 0-100DEG C	1.00	101	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
799295	LAMP;SIGNAL,230V,RED	5.00	021	EA
806558	ASSEMBLY;GLASS FILTERING FLASK	2.00	111	EA
604778	FUSE;ULTRA FAST BLOW,10A,250V AC,CERAMIC	8.00	021	ST
1590370	KIT-VLV-RPR:TYP SOFT GOODS,APL PILOT,CMP	1.00	051	KIT
918073	FOLLOWER:TYP PACKING	1.00	061	ST
612058	RELAY,OVERLOAD:12-18A	2.00	011	ST
604570	FUSE:224A,500/600VAC,CENTRE BLADE	24.00	021	ST
595536	CHANNEL:TYP HORIZONTAL ADJUSTMENT	1.00	131	ST
587631	KIT,VALVE REPAIR:HI-SEAL	1.00	051	ST
600824	GSKT,SPWD:T#1804-NA/NON ASBESTOS,SS 304	3.00	051	ST
608875	FLASK:TYP FILTERING,CAP 500ML,MT	1.00	071	ST
1022674	EARTH LEAKAGE: POLE 3,P/N:VIGI ME	1.00	011	EA
588791	SET:TYP CHEVRON	1.00	081	ST
608198	TEE,TUBE:SZ 8MM,TYP UNION,COMPRESSION,SS	11.00	051	ST
920987	ELECTROD,WLDG:E347-15	107.00	051	KG
1015071	GSKT,SPWD:TYP WITH INNER RING,FILLER INS	3.00	051	EA
1630978	BRKR-CRCUT;100A,380-415V AC,10 KA,2	4.00	051	EA
584426	MTR-ELECT;AMMETER,0-100/600A	1.00	101	ST
435064	BRG-RLR:TYP CYLINDRICAL; SEPARABLE INNER	4.00	051	EA
583980	CLIP:TYP HOSE, SZ 7/8IN	50.00	051	ST
577861	ASSEMBLY;MAINS CABLE	1.00	081	ST
579572	THERMOMETER:TYP INDUS,RNG 0-180DEG C, SZ	1.00	061	ST
589795	THERMOCOUPLE:TYP K,INS DIA 4.8MM,DESLG	1.00	061	ST
577976	KIT;UNIVERSAL CLAMP	2.00	081	ST
589011	TILE:TYP BURNER WITH NEEDLES	1.00	131	ST1
625537	BREAKER,CIRCUIT:16A,400VAC,INTP CAP 6KA	2.00	011	ST
585953	VALVE,CHECK:TYP DRAIN VENT,BODY MATL SS	1.00	051	ST
641690	TRANSFORMER,INSTRUMENT:VA RT 10	1.00	011	ST
1612198	GSKT-KIT-INSULTG:TYP VCFS,NMNL FLNG SZ 1	2.00	051	KIT
584687	KIT-VLV-RPR:TYP SOFT PARTS,APL BUTTERFLY	2.00	051	ST
590369	RELAY:COIL 24VDC 5A,CONT 115VAC 60HZ,1NO	2.00	011	ST
582189	COWLING:MT AL,APLC CENTRIFUGAL PUMP	1.00	011	ST
467517	ASSEMBLY:STUB SHAFT	1.00	081	EA
832723	DISC,VALVE:DIA 28 X THK 13MM	1.00	051	ST
1033750	THERMOMETER, DIAL: RANGE -20 TO 140DEG C	1.00	101	EA
1075498	DETECTOR, RESISTANCE TEMPERATURE:	1.00	101	EA
585651	VALVE, SOLENOID: STYL 3/2 WAY,CNCT FNPT	1.00	051	ST
737388	VLV-SLND;110V DC,1/4IN,NPT 1/4IN	3.00	051	EA
644762	GSKT PRE-CUT :ID 35 X OD 70MM	2.00	051	ST
630874	ASSEMBLY:BODY/CONTACT	2.00	081	ST
608632	GSKT PRE-CUT :	1.00	051	ST
589910	FUSE:2A	17.00	021	ST
597584	VALVE,BALL:VLV SZ 15MM,DES RTG PN 16	2.00	051	ST
644570	GSKT PRE-CUT :ID 169 X OD 218 X THK 2MM	1.00	051	ST
604551	FUSE:40A,660V,FERRULE,FAST ACTING	2.00	021	ST
905097	PANEL,CONTROL:TYP FRONT	1.00	021	EA
585024	DISC:MT PTFE	1.00	051	ST
905593	PLUG,VALVE:VLV SZ DN 40	1.00	051	EA
615547	SLEEVE:TYP DISTANCE; SPACER,SS ASTM A276	1.00	051	ST
607099	WASHER,LOCK:A80,BELLEVILLE,DIN 2093	4.00	051	ST
599223	BRK-SHOE;WD 1-9/16 X LG 6 X THK 3/8IN	1.00	081	ST
622029	MECHANISM:TYP ROTARY OPERATING,APPL FREQ	2.00	051	ST
1079020	PROXIMITOR: SCALE HT 3300 X LG 5/8MM	1.00	061	EA
598165	BEARING:	4.00	051	ST
590915	TRANSFORMER,INSTRUMENT:VA RT 15VA	1.00	011	ST
232623	VLV-NDL;SS ASTM A182 GR 316,1/4IN	20.00	051	EA
158414	CIRCUIT,POWER SUPPLY:TYP PCA POWER PACK	1.00	031	EA
1023255	SWITCH, PRESSURE: RANGE - 1 TO 3.5BAR	1.00	061	EA
78359	BLCK-CNTCT;PUSH BUTTON SWITCH,1,1NC	8.00	900	ST
1039886	GSKT PRE-CUT : MATL KLINGERSIL C4500	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1023031	ASSEMBLY:TYP TRIP MECHANISM PIN ASSEMBLY	1.00	081	ASY
593263	GSKT PRE-CUT :ID 28 X OD 66 X THK 1MM	4.00	051	ST
637675	VALVE,CONT:	1.00	051	ST
757090	O-RING:ID 239.3MM,WD 5.7MM,MT NBR	2.00	051	ST
454352	BLOCK,CONTACT:TYP AUXILIARY	1.00	021	EA
614794	COUPLING:FLEXIBOX	2.00	051	ST
904400	CONTACTOR:AMP 12A,POLE 4,230-690VAC	1.00	011	EA
1004536	KIT-VLV-RPR;MAINTENANCE,CONTROL VALVE	1.00	051	KIT
590146	FUSE:	2.00	021	ST
594975	SEAL;ID 58 X OD 64 X THK 8MM,AL,PIPING	2.00	051	ST
579534	SENSOR:TYP COLD WATER TEMPERATURE	1.00	011	ST
637240	KIT-VLV-RPR:TYP SOFT PART,APL BALL (SIZE	1.00	051	ST1
496131	RING,BACK-UP:MT NITRILE	1.00	081	EA
607856	INSERT:CARBIDE	30.00	051	ST
593312	GSKT PRE-CUT :ID 90.5 X OD 108 X THK	20.00	051	ST
622423	TIMER:RNG 3-30S	1.00	101	ST
612279	SCREW:STEEL	5.00	051	ST
9102196	GEAR,WHEEL;Z-20 S;ORDER[TO BE DELETED]	2.00	051	EA
622565	SPRING,VALVE:SS 316	2.00	051	ST
17291	THERMOSTAT: TYP LINE SENSING,DOC:905419A	1.00	081	ST
581594	MODULE:TYP GAS	1.00	011	ST
615987	FILTER,ELEMENT:	1.00	051	ST
841868	ASSEMBLY:ELECTRONIC CHASSIS	1.00	081	EA
579994	HEAD:TYP LAMP,MT GLASS	5.00	021	ST
604991	CIRCUIT,POWER SUPPLY:	1.00	021	ST
999968	SNSR-VBRTN:ACLRN RNG 0-490 M/S2,ELCTRCL	3.00	011	EA
1575813	GSKT-PRE-CUT:TYP FF,SZ ID 60.5 X OD 152	3.00	051	EA
1247870	GSKT PRE-CUT :TYP FLAT,SIZE SQ 432 X THK	10.00	051	EA
9101742	SHAFT,WHEEL,WORM;(*DELETED REF.ROSE RTSN	1.00	051	SE
586924	ASSEMBLY:TYP COUPLING	1.00	051	ST1
578552	SET:TYP FORCEPS ENTOMOLOGICAL	6.00	071	ST
612650	RFLCTR-LGHTG;LG 2FT,(2) 18W	10.00	021	ST
600351	GSKT,SPWD:	2.00	051	ST
632114	GSKT PRE-CUT :P#6630,BONNET,2IN	2.00	051	ST
606848	SCRW	2.00	051	ST
579832	PIPETTE: TYPE VOLUMETRIC,CAPACITY 25ML	4.00	071	ST
584794	DIAPHRAGM,VALVE:MT BUNA-N	1.00	051	ST
631582	FORK:TYP UNLOADER	3.00	091	ST
590914	TRNSFRMR-INST:TYP VOLTAGE,VLTG RTNG 380/	1.00	011	ST
579956	LAMP,HID:TYP HALOGEN,VOLT 24V,W 70/75W	6.00	021	ST
1617028	TRNSFRMR-CURNT:PTNTL 10VA,CURNT RT 150/1	1.00	051	EA
641418	CONTROLLER,PNEUMATIC:RNG 0.2-1KG/CM2	1.00	061	ST
589440	BREAKER,CIRCUIT:100A,220-690VAC	1.00	011	ST
31551	CIRCUIT,POWER SUPPLY:	5.00	021	EA
602524	RING,PISTON:PTFE,TYP 1ST STAGE	5.00	051	ST
599570	GSKT PRE-CUT :CARBON	1.00	051	ST
1045593	BRG,ROLL:TYP CYLINDRICAL,ROW SINGLE,INSI	1.00	051	ST
782427	TUBE:TYP BLAST	2.00	131	ST
417842	WASHER,SEALING:SS/FIBRE	1.00	051	EA
597348	VLV-BAL;1/2 X 1/2IN,SS ASTM A351 GR CF8M	2.00	051	ST
602917	SEAL,RING:	2.00	051	ST
594520	SEAL,RING:ID 110MM,OD 125MM,THK 11MM	1.00	051	ST
632759	THERMOWELL:DRILLED BARSTOCK,600MM,MT SS	1.00	061	ST
602770	RING, PISTON: INSIDE DIAMETER 300MM	2.00	051	ST
584065	KIT: TYPE TUBE; FLOAT AND SEAL	2.00	081	ST
1586435	WDG-VLV:VLV STYL GATE VALVE,VLV SZ 8IN,M	1.00	101	EA
592353	EXTRACTOR:TYP DIP TOOL	2.00	101	ST
617447	RING,PISTON:	9.00	051	ST1
928351	CIRCUIT: TYP THYRISTOR CONTROL	1.00	011	EA
624907	CIRCUIT,POWER SUPPLY:APLC 10KVA UPS	1.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
628133	SPACER:TYP PACKING,MT FLEXIGRAPH	2.00	051	ST
581739	HOSE,RADIATOR:ID 46MM,RUBBER,CURVED	3.00	051	ST
617191	TUBE:TYP PICK UP	3.00	131	ST
619986	FILTER:MT CS/SS	1.00	051	ST
600798	GSKT PRE-CUT :	1.00	051	ST
628002	PLUG,VALVE:VLV SZ 1IN,CONTROL	1.00	051	ST
1580607	PUMP-DPHRGM:TYP ANALYTICAL; SAMPLE,SZ IN	1.00	081	EA
586124	BRG,SLEEVE:TYP JOURNAL	1.00	051	ST
775297	STUD CNTNS THD:TYP BOLT,DIA 7/8IN,THRD 9	24.00	051	ST1
600009	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	2.00	051	ST
1613109	NZL-VLV:VLV SZ 4 X 6IN,MTRL 1.4404,OPRTN	1.00	051	EA
589526	BREAKER,CIRCUIT:30A,POLE 1	1.00	011	ST
625519	COIL,ELECTRICAL:TYP CIRCUIT BREAKER	1.00	011	ST
616968	KIT:TYP ENTRY INSULATION	2.00	081	ST
634940	HEATER:TYP FREEZE STOP	62.00	001	M
588630	RING:CARBON	1.00	900	ST1
614221	FUSE:200A,3/7.2KV	2.00	021	ST
632771	THERMOWELL:DRILLED BARSTOCK,250MM,MT SS	1.00	061	ST
742213	ASSEMBLY:CLAMP COLLER	1.00	081	ST
632050	GSKT PRE-CUT :P#1300-S,BONNET,6IN	2.00	051	ST
596135	HEAD:TYP CONTROL,SZ OD 88 X LG 110MM	1.00	101	ST
777287	VENTILATOR:TYP CABINET	1.00	081	ST
577647	GEAR:TYP WHEEL	2.00	081	ST
1024528	BRACKET: TYP SUPPORT,SIZE SQ 160MM	41.00	051	ST1
598354	BRG,BALL:TYP DEEP GROOVE,P/N:6002 DU,MNF	3.00	051	ST
607364	BUSHING,ELECTRICAL CONDUCTOR:	1.00	021	ST
578407	SET:TYP GLAND PACKING	1.00	081	ST1
596876	REGULATOR,PNEUMATIC:TYP PRESSURE GAS	1.00	061	ST
998980	DISTRIBUTOR: APPL SEPERATOR BOWL	1.00	021	ST
902511	RGULTR;CONTROL VALVE	5.00	061	ST
870036	O-RING:ID 1-1/8IN,WD 1/16IN,MT BUNA-N	1.00	051	EA
612222	SWITCH,FLOW:10-60L/MIN H2O,SPDT	1.00	061	ST
605621	OPRTR-SWTCH;SELECTOR	2.00	011	ST
620620	SEAL,RING:TYP V SHAPE,MT SYNTHETIC RUBB	2.00	051	ST
577531	COMPOUND:TYP COLD GALVANISING	15.00	001	ST
600692	GSKT,SPWD:20IN,150LB,GRAPHITE	39.00	051	ST
592863	GSKT-PRE-CUT;COVER,RECTANGULAR,CORK	1.00	051	ST
634237	BUSH:ACTUATOR	2.00	051	ST
1557244	STN:TYP LOCAL CONTROL,MTRL FRP,APL PANEL	2.00	011	ASY
590930	TRANSFORMER,INSTRUMENT:VA RT 10VA	1.00	011	ST
642695	RING:PTFE/KOHL, TYP SLIDING	8.00	051	ST
590613	MECHANISM:TYP SWITCH	2.00	051	ST
621010	BREAKER,CIRCUIT:30A,600VAC	1.00	011	ST
577721	ASSEMBLY:TYP DIAPHRAGM,APLC SPRING SEAT	1.00	081	ST
642780	RING:TYP STUFFING BOX	7.00	051	ST1
582294	FILTER,ELEMENT:OIL	3.00	051	ST
644897	BASKET,STRAINER:MT SS	1.00	051	ST
1223822	POTENTIOMETER:OHM 10000OHM,WATT 2W,PTNTL	1.00	031	EA
621914	TRNSFRMR:TYP CONTROL,VA RTNG 1000VA,PRMR	2.00	011	ST
805336	FUSE:1A,500V,DIA 10.3 X LG 38MM	3.00	021	ST
1592423	CNTCTR:TYP COMBINATION / MOTOR PROTECTIO	2.00	011	EA
605122	RELAY:COIL 230VAC 50/60HZ,4PST	1.00	011	ST
591167	INTERFACE:TYP FIBRE OPTIC,PWR S 110VDC	1.00	031	ST
585647	VALVE,SOLENOID:ST 3/2 WAY,ELEC TRT 24VDC	1.00	051	ST
583648	CIRCUIT:TYP REGULATOR CARD,APLC WASTE	1.00	011	ST
583185	BLST;HS/HI LAMP,220VAC 60HZ,3A,(1) 250W	1.00	021	ST
737370	PACKING:TYP CONTROL VALVES	1.00	051	ST1
593781	O-RIG;29.51MM,5.33MM,VITON	10.00	051	ST
566947	RELAY:COIL 220VAC 50/60HZ,4PST	5.00	011	EA
580288	CYLINDER,ACTUATING LINEAR:	1.00	061	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
619733	SCREW,CAP:16MM DIA,51MM LG,MT SS 304	4.00	051	ST
603202	SEAL:PTFE	2.00	051	ST
607111	WASHER,LOCK:BRAKE SYSTEM	2.00	051	ST
583080	KIT:TYP EMERGENCY LAMP	1.00	081	ST
1024066	UNIT: TYP THERMAL MAGMETIC PROTECTION	2.00	051	EA
1072071	CHAIN, CONVEYOR: APPL ROTARY VALVE	1.00	091	ST
600960	GSKT PRE-CUT :ROUND	2.00	051	ST
589027	CORD,COMMUNICATIONS:	1.00	031	ST
580282	CYLNR-ACTUTG-LNR;HYDRAULIC,50MM,450MM	1.00	061	ST
1247878	GSKT PRE-CUT :TYP RAISED FACE,SIZE ID 73	23.00	051	EA
577756	ASSEMBLY:	1.00	081	ST
593307	GSKT PRE-CUT :ROUND,COVER	6.00	051	ST
602112	PACKING: TYP GLAND,P/N:1S01546	1.00	051	ST1
1070022	CONTACT, AUXILIARY: TYP EARTHING SWITCH	1.00	011	EA
594181	O-RIG;EPDM	4.00	051	ST
587968	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	KIT
629121	TRANSMITTER,PRESSURE:40-400BAR	1.00	061	ST
624986	FILTER:	2.00	051	ST
641828	INDCTR;SPEED,220V AC,0.6-5940RPM	1.00	061	ST
598924	MOTOR,ELECTRIC:0.75KW	1.00	011	ST
1003964	PLATE: TYP ORIFICE,SIZE 3 IN	1.00	131	EA
596625	FILTER:TYP CARTRIDGE	10.00	051	ST
585797	VALVE,GLOBE:VLV SZ 1/2IN,DES RTG CL 800	1.00	051	ST
616652	TRANSFORMER,INSTRUMENT:VA RT 10VA	1.00	011	ST
918034	CABLE, COMMUNICATIONS: TYP SIGNAL	1.00	061	EA
615758	NUT:SS ASTM A283,GR D,SHAFT	2.00	051	ST
599708	GSKT PRE-CUT :ID 1350 X OD 1470MM	4.00	051	ST
644298	ASSEMBLY:APLC INTERPOSING CIRCUIT	1.00	081	ST
963198	JOINT, EXPANSION: SIZE 1700 X 7200MM	1.00	051	ST
747055	BRG-BAL;30MM,72MM,30.2MM,CAGE,DOUBLE	2.00	051	ST
1044248	KIT, SEAL: TYP ROOF,APPL TANK,DOC:E213	1.00	051	KIT
592623	GSKT-PRE-CUT;VESSEL,ROUND	2.00	051	ST
643180	STRAINER:	1.00	051	ST
778674	MICROPHONE:	1.00	031	ST
588193	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG GASKET	1.00	051	ST1
614198	TRAP,STEAM:SZ 3/4IN,CONN FLANGE RF,PR RT	1.00	051	ST
580802	ANGLE:TYP PLATE SUPPORT,SZ WD 2 X THK 1	3.00	131	ST
1035454	TRANSMITTER, FLOW: RANGE 0-12000KG/HR	1.00	061	EA
943707	RELAY,OVERLOAD:1-1.6A,THERMALLY DELAYED	1.00	011	EA
1612238	GSKT-KIT-INSULTG:TYP VCXT,NMNL FLNG SZ 6	16.00	051	KIT
624329	MEMBRANE:	1.00	051	ST1
1244944	BREAKER,CIRCUIT:AMPERAGE 1250A,VOLTAGE 1	1.00	011	ASY
730810	VALVE,RELIEF:TYP SAFETY	1.00	051	ST
600270	GSKT,SPWD:30IN,600LB,GRAPHITE	5.00	051	ST
604111	BREAKER,CIRCUIT:16A,POLE 3,MAIN	2.00	011	ST
1548752	SEAL-RIG:THK 15MM,MTRL VITON,TYP V,APL M	6.00	051	EA
1024966	METER, FLOW: TYP METAL ROTAMETER,MATL SS	1.00	101	EA
600572	GSKT PRE-CUT :SIZE ID 22 X OD 29 X THK 1	1.00	051	ST
577804	ASSEMBLY:PIPE	1.00	081	ST
584442	METER:TYP POWER FACTOR	1.00	900	ST
618358	BRG,ROLL:TYP RADIAL	2.00	051	ST
1627323	VLV-CHCK;DUAL PLATE WAFER,3IN,CL300	1.00	051	EA
590587	ASSEMBLY:	3.00	011	ST
644698	PUMP,CENTRIFUGAL:CAP 8M3/HR,MOTOR	1.00	081	ST
585038	DISC,VALVE:MATL SS ASTM A276,GRD 304,VAL	1.00	051	ST
606788	SCREW,MACHINE:M4 DIA,12MM LG	50.00	051	ST
580359	ROTOR:TYP DISTRIBUTOR	2.00	081	ST
591793	WASHER,TAB:SS 316,IMPELLER	2.00	051	ST
1022151	COUPLING, PIPE: DOC:560903, EQUIP MDL#:	1.00	051	SE
594087	O-RING:APLC SEAL	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1065078	PLUG-VLV:VLV STYL LINEAR,VLV SZ DN20,DIA	1.00	051	EA
898237	BREAKER,CIRCUIT:3A,230/400VAC	1.00	011	EA
619668	PLUNGER:MT SS ASTM A276 GR 420	1.00	051	ST
603023	SEAL:TYP RING,APLC BUTTERFLY VALVE	1.00	051	ST
1592672	VLV-GATE:TYP SQUARE BOLTED BONNET,VLV SZ	1.00	051	EA
588101	SEAT,VALVE:CONTROL,SS 316	4.00	051	ST
100581	BRG,ROLL:ID 10MM,OD 14MM,WD 10MM	2.00	051	ST
583504	PLUG,ELECTRICAL:POLE 25	1.00	031	ST
619644	TUBE:MT A1050TD/PE	1.00	051	ST
608568	RING,WEAR:CI ASTM A48 CL 35,APLC CASING	1.00	081	ST
626694	CONTACTOR:TYP MAGNETIC,COILV 220VAC	1.00	011	ST
634126	SWITCH,PRESSURE:0.2-4BAR	1.00	061	ST
588136	PACKING:GRAPHITE	1.00	051	ST1
610125	SWITCH,SELECTOR:TYP AMMETER POSITION,POS	1.00	021	ST
589206	SLEEVE,SHAFT:SS ASTM A276 GR 304	1.00	051	ST
587416	KIT,PUMP REPAIR:TYP KOP	2.00	081	KIT
1072076	CHAIN, CONVEYOR: APPL ROTARY VALVE	1.00	091	ST
599539	GSKT PRE-CUT :	3.00	051	ST
608049	SPACER:TYP POWER UNIT	2.00	051	ST
584209	DISC,RUPTURE:3 BAR G AT 30 2DEG C,1IN	1.00	051	ST
607813	FLANGE,PIPE:TYP LAP JOINT,CNCTN TYP SOLV	2.00	051	ST
187179	BREAKER,CIRCUIT:6A,400VAC,POLE 2	1.00	061	ST
1609080	CRUCBL;HIGH TEMPERATURE RESISTANCE,250ML	18.00	071	ST
590953	TRANSFORMER,INSTRUMENT:VA RT 7.5VA	3.00	011	ST
1034381	UNIT: TYP BRAKE,APPL MOTOR,P/N:75020000	2.00	051	EA
623821	BLOCK,CONTACT:TYP SWITCH,ELEC RT 400VAC	2.00	021	ST
583928	MODULE,POWER SUPPLY:	1.00	031	ST
585221	FLOAT:TYP LITTLE,MT SS 316/RUBBER	1.00	061	ST
585958	VALVE,SOLENOID:ST 4 WAY	1.00	051	ST
991607	GSKT JKTD: JACKET MATERIAL IRON	3.00	051	EA
583298	SHFT-PUMP;1685MM,SS DIN WN 1.4021.05	1.00	051	ST
1023147	GAUGE, PRESSURE: RANGE -1 TO 1.5BAR	1.00	101	EA
568759	PLUG SUPERSEDED BY 161400	1.00	051	EA
619642	RING,RETAINING:CS JIS G4051 GR S50C,SNAP	2.00	051	ST
607089	WASHER:ID 25.1MM,OD 55MM,THK 5MM	2.00	051	ST
967211	KEY, SHAFT: MATL SS ASTM A240 GR 316L	1.00	051	ST
615078	FLG;LAP JOINT FF,DN 3 IN X THK 20MM,AL	2.00	051	ST
804569	CIRCUIT:TYP ELECTRONIC	3.00	011	ST
9102450	DIMETHYL TEREPHTHALATE	10.00	051	KG
601224	GSKT,RJ:R-57,SS 316,PR RT 600LB	1.00	051	ST
593555	GSKT PRE-CUT :ID 1500 X 2000 X THK 2MM	2.00	051	ST
616818	SEAL,RING:TYP V SHAPE,APLC MOTOR	6.00	051	ST
9101649	ASSY,EXHAUST MUFFLER PIPE	1.00	051	ST
604865	FUSE:500A,1000V,HIGH RUPTURE CAPACITY	10.00	021	ST
600650	GSKT-PRE-CUT:TYP FF,SZ ID 88.9 X OD 190	1.00	051	ST
130466	HUSG;BEARING,CI ASTM A48 CL 25B	3.00	051	EA
604612	FUSE:0.25A,250VAC,DIA 5 X LG 20MM	20.00	021	ST
1602712	BOLT-ASMBLY:NMNL DIA 7/8IN,LG 150MM,MTRL	16.00	051	ASY
593447	GSKT PRE-CUT :THK 2MM,NEOPRENE RUBBER	2.00	051	ST
602512	RING,WEAR:INSIDE DIAMETER 88.5MM,MATL SS	1.00	081	ST
1004141	BREAKER, CIRCUIT: AMPERAGE 10A,POLE 2	1.00	011	EA
616646	TRANSFORMER,INSTRUMENT:VA RT 10VA	1.00	011	ST
1022752	WASHER, LOCK: TYP SPRING,P/N:4040041022	7.00	051	EA
633003	PIN-DWL;8MM,20MM	3.00	051	ST
1633457	FTG;TUBE,DIA 5 X LG 16MM,PLASTIC;M:TOC-L	5.00	051	EA
631611	NUT,SLOTTED:DIA M75,THD 1.5MM,GROOVE	3.00	051	ST
514294	CIRCUIT:TYP LOCAL CONTROL,APLC ACTUATOR	2.00	011	ST
496301	RING,BACK-UP:INSIDE DIAMETER 2-5/16IN,MA	1.00	051	EA
1054288	BOARD, TERMINAL: P/N:3GZF284716-6	1.00	021	EA
490169	BARRIER:TYP SAFETY	1.00	031	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
619511	O-RING:	4.00	051	ST
1612430	CUPLG-SHFT:TYP DISC,BR MOTOR END 110 X P	1.00	051	EA
603155	SEAL:PIN JOINT-SM	2.00	051	ST
590815	SWTCH-PRSUR;CL1,0.2-4BAR,SPDT,MPT/FPT	1.00	061	ST1
588528	KIT,VALVE REPAIR:SEAT AND SEAL	3.00	051	ST1
627232	PACKING:GRAPHITE,TYP GLAND	2.00	051	ST1
615767	RETAINER:TYP SLEEVE	1.00	051	ST
627350	SWITCH,SELECTOR:TYP AMMETER	1.00	021	ST
643189	BUSH:STEAM TURBINES	1.00	051	ST
605392	BREAKER,CIRCUIT:0.6-1A,415-690VAC	1.00	011	ST
591826	WASHER,LOCK:	2.00	051	ST
589438	BREAKER,CIRCUIT:50A,220/690VAC; 250VDC	1.00	011	ST
599411	GSKT PRE-CUT :ID 125 X OD 170 X THK 4MM	17.00	051	ST
641824	BARRIER:TYP SAFETY	1.00	121	ST
643600	BRG:	1.00	051	ST
584241	HEAD:TYP PILOT INDICATING LAMP; YELLOW	10.00	101	ST
602695	RIG-RTNG;INNER	1.00	051	ST
1228236	LIGHT,WARNING:TYP XENON BEACON,PTNTL 230	1.00	121	EA
624927	ASSEMBLY:TYP CURRENT FEEDBACK	1.00	011	ST
599338	GSKT PRE-CUT :NON ASBESTOS	2.00	051	ST
592441	GSKT:ID 85 X OD 104MM,SEAT,THK 5MM,ROUND	1.00	051	ST
1053280	INDICATOR: TYP PUSHBOTTOM SWITCH	1.00	061	EA
600347	GSKT,SPWD:	2.00	051	ST
629549	FLOAT:MT SS 316	1.00	061	ST
583019	DIODE,LIGHT EMITTING:COLOR CAMDEN RED	9.00	031	ST
726696	WASHER:AL	3.00	051	ST
316498	O-RING, DIN 3771- 64.00X 3.00-N-NBR 70	12.00	051	ST
610107	BLOCK,TERMINAL:	2.00	021	ST
618490	GAUGE,DIFF.PRESS.:0-6BAR,CASE MT SS	1.00	061	ST
611000	LAMP-INCNDS CNT;FLASHING	1.00	021	ST
607282	BUSH,PUMP:GUIDE	8.00	081	ST
589430	BREAKER,CIRCUIT:2.5A,220/690VAC; 250VDC	1.00	011	ST
601821	O-RING:ID 70MM,WD 4MM,MT VITON	2.00	051	ST
600309	GSKT,SPWD:GRAPHITE,SS 316,IRMT SS 316	4.00	051	ST
643828	SCREW,CAP:HEX	2.00	051	ST
603450	BLOCK,CONTACT:ELEC TRT 500VAC 10A	1.00	021	ST
581112	PLUG-VLV;DRAIN,STEEL	1.00	051	ST
586910	BUZZER:RT 24VDC	2.00	121	ST
612387	ASSEMBLY:TYP GEAR	2.00	081	ST
589449	BREAKER,CIRCUIT:70KA,220/690VAC; 250VDC	1.00	011	ST1
600762	GSKT PRE-CUT :	2.00	051	ST
784362	CABLE:TYP EXTENTION,SZ LG 7.5M	2.00	021	EA
1080914	COLLAR: TYP COLLAR,SIZE ID 205 X OD 249	2.00	051	ST
590919	TRANSFORMER,INSTRUMENT:	1.00	011	ST
596522	DIAPHRAGM:	1.00	051	ST
642825	SPRING:TYP PRESSURE	2.00	051	ST
587334	KIT,ACTUATOR REPAIR:TYP SEAL	2.00	061	ST
589094	CONTACT,AUXILIARY:CONTAR 1NO-1NC	1.00	011	ST
605120	RELAY:COIL 230VAC 50/60HZ,4PST	1.00	011	ST
1012882	METER, FLOW: TYP ROTAMETER,CNCT 1/2IN	1.00	101	EA
905327	COUPLING,SHAFT:MAGNETIC,ALLOY 22	1.00	051	EA
618042	LIGHT,INDICATING:TYP PILOT,VOLT 110V	3.00	021	ST
643217	DISC,VALVE:HAND	2.00	051	ST
643007	GSKT PRE-CUT :PTFE,COVER,DN 80	4.00	051	ST
625033	PCKG;PTFE,SPACER	2.00	051	ST
634548	GSKT: TYP CASING COVER,P/N:4-416950-00	1.00	051	ST
603291	O-RING:MT NBR,APLC VACUUM RELEASE VALVE	1.00	051	ST
605050	RELAY:COIL V 110VAC 50/60HZ,ACTION 3PDT	6.00	011	ST
1025533	SWITCH, NETWORK: TYP ETHERNET	2.00	031	EA
643575	NUT,LOCK:BEARING	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
17405	DISC,VALVE:RELIEF	2.00	051	ST
1023198	BREAKER, CIRCUIT: AMPERAGE 80A,POLE 3	1.00	011	EA
580950	PLUG,VALVE:VLV SZ DN 40-50MM,CONTROL	2.00	051	ST
734785	SCRW-ST:HD SOCKET,P/N:4050039035,MNFR:MI	1.00	051	EA
930789	GAUGE, PRESSURE: RANGE 0-40BAR	1.00	101	EA
629948	DISC:AXIAL	2.00	051	ST
1003973	PLATE: TYP ORIFICE,SIZE 3IN	1.00	131	EA
579168	DETECTOR:TYP RESISTANCE TEMPERATURE	1.00	101	ST
577549	COMPOUND,SEALING:TYP GOLDEN PASTE	3.00	001	TB
910384	KIT:APLC ANALYZER	1.00	081	KIT
608484	BAFFLE:TYP OIL	1.00	081	ST
603539	CLAMP:SZ OD 170MM,MT AL	2.00	051	ST
9102256	ELEMENT,HEATER,60MMWDX242MMLGX147MM(TO B	2.00	051	ST
1038456	RING, WEAR: INSIDE DIAMETER 280MM	1.00	081	ST
597857	BRG-RLR;NEEDLE,SINGLE,20MM,26MM,12MM	4.00	051	ST
602440	PACKING:2-1/4 IN X 83MM,GRAPHITE	2.00	051	ST1
590091	FUSE:500A	2.00	021	ST
1037440	PIPE: SIZE DN 40,LENGTH 6000MM,ENDS PE	2.00	131	ST
612314	SWTCH-TMPRTUR	4.00	021	ST
578670	LUBRICATOR:PR RT 12BAR	2.00	081	ST
579633	TRANSMITTER,TEMPERATURE:	1.00	061	ST
615871	GSKT:	1.00	051	ST
949887	HOSE-FLXBL-MTL;1/4IN,24IN,MNPT,PTFE/SS	1.00	051	EA
643247	CONROD:TYP CONNECTING,P/N:182613 001,MNF	1.00	081	ST
592509	GSKT-PRE-CUT;COVER,ROUND	2.00	051	ST
622547	VALVE,SOLENOID:	1.00	051	ST
605774	TRANSFORMER:	2.00	011	ST
891827	CRCUT;EPROM,OXYGEN ANALYZER	1.00	011	ST
615965	GSKT:CYLINDER LINER,THK 0.5MM	1.00	051	ST
644937	FAN:TYP VENTILATING	2.00	081	ST
602740	RING:TYP METAL ELECTRODE	1.00	051	ST
615803	O-RING:ID 19-1/4IN,WD 0.139IN	1.00	051	ST
1579790	PLUG-TUBE:DIA LARGE END 28 X SMALL END 2	160.00	051	EA
608144	UNION:TYP HOSE	2.00	051	ST
597610	VALVE,BALL:VLV SZ 6IN,DES RTG 103BAR	1.00	051	ST
618869	PUMP,ROTARY:TYP HYDRAULIC,MOTOR	1.00	081	ST
604739	FUSE:315A,500V,DIA 31 X LG 112MM,SLOTTED	5.00	021	ST
593713	O-RING:ID 10MM,WD 2.4MM	6.00	051	ST
1575817	GSKT-PRE-CUT:TYP FF,SZ ID 88.9 X OD 190	4.00	051	EA
1596649	SPRG-VLV:MTRL SS ASTM A313 GR 316,VLV SZ	1.00	051	EA
592948	GSKT-PRE-CUT;ID 515 X OD 595 X THK 3MM	1.00	051	ST
585153	REGULATOR:TYP FILTER/REGULATOR	2.00	061	ST
615986	GSKT:VALVE/COMPRESSOR	1.00	051	ST
1023590	CABLE: TYP SELF REGULATING HEAT TRACING	5.00	021	M
598550	BELT,V:	2.00	051	ST
629553	SWTCH;MICRO,250VAC 5A,SPDT,1NO-1NC	2.00	021	ST
597507	VALVE:TYP LOAD CONTROL LOWERING,VLV SZ	2.00	051	ST
800703	GSKT,SPWD:4IN,600LB,GRAPHITE,SS 316	1.00	051	ST
591061	CIRCUIT:TYP TIMER,STD UL	2.00	011	ST
85348	GSKT PRE-CUT :CR 099	28.00	051	ST
619942	GSKT,SPWD:GRAPHITE/V#6596,SS 316	3.00	051	ST
607865	INSERT:CARBIDE	12.00	051	ST
588256	PACKING:PTFE; SS 316L,TYP GLAND	3.00	051	ST1
578783	FILTER:SZ WD 19-1/2 X LG 20IN	1.00	051	ST1
602049	O-RING:MT VITON,APLC VALVE	1.00	051	ST
803153	PACKING:ID 76 X OD 90 X THK 9MM,GRAPHITE	1.00	051	ST
634805	HEATER:TYP LONG LINE HEAT TRACE	70.00	001	M
1029657	SEAL, MECHANICAL: TYP ELASTOMER BELLOWS	1.00	051	EA
1585061	PLT-HEAT-EXCHNGR:TYP NT50T V,MTRL SS,GRD	1.00	131	SE
1594424	KIT-INSTLTN;REPLACEMENT	1.00	051	KIT

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
609588	VALVE,BALL:VLV SZ DN 12,CONN BSP	1.00	051	ST
1588000	BLNKT-INSULTN:MTRL CERAMIC FIBER,SZ WD 6	74.00	001	ROL
800795	GSKT,SPWD:12IN,600LB,GRAPHITE/PTFE	1.00	051	ST
726689	VALVE,RELIEF:VLV SZ 1/2IN	3.00	051	ST
722820	BELLOWS:MT SS 316L/403	1.00	051	ST
626916	RELAY:COIL 110VDC,3PDT,CONT 10A	5.00	011	ST
506015	CNTCTR:TYP AUXILIARY,AM 6A,COIL V 48VAC	1.00	011	ST
605664	SWITCH,LEVEL:CONTRT 220/230VAC	1.00	061	ST
1024263	GSKT, SPWD: NOMINAL FLANGE SIZE 1IN	6.00	051	EA
582770	THERMOCOUPLE:	1.00	061	ST
589935	FUSE:5A	40.00	021	ST
581329	CIRCUIT:TYP FILTER	2.00	011	ST
597817	GAS:HYDROGEN	8.00	001	ST
584943	DISC,PUMP:CS SEW 1.4138 WNT,FEED WATER	1.00	081	ST
590256	KIT:TYP POWER SUPPLY,APLC PNEUMATIC ACT	1.00	061	ST1
599503	GSKT PRE-CUT :MATL V#6500,DOC:N-9186 E	4.00	051	ST
593846	O-RING:APLC BEARING BUSH	4.00	051	ST
579071	CONTROLLER,ELECTRONIC:TYP INTERFACE	1.00	031	ST
1000786	SWITCH, SELECTOR: CNTCT RT 690VAC 20A	1.00	021	EA
593458	SEAL-OIL;RADIAL	1.00	051	ST
634010	O-RIG	2.00	051	ST
587063	ASSEMBLY:LEVEL SWITCH	1.00	081	ST
837403	KIT,VALVE REPAIR:ON-OFF BALL VALVE	1.00	051	EA
642881	BRG-BAL;12456,35MM,72MM,17MM,OPEN,SINGLE	1.00	051	ST
1080175	SEAL: SIZE THK 6.85MM,MATL VITON	1.00	051	EA
602605	RING,WEAR:SS JIS G4305 GR 420J1	1.00	900	ST
1026174	FILTER, ELEMENT: TYP CATRIDGE,MNFR:EPE	3.00	051	ST
589353	BTRY-PACK;NICKLE CADMIUM,3.6V DC,4AH	1.00	011	ST
579668	TRANSMITTER,TEMPERATURE:	1.00	021	ST
643576	SEAL-LBYRNTH:SZ ID 54 X OD 85 X WD 10MM	1.00	051	ST
613217	SWITCH:TYP VIBRATION	1.00	021	ST
604110	BRKR-CRCUT;32A,10KA,3,MINIATURE	12.00	011	ST
584598	HLDR-LAMP;BAYONET	2.00	021	ST
632707	TRANSMITTER,DIFF.PRESS.:	1.00	061	ST
1602553	VLV:TYP REPLACEMENT,VLV SZ 10-PORT,DSGN	1.00	051	EA
625328	SWITCH:TYP MICRO ADAPTOR	2.00	021	ST
9102374	BUSH, FOR 5199-P01-002 BOOSTER PUMP(TO B	2.00	051	ST
589199	SLEEVE,COUPLING:SS ASTM A276 GR 403	1.00	051	ST
644388	BOLT,MACH:M16,LG 60MM,GS,2MM,HD HEX	1.00	051	ST
589265	SLEEVE, SHAFT: MATL SS 316,P/N:N125GJ009	1.00	051	ST
594180	O-RIG;EPDM	4.00	051	ST
642947	GSKT PRE-CUT :NON ASBESTOS,COVER	6.00	051	ST
605112	RELAY,OVERLOAD:1.6-2.5A,1NO-1NC,THERMAL	1.00	011	ST
639604	KIT-VLV-RPR:TYP KIT,VALVE REPAIR,CMPRSNG	2.00	051	KIT
617855	WSHR;SS DIN WN 1.4571,10MM	49.00	051	ST
9101808	SHIM	50.00	051	ST
626504	VALVE,RELIEF:VLV SZ 1 X 2IN,TYP SAFETY	1.00	051	ST1
625445	SWTCH-DSCNCT;690VAC 100A 50/60HZ	1.00	011	ST
581735	HOSE-RDTR;25MM,33MM,115MM,RUBBER,CURVED	2.00	051	ST
615789	DISC,VALVE:SS 316,PRESSURE SAFETY	1.00	051	ST
590322	RELAY:TYP AUXILIARY	8.00	011	ST
1530922	BEARING,PILLOW BLOCK:ID 1IN,ROLR ELMNT B	2.00	051	EA
628658	SEAT,VALVE:GATE,AS ASTM A182 GR F6	2.00	051	ST
630838	DTCTR-RSTNC-TMPRTUR;DUPLEX	1.00	101	ST
1007717	UNIT, CONTROL: INPUT 4-20MA,O/P 0-20MA	1.00	011	EA
739085	O-RING:MT NBR	2.00	051	ST
596407	BREATHER:	2.00	081	ST
1003984	PLATE: TYP ORIFICE,SIZE 2IN,MATL SS 316L	1.00	131	EA
632357	RELAY:TYP SWITCHING POWER	1.00	011	ST
705319	NUT,LOCK:BEARING	3.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
496255	SEAT,VALVE:SS ASTM A564 GR 630	1.00	051	EA
604832	FUSE:4A	7.00	021	ST
702536	VALVE: P/N:531458300,DOC:MT162	1.00	051	EA
598885	LINK,CHAIN TRANSMISSION:TYPCONNECTING	2.00	051	ST
587083	PINION:TYP GEAR	1.00	081	ST
602108	PACKING:GRAPHITE,P#6610 AND P#6315	2.00	051	ST1
587166	ASSEMBLY:GOVERNOR VALVE	1.00	081	ST1
638210	GUARD:TYP DUST	1.00	121	ST
594221	KIT-VLV-RPR;PACKING,STUFFING BOX SEALING	10.00	051	ST
9101663	ASSY,ALTERNATOR ASSY # 27060-35160	1.00	051	ST
637666	KIT-VLV-RPR:TYP SOFT PART,APL BALL (SIZE	1.00	051	ST1
612846	CAPACITOR:	2.00	031	ST
635705	RETAINER:TYP SPRING,MT CS JIS G4051 GR	1.00	051	ST
187439	CRCUT;CONTROLLER,MOISTURE ANALYZER	2.00	011	ST
910351	KIT,ACTUATOR REPAIR:TYP SEALING	2.00	061	KIT
598903	LINK-CHN-TRNSMSN;SINGLE STRAND,STEEL	10.00	051	ST
639333	SPINDLE:MT SS ASTM A276 GR 304	1.00	101	ST
611528	BREAKER,CIRCUIT:6A,AUTOMATIC	2.00	011	ST
845075	DIAPHRAGM,VALVE:MT HYTREL,VLV SZ 1-1/2IN	4.00	051	ST
912158	SEAL:INCONEL 718,FACE	1.00	051	EA
1043517	GAUGE, PRESSURE: RANGE 0-6BAR,MOUNT LM	1.00	101	EA
596940	SEAT-VLV;CONTROL,DN 25,20MM,(44 X 49)MM	1.00	051	ST
900905	CONTACTOR:TYP MAGNETIC,POLE 3	1.00	011	EA
859799	GAS:CALIBRATION,CYLINDER K	1.00	001	CY
626611	GSKT	2.00	051	ST
261296	CONTACTOR:TYP MAGNETIC,AMP 250A,3 POLE	1.00	011	EA
587084	DIAPHRAGM:MT PTFE	1.00	051	ST
1219152	MODULE:TYP (4) CHANNEL RECIP IMPULSE/VEL	1.00	031	EA
599745	GSKT,SPWD:GRAFOIL,SS 316,APLC BOTTOM	1.00	051	ST
1611571	GSKT-KIT-INSULTG:TYP VCFS,NMNL FLNG SZ 1	1.00	051	KIT
590664	SWITCH,LIMIT:CNTCT RT 230/500VAC 6/10A,A	5.00	061	ST
1063893	REAGENT:TYP AMINO ACID AND MOLYBDATE,TRA	4.00	001	ST1
588992	WINDOW:TYP CROSS,SZ DIA 72 X THK 12MM	1.00	131	ST
610766	VALVE,GATE:VLV SZ 1/2IN,CONN THD	1.00	051	ST
930554	STEM,VALVE:VLV ST ON-OFF BALL,VLV SZ 1IN	2.00	051	EA
635124	SEAL,RING:TYP V SHAPE,APLC MOTOR	3.00	051	ST
643061	GSKT,SPWD:1-1/2IN,GRAPHITE,SS 316	3.00	051	ST
636390	SWITCH,TEMPERATURE:CAP LG 1.8M	1.00	021	ST
644925	GSKT PRE-CUT :NON ASBESTOS,ROUND,DN 15	4.00	051	ST
587760	KIT,VALVE REPAIR:SEAT AND SEAL	4.00	051	KIT
619848	GAUGE,LEVEL:LG 200MM,SS 304	1.00	900	ST
631419	NUT:DIA M6,SS,THD 1MM	16.00	051	ST
589628	COIL,ELECTRICAL:FUNC CLOSING,ELEC TRT 2	2.00	011	ST
143426	RING,BACK-UP:MT NITRILE RUBBER	2.00	051	EA
1031953	KIT,ACTUATOR REPAIR:TYP WEAR PARTS,CMPRS	1.00	061	KIT
605106	RLY:COIL V 110V DC,ACTN 4PST,CNTCT RTNG	1.00	011	ST
496690	RING,RETAINING:STEEL	1.00	051	EA
594286	PACKING:SQ 2 X LG 35MM,PTFE FILAMENT	3.00	051	ST1
597666	VALVE,SOLENOID:ELEC TRT 230VAC 8W 50HZ	1.00	051	ST
596569	DISC,VALVE:DIA 235 X HT 115MM,STEEL,VLV	1.00	051	ST
606252	DWL;ID 17 X OD 18 X LG 13MM,STEEL	2.00	051	ST
626697	RELAY,OVERLOAD:	1.00	011	ST
580692	CVR;TERMINAL,WD 61 X LG 124 X THK 6MM,AL	3.00	051	ST
585159	FLTR	1.00	051	ST
606613	SCREW:7/16IN DIA,1IN LG,STEEL,THD 14 UNC	1.00	051	ST
605439	SWTCH-TMPRTUR;12-60°C	1.00	021	ST
644827	GSKT:ID 150 X OD 200MM,ROUND,AL,HOLES	6.00	051	ST
615090	CLR;OD 219.1 X THK 3MM,SS DIN WN 1.4541	2.00	051	ST
1581473	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPRSNG DI	1.00	061	KIT
585485	SPRING, VALVE: MATERIAL SS 316L	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1022671	CONTACTOR: AMPERAGE 185A,POLE 3	1.00	011	EA
604618	FUSE:7.5A,32VDC,BLADE	6.00	021	ST
584125	PUMP:TYP CARRIAGE,MOTOR	1.00	081	ST
717233	GUG-PRSUR;DISCHARGE	1.00	900	EA
603933	BLCK-TRMNL;600V 10A,CAPTIVE SCREW,4MM2,1	25.00	021	ST
760315	COIL,ELECTRICAL:TYP SOLENOID VALVE	1.00	051	ST
587339	KIT,VALVE REPAIR:SEAL	1.00	051	KIT
1072031	BOARD, PRINTED CIRCUIT: TYP ELECTRONICS	1.00	031	ST
644858	METER,FLOW:TYP PUMP,FLANGED 9IN,SS	1.00	101	ST
618489	GAUGE,DIFF.PRESS.:0-1BAR,CASE MT SS	2.00	061	ST
582357	CONTROLLER:TYP TEMPERATURE,RNG 0-50DEG C	1.00	081	ST
608867	CYLINDER,GRADUATED:SZ 25ML,MT	25.00	071	ST
602182	PACKING:RECTANGULAR,TYP GLAND	4.00	051	ST
594179	O-RIG;PTFE,INJECTION SLIDE	4.00	051	ST
633171	PROCESSOR:TYP CPU	1.00	031	ST
589790	THERMOCOUPLE:TYP K,INS DIA 4.8MM,DESLG	1.00	061	ST
643284	GSKT:BODY OF PRESSURE REGULATOR	4.00	051	ST
586403	BRG,SLEEVE:TYP NDE AND DE	2.00	051	ST
577950	KIT-CYLNR-RPR:TYP SOFT PARTS,CMPRSNG OR	3.00	091	ST
603698	CONNECTOR,ELECTRICAL:TYP MALE, SZ WD 1 X	3.00	021	ST
588769	KIT-VLV-RPR:TYP SOFT PARTS,APL GATE,GLOB	1.00	051	ST1
597292	STRAINER:MT STEEL	3.00	051	ST
600865	GSKT PRE-CUT :KLINGERSIL	1.00	051	ST
1586605	TRAP-STM:TYP FLOAT & THERMOSTATIC, SZ 1IN	4.00	051	EA
592016	BUSH:CS,LOWER ROLL HEADED	1.00	051	ST
589857	DISC, RUPTURE:125PSIG,ELEMENT	2.00	051	ST
636834	BUSH:SS 403	1.00	051	ST
847858	GAUGE,PRESSURE:0-6BAR,100MM	1.00	101	ST
9101994	PACKING,GLAND, 170MM L X 10MM THK;(MARKE	2.00	051	SE
590944	TRANSFORMER,INSTRUMENT:VA RT 7.5VA	1.00	011	ST
638578	SPRING,VALVE:CHROME STEEL PHOSPHATED	1.00	051	ST
924175	O-RIG;20MM,2MM,RUBBER,PHOSPHATE DOSING	4.00	051	EA
587657	KIT,VALVE REPAIR:INCINERATOR PACKAGE	1.00	051	KIT
643505	GSKT PRE-CUT :ROUND	6.00	051	ST
584553	GUIDE:TYP ROPE	1.00	091	ST
605372	SWITCH,PRESSURE:0-250BAR,220VAC 16A	1.00	061	ST
496178	SEAT,VALVE:ALLOY 6	1.00	051	EA
1245846	DEFLECTOR:TYP BEARING HOUSING,SIZE DIA 1	1.00	081	EA
627957	MODULE:TYP CONTROL SEQUENCE	1.00	011	ST
601949	O-RING:MT NBR,APLC ACCESSORIES	1.00	051	ST
643394	ACTATR:TYP SPRING RETURN	1.00	061	ST
582314	SENSOR,CONDUCTIVITY:0.01CM,TYP CELL	1.00	011	ST
1225356	CIRCUIT:TYP (4) PORT SERIAL INPUT/OUTPUT	2.00	011	EA
637667	BAL-VLV;1/2IN,SS ASTM A479 UNS S31803	1.00	051	ST
602493	PACKING:GRAFOIL,RECTANGULAR	1.00	051	ST
616025	VALVE,RELIEF:TYP SAFETY EXPLOSTION	2.00	051	ST
608813	FAN;AIR SUPPLY,SURFACE	1.00	081	ST
806772	INSULATOR:TYP PHASE 3 BUSBAR,STD DIN	1.00	051	ST
768334	CONTACT,AUXILIARY:TYP SNAP-ON,CONTAR 4NO	1.00	011	ST
598533	BELT,V:IN CIRC 960MM,TOP WD 12.7MM,THK	2.00	051	ST
942378	VALVE, BFY: VALVE SIZE 8IN,TYPE WAFER	10.00	051	EA
608223	CONNECTOR:TYP BLADE	10.00	021	ST
603022	SEAL:TYP RING,APLC BUTTERFLY VALVE	1.00	051	ST
616719	HEATER:RT 220VAC 2.4KW 1PH 60HZ	1.00	011	ST
828301	ACTATR HYD,HYDRAULIC:	1.00	061	ST
583275	ROTOR:APLC SCREW PUMP	1.00	081	ST
601711	O-RING:	3.00	051	ST
597253	SPRING:TYP PRESSURE	6.00	051	ST
587367	STRAINER:TYP GROUP	1.00	081	ST
631195	SPRING,VALVE:3 TO 15PSIG	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
792336	VALVE,BFY:VLV SZ 3IN,DES RTG 150LB	1.00	051	EA
629965	SCREW,CAP:M6 DIA,30MM LG,SOCKET,THD 1MM	1.00	051	ST
1522000	SEAT-VLV:TYP DIAPHRAGM,VLV TYP BACK PRES	1.00	051	EA
183395	SPRG-VLV:MTRL SWOSM,VLV SZ 1-1/2 X H X 3	1.00	051	EA
626468	CNTRL;GROUP,MOTORS AND BOILER PACKAGE	1.00	900	ST
623974	CONTACT,AUXILIARY:	4.00	011	ST
617586	HEAD;PILOT INDICATING LAMP; YELLOW	1.00	101	ST
612886	RING,RETAINING:TYP IMPELLER	36.00	051	ST
577936	BRUSH-ELECT	1.00	021	ST
620629	SEAL,RING:TYP V SHAPE,MT SYNTHETIC RUBB	3.00	081	ST
635197	PIN:DIA 6.3MM,LG 40.94MM,SPLIT	1.00	051	ST1
641386	CIRCUIT:TYP MAIN BOARD	1.00	011	ST
1220586	BREAKER,CIRCUIT:AMPERAGE 63A,VOLTAGE 690	1.00	011	EA
598077	BRG-RLR;DOUBLE,85MM,150MM,36MM,54240	2.00	051	ST
9101846	REPAIR KIT	1.00	051	ST
1001720	SEAL;ID 20 X OD 35 X THK 7,SHAFT	1.00	051	EA
580644	BODY,VALVE:VLV ST BUTTERFLY,VLV SZ 200MM	1.00	051	ST
1233004	KIT,VALVE REPAIR:APPL 4 IN BUTTERFLY VAL	1.00	051	KIT
738121	O-RING:APLC LPG METERING- ARAMCO	2.00	051	ST
620201	COVER:TYP BEARING,CS ASTM A283 GR D	1.00	051	ST
620829	SET:TYP SEAL PLATE,APLC ELECTRIC MOTOR	2.00	081	ST
584768	BASKET, STRAINER: SIZE 2IN, REF#: 40916	2.00	051	ST
590693	SWITCH:	1.00	021	ST
608206	BLD;CUT OFF,WD 26 X LG 350 X THK 9MM	1.00	101	ST
1016924	BELLOWS: TYP PRESSURE RELIEF VALVE	1.00	051	ASY
588219	KIT,PUMP REPAIR:APLC SUBMERSIBLE PUMP	2.00	081	ST1
745224	PACKING:GRAPHITE,TYP VALVE	1.00	051	SE
579819	CYLINDER,GRADUATED:SZ 10ML	4.00	071	ST
631661	THERMOMETER:RNG 0-300DEG C,CONN G 1/2IN	1.00	061	ST
630958	SWITCH,DISCONNECT:TYP FUSE	2.00	011	ST
903890	BARRIER:TYP SINGLE CHANNEL SAFETY	1.00	121	EA
635708	SPRING:MT AS JIS G3522 SWPB	1.00	051	ST
723047	DIAPHRAGM,ACTUATOR:	1.00	051	EA
602262	KIT,VALVE REPAIR:GASKET AND PACKING	2.00	051	ST
584580	HANDLE:TYP DOOR, SZ 6MM	6.00	101	ST
267391	KIT:TYP REPAIR,P/N:M0154TR,MNFR:FOXBORO	1.00	051	KIT
775549	O-RING:ID 404.3MM,WD 5.7MM,MT VITON	2.00	051	ST
630949	KIT-VLV-RPR;SOFT PARTS,ADSORBER TOWER	1.00	051	ST
612149	BLOCK,TERMINAL:ELEC TRT 380V 50A 60HZ	1.00	021	ST
604483	FUSE:250VAC,DIA 3/16 X LG 25/32IN	10.00	021	ST
1244827	KEY,SHAFT:TYP IMPELLER SIDE,MATL A 276 -	2.00	051	EA
632747	REGULATOR:TYP FILTER	2.00	061	ST
587000	VALVE,SOLENOID:ST 3/2 WAY	1.00	051	ST
598712	CUP:TYP FENDER	1.00	051	ST
957958	MODULE: TYP MEMORY,MNFR:HEWLETT PACKARD	1.00	031	ST
584481	BARRIER:TYP ANALOG INPUT	1.00	121	ST
1024045	MODULE: TYP PLC,INPUT 24VDC,SUPPL:UOP	1.00	031	EA
209610	SEAL, MECHANICAL: APPL S/W PUMP	1.00	051	ST
423871	BRG-RLR:TYP CYLINDRICAL,ROW SINGLE,I DIA	2.00	051	ST
596981	SEAT-VLV;BALL,40MM,40MM,63MM,8.5MM,PTFE	1.00	051	ST1
615295	GSKT:	1.00	051	ST
608462	GSKT PRE-CUT :ID 125 X OD 142MM,ROUND	1.00	051	ST
639423	DISC,VALVE:SS ASTM A564,630,PRESSURE AND	2.00	051	ST
639634	PLUG,VALVE:VLV SZ 3/4IN,PLUG	1.00	051	ST
559383	O-RIG:I DIA 266.29MM,WD 3.53MM,MTRL VITO	2.00	051	EA
1053716	TUBE: TYP 1C VISCOMETER,MATL GLASS	5.00	131	EA
588327	O-RING SET:APLC VALVE	3.00	051	ST
634802	HEATER:TYP LONG LINE	70.00	001	M
582867	TRANSMITTER,LEVEL:O/P 4-20MA DC	2.00	061	ST
589017	CABLE,POWER:4 CORE CU,TYP FLEXIBLE	2.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
631241	SWITCH,LIMIT:	1.00	031	ST
637083	BALL:TYP MISCELLANEOUS CORE,P/N:13207042	2.00	051	ST1
600158	GSKT JKTD:CS,TYP DOUBLE	2.00	051	ST
1003986	PLATE: TYP ORIFICE,SIZE 6IN,MATL SS 316	1.00	131	EA
1024539	ASSEMBLY;CONTROL PANEL ELECTRIC HEATER	1.00	081	ASY
706271	SHIM:TYP BEARING	2.00	051	EA
587399	GSKT PRE-CUT :	2.00	051	ST1
245729	BREAKER,CIRCUIT:3A,127/250VDC	1.00	051	EA
634982	HEATER:TYP SELF REGULATING	45.00	001	M
577760	ASSEMBLY:GEAR TRAY-EMERGENCY	2.00	081	ST
945219	SYRINGE:TYP AUTO SAMPLER,CAP 5MICRO L	4.00	071	ST
592889	GSKT-PRE-CUT;OVAL,GRAPHITE	2.00	051	ST
578892	THERMOSTAT:TYP TEMPERATURE CONTROL	1.00	081	ST
1031338	BUSHING, ELECTRICAL CONDUCTOR: EQUIP	1.00	021	EA
627212	PACKING:GARLOCK EVSP,TYP GLAND	3.00	051	ST1
605257	STRAP:	1.00	001	ST
599065	PULLEY:TYP HOSE,SZ ID 30 X OD 160MM,MT	1.00	051	ST
600671	GSKT PRE-CUT :	2.00	051	ST
637569	BRG,BALL:	1.00	051	ST1
924442	KIT-VLV-RPR:TYP SOFT PART,APL PRESSURE S	1.00	051	SE
589330	GRIP:TYP HANDLE	2.00	051	ST
579315	ASSEMBLY:GAUGE	1.00	081	ST
594199	O-RING:APLC VALVE STEM	100.00	051	ST
585589	FILTER,ELEMENT:SS 316,STRAINER SCREEN	1.00	051	ST
738394	VALVE,RELIEF:VLV SZ 1/2IN,TYP SAFETY	1.00	051	ST
609603	CIRCLIP:	1.00	051	ST
619340	HEATER:TYP MINERAL INSULATED	22.00	001	M
1071615	KIT, PUMP REPAIR: TYP RPM,APPL PUMP	1.00	081	EA
638697	GSKT PRE-CUT :	4.00	051	ST1
1247777	GSKT PRE-CUT :TYP FLAT FACE,SIZE ID 168	11.00	051	EA
390954	BREAKER,CIRCUIT:0.5A,240-415VAC	1.00	051	ST
589191	SLEEVE,SHAFT:SS ASTM A276 GR 304	2.00	051	ST
628870	GSKT:	2.00	051	ST
585664	VALVE,CONT:	1.00	051	ST
643758	BRG-RLR	1.00	051	ST
579471	SENSOR:TYP TEMPERATURE (PT-100)	1.00	011	ST
596281	PIECE:TYP THRUST	2.00	051	ST
637191	BOLT,MACH:M16,LG 45MM,AS ASTM A193/SS	16.00	051	ST1
608479	GSKT PRE-CUT :ROUND	1.00	051	ST
926920	ELECTRODE:TYP DOUBLE PT,APLC ANALYZER	3.00	051	EA
603349	CBL;FLEXIBLE,LG 100M/ROL,CU/PVC	8.00	021	RE
602060	O-RING:MT NITRILE RUBBER	6.00	051	ST1
615616	BUSH,PUMP:BRONZE BC6/B584,BEARING COVER	1.00	081	ST
600065	GSKT,SPWD:GRAFOIL,IRID 711MM,SS 316	1.00	051	ST
615617	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	1.00	081	ST
914203	RECEPTACLE,ELECTRICAL:TYP SINGLE GANG	1.00	021	EA
623189	CIRCUIT:TYP EPROM	1.00	031	ST
642650	RING,PISTON:TYP DIESEL ENGINE	1.00	051	ST
626473	O-RING:ID 162MM,WD 2MM,APLC MOTORS	3.00	051	ST
720910	FUSE:160A,660V,SEMICONDUCTOR	1.00	021	ST
631049	CAM;CONTROL,SUBMERCIBLE PUMP	1.00	051	ST
618129	BLCK-TRMNL;BOLTED,3	2.00	021	ST
615917	BUSH,TAPER LOCK:28MM BORE DIA,TAPERLOCK	1.00	051	ST
1591830	BOLT-U:SZ 3IN,I LG 5-13/16IN,MTRL SS 304	8.00	051	ASY
607647	COUPLING:	1.00	051	ST
595271	SEAL:APLC CONTAINER HANDLER	2.00	051	ST
609854	CRCUT;ULTRA-TURRAX INTENSIVE MIXER	1.00	011	ST
632099	GSKT-PRE-CUT:TYP BONNET,NMNL FLNG SZ 20I	4.00	051	ST
610523	FUSE:	6.00	021	ST
592046	COUPLING,SHAFT,HALF:	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
621883	TRANSFORMER,DISTRIBUTION:KVA 250KVA	2.00	900	ST
585840	VALVE,GLOBE:DES RTG 150LB	1.00	051	ST
609781	COIL-ELECT;SOLENOID,ON-OFF,LEAD WIRE	1.00	011	ST
635726	PACKING:V#6500	1.00	051	ST
582214	THERMOSTAT:	1.00	081	ST
584237	SIGNAL:	4.00	031	ST
619375	BREAKER,CIRCUIT:10A,POLE 2,MAIN	1.00	011	ST
603160	SEAL:TYP SINGLE LIP	2.00	051	ST
74358	CONTACT,AUXILIARY:TYP CONTACTOR	1.00	900	ST
609742	CAPACITOR:TYP FIXED,CAPCIT 5600MICRO F	2.00	031	ST
643044	PACKING:GRAPHITE,TYP GATE VALVE	22.00	051	ST1
620631	SEAL,RING:TYP V SHAPE,MT SYNTHETIC RUBB	3.00	081	ST
634209	THERMOCOUPLE:TYP K,DESLG 5500MM	1.00	061	ST
642577	SEAL:	1.00	051	ST
590628	TAG:TYP PLATE,COLOR SILVER	2.00	121	ST
631182	KIT-VLV-RPR:APL BUTTERFLY VALVE (SIZE:8	1.00	051	ST
600362	GSKT:PASTE	1.00	001	ST
639349	SPRING,VALVE:SS ASTM A313	1.00	051	ST
637013	SEAL:BUFFER GAS	1.00	051	ST
629551	SEAL:APLC BEARING	2.00	051	ST
607970	JOINT:TYP SPECIAL	2.00	051	ST
639376	SPRING,VALVE:AS ASTM A29 GR 5155/AS; JIS	1.00	051	ST
607461	CAP;THERMISTOR,DIA 1-1/8 X THK 3/16IN	1.00	051	ST
585908	VALVE,CONT:SZ 3IN,DES RTG 300LB,TYP FUEL	1.00	051	ST
625422	RLY-TIME-DLY;0-5SEC OPENING,2NO-2NC,DPDT	1.00	900	ST
999817	PLUG, TUBE: DIAMETER 14.56 X 18.56MM	15.00	051	ST
606534	PIN,SPRING:	3.00	051	ST
607216	ANCHOR,SCREW:TYP RAWL PLUG,ANCHOR DIA 6	300.00	051	ST
588131	PACKING:GRAPHITE	1.00	051	ST1
623846	RELAY:COIL 220/240VAC 50/60HZ,4PST	2.00	900	ST
584306	SHIM:	1.00	051	ST
1071609	KIT, PUMP REPAIR: TYP RPM,P/N:RPM0011035	1.00	081	EA
633039	PIN:UNS S31600,PLUG STEM	2.00	051	ST
9101733	SHAFT,AB-42,PART# 9/206457,FOR GEARBOX F	2.00	051	ST
911658	TRANSMITTER,PRESSURE:-4000 TO 4000MM H2O	1.00	061	EA
588358	SET;THRUST BEARING,STEAM DRIVE TURBINE	6.00	081	ST1
1053771	TUBE: SIZE DIA 4MM,MATL PTFE,P/N:RPV044	1.00	131	PAK
159546	SET:TYP JUMPER,APLC TANK GAUGING SYSTEM	3.00	900	ST1
599288	IDLER:TYP RETURN,SZ 3IN	3.00	091	ST
630938	COIL,ELECTRICAL:TYP SOLENOID VALVE	1.00	011	ST
43799	GUG-PRSUR;OIL;PN:4-035002-11	2.00	900	EA
468590	RELAY: P/N:01543,P/N:WE77/EX2	1.00	051	EA
799246	TRANSFORMER, INSTRUMENT: TYPE CURRENT	1.00	011	ST
1042519	CONTACTOR: TYP AC OPERATED,AMPERAGE 300A	1.00	011	EA
606612	SCREW:M12 DIA,25MM LG,THD 1.75MM	1.00	051	ST
600048	GSKT,SPWD:GRAFOIL,IRID 438MM,SS 316	3.00	051	ST
9102147	VALVE 2-WAY DN 40 KV16 TYPICAL TAG NO. 9	1.00	051	ST
597299	STRAINER:	10.00	051	ST
626397	SWITCH,DISCONNECT:TYP FUSE	5.00	021	ST
634538	SPRING:TYP RETURN	1.00	051	ST
615213	SWITCH,SELECTOR:	2.00	021	ST
595602	KEY:	2.00	051	ST
578400	SET:TYP GLAND PACKING	9.00	081	ST1
1003954	METER, FLOW: RANGE 0-3650KG/HR	1.00	101	EA
594308	PCKG;ID 27 X OD 39 X THK 7MM,GRAPHITE	1.00	051	ST1
592958	GSKT-PRE-CUT;ID 28 X OD 29-15/16IN,ROUND	1.00	051	ST
1000792	METER, ELECTRICAL: TYP AMMETER,P/N:RQ48E	1.00	101	EA
781462	TRMNL-BRD	1.00	021	EA
855949	SWITCH,PRESSURE:0.5-10BAR,250VAC/DC	3.00	061	EA
591985	BUSH:ALCOA A750,OIL CONSOLE UNIT	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
595652	RACK:TYP ELECTRONIC	1.00	051	ST
598564	BELT,V:OC 305MM,TOP WD 7MM,THK 5MM,MT R	2.00	051	ST
1588619	PIPE-MTLC:NMNL P SZ DSGNTN 2IN,SCHDUL 40	1.00	131	EA
600404	GSKT,SPWD:SHP RECTANGULAR	1.00	051	ST
589896	FUSE:3A	3.00	021	ST
603451	BLOCK,CONTACT:TYP AUXILIARY	1.00	021	ST
596705	SLNCR	2.00	051	ST
605610	SWITCH,PUSHBUTTON:COLOR RED,HD ST MUSHR	4.00	011	ST
333013	BRKR-CRCUT;2.2-3.2A,660V AC,100KA,3	2.00	051	ST
582977	CATCH:TYP SAFETY	1.00	021	ST
636327	SEAT,VALVE:VLV SZ 2IN	1.00	051	ST
605712	TRANSFORMER,IGNITION:VOLT R 230VAC	1.00	011	ST
644549	GSKT PRE-CUT :ID 130 X OD 220 X THK 2MM	4.00	051	ST
643364	DISPLAY UNIT,DATA:TYP (4) DIGIT,PWR SRC	1.00	141	ST
636315	PLUG-VLV:VLV STYL CONTROL,VLV SZ 3/4IN,M	1.00	051	ST1
1246755	KIT,VALVE REPAIR:APPL 3IN 300LB BOLTED B	1.00	051	KIT
596023	GUARD:APLC BATTERY OPERATED FORKLIFT	2.00	121	ST
475695	PACKING:3/4IN,PTFE,TYP GLAND	1.00	051	EA
585045	DISC,VALVE:SS ASTM A564,630,RELIEF	1.00	051	ST
808836	SEAT,VALVE:VLV SZ 10IN,CHECK	2.00	051	ST
600310	GSKT,SPWD:GRAPHITE,SS 316,IRMT SS 316	7.00	051	ST
1056509	GSKT PRE-CUT : MATL GARLOCK GYLON	1.00	051	EA
901651	STARTER,ELECTRIC MOTOR:	1.00	011	EA
590866	SWITCH,SELECTOR:220-500VAC 25A	1.00	021	ST
1024122	DISC, RUPTURE: SIZE 4IN,MATL SS 316/316L	1.00	051	EA
587919	KIT,VALVE REPAIR:GASKET AND PACKING	2.00	051	KIT
628191	O-RING:APLC COLLAR	4.00	051	ST
615806	O-RING:ID 15.81IN,WD 0.21IN	1.00	051	ST
612324	GSKT PRE-CUT :THK 3MM,RUBBER,FF,DN 40	2.00	051	ST
578624	VALVE:TYP PILOT	1.00	051	ST
599441	GSKT,SPWD:PTFE,SS 316,APLC CASING	2.00	051	ST
589432	BREAKER,CIRCUIT:220VAC,MOLDED CASE	1.00	011	ST
905098	SWITCH,PRESSURE:0-60BAR,250VAC; 24VDC	1.00	061	EA
408540	CRCUT;INVERTER TRIGGERING IGD1	1.00	011	ST
927254	CYLINDER:TYP MASTER BRAKE	1.00	051	ST
643377	GSKT:ACTUATOR,GRAPHITE/SS	2.00	051	ST
577470	ARM:TYP CLAPPER	2.00	131	ST
641834	TRANSMITTER,PRESSURE:0-60BAR,ELECTRONIC	1.00	061	ST
599744	GSKT,SPWD:GRAFOIL,SS 316,APLC DISC	1.00	051	ST
640529	BRG,BALL:	1.00	051	ST
625274	BLCK-TRMNL;BOLTED,3	2.00	021	ST
586660	BELT,V:	1.00	051	ST
602921	SEAL,RING:	4.00	051	ST
597804	ELECTRODE:TYP INDICATOR,MT GLASS,691	1.00	051	ST
585051	DISC,VALVE:SS ASTM A276 GR 316 STELLITED	1.00	051	ST
599520	GSKT PRE-CUT :MATL V#6500,DOC:N-9195 C	2.00	051	ST
1029259	PIN: TYP HYDRAULIC CYLINDER,P/N:SLP60464	1.00	051	ST
726726	RING:SS,TYP SUPPORT	1.00	051	ST
639730	KIT,VALVE REPAIR:CONTROL	1.00	051	ST1
615593	RING:BRONZE JIS H5111 BC6/ASTM B584	4.00	051	ST
587873	KIT-VLV-RPR:APL RP PRIMING VALVE,CMPRSNG	1.00	051	KIT
614707	NUT:IMPELLER	1.00	051	ST
590503	RELAY,TIME DELAY:0-30SEC ON DELAY	1.00	011	ST
612547	SLEEVE:APLC OIL PUMP	1.00	051	ST1
580125	FIXTURE,INCANDESCENT LIGHTING:W 75-100W	2.00	021	ST
578192	KIT-VLV-RPR:APL BALL VALVE (SIZE:3/4 IN)	1.00	051	ST
588007	KIT:TYP GASKET AND SEAL	1.00	081	ST1
612315	SWTCH;OVERLOAD	4.00	021	ST
862181	FLANGE,PIPE:TYP RF,SIZE 2IN,MATL CS ASTM	1.00	131	EA
593738	O-RING:ID 12MM,WD 2MM	6.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1602731	GSKT-PRE-CUT:TYP RAISED FACE,SZ ID 323.9	10.00	051	EA
624880	THYRISTOR:AMP 90A,IND STD IRKT91/12	3.00	031	ST
619995	GSKT PRE-CUT :NBR	3.00	051	ST
1546235	RGULTR;SELF ACTING PRESSURE REDUCING	1.00	061	EA
905151	METER,FLOW:TYP CORIOLIS MASS	2.00	101	EA
639651	SHAFT:	1.00	051	ST
615281	O-RING:	2.00	051	ST
592594	GSKT PRE-CUT :ID 399 X OD 460 X THK 2MM	2.00	051	ST
590453	RELAY:	1.00	011	ST
578151	KIT,TERMINATION:TIMER,250VAC,14AWG	1.00	021	KIT
584614	LINING:TYP BRAKE	2.00	081	ST
644724	GSKT PRE-CUT :PTFE,ROUND,RF,150LB,2IN	4.00	051	ST
905229	KIT,SEAL:	2.00	051	ST1
620045	STUD CNTNS THD:DIA 3/4IN,THRD 10 UNC,LG	8.00	051	ST
642579	GSKT:COVER	1.00	051	ST
1524418	SEAL,RING:INSIDE DIAMETER 6MM,OUTSIDE DI	1.00	051	EA
642460	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
1024042	BREAKER, CIRCUIT: AMPERAGE 2A,POLE 1	1.00	011	EA
590635	SWTCH-PUSH:TYP BUTTON,CNTCT RTNG 600 V;	1.00	021	ST
598720	CUP;FIBER	2.00	051	ST
122898	POPPET,VALVE:VLV ST RELIEF,MT NYLON	1.00	051	EA
589633	COIL,ELECTRICAL:TYP SOLENOID VALVE,ELEC	1.00	011	ROL
617093	TRANSMITTER,PRESSURE:	2.00	061	ST
43098	CIRCUIT,POWER SUPPLY:	1.00	031	EA
1089339	CLEANER: TYP STAINLESS STEEL PICKLING	2.00	001	PAK
947461	WASHER,LOCK:CS JIS G3101,ID 60MM,OD 86MM	2.00	051	EA
632811	PLUG-VLV;PLUG,1IN,S41600/SS 416 HD METAL	1.00	051	ST1
610433	BOLT,MACH:M20,LG 60MM,GS,2.5MM,GR 4.6	15.00	051	ST
588966	FILTER,ELEMENT:SS 316,SCREEN	1.00	051	ST
611772	BREAKER,CIRCUIT:0.4-0.6A	2.00	011	ST
588098	KIT,VALVE REPAIR:APLC CONTROL VALVE	2.00	051	ST1
610579	TMR	1.00	101	ST
750325	BRD;BINARY OUTPUT 23BA20 R5312	1.00	051	ST
598387	BRG,BALL:TYP DEEP GROOVE	1.00	051	ST1
585768	VALVE,GATE:TYP SOLID WEDGE,VLV SZ 3/4IN	1.00	051	ST
609172	BOTTLE:100ML CAP,MT GLASS	20.00	071	ST
631210	SET:TYP SCREW	2.00	081	ST1
627628	FUSE:63A,380V	5.00	021	ST
579092	CONTROLLER,ELECTRONIC:TYP PID,RNG 0-9999	1.00	031	ST
579397	GLS;INSPECTION,DN 125/135MM	1.00	121	ST
644623	THERMOWELL:TOT LG 10IN,MT SS 316L	1.00	061	ST
199981	MODULE:CONTROL,O/P 4-20MA	1.00	021	ST
596235	HOUSING:	1.00	051	ST
632724	PROBE:TYP TURBINE SHAFT VIBRATION	1.00	061	ST1
590474	RELAY:4PDT,CONT 595VAC 10A	1.00	011	ST
1038612	KIT, VALVE REPAIR: APPL BALL VALVE	1.00	051	KIT
1026163	SET: TYP SPARE PART,APPL ACTUATOR	1.00	081	SE
602983	SEAL,OIL:MT NBR	3.00	051	ST
578350	KIT:TYP INSULATION,APPL FLANGE (4 IN,150	1.00	081	KIT
641353	MODULE:TYP CONTACTOR	2.00	011	ST
589592	COIL-ELECT;SOLENOID	1.00	011	ST
653215	GSKT,SPWD:IRMT SS 316,OR MT SS 316	17.00	051	EA
1031637	GSKT PRE-CUT : SHAP ROUND,TYP FLAT	1.00	051	ST
597791	ELECTRODE,WELDING:SZ DIA 3.2 X LG 350MM	2.00	051	PAK
904463	MODULE:ELECTRONIC,LOCAL INDICATOR	2.00	031	EA
253828	RELAY,OVERLOAD:7-10A,THERMAL	1.00	011	EA
590349	RELAY:COIL 220VAC 60HZ,10PST,TYP LOCKOUT	1.00	011	ST
619722	PLUNGER:MT SS ASTM A276 GR 316	1.00	051	ST
579263	GAUGE,COMPOUND:RNG -60 TO 100MBAR	1.00	061	ST
908023	ACTATR,PNU:STROKE 20MM,PR RT 6BAR	1.00	061	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
620658	SEAL,RING:TYP V SHAPE,MT SYNTHETIC RUBB	2.00	081	ST
644708	GSKT PRE-CUT :ASBESTOS,ROUND,FF,150LB	4.00	051	ST
900492	FILTER,AIR:WD 398 X LG 1050 X THK 47MM	24.00	051	EA
892943	RETAINER:TYP OIL RING,SZ DIA 0.156IN	1.00	051	EA
589662	CONTACT,AUXILIARY:CONTAR 1NO-1NC	2.00	011	ST
643655	O-RING:ID 196.5MM,WD 3.5MM,STD DIN 3770	1.00	051	ST
606611	SCREW:M18 DIA,25MM LG,THD 1.25MM	1.00	051	ST
586004	CAGE-VLV;CONTROL,SS ASTM A564 GR XM-12	1.00	051	ST
590385	TRANSFORMER,INSTRUMENT:VA RT 7.5VA	1.00	011	ST
161021	GSKT:ID 2.19 X OD 2.59,THK 0.03IN,ROUND	2.00	051	EA
738660	SHIM:SZ 50 X 62MM,STD DIN 988-ST	2.00	051	ST
591799	WASHER:STEEL ZINC PLATED,BOLT HOLD DOWN	2.00	051	ST
623661	LIGHT,INDICATING:VOLT 220VAC,COLOR RED	2.00	021	ST
586123	BRG,SLEEVE:TYP JOURNAL	1.00	051	ST
587628	KIT,VALVE REPAIR:HI-SEAL	1.00	051	KIT
1238101	BRG,BALL:STYL (2) SHIELD,ROW SIINGLE,CAG	1.00	051	EA
615747	SLEEVE:TYP DISTANCE; SPACER,SS ASTM A276	1.00	051	ST
593134	GSKT,SPWD:GRAPHIITE,IRID 125MM	3.00	051	ST
612395	O-RING:	2.00	051	ST1
579780	COMPOUND,SEALING:TYP FLOOR BUFFING	64.00	001	GLL
928360	SWITCH,SELECTOR:690VAC 16A	1.00	021	EA
578507	KIT-VLV-RPR:TYP SOFT PART,APL GATE,CMPRS	3.00	051	ST1
616651	TRNSFRMR-INST;CURRENT,2500/1A,640V AC,X	1.00	011	ST
586347	BRG-BAL;SINGLE SEAL,DEEP GROOVE	1.00	051	ST
161866	GSKT JKTD: JACKET MATERIAL SS 304	2.00	051	EA
590214	CIRCUIT,POWER SUPPLY:	2.00	021	ST
858060	SHIM:THK 1.6MM,MT SS 304	4.00	051	ST
1035409	GSKT,SPWD:TYP BASIC WITH OUTER RING,FILL	2.00	051	EA
799227	TIMER:TYP WATCH DOG,OPER MULTIFUNCTION	4.00	101	ST
726723	PLT:MTRL ALUMINUM,P/N:803227-001,MNFR:WH	1.00	131	ST
600000	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	2.00	051	ST
643893	RING,RETAINING:TYP SECURING	2.00	051	ST
615737	NUT,LOCK:DIA 120MM,CS ASTM A238/JIS	2.00	051	ST
726799	SEAL:SHAFT,APLC MICRO SPEED UNIT	1.00	051	ST
587891	KIT;NO 2,6 IN ESD BALL VALVE(ZV)	1.00	081	KIT
629929	SHIM:SZ ID 30 X OD 42MM,THK 0.3MM	1.00	051	ST1
803162	PACKING:ID 20 X OD 30 X THK 5MM,GRAPHITE	2.00	051	ST
583921	MODULE:TYP PROGRAMMABLE AUX RELAY	1.00	011	ST
605689	SWITCH,SELECTOR:KEY	1.00	021	ST
166572	O-RING:ID 53.57MM,WD 3.53MM,MT VITON A	32.00	051	EA
622368	LIGHT,INDICATING:VOLT 250V,W 2.5W	4.00	021	ST
286306	BRKR-CRCUT:AM 6A,VLTG 230/400VAC 50/60HZ	9.00	031	EA
579039	CONTROL:TYP MOTOR MANAGER II	1.00	061	ST
904462	GAUGE,PRESSURE:250BAR G,DIGITAL	2.00	101	EA
587948	KIT,VALVE REPAIR:SEAL	1.00	051	KIT
605518	SWITCH,LEVEL:	2.00	061	ST
430300	MDUL;CIRCUIT,50V,FPF-CRANES	1.00	081	ST
1245795	BUSHING:TYP THROTTLE BUSHING,SIZE 126X11	2.00	051	EA
627178	PACKING:GRAFOIL,RECTANGULAR SHAPED ROUND	5.00	051	ST1
586277	SET:TYP BEARING	1.00	081	ST1
1609079	CRUCBL:TYP HIGH TEMPERATURE RESISTANCE,C	3.00	071	EA
631255	UNIT:TYP CONTROL,APLC 43AP PNEUMATIC CO	1.00	011	ST
589941	FUSE:1A	210.00	021	ST
634157	KIT-VLV-RPR:TYP SOFT PART,APL WAFER CHEC	1.00	051	ST1
693228	BEADS: MATL COPPER,TYP MESH,P/N:511-895	1.00	001	EA
149450	SWTCH-PUSH:CNTCT RTNG 600V AC,ACTN SPDT	1.00	021	EA
608633	GSKT PRE-CUT :	4.00	051	ST
474739	GSKT PRE-CUT :GRAPHITE/SS 316	3.00	011	EA
608293	ASSEMBLY:TYP SOCKET	1.00	101	ST
75098	O-RIG;39.5MM,2MM,NBR,PISTON BODY	4.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
593083	GSKT PRE-CUT :THK 15MM,VELLUMOID	2.00	051	ST
594305	PCKG;ID 27 X OD 40 X THK 6MM,GRAPHITE	1.00	051	ST1
582347	CIRCUIT:TYP DISK CONTROLLER	1.00	011	ST
114892	GSKT,SPWD:SHP ROUND,APLC CONTROL VALVES	2.00	051	EA
583998	PIPE	1.00	131	ST
587391	KIT,VALVE REPAIR:FUEL-OIL MAIN VALVE	1.00	051	KIT
641625	SEAL,MECHANICAL:4 X 3-5/8IN	2.00	900	ST
898217	BREAKER,CIRCUIT:100A,380-415/500VAC	1.00	011	EA
606327	NUT,HEX:DIA M16,GR 3.1B,THD 2MM	2.00	051	ST
588703	PACKING:TYP GLAND	2.00	051	ST1
590167	SET:TYP FUSE	1.00	081	ST
1007714	THERMOWELL: SHANK STYLE BARSTOCK TAPERED	1.00	061	EA
726021	CHEMICAL:P/N:S 5091-80,MNFR:ONDEO NALCO,	2.00	001	BOT
634231	PLUG,VALVE:VLV SZ 3IN,CONTROL,SS 316	1.00	051	ST
228267	VLV-SLND;5/2 WAY,1-10BAR,NO-NC,1/4IN,6MM	3.00	051	EA
597012	SPNDL;RELIEF VALVE,DIA 8 X LG 140MM	1.00	101	ST
608896	PT;VOLUMETRIC,5ML,BOROSILICATE GLASS	6.00	071	ST
616683	TRANSFORMER,INSTRUMENT:CURR RT 300/1A	2.00	011	ST
580803	ANGLE:TYP PLATE SUPPORT,SZ WD 4 X THK 1	8.00	131	ST
603268	SEAL:	3.00	051	ST
601773	O-RING:MT NBR,APLC SEA WATER PUMP	1.00	051	ST
585448	SPRING,COMPRESSION:CLOSE/GROUND	1.00	051	ST
632790	O-RING:MT NITRILE RUBBER,APLC POSITIONER	5.00	051	ST1
894814	O-RIG;34.60MM,2.62MM,VITON A,90,FILTER	5.00	051	ST
998958	HANDLE: TYP BRAKE,P/N:14465	1.00	101	ST
618589	BREAKER,CIRCUIT:1000A,380VAC,POLE 4	1.00	011	ST
604783	FUSE;ULTRA FAST BLOW,6.3A,500V AC	9.00	021	ST
630660	GSKT PRE-CUT :ID 26 X OD 32 X THK 1MM	2.00	051	ST1
591588	RING:TYP ADJUSTING PIN,MT SS 316	2.00	051	ST
628879	GSKT PRE-CUT :NON ASBESTOS	1.00	051	ST
588738	KIT-VLV-RPR;SOFT PARTS	1.00	051	ST1
590566	SWTCH;2A,SPDT	14.00	021	ST1
1589226	GSKT-PRE-CUT:TYP RF,SZ ID 508 X OD 606 X	4.00	051	EA
798965	SOLENOID:TYP SHUNT OPENING RELEASE	4.00	011	ST
887362	SHIM:TYP SEAL,SZ DIA 6IN,MT SS 316,12	49.00	051	EA
584631	PIECE:TYP SPARKLESS	1.00	051	ST
903127	BREAKER,CIRCUIT:1A,240/415VAC	2.00	011	EA
636612	BUSH:SS 403	1.00	051	ST
599709	GSKT,SPWD:4IN,300LB	17.00	051	ST
617278	TRANSFORMER:TYP CONTROL,VA RT 500VA	1.00	011	ST
1590026	KIT-ACTUTR-RPR:TYP MIANTENANCE,CMPRSNG H	1.00	061	KIT
587632	KIT, VALVE REPAIR: TYP HI-SEAL	1.00	051	ST
615070	TEE-PIPE-RDUCR;SS 321,DIN 2615	1.00	051	ST
631180	GSKT:BLANK END,BUTTERFLY VALVE -10 IN	1.00	051	ST
624957	ASSEMBLY:TYP SNUBBER/MOV	2.00	011	ST
593518	GSKT-PRE-CUT;DN 100,CHLOROPRENE RUBBER	4.00	051	ST
641393	CIRCUIT:TYP MAIN BOARD	1.00	011	ST
615947	GSKT-ST;UNLOADING CYLINDER	2.00	051	KIT
872266	GUIDE:TYP RING,MT CS,APLC AIR COMPRESSOR	8.00	091	ST
607888	INSERT:CARBIDE	18.00	051	ST
604856	FUSE:500A,660/690VAC; 440VDC,BLADE	3.00	021	ST
614896	BUSH, PUMP: TYPE THROAT,P/N:4023433080	3.00	081	ST
625246	DETECTOR, LEAK: TYP WATER,P/N:Q26052024	1.00	061	ST
608249	KNF;BED,WD 50 X LG 350 X THK 30MM,STEEL	1.00	101	ST
602455	PACKING:1-3/4 IN X 64.3MM,PTFE	2.00	051	ST1
624901	INVERTER:	2.00	021	ST
589954	FUSE:0.315A	10.00	021	ST
644643	LAMP,INCANDESCENT:W 60W,VOLT 250VAC	7.00	021	ST
445454	O RING:INSIDE DIAMETER 190.09MM,WIDTH 3	2.00	051	EA
639757	KIT,VALVE REPAIR:CONTROL	1.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
632136	GSKT PRE-CUT :P#1300-S,BONNET,8IN	1.00	051	ST
578217	SET;KIT,SHRINKABLE SLEEVE	2.00	081	KIT
630879	LIGHT,INDICATING:TYP PILOT	6.00	021	ST
635570	BRG:MT STEEL/PTFE COATED	2.00	051	ST
1191907	CBL ASSY:TYP ONE END UNTERMINATED,CNDTR	4.00	021	ASY
31160	SEAL:PTFE,RING	1.00	051	KIT
340568	BLCK-TRMNL;600VAC 65A,CAPTIVE SCREW,1	30.00	051	ST
583911	MODULE:RECTIFIER,INCINERATOR PACKAGE	2.00	031	ST
643604	BRG:	1.00	051	ST
627264	VALVE,GATE:VLV SZ 1IN,DES RTG CL 800	3.00	051	ST
127571	LENS;GLASS	1.00	900	EA
602980	SEAL,OIL:MT NBR	1.00	051	ST
591067	RELAY,TIME DELAY:0/0.6S-60HR ON DELAY	10.00	011	ST
594849	PCKG;RING	5.00	051	ST
1040636	CYLINDER, ACTUATING LINEAR: BORE 100MM	1.00	061	EA
898265	BREAKER,CIRCUIT:20A,254VAC; 60VDC	1.00	011	EA
963955	O-RING: MATL BUNA-N,APPL PUMP	1.00	051	EA
623664	FUSE:0.5A,500VAC,DIA 6.3 X LG 32MM	2.00	021	ST
737103	RELAY:COIL 24 VDC	1.00	011	ST
625022	SEAT,VALVE:VLV SZ 1IN,CONTROL	1.00	051	ST
636326	SEAT,VALVE:VLV SZ 2IN	1.00	051	ST
643662	O-RING:ID 78MM,WD 3.5MM,STD DIN 3770	1.00	051	ST
114423	BREAKER,CIRCUIT:10A,690VAC 50/60HZ	2.00	051	EA
1040375	SEAT,VALVE:VALVE TYPE BALL,VALVE SIZE 1I	5.00	051	EA
736715	PIN:STEM	1.00	051	ST
1003970	PLATE: TYP ORIFICE,SIZE 2IN	1.00	131	EA
599375	GSKT:NON ASBESTOS	2.00	051	ST
577998	KIT:TYP LEVEL TRANSMITTER	2.00	081	ST
599367	GSKT,SPWD:V#8596,SHP ROUND	1.00	051	ST
1553066	STRAINER,PIPING:TYP Y,SIZE 1IN,P RT 150L	1.00	051	EA
610551	CUT-OUT,THERMAL:TYP HEAT LIMITER	8.00	061	ST
604900	FUSE:10A,DIA 5 X LG 20MM,FST	20.00	021	ST
594231	PCKG;ID 25 X OD 39 X THK 8MM,PTFE	1.00	051	ST1
990752	FLANGE,PIPE:CNCTN TYP KEY-LOCK SPIGOT X	2.00	051	EA
581435	MODULE:TYP ANALOG INPUT,PWR S 230VAC 50	1.00	011	ST
928412	BREAKER, CIRCUIT: VOLTAGE 440V,POLE 2	1.00	011	EA
615053	RDUCR-PIPE;12 X 8IN,BW,CONCENTRIC	1.00	051	ST
588387	GSKT SET:	2.00	051	ST1
608862	CRUCBL;100ML,PORCELAIN	14.00	071	ST
612621	LIGHT:TYP FLOOD,VOLT 220VAC 50/60HZ	1.00	021	ST
612376	BUSH,PUMP:CASING	1.00	081	ST
598941	MOTOR,ELECTRIC:0.18KW	1.00	011	ST
622378	OPERATOR,SWITCH:TYP PUSHBUTTON	7.00	011	ST
608775	KIT:	1.00	021	ST
600123	GSKT,SPWD:GRAFOIL,IRID 1249.4MM,SS 316	3.00	051	ST
595913	METER,ELECTRICAL:TYP AMMETER,RNG 0-1A	1.00	101	ST
144785	PACKING:PTFE	1.00	051	ST1
639465	GSKT PRE-CUT :SYNTHETIC FIBRE	1.00	051	ST
587884	KIT,VALVE REPAIR:SOLENOID VALVE,SEAL	1.00	051	KIT
745410	PACKING:GRAPHITE,TYP VALVE STEM	1.00	051	SE
1003943	METER, FLOW: TYP SQUARE EDGE ORIFICE	1.00	101	EA
253577	CNCTR-CMUNCTN;FRONT,(1) ROW	7.00	031	EA
589639	CONTACT,AUXILIARY:TYP CONTACTOR	1.00	011	ST
653198	GSKT,SPWD:IRMT SS 347,OR MT SS 347	7.00	051	EA
584424	MTR-ELECT;AMMETER,0-75/450A	1.00	101	ST
177069	VALVE,GATE:TYP WEDGE,VLV SZ 1IN	4.00	051	EA
592140	GSKT,SPWD:GRAPHITE/SS 316,APLC BODY	1.00	051	ST
637050	COUPLING:	2.00	051	ST
591942	BUSHING,ELECTRICAL CONDUCTOR:TYP LOW	1.00	021	ST
632044	GSKT PRE-CUT :P#2601-GGO,BONNET,4IN	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
723722	NOZZLE:MT SS 304	1.00	051	ST
301136	FAN;RADIAL VENTILATOR,418 X 405 X 138MM	1.00	081	ST
622811	SPINDLE: MATL SS,P/N:130287	2.00	101	ST
578645	CNCTR;CONNECTING COMPONENT	1.00	051	ST
616692	TRANSFORMER,INSTRUMENT:CURR RT 0.5/6A	2.00	011	ST
599337	GSKT PRE-CUT :NON ASBESTOS	2.00	051	ST
599544	GSKT,SPWD:8IN,150LB,T#1836-GR-SS	3.00	051	ST
643685	BRG,ROLL:ID 40MM,OD 47MM,WD 12MM,TYP	1.00	051	ST
614686	NUT,LOCK:	1.00	051	ST
239840	BELT,TOOTHED:TYP TIMING	6.00	051	EA
593031	GSKT-PRE-CUT;SQUARE,CORK	4.00	051	ST
643060	PACKING:GRAPHITE,TYP GATE VALVE	3.00	051	ST1
608676	BAR,ROUND:SZ DIA 25MM,MT AA ASTM B221/AL	16.00	131	M
588628	SET:TYP BEARING,APLC DRIVE END	1.00	081	ST1
627291	VLV-BAL;1IN,CL 300,CS,SS,FLANGE RF,2 WAY	1.00	051	ST
601340	O-RING:MT VITON	1.00	051	ST
1612620	VLV-GATE:TYP SOLID WEDGE,VLV SZ 3IN,DSGN	4.00	051	EA
616764	SWITCH,DISCONNECT:3.6/7.2KV 400A 50-60HZ	1.00	900	ST
589557	BRUSH,ELECTRICAL:TYP EARTH	1.00	021	ST
603841	BRG,SLEEVE:	1.00	051	ST
1523990	DETECTOR:TYP BASE UNIT FOR FIRE AND GAS	9.00	900	EA
587727	KIT: TYPE PACKING,P/N:PFA-91K-14	6.00	081	ST
771997	SHIM:TYP DIFFUSER	1.00	051	ST
1235856	DEVICE:TYP VACUUM PALLET,APPL PRESSURE/V	1.00	081	EA
1033667	BUSH-PUMP;OD 117 X ID 59 X THK 22MM	2.00	081	ST
737256	SLV;RING,ID 58 X OD 68.3 X THK 8MM,BRASS	1.00	051	EA
800067	SEAT-VLV;GLOBE,1-1/2IN,PTFE	2.00	051	EA
585679	VALVE,GATE:VLV SZ 1-1/2IN,DES RTG CL 200	1.00	051	ST
593698	O-RIG;674MM,3MM,BUNA-N	4.00	051	ST
603308	SEAL:APLC LUBE OIL PUMP	1.00	900	ST
636290	O-RIG-ST:MTRL NBR,QTY 3,DOC:F3137-4620R	1.00	051	ST
1032706	GSKT, SPWD: NOMINAL FLANGE SIZE 24IN	2.00	051	EA
593153	GSKT PRE-CUT :ID 54 X OD 70 X THK 2MM	20.00	051	ST
627118	VALVE,GLOBE:VLV SZ 1IN,DES RTG CL 800	2.00	051	ST
1036286	MODULE: TYP CPU,PWR SRC 5VDC 1060MA	1.00	031	EA
617696	BOLT:M16,50MM,GS,2MM,DOG POINT,GR 5.6	6.00	051	ST
605590	SWITCH,SELECTOR:	1.00	021	ST
610179	BELT:SZ WD 320 X THK 4.5MM	4.00	051	M
604934	FUSE:4A,415V	8.00	021	ST
1073547	TRANSMITTER, DIFFERENTIAL PRESSURE:	1.00	061	EA
1023876	RING: SIZE DIA 16IN,MATL UNS N08825+HCR	1.00	051	EA
639267	SPRING,VALVE:SS ASTM A313 GR TP302	1.00	051	ST
1243397	BODY,VALVE:VLV STYL SUCTION VALVE,MATL S	2.00	051	EA
609741	RESISTOR:150OHM,RT 0.5W,TYP FIXED	2.00	031	ST
598764	GEAR:	2.00	081	ST
604701	FUSE:300A,500V,SLOW BLOW	30.00	021	ST
641642	KIT-PUMP-RPR:TYP SOFT PARTS,APL CENTRIFU	2.00	900	KIT
584441	METER,ELECTRICAL:TYP WATT,RNG 0-60MW	1.00	900	ST
640634	MODULE:(8) POINT INPUT/OUTPUT	1.00	031	ST
624892	SLND;SHUNT TRIP	2.00	011	ST
634319	RING:APLC ANGLE VALVE	1.00	051	ST
798317	FUSE:160A,7.2KV,DIA 86 X LG 292MM	8.00	021	ST
529775	SEAL-RIG:MTRL GRAFOIL,TYP BACK,APL VALVE	1.00	051	ST
605079	TIMER:OPER RELEASE DELAY,CONTRT 220VAC	1.00	011	ST
594634	RTNR	1.00	051	ST
621990	FLNGR;GREASE	1.00	081	ST
643012	PACKING:PTFE,TYP STUFFING BOX	4.00	051	ST1
234469	DISC,VALVE:SS 316,SAFETY	1.00	051	EA
1025532	SWITCH, NETWORK: TYP SHDSL MODEM	1.00	031	EA
745408	GSKT:BONNET,UNS S31600	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
587144	PACKING:TYP EXH. END	1.00	051	ST
625428	CONTACTOR:TYP OVERLOAD RESET	1.00	900	ST
588947	FILTER,ELEMENT:SS 304,STRAINER SCREEN	1.00	051	ST
594146	O-RING SET:4	2.00	051	ST
959343	DRIVE, DISK: TYP HARD,DISK SIZE 3-1/2IN	1.00	141	ST
802905	PACKING:ID 21 X OD 38 X THK 7MM,GRAPHITE	1.00	051	ST
804586	HLDR-FUSE;SCREW-IN CAP,BASE,6A,400V	2.00	021	SE
639346	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
620772	SET:TYP SEAL PLATE,APLC ELECTRIC MOTOR	4.00	081	ST
582229	THERMOSTAT:TYP CONTROL	2.00	081	ST
457062	SIEVE:MT SS,TYP CURVED	1.00	011	EA
588702	PACKING:TYP GLAND	2.00	051	ST1
597010	SPINDLE:SZ DIA 12 X LG 80MM,MT CS	2.00	101	ST
602974	SEAL,MECHANICAL:	1.00	900	ST1
641966	DISC,VALVE:SS 304,VLV SZ 1 X 7.0 X 1IN	4.00	051	ST
604891	FUSE:50A,DIA 10 X LG 38MM	2.00	021	ST
956828	VALVE, SOLENOID: STYL 2/2-WAY,CNCT NPT	1.00	051	EA
604343	CONTACTOR:TYP MAGNETIC,AMP 32A,3 POLE	1.00	011	ST
373437	O-RING:ID 139.5MM,WD 3MM,MT NBR	3.00	051	ST
1088387	SWITCH, PROXIMITY: CNTCT RT 10-30VDC	1.00	011	EA
9101696	MESH, 610MM WD X 2198MM LG (TO BE DELETE	1.00	051	ST
638287	CARTRIDGE:TYP FILTER	1.00	051	ST1
643708	BUSH:BRONZE	2.00	051	ST
515961	BREAKER,CIRCUIT:10A,400VAC,INTP CAP 25KA	2.00	021	EA
634778	SEAT,VALVE:VLV SZ 6IN	2.00	051	ST
624902	POWER SUPPLY:	2.00	021	ST
638011	CIRCUIT:TYP RELAY BOARD	1.00	011	ST
601240	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	1.00	051	ST
603292	O-RING:MT EPDM,APLC AIR VACUUM RELEASE	1.00	051	ST
588704	KIT-VLV-RPR:TYP SOFT PARTS,APL GLOBE VAL	2.00	051	ST1
599443	GSKT,SPWD:PTFE,SS 316,APLC CASING	2.00	051	ST
592974	GSKT PRE-CUT :ID 95 X OD 138 X THK 5MM	2.00	051	ST
626602	RECEPTACLE,ELECTRICAL:POLE 3,ELEC TRT	2.00	021	ST
615054	RDUCR-PIPE;12 X 10IN,BW,CONCENTRIC	1.00	051	ST
843699	STUD CNTNS THD:TYP BOLT,DIA 1-7/8IN,THRD	6.00	051	SE
621993	O-RIG;DE BEARING	1.00	051	ST
627150	KIT,VALVE REPAIR:WORMSHAFT AND WORMWHEEL	1.00	051	ST1
635699	SEAT,VALVE:SS 403	1.00	051	ST
612663	REFLECTOR:TYP DOME	3.00	061	ST
603445	BASE,FUSE:VOLT 660VAC,AMP 160A,MT PLAST	1.00	021	ST
606638	SCREW,CAP:M10 DIA,120MM LG,MT AS	12.00	051	ST
614692	RING,WEAR:APLC PUMP	1.00	081	ST1
783142	SHIELD:TYP HAND TORCH,MT COPPER	25.00	121	ST
611005	GUG-PRSUR;4IN	1.00	101	ST
591203	RESISTOR:	2.00	031	ST
615137	FLPR	1.00	051	ST
612271	RIG;SPECIAL SPACER,SS ASTM A276	2.00	051	ST1
598061	BRG,BALL:ID 45MM,ST OPEN,ROW DOUBLE,TYP	2.00	051	ST
642617	O-RING:APLC SEAL	1.00	051	ST
644385	STUD,D/END:DIA-A 24MM,DIA-B 24MM	1.00	051	ST
583096	LIGHT:TYP STATUS STROBE,VOLT 24VDC,COLO	1.00	021	ST1
590387	RELAY,PROTECTION:UNDERVOLTAGE	1.00	031	ST
1227197	SOLUTION:TYP BOD STANDARD,CONCENTRATION	1.00	001	PAK
594250	PCKG;ID 45 X OD 67 X THK 9MM,GLAND	1.00	051	ST1
642529	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
594373	PACKING:GRAPHILEX,SQUARE	4.00	051	ST
584528	SWTCH-PUSH;250/380VAC 10/7.5A,DPDT,GREEN	1.00	021	ST
617987	SWITCH:	1.00	021	ST
153939	DEVICE:TYP SCRUBBER,APPL TOTAL CARBON AN	1.00	081	EA
606934	STUD CNTNS THD:DIA M10,THRD 1.5MM,LG 2IN	7.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
587539	KIT:	2.00	081	ST
638382	KIT-VLV-RPR:TYP SOFT PART,APL BUTTERFLY	2.00	051	KIT
959001	GSKT PRE-CUT : SHAP ROUND, MDL/MACH#:	2.00	051	EA
585266	REGULATOR, PNEUMATIC: P/N:PR1-1C1185C111	1.00	061	ST
635524	WASHER:PTFE,THRUST	1.00	051	ST
589132	CIRCLIP:TYP EXTERNAL,STD DIN 471	1.00	051	ST
643492	BRG:	2.00	051	ST
617146	BLOCK,TERMINAL:	2.00	021	ST
609620	WORM:	1.00	081	ST
604602	FUSE:500A,660VAC; 450VDC	4.00	021	ST
644190	CHEMICAL: NAME FORMIC ACID,FORM LIQUID	5.00	001	L
912482	THRMWL;TAPERED,60MM,64.5MM,395MM,12MM	14.00	061	EA
605002	MODULE,POWER SUPPLY:O/P 24VDC 5A	1.00	031	ST
600620	GSKT PRE-CUT :ROUND	2.00	051	ST
903945	CIRCUIT: TYP CONTROL EEIO SW1.0	1.00	011	EA
636958	GSKT PRE-CUT :ID 216 X OD 340 X THK 3MM	4.00	051	ST
1029260	PIN: TYP HYDRAULIC CYLINDER,P/N:SLP60477	1.00	051	ST
580581	SHAFT:DRIVE	1.00	051	ST
400868	CNTCT-AUXLRY:TYP CAL 5-11,CNTCT ARNG 1NO	1.00	011	ST
911659	TRANSMITTER,PRESSURE:0-4BAR,O/P 4-20MA	2.00	061	EA
585597	VALVE,NEEDLE:BDY MATL SS 316	7.00	051	ST
630848	THRMST;DIFFERENTIAL,-30 TO 40°C	1.00	081	ST
1000325	HOSE, WATER: SIZE 1IN,LENGTH 15M	5.00	051	EA
642997	GSKT PRE-CUT :PTFE,COVER,DN 32	4.00	051	ST
587483	KIT-VLV-RPR:APL WAFER CHECK VALVE,CMPSN	1.00	051	ST
581650	HOSE-HYDRULC;8MM,14MM,320MM,RUBBER,3/8IN	3.00	051	ST
579972	LAMP,INCANDESCENT:TYP MINIATURE,W 1.2W	20.00	021	ST
615556	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	1.00	081	ST
580616	SHAFT:PINION	1.00	051	ST
633051	KIT:TYP SERVICE	1.00	081	ST
612385	ASSEMBLY:REAR COVER	1.00	081	ST
873926	BRG,SLEEVE:ID 65MM,TYP FLANGED BUSH	2.00	051	EA
799490	CAP:SZ DIA 2-1/2IN,MT BRASS,CONN FEMALE	5.00	051	ST
617345	TRANSMITTER:APLC H2S GAS DETECTOR	2.00	061	ST
589329	BLCK-TRMNL;660V,CAPTIVE SCREW,2.5MM2,1	2.00	021	ST
580025	LAMP-INCNDSCNT;TUNGSTEN,100W,240V AC	2.00	021	ST
589385	PROTECTOR:TYP CIRCUIT	1.00	011	ST
594997	SEAL-MCH;DIA 2-7/8IN	1.00	051	ST
643126	PACKING:GRAPHITE,TYP GLOBE VALVE	3.00	051	ST1
643051	PACKING:GRAPHITE,TYP GATE VALVE	3.00	051	ST1
642689	PACKING:	1.00	051	ST1
634162	SEAT-VLV;BALL,DN 3IN,SS 316	4.00	051	ST
9101726	SHAFT,DRIVE,30MMX48MM DIA X350MM(DELETED)	2.00	051	ST
708654	PIN,GROOVED,HEADLESS:	1.00	051	EA
904395	CABLE,COMMUNICATIONS:TYP V-NET/IP	1.00	031	EA
602912	RING:TYP LINING UP	1.00	051	ST
609715	KIT,VALVE REPAIR:GLAND PACKING AND SEAT	1.00	051	ST1
631130	BRG, BALL: IBI 15439,WIDTH 65MM,P/N:27-B	1.00	051	ST
621978	SEAL-LBYRNTH;DIA 250MM,MOTOR	2.00	900	ST
115806	SEAT,VALVE:CONTROL	1.00	051	EA
746112	KIT-VLV-RPR;MAINTENANCE,ON-OFF CONTROL	1.00	051	KIT
581227	CIRCUIT:TYP INVERTER CONTROL	1.00	011	ST
618235	THERMOSTAT:TYP TEMPERATURE SWITCHING	1.00	081	ST
590896	SWITCH,PRESSURE:	1.00	061	ST
1080198	CASING: TYP SEAL,P/N:SPR-72, EQUIP	1.00	051	EA
619574	SCREW,CAP:M8 DIA,50MM LG,MT SS 304	2.00	051	ST
595618	KEY:MATL CS	2.00	051	ST
636940	GSKT:	1.00	051	ST1
1229686	GLND-PCKG;EXTERNAL,A436,ROUND	1.00	051	EA
1244896	BREAKER,CIRCUIT:AMPERAGE 63A,VOLTAGE 380	1.00	011	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
620475	CUP,BEARING:TYP TAPERED	4.00	051	ST1
628591	SPRING:TYP GROUND	3.00	051	ST
1064278	GSKT PRE-CUT : SHAP IRREGULAR	1.00	051	EA
808630	SPRING,VALVE:AS ASTM A232,505MM	1.00	051	ST
644382	BOLT,MACH:M10,LG 25MM,GS,1.5MM,HD HEX	1.00	051	ST
868921	CHEMICAL:ISOBUTYBENZENE	2.00	001	BOT
697351	BLOCK,CONTACT:TYP AUXILIARY	4.00	021	EA
615976	SEAL,RING:ID 90MM,OD 110MM,THK 3MM	1.00	051	ST
810175	BRG:CONTROL VALVE	1.00	051	EA
642663	O-RING:ID 19.18MM,APLC SEAL	1.00	051	ST
616847	RELAY:COIL 24VDC,CONT 220VAC 4A	3.00	011	ST
1045253	CONTACTOR: TYP AC OPERATED,AMPERAGE 115A	1.00	011	EA
629560	KIT:TYP SOFT PARTS,CMPRSNG GASKET/ MESH	1.00	081	ST1
577851	ASSEMBLY:PHOTO SENSOR (IC)	1.00	081	ST
643019	GSKT PRE-CUT :PTFE,COVER,DN 150	2.00	051	ST
643078	GSKT,SPWD:1-1/2IN,GRAPHITE,SS 316	2.00	051	ST
587551	KIT-VLV-RPR:TYP SOFT PART,APL BUTTERFLY	1.00	051	KIT
474541	O-RIG:I DIA 119.4MM,WD 3.1MM,MTRL NITRIL	4.00	900	EA
591037	FUSE:2A,600VAC	4.00	021	ST
593219	GSKT PRE-CUT :ID 419 X OD 445 X THK 3MM	2.00	051	ST
629189	NOZZLE,VALVE:MT SS ASTM A351 GR CF8M	1.00	051	ST
588321	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG GASKET	1.00	051	ST1
615574	BUSH,PUMP:BRONZE BC6/B584,BEARING COVER	1.00	081	ST
1029124	CARRIER: P/N:BR-28B-101,DOC:F3136-2010R1	16.00	051	ST
286301	BRKR-CRCUT:AM 1A,VLTG 230/400VAC 50/60HZ	24.00	031	EA
583941	MODULE:	1.00	031	ST
580393	SHFT;25MM,145MM,SS	1.00	051	ST
186453	GSKT-SPRL-WUND;BASIC,52.5MM,63MM,3.5MM	1.00	051	ST
641838	SWITCH, TEMPERATURE: MNFR:BETA BV	1.00	021	ST
861924	KIT-VLV-RPR:TYP SOFT PART,APL SAFETY REL	4.00	051	SE
599868	GSKT,SPWD:PTFE,UNS S31603,SHP ROUND	2.00	051	ST
538479	PLUG,VALVE:	1.00	051	EA
594234	PACKING:ID 85 X OD 104 X THK 9.5MM	1.00	051	ST
579286	GAUGE,DIFF.PRESS.:0-40BAR,MNPT 1/2IN	1.00	061	ST
588676	TRNSMTR-PRSUR;INCINERATOR PACKAGE	1.00	061	ST1
588298	PACKING:TYP GLAND	3.00	051	ST1
622139	CIRCUIT:TYP (8) CHANNEL ANALOG INPUT	1.00	011	ST
536463	CIRCUIT:TYP DC SOLENOID DRIVER	1.00	051	EA
609223	DESICCATOR:SZ ID 250 X HT 325MM	1.00	071	ST
634013	SHFT-VLV:LG 70MM,MTRL SS ASTM A564 GR 63	1.00	051	ST
605819	ARRESTER:TYP ELECTRICAL	2.00	011	ST
423816	BRG-BAL:IBI 13148,I DIA 45MM,OUT DIA 75M	2.00	051	ST
1531261	O-RIG;88.5MM,3.5MM,BUNA-N,DOSING PUMP	1.00	051	EA
619608	DISC,PUMP:SS 316L	2.00	081	ST
605062	RELAY,OVERLOAD:40-63A,1NO-1NC,THERMAL	1.00	011	ST
9101685	SET, GASKET,4 COMPRESSED ASBESTOS GASKET	23.00	051	SE
528541	SWTCH;AUXILIARY	1.00	021	ST
606614	BOLT,MACH:M8,LG 25MM,1.25MM,HD HEX	1.00	051	ST
580898	PLATE:TYP SNUBBER	1.00	011	ST
599997	GSKT,SPWD:60IN,GRAPHITE,SS 316	1.00	051	ST
593152	GSKT PRE-CUT :ID 35 X OD 45 X THK 2MM	20.00	051	ST
1587069	KIT-VLV-RPR:TYP HARD PARTS,APL 3/4 X 1IN	1.00	051	KIT
605914	CIRCUIT:TYP FAULT SIGNALLING	2.00	011	ST
624906	RECTIFIER:TYP GATE DRIVE	1.00	021	ST
640521	SPRING:	8.00	051	ST
633168	PROBE:TYP VIBRATION	1.00	061	ST
601006	GSKT SET:TYP BODY	1.00	051	ST
626467	HANDLE:TYP TORQUE	2.00	101	ST
921170	PIPE:SZ 2-1/2IN,LG 6M,SCHD STD	2.00	131	EA
588896	CIRCUIT:	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1045499	VALVE, RELIEF: VALVE SIZE 3/4 X D X 1IN	1.00	051	EA
614659	SLEEVE:TYP BEARING	2.00	051	ST
607277	BUSH;ID 35 X OD 45 X HT 40MM	1.00	051	ST
594369	PACKING:ID 43 X OD 60 X THK 10,GRAPHITE	12.00	051	ST
901880	O-RING:ID 101.19MM,WD 3.53MM,MT BUNA-N	5.00	051	EA
612403	VALVE,RELIEF:TYP PRESSURE,BDY MATL METAL	1.00	051	ST
581870	PIPE:SZ 1-1/2,SCHD 40,CARBON,ENDS PE	20.00	131	FT
619268	ACTUATOR:TYP ELECTRIC STROKE	1.00	900	ST
619786	SHIM:MT C 280 1P-1/2H B135 C2 8000	1.00	051	ST1
583367	MIXER:TYP PILOT	2.00	081	ST
581198	CIRCUIT:TYP BASE DRIVE,APLC INVERTER	1.00	011	ST
596384	GLAND,PACKING:SHP CIRCULAR	1.00	051	ST
599643	GSKT CAMPRO:TYP SANDWITCH,UNS S31600,3MM	1.00	051	ST
868920	CHEMICAL:1-METHYLNAPHTHALENE	2.00	001	BOT
897341	GSKT,SPWD:52IN,150LB,GRAPHITE	1.00	051	ST
593486	GSKT PRE-CUT :	2.00	051	ST
591873	SEAT,VALVE:VLV SZ DN 2,MANUAL CONTROL	1.00	051	ST
878928	WIRE,WLDG:TYP GTAW,ST AWS ERNCR-3	20.00	051	KG
643526	BRUSH,ELECTRICAL:MT CARBON	1.00	021	ST
956071	FLANGE,PIPE:TYP RAISED FACE; SERRATED,SI	2.00	051	ST
602042	O-RING:ID 10.8MM,MT SILICONE RUBBER	2.00	051	ST
610183	CLAMP,HOSE:SZ 51MM,TYP BAND	2.00	051	ST
589571	BUSBAR:	2.00	021	ST
1023617	PACKING, BULK: MATL POLYMAID,SHAP ROUND	1.00	051	EA
602850	SLEEVE:TYP OIL RING,APLC CASING END	1.00	051	ST
620037	GSKT PRE-CUT :NBR,L.O. DEVICE	2.00	051	ST
584449	METER,ELECTRICAL:TYP AMMETER,RNG 0-1600A	1.00	101	ST
604796	FUSE;QUICK ACTING,7A,500V AC,CERAMIC,UL	10.00	021	ST
580382	ROTOR:	2.00	081	ST
580956	PLUG-VLV;DN 65-80MM,STEEL	1.00	051	ST
145916	HLDR-VLV-DISC:VLV STYL CONTROL,VLV SZ 1I	1.00	051	EA
604522	FUSE:400A,660VAC,CURRENT LIMITING	3.00	021	ST
633105	SEAL,RING:MT PTFE GRAPHITE FILLED	3.00	051	ST
633172	CIRCUIT:TYP PLC5 EEPROM 32K,APLC	1.00	011	ST
590928	TRANSFORMER,INSTRUMENT:CURR RT 3/0.025A	2.00	011	ST
587479	KIT-VLV-RPR:TYP SPARE,APL WAFER CHECK (S	1.00	051	ST
578390	SET:TYP PACKING	1.00	081	ST1
591005	TRANSFORMER:TYP CONTROL,VA RT 200VA	1.00	011	ST
595066	GSKT-PRE-CUT;ID 307 X OD 331 X THK 2MM	1.00	051	ST
643925	DISC,VALVE:VLV SZ 1 X 2IN	1.00	051	ST
602456	PACKING:GRAPHITE,SQUARE	2.00	051	ST1
628980	BELLOWS:TYP EXPANSION,6BAR	1.00	051	ST
738110	SCREW,CAP:	1.00	051	ST1
602342	PIN,TAPER:DIA 3/8IN,LG 3IN,SS 316	4.00	051	ST
610657	BRG,PLUM BLK:ID 30MM,BOLTS 2,BALL	2.00	051	ST
1246134	HSG BRNG UNIT:TYP JOURNAL BEARING,MTRL C	1.00	051	EA
619868	BUSH:GUIDE	10.00	051	ST
633002	BUSH,PUMP:SS DIN WN 1.4138	3.00	081	ST
589824	STRAINER:TYP Y ELEMENT,MT SS 316,6	1.00	051	ST
618039	RELAY:TYP VOLTAGE SENSING,PLUG IN,CLOSED	2.00	011	ST
1387170	O RING:INSIDE DIAMETER 44.04MM,WIDTH 3.5	2.00	051	EA
632405	MODULE:REPEAT RELAY	1.00	031	ST
786766	REACTOR:ELEC TRT 480V	1.00	011	ST
590888	SWTCH-PRSUR;SPST,MPT	1.00	061	ST
1000783	SWITCH, DISCONNECT: TYP MAIN,ACTION 3P	1.00	011	EA
907004	PLUG,VALVE:VLV SZ 10IN,GLOBE	1.00	051	ST
580920	PLUG-VLV;CONTROL,DN 15-50MM,SS 316	1.00	051	ST
599343	GSKT:IRON	16.00	051	ST
1225957	SCREW,SET:DIAMETER 8MM,LENGTH 3/16IN,THR	10.00	051	EA
1025648	COUPLING,HOSE:SIZE 3/4IN,CNCT MNPT,MATL	35.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
630216	SPACER:	2.00	051	ST1
618801	O-RING:ID 134.2MM,WD 5.7MM,MT VITON	3.00	051	ST
600324	GSKT PRE-CUT :NEOPRENE RUBBER	4.00	051	ST
1024102	SET:TYP SPARE PART,APPL VALVE,P/N:H02613	1.00	081	SE
638825	ACTATR:APLC VALVE	1.00	061	ST
590922	TRANSFORMER,INSTRUMENT:VA RT 1.75/5VA	1.00	011	ST
426055	VALVE:TYP TRANSFER,VLV SZ 1/4IN,CONN FPT	3.00	051	ST
632571	GSKT PRE-CUT :PTFE	6.00	051	ST
1032809	GSKT: SIZE ID 13 X OD 24MM,THICKNESS 3MM	8.00	051	EA
635351	BOARD,TERMINAL:	1.00	021	ST
643219	SEAT,VALVE:HAND	2.00	051	ST
930340	KEY, SHAFT: TYPE DRIVEN GEAR FEATHER	1.00	051	ST
1059598	NOZZLE: TYP MOTIVE NOZZLE,MATL SS	1.00	051	EA
604193	BRUSH,ELECTRICAL:TYP ALTERNATOR	4.00	021	ST
593519	GSKT:FLAP VALVE	2.00	051	ST
630867	RLY-CNTRL;THERMISTOR	1.00	031	ST
872271	BAR:TYP STAY,MT CS	3.00	131	ST
1040359	CONTACTOR: TYP MOTOR CONTROL,POLE 3	1.00	011	EA
597287	SILENCER:TYP STOP,CONN MPT	4.00	051	ST
585767	VALVE, GATE: TYP WEDGE,DSGN RT CL 800	2.00	051	ST
607578	BUSH:STEEL DIN WN 1.7131,COUPLING ROD	2.00	051	ST
578593	UNIT;ELECTRIC RANGE APPARATUS	2.00	051	ST
587087	ASSEMBLY:BONNET	2.00	081	ST
913717	SEAT-VLV;ROTARY CONTROL,6IN	2.00	051	EA
498617	SEAT,VALVE:VLV SZ 2IN,CONTROL	1.00	051	EA
586982	DRAIN:MT SS 316	1.00	051	ST
600709	GSKT,SPWD:12IN,300LB,GRAPHITE	3.00	051	ST
688010	ELMNT-HTR-OVRLD:TYP OVERLOAD,AM 2.42A,P/	2.00	051	EA
609359	COUPLER,HOSE:SZ 1IN	3.00	051	ST
643728	BELT,TOOTHED:TYP TRANSMISSION	1.00	051	ST
597322	VALVE,CHECK:VLV SZ 24MM	2.00	051	ST
603932	BLOCK,TERMINAL:ELEC TRT 1000V 125A	20.00	021	ST
582567	GAUGE,PRESSURE:0-160MM H2O,100MM	1.00	101	ST
910766	PIN;PISTON	4.00	051	ST
607096	WASHER:ID 17.1MM,OD 35MM,THK 3MM	4.00	051	ST
642957	GSKT PRE-CUT :PTFE,COVER,DN 65	6.00	051	ST
1003906	GSKT, RJ: SHAP ROUND,MATL SOFT IRON	1.00	051	EA
639590	GSKT:STEAM JET EJECTOR PACKAGE	1.00	051	ST
634177	DISC,VALVE:METAL,ANGLE	1.00	051	ST
1608627	RDUCR-PIPE:SZ 3 X 1-1/2IN,CNCT BW,MTRL S	1.00	051	EA
588958	SCREEN:TYP PERFORATED,MATL SS 316	1.00	900	ST
804273	GSKT PRE-CUT :ID 95 X OD 118 X THK 1.5MM	1.00	051	ST
619344	BLCK-TRMNL;800V,CAPTIVE SCREW,16MM2,1	19.00	021	ST
1603111	BR-ZNR:RTNG 10 V 200 MAV DC,PLRTY POSITI	2.00	051	EA
584911	DISC,VALVE:SS ASTM A276,304,PRESSURE AND	18.00	051	ST
1617029	TRNSFRMR-CURNT:PTNTL 10VA,CURNT RT 250/1	1.00	051	EA
604249	COIL-ELECT;SOLENOID VALVE	1.00	011	ST1
589496	BREAKER,CIRCUIT:AMPERAGE 10A,VOLTAGE 400	2.00	011	ST
604588	FUSE:630A,1000VAC,TIME DELAY	3.00	021	ST
933209	REDUCER,PIPE:SZ 4 X 1-1/2IN,BW X BE	2.00	051	ST
725201	SEAT:	2.00	051	ST
619350	BLCK-TRMNL;800V,CAPTIVE SCREW,35MM2,2	3.00	021	ST
602251	PACKING:	1.00	051	ST1
632676	GAUGE, PRESSURE: RANGE 0-60BAR G	1.00	101	ST
646552	O-RING:ID 170MM,WD 3.5MM,MT TEFLON	2.00	051	ST
1206172	SENSOR,VIBRATION:TYP VIBRATION MALE,RNGE	1.00	011	EA
599668	GSKT,SPWD:T#1806,SS 316,SHP ROUND,BASIC	1.00	051	ST
1597344	BLCK-TRMNL:ELCTRCL RTNG 380V; 3PH; 60HZ	1.00	021	EA
281685	FUSE;2A,500V,CERAMIC,FERRULE	35.00	081	EA
602248	PACKING:	1.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1064398	GSKT PRE-CUT : MATL NON-ASBESTOS	2.00	051	EA
1586562	DPHRGM-VLV:SZ THK 6MM,MTRL PTFE,VLV SZ 1	1.00	051	EA
799296	LAMP:TYP INDICATING,VOLT 220V	1.00	021	EA
588094	KIT,VALVE REPAIR:	2.00	051	ST1
578621	UNIT:TYP EXPANSION	1.00	051	ST
718483	CONNECTOR,ELECTRICAL:TYP CABLE	1.00	061	ST1
584438	METER,ELECTRICAL:TYP AMMETER,RNG 0-400A	1.00	101	ST
636854	PACKING:SS 34,TYP GASKET	2.00	051	ST
264031	SWTCH-PRSUR:RNG 580-4060PSI; 40-280BAR,A	1.00	011	EA
196546	BRG-BAL:IBI 10267,I DIA 10MM,OUT DIA 26M	1.00	051	ST
799475	CIRCUIT:TYP SWITCH PROXIMITY	2.00	011	EA
1310571	BRG,ROLL:ROW SINGLE,INSIDE DIAMETER 40MM	2.00	051	EA
599302	GEARBOX:TYP SPEED REDUCER,RATIO 63.6:1	1.00	081	ST
580022	LAMP,INCANDESCENT:	2.00	021	ST
587143	PACKING:TYP STEAM END SIDE	1.00	051	ST
615647	KEY,SHAFT:TYP PARALLEL,MT SS ASTM	2.00	051	ST
615456	GAUGE,LEVEL:OIL	1.00	101	ST
584625	FILTER,ELEMENT:6MESH,SS 316	1.00	051	ST
610748	HLDR;LOWER DEFLECTOR	1.00	051	ST
622604	MOTOR,ELECTRIC:2.6KW,380VAC 6.7A 60HZ	1.00	011	ST
596070	GUIDE,VALVE:VLV ST CONTROL	1.00	051	ST
593082	GSKT-PRE-CUT;FILL CAP,ROUND,RUBBER	2.00	051	ST
583785	MODULE:TYP INTERFACE	2.00	011	ST
612218	BRACKET:TYP BEARING	1.00	051	ST
71128	O-RING:ID 104.4MM,WD 3.1MM	2.00	051	ST
605129	RELAY,PROTECTION:	2.00	031	ST
602362	SEAT:SEAL PACKING	18.00	051	ST
627995	PLUG,VALVE:VLV SZ 8IN,CONTROL	1.00	051	ST
586041	GLAND,PACKING:TYP YOKE	2.00	051	ST
615726	NUT,LOCK:SS ASTM A276/JIS G4305,GRUB	1.00	051	ST
586128	BRG,SLEEVE:TYP BUSHING,MT CARBON	4.00	051	ST
609832	DFUSR;LIGHTING FIXTURE	2.00	081	ST
579817	BEAKER:MT POLYMETHYLPENTENE,CAP 1000ML	1.00	071	ST
609630	RING,RETAINING:12MM,TYP SNAP	4.00	051	ST
643356	MODULE:CPU 948R	1.00	031	ST
9102421	COIL CLOSING 220V AC XF, NS160NA BREAKER	1.00	051	ST
639419	SPINDLE:MT SS ASTM A276 GR 403	2.00	101	ST
618541	ROD;DRAW	1.00	131	ST
643274	O-RING:ID 104.37MM,WD 3.53MM,MT FKM	1.00	051	ST
636230	SEAT,VALVE:SS 403	2.00	051	ST
9101703	COMPENSATOR, FOR 4820-C01 (NOT REQUIRED)	2.00	051	ST
1543197	KIT,VALVE REPAIR:APPL PUMP,TYP INTERNAL	1.00	051	KIT
601320	O-RING:MT VITON	2.00	051	ST
1202954	SPACER:TYP NON DRIVE,MATL MS G3101 SS41,	1.00	051	EA
614790	RING,RETAINING:TYP BEARING	1.00	051	ST
617520	BUSH,TAPER LOCK:TAPERLOCK	3.00	051	ST
115619	SEAT-VLV;RING,CAMFLEX,2.6KG/CM2,8IN	1.00	051	EA
615288	GSKT PRE-CUT :	3.00	051	ST
587219	KIT-CMPRSR-RPR:TYP SOFT PARTS,APL TEMPER	1.00	081	ST
636242	BUSH:SS 403	3.00	051	ST
595045	SEAL;ID 136 X OD 172 X THK 28MM,RUBBER	2.00	051	ST
610141	COIL,ELECTRICAL:TYP RELEASE	1.00	011	ST
589870	MEMBRANE:TYP FLEXIBLE ELEMENT,MT SS 301	2.00	051	ST
594996	SEAL,MECHANICAL:43MM	1.00	051	ST
618115	INDICATOR,SIGHT FLOW:0-400KG/HR	1.00	061	ST
1216269	MDUL:TYP OMNI,IN 110-250V AC,O/P 4-20MA	1.00	031	EA
585039	DISC,VALVE:SS ASTM A564,630,RELIEF	1.00	051	ST
1081198	NUT, HEX: DIAMETER M22,MATL CS,GRD B8	1.00	051	EA
586939	ASSEMBLY;BELLOWS	1.00	081	ST
606455	CONNECTOR:TYP MALE	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
984462	PLATE, HEAT EXCHANGER: TYP PRESSURE	1.00	081	ST
934057	GSKT JKTD:	1.00	051	EA
1009414	PLATE: TYP SEAL RETAINING,P/N:R25073	4.00	131	ST
1626439	BSKT-STRNR;10IN,5 MICRON,SS 316	1.00	051	EA
594141	O-RING:MT NITRILE RUBBER	2.00	051	ST
20493	GSKT PRE-CUT :KLINGERSIL C-4430,ROUND	2.00	021	ST
605176	RELAY,OVERLOAD:THERMAL	1.00	011	ST
70657	SEAL,RING:TYP GROMMET	17.00	051	ST
600742	GSKT PRE-CUT :	1.00	051	ST
584622	FILTER,ELEMENT:6MESH,SS 316	1.00	051	ST
1247077	STRIP:TYP GASKET,SIZE WD 52 X LG 727 X T	5.00	051	EA
620277	RING,WEAR:SS ASTM A276 TP 420	1.00	081	ST
591623	PIN:MATL STEEL,TYP PULL,P/N:434211,MNFR	100.00	051	ST
578042	KIT,VALVE REPAIR:SEAT AND SHAFT SEAL	1.00	051	ST
612758	HOLDER,LAMP:TYP OUTDOOR BULKHEAD	2.00	021	ST
903173	DISC:RESILIENT PRELOADING	1.00	051	EA
617316	BRKR-CRCUT;64A,4	1.00	011	ST
603137	SEAL,LABYRINTH:86 X 60 X 17.8	2.00	051	ST
799326	LIGHT, INDICATING: TYPE SIGNAL	2.00	021	EA
622833	KIT-VLV-RPR:APL PRESSURE CONTROL,CMPRSNG	1.00	081	ST
634800	HEATER:	45.00	001	M
612900	BREAKER,CIRCUIT:1.6-2.4A	2.00	011	ST
615568	BUSH,PUMP:SS ASTM A276 / SS JIS G4305 GR	2.00	081	ST
738147	SPRING:	2.00	051	ST1
689440	DIODE:	4.00	031	EA
618421	PIN:TYP CONTROL,DOC:DRW	1.00	051	ST
579626	SWITCH,PROXIMITY:12VDC,DIA 30 X LG 90MM	4.00	011	ST
607227	ADAPTOR,TUBE TO PIPE:T SZ 1/16IN,MALE	1.00	051	ST
559619	BRG,SLEEVE:ID 41.46MM,TYP STEADY,OD 54MM	6.00	051	EA
329142	SPRING,EXTENSION:OD 1/4IN	1.00	051	ST
1223027	ASSEMBLY:TYP ASSEMBLY PILOT VALVE FOR AU	1.00	081	ASY
601040	GSKT:GRAPHITE/SS 316	2.00	051	ST
600306	GSKT-SPRL-WUND:TYP BASIC WITH INNER RING	3.00	051	ST
457102	SEAT,VALVE:VLV SZ 18IN,BUTTERFLY	3.00	051	EA
578173	KIT;HEATING REPAIR	1.00	081	ST
640105	FUSE:100A,660VAC; 350VDC	5.00	021	ST
587960	KIT,VALVE REPAIR:SEAT AND SEAL	2.00	051	KIT
606013	CIRCUIT:TYP CENTRAL PROCESSING UNIT	1.00	011	ST
610739	ASSEMBLY;KNOB	2.00	081	ST
615215	SWITCH,PUSHBUTTON:230/660VAC 6/10A,SPST	2.00	021	ST
608302	SOCKET,ELECTRICAL:TYP PANEL LARGE FLANGE	5.00	021	ST
603207	SEAL:TYP RESILIENT,MT ELGILOY/PTFE	2.00	051	ST
611176	TRANSFORMER:TYP STEP DOWN,VA RT 100VA	2.00	011	ST
842914	PACKING:20IN,TYP GLAND	1.00	051	EA
640640	MODULE:CONTACT- N/O	1.00	031	ST
640603	ASSEMBLY:ELEMENT PRESSURE	1.00	081	ST
584432	MTR-ELECT;AMMETER,0-2000A	1.00	101	ST
584831	DIAPHRAGM,VALVE:VLV SZ 1IN	1.00	051	ST
612078	SWTCH;GRADUAL PSK,PANEL	1.00	021	ST
1025510	PACKING: MATL GRAFOIL,SHAP CYLINDRICAL	1.00	051	ST1
549134	O-RING:ID 1-3/4IN,WD 3/16IN,MT RUBBER	8.00	051	EA
590686	SWITCH:TYP MICRO LEVEL,PWR S 250VAC	1.00	021	ST
639659	SEAT,VALVE:BOTTOM OUT ANGLE	1.00	051	ST
620340	SHAFT,PUMP:SS ASTM A276 GR 403	1.00	900	ST
624913	ASSEMBLY:TYP SHUNT TRIP DRIVE	2.00	011	ST
898521	VALVE,BALL:VLV SZ 4IN,DES RTG 150LB	1.00	051	ST
592926	GSKT:ID 20 X OD 25MM,THK 1MM,ROUND,CU	2.00	051	ST
1602678	NZL-TRCH:TYP GAS LENS,SZ 1/2IN,MTRL ALUM	1.00	051	BOX
632839	SWITCH,PRESSURE:0.28-6.9BAR	1.00	061	ST
452812	LAMP,INCANDESCENT:TYP AIRCRAFT WARNING	5.00	011	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
605252	VALVE,SOLENOID:ELEC TRT 24VDC	1.00	051	ST
608407	B&;CLAMPING,SS DIN WN 1.4301	2.00	001	ST
1071750	DISPLAY UNIT,DATA:DMNSN WD 270 X LG 340M	1.00	141	EA
838777	GSKT JKTD:ID 476 X OD 496MM	3.00	051	ST
801075	STATION: TYPE (6) PUSHBUTTON	2.00	011	EA
597789	ELECTRODE,WELDING:ASTM ECUSN-C	5.00	051	KG
578776	TRNSFRMR;10/18A	1.00	011	ST
602604	RING,WEAR:	2.00	081	ST
606687	BOLT,MACH:M16,LG 40MM,2MM,GR 12.9,HD HEX	3.00	051	ST
618266	CLAMP:DOC:2553-201/2-90	3.00	051	ST
1053770	TUBE: SIZE DIA 3MM,MATL PTFE,P/N:RPV002	1.00	131	PAK
909855	COIL-ELECT;SOLENOID VALVE,24VAC 50-60HZ	2.00	011	EA
618076	BOX,ELECTRICAL:TYP CABLE ENTRY	2.00	021	ST
1586980	JNT-EXPNSN:TYP FABRIC,SZ A=455; B=660MM	6.00	051	EA
930794	GAUGE, PRESSURE: RANGE 0-1.6BAR	1.00	101	EA
599270	STATOR,PUMP:TYP SUSPENSION DOSING PUMP	1.00	081	ST
600929	GSKT:ID 197.4 X OD 200MM,O-RING,THK	1.00	051	ST
1064590	SPRING: TYP ACTUATOR,DOC:IN02	1.00	051	SE
1599758	BLWS:TYP SAFETY VALVE,MTRL SS 316L/SS 40	1.00	051	ASY
1568416	SHFT:DIA 45MM,LG 473MM,MTRL LW8M630 H1,T	1.00	051	EA
767656	GSKT-SPRL-WUND;4.5MM,SS 316L,GRAPHITE,CS	1.00	051	EA
604914	ASSEMBLY:TYP FUSE ENCAPSULATION	6.00	021	ST
602094	PACKING:GRAPHITE,P#6610 AND P#6315	2.00	051	ST1
600231	GSKT,SPWD:18IN,150LB,GRAPHITE	10.00	051	ST
1225352	DETECTOR:TYP THERMAL CONDUCTIVITY,MOUNT	2.00	061	EA
40304	SLINGER:	1.00	900	EA
590259	MODULE,POWER SUPPLY:METERING CONTROL	1.00	031	ST
414865	PIN:SS 316,RETAINER	8.00	051	EA
643766	BRG-BAL;10363,11MM,32MM,12.7MM,SEAL	2.00	051	ST
593463	GSKT:RING	2.00	051	ST
610988	BREAKER,CIRCUIT:	2.00	061	ST
56162	STUD CNTNS THD:TYP BOLT,DIA M16,THRD 2MM	6.00	051	ST
1030560	CIRCUIT: P/N:OP2406A,P/N:OP2506A	1.00	011	EA
1078979	MTR-ELCTRC;4.5KW,16.5 - 9.54A,1740RPM,3	1.00	011	EA
635664	PACKING:PTFE,IRREGULAR ROUND,TYP GLAND	2.00	051	ST1
601090	GSKT PRE-CUT :PTFE	2.00	051	ST
1247362	GSKT PRE-CUT :TYP FLAT,SIZE WD 172 X LG	3.00	051	EA
914254	VALVE,SOLENOID:ST 2/2 WAY,ELEC TRT 230V	2.00	051	EA
798318	FUSE:80A,12KV,DIA 76 X LG 292MM,FERRULE	1.00	021	ST
625440	SWTCH-DSCNCT;690VAC 32A 50/60HZ,RAIL	2.00	011	ST
1040473	DETECTOR: P/N:851A065-1,MNFR:ABB	1.00	061	ASY
644682	CIRCUIT,POWER SUPPLY:	2.00	021	ST
628383	BUSH,VALVE:UNS S31803 CHROMIUM PLATED	2.00	051	ST
631602	COVER:	3.00	051	ST
582071	IMPELLER,PUMP:DIAMETER 83 X 155 X 110MM	1.00	081	ST
638280	KIT,SEAL:TYP O-RING AND GASKET	4.00	051	ST1
266099	BRTHR:TYP HYDAULIC OIL TANK,CNCT BSP 3/4	1.00	051	EA
1580570	KIT-VLV-RPR:TYP SOFT WEAR,APL GLOBE CONT	1.00	051	KIT
607535	COUPLING,SHAFT:RIGID,BORE 20 X 24MM,OD	1.00	051	ST
615770	BUSH,PUMP:BRONZE BC6/B584,THROTTLE	2.00	081	ST
999293	ASSEMBLY: TYP FLUID PORT,DOC:SAR03202	1.00	081	ASY
1034802	CIRCUIT: TYP MOTHERBOARD,MNFR:MTL	1.00	011	EA
616671	DIODE,LIGHT EMITTING:COLOR GREEN	2.00	031	ST
643862	SEAT,VALVE:VLV SZ 12IN	1.00	051	ST
595274	SEAL,OIL:TYP SINGLE LIP; SPRING LOADED	2.00	051	ST
1557460	FLANGE,PIPE:SCHDL 40,TYP RAISED FACE,SIZ	2.00	131	EA
930694	THERMOWELL:DRILLED BARSTOCK,190MM	1.00	061	EA
632835	CVR BRG:TYP BEARING END,MTRL 0.6025,DMNS	1.00	051	ST
593028	GSKT-PRE-CUT;SQUARE,CORK	1.00	051	ST
629168	NOZZLE,VALVE:MT SS ASTM A276 GR 304	1.00	900	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
587041	ASSEMBLY:BACK GROUND GAIN	2.00	081	ST
1022530	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
1023248	SWITCH, PRESSURE: RANGE 0-16BAR	1.00	061	EA
643644	SPRING,EXTENSION:	1.00	051	ST
1049986	PLUG, VALVE: VALVE SIZE DN 100	1.00	051	ST1
603594	RIG-RTNG;DIA 47MM,INTERNAL,STEEL	2.00	051	ST
596635	FLTR-OIL;ID 12 X OD 18MM,FIBRE/PAPER	2.00	051	ST
643071	PACKING:GRAPHITE,TYP GATE VALVE	1.00	051	ST1
624205	SPRING,VALVE:	1.00	051	ST
1585421	RGULTR-PRSUR:INLT PRSUR 3.5BAR G,OUT PRS	1.00	061	EA
639750	KIT, VALVE REPAIR: TYP CONTROL	1.00	051	ST1
603792	SLV;ID 45 X OD 55 X LG 40MM,VALVE	2.00	051	ST
593703	O-RIG;53.57MM,3.53MM,RUBBER	2.00	051	ST
608701	CHANNEL:SZ WD 1 X THK 1/8IN	1.00	131	FT
587092	ASSEMBLY:TYP BEARING	1.00	081	ST
1046825	CRANK: TYP LOCK,P/N:OPERATING CRAND	1.00	091	EA
600431	GSKT PRE-CUT :ROUND	1.00	051	ST
595860	INDICATOR:TYP TEMPERATURE	1.00	101	ST
585587	FILTER,ELEMENT:SS 316,STRAINER SCREEN	1.00	051	ST
607891	INSERT:CARBIDE	9.00	051	ST
619148	KIT-VLV-RPR:APL AUTO PUMP,CMPRSNG INLET	1.00	051	ST
589519	BREAKER,CIRCUIT:4A,400/480VAC	1.00	011	ST
609622	KEY:	8.00	051	ST
590636	SWTCH-PUSH:TYP BUTTON,CNTCT RTNG 600 V;	1.00	021	ST
582904	ORIFICE:	1.00	051	ST
596263	UNIT;MACHINERY,SS	1.00	051	ST
1062838	ISOLATOR: TYP BEARING,P/N:5021636170	1.00	031	EA
589800	THERMOCOUPLE:TYP K,INS DIA 4.8IN,DESLG	1.00	061	ST
691729	FUSE:TYP FAST ACTING,AM 2A,VLTG 250V AC	5.00	061	EA
587786	KIT,VALVE REPAIR:SEAL	1.00	051	KIT
607587	CUPLG;FLEXIBLE	1.00	051	ST
802539	LAMP,HID:TYP MULTI-VAPOUR,VOLT 110VAC	12.00	021	EA
590921	TRANSFORMER,INSTRUMENT:	1.00	011	ST
1022536	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
641274	VALVE:TYP DRAIN	1.00	051	ST
779912	SWITCH:TYP STATIC	1.00	101	EA
590883	SWITCH:TYP REED ASSEMBLY,APLC DIESEL WE	1.00	081	ST
639641	SHAFT:	1.00	051	ST
638230	PIN,SPRING:	1.00	051	ST
9101691	SET, GASKET, 4 PCS GRAPHITED COMPRESSED(	4.00	051	SE
885453	FOAM;FIRE FIGHTING,DRUM,275GAL;PN:NFC510	440.00	001	GLL
1048235	GSKT SET: APPL GLOBE CONTROL VALVE	1.00	051	SE
1076255	ASSEMBLY:TYP TORQUE TUBE,P/N:1K4517000A2	4.00	081	ASY
581586	MODULE:TYP RELAY	1.00	011	ST
9101799	CATCH,SAFETY,PART# 25330 51570,POS.# 40	1.00	051	ST
642711	RING:PTFE/TFM 4220,TYP ANTISTATIC	8.00	051	ST
641953	ASSEMBLY:BELLOW	1.00	081	ST1
721281	FAN:	2.00	900	ST
939157	MDUL-PWR-SUPPLY:IN 120/220VAC 47-63HZ,TYP	1.00	031	EA
1056510	GSKT PRE-CUT : MATL TEFLON,SHAP ROUND	1.00	051	EA
1022680	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	1.00	051	EA
142387	GSKT;1-1/2IN,GRAPHITE/SS	1.00	051	EA
593104	GSKT,SPWD:GRAPHITE,SS,SHP ROUND,BASIC	6.00	051	ST
581412	CIRCUIT,POWER SUPPLY:	1.00	021	ST
627250	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	1.00	051	ST
587094	SEAL,MECHANICAL:	1.00	051	ST
767439	BREAKER,CIRCUIT:3A,230/400VAC	1.00	011	ST
1003916	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
912774	DISPLAY UNIT,DATA:READOUT LCD,P/N:03031-	1.00	141	EA
902264	THERMOSTAT:	2.00	081	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
608096	FERRULE,TUBE ADAPTOR:TYP FRONT,TUBE SZ	16.00	051	ST
584109	PUMP:TYP OIL	1.00	081	ST
634557	PIN:TRUNNION	1.00	051	ST
1246785	GSKT PRE-CUT :TYP FLAT RING,SIZE ID 610	2.00	051	EA
591096	MDUL;ISOLATING AMPLIFIER,24V DC,230V AC	1.00	031	ST
626449	SEAL,LABYRINTH:SZ DIA 90MM,PACKING TYP	1.00	081	ST1
976951	O-RING: MATL FFKM,APPL CENTRIFUGAL PUMP	4.00	051	EA
604901	FUSE:1A,250V,DIA 5 X LG 20MM,FST	10.00	021	ST
102193	SLIDE: TYP 6 PORT,P/N:764M006-51	1.00	051	ST
590493	RELAY:COIL 120VAC,DPDT	2.00	011	ST
589396	BREAKER,CIRCUIT:660VAC,POLE 4	2.00	011	ST
567179	GSKT:ID 43.38 X OD 48.54MM,RAISED FACE	4.00	081	ST
9101705	CONTROLLER, SIPART; MFR:SIEMENS[7002085]	2.00	051	ST
595393	SEAL,MECHANICAL:UNBALANCED	2.00	051	ST
584484	BARRIER:TYP INPUT TEMPERATURE	1.00	121	ST
950318	O-RING:MT VITON	12.00	051	ST
616798	METER,ELECTRICAL:TYP AMMETER,RNG 0-15A	1.00	101	ST
734697	FNGR:TYP SPRING 0.563,P/N:4030121006,MNF	1.00	051	EA
593001	GSKT PRE-CUT :ID 45 X OD 155 X THK 5MM	4.00	051	ST
799027	SPRING,COMPRESSION:OD 2.168IN,LG 4.5IN	1.00	051	SE
586719	GEAR:TYP TRANSMISSION,MTRL SS,DOC:M-M002	2.00	081	ST
622799	SPINDLE: TYP ASSEMBLY,SIZE 4 X P2 X 6IN	2.00	101	ST
627172	NOZZLE,VALVE:MT SS ASTM A351 GR CF8M	1.00	051	ST
445362	SENSOR:TYP GAS CHROMATOGRAPHS Y-PURGE	1.00	011	EA
1034222	RELAY, TIME DELAY: ACTION DPST	1.00	011	EA
1608791	BLCK:TYP ELECTORNIC, SZ WD 15MM,P/N:20403	1.00	131	EA
594808	RING:MT PTFE,APLC STEAM BOILER	1.00	051	KIT
1078982	KIT-VLV-RPR:TYP SPARE,APL CHECK,CMPRSNG	1.00	051	KIT
622275	RELAY:COIL 24VDC,4PST,CONT 595VAC 10A	1.00	011	ST
643812	PACKING:	1.00	051	KIT
409441	RELAY:COIL 24VDC,4NO	1.00	011	EA
602331	SPACER:TYP PACKING	2.00	051	ST
902250	SWITCH,PUSHBUTTON:INO-1NC,RED,DIA 40MM	2.00	021	EA
630210	RING,RETAINING:	1.00	051	ST1
585503	ASSEMBLY:TYP STEM	1.00	051	ST
1003918	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
580116	REFLECTOR,LIGHTING:W 2 X 36W	4.00	021	ST
600118	GSKT,SPWD:GRAFOIL,IRID 1911.4MM,SS 316	1.00	051	ST
313948	BRG - BALL DEEP GROOVE - 40X 68X 15MM	1.00	051	ST
588130	PACKING:GRAPHITE	1.00	051	ST1
644260	CHEMICAL:PHOSPHORUS PENTOXIDE	1.00	001	L
496311	RING,PISTON:GRAPHITE,TYP EDQ	2.00	051	EA
1216277	CONVERTER:TYP ETHERNET MEDIA,INPUT 12-48	2.00	061	EA
580245	CYLINDER,ACTUATING LINEAR:	1.00	061	ST
617007	CABLE,POWER:TYP HEAT RESISTANCE	26.00	021	M
635689	GSKT PRE-CUT :	1.00	051	ST
634598	SP;FLOAT,DIA 1IN	2.00	051	ST
609260	FUSE:	3.00	021	ST
583970	ASSEMBLY:HOSE	1.00	081	ST
615717	NUT:SS ASTM A283,GR D,SHAFT	1.00	051	ST
620773	SEAL:FELT,RING	3.00	051	ST
585985	VALVE:TYP STEAM TRAP,VLV SZ 1IN,DESRT 1	1.00	051	ST
608202	SNUBR;RC	1.00	011	ST
269479	BRKR-CRCUT:AM 3A,VLTG 277V AC,INTRUPT CP	8.00	021	EA
604803	FUSE: AMPERAGE 500MA,VOLTAGE 250VAC	12.00	021	ST
901573	RELEAS VLTG,RELEAS VLTG:TP SHUNT OPENING	1.00	011	EA
838779	GSKT,SPWD:20IN,300LB,GRAPHIITE	9.00	051	ST
114194	MODULE,POWER SUPPLY:O/P 5VDC 16A,I/P	1.00	051	EA
578559	O-RING SET:TYP SEALING,APLC DRIVE SHAFT	3.00	051	ST1
907441	DEVICE:TYP SHAFT SAFETY,APLC PTA	1.00	081	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
637736	PAD:TYP ANTI VIBRATION	1.00	051	ST1
604648	FUSE:10A,500V,DIA 1/2 X LG 1-3/4IN,SCREW	4.00	021	ST
644663	COVER:TYP PANEL	4.00	051	ST
599568	GSKT PRE-CUT :RTFE,3IN	1.00	051	ST
602132	PACKING:ID 36 X OD 55 X THK 9.5MM	1.00	051	ST
719727	SEAL-OIL:P/N:A01535B 0000,MNFR:GOULDS,DO	2.00	051	EA
582599	GAUGE, PRESSURE: RANGE 0-1BAR	1.00	101	ST
643875	DISC,VALVE:SS ASTM A564,630,VLV SZ 6 X Q	1.00	051	ST
625346	OPERATOR,SWITCH:TYP EMERGENCY PUSHBUTTON	2.00	011	ST
616600	RELAY,PROTECTION:OVERCURRENT	2.00	031	ST
581487	THYRISTOR:	1.00	031	ST
755422	RIG:TYP OIL SPLASH,MTRL STEEL,APL ROOTS	1.00	051	ST
592332	WRENCH:TYP LOCKING,MT CI	1.00	101	ST
930838	BLNKT;WD 0.91M X LG 50M X THK 1.4MM	1.00	051	ROL
723746	SHAFT:ST STEEL,LIFT	2.00	051	ST
628372	ASSEMBLY:SENSOR	1.00	081	ST
597901	BRG-RLR;DOUBLE,120MM,215MM,58MM,STEEL	2.00	051	ST
641728	FUSE:20A,400 VAC ; 60 HZ	5.00	021	ST
598728	GEAR-SPUR;PLAIN,36,95MM,49MM,28MM,FIBRE	1.00	081	ST
602820	RING:SS ASTM A743 GR CF8,TYP CASING (T)	2.00	900	ST
617754	BREAKER SUPERSEDED BY 186632	1.00	011	ST
632697	SWITCH,PRESSURE:	1.00	061	ST
634169	SWITCH,PRESSURE:0.25-1.6BAR,125V 1A,SPDT	1.00	061	ST
589046	CBL;PUMP SPEED	1.00	021	ST
585449	SPRING,COMPRESSION:CLOSE/GROUND	1.00	051	ST
834249	VLV-CNTRL;DIVERter,DN100,PN10,CAST AL	1.00	051	EA
600673	GSKT PRE-CUT :	1.00	051	ST
607469	CAP:TYP FILTER ELEMENT,SZ DIA 3 X THK 1	1.00	051	ST
597370	VALVE,SOLENOID:PIPE SZ 1-1/8IN	1.00	051	ST
615729	RING:	2.00	051	ST
630208	RING,RETAINING:	1.00	051	ST1
612159	SWITCH,PUSHBUTTON:230/660VAC 6/10A,SPST	1.00	021	ST
588338	SPRING,VALVE:CS,VLV SZ 4 X P X 6IN	1.00	051	ST1
973100	PIPE:SIZE 3/4IN,LENGTH 6M,SCHD 80,MATL C	1.00	131	EA
629142	SPRING,VALVE:AS JIS G3522 SWP-A	1.00	051	ST
578426	SET:TYP GLAND PACKING	1.00	081	ST1
1064353	COLUMN, ANALYSIS: TYP CAPILLARY	1.00	061	EA
643269	O-RING:ID 82.14MM,WD 3.53MM,MT VITON	2.00	051	ST
1190664	SEAT, VALVE: , VALVE SIZE 6IN	1.00	051	ST
641883	MODULE:TYP SWITCH ISOLATOR,I/P 8VDC 8MA	1.00	031	ST
599426	GSKT-SPRL-WUND;GRAPHITE/V#6592-GGZ,ROUND	2.00	051	ST
612556	GLOBE,LIGHTING:TYP THREADED,COLOR CLEAR	2.00	021	ST
1084536	SHIM:TYP BEARING,SZ ID 86 X OD 100MM,THK	1.00	051	EA
926959	RTD:TYP DOUBLE ELEMENT; PT100,100OHM	2.00	101	EA
601968	O-RING SET:4	1.00	051	ST
587205	KIT-ACTUTR-RPR:APL ACTUATOR,P/N:250501,M	3.00	061	ST
644771	GSKT PRE-CUT :ID 35 X OD 70 X THK 2MM	4.00	051	ST
583507	PLUG:CS ASTM A106,SHOULDER	74.00	051	ST
606404	PIN-DWL;25MM,58MM,STEEL	2.00	051	ST
581655	HOSE;ID 8 X OD 14 X LG 10MM,POLYETHELENE	3.00	051	M
394928	WIRE,WLDG:TYP TIG,ST AWS ER347,DIA 2.4MM	20.00	051	KG
587075	ASSEMBLY:FLAPPER	1.00	081	ST
1599052	GAS-MXTUR:TYP CALIBRATION,CNCNTRTN PROPY	1.00	001	CY
642664	ADPTR:APLC DIESEL ENGINE GENERATOR	1.00	051	ST
597271	STEM-VLV;DIA 6 X LG 54MM,STEEL	10.00	051	ST
632639	KIT-VLV-RPR:APL CONTROL VALVE (ACTUATOR	1.00	051	KIT
1595246	BOLT-MCHN:DIA 1-3/4IN,LG 175MM,MTRL AS A	32.00	051	EA
726688	STEM: TYP PALLET,MATL SS	1.00	051	ST
581089	PLUG,TUBE:DIA 6MM,SS 316	5.00	051	ST
589499	BREAKER,CIRCUIT:5A	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
622976	BREAKER,CIRCUIT:2000A,600AC 250 VDC	2.00	011	ST
165975	GEAR,WORM:	1.00	051	EA
9101858	REPAIR KIT	10.00	051	ST
472451	O-RING:ID 199.5MM,WD 8.4MM,MT NBR	3.00	051	EA
654836	BLOCK,TERMINAL:ELEC TRT 250V,ENRAF	2.00	021	EA
593950	O-RING SET:5	1.00	051	ST
905543	SEAT,VALVE:VLV SZ DN 50,GLOBE CONTROL	1.00	051	EA
582227	THERMOSTAT:ELEC TRT 380VAC 10A	1.00	081	ST
595298	COUPLING,HOSE:	3.00	051	ST
577842	MOTOR,GEARED:0.45W	1.00	011	ST
578831	CLOSER,DOOR:TYP DOOR,ST NON HOLD OPEN	12.00	131	ST
620076	BUSH:ID 24 X THK 12.5MM,FLANGE	2.00	051	ST
642121	HOLDER,VALVE DISC:MT SS 403	1.00	051	ST1
643579	PULLEY:TYP TIMING BELT	1.00	051	ST
1012478	WHEEL: TYP GEAR,P/N:000.000.676.717	2.00	091	EA
588412	O-RING:APLC PH SENSOR	2.00	051	ST
582797	THERMOMETER,DIAL:TYP BI-METALLIC	1.00	101	ST
1053967	KIT, PUMP REPAIR: TYP DIAPHRAGM	2.00	081	KIT
640562	RING:TYP SPACER	1.00	051	ST1
596874	REGULATOR,PNEUMATIC:TYP NITROGEN	1.00	061	ST
581572	MODULE:EPROM MEMORY	2.00	031	ST
905298	REGULATOR,PNU:TYP FILTER,IN PR 1MPA	1.00	061	EA
625305	TRANSFORMER,INSTRUMENT:CURR RT 0.03A	2.00	011	ST
1246784	GSKT PRE-CUT :TYP FLAT RING,SIZE ID 610	2.00	051	EA
623644	SWITCH:TYP CONTROL	2.00	021	ST
616645	TRNSFRMR-INST;CURRENT,4000/1A,640V AC,X	1.00	011	ST
631178	DISC,VALVE:VLV SZ 4IN,BUTTERFLY	1.00	051	ST
599057	PULLEY:	1.00	051	ST
590343	RELAY,TIME DELAY:ON	2.00	011	ST
639352	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
591154	D;SILICON,1KV,2.5A	1.00	031	ST
643906	FLOAT:SZ DN 10IN,MT SS RUBBER COATED	1.00	061	ST
589828	ELEMENT:	1.00	051	ST
876951	CAGE VLV,VALVE:VLV ST GLOBE,VLV SZ 8IN	1.00	051	EA
637059	GSKT PRE-CUT :	1.00	051	ST
1012974	SLEEVE: TYP SEAL,SIZE 14-16MM,MNFR:FLYGT	1.00	051	EA
642770	SEAL:PTFE,APLC BODY	8.00	051	ST
599488	GSKT PRE-CUT :PTFE GLASS FILLED	20.00	051	ST
615094	CLR;DIA 2 IN X THK 2MM,SS DIN WN 1.4541	2.00	051	ST
634208	THERMOCOUPLE:TYP K,DESLG 5500MM	1.00	061	ST
9102203	GEARBOX, SPEED REDUCER, 20.1:1, 1400 RPM	2.00	051	EA
615117	CMPNSTR	1.00	051	ST
427025	BRKR-CRCUT:AM 15A,VLTG 125/600V AC,INTRU	4.00	051	ST
960351	CYLINDER: TYP PIPE SET	1.00	081	EA
630939	KIT,VALVE REPAIR:SEAL	2.00	051	ST
643178	PIN: P/N:146305 001,MNFR:DRESSER-RAND	1.00	051	ST
624177	COUPLING:	1.00	051	ST
267949	SWTCH-PRSUR:ACTN SPDT,ENCLSUR CLOSED,CNC	1.00	061	EA
600007	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	2.00	051	ST
612926	RECTIFIER:AMP 20A	1.00	021	ST
1225952	RING,RETAINING:TYP EXTERNAL,STD ASME,P/N	1.00	051	EA
615554	BUSH,PUMP:BRONZE BC6/B584,BEARING COVER	2.00	081	ST
620717	BREAKER,CIRCUIT:6A,POLE 3	1.00	011	ST
617649	O-RING:APLC SLEEVE	3.00	051	ST
900661	CONVERTER,FREQUENCY:I/P 380 VAC 3PH 60HZ	1.00	031	EA
578446	GSKT-ST;BODY	1.00	051	ST1
624306	SEAL:	1.00	051	PKG
703336	MODULE:TYP DUAL RTD DETECTOR	1.00	051	EA
912510	SWITCH,TEMPERATURE:LESS THAN 160DEG C	1.00	021	EA
604470	ELEMENT,HEATER:TYP TUBULAR,W 1KW	2.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
43241	THROWER:TYP RING	1.00	081	EA
601343	O-RING:MT VITON	3.00	051	ST
578914	VENT:TYP AUTOMATIC	1.00	081	ST
603366	CABLE,POWER:TYP IGNITION	1.00	021	ST
804361	O-RING:ID 227MM,WD 9MM,MT FKM	2.00	051	ST
605688	SWTCH-LMT	1.00	061	ST
598917	MOTOR,ELECTRIC:0.08KW,220VAC 0.65A 60HZ	1.00	011	ST
1000794	ISO-ELECT;690V 25A,3,6KV	1.00	021	EA
9101725	ROTOR,SS-4301,275 MMLONG(TO BE DELETED)	2.00	051	ST
1001718	SEAL;ID 35 X OD 47 X THK 7MM,SHAFT	1.00	051	EA
587503	KIT-VLV-RPR:TYP SOFT PARTS,APL WAFER CHE	1.00	051	ST
584599	HLDR-LAMP;BAYONET	2.00	021	ST
616639	RESISTOR:RT 30W	2.00	031	ST
120177	PULLEY,V-BELT:V,GROOVE 1,MT CAST IRON	5.00	051	EA
636511	GSKT,SPWD:30IN,600LB,IRID 755.7MM	4.00	051	ST
894815	O-RING:ID 20.24MM,WD 2.62MM,MT VITON A	5.00	051	ST
604077	BREAKER,CIRCUIT:4A	2.00	011	ST
1033288	KIT, ACTUATOR REPAIR: TYP SEALING	2.00	061	KIT
590494	RELAY:	1.00	011	ST
625035	PACKING:PTFE,TYP SPACER	2.00	051	ST
621934	PLUG,ELECTRICAL:150A	2.00	021	ST
580745	COVER, ELECTRICAL BOX: P/N:3RV1923-4B	2.00	021	ST
1037902	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	1.00	051	EA
626546	KIT-SEAL	2.00	051	ST1
905651	FLASK:TYP DISTILLATION,CAP 200ML	4.00	071	EA
641167	BLOCK,TERMINAL:	1.00	021	ST
608314	SOLDER:MT LEAD 40%,TIN 60%,SOLID WIRE,S	2.00	051	KG
985760	GSKT PRE-CUT : MATL KLINGERSIL C-4430	2.00	051	EA
632462	FUSE:2A,DIA 5 X LG 20MM,FERRULE	7.00	021	ST
1031306	CABLE: TYP HEATING,MATL ALLOY 825	1.00	021	M
605617	SWITCH,PRESSURE:	1.00	061	ST
631152	BRG-SLV;STRIP BUSHING	1.00	051	ST
585700	VALVE,GLOBE:VLV SZ 6IN,DES RTG CL 150	1.00	051	ST
593181	GSKT PRE-CUT :REINZ AFM 34,ROUND	20.00	051	ST
1612235	GSKT-KIT-INSULTG:TYP VCXT,NMNL FLNG SZ 2	8.00	051	KIT
628101	GSKT:TYP SEAT,MATL SS ASTM A182 GR F6A,A	10.00	051	ST
995745	PIN: MATL SS 304,TYP SNAP,P/N:MP-12	2.00	051	ST
632068	GSKT PRE-CUT :P#2601-GGO,BONNET,10IN	2.00	051	ST
608563	RING,WEAR:SS ASTM A276 TP 420	1.00	081	ST
615674	BUSH,PUMP:BRONZE BC6/B584,THROTTLE	2.00	081	ST
590353	RELAY:COIL 110VDC,TYP CONTROL,4NO	1.00	011	ST
585209	FLOAT:MT SS 321	1.00	061	ST
596512	DIAPHRAGM,VALVE:MT PTFE	2.00	051	ST
1001716	RIG-RTNG;ID 25 X THK 1.2MM,LOCKING	5.00	051	EA
738355	GSKT SET:APLC VALVE	1.00	051	ST
1029628	GAUGE, PRESSURE: RANGE 0-6KG/CM2	2.00	101	EA
587212	KIT-ACTUTR-RPR:TYP KIT,ACTUATOR REPAIR,C	4.00	061	KIT
594350	PACKING:ID 10 X OD 15 X THK 9MM,GRAPHITE	1.00	051	ST
579475	SWITCH,TEMPERATURE:160-220DEG F;	1.00	021	ST
1228958	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	1.00	051	EA
614640	BUSH:TYP BEARING	2.00	051	ST1
606128	BOLT,T:5/8IN,4/16IN,STEEL,UNC 12TPI	6.00	051	ST
606416	PIN;11MM,42MM,STEEL,DOWEL	4.00	051	ST
1003944	METER, FLOW: RANGE 0-4900KG/HR	1.00	101	EA
589851	RTD: TYPE PT100,RESISTANCE 100OHM,WIRE 3	1.00	101	ST
1004002	PLATE: TYP ORIFICE,SIZE 2 IN,MATL SS 316	1.00	131	EA
587762	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	KIT
266694	VLV-BAL:VLV SZ 1/4IN,DSGN RTNG 2500PSI G	3.00	051	EA
627167	GSKT SET:	2.00	051	ST1
581936	TUBE:TYP DESICATOR	1.00	131	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
583161	LAMP,INCANDESCENT:TYP MINIATURE PILOT	2.00	021	ST
592051	COUPLING,SHAFT,HALF:	2.00	051	ST
593670	O-RIG;395MM,2.5MM,BUNA-N	1.00	051	ST
596769	FILTER:PUMP	4.00	051	ST
642994	PACKING:PTFE,TYP STUFFING BOX	4.00	051	ST1
610666	PULLEY,V-BELT:GROOVE 1,DIA 150MM	1.00	051	ST
1042813	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	1.00	051	EA
593232	GSKT,SPWD:PN 25,GRAPHITE	2.00	051	ST
607540	COUPLING,HOSE:GR C	4.00	051	ST
726738	SEAT:AL CAST BS1490-LM25	1.00	051	ST
583649	CIRCUIT:TYP LIM,APLC TELEPHONE SYSTEM	1.00	031	ST
588567	KIT,VALVE REPAIR:SEAT AND SEAL	2.00	051	ST1
588405	GSKT PRE-CUT :	1.00	051	ST
827126	LINK-CHN-TRNSMSN;LOCK STRAIGHT,STEEL,1IN	4.00	051	EA
592042	COUPLING,SHAFT:RIGID,SS 403	1.00	051	ST
608593	RETAINER:TYP STEM GUIDE	2.00	051	ST
589171	CONNECTOR:	4.00	031	ST
581637	CIRCUIT:TYP THERMOCOUPLE 'J' INPUT CARD	1.00	011	ST
610113	COIL,ELECTRICAL:TYP RELEASE	2.00	011	ST
587887	KIT,VALVE REPAIR:BALL VALVE,SEAT SEAL	1.00	051	KIT
629356	VALVE,GATE:VLV SZ DN 15,DES RTG PN 16	3.00	900	ST
639618	KIT-VLV-RPR:APL PLUG (SIZE:3/4 IN),CMPRS	2.00	051	KIT
609259	PLUG:RUBBER WITH HOLE	1.00	051	ST
582698	MONITOR:TYP VIBRATION	1.00	061	ST
604758	FUSE:80A,660VAC; 350VDC,SLOTTED TAG	14.00	021	ST
1558844	WEDGE,VALVE:VLV STYL BOLTED BONNET GATE	1.00	101	EA
627366	HOLDER,FUSE:AMP 0-30A,VOLT 600V,2P	3.00	021	ST
617866	RING:TYP CHAMBER	8.00	051	ST
642924	GSKT:	8.00	051	ST
1618546	GSKT;FLAT,3MM,ID 130MM,PTFE,ROUND	2.00	051	EA
626465	O-RING:APLC MOTOR	5.00	051	ST
630875	SWITCH,SELECTOR:POS 2	2.00	011	ST
581405	MDUL;SINGLE CHANNEL BUFFER AMPLIFIER	1.00	031	ST
590670	SWITCH,PUSHBUTTON:COLOR GREEN	3.00	011	ST
636950	O-RING:	1.00	051	ST
603930	BLCK-TRMNL;1000V 57A,CAPTIVE SCREW,10MM2	266.00	021	ST
595253	KIT;SEAL,PUMP MOTOR	2.00	081	ST1
602606	RING,WEAR:	2.00	081	ST
623178	ASSEMBLY:MOTOR	1.00	900	ST1
573154	ASSEMBLY:PLUG/STEM	1.00	081	EA
611017	LAMP,INCANDESCENT:COLOR CLEAR	1.00	021	ST
624310	O-RING:APLC STEAM TURBINE	1.00	051	ST
584589	VALVE,RELIEF:TYP CONTROL,OPR PRESSURE	2.00	051	ST
616727	METER,ELECTRICAL SERVICE:TYP WATT HOUR	1.00	900	ST
259460	COIL-ELECT;184-220VAC 50/60HZ	2.00	021	EA
619343	BLCK-TRMNL;800V,CAPTIVE SCREW,35MM2,1	8.00	021	ST
612198	GAUGE,PRESSURE:0-6BAR; 0-86PSIG,MPT,LOW	1.00	101	ST
587623	KIT,VALVE REPAIR:HI-SEAL	1.00	051	KIT
622367	PLUG,ELECTRICAL:250A	2.00	021	ST
668950	CIRCUIT:TYP DIGITAL INPUT,APLC TDC 2000	1.00	051	EA
625248	GLASS,LEVEL GAUGE:TYP REFLEX	3.00	101	ST
636931	GSKT PRE-CUT :ROUND	1.00	051	ST
609719	KIT,VALVE REPAIR:GLAND PACKING AND SEAT	1.00	051	ST1
585735	VLV-SLND	2.00	051	ST
800058	PLUG-VLV;CONTROL,2-1/2IN	1.00	051	EA
632731	RESTRICTOR:TYP TRANSMITTER	1.00	061	ST
627023	CONTACT,AUXILIARY:	1.00	011	ST
458019	CIRCUIT:TYP SOURCE BASE CONTROL	1.00	051	EA
628641	RETAINER:TYP SEAL RING	1.00	051	ST
604156	SET:TYP ELECTRICAL BRUSH	1.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
608823	AGNR:	2.00	001	ST
615927	RING,RETAINING:	1.00	051	ST
591883	SEAT,VALVE:VLV SZ DN 4,MANUAL CONTROL	1.00	051	ST
627228	SEAT,VALVE:VLV SZ 2IN,BALL	3.00	051	ST1
583743	CIRCUIT:TYP CENTRAL PROCESSING UNIT	1.00	011	ST
613667	VALVE,GLOBE:VLV SZ 1/2IN,DES RTG 10BAR G	1.00	051	ST
40070	MEMBRANE:TYP PACK	2.00	051	EA
630821	SWITCH,LEVEL:	1.00	061	ST
1627738	QUARTZ TUBE FOR PYRO SA ASHING EQUIPMENT	1.00	051	EA
922528	KIT;REPAIR, SERVICE	1.00	081	KIT
1547741	GSKT SET:TYP VALVE,APPL FIISHER GX,QTY 3	1.00	051	ST1
626607	RECEPTACLE,ELECTRICAL:POLE 3,ELEC TRT	2.00	021	ST
598317	BRG,BALL:IBI 13252,ID 45MM,OD 100MM	4.00	051	ST
734774	NUT,LOCK:DIAMETER M20,MATL SS 303,P/N:20	2.00	051	EA
802920	PACKING:ID 40 X OD 59 X THK 9MM,GRAPHITE	1.00	051	ST
642759	RING:TYP STUFFING	8.00	051	ST1
598623	BELT:	4.00	051	ST
591331	SCREW,CAP:3/8IN DIA,FLAT SOCKET	2.00	051	ST
580901	PLATE:TYP SNUBBER	1.00	011	ST
1029658	SLEEVE, COUPLING: SIZE 6IN,TYP RUBBER	2.00	051	EA
912477	STEM, VALVE: VALVE SIZE 12IN,MATL SS	1.00	051	EA
1080174	RING: SIZE 80 X 120 X 16MM,MATL BRASS	1.00	051	EA
591691	SCREW:ADJUSTING	1.00	051	ST
1446572	SUPPRESSOR:TYP MODULE,RT 110-240VAC,P/N:	1.00	011	EA
266341	FLTR-AIR:TYP RELEASE,MTRL STEEL/ALUMINUM	5.00	051	EA
602561	RING,WEAR:	2.00	081	ST
595839	INDICATOR:TYP SPEED,SZ SQ 95 X HT 230MM	3.00	061	ST
628825	O-RING:	5.00	051	ST
579683	TRANSMITTER,PRESSURE:160-500MBAR	2.00	061	ST
584495	RPTR;SWITCHING/ BARRIER,CE	4.00	031	ST
799476	CIRCUIT:TYP SWITCH PROXIMITY	2.00	011	EA
591895	SEAT,VALVE:VLV SZ 3/4 X 1; 3/4 X 4IN	1.00	051	ST
606016	CIRCUIT:TYP COMMUNICATION PROCESSOR UNIT	1.00	011	ST
584257	BARRIER:TYP DIGITAL/INPUT	9.00	031	ST
595061	GSKT-PRE-CUT;ID 163 X OD 187 X THK 2.5MM	1.00	051	ST
903844	THERMOMETER, DIAL: RANGE 0-60DEG C	1.00	101	EA
590920	TRANSFORMER,INSTRUMENT:	1.00	011	ST
432962	SLV-SHFT:OUT DIA 1-3/8IN,P/N:76772X2230	1.00	051	ST
1029113	FUSE: AMPERAGE 200A,VOLTAGE 250V	1.00	021	EA
631113	BASE,RELAY:TYP TIMER	2.00	011	ST
593692	O-RIG;94.92MM,2.62MM,BUNA-N	2.00	051	ST
481968	SEAL:DIA (24 X 17) X 2MM,CAP NUT	32.00	051	EA
392116	LIGHT,INDICATING:VOLT 24VAC/DC,COLOR RED	2.00	021	ST
583091	LGHT-INDCTG;LED,GREEN,(2) SOLDER BLADES	6.00	021	ST
719298	O-RIG:MTRL NITRILE-DS52-1,P/N:1C41570699	4.00	051	EA
1236463	SWITCH:TYP BOLT ON ISOLATOR,CNTCT RT 220	1.00	021	ASY
1607422	STUD-ASMBLY:TYP FULL THREAD,DIA 5/8IN,LG	24.00	051	ASY
594023	O-RING:ID 720MM,WD 5MM	3.00	051	ST
1080637	O-RING: INSIDE DIAMETER 172,WIDTH 3	1.00	051	EA
1064290	SEAT, VALVE: INSIDE DIAMETER 20MM	1.00	051	EA
616720	DIODE:	4.00	031	ST
592437	GSKT SET:	2.00	051	ST
1000687	KEY, SHAFT: SIZE 2.38 X 4.5MM	1.00	051	ST
604737	FUSE:500A,550VAC; 400VDC,DIA 76.2 X LG	6.00	021	ST
806746	LACE:TYP SQUARE,MT TEFLON	3.00	081	ST
600124	GSKT,SPWD:GRAFOIL,IRID 900.1MM,SS 316	4.00	051	ST
599572	GSKT PRE-CUT :CARBON,1IN	1.00	051	ST
631188	KIT-VLV-RPR:TYP SOFT PARTS,APL BUTTERFLY	1.00	051	ST
578184	KIT-ACTUTR-RPR;SEALING	1.00	061	ST
587102	ASSEMBLY:TYP SIGHT GLASS	1.00	101	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
622018	BLOCK,CONTACT:CIRCUIT 4,CONTAR 2NO-2NC	4.00	021	ST
637210	KIT-VLV-RPR:TYP SOFT PARTS,APL MOTOR OPE	2.00	051	KIT
610005	BLOCK,TERMINAL:	1.00	021	ST
68903	O-RIG;4.5MM,1.75MM	2.00	051	ST
608628	GSKT-PRE-CUT;ID 82 X OD 145 X THK 5MM	4.00	051	ST
581256	CIRCUIT:TYP AMPLIFIER	1.00	011	ST
612475	COUPLING:	1.00	051	ST
615948	RING:DIA 52MM,TYP SEEGER	2.00	051	ST
771996	SHIM:TYP SCROLL	2.00	051	ST
593881	O-RING:ID 56.74MM,WD 3.53MM,MT VITON,ST	2.00	051	ST
604464	ELEMENT,THERMAL:TYP TEMPERATURE	3.00	061	ST
639417	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
602392	PACKING:PTFE,SQUARE	2.00	051	ST1
923661	ASSEMBLY:RESISTOR	2.00	081	ST
637155	FAN:TYP COOLING,APL ROTARY VALVE,P/N:P20	1.00	081	ST
924450	O-RING:MT EPDM,APLC CHECK VALVE	3.00	051	ST
625192	HOLDER,LAMP:BAYONET	2.00	021	ST
609740	NUT:CS,HANDWHEEL	1.00	051	ST
587091	O-RING SET:APLC SUBMERSIB,8	2.00	051	ST
1036056	MODULE: TYP ETHERNET COMMUNICATION	1.00	031	EA
604181	BRUSH,ELECTRICAL:	4.00	021	ST
578269	KIT,PUMP REPAIR:TYP SEAL	1.00	081	ST
618538	BUSH:FLANGE,POLYMER FILTER (NSF)	7.00	051	ST
624962	BLOCK,TERMINAL:ELEC TRT 20A	3.00	021	ST
643033	PACKING:GRAPHITE,TYP GATE VALVE	1.00	051	ST1
723775	SPRING:SS 304	1.00	051	ST
613050	RELAY,PROTECTION:UNDER FREQUENCY	1.00	031	ST
602326	KIT-VLV-RPR:TYP SOFT PARTS,APL PNEUMATIC	1.00	051	ST
593975	O-RING:ID 127.5MM,MT NBR,SHOR - HRD 70A	12.00	051	ST
1028920	TRANSMITTER, DIFFERENTIAL PRESSURE:	1.00	061	EA
595820	COUNTER:TYP IMPULSE,RNG 0-9999	2.00	061	ST
1216046	SPRING,VALVE:MATL CHROME STEEL CORROSION	3.00	051	SE
627937	SCREW,SET:GR A2	3.00	051	ST
626671	WASHER:PRE-LOADING	1.00	051	ST
123083	SEAT;SS ASTM A744 GR CF8M,METERING PUMP	2.00	141	EA
188465	RING,RETAINING:SPRING STEEL	1.00	051	ST
1580318	SEAT-VLV:TYP RING,VLV TYP PLUG FLANGED,V	1.00	051	EA
615759	RETAINER:TYP OIL RING,MT CS ASTM A283 GR	1.00	051	ST
616585	KIT;PLUG AND SOCKET,SWITCH GEAR	1.00	081	ST
626595	RECEPTACLE,ELECTRICAL:TYP DELAYED ACTION	3.00	021	ST
933676	CARD:TYP VNET IP	2.00	141	EA
587983	FUSE:	4.00	081	ST
634283	DISC,VALVE:METAL,BOTTOM OUT ANGLE	1.00	051	ST
1077004	RTD: TYP PT100,TEMP RT 0-400,WIRE 6	1.00	101	ST
590791	SWITCH,TOGGLE:ACTN SPST	1.00	021	ST
628370	CONVERTER,SIGNAL:TYP I/P,APLC LPG	1.00	061	ST
1036254	MODULE, POWER SUPPLY: O/P 1.1KW	1.00	031	EA
969268	GAUGE, PRESSURE: RANGE 0-120BAR G	1.00	101	EA
612300	HEAT EXCHANGER:	2.00	900	ST
614623	BRG, SLEEVE: P/N:04000583,MNFR:FLOWSERVE	2.00	051	ST
636179	SET:TYP AIR	2.00	081	ST
616611	SWTCH-PUSH:TYP LATE BREAK,CNTCT RTNG 690	2.00	021	ST
342783	O-RING, DIN 3771- 10.00X 2.50-N-NBR 70	4.00	051	ST
578070	KIT-VLV-RPR:TYP SOFT PARTS,CMPRSNG BEARI	1.00	051	ST1
923791	PACKING:PURE GRAPHITE	1.00	051	SE
593428	GSKT PRE-CUT :THK 0.1MM,ROUND,LINING	2.00	051	ST
602492	PACKING:GRAFOIL,RECTANGULAR	1.00	051	ST
746744	SEAT,VALVE:VLV SZ 1-1/2IN	2.00	051	ST
579840	PIPETTE:TYP MEASURING,CAP 5ML	10.00	071	ST
588949	FILTER,ELEMENT:SS 304,STRAINER SCREEN	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
581973	CASING,PUMP:TYP VOLUTE	1.00	900	ST
580948	PLUG,VALVE:CONTROL	1.00	051	ST
1089878	TRANSFORMER,CURRENT:APPRNT PWR 50VA,PTNT	1.00	011	EA
585832	VALVE,BALL:VLV SZ 3IN,DES RTG CL 150	1.00	051	ST
1246155	SEAT,VALVE:TYP BODY,VALVE TYPE BOLTED BO	2.00	051	EA
590951	TRANSFORMER,INSTRUMENT:VA RT 7.5VA	2.00	011	ST
584639	ASSEMBLY:TYP INTEGRAL (RESET) RESTRICTOR	1.00	081	ST
9102275	TRANSFORMER 400 VA; (TO BE DELETED REF.R	1.00	051	ST
1072420	COIL, ELECTRICAL: TYP RELAY CONTROL	1.00	011	EA
1228567	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	1.00	051	EA
627984	PLUG,VALVE:VLV SZ 3IN,CONTROL,UNS S31600	1.00	051	ST
633098	PIN:SS 316,PLUG STEM	3.00	051	ST
619626	BLADDER,ACCUMULATOR:MT NBR	1.00	081	ST
644383	BOLT,MACH:M20,LG 75MM,GS,2.5MM,HD HEX	1.00	051	ST
612828	DIFFUSER:	5.00	081	ST
584486	BARRIER:TYP SHUNT-DIODE SAFETY,CLASS CL	5.00	031	ST
151159	SEAL;AL,HIGH SPEED,GEAR BOX	1.00	051	EA
578252	KIT,SEAL:APLC HYDRAULIC CONTROL VALVE	8.00	051	ST
602508	RING,WEAR:SS ASTM A473 TP 420	1.00	081	ST
627635	BLOCK,TERMINAL:	10.00	021	ST
596970	SEAT-VLV;CONTROL,30MM,75MM,22MM,SS	1.00	051	ST
411397	RELAY,OVERLOAD:23-32A,1NO-1NC,THERMAL	1.00	011	EA
593721	O-RING:ID 7.59MM,WD 2.62MM	6.00	051	ST
579489	SENSOR:STD CE	2.00	011	ST
614881	SEAL,LABYRINTH:	1.00	051	ST
629558	ASSEMBLY:GUIDE WIRE SPRING	2.00	081	ST
603723	CONNECTOR,COMMUNICATIONS:	1.00	031	ST
623954	VALVE,GLOBE:VLV SZ 3/4IN,DES RTG CL 1500	1.00	051	ST
589304	BLOCK,TERMINAL:ELEC TRT 800V 40A	10.00	021	ST
1035821	O RING:INSIDE DIAMETER 45MM,WIDTH 2MM,MA	1.00	051	EA
592628	GSKT PRE-CUT :MNFR:GOUDA VUURVAST	6.00	051	ST
591782	WASHER,LOCK:SS ASTM A276,304,IMPELLER	1.00	051	ST
632077	GSKT PRE-CUT :P#2601-GGO,BONNET,12IN	2.00	051	ST
593264	GSKT PRE-CUT :ID 75 X OD 120 X THK 1MM	5.00	051	ST
900647	CONTACT,AUXILIARY:CONTAR 5NO-5NC	1.00	011	EA
1000716	UNIT;RADIO SHIELDING,ELECTRICAL HOIST	1.00	051	EA
1612073	GSKT-KIT-INSULTG:NMNL FLNG SZ 32IN,DSGN	4.00	051	KIT
587946	KIT:	1.00	051	KIT
803067	KIT,VALVE REPAIR:BUTTERFLY VALVE	3.00	051	KIT
636276	SCREEN:TYP TRANSMITTER,MATL SS 316	3.00	051	ST
608885	FLASK:TYP VOLUMETRIC,CAP 500ML,MT	16.00	071	ST
582459	THERMOMETER, DIAL: RANGE 0-200DEG C	1.00	101	ST
998411	REAGENT: TRADE NAME NITRIVER 2	6.00	001	PAK
1087687	NUT: DIAMETER 40MM,MATL KM 20	1.00	051	EA
616649	TRANSFORMER,INSTRUMENT:VA RT 10VA	1.00	011	ST
587655	KIT,VALVE REPAIR:INCINERATOR PACKAGE	2.00	051	KIT
642106	GSKT-ST:APL SAFETY VALVE,MTRL V7010,DOC	1.00	051	ST
802917	PACKING:ID 20 X OD 35 X THK 7MM,PTFE	3.00	051	ST
897337	PACKING: MATL GRAPHITE RIBBON,SHAP ROUND	1.00	051	ST1
589065	HANDSET:TYP TELEPHONE; EXPLOSION PROOF	1.00	031	ST
636274	ASSEMBLY:NOZZLE,APLC TRANSMITTERS	1.00	081	ST
612894	KIT,PUMP REPAIR:TYP MECHANICAL SEAL	1.00	081	ST1
643031	PACKING:GRAPHITE,TYP GATE VALVE	2.00	051	ST1
933522	SEAT,VALVE:VLV SZ 1-1/2IN,CONTROL,SS 316	1.00	051	ST
1029630	GAUGE, PRESSURE: RANGE 0-6KG/CM2	1.00	101	EA
613304	SHIM;ID 14 X OD 20,1	20.00	051	ST
1230659	FAN ELEC:TYP EXTERNAL COOLING,DIA 254MM,	2.00	081	EA
577634	GEAR,SET:TYP DOUBLE GEAR WHEEL	2.00	081	ST
1055822	GSKT, SPWD: NOMINAL FLANGE SIZE 14IN	3.00	051	ST
806605	DISH;EVAPORATING,WD 45 X LG 80MM,PYREX	2.00	141	PAK

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
599432	GSKT-SPRL-WUND;GRAPHITE/V#6592-GGZ,ROUND	1.00	051	ST
600577	GSKT PRE-CUT :THK 1.5MM,ROUND	2.00	051	ST
580840	PLATE:TYP SNUBBER PW	2.00	011	ST
806664	TUBE SUPERSEDED BY 844133	1.00	131	ST
768307	BRKR-CRCUT;0.45-0.63A,690V AC,100KA,3	2.00	011	ST
469239	NUT:EXTRACTION GOVERNOR VALVE	5.00	051	EA
604523	FUSE:6.3A,500V,DIA 6 X LG 32MM,FERRULE	50.00	021	ST
594918	GSKT-PRE-CUT;JOINT RING,ROUND,CARBON	2.00	051	ST
641786	PULLEY SUPERSEDED BY 61785	1.00	051	ST
619683	COUPLING,SHAFT:JAW FLEXIBLE,FC250	2.00	051	ST1
1529591	VALVE,RELIEF:TYP SHUT OFF,DSGN RT 150LB	1.00	051	EA
799770	DISC-BRK;COMPOSITE,HOIST	2.00	051	ST
74168	STUD,ALL-THD:DIA 1-1/2IN,290MM LG,AS	4.00	051	ST1
567037	GSKT:ID 45.30 X OD 108.30MM,FULL FACE	2.00	011	EA
903940	CIRCUIT: TYP PRINTED BOARD,P/N:M26409	1.00	011	EA
798666	GSKT,SPWD: MNFR: UNKNOWN,P/N: 3SDA060017	1.00	051	ST
631173	SWITCH,LIMIT:LEVER,IP67,CE	1.00	061	ST
607363	BUSHING:	1.00	051	ST
602109	PACKING:GRAPHITE,P#6610 AND P#6315	13.00	051	ST1
599547	GSKT,SPWD:3IN,300LB,T#1836-GR-SS	4.00	051	ST
589264	SLEEVE:SZ ID 35.7 X OD 40 X LG 22MM	1.00	051	ST
610678	CIRCUIT:TYP OPERATING ROOM UNIT,APLC	1.00	011	ST
629196	NOZZLE,VALVE:MT SS ASTM A276 GR 304	1.00	051	ST
604263	CONTACT,AUXILIARY:CONTAR 1NO,VOLT 230-6	3.00	021	ST
590553	SOLENOID:	1.00	011	ST
631631	CONNECTOR:TYP STRAIGHT	2.00	051	ST
634121	BELLOWS:TYP PRESSURE REGULATOR	1.00	051	ST
597124	SPRING:TYP PRESSURE	3.00	051	ST
590272	PROTECTOR;2IN	8.00	001	ST
620012	GSKT-PRE-CUT;FF,THK 1.5MM	4.00	051	ST
628636	RING,LANTERN:APLC BUTTERFLY VALVE	2.00	081	ST
633038	SEAT,VALVE:SS 316	4.00	051	ST
615045	ELBW-PIPE;OD 219.1 X THK 3MM,BW,90,LONG	2.00	051	ST
615670	RETAINER:TYP SLEEVE	1.00	051	ST
600389	GSKT,SPWD:SHP ROUND	1.00	051	ST
909367	GSKT,SPWD:3/4IN,800LB,PTFE	2.00	051	EA
638392	DETECTOR,FIRE PROTECTION:TYP SMOKE,P/N:2	1.00	121	ST
604243	COIL,ELECTRICAL:	1.00	011	ST
615662	INSERT,COUPLING:TYP TRANSMISSION	1.00	051	ST
254956	CIRCUIT:TYP 16-WAY DIGITAL INPUT,STD CE	1.00	011	EA
609695	SEAL,RING:TYP V SHAPE	2.00	051	ST
604935	FUSE:6A,415V	10.00	021	ST
625522	BREAKER,CIRCUIT:AMPERAGE 16A,VOLTAGE 400	6.00	011	ST
608518	PACKING:TYP GLAND	1.00	051	ST
587696	KIT-CYLNDR-RPR;SOFT PARTS,FORKLIFT	2.00	091	ST
593460	GSKT PRE-CUT :WD 80 X LG 85MM	4.00	051	ST
606102	TRNSTR;BIPOLAR,NPN,PCB,TO 92	5.00	031	ST
582371	CONVERTER:TYP THERMOCOUPLE TRANSMITTER	1.00	061	ST
639408	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
963746	CIRCLIP: TYP VALVE,MNFR:MASONEILAN	3.00	051	ST
9102052	SEAL,LABYRINTH(TO BE DELETED REF.ROSE RT	2.00	051	ST
636166	KIT-VLV-RPR:TYP KIT,VALVE REPAIR:,APL SP	1.00	051	ST1
626292	KIT:TYP JOINT REPAIR	2.00	081	KIT
590933	TRANSFORMER,INSTRUMENT:VA RT 5KVA	1.00	011	ST
603794	SLEEVE:SZ ID 14 X OD 19 X WD 20MM,PTFE	5.00	051	ST
578133	KIT-VLV-RPR:CMPRSNG BUSH,GASKET AND SEAL	1.00	051	ST
804333	KIT,SEAL:TYP PACKING	2.00	051	ST
615638	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	2.00	081	ST
585601	VALVE,CONTROL:TYP SHUT OFF,SZ 1IN,BDY M	2.00	051	ST
599458	GSKT,SPWD:PTFE,SS 316,APLC CASING	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
903591	RELAY:CONT 24VAC,TYP COUPLING	1.00	011	EA
904424	INDICATOR:TYP LOCAL	2.00	061	EA
625348	RELAY:CONT 380VAC 60HZ	2.00	900	ST
615279	O-RING:APLC PEDESTAL	2.00	051	ST
618003	HOLDER:	6.00	021	ST
580779	PLT;VESSEL,WD 124 X LG 430 X THK 0.6MM	2.00	131	ST
641631	SEAL,MECHANICAL:6 X 5-5/8IN	5.00	900	ST
590618	SWITCH,PRESSURE:4.2-28BAR,CSA; FM; UL	1.00	061	ST
606015	CIRCUIT:TYP COMMUNICATION PROCESSOR UNIT	1.00	011	ST
620336	BOLT,MACH:AS ASTM A322,GR 1035	2.00	051	ST
1023877	RING: SIZE DIA 12IN,MATL UNS N08825+HCR	1.00	051	EA
589324	BLCK-TRMNL	2.00	021	ST
1600718	RLY:COIL V 24V DC,ACTN SPDT,CNTCT RTNG 4	1.00	011	EA
643848	SEAT,VALVE:VLV SZ 6IN,PRESSURE SAFETY	1.00	051	ST
1579532	PLUG-TUBE:DIA LARGE END 17.5 X SMALL END	50.00	051	EA
111262	WASHER:NOM SZ M30,CLAW	2.00	051	EA
592730	GSKT PRE-CUT :DIA 10 X THK 2MM,REINZ AFM	15.00	051	ST
601694	O-RING:ID 2.9MM	6.00	051	ST
609256	SET:TYP SLEEVE	1.00	081	ST
604905	FUSE:6.3A,SEMI DELAY	1.00	021	ST
605121	CONTACTOR:TYP CONTROL RELAY,AMP 9A	2.00	011	ST
589834	FILTER,ELEMENT:	1.00	900	ST
594809	KIT,VALVE REPAIR:BALL VALVE,RING; SEAT	1.00	051	KIT
188387	CORE:TYP MAGNETIC,MT AL	1.00	051	ST
638040	GSKT PRE-CUT :3IN	1.00	051	ST
610519	RELAY:TYP CONTACTOR CONTROL	4.00	011	ST
601710	O-RING:	3.00	051	ST
9101852	REPAIR KIT	5.00	051	ST
621549	MTR-ELCTRC;75KW,380VAC 140A 60HZ,1780RPM	1.00	900	ST
1024793	SET: APPL VALVE,P/N:RKW-410XZ,DOC:4896	3.00	081	SE
582990	LAMP,FLUORESCENT:TYP LINEAR	1.00	021	ST
643064	GSKT,SPWD:1/2IN,GRAPHITE,SS 316	1.00	051	ST
583428	PLATE:TYP DAMPER,SZ THK 2MM,SS	4.00	131	ST
798536	HEATER:TYP SELF REGULATING	5.00	011	EA
643141	SLNGR:DOC:CE-192375 N	1.00	101	ST
583989	BEND: TYP SHORT RADIUS,SIZE OD 219.1MM	2.00	131	ST
593022	GSKT PRE-CUT :ID 81 X OD 142 X THK 5MM	4.00	051	ST
619569	O-RING:MT NBR,APLC GAS CHARGING PORT	1.00	051	ST
585706	VALVE,GLOBE:VLV SZ 6IN,DES RTG CL 300	1.00	051	ST
601109	GSKT PRE-CUT :PTFE,2 X 10IN	2.00	051	ST
1003983	METER, FLOW: TYP SQUARE EDGE ORIFICE	1.00	101	EA
587933	KIT-VLV-RPR:TYP SOFT PART,APL ISOLATION	1.00	051	KIT
596438	SEAL,LABYRINTH:RING,B584 C- 938	2.00	051	ST
1029182	SPRING: P/N:4T-0Y0978A-2,DOC:10910-0900	1.00	051	ST
608032	SPCR;RING,ID 340 X OD 360 X THK 8MM	1.00	051	ST
608048	SPACER:	2.00	051	ST
585680	VALVE,CHECK:VLV SZ 1-1/4IN	2.00	051	ST
636961	SWTCH-PRSUR;AIRFLOW,SPDT,CLOSED,PUSH ON	1.00	061	ST
587531	KIT,COMPRESSOR REPAIR:TYP MAIN	1.00	081	KIT
472285	O-RING:MT PTFE,APLC SEAT	7.00	051	EA
592506	GSKT-PRE-CUT;COVER,ROUND	1.00	051	ST
1545303	TIP:TYP PIPETTE,SIZE 0.1-20MICRO L,APPLN	1.00	051	PAK
805074	SEAL,RING:ID 63MM,OD 69MM,THK 15.5MM	1.00	051	EA
603815	SLEEVE:TYP MACHINERY,SZ DIA 1 X LG 2IN	4.00	051	ST
591558	NUT-ADPTR;85MM,WASHER,4	1.00	051	ST
1251123	SHAFT,PUMP:TYP WITH KEYS,LENGTH 360MM,DO	1.00	081	EA
612451	O-RING SET:4	1.00	051	ST1
588492	PACKING:GRAPHITE	3.00	051	ST1
636905	O-RING:	1.00	051	ST
590393	RELAY,PROTECTION:	1.00	031	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1028778	CIRCUIT: TYP MX,APPL ACTUATOR,P/N:LMXLB	1.00	011	EA
432225	REACTOR, OUTPUT FOR SIMOVERT MASTERDRIVE	1.00	011	ST
9102318	NUT,HEXAGON,M24 X 1.75 FEDST,PART#922.01	10.00	051	ST
585660	VALVE:TYP PRESSURE	1.00	900	ST
608898	PT;VOLUMETRIC,20ML,BOROSILICATE GLASS	6.00	071	ST
643661	BRG,ROLL:	1.00	051	ST
608585	GUIDE,VALVE:VLV ST LOWER STEAM	1.00	051	ST
586793	GEAR,HELICAL:	1.00	081	ST
608887	TUBE:TYP NESSLER,SZ 50ML	6.00	071	ST
592274	NIPPLE:TYP GREASE FITTINGS	15.00	051	ST
664395	SEAT,VALVE:CONTROL,SS 316 HF	1.00	051	EA
688624	KIT:TYP REPAIR	1.00	051	KIT
591804	WASHER:DISHED PACK	2.00	051	ST1
584207	DISC, RUPTURE: SIZE 3IN,STD ASME	2.00	051	ST
578141	KIT,SEAL:	4.00	051	ST
628096	GSKT:SEAT,SS 316L	8.00	051	ST
584633	REPEATER:TYP SWITCHING	1.00	031	ST
642777	SEAL:PTFE,APLC BODY	8.00	051	ST
602817	RING,WEAR:SS 316L,APLC IMPELLER	1.00	900	ST
589204	SLEEVE,SHAFT:SS ASTM A276 GR 316	1.00	051	ST
589817	RTD:TYP PT100,100OHM	1.00	101	ST
1078975	DIAPHRAGM, VALVE: VALVE SIZE 1.5IN	1.00	051	EA
1072046	CIRCUIT: TYP HV ELECTRONIC,P/N:52028445	1.00	011	SE
620150	GSKT,SPWD:GRAPHITE/V#6591,SS 316	2.00	051	ST
597523	VALVE,CHECK:TYP NON RETURN	1.00	051	ST
1610547	BLDR-ACUMULTR:SZ DIA 213.2 X LG 400MM,MT	2.00	081	EA
587487	KIT-VLV-RPR:TYP SOFT PART,APL WAFER CHEC	1.00	051	ST
587072	TRANSMITTER,PRESSURE:ELECTRONIC	1.00	061	ST
579726	RCRDR-CHRT;TEMPERATURE,0-800°C,DOTTED	1.00	900	ST
614904	RING,WEAR:APLC CASING	1.00	081	ST
615708	RING:	1.00	051	ST
596993	SEAT:TRANSMISSION	2.00	051	ST
615694	BUSH,PUMP:BRONZE BC6/B584,BEARING COVER	1.00	081	ST
593020	GSKT PRE-CUT :ID 50 X OD 169 X THK 5MM	4.00	051	ST
47865	GSKT,SPWD:BASIC WITH OUTER RING	2.00	081	EA
143478	PLUG-VLV:VLV STYL CONTROL,VLV SZ 3IN,P/N	1.00	051	EA
581707	HOSE,HYD: INSIDE DIAMETER 19MM	1.00	051	ST
9102138	SPRING, FOR MECH. SEAL	16.00	051	ST
588997	WINDOW,SIGHT:MT GLASS	1.00	131	ST
612704	FIXTURE:	1.00	021	ST
587889	KIT-VLV-RPR:TYP SOFT PART,APL ESD BALL V	1.00	051	KIT
559931	CHOKE:TYP HD001	1.00	031	EA
774906	RSTR;CIRCUIT	1.00	031	EA
918807	RFRCTRY	6.00	001	SE
597673	VALVE,NEEDLE:APPL GC-HEAD SPACE,P/N:N600	1.00	051	ST
643840	WEDGE,VALVE:	1.00	051	ST
149543	O-RING:MT NITRILE RUBBER	10.00	051	EA
1617125	SNSR-CURNT:TYP TORUS,CURNT 160A,PTNTL 10	1.00	051	EA
590282	RELAY:COIL 24VDC,DPDT,CONT 10A,TYP POWER	5.00	011	ST
637161	VALVE,CHECK:TYP DISC/SPRING,VLV SZ 3/4IN	2.00	051	ST
9101638	WHEEL,GEAR,Z-71	1.00	051	ST
584053	TUBE:MT GLASS	1.00	131	ST
610070	CIRCUIT: TYPE ENGINEERING CARD	1.00	011	ST
9102258	ELEMENT,FELT,PART#777057/2,DRG#Y1-25-819	10.00	051	ST
834256	VLV-CNTRL;DIVERter,DN80,PN10,CAST AL	1.00	051	EA
604184	BRUSH,ELECTRICAL:	2.00	021	ST
1385528	NTRC ACD TEC:CONCNTN 65%,TRD NAME SUPRAP	9.00	001	BOT
897332	PCKG;ID 32 X OD 48 X THK 8MM,ROUND,GLAND	1.00	051	ST1
604100	BREAKER,CIRCUIT:0.4-0.63A,230-690VAC	1.00	011	ST
584915	DISC,VALVE:SS ASTM A276,316,PRESSURE AND	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
624888	BREAKER,CIRCUIT:200A,POLE 3	1.00	011	ST
638962	GSKT PRE-CUT :	1.00	051	ST1
608131	ELBW-PIPE;DN 50MM,BW,90,CI,120MM	1.00	051	ST
638535	PISTON:	1.00	091	ST
643714	BRG,ROLL:ID 17MM,OD 30MM,WD 2MM,TYP	1.00	051	ST
1037542	CIRCUIT: TYP ELECTRONICS CPU	1.00	011	EA
607272	BUSH-VLV;VALVE GUIDE,PLASTIC	1.00	051	ST
612418	O-RING:APLC VALVE	2.00	051	ST
777923	TRANSMISSION: TYP COUPLING,P/N:81765771	1.00	031	ST1
606901	STUD-DUBL-END;M30,M30,195MM,CRM 05,50MM	20.00	051	ST
590654	SWITCH,PUSHBUTTON:COLOR GREEN	4.00	011	ST
838534	DIAPHRAGM,REGULATOR:TYP PRESSURE	2.00	061	ST
295390	O-RING, DIN 3771- 63.09X 3.53-N-FPM 75	31.00	051	ST
602330	RIG:TYP PACKING BOX FOLLOWER,MTRL SS NAC	1.00	051	ST
636248	SEAT,VALVE:UPPER,SS 403	3.00	051	ST
616483	OL;WINCH,MANUAL	1.00	101	ST
1065072	PLUG-VLV:VLV STYL LINEAR,VLV SZ DN100,DI	1.00	051	EA
617621	GEARBOX:	1.00	081	ST1
626668	VALVE,BALL:VALVE SIZE 1/2IN,APPL OIL SAM	2.00	051	ST
622348	TERMINAL:TYP FUSED	3.00	021	ST
280826	CHN-PWR-TRNSMSN;SIMPLEX,1IN,3.2M	3.00	900	EA
653175	STEM,VALVE:MT SS ASTM A276 GR 304TP	1.00	051	EA
643046	PACKING:GRAPHITE,TYP GATE VALVE	18.00	051	ST1
587386	KIT-VLV-RPR:TYP OVERHALING,CMPRSNG O-RIN	5.00	051	KIT
915298	CIRCUIT:TYP DUAL CHAMBER PRE-AMPLIFIER	2.00	021	EA
643759	BRG-RLR;DRAWN CUP WITH OPEN ENDS,SINGLE	1.00	051	ST
579212	GAUGE,PRESSURE:0-0.6BAR,160MM	1.00	101	ST
430008	RING,PISTON:TYP OIL SCRAPER	1.00	051	ST
589106	BLOCK,CONTACT:TYP AUXILIARY	1.00	021	ST
604191	BRUSH,ELECTRICAL:MT COPPER	2.00	021	ST
617739	WASHER,LOCK:IMPELLER	1.00	051	ST
600608	GSKT PRE-CUT :ROUND	2.00	051	ST
644777	GSKT PRE-CUT :ID 700 X OD 732 X THK 3MM	2.00	051	ST
643223	VALVE,GLOBE:VLV SZ 1/2IN,DES RTG 800LB	1.00	051	ST
696488	BLCK-TRMNL;600VAC 10A,CAPTIVE SCREW,6MM2	10.00	021	EA
271497	FUSE:TYP HIGH SPEED,AM 25A,VLTG 250V,CNC	1.00	021	EA
986720	KEYBOARD: KEYS 64,CONNECTOR USB	1.00	141	ST
579593	TRANSDUCER:	1.00	061	ST
592557	GSKT SET:	2.00	051	ST1
626389	BRKR-CRCUT:AM 16A,VLTG 230/400V,PL 2P,TY	1.00	011	ST
281664	SEAL,RING:MT GRAFOIL,TYP BACK	1.00	051	EA
500282	SEAL, OIL: INSIDE DIAMETER 19MM	2.00	051	EA
579746	BAG:SZ 800 X 590MM,MT POLYETHYLENE	7,898.00	001	ST
9101798	CATCH,SAFETY,PART# 24330 50570,POS.# 40	1.00	051	ST
1610436	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG O-RING	2.00	051	KIT
599531	GSKT PRE-CUT :	1.00	051	ST
726986	VALVE,RELIEF:VLV SZ 1/2IN	1.00	051	ST
1022160	BREAKER, CIRCUIT: AMPERAGE 16A,POLE 1P+N	2.00	011	EA
616617	BREAKER,CIRCUIT:200A,220/690VAC; 250VDC	1.00	011	ST
714654	O-RING:ID 44.12MM,WD 2.62MM,MT VITON	2.00	051	EA
95900	PIPE:SZ 6IN,LG 6000MM,SCHD 80,CS ASTM	284.00	131	FT
631177	KIT-VLV-RPR:TYP SOFT PARTS,APL BUTTERFLY	1.00	051	ST
643122	PACKING:GRAPHITE,TYP GLOBE VALVE	2.00	051	ST1
589859	BLOCK:TYP SDE	2.00	081	ST
476276	BRG,ROLL:ID 50MM,OD 110MM,WD 27MM	1.00	051	EA
585847	VALVE, SOLENOID: CNCT FNPT 1/2IN	1.00	051	ST
1225364	RING,WEAR:INSIDE DIAMETER 172MM,MATL AST	1.00	081	EA
1247371	GSKT PRE-CUT :TYP RAISED FACE,SIZE ID 61	6.00	051	EA
583452	SCREW,CAP:	4.00	051	ST
628882	GSKT PRE-CUT :NON ASBESTOS	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
643108	PACKING:GRAPHITE,TYP GLOBE VALVE	22.00	051	ST1
776597	PLUG,VALVE:SS 316	1.00	051	EA
622793	HOLDER, VALVE DISC: MATL CU-NI ALLOY	1.00	051	ST
580651	BODY,VALVE:VLV ST BUTTERFLY,VLV SZ 150MM	1.00	051	ST
637040	GEAR:TYP IDLER	1.00	051	ST1
639160	TRANSFORMER:TYP STEP DOWN,VA RT 2500VA	1.00	011	ST
926826	VALVE:TYP BOTTOM AND TOP,BDY MATL SS 316	1.00	051	SE
580039	LIGHT,INDICATING:TYP AUTOMOTIVE HEAD	2.00	021	ST
604789	FUSE;ULTRA FAST BLOW,10A,250V AC,CERAMIC	9.00	021	ST
1001722	RIG-RTNG;ID 15 X THK 1MM,LOCKING	1.00	051	EA
628063	SEAT,VALVE:VLV SZ 1IN,CONTROL,UNS S31603	1.00	051	ST
581194	CIRCUIT:TYP BASE DRIVE,APLC INVERTER	3.00	011	ST
1028289	SLEEVE: TYP W300,P/N:UNN -58004-496	12.00	051	EA
1003948	METER, FLOW: RANGE 0-2750KG/HR	1.00	101	EA
578363	KIT-PUMP-RPR:TYP SOFT PARTS,CMPRSNG REGU	1.00	081	ST1
726024	REAGENT:ELIMIN-OX TEST REAGENT 1	5.00	001	PAK
926825	KIT-VLV-RPR:TYP SOFT PART,APL LEVEL GUAG	2.00	051	KIT
643324	SWITCH,PRESSURE:1-6BAR,NPT 1/2IN	1.00	061	ST
583263	CYLINDER,ACTUATING,LINEAR:TYP DOUBLE ACT	1.00	061	ST
588216	KIT,VALVE REPAIR:MOTOR OPERATED VALVE	2.00	051	ST
584352	CONTROLLER,ELECTRONIC:	1.00	031	ST
644926	GSKT:SERRATED,ROUND,METAL,HOLES WITHOUT	4.00	051	ST
1006586	GSKT PRE-CUT : MATL GRAFOIL, REF#:	4.00	051	ST
998975	SHIELD: P/N:523671 02,MNFR:ALFA LAVAL	1.00	121	ST
1596737	GSKT:TYP BONNET,THK 3MM,SZ ID 75MM,MTRL	2.00	051	EA
903848	THERMOMETER,DIAL:	1.00	101	EA
581848	PIPE:SZ 2IN,LG 6000MM,SCHD 80,PVC ASTM	7.00	131	ST
609156	PISTON:MT PTFE,APLC POTENTIOMETER	1.00	091	ST
584062	METER, FLOW: RANGE 6-50L/MIN	3.00	101	ST
602377	PACKING:PTFE,SQUARE	4.00	051	ST1
627221	GSKT,SPWD:8IN,300LB,GRAPHITE,SS 316	2.00	051	ST
623819	BLCK-CNTCT;SWITCH,600VAC 10A,1,1NO	2.00	021	ST
641794	FUSE:6A	19.00	021	ST
624276	BAND:TYP CAULKING	1.00	001	ST1
580440	SHAFT:	1.00	051	ST
642185	CONE:MT 1.4571	2.00	051	ST
610313	VLV-GATE;DN 20MM,PN 40	7.00	051	ST
587100	ASSEMBLY:PILOT TIP	1.00	081	ST
627964	PLUG,VALVE:VLV SZ 1IN,CONTROL	1.00	051	ST
606103	TRNSTR;BIPOLAR,PNP,PCB,TO 92	5.00	031	ST
600857	GSKT,SPWD:GRAPHITE	1.00	051	ST
871330	SHAFT,PUMP:LG 1200MM,SS	1.00	051	ST
1032755	BELT-THD:TYP ANTISTATIC,SZ WD 85 X LG 47	2.00	051	EA
644890	VALVE,BALL:VLV SZ 50MM,BDY MATL STEEL	1.00	051	ST
943210	PANEL,CONTROL:	1.00	021	ST
586056	GLAND,PACKING:TYP YOKE	1.00	051	ST
615595	BUSH,PUMP:BRONZE BC6/B584,THROTTLE	2.00	081	ST
609863	CIRCUIT:	1.00	011	ST
1031948	KIT, VALVE REPAIR: APPL GATE VALVE	1.00	051	KIT
609714	KIT,VALVE REPAIR:GLAND PACKING AND SEAT	1.00	051	ST1
605425	SWITCH,TEMPERATURE:-40 TO 40DEG C	2.00	021	ST
119496	THERMISTOR:TYP ANALYZER	2.00	051	EA
804505	KIT, ACTUATOR REPAIR: TYP SEAL	1.00	061	KIT
615773	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	2.00	081	ST
607871	INSERT:CARBIDE	12.00	051	ST
679364	TAP,THREAD CUTTING:TYP HAND,STYL TAPERED	2.00	051	EA
581555	MODULE:RAM 64KB,SIMATIC S5	1.00	031	ST
635666	PACKING:PTFE,IRREGULAR ROUND,TYP GLAND	1.00	051	ST1
1235804	SEAT,VALVE:TYP VACUUM,VALVE TYPE PRESSUR	1.00	051	EA
620280	GSKT-PRE-CUT;COVER,NON ASBESTOS/T#1995	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
616715	RELAY,TIME DELAY:0/0.6S-60HR ON DELAY	2.00	011	ST
587093	ASSEMBLY:SEAL	1.00	081	ST
1025530	ENCODER: TYP MX,P/N:LMXER	1.00	031	EA
601206	GSKT PRE-CUT :OD 237MM,GRAPHITE,ROUND	2.00	051	ST
588500	KIT-VLV-RPR:TYP SOFT PARTS,APL BALL VALV	1.00	051	ST1
614921	IMPELLER,PUMP:DOC:C465/184	1.00	081	ST
631650	DISTRIBUTOR:APLC NITROGEN COMPRESSOR	2.00	021	ST
589363	HARNESS,WIRING:TYP BATTERY	1.00	091	ST
608496	O-RING:ID 3.7MM	1.00	051	ST
1023615	POSITIONER: TYP VALVE CONTROLLER	2.00	061	EA
604465	ELEMENT,THERMAL:TYP TEMPERATURE	2.00	061	ST
593379	GSKT PRE-CUT :NITRILE RUBBER	1.00	051	ST1
585586	FILTER,ELEMENT:SS 316,STRAINER SCREEN	1.00	051	ST
109825	O-RIG;FKM	3.00	051	EA
723649	DISC:SS 630	1.00	051	ST
628275	POSITIONER,VALVE:I/P 0.2-1KG/CM2	1.00	061	ST
147749	PACKING:TYP STUFFING BOX	1.00	051	EA
1570089	PSTNR:TYP MOUNTING,MTRL X5 CR NIMO 17 12	1.00	101	ASY
580473	SHAFT:	1.00	051	ST
616643	TRANSFORMER,INSTRUMENT:VA RT 10VA	1.00	011	ST
598628	BELT,TOOTHED:	2.00	051	ST
592591	GSKT PRE-CUT :ID 135 X OD 155 X THK 2MM	5.00	051	ST
832360	FAN:TYP EXTERNAL COOLING,MOUNT SHAFT	1.00	081	ST
587137	ASSEMBLY:LAMP	25.00	081	ST
469074	RELAY,TIME DELAY:0-1MIN OFF DELAY	3.00	051	EA
600549	GSKT,SPWD:SHP ROUND	12.00	051	ST
585178	FLTR-ELMNT;AIR	1.00	051	ST
637065	VALVE,BALL:	1.00	051	ST
617554	ROD:TYP COUPLING	2.00	131	ST
590314	RELAY:COIL 220VAC 60HZ,6PST	2.00	011	ST
646548	O-RING:ID 110MM,WD 5.3MM,MT TEFLON	2.00	051	ST
1087693	DIAPHRAGM, VALVE: MATL EPDM,P/N:SPR-1506	1.00	051	EA
595644	KEY:	1.00	051	ST
161201	ORIFICE:SZ 1/2IN,MT SS	3.00	051	EA
581372	TRMNL-BRD	1.00	021	ST
634693	SWITCH:TYP MICRO,CONTRT 30VDC 3A,SPDT	1.00	021	ST
201433	FUSE:1.3A,250VAC	40.00	011	ST
44672	TEE-PIPE:SZ 1-1/2IN,RTNG 3000LB,CNCT SW	60.00	051	EA
582076	IMPELLER,PUMP:DIAMETER 75 X 195 X 110MM	1.00	081	ST
1602672	SPCTCL-BLND:TYP RAISED FACE,MTRL CS ASTM	2.00	051	EA
604818	FUSE;QUICK ACTING,0.8A,250V AC,CERAMIC	5.00	021	ST
592928	GSKT:ID 22 X OD 27MM,THK 1MM,ROUND,CU	1.00	051	ST
693967	WINDOW:TYP FACE SHIELD,MT POLYCARBONATE	20.00	051	EA
578130	KIT;MOUNTING,PIPE	2.00	081	ST
644754	GSKT PRE-CUT :ASBESTOS,ROUND,RF,150LB	3.00	051	ST
1078773	BUSHING: TYP SEALING,P/N:11316766	1.00	051	EA
818861	O-RING:ID 9.8MM,WD 2.4MM,APLC ANALYZER	1.00	900	PAK
626409	CONTACT:TYP 2 NC	4.00	011	ST
911280	GSKT:SEAT	5.00	051	EA
555400	GSKT:TYP FULL FACE,THICKNESS 0.2MM,SIZE	1.00	051	EA
643355	CONVERTER,SIGNAL:TYP CONVERTER	1.00	061	ST
1579491	STRNR-PG:TYP Y-TYPE,SZ 1-1/2IN,P RTNG 15	7.00	051	EA
634987	WIRE:TYP LACING	18.00	021	M
631651	THERMOMETER:RNG 0-100DEG C,CONN R 1/2BIN	4.00	061	ST
935020	GAUGE,DIFF.PRESS.:0-1075M3/HR,4-1/2IN	1.00	061	ST
636932	O-RING:	1.00	051	ST
1229627	GSKT,SPWD:TYP BASIC WITHOUT INNER AND OU	1.00	051	EA
588356	BUSHING,ELECTRICAL CONDUCTOR:	1.00	021	ST1
592139	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	1.00	051	ST
863444	KIT,VALVE REPAIR:BALL SEGMENT VALVE	1.00	051	SE

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
593400	GSKT PRE-CUT :ID 72 X OD 82 X THK 1.5MM	4.00	051	ST
644877	GUIDE:SZ DIA 6 X LG 5MM,MT CERAMIC	16.00	091	ST
924444	DEMISTER PAD:TYP SECTORS,144.2KG/M3	1.00	051	SE
592843	GSKT-PRE-CUT;TANK COVER,RECTANGULAR,CORK	1.00	051	ST
578491	KIT:TYP SOFT PARTS,CMPRSNG SLEEVE,O RING	1.00	081	ST1
598767	GEAR:	1.00	081	ST
1003942	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
624081	HOLDER,FUSE:FUSE DIA 10 X LG 38MM	3.00	021	ST
624565	SPRING:TYP STEAM TURBINE	1.00	051	ST
587785	KIT, VALVE REPAIR: APPL GATE VALVE	1.00	051	KIT
586208	BRG,THRUST:1 PIECE,MT PTFE	1.00	051	ST
596670	FILTER:DIA 2 X LG 7-1/4IN,CARBON	1.00	051	ST
594229	PCKG;ID 15 X OD 24 X THK 5MM,PTFE	1.00	051	ST1
642983	GSKT PRE-CUT :PTFE,COVER,DN 20	4.00	051	ST
610693	TMR	2.00	101	ST
609551	METER:RNG 0-100CN	1.00	101	ST
624579	SPRING,VALVE:	1.00	051	ST
643498	BRG:	2.00	051	ST
627160	KIT,VALVE REPAIR:GEAR CASE	1.00	051	ST1
644816	GSKT PRE-CUT :ID 25 X OD 42 X THK 5MM	4.00	051	ST
221891	FUSE:5A,250VAC,DIA 6 X LG 30MM,FERRULE	14.00	051	ST
596745	FILTER: TYPE INSERT,MNFR:HORN GMBH	2.00	051	ST
598852	GEAR:TYP WHEEL	1.00	081	ST
130414	GSKT;1/16IN,ID 6-3/32 X OD 6-19/32IN	1.00	051	EA
629182	SPRING,VALVE:STEEL WIRE JIS 3561 SWOCV-V	1.00	051	ST
593049	GSKT PRE-CUT :ID 35 X OD SQ 70 X THK 5MM	4.00	051	ST
587042	CHASSIS:	1.00	061	ST
1208426	VALVE,RELIEF:TYP BALANCED BELLOWS DESIGN	1.00	051	EA
603883	SLEEVE:TYP COVER	2.00	051	ST
605918	CIRCUIT:TYP FAULT SIGNALLING	1.00	011	ST
80682	HOLDER,LAMP:BA9S	5.00	011	ST
600394	GSKT,SPWD:SHP ROUND	1.00	051	ST
1001003	VALVE:TYP PRESSURE REDUCING,VALVE SIZE 1	2.00	051	EA
625457	RLS;UNDER VOLTAGE	2.00	011	ST
601112	GSKT PRE-CUT :PTFE,3 X 4IN	2.00	051	ST
1630151	KIT-VLV-RPR;BACK FLOW PREVENTER	6.00	051	EA
588360	KIT,VALVE REPAIR:STEAM DRIVE TURBINE	1.00	051	ST1
587068	ASSEMBLY:TYP CELL,P/N:ZR01A01-01,MNFR:YO	2.00	081	ST
623642	SWITCH:TYP CONTROL	4.00	021	ST
1208449	VALVE,RELIEF:TYP CONVENTIONAL,DSGN RT 15	3.00	051	EA
596571	DISC,VALVE:OD 20MM,BRONZE	1.00	051	ST
617615	SHIM:SZ ID 12 X OD 18,THK 2	2.00	051	ST
604023	BREAKER,CIRCUIT:2A,400/480VAC,POLE 3	1.00	011	ST
697328	BRKR-CRCUT;4A,400V AC,10KA,4,MINIATURE	1.00	011	EA
571040	PIN:MTRL SS 304,P/N:10B3083X012,MNFR:EME	1.00	051	EA
528327	DISPLAY UNIT,DATA:P/N:42373JE,MNFR:AMETE	1.00	900	EA
1602388	FLG-PIPE:TYP RAISED FACE,SZ 3/4IN,MTRL L	2.00	131	EA
762614	PAD,BEARING:TYP TILTING WITH RTD	1.00	051	SE
643715	BUSH:WHEEL	1.00	051	ST
603498	BLOCK,PILLOW:TYP FRAME	1.00	051	ST
596941	SEAT-VLV;CONTROL,DN 100,95MM,26MM	1.00	051	ST
285731	PLUG,PIPE:1-1/2IN,CS ASTM A105,NPT	1.00	051	EA
607615	COUPLER,HOSE:TYP CLAW	1.00	051	ST
617877	LOCK:TYP DRIVE PIN	3.00	051	ST
577921	KIT-SEAL:TYP SOFT PARTS,CMPNNT QTY O'RIN	1.00	051	ST1
620816	PLATE:TYP SEAL,APLC ELECTRIC MOTOR	2.00	081	ST
583613	CIRCUIT:TYP STACK PH,ANALOG BLIND BOARD	1.00	011	ST
608221	BLADE,WIPER:	1.00	051	ST
596388	GLAND:TYP CYLINDER STEER	1.00	051	ST
634565	SWITCH,LEVEL:FLOAT	1.00	061	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
775078	VALVE:TYP GAS,BDY MATL UNS S30400	1.00	051	ST
612955	INVERTER:	1.00	011	ST
594063	O-RIG;56MM,4MM,RUBBER	12.00	051	ST
614791	SLEEVE:TYP BEARING	2.00	051	ST
581743	HOSE: SIZE DN 20,MATL PLASTIC	4.00	051	M
1540207	RELAY:COIL V 120/240V,ACTION SPDT,CNTCT	1.00	011	EA
593092	GSKT PRE-CUT :ID 22 X OD 28 X THK 3MM	8.00	051	ST
607460	HAT-UTLTY;ID 64 X OD 70 X LG 38,PLASTIC	1.00	121	ST
594414	RIG	1.00	051	ST
1022966	DEVICE: TYP FRONT END COMMUNICATION	1.00	081	EA
1081657	SWITCH: TYP CONTROL,CNTCT RT 32A/690V	2.00	021	EA
582866	TRANSDUCER:	1.00	061	ST
582575	GAUGE:CHARGING	2.00	101	ST
590608	SWITCH,SELECTOR:110-380VAC 12A,2	2.00	021	ST
653212	GSKT,SPWD:IRMT SS 316,OR MT SS 316	49.00	051	EA
618571	PULLEY,V-BELT:SPA,GROOVE 3,BORE 28MM	1.00	051	ST
605607	SWITCH,PUSHBUTTON:SPST,1NC,RED,PANEL	5.00	021	ST
583388	KIT:	21.00	021	ST
585114	FILTER:DEHYDRATING	1.00	051	ST
9101648	ASSY,PIPE TAIL	1.00	051	ST
588991	WINDOW:TYP CROSS,SZ DIA 62 X 12MM	2.00	131	ST
582841	THERMOMETER,DIAL:RNG 0-100DEG C	1.00	101	ST
1221056	RELAY:COIL V 100-240VAC,CNTCT RT 110-250	1.00	011	EA
596396	GLAND:	1.00	051	ST
609792	REEL:TYP CLOSER	2.00	051	ST
1602676	SPCTCL-BLND:TYP RAISED FACE,MTRL SS ASTM	1.00	051	EA
581133	RCPTCL-ELECT;DUPLEX,2,3,250VAC 15A 2HP	54.00	021	ST
600975	GSKT PRE-CUT :ROUND	1.00	051	ST
1030702	PIN: MATL SUS403,TYP GUIDE,P/N:4T-OY0908	1.00	051	ST
590765	CIRCUIT,POWER SUPPLY:APLC FIRE SYSTEM	1.00	021	ST
603777	ADPTR-TUBE--PIPE;PUSH ON,FPT,GLASS/PTFE	1.00	051	ST
738106	KEY	2.00	051	ST
612267	SLINGER:TYP EXHAUST/INLET END SHAFT	1.00	101	ST
604614	FUSE:2A,500VAC,DIA 1/4 X LG 1-1/4IN	5.00	021	ST
1589846	STEM-VLV:VLV STYL TOP ENTRY BALL,VLV SZ	4.00	051	EA
1215196	REAGENT:TYP CHEMICAL OXYGEN DEMAND,TRADE	3.00	001	PAK
601707	O-RING:	3.00	051	ST
289723	NZL-VLV	2.00	051	EA
1587743	STUD-ASMBLY:TYP FULL THREADED,DIA 5/8IN	8.00	051	ASY
608765	HOLDER:TYP CONTACT	1.00	051	ST
860531	GAUGE,PRESSURE:0-2.5BAR G,100MM	1.00	900	EA
34011	KIT,VALVE REPAIR:	1.00	041	EA
426073	GAUGE,PRESSURE:0-4KGF/CM2; 0-400KPA,40MM	7.00	900	ST
615993	GSKT:	3.00	051	ST
602089	PACKING:CS JIS G4051 GR S35C	2.00	051	ST1
617095	O-RING:APLC HOUSING COVER	2.00	051	ST
1235803	SEAT,VALVE:TYP PRESSURE,VALVE TYPE PRESS	1.00	051	EA
1030220	THERMOMETER: RANGE -20 TO 100DEG C	1.00	061	EA
724839	KIT,VALVE REPAIR:TYP O-RING'S & DIAPHRAG	4.00	051	ST
9101901	SLEEVE, MECHANICAL SEAL MATL: SUS 403	1.00	051	ST
643065	PACKING:GRAPHITE,TYP GATE VALVE	3.00	051	ST1
41869	BAL;1IN,CA20	2.00	051	EA
1196987	CIRCUIT: TYP AUXILIARY POWER	3.00	011	EA
594735	RING,RETAINING:DIA 14MM,STEEL,SNAP	10.00	051	ST
949886	VALVE,NEEDLE:BODY MATL SS 316,DSGN RT 28	2.00	051	EA
605708	TRANSFORMER,INSTRUMENT:VA RT 5VA,VOLT R	1.00	011	ST
584054	TUBE:TYP ULTRA-VIOLET	6.00	031	ST
593166	GSKT PRE-CUT :ID 48.3 X OD 55 X THK 2MM	20.00	051	ST
623195	O-RING:MT PTFE,APLC LEVEL GAUGE	4.00	051	ST
802911	PACKING:ID 42 X OD 60 X THK 10MM	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
586966	DISC,BRAKE:	1.00	051	ST
579258	GAUGE,PRESSURE:0-60PSI,2IN,MNPT 1/8IN	1.00	101	ST
590177	FUSE:3.5A,125VAC	1.00	021	ST
897569	PLUG,VALVE:VLV SZ 1-1/2IN,CONTROL	2.00	051	ST
593958	O-RING:ID 45MM,WD 2MM,MT FKM,APLC FLANGE	2.00	051	ST
1009463	BUSH-PUMP	1.00	081	ST
598367	BEARING,ROLLER:	3.00	051	ST1
595322	SEAL:	6.00	051	ST
901614	RESISTOR,NETWORK:3 X 2.4K OHM,RT 214W	1.00	031	EA
616809	LIGHT,INDICATING:TYP PILOT,VOLT 110VDC	2.00	021	ST
392120	LIGHT,INDICATING:VOLT 24VAC/DC	2.00	021	ST
612326	GSKT PRE-CUT :THK 3MM,RUBBER,FF,DN 40	2.00	051	ST
586623	BELT:SZ WD 1100 X LG 6900MM	1.00	051	ST
1037868	SEAL, MECHANICAL: SIZE 1.375IN	1.00	051	EA
603971	BIT,MASONRY:TYP DRILL, SZ DIA 8MM,SHANK	17.00	101	ST
1246789	GSKT PRE-CUT :TYP RAISED FACE,SIZE ID 50	3.00	051	EA
905094	METER,FLOW:TYP PROWIRL 72F	1.00	101	EA
643011	GSKT PRE-CUT :PTFE,COVER,DN 100	4.00	051	ST
642414	SPRING,VALVE:SS DIN WN 1.4310	1.00	051	ST
1597137	FLG-PIPE:TYP REDUCING, SZ 4 X 3/4IN,MTRL	1.00	131	EA
869311	VALVE:TYP PRESSURE	1.00	051	ST
591882	SEAT,VALVE:VLV SZ DN 4,MANUAL CONTROL	1.00	051	ST
604844	FUSE:250A,660VAC,OFFSET BOLTED TAG,ULTRA	2.00	021	ST
596400	BREATHER:TYP TRANSFORMER, SZ 3/4IN	2.00	081	ST
628417	TRANSMITTER,DIFF.PRESS.:RNG 0-2BAR	1.00	061	ST
605864	CAPACITOR:TYP DC LINK,FIXED	3.00	031	ST
905129	MODULE:VOLTAGE SPLITTER	1.00	031	EA
605593	SWITCH,SELECTOR:	1.00	021	ST
615659	NUT:SS ASTM A283,GR D,SHAFT	2.00	051	ST
619593	CROSSHEAD:	1.00	081	ST
617748	BREAKER,CIRCUIT:6A,230/400VAC	2.00	011	ST
1546567	DETECTOR,RESISTANCE TEMPERATURE:TYP SING	1.00	101	ASY
639749	KIT,VALVE REPAIR:TYP CONTROL	1.00	051	ST1
594424	RIG-BCKUP;18MM,30MM,6MM,PTFE	1.00	051	ST1
608492	BAFFLE:TYP OIL	1.00	081	ST
602180	PACKING:RECTANGULAR,TYP GLAND	20.00	051	ST
521958	O-RING:ID 62.5MM,WD 2MM,MT NBR	1.00	051	EA
629949	BAR:	1.00	131	ST
608180	NIPPLE:SZ 3/8 X 1/8IN,SS DIN WN 1.7139	1.00	051	ST
590180	FUSE:	1.00	021	ST
636284	RESISTOR:TYP RESTRICTOR	1.00	031	ST
637216	KIT:CMPRSNG CURRENT POS,TRANSFORMER AND	1.00	081	KIT
635716	BUSH:CS JIS G4051 GR S25C	1.00	051	ST
910012	FLTR;SAMPLE LINE,0.5,1/4 X 1/8IN	1.00	900	EA
1209666	BALL,VALVE:VALVE SIZE 12IN,OPRTG PRESS 1	1.00	051	EA
642977	GSKT PRE-CUT :PTFE,COVER,DN 200	2.00	051	ST
590399	RELAY,PROTECTION:OVERCURRENT	2.00	031	ST1
800783	GSKT,SPWD:8IN,600LB,GRAPHITE,SS 316	1.00	051	ST
1531611	CAP:TYP VIAL CAP,SIZE FOR 12 ML VIALS ST	6.00	051	PKG
928358	LIGHT, INDICATING: TYP PILOT,COLR GREEN	1.00	021	EA
612299	SEAT,VALVE:EMERGENCY	2.00	051	ST
1587049	GSKT-ST:APL 3/4 X 1 IN SAFETY RELIEF VAL	1.00	051	ST1
905292	PLT;END,MOTOR UNIT	1.00	131	EA
616834	TRANSFORMER,INSTRUMENT:VA RT 5VA	1.00	011	ST
620559	RELAY,PROTECTION:SAFETY,RT 24VDC	3.00	031	ST
877261	BUSH,VALVE:1/2 X 7/8 X 29/32IN	1.00	051	EA
628826	KIT,VALVE REPAIR:SEAL	1.00	051	KIT
639409	SPRING,VALVE:AS ASTM A29 GR 5155	1.00	051	ST
604828	FUSE;ANTI SURGE,6.3A,250V AC,CERAMIC	7.00	021	ST
578677	ABSRBR;VACUUM SOUND SILENCER	1.00	121	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
625437	SWTCH-DSCNCT;690VAC 32A 50/60HZ,RAIL,CE	2.00	011	ST
579850	HOOK:	1.00	091	ST
611311	CYLINDER,GRADUATED:SZ 500ML,MT	5.00	071	ST
897727	MODULE, POWER SUPPLY: P/N:SO-02210903	1.00	031	EA
805369	KIT,SEAL:TYP PACKING,APLC PUMP	1.00	051	ST
591114	CPCTR;FIXED,25MICRO F,220V AC	1.00	031	ST
608188	TEE,PIPE:SZ 3IN,PVC-I,RT SCH 40	3.00	051	ST
600327	GSKT-PRE-CUT;V#6501	1.00	051	ST
615757	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	2.00	081	ST
615834	BRG,SLEEVE:TYP SPHERICALLY SEATED	1.00	051	ST1
984189	O-RING: INSIDE DIAMETER 21.89MM	2.00	051	ST
627139	O-RING:MT FKM	2.00	051	ST
578941	BELLOWS:TYP PIPPER BOX,MT RUBBER NYLON	1.00	051	ST
587056	ASSEMBLY:TYP SEAL BOX O-RING,DOC:IN02	1.00	081	ST
636174	KIT,SEAL:APLC CONTROL VALVE	2.00	051	ST1
592312	SPRING,TORSION:DEFLN 45DEG	2.00	051	ST
1032808	CIRCUIT: TYP AO,STD ASTM,P/N:K9633RB	2.00	011	EA
586849	STATOR:	1.00	081	ST
605230	RELAY:	1.00	011	ST
612713	FIXTURE:RT 220V 4 X 40W 60HZ	1.00	021	ST
1616160	SWTCH-DSCNCT:CNTCT RTNG 690V AC,TYP FUSE	1.00	021	EA
805335	FUSE:WIRE LEAD,THERMAL TRIP	4.00	021	ST
628627	BRG,THRUST:	2.00	051	ST
738293	PIN:ROLL	2.00	051	ST
590723	SWITCH,PRESSURE:SPST,TYP CYLINDER	1.00	061	ST
900263	FAN: TYP CABINET,VOLUME RATING 700M3/H	1.00	081	EA
627269	LINER:APLC ISOLATION VALVES,MT EPDM	1.00	900	ST
1047994	VALVE, CHECK: TYP BALL,VALVE SIZE 2IN	1.00	051	EA
1038447	WASHER: SZ 1-1/2IN,MATL PTFE,TYP PACKING	1.00	051	EA
623825	RELAY,TIME DELAY:	1.00	011	ST
642545	KIT,VALVE REPAIR:BUTTERFLY,SEAL	4.00	051	ST
642587	GSKT PRE-CUT :	1.00	051	ST
592869	GSKT-PRE-CUT;BOX FRONT COVER,RECTANGULAR	1.00	051	ST
1628104	QUARTZ CONDENSER COIL	1.00	051	SE
639492	GSKT SET:APLC PRESSURE RELIEF VALVE	1.00	051	ST1
9101667	CAM COMPLETE FOR FILTER,DWG#1831-IK626	2.00	051	SE
632806	DISPLACER:TYP LEVEL TRANSMITTER	1.00	061	ST
599738	GSKT,SPWD:GRAFOIL,SS 316,APLC DISC	1.00	051	ST
615334	BUSH:	1.00	051	ST1
591238	SCREW,CAP:MT STEEL,HEX SOCKET	6.00	051	ST
601978	O-RING SET:APLC DRIVE END THRUST BEARING	2.00	051	ST
590213	POWER SUPPLY:I/P 220VAC,OP VOLT 24VDC	1.00	021	ST
578104	KIT:TYP REPAIR	2.00	081	ST
1037054	PIN: DIAMETER 10MM,LENGTH 12MM	4.00	051	EA
605302	SWITCH:TYP MAGNETIC INDICATOR	1.00	021	ST
599875	GSKT,SPWD:3/4IN,GRAPHITE,UNS S31603	2.00	051	ST
568577	O-RIG:I DIA 10.77MM,WD 2.62MM,MTRL VITON	26.00	900	EA
603810	SLV;FLEXIBLE,DIA 10IN,NOMEX-TEXIL	1.00	051	ST
580714	COVER:TYP PUMP,SZ THK 46MM,CI	1.00	051	ST
804312	KIT:TYP CONTACT AUXILIARY,APLC DCS	6.00	081	SE
1604292	VLV;PURGE,14MM,600BAR,SHORT MALE	1.00	051	EA
593053	GSKT PRE-CUT :DIA 12MM,CORK,RECTANGULAR	2.00	051	ST
805310	BREAKER,CIRCUIT:6A,POLE 4,AUXILIARY	1.00	011	SE
604877	FUSE:16A,440/550VAC,OFFSET BLADE,FAST	20.00	021	ST
861925	DISC,VALVE:SS,316,VLV SZ 1-1/2 X H X 3IN	3.00	051	ST
597284	SP;WD 45 X LG 145 X THK 4.5MM,STEEL	1.00	051	ST
590864	SWITCH:CONTRT 300/500VAC 10A,MOUNT BASE	1.00	021	ST
502473	ADAPTOR,TUBE TO PIPE:T SZ 8MM	13.00	051	EA
625452	BRKR-CRCUT;63A,220/690VAC; 250VDC,4,40°C	2.00	900	ST
592197	SPRINKLER,FIRE PROTECTION:	45.00	121	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
627313	VLV-GATE;1-1/2IN,CL 800,FNPT X MNPT	1.00	051	ST
1021371	BREAKER, CIRCUIT: AMPERAGE 16A,POLE 3	1.00	011	EA
837163	GSKT, SPWD: NOMINAL FLANGE SIZE 24IN	4.00	051	EA
590519	RELAY:COIL 110VAC,DPDT,CONT 250VAC 10A	2.00	011	ST
636256	BUSH:SS 403	2.00	051	ST
598360	BRG,BALL:P/N:6203 DDU CM,MNFR:NSK,P/N:62	2.00	051	ST
1003987	PLATE: TYP ORIFICE,SIZE 10IN,MATL SS 316	1.00	131	EA
577816	ASSEMBLY:	1.00	051	ST
956475	VALVE, GATE: VALVE SIZE 3/4IN,STYLE BB	2.00	051	ST
617142	CONTACTOR:TYP CONTROL MAGNETIC	2.00	011	ST
593247	GSKT PRE-CUT :ID 58 X OD 65MM,PTFE,ROUND	1.00	051	ST
642412	SPRING,VALVE:SS DIN WN 1.4310	1.00	051	ST
1081697	O-RING: INSIDE DIAMETER 426MM,WIDTH 7MM	1.00	051	EA
643167	SHIM:TYP INNER THRUST,P/N:103820 701,MNF	2.00	051	ST
823765	HTR;CARTRIDGE	1.00	011	EA
594031	O-RING:ID 44MM,WD 1.78MM,MT VITON	8.00	051	ST
614691	BUSH,PUMP:STAGE	1.00	081	ST1
594423	RING,BACK-UP:ID 14.5MM,OD 22MM,THK 4MM	2.00	051	ST
599447	GSKT, SPWD: FILLER MATERIAL PTFE	2.00	051	ST
584228	PAPER,ROLL:TYP FAN FOLD	2.00	141	ST
607421	BUSH,TAPER LOCK:28MM BORE DIA,1610	2.00	051	ST
614211	GSKT-SPRL-WUND:TYP RF,FLR THK 4.44MM,WND	1.00	051	ST
615072	TEE-PIPE;SQ 10IN X THK 2.6MM,SS 321	1.00	051	ST
599556	GSKT,SPWD:SHP ROUND	1.00	051	ST
572369	CAGE SUPERSEDED BY 142476	1.00	051	EA
637163	VALVE,BALL:CONN NPT	1.00	051	ST
584513	SWITCH,PUSHBUTTON:	3.00	011	ST
578553	SET:TYP THRUST RING	1.00	081	ST1
590660	SWITCH,PUSHBUTTON:	2.00	011	ST
586207	BRG,SLEEVE:TYP STRIP,MT PTFE	1.00	051	ST
587701	KIT-CYLNDR-RPR;SOFT PARTS,FORKLIFT	1.00	091	ST
1596969	TRCH:TYP 1-SLOT,SZ DIA 20 X LG 120MM,MTR	1.00	051	EA
599507	GSKT PRE-CUT :V#6500	4.00	051	ST
590774	MODULE:RELAY SWITCH	2.00	031	ST
604617	FUSE:15A,32VDC,BLADE	15.00	021	ST
607456	BUSH:	2.00	051	ST
607481	CAP,PIPE:SZ DN 200,CONN BW,MT CI	1.00	131	ST
592098	O-RIG;NBR,FLANGE	1.00	051	ST
653190	BELLOWS:MT RUBBER	1.00	051	EA
589337	BOTTLE:1000ML CAP,ST NARROW MOUTH	10.00	071	ST
801000	GSKT,RJ:ROUND,SS 316,DIA 16IN	1.00	051	ST
594358	PACKING:ID 12 X OD 19 X HT 12,GRAPHITE	1.00	051	ST1
1037901	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	1.00	051	EA
594097	O-RING:APLC SEAL	1.00	051	ST
1616948	CNTCTR;TE SYS D,3,150A,440V,230V AC	1.00	051	EA
623656	SWITCH,PUSHBUTTON:1NC,UL	2.00	021	ST
582694	MONITOR:TYP VIBRATION	1.00	061	ST
708383	CAGE,VALVE:VLV ST CONTROL,VLV SZ 6IN	1.00	051	EA
588892	MEMBRANE:	1.00	051	ST
642443	SET:TYP SEAL,APLC BUTTERFLY VALVE	4.00	081	ST
838781	GLASS,SIGHT:	1.00	101	ST
608879	FLASK:TYP SHORT KNECK,CAP 500ML,MT	2.00	071	ST
1246132	INSRT-CUPLG;TRANSMISSION UNIT	1.00	051	ASY
605383	SWITCH,PRESSURE:2.5-50MBAR,30-240VAC 5A	1.00	061	ST
629175	SPRING,VALVE:SS 304	1.00	051	ST
602819	RING:SS ASTM A743 GR CF8,TYP CASING (C)	2.00	900	ST
605905	CHOKE:	3.00	031	ST
616684	METER,ELECTRICAL:TYP AMMETER,RNG 0-1.25A	2.00	101	ST
602984	SEAL,OIL:MT NBR	4.00	051	ST
634043	DISPLACER:TYP LEVEL,SZ LG 3048MM	1.00	061	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
580284	CYLNR;ID 20 X OD 50 X LG 470MM,STEEL	1.00	081	ST
922889	FITTING,OUTLET:TYP WELDOLET,RUN SZ 6IN	1.00	051	EA
826529	SEAL-RIG:I DIA 99MM,OUT DIA 106MM,THK 18	1.00	051	EA
587721	KIT: TYPE CELL CONNECTION,P/N:O1131984	2.00	081	ST
628229	AMPLFR;PREAMP	1.00	031	ST
288754	O-RIG;69.4MM,3.1MM,WATER END ASSY	1.00	051	ST
1078786	PLATE: TYP LOCK PLATE,MATL SS	4.00	131	EA
603802	SLEEVE:TYP CLAMPING,SZ ID 30 X LG 43MM	2.00	051	ST
1022976	POWER SUPPLY: TYP UNIT,INPUT 5A	1.00	021	EA
630201	RING,RETAINING:	1.00	051	ST
585095	FILTER:SS 316,MECHANICAL	1.00	051	ST
604776	FUSE;ULTRA FAST BLOW,6.3A,250V AC	9.00	021	ST
1049489	WINDOW, SIGHT: APPL MIXER GEARBOX	1.00	131	EA
1064400	GSKT PRE-CUT : MATL NON-ASBESTOS	2.00	051	EA
930645	RELAY:TYP ALARM	1.00	011	EA
800679	THERMOMETER,DIAL:TYP BIMETAL	4.00	101	ST
600027	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	5.00	051	ST
608515	PACKING:TYP STEM	1.00	051	ST
592907	GSKT,SPWD:GRAPHITE,SHR ROUND,BASIC	7.00	051	ST
590003	HOLDER,FUSE:AMP 32A	10.00	021	ST
1611027	SPTUM:SZ 11MM,MTRL PTFE/ SILICONE,TEMP R	1.00	071	PAK
585640	VALVE,RELIEF:TYP SAFETY	1.00	051	ST
639469	WASHER:STEEL	1.00	051	ST
612545	SLEEVE:APLC OIL PUMP	1.00	051	ST1
1024117	DISC, RUPTURE: SIZE 6IN,MATL INCONEL	1.00	051	EA
607868	INSERT:CARBIDE	12.00	051	ST
1033845	SENSOR: TYP PLATINUM RESISTANCE TEM	1.00	011	EA
1034431	GUIDE, VALVE: VLV STYL NON-RETURN	5.00	051	EA
605789	OVERLOAD,MOTOR PROTECTION:	1.00	011	ST
598552	BELT,TOOTHED:TYP TRANSMISSION	1.00	051	ST
627657	RELAY,TIME DELAY:0.04-3S,COIL 230V	1.00	011	ST
595641	KEY-SHFT;PARALLEL,WD 6 X LG 50 X THK 6MM	2.00	051	ST
603543	CLAMP:TYP EXHAUST,SZ DIA 55MM,MT STEEL	5.00	051	ST
616597	BRKR-CRCUT;8A,277/480VAC; 250/500VDC,6KA	2.00	011	ST
592472	GASKET,BONNET(MAT:1.4571/GRAPHITE)	2.00	051	ST
585539	STEM,VALVE:VLV ST MANUAL CONTROL ANGLE	2.00	051	ST
579899	LOCK:TYP FORK ADJUSTMENT	8.00	051	ST
621963	RING:APLC SEA/COOLING/CHILLED WATER PAC	1.00	051	ST
774383	STUD-CNTNUS-THRD;3/4IN,10 UNC,200MM,B7	10.00	051	EA
642621	GSKT:ADAPTER	2.00	051	ST
609725	KIT,VALVE REPAIR:GLAND PACKING AND SEAT	1.00	051	ST1
798755	RELAY,TIME DELAY:0.05 SEC-300 HR	2.00	011	ST
601479	O-RING:MT NBR,APLC AGITATOR	3.00	051	ST
1602682	VLV-GATE:TYP BOLTED BONNET,VLV SZ 6IN,DS	1.00	051	EA
802910	PACKING:ID 30 X OD 46 X THK 8MM,GRAPHITE	1.00	051	ST
624576	INSERT:TYP DISC	1.00	051	ST
1545816	PLATE,METALLIC:SIZE WD 500 X LG 2000 X T	1.00	131	EA
584473	METER:TYP KILLOWATT HOUR	1.00	101	ST
585020	DISC	1.00	051	ST
102366	SPRING,COMPRESSION:CLOSED	1.00	051	ST
1627382	THRMTR-DIAL;BI-METALLIC,5IN,NPT 1/2IN,SS	1.00	051	ST
583294	SHAFT,PUMP:	2.00	900	ST
1203316	BRG-SLV;55MM,DU-BUSHING/LINED,60MM,30MM	1.00	051	EA
634481	PIN,TAPER:	1.00	051	ST
625331	FILTER,ELECTRONIC:440V 75A 3PH	1.00	031	ST
1220605	MODULE:TYP SIPLUS S7-300 SM322,INPUT 48-	1.00	031	EA
608295	SOCKET,ELECTRICAL:TYP FREE STRAIGHT	10.00	021	ST
1080199	O-RING: INSIDE DIAMETER 35MM,WIDTH	2.00	051	EA
642417	BALL,VALVE:MT PERBUNAN	2.00	051	ST
583112	LIGHT,INDICATING:TYP PILOT,VOLT 250V	8.00	021	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
579113	CONTROLLER,PNEUMATIC:	1.00	061	ST
596717	FILTER,OIL:CELLULOSE PAPER	1.00	051	ST
644784	GSKT JKTD:ID 33 X OD 39MM,AL,SHP ROUND	1.00	051	ST
632776	THERMOWELL:DRILLED BARSTOCK,450MM,MT SS	1.00	061	ST
587558	KIT,VALVE REPAIR:BALL VALVE	1.00	051	ST
579563	THRMTR-DIAL;-40 TO 40°C,SS,LG 15-9/16IN	1.00	101	ST
589596	COIL,ELECTRICAL:TYP AIR CIRCUIT BREAKER	2.00	011	ST
1024043	BREAKER, CIRCUIT: AMPERAGE 1A,POLE 1	1.00	011	EA
597013	SPNDL;RELIEF VALVE,DIA 12 X LG 110MM	2.00	101	ST
625409	FUSE:2A,550VAC; 250VDC	12.00	021	ST
586912	HORN:RT 220VAC 50HZ	2.00	121	ST
642415	CONE:	1.00	051	ST
585026	DISC,VALVE:VLV SZ 1IN,CHECK	1.00	051	ST
883318	SET:TYP CONNECTION PIECES	1.00	081	ST
634409	VALVE:TYP SENTINEL WARNING,BDY MATL SS	1.00	051	ST
594144	O-RING:	2.00	051	ST
625325	GLAND,CABLE:TYP COMPRESSION	38.00	021	ST
623023	SWTCH-SLCTR:TYP ELECTRO,ACTN SPRING RETU	1.00	021	ST
965897	FOIL: TYP ICP ANALYZER TORCH,SIZE 1FT	2.00	001	FT
589229	SEAL:GLAND	1.00	051	ST
581296	CRCUT;RELAY INTERFACE,SF6 SURVEY	1.00	011	ST
607556	COUPLING,PIPE:SZ 2-1/2 X 2IN,MT PVC AST	2.00	051	ST
617752	BREAKER,CIRCUIT:3A,400VAC,INTP CAP 6KA	2.00	011	ST
605378	SWITCH,PUSHBUTTON:500VAC 10A,SPST,1NO	2.00	021	ST
1232951	VALVE,RELIEF:TYP PRESSURE SAFTY,DSGN RT	1.00	051	ASY
902339	CABLE,COMMUNICATIONS:TYP V-NET	1.00	031	EA
582838	THERMOMETER,DIAL:RNG -40 TO 60IN	1.00	101	ST
1247398	CLAMP:TYP BOTTOM TRAY,SIZE DIA 52 X THK	20.00	051	EA
615437	RING:PTFE,APLC CHILLER PACKAGE	2.00	051	ST
603599	RIG-RTNG;INTERNAL,SPRING STEEL	2.00	051	ST
589676	CONTACTOR:TYP MAGNETIC,AMP 500A,3 POLE	1.00	011	ST
644712	GSKT PRE-CUT :ASBESTOS/TEADIT NA 1000	4.00	051	ST
604600	FUSE:250A,660VAC; 460VDC,CENTRE BLADE	11.00	021	ST
600032	GSKT,SPWD:GRAFOIL,IRID 950MM,SS 316	1.00	051	ST
625486	CONTACTOR:TYP MAGNETIC,3 POLE,460VAC	2.00	900	ST
1223814	ROTOR:TYP HORIZONTAL,APPL TURBINE METER,	2.00	081	ASY
702578	NUT,LOCK:DIA 5/16IN,STEEL	2.00	051	EA
9102235	CLAMP,TUBE,TYPE:RAA-216 AL (TO BE DELETE	20.00	051	ST
600396	GSKT,SPWD:SHP RECTANGULAR	2.00	051	ST
1240460	ROPE:TYP 3-PLY TWISTED,SIZE DIA 12MM,MAT	7.00	121	M
604467	ELEMENT:	2.00	051	ST
1046288	VALVE, RELIEF: VALVE SIZE 3/4 X 7 X 1IN	3.00	051	EA
615095	CLR;DIA 5 IN X THK 2MM,SS DIN WN 1.4541	3.00	051	ST
597089	SPRING,VALVE:SS DIN WN 1.4310	25.00	051	ST
609597	HOSE;LG 500MM,PN 25,SWIVEL FPT X MPT	1.00	051	ST
583171	LENS,INDICATING LIGHT:TYP SIGNAL	2.00	021	ST
644900	VALVE,SOLENOID:ST 5/2 WAY,ELEC TRT 24V	1.00	051	ST
1022979	BOARD: TYP INPUT/OUTPUT,P/N:1087-242	2.00	051	EA
725243	SPRING:	1.00	051	ST
610673	THRMTR	2.00	061	ST
641843	BRG,SLEEVE:ID 50MM,TYP STRIP,OD 158MM	10.00	051	ST
588868	UNIT:TYP EMERGENCY,APLC EXPLOSION PROOF	3.00	051	ST
1238604	KIT,SEAL:TYP SOFT PARTS,APPL PUMPS,DOC:0	1.00	051	KIT
583158	LAMP,INCANDESCENT:TYP MINIATURE PILOT	2.00	021	ST
603222	SEAL,OIL:MT NBR/SPHC	2.00	051	ST
587617	KIT,TERMINATION:XTV	5.00	021	ST
726739	SEAT:AL CAST BS1490-LM25	1.00	051	ST
1214411	POWER SUPPLY:TYP Q CONTROLLER,INPUT 100-	1.00	021	EA
593348	GSKT PRE-CUT :	4.00	051	ST
643874	DISC,VALVE:SS 316,SAFETY RELIEF	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
636645	SPRING:MT AS JIS G3522 SWPB	1.00	051	ST
636967	SEAT,VALVE:SS 304	1.00	051	ST
957542	GSKT PRE-CUT : MNFR:DRESSER-RAND	13.00	051	ST
586316	BRG,FLG:BALL,ID 1-11/16IN,BOLT 4	1.00	051	ST
1226547	RING,WEAR:INSIDE DIAMETER 288MM,MATL AST	1.00	081	EA
912486	VALVE,SOLENOID:ELEC TRT 230VAC 50HZ	2.00	051	EA
578835	SHOWER:	13.00	121	ST
634797	HEATER:TYP LONG LINE	80.00	001	M
584510	BLOCK,CONTACT:TYP EMERGENCY STOP	2.00	021	ST
582708	PICK-UP:TYP I.S TURBINE METERS	1.00	061	ST
585184	FILTER:	1.00	031	ST
628007	PLUG,VALVE:VLV SZ 1-1/2IN,CONTROL,SS	1.00	051	ST
580435	SHAFT:	1.00	051	ST
262714	SWTCH-PRSUR;45PSI G,SPDT,NO-NC,5A	1.00	011	EA
590341	RELAY:COIL 220VAC 60HZ,4PST	6.00	900	ST
606701	SCREW,CAP:M30 DIA,100MM LG,HEX SOCKET	32.00	051	ST
587197	MOTOR:TYP SPRING CHARGING,RT 220VAC 60HZ	1.00	051	ST
1029635	GAUGE, PRESSURE: RANGE 0-1.6BAR	2.00	101	EA
637198	BELLOWS:TYP EXPANSION,MT INCOLOY 800H	1.00	051	ST
616392	METER:TYP AMPERAGE,RNG 0-100/200/5A	2.00	101	ST
581867	PIPE:SZ DIA6 X 4	1.00	131	ST1
642752	RING:TYP STUFFING BOX	7.00	051	ST1
9101913	SWITCH , PRESSURE 2 BAR G , P/N:125-PSL-	1.00	051	ST
585497	SPRING,VALVE:SS 316	1.00	051	ST
612371	GSKT PRE-CUT :ROUND	1.00	051	ST
616811	SWTCH-SLCTR:TYP PANEL,SZ WD 48 X LG 108M	2.00	021	ST
635215	PLUG:TYP WALL,SZ M12 X 80MM,APLC FILTER	3.00	051	ST
642918	GSKT:	8.00	051	ST
1024254	OILER: TYP BOTTLE,CAPACITY 4OZ	1.00	101	EA
625021	O-RING:MT NITRILE RUBBER	5.00	051	ST
630572	GSKT:SS 316	2.00	051	ST
833476	BRG-BAL;12MM,37MM,12MM,DOUBLE SEAL,STEEL	3.00	051	ST
628601	RETAINER:TYP SEAL RING	1.00	051	ST
584826	DIAPHRAGM,VALVE:VLV SZ 1/2IN	2.00	051	ST
363210	O-RIG;56MM,3MM,NBR	5.00	051	ST
595204	GSKT:ID 18 X OD 22MM,SEAL RING,THK 1.5MM	2.00	051	ST
635499	SEAT,VALVE:BALL/ON-OFF	1.00	051	ST
578447	KIT-SEAL:TYP SOFT PARTS,CMPNNT QTY GASKE	2.00	051	ST1
624208	COUPLING: TYP OIL PUMP,P/N:SS0624208	1.00	051	ST
589694	CONTACTOR:TYP MAGNETIC,AMP 125A,3 POLE	3.00	900	ST
70532	BRG-BAL:IBI 13169,I DIA 45MM,OUT DIA 85M	1.00	051	ST
615062	RDUCR-PIPE;6 X 5IN,BW,ECCENTRIC,DIN 2463	1.00	051	ST
586842	SPIDER:TYP ROLLER	2.00	051	ST
555654	ACID, INORGANIC: NAME NITRIC ACID	7.00	001	BOT
615633	RING:	2.00	051	ST
603722	TEE,TUBE:SZ OD 8MM,TYP CONNECTOR	3.00	051	ST
595664	ROD;PUSH,ID 2 X OD 8 X LG 187MM,STEEL	1.00	131	ST
606217	BOLT;5/8IN,6IN,BRASS	10.00	051	ST
600363	GSKT,SPWD:SHP ROUND,APLC CASE	4.00	051	ST
610651	PULY-V-BELT	3.00	051	ST
582289	FUSE:2A	3.00	021	ST
1209844	DISPLACER:TYP LEVEL,SIZE 2IN,MATL SS 316	1.00	061	EA
585655	OPEN TARGET	1.00	051	ST
599677	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	1.00	051	ST
634398	CELL:TYP FITTING	1.00	011	ST
606615	SCREW:9/32IN DIA,1IN LG,STEEL,THD 20 UNC	1.00	051	ST
1085153	ISOLATOR: TYP BEARING,P/N:5021636270	1.00	031	EA
857749	GSKT,SPWD:14IN,150LB,PTFE GLASS FILLED	2.00	051	ST
643493	O-RING:	2.00	051	ST
587330	KIT,VALVE REPAIR:SEAL; CVRSN	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
599371	GSKT PRE-CUT :NON ASBESTOS,ROUND	1.00	051	ST
117764	GAUGE, PRESSURE: DIAL SIZE 1-1/2IN	1.00	051	EA
624018	FUSE:0.75A,250VAC	10.00	021	ST
623199	CHARGER,BATTERY:	1.00	021	ST
584341	STEM,VALVE:MT SS 316L	2.00	051	ST
1607424	STUD-ASMBLY:TYP FULL THREAD,DIA 3/4IN,LG	24.00	051	ASY
697353	COIL,ELECTRICAL:FUNC TRIP	1.00	011	EA
581455	INTEGRATED CIRCUIT:FUNC 64K X 8BIT	1.00	011	ST
615553	BUSH,PUMP:BRONZE BC6/B584,THROTTLE	2.00	081	ST
1226564	RETAINER:TYP OIL RING,SIZE SQ 86 X LG 30	1.00	051	EA
627280	GSKT,SPWD:GRAPHITE,SS 316	1.00	051	ST
584126	PUMP,ROTARY:TYP OIL,MOTOR	1.00	081	ST
612664	GUARD:	4.00	121	ST
591066	TIMER:TYP ELECTRONIC,OPER ON DELAY,CONT	2.00	011	ST
577087	SEAT,VALVE:	1.00	051	EA
800791	GSKT,SPWD:8IN,300LB,GRAPHITE,SS 316	1.00	051	ST
591906	SEAT,VALVE:VLV SZ 1-1/2 X 1-1/2IN,MANUAL	1.00	051	ST
737199	KIT,SEAL:APLC MECHANICAL SEAL	3.00	051	KIT
644745	GSKT,SPWD:4IN,300LB,GRAPHITE,SS 316	1.00	051	ST
1090356	IMPLR-FAN:TYP AIR BLOWING,DIA 280MM,BR 4	1.00	081	EA
737208	KIT,SEAL:APLC MECHANICAL SEAL	2.00	051	KIT
798535	HEATER:TYP SELF REGULATING	20.00	011	EA
628069	SEAT,VALVE:VLV SZ 2IN,CONTROL,UNS S31603	1.00	051	ST
580038	LAMP,FLUORESCENT:W 16W,TYP LINEAR	2.00	021	ST
586625	BELT,CONVEYOR:SZ WD 500MM X LG 12.1M	2.00	051	ST
594608	PACKING:SQUARE,TYP RING	4.00	051	ST
723735	RETAINER:TYP PRESSURE RELIEF VALVE,MT	1.00	051	ST
1560889	SWITCH,PRESSURE:TYP ADJUSTABLE,CLASSIFIC	2.00	061	ST
599457	GSKT,SPWD:PTFE,SS 316,APLC CASING	1.00	051	ST
614243	RESISTANCE: 360KVAR	1.00	031	ST
409420	MODULE:INTERFACE,PROGRAMMABLE LOGIC	2.00	031	EA
603712	CNCTR-ELECT;SPADE,1; 1.5-2.5MM2,PUSH ON	2.00	021	ST
579913	LAMP,INCANDESCENT:W 21W,VOLT 12V	2.00	021	ST
584833	DIAPHRAGM:TYP CAUSTIC,MT HYPALON	5.00	051	ST
645854	WASHER:CS JIS G3101,SS400,BEARING	1.00	051	EA
904146	GAUGE,PRESSURE:0-160MBAR,100MM,G 1/2IN	1.00	101	EA
737269	D:VLTG 1000V,AM 1A,P/N:340-1508,MNFR:GUT	1.00	031	ST
432973	CNTCT-AUXLRV:TYP CONTACTOR / RELAY,CNTCT	5.00	021	ST
999335	CONE: TYP VALVE,P/N:523673 01	2.00	051	ST
630568	SEAT,VALVE:VLV SZ 4IN,CONTROL,SS 316	1.00	051	ST
613227	AMPLIFIER:TYP BUFFER	1.00	031	ST
1557542	CRD ELECTRNC:TYP QUADRO GRAPHIC,FNCTN DI	1.00	031	EA
635650	KIT-CYLNR-RPR:TYP SOFT PART,CMPSNG GAS	1.00	091	ST1
599353	GSKT:ID 34 X OD 50MM,THK 1MM,ROUND,IRON	14.00	051	ST
112212	RELAY,TIME DELAY:0.1-1S,COIL 110VDC,3PDT	1.00	051	EA
991538	VALVE, GLOBE: VALVE SIZE 3/4IN	1.00	051	EA
1216278	AMPLIFIER:TYP TRIP,INPUT 0-24MA,O/P 4-20	3.00	031	EA
615730	BUSH,PUMP:SS ASTM A276 / SS JIS G4305 GR	2.00	081	ST
587896	KIT-CMPRSR-RPR;FILTER	5.00	081	KIT
603796	SLV;ID 50 X OD 55 X LG 56MM,VALVE	2.00	051	ST
1022980	BOARD: TYP I/O BACK PLANE,P/N:1085-308	1.00	051	EA
617463	GSKT:ID 16.2 X OD 19.9MM,SEAL RING	13.00	051	ST
700561	BLCK-TRMNL;4,SHORTING	2.00	011	EA
586019	BALL,VALVE:VLV SZ 3/4IN	1.00	051	ST
592892	GSKT,SPWD:150LB,GRAPHITE,IRMT SS	2.00	051	ST
898220	BREAKER,CIRCUIT:200A,380-415/500VAC	1.00	011	EA
1521999	SEAT-VLV:TYP BACK PRESSURE,VLV TYP CONTR	1.00	051	EA
144873	SEAT-VLV;1-1/2IN,SS	2.00	051	EA
9101974	GASKET, P/N: 6/7 (TO BE DELETED REF.RTSN	4.00	051	ST
629941	EYE:TYP SUSPENSION SHORT	1.00	101	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
579210	GAUGE,PRESSURE:0-4BAR,150MM,MNPT 1/2IN	1.00	101	ST
210722	PACKING:ID 28.4 X OD 41 X THK 22MM,PTFE	1.00	111	ST
627663	RELAY,TIME DELAY:OPER ON DELAY	2.00	011	ST
609988	PLATE,WALL:TYP WEATHERPROOF COVER	1.00	021	ST
585918	VALVE,GATE:VLV SZ 1IN,DES RTG CL 800	1.00	051	ST
638110	SEAL:FLEX	1.00	051	ST
644421	NUT,HEX:DIA 24MM,GS,HT 25MM,THD 3MM	21.00	051	ST
1232985	ASSEMBLY:TYP FASTENER,APPL SIEVE TRAYS,D	50.00	081	ASY
587956	KIT,VALVE REPAIR:SEAL	2.00	051	KIT
1086770	GSKT JKTD: SIZE ID 990 X OD 1060MM	2.00	051	EA
627147	PACKING:GRAPHITE,ROUND,TYP SEALING RING	1.00	051	ST
615772	BUSH,PUMP:BRONZE BC6/B584,BEARING COVER	1.00	081	ST
642884	SEAL,RING:ID 78MM,THK 2MM	1.00	051	ST
610570	ACTUATOR:TYP DAMPER,RT 230VAC 50/60HZ	2.00	061	ST
1064135	REAGENT:TYP FERROMO,TRADE NAME IRON TEST	3.00	001	PKG
601384	GSKT PRE-CUT :VITON,ROUND	1.00	051	ST
591135	CPCTR	1.00	031	ST
619573	GSKT PRE-CUT :PTFE	1.00	051	ST1
600962	GSKT PRE-CUT :ROUND	1.00	051	ST
802912	PACKING:ID 35 X OD 22 X THK 7MM,GRAPHITE	2.00	051	ST
596537	DISC:ARMATURE	2.00	051	ST
1204198	SCREW,SET:DIAMETER M10,HEAD HEX SOCKET,M	3.00	051	EA
292064	VLV-SLND;5/2-DIRECTIONAL,5/2 WAY,1-10BAR	3.00	051	EA
1205179	TRANSFORMER,CURRENT:CRRNT RTIO 50:0,TYP	1.00	011	EA
1003909	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
582218	THERMOSTAT:TYP (2) POSITION SWITCH	1.00	081	ST
612244	BUSH,PUMP:SS 416,STUFFING BOX	2.00	081	ST
579723	CNSL;SWITCH PLATE,WD 90 X LG 240MM	1.00	061	ST
581521	MODULE:(32) DIGITAL INPUT	2.00	031	ST
70021	RGNT;COMBITITRANT 5,DARK BROWN,BOTTLE,1L	5.00	001	BOT
585407	SPRING,VALVE:SS	32.00	051	ST
579163	DTCTR-FIRE-PRTCTN;OPTICAL BEAM SMOKE	1.00	121	ST
416802	WASHER,LOCK:SS 316L,ID 112 MM,OD 160 MM	1.00	051	EA
579058	CONTROLLER:TYP TEMPERATURE,RNG 20-150DE	1.00	081	ST
616838	BRG,BALL:TYP NON-DRIVE END,P/N:6206Z,MNF	2.00	051	ST
627631	CONTACTOR:TYP MAGNETIC,COILV 220VAC 60HZ	2.00	011	ST
605783	TRANSFORMER,INSTRUMENT:CURR RT 2000/1A	1.00	011	ST
584164	FLINGER:TYP LIQUID DRIVE SIDE	1.00	081	ST
635193	INSUL:	1.00	001	ST1
595269	SEAL,MECHANICAL:UNBALANCED	2.00	900	ST
580917	PLUG-VLV;CONTROL,DN 15-50MM	1.00	051	ST
644614	THERMOWELL:TYP SCREWED,STRAIGHT,3IN,9-1	4.00	061	ST
798342	RIG;ROPE GUIDE,CI,DIA 12MM	1.00	051	ST
642523	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
635519	SEAT, VALVE: VALVE TYPE BALL/ON-OFF	1.00	051	ST
642697	GUIDE,VALVE:VLV ST BALL,VLV SZ DN 25	4.00	051	ST
602898	RING,BACK-UP:ID 250MM,MT GF PTFE	1.00	051	ST
1205066	VALVE,BALL:VALVE SIZE 1IN,DSGN RT DN 25,	1.00	051	ASY
799474	CIRCUIT:TYP MOTHERBOARD	3.00	011	EA
615663	COUPLING,SHAFT:RIGID FLEXBILE,OD 110MM	1.00	051	ST
631265	TRANSMITTER, PRESSURE: RANGE 0-40BAR G	2.00	061	ST
630192	CLAMP:TYP TUBE,MT AL	2.00	051	ST
405487	GUG-PRSUR;0-30PSI G,55MM,THREAD,SUPPLY	6.00	900	ST
1524721	INTRFC	1.00	071	EA
371820	BREAKER,CIRCUIT:4A,230/440VAC	1.00	021	ST
578191	KIT-VLV-RPR:TYP SOFT PARTS,APL VALVE PLA	1.00	051	ST
631108	CONVERTER:TYP UNIVERSAL INTERFACE	1.00	061	ST
795422	ASSEMBLY:ELECTRONIC CHASIS	1.00	081	ST
598111	BRG-RLR;SINGLE,35MM,72MM,17MM,52049	4.00	051	ST
645029	GSKT PRE-CUT :CORK,FF	1.00	031	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
624963	BLOCK,TERMINAL:ELEC TRT 15A	3.00	021	ST
333533	RELAY, OVERLOAD: AMP RANGE 5.5-8A	1.00	011	ST
604345	CONTACTOR:TYP CONTROL,AMP 25A,3 POLE	2.00	011	ST
1082118	GAUGE, VACUUM: RANGE EN 837.3,FILLED NON	1.00	061	EA
586448	BRG:HIGH SPEED	1.00	051	ST
623042	PROCESSOR:	1.00	031	ST
619867	SPRING:TYP PRESSURE	6.00	051	ST
639824	GSKT:COVER	2.00	051	ST
608439	BURETTE:TYP AUTOMATIC,CAP 50ML,MT GLASS	2.00	071	ST
630217	O-RING:	5.00	051	ST
596371	GLND-PCKG;STUFFING BOX,HTS	4.00	051	ST
618059	BUSHING,ELECTRICAL CONDUCTOR:	1.00	021	ST
586037	GLAND,PACKING:TYP YOKE	1.00	051	ST
252008	COIL,ELECTRICAL:ELEC TRT 220VAC 50HZ	2.00	011	EA
639628	PLUG,VALVE:VLV SZ 3IN,PLUG	1.00	051	ST
590396	BLOCK:TYP TEST MODULE	1.00	031	ST
1084543	DEFLECTOR:TYP OIL,SIZE ID 42 X OD 74 X T	1.00	081	EA
9101732	SHAFT,PINION,Z-12KPL	1.00	051	ST
585733	VALVE,BALL:VLV SZ 1IN,DES RTG CL 800	1.00	051	ST
608365	FORK:TYP SHIFT	2.00	091	ST
583098	LAMP,INCANDESCENT:TYP MINIATURE PILOT	17.00	021	ST
618104	SEAL;ID 90 X OD 112 X HT 5.5MM	1.00	051	ST
584627	FILTER,ELEMENT:SS 316	1.00	051	ST
1202614	CAPACITOR:CAPACITANCE 40000UF,VOLTAGE 70	1.00	031	EA
604916	ASSEMBLY:TYP FUSE ENCAPSULATION	6.00	021	ST
624505	GLASS,SIGHT:	1.00	101	ST
1078994	KIT, VALVE REPAIR:	3.00	051	KIT
849591	MODULE,POWER SUPPLY:PLC	1.00	031	EA
578420	SET:TYP GLAND PACKING	1.00	081	ST1
588268	GSKT PRE-CUT :GRAPHITE,ROUND,****,12IN	4.00	051	ST1
617640	PULLEY,V-BELT:SPB,GROOVE 3,DIA 190MM	1.00	051	ST
600426	GSKT:HOUSING	9.00	051	ST
1054153	CORD, COMMUNICATIONS: TYP MODBUS	1.00	031	EA
627646	FUSE:80A,500VAC	2.00	021	ST
580173	OIL,INDUSTRIAL:DRUM 200L	1.00	001	DR
581073	ADAPTOR,HOSE TO PIPE:BARBED	2.00	081	ST
1024046	BREAKER, CIRCUIT: AMPERAGE 0.5A,POLE 1	1.00	011	EA
642522	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
616732	METER,ELECTRICAL:TYP FREQUENCY	1.00	101	ST
629476	TERMINAL:	8.00	021	ST
591487	NUT,HEX:DIA 1-1/8IN,CS ASTM A194,GR 2H	2.00	051	ST
616701	MTR-ELECT;FREQUENCY,55-65HZ	1.00	101	ST
616187	LENS,INDICATING LIGHT:COLOR AMBER	2.00	021	ST
1235244	VLV-RLF:TYP SAFETY,DSGN RTNG 150 X 150LB	2.00	051	EA
619303	VALVE:TYP HYDRAULIC DUAL,VLV SZ DN 13	1.00	900	ST
585211	FLOAT:MT SS 321	1.00	061	ST
593671	O-RIG;48MM,3MM	12.00	051	ST
103489	SEAT,VALVE:VLV SZ 2 OR 3 X 2IN,COCR-A	1.00	051	EA
610019	BLOCK,TERMINAL:	1.00	021	ST
612738	DIFFUSER:TYP OPAL PRISMATIC	2.00	081	ST
614642	CUPLG	1.00	051	ST
1059608	NOZZLE: TYP MOTIVE NOZZLE,SIZE DN 80	1.00	051	EA
615611	RETAINER:TYP SLEEVE	1.00	051	ST
587950	KIT-VLV-RPR;SEAL	1.00	051	KIT
9101905	TERMINAL,SPADE FOR HV BUSHING,POS#:I	1.00	051	SE
595707	SHEET:WD 1000 X THK 1MM,MT AL 3003	120.00	131	M
613289	KIT-VLV-RPR:TYP SOFT PART,APL CONTROL (S	2.00	051	KIT
1607374	KIT-ACTUTR-RPR:TYP SOFT WEAR,CMPRSNG O-R	1.00	061	KIT
1225951	NUT,HEXAGON:DIAMETER 32MM,MATL SS,GRD B5	3.00	051	EA
260677	GSKT:NITRILE RUBBER	2.00	011	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1595993	KIT-VLV-RPR:TYP MAINTENANCE,APL BUTTERFL	2.00	051	KIT
635652	KIT,ACTUATOR REPAIR:TYP SERVICE	2.00	061	ST1
587077	ASSEMBLY:SCREW	1.00	081	ST
601212	GSKT PRE-CUT :WD 165 X LG 315MM,GRAPHITE	2.00	051	ST
929132	LIGHT, INDICATING: TYP PILOT LED	1.00	021	EA
579031	COMPENSATOR:TYP DISCHARGE SIDE	1.00	051	ST
631215	GSKT:I/P UNIT	2.00	051	ST
944885	RING:	1.00	051	ST
761389	SEAL,LABYRINTH:ID 65 X OD 95 X THK 16MM	2.00	051	ST
1644169	COAT;UV PROTECTION,CUSTOM FIT,PLASTIC	1.00	051	EA
600185	GSKT PRE-CUT :	20.00	051	ST
608880	FLASK:TYP VOLUMETRIC,CAP 100ML,MT	31.00	071	ST
894811	O-RIG;40.95MM,2.62MM,VITON A,90,FILTER	10.00	051	ST
634069	GSKT:PLUG,STEEL	1.00	051	ST
9102460	POTASSIUM SULPHATE	5.00	051	KG
614789	IMPLR-PUMP:DIA 166MM,TYP CLOSED,MTRL SS	1.00	081	ST
619672	O-RING:MT FKM,APLC PROPORTIONING PUMP	2.00	051	ST
976333	GSKT PRE-CUT : SHAP ROUND,TYP FLAT FACE	12.00	051	ST
614839	O-RING:	2.00	051	ST
592522	GSKT PRE-CUT :	2.00	051	ST
23975	KIT,VALVE REPAIR:APPL SAFETY RELIEF VALV	1.00	051	ST
594403	PACKING:SQUARE,TYP RING	1.00	051	ST
583387	BLOCK:TYP VOLTAGE TEST	1.00	021	ST
286285	RELAY:COIL 24VDC,6PST,CONT 240VAC 6A	2.00	051	EA
602130	PACKING:ID 58 X OD 84 X THK 12.7MM	1.00	051	ST
599740	GSKT,SPWD:GRAFOIL,SS 316,APLC DISC	1.00	051	ST
577989	KIT;GASKET AND SMALL PARTS	1.00	081	ST
616030	SWITCH,DISCONNECT:1250A,TYP LOAD BREAK	2.00	011	ST
620300	SHAFT:MT AS ASTM A322 GR 4140	1.00	051	ST
604624	FUSE:50KA,4.8KV,DIA 21 X LG 143MM	3.00	021	ST
1249331	VALVE,RELIEF:TYP PRESSURE,BODY MATL ASTM	1.00	051	EA
592885	GSKT,SPWD:300LB,GRAPHITE,SS 316,IRMT SS	2.00	051	ST
642526	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
1555271	REDUCER,PIPE:SIZE 8 X 6IN,CNCT BW,MATL S	2.00	051	EA
590529	RELAY,PROTECTION:RT 120VAC 60HZ 3PH	1.00	031	ST
808093	KIT-VLV-RPR:TYP SOFT PARTS,CMPRSNG ORING	1.00	051	KIT
589798	THERMOCOUPLE:TYP K,INS DIA 4.8,DESLG 12	1.00	061	ST
1235799	GUIDE,VALVE:VLV STYL PRESSURE RELIEF VAL	1.00	051	EA
1214865	GSKT,SPWD:TYP BASIC WITH INNER AND OUTER	2.00	051	EA
331090	BRG - BALL DEEP GROOVE - 30X 55X 13MM	1.00	051	ST
636849	PIN:SS 403	1.00	051	ST
623845	TIMER:OPER CYCLIC	1.00	101	ST
628461	CIRCUIT:TYP SPEED MONITOR AMPLIFIER,APLC	1.00	011	ST
624554	PACKING:TYP AUX. OIL PUMP AND CONDE	1.00	051	ST1
1079018	IMPELLER: TYP WEAR RING,P/N:4022430200	1.00	081	EA
592980	GSKT PRE-CUT :ID 62 X OD 85 X THK 5MM	1.00	051	ST
579814	BEAKER:MT POLYMETHYLPENTENE,CAP 100ML	2.00	071	ST
583940	RELAY,OVERLOAD:0.63-1A,THERMAL MODULE	1.00	011	ST
1072025	KIT, VALVE REPAIR: APPL CONTROL VALVE	1.00	051	KIT
624931	TERMINAL:TYP STRIP	2.00	021	ST
581463	MODULE:CONTROL,I/P 24VDC 0.5A	1.00	031	ST
1022974	MODULE, POWER SUPPLY: O/P 15A,INPUT 10A	1.00	031	EA
616024	BREATHER:CONN FPT	1.00	081	ST
584615	LINING:TYP BRAKE	2.00	081	ST
282429	PIN;1CM,5.5CM	1.00	051	EA
605755	TRANSFORMER,INSTRUMENT:CURR RT 2000/1A	1.00	011	ST
582830	THERMOMETER,DIAL:RNG 0-300DEG C	1.00	101	ST
627370	MODULE:TYP 8 DIGIT COUNTER	2.00	900	ST
615748	RETAINER:TYP SLEEVE	1.00	051	ST
636899	SPRING: MATL SS ASTM A313 GR TP304	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
31162	SEAL:TEFLON GLASS FILLED,FLANGE ADAPTER	1.00	051	KIT
601823	O-RING:MT BUNA-N,SHOR - HRD 70A	4.00	051	ST
1080196	GAUGE: RANGE 0-100DEG C,TYP TEMEPERATURE	1.00	101	EA
627034	BREAKER,CIRCUIT:4A,400VAC,INTP CAP 6KA	1.00	011	ST
875881	RING:ID 1-3/4 X OD 2-1/4IN	1.00	051	EA
630221	SCRW-CAP;6MM,25MM,HEX SOCKET,1MM	1.00	051	ST
635229	WASHER,PRESSURE CLEANING:AXIAL PRESSURE	1.00	051	ST1
1024330	ASSEMBLY: TYP BOBBIN COIL,P/N:810390	1.00	081	ASY
593032	GSKT-PRE-CUT;RECTANGULAR,CORK	2.00	051	ST
9101655	ASSY,PIPE TAIL	1.00	051	ST
633042	RING,LANTERN:MT SS 316	2.00	081	ST
587368	GASKET SET:	8.00	051	ST1
598881	HUB:SZ DIA 180/110-H6/62-H7 X 134	1.00	051	ST
598933	MOTOR,ELECTRIC:0.55KW/0.75HP,220/380VAC	1.00	011	ST
616988	CABLE,POWER:TYP HEAT RESISTANCE	44.00	021	M
643220	PIN:	1.00	051	ST
901613	RESISTOR,NETWORK:2 X 12OHM	1.00	031	EA
630187	BOLT,MACH:HD HEX	1.00	051	ST
47863	GSKT,SPWD:SHP ROUND	2.00	081	EA
595403	DISC:ID 40 X OD 150 X THK 30MM,SHAFT	1.00	051	ST
610124	SWITCH,SELECTOR:TYP VOLTMETER,3PST,7	2.00	021	ST
1051180	PSTNR-VLV;4-20MA	1.00	061	SE
578506	O-RING SET:	1.00	051	ST1
1031942	KIT, VALVE REPAIR: APPL GATE VALVE	1.00	051	KIT
469783	O-RING: INSIDE DIAMETER 184.3MM	2.00	051	EA
602835	RING,PISTON:ALLOY 25,TYP CONTROL VALVE	1.00	051	ST
594488	RIG;COLLAR,STEEL	2.00	051	ST
586880	GEAR,WORM:	1.00	081	ST
635727	PACKING:V#6500	1.00	051	ST
595356	KIT,PUMP REPAIR:TYP SEALING	1.00	081	ST
604631	FUSE:2A,250V,DIA 5 X LG 20MM,FERRULE	4.00	021	ST
759029	O-RIG;95MM,2MM,NBR,70,PORTAL-RECLAIMER	1.00	051	ST
643857	DISC,VALVE:SS ASTM A276,304,VLV SZ 4 X L	1.00	051	ST
578523	KIT,CYLINDER REPAIR:PISTON,BRAKE MASTER	1.00	091	ST1
780795	INSERT:TYP PILOT BURNER - COMPLETE	2.00	051	ST
612282	SPACER:TYP GUIDE BLADE RING	3.00	051	ST
597847	HLMT-WLDG;FIBRE GLASS	9.00	121	ST
587138	ASSEMBLY;BELLOW	1.00	081	ST
590669	SWITCH,PUSHBUTTON:COLOR RED	3.00	011	ST
600070	GSKT,SPWD:GRAFOIL,IRID 660MM,SS 316	3.00	051	ST
587626	KIT,VALVE REPAIR:HI-SEAL	2.00	051	KIT
579829	BURETTE:TYP AUTOMATIC,CAP 25ML,MT GLASS	6.00	071	ST
1613120	GSKT-ST:APL PRRESSURE SAFETY VALVE,MTRL	3.00	051	SE
601954	O-RING:APLC ANALYZER	4.00	051	ST1
587901	KIT,VALVE REPAIR:GASKET AND PACKING	2.00	051	KIT
772311	MODULE:CATALYTIC SENSOR DRIVE	4.00	031	EA
1038723	BRG,BALL:INSIDE DIAMETER 200MM,OUTSIDE D	2.00	051	EA
1043520	RING, WEAR: INSIDE DIAMETER 114MM	2.00	081	EA
604334	CONTACTOR:TYP MOTOR,AMP 0.8-1.2A,3 POLE	2.00	011	ST
583772	CIRCUIT:TYP (8) ANALOG INPUT	2.00	011	ST
624161	BRG-RLR:P/N:31000-1151,MNFR:PHILADELPHIA	2.00	051	ST1
641892	KIT-VLV-RPR:TYP SOFT PARTS,APL PRESSURE	1.00	051	ST
604641	FUSE:500A,250V,DIA 5MM,FERRULE	10.00	021	ST
600814	GSKT,SPWD:T#1995/NON ASBESTOS,SHP ROUND	1.00	051	ST
688367	SWTCH;MICRO,125VAC 5A,SPDT,1NO-1NC	2.00	051	EA
613157	OPERATOR,SWITCH:TYP PUSHBUTTON STOP	2.00	011	ST
588009	BEARING:	1.00	051	ST1
875590	ORFC;MULTIPLE	1.00	051	ST
602312	PACKING:GRAPHITE/TEFLON BRAIDED (GTJ +	4.00	051	ST
617688	GSKT:	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
634530	SEAL,RING:APLC STEAM DRIVE TURBINES	1.00	051	ST
808926	SET:TYP BODY SEAT RING,APLC GATE VALVE	2.00	081	SE
620007	GSKT PRE-CUT :RUBBER	7.00	051	ST
245879	MODULE:CONTROL,ANNUNCIATOR SYSTEM	1.00	031	EA
620515	STUD CNTNS THD:DIA 7/8IN,THRD 9 UNC,LG 6	1.00	051	ST1
868747	CHEMICAL:P-XYLENE,TYP STANDARD,APLC GC	2.00	001	BOT
638052	BUSH:CARBON	1.00	051	ST
589210	SLEEVE:TYP MECHANICAL SEAL,MT SS 403	3.00	051	ST
622370	HEAD:TYP SIGNAL	6.00	101	ST
969261	GAUGE, PRESSURE: RANGE 0-60BARG	1.00	101	EA
1078793	BOLT, LINER: DIAMETER 1IN,LENGTH 355MM	22.00	051	KIT
604231	COIL,ELECTRICAL:FUNC CONTACTOR HOLDING	1.00	011	ST
9102250	BREAKER, CIRCUIT, THERMAL 400VAC, POLE 3	3.00	051	ST
616663	SWITCH,PUSHBUTTON:240-500VAC 8-4A,SPDT	2.00	021	ST
606750	SCREW,MACHINE:M6 DIA,20MM LG	50.00	051	ST
714886	GAUGE,PRESSURE:	1.00	900	EA
9101867	KIT,SEAT & SEAL	1.00	051	KIT
592871	GSKT-PRE-CUT;ID 65 X OD 142 X THK 5MM	2.00	051	ST
579924	LAMP-INCNDSCNT;TURN SIGNAL	2.00	021	ST
605109	RELAY:COIL 230V,4PST,CONT 600VAC 10A	1.00	011	ST
643883	GSKT-ST:APL SAFETY VALVE,QTY 3PC,MTRL AR	2.00	051	ST
1031258	THRMTR;0-100°C,LG 445MM	6.00	061	EA
738354	BELLOWS:TYP VALVE	1.00	051	ASY
74319	BLCK-CNTCT:TYP AUXILIARY,ELCTRCL RTNG 69	2.00	021	ST
1574460	VLV-SLND:VLV SZ 6IN,STYL 3/2 WAY,ELCTRCL	1.00	051	EA
639480	WSHR;STEEL	1.00	051	ST
590797	SWITCH,SELECTOR:	10.00	021	ST
297943	SEAL-OIL;32MM,52MM,7MM,STEEL/NBR A 72	2.00	051	ST
602995	SEAL-LBYRNTH	2.00	051	ST1
605034	RELAY:CONT 10A	2.00	011	ST
623666	CIRCUIT,POWER SUPPLY:	1.00	900	ST
596486	COCK;DRAIN,G 1/2IN,BSP	1.00	051	ST
1054331	STIRRER: TYP MOTOR DRIVEN,P/N:MDM-MO	1.00	071	ASY
1214538	SWITCH,NETWORK:TYP ETHERNET,PORT/QUANTIT	1.00	031	ST
726962	VALVE,RELIEF:VLV SZ 3/4IN,TYP SAFETY	1.00	051	ST
610591	IMPLR-FAN	2.00	081	ST
734787	WSHR-FLAT:I DIA 20MM,THK 0.3MM,OUT SZ 31	1.00	051	EA
9101711	TRANSMITTER, PRESSURE, (SMART), 25 MBAR	1.00	051	ST
520755	BRKR-CRCUT;100A,220-690V AC,65/100KA,3	1.00	021	ST
584547	GUIDE,VALVE:MT SS ASTM A276	2.00	051	ST
1046832	TRANSFORMER,INSTRUMENT:TYP CURRENT,CURRE	1.00	011	EA
928469	CONTROLLER, ELECTRONIC: TYP SPEED	1.00	031	EA
594401	KIT;SHAFT PACKING	2.00	081	ST
636811	BALL:MT STEEL ASTM A295 GR A52100	1.00	051	ST
593753	O-RIG;19.3MM,2.4MM,NEOPRENE RUBBER,60A	5.00	051	ST
578138	KIT;REPAIR	5.00	081	ST
620290	SHAFT:MT AS ASTM A322 GR 4140	1.00	900	ST
588119	GSKT SET:	1.00	051	ST1
587629	KIT,VALVE REPAIR:HI-SEAL	1.00	051	ST
1024801	GSKT JKTD: JACKET MATERIAL SS 316L	2.00	051	EA
738764	RAM:TYP VALVE	1.00	061	ST
615211	SWITCH,SELECTOR:	2.00	021	ST
602065	O-RING:APLC SHAFT BUSHING	2.00	051	ST
524881	TRMNL;WD 50 X LG 135 X HT 47MM	1.00	051	ST1
626929	CONVERTER:TYP DC/DC,O/P 124/110VDC 100W	1.00	061	ST
612228	SWTCH-PRSUR;0.5-8BAR,SPDT,FPT 3/8IN	1.00	061	ST
1607219	NPL-PIPE:TYP CONCENTRIC SWAGE,SZ 1-1/2 X	1.00	051	EA
904147	GAUGE,PRESSURE:0-250MBAR,100MM,G 1/2IN	1.00	101	EA
923739	STUD:LG 215MM,SS 310,TWIST LOCK	80.00	051	ST1
638564	GSKT PRE-CUT :ID 508 X OD 533 X THK 3MM	3.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
593304	GSKT PRE-CUT :SIZE ID 206 X OD 217 X THK	2.00	051	ST
579478	SWITCH,TEMPERATURE:20-120DEG C	1.00	021	ST
617683	ASSEMBLY:TYP NOZZLE	12.00	051	ST
590235	CONVERTER:TYP DC/DC,O/P 90-270/24VDC	2.00	061	ST
612879	RING,WEAR:APLC 1ST STAGE IMPELLER HUB	2.00	081	ST
635122	BLOCK,TERMINAL:TERM STUD,CIRCUIT 3	4.00	021	ST
609625	PIN:	2.00	051	ST
637076	GSKT PRE-CUT :ROUND,HOLES WIITHOUT	2.00	051	ST
619614	ADAPTOR:TYP PLUNGER,CS JIS G3101,SS400	1.00	051	ST
611353	COUNTER:TYP IMPULSE	1.00	011	ST
587162	ASSEMBLY:SAMPLE CYLINDER	7.00	900	ST
635668	PACKING:CARBON,RECTANGULAR-ROUND	1.00	051	ST1
584256	BARRIER:TYP SINGLE CHANNEL	3.00	031	ST
593904	O-RING:ID 9-1/2IN,WD 1/4IN	1.00	051	ST
600407	GSKT:	1.00	051	ST
593212	GSKT PRE-CUT :ID 77 X OD 91 X THK 2MM	60.00	051	ST
587310	KIT-PUMP-RPR:TYP SOFT PARTS,CMPRSNG GASK	1.00	081	ST
616625	METER,ELECTRICAL:TYP AMMETER,RNG 0-3KA	2.00	101	ST
284693	SEAT,VALVE:SS 316	2.00	051	EA
799477	BLOCK,TERMINAL:ELEC TRT 800VAC 24A	299.00	021	ST
934322	MBRN-CUPLG;FLEXIBLE PUMP TO MOTOR,SS	1.00	051	SE
603799	SLEEVE:TYP PLUG VALVE	5.00	051	ST
628561	O-RING:MT NBR	1.00	051	ST
578405	SET:	2.00	081	ST1
585837	VALVE,GATE:VLV SZ 1/2IN,DES RTG 150LB	1.00	051	ST
606803	SCREW,CAP:M6 DIA,16MM LG,CSK,THD 1MM	32.00	051	ST
1236306	ASSEMBLY:TYP CSP UNION,APPL LP STEAM CON	1.00	081	ASY
616200	CONTACTOR:TYP POWER,AMP 20A,4 POLE,COILV	2.00	011	ST
785323	SPRING:SS 316,TYP SEAL	1.00	051	ST
583811	MODULE:CONTROL RELAY	1.00	031	ST
599571	GSKT PRE-CUT :CARBON	1.00	051	ST
624915	PROTECTOR:	2.00	011	ST
604804	FUSE;QUICK ACTING,1A,250V AC,GLASS	5.00	021	ST
1040625	SWITCH, LIMIT: ACTION DPDT,CNTCT RT 10A	1.00	061	EA
641955	KIT-SEAL:TYP GASKET & PACKING,APL PRESSU	6.00	051	ST1
626941	MDUL;DIGITAL OUTPUT	1.00	031	ST
604633	FUSE;CURRENT LIMITING,200A,5000V,FERRULE	3.00	021	ST
626907	POWER SUPPLY: TYP MODULE,MOUNT VERTICAL	2.00	021	ST
837152	STUD CNTNS THD:TYP BOLT,DIA 1-1/4IN,THRD	20.00	051	EA
1566088	KIT,VALVE REPAIR:APPL BUTTERFLY VALVE,TY	2.00	051	KIT
591690	SCREW:ADJUSTING	2.00	051	ST
592514	GSKT-PRE-CUT;ID 102 X OD 110 X THK 3MM	1.00	051	ST
631091	CONTROLLER: TYPE POSITION/TORQUE	1.00	061	ST
632642	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG SWITCH	1.00	051	KIT
589894	FUSE:15A,600VAC; 300VDC	39.00	021	ST
1046834	TRANSFORMER, INSTRUMENT: VA RATING 10VA	1.00	011	EA
636253	SPRING:AS JIS G4801 GR SUP8	2.00	051	ST
771062	PIN:	2.00	051	ST
578721	SILENCER:TYP SOUND SILENCER,CNCT NPT 1/2	2.00	051	ST
606377	NUT,LOCK:DIA M150,CS,WASHER,THD 2MM	1.00	051	ST
590339	RELAY,PROTECTION:OVERCURRENT	2.00	900	ST
584379	THERMOMETER,DIAL:TYP ADJUSTABLE ANGLE	1.00	101	ST
122619	CONROD:TYP ASSEMBLY,APP PUMP	1.00	101	EA
969265	SWITCH, LEVEL: ACTION SPDT,MNFR:ELMESS	1.00	061	EA
642748	RING:PTFE/KOHLE,TYP SLIDING	8.00	051	ST
812881	MODULE:TEMPERATURE MONITOR	2.00	031	EA
592528	GSKT PRE-CUT :	2.00	051	ST
619869	RING,RETAINING:	10.00	051	ST
602062	O-RING:MT NITRILE RUBBER	2.00	051	ST1
642463	SEAL:GF/PTFE,SLEEVE	5.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1071179	KIT:TYP REPLACEMENT,CMPRSNG BUSHING/ORIN	2.00	081	KIT
634507	GSKT:THRT CAP/BONNET	1.00	051	ST
579211	GAUGE,DIFF.PRESS.:0-40MBAR,160MM	1.00	061	ST
9102429	HYDROGEN PEROXIDE 30% AR GRADE	74.00	051	L
621902	BREAKER,CIRCUIT:400A,POLE 3	1.00	011	ST
162895	FUSE:3A,125VAC,DIA 6.3 X LG 32MM,FERRULE	5.00	051	EA
945384	ELBOW,PIPE:SZ 1-1/2IN	2.00	051	ST
615298	RING,BACK-UP:MT PTFE	2.00	051	ST
624474	GSKT:CHANNEL	3.00	051	ST
609833	VALVE,SOLENOID:ELEC TRT 230VAC 50HZ	1.00	051	ST
629169	SPRING,VALVE:STEEL WIRE JIS 3561 SWOCV-V	2.00	051	ST
920660	FITTING,OUTLET:TYP SOCKOLET,RUN SZ 6IN	2.00	051	EA
600066	GSKT,SPWD:GRAFOIL,IRID 305MM,SS 316	2.00	051	ST
254297	PUMP-DPHRGM;SAMPLE GAS PUMP	1.00	081	EA
603363	CABLE,POWER:1 CORE CU,TYP BATTERY,2AWG	4.00	021	ST
635478	VALVE:VLV SZ 1/4IN,CONN NPT	1.00	051	ST
805617	TRANSDUCER:TYP CURRENT TO PRESSURE	3.00	061	ST
897789	TRANSMITTER,LEVEL:O/P 4-20MA DC	1.00	061	EA
632881	FUSE:	2.00	021	ST
585086	FILTER:TYP MODULE	1.00	011	ST
597718	VALVE,RELIEF:TYP GAS PRESSURE REDUCING	1.00	061	ST
616815	SWTCH-SLCTR:TYP PANEL,SZ WD 48 X LG 108M	2.00	021	ST
19962	GSKT PRE-CUT :ID 140 X OD 190 X THK 1MM	2.00	051	ST
780797	GSKT PRE-CUT :	2.00	051	ST
251874	CONTACTOR:AMP 25A,3 POLE	1.00	011	EA
642537	O-RING:APLC SEAL	2.00	051	ST
146533	KIT-VLV-RPR;MAINTENANCE,CONTROL VALVE	2.00	051	KIT
583624	CIRCUIT:TYP AMPLIFIER BOARD,APPL NUCLEAR	1.00	011	ST
992128	GSKT, SPWD: NOMINAL FLANGE SIZE 16IN	4.00	051	ST
800062	SEAT-VLV;GLOBE,1-1/2IN,PTFE	2.00	051	EA
584824	DIAPHRAGM:TYP OPERATING,SZ 2IN,MT TEFZEL	2.00	051	ST
1197366	RELAY: COIL V 125VDC	6.00	011	EA
926860	THERMOWELL: SHANK STYLE BARSTOCK TAPERED	1.00	061	EA
605451	SWITCH:TYP CAR RECALL OPERATION	1.00	011	ST
642937	LINE;5.5 X 2.5 X 425,PTFE/TURCITE	1.00	051	ST
600019	GSKT,SPWD:GRAFOIL,IRID 900MM,SS 316	3.00	051	ST
600869	GSKT PRE-CUT :KLINGERSIL C-4400	2.00	051	ST
9102272	FIXING PART FOR CURRENT TRANSFORMER(TO B	1.00	051	ST
1543250	WASHER,LOCK:SZ 15MM,INSIDE DIAMETER 15MM	2.00	051	EA
591898	SEAT,VALVE:VLV SZ 1-1/2 X 6IN,MANUAL	1.00	051	ST
1022544	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
604233	COIL,ELECTRICAL:FUNC CONTACTOR HOLDING	1.00	011	ST
593080	GSKT-PRE-CUT;HOSE COUPLING,ROUND	2.00	051	ST
616829	BLOCK,TERMINAL:	8.00	021	ST
589792	THERMOCOUPLE:TYP K,INS DIA 4.8MM,DESLG	1.00	061	ST
609590	SPRG-CMPSN;57MM,370MM,CLOSE/GROUND	3.00	051	ST
607575	HUB;COUPLING	1.00	051	ST
600039	GSKT:ID 1022 X OD 1041 MM,FLTG HEAD	2.00	051	ST
1078813	RING, WEAR: INSIDE DIAMETER 247MM	2.00	081	EA
9102249	GRIP,STAR DWG#1831-II-K626-III-04-02,(BE	4.00	051	ST
590307	RELAY:TYP EMERGENCY STOP	6.00	051	ST
583215	COLLAR:TYP SHAFT,MT SS ASTM A473 GR 420	4.00	051	ST
827312	REDUCER,PIPE:SZ 24 X 20IN,BW	2.00	051	ST
624324	SPRING:TYP STEAM TURBINE	1.00	051	ST
1198278	REDUCER, PIPE: SIZE 12 X 6IN	2.00	051	EA
594397	PACKING:ID 27 X OD 43 X THK 5MM	15.00	051	ST
1526789	DIAPHRAGM,VALVE:SIZE ID 8 X OD 77 X THK	2.00	051	EA
603378	CABLE:TYP FLEXIBLE,SZ LG 100M/ROLL	1.00	021	ROL
1037900	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	1.00	051	EA
690692	KIT-ACTUTR-RPR;ACTUATOR	1.00	061	KIT

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
610895	SHIM:TYP FLOATING	1.00	051	ST
619982	RING:SS,TYP TENSION,APLC 1 ST STAGE	2.00	051	ST
961640	STRAINER, PIPING: TYP Y,SIZE 1IN,F1500	1.00	051	EA
584927	THYRISTOR:TYP DISC-N,AMPERAGE 700A,P/N:7	2.00	031	ST
900641	CONTACT,AUXILIARY:	1.00	011	EA
616615	SWITCH,SELECTOR:TYP AMMETER	1.00	021	ST
584393	METER:READOUT DIGITAL	1.00	101	ST
583740	ASSEMBLY: TYPE PHOTOCELL/PCB	2.00	081	ST
643166	SHIM:P/N:156770 701,MNFR:DRESSER-RAND,DO	2.00	051	ST
161754	GSKT JKTD:ID 679 X OD 705 X THK 3MM	2.00	051	EA
976506	SEAT, VALVE: MATL RULON,P/N:K9034DP	7.00	051	EA
604500	FUSE:11A,250VAC,DIA 5 X LG 20MM,FERRULE	2.00	021	ST
608482	BAFFLE:TYP OIL	1.00	081	ST
625427	SWTCH-PUSH;400VAC 10(6)A,SPST,1NC,RED	4.00	021	ST
1008099	GSKT, SPWD: NOMINAL FLANGE SIZE 1IN	1.00	051	EA
582647	GUG-PRSUR;0-2500KPA; 0-400PSIG,2-1/2IN	3.00	101	ST
629188	KIT-VLV-RPR:TYP SOFT PART,APL RELIEF,CMP	2.00	051	ST1
546405	BRG,BALL:IBI 10262,INSIDE DIAMETER 10MM,	1.00	051	EA
610312	VLV-GATE;PLANT CONTROL,PN 40	1.00	051	ST
613365	MTR-GRD;0.55KW,220/380VAC 3.2/1.84A 60HZ	1.00	900	ST
643603	BRG:	1.00	051	ST
616680	TRANSFORMER,INSTRUMENT:CURR RT 100/1A	2.00	011	ST
604070	BRKR-CRCUT;10A,240/415V,2,THERMAL	4.00	011	ST
900901	CONTACTOR:TYP MAGNETIC,POLE 3	1.00	011	EA
594595	SEAL,RING:ID 40MM,OD 60MM,THK 8MM,MT	1.00	051	ST
620286	SHAFT:MT AS ASTM A322 GR 4140	1.00	900	ST
913899	CBL-CMUNCTN;TINNED CU,24AWG,DATALENE	2,736.00	031	M
607979	NOZZLE:TYP GROUP,SZ 3/16IN,CONN MPT	1.00	051	ST
610578	SWITCH,FLOW:CONN PUSH ON,ACTN SPDT	1.00	061	ST
585452	SPRING,COMPRESSION:CLOSE/GROUND	1.00	051	ST
607855	INSERT:CARBIDE	30.00	051	ST
629578	TRAP,STEAM:MT SS ASTM A240 GR TP304L	2.00	081	ST
1246788	GSKT PRE-CUT :TYP FULL FACE,SIZE ID 219	2.00	051	EA
579664	TRANSMITTER,TEMPERATURE:	1.00	061	ST
588586	KIT,VALVE REPAIR:SEAT AND O-RINGS	1.00	051	ST1
732920	PLUNGR;TIP	1.00	900	EA
605475	OPERATOR,SWITCH:TYP PUSHBUTTON ILLUMINA	3.00	021	ST
9102244	SLEEVE,SPACER,PART#9093004(22) (TO BE DE	1.00	051	ST
622770	RIG;PRELOADING RESILIENT,MOTOR DE	1.00	051	ST
600599	GSKT:CHANNEL G-2	6.00	051	ST
622544	BEARING:	1.00	051	ST1
798661	GSKT,SPWD: MNFR: UNKNOWN,P/N: 3G32300364	1.00	051	ST
930339	COVER: MNFR:NEUMAN & ESSER GROUP	1.00	051	ST
600624	GSKT PRE-CUT :RUBBER,ROUND	1.00	051	ST
614228	RELAY,PROTECTION:UNDER CURRENT	2.00	031	ST
581975	CSG-PUMP;VOLUTE	1.00	900	ST
594112	O-RING:ID 17MM,WD 2MM	6.00	051	ST
594314	PCKG;ID 21 X OD 31 X THK 5MM,GRAPHITE	5.00	051	ST
644655	PLATE:TYP MOUNTING HOLDER	1.00	131	ST
630935	KIT:TYP DIAPHRAGM	1.00	081	ST
803174	KIT,SEAL:TYP GASKETS AND O-RINGS	1.00	051	SE
1003980	PLATE: TYP ORIFICE,SIZE 1/2IN	1.00	131	EA
884261	KIT,VALVE REPAIR:APPL SAFETY VALVE,TYP G	1.00	051	KIT
582721	PROBE:TYP VIBRATION,APLC CENTRIFUGAL CO	2.00	011	ST
901143	TRANSFORMER,INSTRUMENT:CURR RT 2000:1A	2.00	011	EA
596984	SEAT-VLV;BALL,50MM,53MM,75MM,10MM	1.00	051	ST1
636922	O-RING:	1.00	051	ST
847449	GSKT:ID 328 X OD 354MM,RING,THK 3.5MM	1.00	051	EA
589531	BREAKER,CIRCUIT:10A,400VAC,INTP CAP 1KA	6.00	011	ST
1036067	KIT, VALVE REPAIR: TYP SEAT	1.00	051	KIT

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
622305	OPERATOR,SWITCH:TYP PUSHBUTTON	5.00	011	ST
590818	SWTCH-SLCTR;CHANNEL	6.00	021	ST
653165	GLAND,PACKING:MT SS ASTM A351 GR CF8	1.00	051	EA
632773	THERMOWELL:DRILLED BARSTOCK,700MM,MT SS	1.00	061	ST
1032772	RING,WEAR:INSIDE DIAMETER 125MM,MATL SS	4.00	081	ST
459009	SCREW:M4 DIA,70MM LG	2.00	051	EA
592324	SOCKET,ELECTRICAL:TYP RELAY	8.00	021	ST
595817	METER,FLOW:TYP COUNTER	1.00	081	ST
625315	SHUNT:RT 60MV 10A	2.00	011	ST
602097	PACKING:GRAPHITE/P#6610/P#6315,TYP GLAND	2.00	051	ST1
693227	BEADS: MATL TIN,P/N:511-876,P/N:511-876	2.00	001	EA
644988	SET:TYP BATTERY	6.00	011	ST1
1003946	METER, FLOW: RANGE 0-110KG/HR	1.00	101	EA
636339	SEAT,VALVE:VLV SZ 1IN	1.00	051	ST
585855	VLV-CHCK	2.00	051	ST
582169	BLADE,FAN:SZ DIA 13FT	1.00	011	ST
585042	DISC,VALVE:SS ASTM A564,630,RELIEF	1.00	051	ST
611236	METER,ELECTRICAL:TYP AMMETER,RNG 0-800A	1.00	101	ST
640837	CONVERTER:TYP DC/DC,I/P 50 - 150V DC	1.00	061	ST
177644	FORM: NUMBER 0573-GA	76.00	141	PKG
1030010	MODULE, POWER SUPPLY: INPUT 18-72VDC	1.00	031	EA
965896	COIL: TYP RF,MNFR:PERKIN ELMER	1.00	081	ASY
612393	SEAT,VALVE:	2.00	051	ST
627379	LENS:	2.00	121	ST
604436	ELEMENT,HEATER:TYP PLATES,SZ DIA 135 X	2.00	011	ST
506011	CONTACTOR:400V,COILV 48VAC 4KW 60HZ	1.00	011	ST
605213	RELAY:COIL 230VAC,DPDT,CONT 230VAC 10A	2.00	011	ST
597747	HANDWHEEL:DIA 3IN,MT CI	1.00	051	ST
643890	DISC,VALVE:SS SEW 1.4122,X35 CRMO17	25.00	051	ST
1202618	SWITCH:TYP AUXILIARY CAM FOLLOWER,CNTCT	3.00	021	EA
371812	BREAKER,CIRCUIT:AMPERAGE 10A,VOLTAGE 230	2.00	021	ST
43422	DIAPHRAGM,VALVE:MT RUBBER,VLV SZ 4IN	1.00	081	EA
1612146	FTG-OUTLT:TYP WELDOLET,BRNCH CNCTN BW,RU	1.00	051	EA
732292	CABLE:	380.00	051	M
585977	VALVE:TYP DISCHARGE	6.00	051	ST
616717	SWTCH-PUSH:TYP PUSHBUTTON,CNTCT RTNG 600	3.00	021	ST
639486	O-RING:MT FKM	1.00	051	ST
587506	KIT-VLV-RPR:APL WAFER CHECK VALVE,CMPSRN	1.00	051	ST
619542	RING,PISTON:TYP OIL	1.00	081	ST1
968495	ELBOW, PIPE: SIZE 3/4IN,DEGREE 90,SMLS	5.00	051	ST
609989	BLOCK,TERMINAL:	1.00	021	ST
603130	SEAL,OIL:MT NBR	4.00	051	ST
798530	HANDWHEEL:TYP GATE VALVE,DIA 2-1/2IN	5.00	051	EA
612655	SWITCH:APLC EMERGENCY UNIT	12.00	021	ST
597092	SPRING,VALVE:MATL STEEL,OVERALL LENGTH 9	1.00	051	ST
432848	VALVE,SOLENOID:STYL 3 WAY,ELEC RT 24VDC	1.00	051	ST
636101	ASSEMBLY:TRANSFORMER	1.00	081	ST
1245470	STEM,VALVE:VLV STYL GATE VALVE,VALVE SIZ	1.00	051	EA
598531	BELT,V:OC 876.3MM,TOP WD 17.8MM,THK 6MM	4.00	051	ST
1045330	VALVE, RELIEF: VALVE SIZE 1 X E X 2IN	1.00	051	EA
998977	PLUG;SCREW,COLLECTING COVER	1.00	051	ST
587533	KIT,VALVE REPAIR:SOFT SPARES	1.00	051	ST
582914	PEN,INSTRUMENT:TYP PLOTTER,COLOR PURPLE	2.00	061	ST
1014226	VALVE, GATE: TYP WEDGE,VALVE SIZE 3IN	1.00	051	EA
543829	RELAY,PNEUMATIC:MOUNT BASE	1.00	900	EA
596463	FLTR-ELMNT;BASKET,DIA 48 X LG 115MM	1.00	051	ST
618433	CLUTCH:TYP SLIP	1.00	051	ST
583067	HEAD:TYP PILOT LAMP	3.00	101	ST
1034844	TRANSMITTER, PRESSURE: RANGE 5 TO 100BAR	2.00	061	EA
583873	MODULE:DC ALARM	1.00	031	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
589815	DETECTOR:TYP THERMOELEMENT	2.00	101	ST
638972	BRG:DODGE	1.00	051	ST
596062	GUIDE,VALVE:VLV ST CONTROL	1.00	051	ST
1089187	PLUG-VLV;GLOBE,3IN,CL 150/600LB	1.00	051	EA
578277	KIT,VALVE REPAIR:CONTROL VALVE SEAL	2.00	051	ST
604967	LIMITER:TYP SAFETY TEMPERATURE	2.00	031	ST
1030005	CELL, LOAD: TYP MICRO,CAPACITY 1000PSI	4.00	061	EA
627648	CONTACTOR:TYP MAGNETIC,COILV 220VAC 60HZ	2.00	011	ST
85373	GSKT PRE-CUT :IT-002	2.00	051	ST
609542	FUSE;SLOW BLOW,2A,250V,GLASS,FERRULE	7.00	021	ST
9101780	DEFLECTOR 60X12CRNI188 [TO BE DELETED	2.00	051	ST
629323	SEAT,VALVE:VLV SZ 20IN,CONTROL,BUNA-N	1.00	051	ST
449460	FUSE:AM 5A,SZ DIA 6.3 X LG 32MM,P/N:1701	5.00	041	EA
593036	GSKT PRE-CUT :ID 62 X OD 142 X THK 4.5MM	2.00	051	ST
589674	CONTACTOR:3 POLE,220VAC 60HZ	1.00	900	ST
601351	O-RING:MT NBR,APLC CCR REGENERATION ISO	2.00	051	ST
110484	O-RING:MT SILICONE RUBBER	4.00	051	EA
604880	FUSE:35A,550VAC,OFFSET BOLTED TAG	10.00	021	ST
604462	ELEMENT:	1.00	081	ST
589850	RTD:TYP PT100,WIRE 3	1.00	101	ST
68331	DISPLAY UNIT,DATA:P/N:K1541AE,MNFR:YOKOG	1.00	051	ST
581308	CIRCUIT:TYP INTERFACE CONTROL	1.00	011	ST
643678	O-RING:ID 19MM,WD 3.5MM,STD DIN 3770	2.00	051	ST
294053	OIL:TYP GEAR HD85W-140,CTNR DRUM 208L,ST	416.00	001	L
638817	KIT,VALVE REPAIR:PACKING RING AND GASKET	1.00	051	ST1
633100	SEAT,VALVE:VLV SZ 12IN,GLOBE,UNS S40300	4.00	051	ST
615628	KEY,SHAFT:TYP PARALLEL,MT SS ASTM	2.00	051	ST
901138	RELAY: COIL V 220V,CNTCT RT 600VAC 10A	1.00	011	EA
590318	RELAY:COIL 110VDC,4PDT,CONT 110VAC 7A	2.00	011	ST
634883	SOLUTION:TYP STANDARD CHEMICAL,CTNR BOTT	1.00	001	BOT
625319	SHUNT:RT 60MV 15A	2.00	011	ST
583751	CIRCUIT,POWER SUPPLY:TYP REGULATOR	1.00	021	ST
591986	BUSH:ALCOA A750,OIL CONSOLE UNIT	3.00	051	ST
930643	RELAY: COIL V 24VDC,CNTCT RT 250V 7A	2.00	011	EA
593249	GSKT PRE-CUT :ID 105 X OD 153 X THK 1MM	5.00	051	ST
642455	RING:TYP SEALING,APLC PLUG VALVE	5.00	051	ST
619871	BRG,BALL:CAGE MATERIAL BRASS,TYP DEEP GR	1.00	051	ST
580380	ROTOR:	1.00	081	ST
618092	MOTOR,ELECTRIC:11KW,380VAC 24A 60HZ	1.00	900	ST
582573	GUG-DFRNTL-PRSUR;0-5CM WC,LIQUID	1.00	061	ST
705096	KEY,SHAFT:TYP DRIVE	1.00	061	EA
622665	GSKT:OUTSIDE NDE	2.00	051	ST
578170	KIT-SEAL:TYP SOFT PARTS,CMPNNT QTY ORING	1.00	051	ST
590269	PROTECTOR;FLANGE LEAK	2.00	001	ST
588755	KIT-VLV-RPR:TYP SOFT PARTS,APL GATE,GLOB	1.00	051	ST1
590398	RELAY,PROTECTION:SYNCHRO CHECK,KAVS100	1.00	031	ST
590619	SWITCH,PRESSURE:6.3-42BAR,CSA; FM; UL	1.00	061	ST
594246	PCKG;PTFE,SQUARE SPLIT RING,RING	1.00	051	ST
770799	BUSH,VALVE:GOVERNOR VALVE ASSEMBLY	2.00	051	ST
615217	BLOCK,TERMINAL:ELEC TRT 800V	17.00	021	ST
608581	ASSEMBLY:SEAT	1.00	900	ST
583674	CIRCUIT:	2.00	011	ST
1244266	DIAPHRAGM,VALVE:SIZE 1.5IN,MATL PTFE,VAL	1.00	051	EA
9101993	PACKING,GLAND,MATL GRAPHITE FILAMENT YAR	5.00	051	ST
579143	MOUNT:TYP VIBRATION DAMPER	3.00	051	ST
637831	BELLOWS:TYP FLEXIBLE EXPANSION,PN 10,MT	1.00	051	ST
586205	BRG,SLEEVE:TYP STEM,MT REINFORCED TEFLON	2.00	051	ST
629521	GSKT:NEOPRENE RUBBER,CASING	6.00	051	ST
1032590	PIN: P/N:TPI-3*50,DOC:10910-0900	1.00	051	ST
961614	GSKT PRE-CUT : FLANGE RATING 150LB	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1233150	DISC-VLV;PVC,0-150PSI,1-1/2IN,SAFETY	2.00	051	EA
595220	GSKT PRE-CUT :KLINGERSIL C-4400,ROUND	2.00	051	ST
639630	PLUG,VALVE:VLV SZ 4IN	2.00	051	ST
613565	CNVRTR-SGNL;CURRENT TO PNEUMATIC (I/P)	2.00	061	ST
587396	KIT:TYP VANE	2.00	081	KIT
596063	GUIDE,VALVE:VLV ST CONTROL	3.00	051	ST
634576	PIN:DISC	2.00	051	ST
614223	TRANSFORMER,INSTRUMENT:VA RT 5VA	10.00	011	ST
582219	HEATER,SPACE:TYP THERMOSTAT,SZ WD 64 X	2.00	081	ST
614920	BUSH,PUMP:TYP DRIVE BEARING	2.00	051	ST
598487	BELT,V:IN CIRC 487,TOP WD 10MM,THK 8MM	4.00	051	ST
578068	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG PACKIN	1.00	051	ST1
642717	RING:TYP STUFFING BOX	7.00	051	ST1
612294	GSKT,SPWD:GRAPHITE,METAL,SHP ROUND	1.00	051	ST
579925	BULB:TYP CLEARANCE AND MARKER	2.00	021	ST
596282	PIECE:TYP DISTANCE	2.00	051	ST
609258	LIGHT:	1.00	021	ST
617605	PTNTMTR;LINEAR,5K OHM,160W,320DEG	2.00	031	ST
521935	GSKT:OD 22MM,FF,THK 0.2MM,ROUND,PTFCE	4.00	051	EA
848976	STUD CNTNS THD:TYP BOLT,DIA 5/8IN,THRD U	2.00	051	ST
578845	FAN:TYP INTERNAL VENTILATOR	3.00	081	ST
9102046	SEAL,MECH. 43 MMDIA,QR1C1-BD (USE 63-06-	1.00	051	ST
253597	BRKR-CRCUT:AM 4A,TYP AUTOMATIC,P/N:5SX21	7.00	031	EA
588768	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG PACKIN	1.00	051	ST1
589541	BREAKER,CIRCUIT:63A,400VAC,INTP CAP 6KA	1.00	011	ST
585053	DISC,VALVE:SS ASTM A276 GR 316 STELLITED	1.00	051	ST
882645	FILTER, ELECTRONIC: FREQUENCY 47-63HZ	1.00	011	EA
591501	NUT,HEX:DIA 1-1/8IN,CS ASTM A194,GR 2H	4.00	051	ST
607284	BUSH,PUMP:GUIDE	12.00	081	ST
628880	GSKT PRE-CUT :NON ASBESTOS	1.00	051	ST
594483	SPCR;RING DISTANCE,STEEL	2.00	051	ST
9101728	SHAFT,39 MMDIA X 715 MMLG,STEEL	1.00	051	ST
587187	DTCTR-RSTNC-TMPRTUR:STM SZ DIA 3MM,DOC:D	2.00	101	ST
1003952	METER, FLOW: RANGE 0-4400KG/HR	1.00	101	EA
591802	WASHER:DISHED PACK	1.00	051	ST
12161	STUD CNTNS THD:DIA 1-1/4IN,THRD 8 UN,LG	22.00	051	ST
84500	BUSH:TI.0711	52.00	051	ST
632772	THERMOWELL:DRILLED BARSTOCK,300MM,MT SS	1.00	061	ST
590659	SWITCH,SELECTOR:	1.00	021	ST
583692	MODULE:TYP DAUGHTER BOARD	1.00	011	ST
594328	PACKING:ID 15 X OD 23.5 X THK 8MM	2.00	051	ST
621924	POWER SUPPLY:	3.00	900	ST
601310	O-RING:ID 64.4MM,WD 3.1MM,MT VITON	2.00	051	ST
627357	BREAKER,CIRCUIT:10A,24/120VAC,POLE 1	2.00	011	ST
1632561	BTL;BOD, STORAGE,473ML,GLASS,CAP SCREW	1.00	051	PAK
604133	BREAKER,CIRCUIT:2A,400VAC,INTP CAP 6KA	10.00	011	ST
9102413	BEARING, NU 220 E	3.00	051	ST
1086694	SLIPPER: TYP SPARE SLIP,SIZE 4IN	4.00	081	EA
594674	SEAL,RING:	22.00	051	ST
588863	UNIT:TYP ASPIRATOR	2.00	051	ST
616627	METER,ELECTRICAL:TYP WATT,RNG 0-3MW	1.00	101	ST
593167	GSKT PRE-CUT :ID 60 X OD 68 X THK 2MM	10.00	051	ST
605516	SWITCH,PRESSURE:TYP OIL	1.00	061	ST
1059597	NOZZLE: TYP MOTIVE NOZZLE ,MATL 1.4571	1.00	051	EA
587344	KIT, VALVE REPAIR: TYP BLADDER SEAL	1.00	051	ST
604770	FUSE:0.5A,250VAC,DIA 5 X LG 20MM,FERRULE	10.00	021	ST
608942	FUNNEL:SZ OD 80MM,MT BOROSILICATE GLASS	19.00	071	ST
580343	PSTN	1.00	900	ST
745563	CNTCT-AUXLRV;LV SWITCHBOARD,1NO-1NC,2-6A	1.00	011	ST
201577	O-RING:ID 54.6MM,WD 5.7MM,MT NBR	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
642632	GSKT:	1.00	051	ST
615557	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	2.00	081	ST
643574	SHAFT:	1.00	051	ST
583907	MODULE:TYP AO,APLC INTEGRATED CONTROL S	10.00	031	ST
613222	VLV	1.00	051	ST
579637	TRANSMITTER,DIFF.PRESS.:RNG 20-600MBAR	1.00	061	ST
580958	PLUG,VALVE:VLV SZ DN 25-50,SS	1.00	051	ST
755385	SEAL,RING:	1.00	051	EA
589091	BLOCK:TYP RC	1.00	131	ST
587934	KIT-VLV-RPR:TYP SOFT PARTS,APL ISOLATION	1.00	051	KIT
596122	HANDLE:	1.00	101	ST
620649	PLATE:TYP SEAL,APLC ELECTRIC MOTOR	2.00	131	ST
581257	CRCUT;TRANSISTOR RELAY	2.00	011	ST
903937	BREAKER, CIRCUIT: AMPERAGE 2A,POLE 2	1.00	011	EA
609974	SWITCH:ACTN SPST,CONTRT 120/277VAC 20A	4.00	021	ST
627175	ASSEMBLY:BELLOW	1.00	081	ST1
949929	KIT, VALVE REPAIR: APPL GATE VALVE 6IN	1.00	051	EA
1611354	KIT-VLV-RPR:TYP SOFT WEAR,APL TRIPLE ECC	1.00	051	KIT
592026	SCREW,CAP:	200.00	051	ST
1240791	FUSE:TYP TIME DELAY,AMPERAGE 4A,VOLTAGE	6.00	021	EA
617539	PIN:DIA 6MM,LG 10MM	2.00	051	ST
601628	O-RING:MT METALLIC	7.00	051	ST
633128	POSITIONER,VALVE:TYP ELECTRO PNEUMATIC	1.00	061	ST
901712	TUBE:TYP FLUORORESIN,SZ 3 X 2 X LG 1 M	1.00	131	EA
734784	PLUNGER:TYP CONTROL DRILL ROD	1.00	051	EA
603575	CLMP;80 X 20,GS	2.00	051	ST
624675	BUSH, VALVE: MATL PTFE,VALVE SIZE 12IN	1.00	051	ST
587433	KIT,VALVE REPAIR:BUTTERFLY VALVE	1.00	051	ST
607342	BUSH,VALVE:ID 1-3/8IN,OILITE GUIDE	1.00	051	ST
583950	HOSE, FLEXIBLE METAL: CNCT MPT,TYP AIR	6.00	051	ST
630947	KIT-ACTUTR-RPR:TYP SOFT WEAR,CMPSNG DAM	1.00	061	ST
1022677	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	3.00	051	EA
605773	TRANSFORMER:VA RT 1260VA	2.00	011	ST
605943	D;RECTIFIER,1000V,1A,3W,(2) AXIAL LEAD	29.00	031	ST
642426	SEAL:GRAPHITE	4.00	051	ST
589156	CIRCUIT:TYP CONNECTOR	3.00	011	ST
600254	GSKT,SPWD:44IN,300LB,GRAPHITE	3.00	051	ST
633124	GSKT:SEAT,ROUND	1.00	051	ST
1229152	STUD-CNTNUS-THRD:TYP BOLT AND NUT,DIA 7/	17.00	051	ASY
736092	BRKR-CRCUT:AM 3A,VLTG 240V AC,PL 1,TYP T	6.00	051	ST
623643	SWITCH:TYP CONTROL	2.00	021	ST
579595	TRNSDUCR;VOLTAGE TO CURRENT	1.00	061	ST
596921	GASKET,PRE-CUT:MT NBR	2.00	051	ST
602948	SEAL,MECHANICAL:BALANCED CARTRIDGE	2.00	900	ST1
1617411	CNTRLR;ELECTONIC,0-10%,0.5%,O2 ANALYZER	1.00	061	ST
568935	GSKT:WD 58 X LG 58MM,SPECIAL,THK 0.86MM	3.00	051	EA
119146	O-RIG;ELECTRONICS, P38/P39	12.00	051	ST1
578069	KIT-VLV-RPR:TYP SOFT PART,CMPSNG GASKET	1.00	051	ST1
586539	BRG:SZ ID 20MM	4.00	051	ST
643605	BRG:	1.00	051	ST
642604	RING:APLC DIESEL ENGINE GENERATOR	1.00	051	ST
9101939	GASKET,SPINNING,61 MMID X 106 MMOD X 3 M	25.00	051	ST
608296	SOCKET,ELECTRICAL:TYP FREE STRAIGHT	10.00	021	ST
599489	GSKT PRE-CUT :PTFE GLASS FILLED	10.00	051	ST
900947	MOTOR,ELECTRIC:0.21KW,380VAC 0.69A 60HZ	1.00	011	EA
592430	GSKT-PRE-CUT;COVER,ROUND,GRAPHITE	1.00	051	ST
582906	THERMOWELL:250MM	34.00	061	ST
901183	UNIT,CONTROL:TYP THYRISTOR SWITCHING	1.00	011	EA
597011	SPINDLE:TYP RELIEF VALVE,SZ DIA 10 X LG	1.00	101	ST
312026	RGULTR-PNUMTC;PRESSURE	3.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
589202	SLEEVE:TYP MECHANICAL SEAL,MT SS ASTM A	1.00	051	ST
607889	INSERT:CARBIDE	12.00	051	ST
109200	O-RIG;171MM,3.53MM,FKM,BEARING HOUSING	2.00	051	EA
579833	PIPETTE: TYPE VOLUMETRIC,CAPACITY 50ML	4.00	071	ST
643726	BRG,ROLL:ID 20MM,OD 35MM,WD 2MM,TYP	1.00	051	ST
603149	KIT,VALVE REPAIR:RELIEF VALVE,REPAIR	2.00	051	ST
611524	BREAKER,CIRCUIT:25A,400VAC,INTP CAP 6KA	2.00	011	ST
1585897	DMSTR-PAD;SEGMENT,SS 304L,ROUND,GRID	1.00	051	ASY
607713	END:TYP STOP	2.00	051	ST
588404	GSKT PRE-CUT :	2.00	051	ST
628300	TRNSMTR-DFRNTL-PRSUR:TYP ELECTRONIC CELL	1.00	061	ST
592884	GSKT PRE-CUT :ID 335 X OD 351 X THK 1MM	2.00	051	ST
1557693	CONTACT:TYP VACUUM,AMPERAGE 400A,VOLTAGE	1.00	021	KIT
580573	SHAFT:WORM	1.00	051	ST
1033925	KIT-ACTUTR-RPR:TYP KIT,ACTUATOR REPAIR,C	1.00	061	KIT
616973	CABLE,POWER:TYP HEAT RESISTANCE	45.00	021	M
335338	LENS, 22.0MM DIA. YELLOW 3SB1001-6BD06	3.00	900	ST
596069	GUIDE,VALVE:VLV ST CONTROL	1.00	051	ST
597559	VALVE,RELIEF:TYP SAFETY	2.00	051	ST
644866	RSRVR;HELIUM,RUBBER	1.00	001	ST
76762	FUSE:10A,415V,DIA 20 X LG 80MM,OFFSET	6.00	051	ST
625357	CONVERTER,SIGNAL:TYP SIGNAL,I/P 4-20MA	1.00	061	ST
609823	INDCTR-SGHT-FLOW	2.00	061	ST
592959	GSKT-PRE-CUT;ID 855 X OD 910 X THK 0.5MM	1.00	051	ST
596742	FILTER,ELEMENT:SZ OD 95 X LG 125MM,MT F	4.00	051	ST
1022790	CUPLG;LG 90 MM,STEEL,SHAFT	1.00	051	EA
618493	FIXTURE:TYP LIGHTING	8.00	021	ST
585052	DISC,VALVE:SS ASTM A276 GR 316 STELLITED	1.00	051	ST
614220	POSITIONER,VALVE:	2.00	061	ST
588858	UNIT:	1.00	031	ST
195090	FUSE:2A,3.6-7.2KV,DIA 15 X LG 115MM	1.00	051	ST
605632	SWITCH,SELECTOR:380VAC 16A,TYP ROTARY	2.00	021	ST
605750	TRANSFORMER:VA RT 630VA,PRIM V 400VAC	1.00	011	ST
606907	STUD CNTNS THD:DIA 1/2IN,LG 1-1/2IN,MTRL	96.00	051	ST
900952	MOTOR,GEARED:ELEC RT 220-250VAC,PHASE SI	1.00	011	EA
623114	POTENTIOMETER:100OHM,10	21.00	031	ST
595197	SEAL,OIL:ID 37MM,OD 47MM,WD 4MM	1.00	051	ST
755424	RIG:TYP OIL SPLASH,MTRL STEEL,APL ROOTS	1.00	051	ST
606500	PIN,SPRING:DIA 3.5MM,LG 18MM	2.00	051	ST
642525	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
579175	DETECTOR:TYP SPEED	2.00	011	ST
644315	CLAMP:TYP QUICK CONNECT,SZ DIA 10-16MM	1.00	051	ST
1022679	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	1.00	051	EA
598545	BELT,TOOTHED:TYP NOTCHED	2.00	051	ST
600289	GSKT,SPWD:IRID 571MM,OR OD 628MM,IRMT SS	2.00	051	ST
619749	SEAT,VALVE:SS ASTM A276	1.00	051	ST
961346	RING: MATL SS UNS S31600,TYP FLOW	1.00	051	EA
614230	TIMER:OPER ON DELAY,SUPP 115VAC	1.00	011	ST
625349	HEATER:TYP ANTI CONDENSATION,RT 110V 60W	2.00	011	ST
640609	MODULE:OVERSPEED TACHOMETER	1.00	031	ST
1035819	O RING:INSIDE DIAMETER 8MM,WIDTH 1.5MM,M	1.00	051	EA
100853	BRG,ROLL:ID 120MM,OD 215MM,WD 58MM	8.00	051	ST
581507	MDUL;THYRISTOR/DIODE	3.00	031	ST
615782	DISC:	1.00	051	ST
822801	KIT,VALVE REPAIR:	2.00	051	KIT
1042408	PACKING:SHAP ROUND,TYP GLAND,P/N:0056758	1.00	051	SE
613328	BOLT,MACH:M8,LG 25MM,1.25MM,GR 8.8,HD	8.00	051	ST
1039041	KIT,SEAL:TYP SINGLE CARTRIDGE,APPL CENTR	3.00	051	KIT
871276	METER,FLOW:RNG 2-17NM3/HR	1.00	101	ST
593121	GSKT PRE-CUT :ID 185 X OD 245MM,PAPER	4.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
582012	PUMP,CENTRIFUGAL:CAP 2.5M3/HR,200-240VAC	1.00	900	ST
593785	O-RIG;7MM,4MM,BUNA-N	6.00	051	ST
643684	BUSH:BRUSHED	1.00	051	ST
600765	GSKT PRE-CUT :THK 1/16IN,PTFE,RF,1-1/4IN	3.00	051	ST
598314	BRG-BAL;15090,100MM,180MM,34MM,OPEN	4.00	051	ST
638966	O-RING:ID 17.5IN,WD 0.21IN	1.00	051	ST
578428	SEAL,OIL:MT BUNA-N/STEEL,TYP SHAFT RING	1.00	051	ST1
731538	SCREW:ADJUSTING	2.00	051	ST
632725	PROBE:TYP COMPRESSOR SHAFT VIBRATION	1.00	061	ST1
565594	O-RING:ID 28.24MM,WD 2.62MM,MT VITON	2.00	051	EA
644688	CIRCUIT,POWER SUPPLY:TYP TRANSMITTER	10.00	021	ST
611237	TRANSFORMER,INSTRUMENT:VA RT 5	1.00	011	ST
587434	KIT,VALVE REPAIR:BUTTERFLY VALVE	1.00	051	ST
609621	GEAR-WORM	1.00	081	ST
642737	SEAL:GFK/PTFE,STEM	8.00	051	ST
587926	KIT-VLV-RPR:TYP SPARE,APL THREADED BALL	1.00	051	KIT
9102273	TRANSFORMER,MULTI VOLTAGE,(TO BE DELETED	1.00	051	ST
179147	FLTR-ELMNT;HYDRAULIC OIL	2.00	051	EA
583159	LAMP,INCANDESCENT:TYP MINIATURE PILOT	2.00	021	ST
624291	SEAL,RING:	1.00	051	ST
599564	GSKT PRE-CUT :RTFE	2.00	051	ST
599497	GSKT PRE-CUT :TYP FLAT RING,SHAP ROUND,M	1.00	051	ST
578511	PACKING:TYP PISTON	2.00	081	ST1
579722	ANEMOMETER:TYP VANE,RNG 0-24M/S,ANALOG	1.00	061	ST
631629	NUT,CAP:	2.00	051	ST
643003	GSKT PRE-CUT :PTFE,COVER,DN 65	4.00	051	ST
899480	RELAY:COIL 230VAC 50HZ,4P,CONT 230VAC 6A	1.00	011	EA
604606	FUSE:125A,660VAC; 350VDC	41.00	021	ST
609211	SPNDL	1.00	101	ST
590461	RLY	2.00	011	ST
519098	CNTCT-AUXLRY;BASIC BLOCK,1NO-1NC,CSA	2.00	011	EA
607777	FLANGE:TYP FEMALE THREADED	2.00	051	ST
618432	TRANSDUCER:	1.00	061	ST
807523	KEY:TYP COUPLING-OIL LUB,MTRL CS ASTM A5	1.00	051	EA
642931	GSKT PRE-CUT :PTFE,COVER,DN 32	6.00	051	ST
581796	HOSE,HYD: NOMINAL DIAMETER 8	1.00	051	ST
589770	CUT-OUT,THERMAL:TYP AUTO,VOLT 20-30VAC	2.00	061	ST
582182	IMPELLER,FAN:TYP MOTOR COOLING	1.00	081	ST
597339	VALVE:VLV SZ ID 8 X OD 12MM,BDY MT STEEL	3.00	051	ST
643542	CYLINDER:	1.00	081	ST
592990	GSKT PRE-CUT :	1.00	051	ST
634542	SLEEVE:TYP OIL RING,APLC CASING END	1.00	051	ST
642954	PACKING:ALCHEM,TYP STUFFING BOX	6.00	051	ST1
599535	GSKT PRE-CUT :ROUND	2.00	051	ST
600068	GSKT,SPWD:GRAFOIL,IRID 660MM,SS 316	2.00	051	ST
594993	SEAL,OIL:ID 24MM,OD 36MM,WD 7MM	2.00	051	ST
738350	NOZZLE,VALVE:VLV SZ 4 X 6IN	1.00	051	ST
615409	BRG:INSERT	1.00	051	ST
610302	VLV-CNTRL;DN 80MM,PN 40,026-97	1.00	051	ST
825027	FAN:TYP EXTERNAL	4.00	081	ST
624201	BRG:A	1.00	051	ST
9102187	CHAIN,BUSH CONVEYOR,(TO BE DELETED)	1.00	051	EA
597107	SPRING,COMPRESSION:ID 12MM,OD 13MM,LG	8.00	051	ST
636998	POSITIONER,VALVE:	1.00	061	ST
601984	O-RING SET:APLC BEARING SLEEVE,3	2.00	051	ST
602583	RING,WEAR:	1.00	081	ST
642400	SPRING,VALVE:SS DIN WN 1.4310	2.00	051	ST
799217	MODULE:DISCRETE INPUT,I/P 24VDC	1.00	031	ST
621930	BREAKER,CIRCUIT:150A,600VAC,POLE 3	1.00	011	ST
601029	GSKT PRE-CUT :BODY	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
628060	SEAT,VALVE:VLV SZ 1IN,CONTROL	1.00	051	ST
809029	MODULE:ELECTRONIC CHASIS ASSEMBLY	1.00	051	ST
188514	SEAT,VALVE:VLV SZ 2IN,TRIM CONTOURED,SS	1.00	051	ST
590386	RELAY,PROTECTION:UNDERVOLTAGE	1.00	900	ST
596581	DISC,VALVE:DIA 34MM,BRONZE	1.00	051	ST
834253	VLV-CNTRL;SLIDE; ON-OFF FLAP,DN200,PN10	1.00	051	EA
599275	STATOR:TYP HIGH PRESSURE	1.00	011	ST
630553	VALVE,SOLENOID:ST 2 WAY	1.00	051	ST
1025003	STUD CNTNS THD:TYP BOLT,DIA 7/8IN,THRD 9	15.00	051	EA
608893	PT;GRADUATED,10ML,BOROSILICATE GLASS	6.00	071	ST
587201	KIT,VALVE REPAIR:TYP SOFT GOODS,DOC:F313	1.00	051	ST1
579822	BEAKER, LABORATORY: TYP GRADUATED	6.00	071	ST
606238	SCRW-CAP;6MM,20MM,HEX SOCKET,1MM,8.8	4.00	051	ST
586965	DISC,BRAKE:	1.00	051	ST
589791	THERMOCOUPLE:TYP K,INS DIA 4.8MM,DESLG	1.00	061	ST
596058	CARRIAGE:TYP GUIDE	4.00	001	ST
634206	BREAKER,CIRCUIT:16A,POLE 2,MINIATURE	1.00	011	ST
601407	O-RING:MT PTFE,APLC SLEEVE	4.00	051	ST
588967	FILTER,ELEMENT:SS 304,STRAINER SCREEN	1.00	051	ST
643658	BRG:AXIAL,STD DIN 5405	1.00	051	ST
582722	PROBE:TYP VIBRATION,MT STEEL	1.00	061	ST
587341	KIT,VALVE REPAIR:TYP SEAL	3.00	051	KIT
591808	WASHER:DISHED PACK	1.00	051	ST
630190	TEE,PIPE:MT STEEL	1.00	051	ST1
589534	BREAKER,CIRCUIT:6A,380VAC 60HZ,POLE 2	3.00	011	ST
9102140	SPRING,PLATE,A20,(TO BE DELETED)	494.00	051	ST
604489	FUSE:200A	6.00	021	ST
952341	VALVE,GATE:VALVE SIZE 8IN,DSGN RT 150LB,	4.00	051	EA
600909	GSKT PRE-CUT :	2.00	051	ST
615428	PACKING:250 X 10 X 10,TYP RING	1.00	051	ST
583229	COLLAR:TYP SHAFT,MT CEMENTED CARBIDE/WC	7.00	900	ST
594099	O-RIG;SEAL	1.00	051	ST
583164	LAMP,INCANDESCENT:TYP MINIATURE PILOT	2.00	021	ST
738352	SPINDLE:TYP VALVE	1.00	101	ST
630237	KIT:TYP SERVICE,APLC PNEUMATIC HOIST	1.00	081	KIT
1080187	FILTER, OIL: P/N:11317299,MNFR:COPERION	1.00	051	ST
615625	INSERT,COUPLING:TYP TRANSMISSION	1.00	051	ST
78223	SWITCH,SELECTOR:TYP 1-OFF-2,POS 3	3.00	051	ST
440296	O-RING:ID 24.7MM,WD 3.5MM,MT BUNA-N	11.00	051	EA
585588	FILTER,ELEMENT:SS 316,STRAINER SCREEN	1.00	051	ST
630240	DOWEL:	1.00	051	ST1
636263	BELLOWS:MT RUBBER	2.00	051	ST
615060	RDUCL-PIPE;14 X 10IN,BW,CONCENTRIC	1.00	051	ST
620473	O-RING SET:5	2.00	051	ST1
602595	RING,WEAR:	1.00	081	ST
642929	GSKT PRE-CUT :PTFE,COVER,DN 25	6.00	051	ST
593157	GSKT PRE-CUT :ID 27 X OD 32 X THK 2MM	20.00	051	ST
642950	GSKT PRE-CUT :NON ASBESTOS,COVER	6.00	051	ST
114968	GSKT, SPWD: APPL SEAT RING,DOC:S-21104S	2.00	051	EA
100655	BRG,ROLL:ID 90MM,OD 160MM,WD 43MM	2.00	051	ST
1025531	CONVERTER: TYP VOLTAGE,INPUT 110VAC	2.00	061	EA
584474	METER:TYP POWER FACTOR	1.00	900	ST
949947	VALVE,GLOBE:VLV SZ 3IN,DES RTG 600LB	1.00	051	EA
591226	DTCTR-RSTNC-TMPRTUR:RSTNC PT100OHM,SHTH	1.00	101	ST
1023599	CABLE: TYP SELF REGULATING HEAT TRACING	10.00	021	M
593973	O-RING:ID 38MM,WD 2.5MM,MT NBR	2.00	051	ST
548748	BLADE,KNIFE:	79.00	101	EA
591230	ISOLATOR,ELECTRICAL:ELEC TRT 63A,POLE 3	3.00	021	ST
509997	PIN:VALVE LIFTING	1.00	051	ST
113916	SWITCH,PUSHBUTTON:GREEN	3.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
634613	GSKT-SPRL-WUND;ROUND,SEAT RING	3.00	051	ST
599696	GSKT PRE-CUT :RECTANGULAR	1.00	051	ST
644725	GSKT PRE-CUT :THK 1/8IN,PTFE,ROUND,RF	2.00	051	ST
514550	BRG-BAL:IBI 14227,I DIA 65MM,OUT DIA 120	2.00	051	ST
325134	BRKR-CRCUT;1A,380V AC,6KA,2,CIRCUIT,GR C	2.00	011	ST
606026	RECTIFIER:	6.00	031	ST
1000787	SWITCH, PUSHBUTTON: CNTCT RT 240VAC 3A	1.00	021	EA
588353	SEAL:TYP BEARING HOUSING	2.00	051	ST1
738408	PACKING:GRAPHITE,TYP VALVE	2.00	051	SE
601352	O-RING:MT NBR,APLC CCR REGENERATION ISO	2.00	051	ST
585579	FILTER,ELEMENT:SS 316,STRAINER SCREEN	1.00	051	ST
572389	CAGE:TYP WHIS	1.00	051	EA
643295	POSITIONER,VALVE:CONN NPT 1/4IN,HOUSING	1.00	061	ST
643504	FILTER,ELEMENT:P/N:PL310-10-C,MNFR:COPPU	1.00	051	ST
636110	DETECTOR:TYP FLAME	2.00	061	ST
706634	GUARD:TYP INNER OIL	4.00	121	EA
644400	BOLT,UPSET:M24,110MM,GS,THD 3MM	2.00	051	ST
961378	SHAFT, VALVE: MATL SS S17400 H900	1.00	051	EA
736869	SPRCKT;22,SS 400	1.00	051	ST
624489	GLASS,SIGHT:	1.00	101	ST
578928	BELLOWS:TYP PIPE,MT POLYURETHANE	1.00	051	ST
871699	RTD:TYP PT100,SH MT SS 316	1.00	101	ASY
601201	GSKT:ID 78 X OD 148MM,ROUND,SS 316	2.00	051	ST
1003953	METER, FLOW: RANGE 0-155000KG/HR	1.00	101	EA
610512	MTR-ELCTRC;2.2KW,1130/1200RPM,DNV112M,F	1.00	011	ST
1235896	KIT:TYP REPLACEMENT,CMPRSNG WINDOW CLEAN	1.00	081	KIT
600728	GSKT,RJ:OVAL,IRON,2IN,PR RT 900LB	1.00	051	ST
629261	RING,RETAINING:	2.00	051	ST
603700	CONNECTOR:SZ DIA 3/4 X 1-1/2IN,BRASS	1.00	051	ST
629163	ASSEMBLY;BELLOWS, DISC HOLDER, RING	2.00	081	ST1
577405	GSKT PRE-CUT :ASBESTOS,ROUND,1IN	4.00	051	ST
642220	CONVERTER:I/P 230VAC	1.00	061	ST
615895	SHAFT:INTERMEDIATE VLS	2.00	900	ST
195311	RELAY,PROTECTION:SUPP 110/125VAC/DC	1.00	031	ST1
590682	SWITCH,PRESSURE:0-100BAR	2.00	061	ST
1588251	NZL-VLV:VLV SZ WD 1 X LG 1IN,MTRL SS AST	1.00	051	SE
627641	SWITCH:TYP ELEMENT	3.00	021	ST
961621	GSKT PRE-CUT : MATL VITON,SHAP ROUND	2.00	051	EA
1072880	MODULE: TYP E-TYPE,INPUT 6V,O/P 3V	1.00	031	EA
619348	BLCK-TRMNL;800V,CAPTIVE SCREW,6MM2,2	17.00	021	ST
587375	KIT,VALVE REPAIR:TYP BALL VALVE,DOC:ALFA	1.00	051	KIT
578086	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG PACKIN	1.00	051	ST1
628594	COLLAR:TYP THRUST	2.00	051	ST
889658	WSHR-LOCK:SZ M42,MTRL CS JIS G3101,I DIA	3.00	051	EA
961344	GUIDE, VALVE: VLV STYL GLOBE	1.00	051	EA
608895	PIPETTE:TYP VOLUMETRIC,CAP 2ML,MT	6.00	071	ST
592504	GSKT-PRE-CUT;COVER,ROUND,GRAPHITE	1.00	051	ST
593856	O-RING:MT EPDM,APLC SPACER SLEEVE	5.00	051	ST
617997	O-RING:APLC LAMP GLASS	4.00	051	ST
586745	ASSEMBLY:TYP LINK,APLC PNEUMATIC CONTRO	2.00	051	ST
1064371	BRG-SLV:I DIA 37MM,TYP CONTROL VALVE,OUT	1.00	051	EA
590406	RELAY,PROTECTION:	1.00	900	ST
615210	LAMP,INCANDESCENT:TYP INTERNAL LIGHTING	3.00	021	ST
840888	FAN:TYP EXTERNAL COOLING,MOUNT SHAFT	3.00	081	ST
608526	RING,WEAR:SS ASTM A276 TP 420	2.00	081	ST
626661	VALVE,DIAPHRAGM:VLV SZ DN 25	2.00	051	ST
1604377	VLV-BAL:VLV SZ 6IN,DSGN RTNG 300LB,BDY M	1.00	051	EA
1012967	SCREW, MACHINE: DIAMETER M8,LENGTH 35MM	1.00	051	EA
805331	FILTER,ELEMENT:8MICRON,DIA 50 X LG 110MM	4.00	051	ST
639314	SPINDLE:MT SS ASTM A276	1.00	101	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
639368	SPRING,VALVE:STEEL WIRE ASTM A231	1.00	051	ST
590378	RELAY,TIME DELAY:OFF DELAY	1.00	011	ST
403363	BRKR-CRCUT:AM 5A,VLTG 480V,INTRUPT CPCTY	1.00	011	ST
868922	CHEMICAL:1,2,3,4-TETRAHYDRONAPHTHALENE	2.00	001	BOT
644820	SEAT:TYP RING,ID 20MM,MT SS	2.00	051	ST
602578	RING,WEAR:	2.00	081	ST
1024133	INDICATOR: TYP OIL LEVEL,P/N:1344367-01	1.00	061	EA
269044	CRCUT:TYP PERIPHERAL DRIVE DMP2 (AD CO)	1.00	051	EA
589391	BREAKER,CIRCUIT:10A,220/550VAC	2.00	011	ST
579488	SWITCH,PROXIMITY:10-35VDC 300MA,(3) LEAD	1.00	011	ST
738762	RAM:TYP VALVE	1.00	061	ST
603167	SEAL,MECHANICAL:	1.00	051	ST
497449	VALVE,SOLENOID:	2.00	051	EA
590898	SWITCH,PRESSURE:TYP HP	1.00	061	ST
615201	SWITCH,DISCONNECT:24KV 630KA,TYP	1.00	011	ST
590917	TRANSFORMER,INSTRUMENT:TYP CURRENT	1.00	011	ST
732802	STUD-CNTNUS-THRD:DIA 3/4IN,THRD 10 UNC,L	9.00	051	EA
582222	THERMOSTAT:	1.00	081	ST
363209	O-RIG;118MM,6MM,NBR	7.00	051	ST
939959	SCREW:STOP	1.00	051	EA
80752	ELBOW,PIPE:SZ 8IN,CS ASTM A234,90,BW	4.00	051	ST
593131	GSKT,SPWD:ASBESTOS/ ITC W,IRID 100MM	4.00	051	ST
639334	SPRING,VALVE:MATL STEEL WIRE ASTM A313 G	1.00	051	ST
1229248	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	2.00	051	EA
610720	CONTACTOR:	1.00	011	ST
606791	SCREW,CAP:M5 DIA,10MM LG,HEX SOCKET	20.00	051	ST
643338	MODULE:REGULATOR,I/P 24VDC,O/P 5/24 VDC	1.00	031	ST
1026615	ROPE, WIRE: DIAMETER 9MM,P/N:70395933	2.00	091	SE
590225	POWER SUPPLY:	1.00	021	ST
723625	HOLDER,VALVE DISC:	2.00	051	ST
855968	SWTCH;STATIC SWITCH,24VDC, 4A,24V AC/DC	2.00	021	EA
582439	ELIMINATOR:TYP VIBRATION	1.00	051	ST
585673	VALVE,CONT:	1.00	051	ST
1065073	PLUG-VLV:VLV STYL STEM,VLV SZ DN80,DIA 9	1.00	051	EA
609169	BEAKER,LABORATORY:TYP GRADUATED,2000ML	5.00	071	ST
628649	SEAT,VALVE:VLV SZ 3IN,GATE,AS ASTM A 182	3.00	051	ST
578396	SET:TYP GLAND PACKING	1.00	081	ST1
601937	O-RIG;53.34MM,5.33MM,FEP TEFLON	2.00	051	ST
588008	BRG-SLV;JOURNAL	1.00	051	ST1
602573	RING, WEAR: APPL IMPELLER,DOC:S8/9634393	1.00	081	ST
507278	RPTR:TYP POWER SUPPLY,STD CE; CSA,P/N:MT	1.00	031	EA
607443	ROD;COUPLING,SS DIN WN 1.4301	1.00	131	ST
609640	HOSE;HIGH PRESSURE GASOLINE	1.00	051	ST
604292	CONTACTOR:TYP CONTROL,AMP 16A,380/400VAC	1.00	011	ST
624878	THYRISTOR:TYP SCR DISC,AMPERAGE 550A,P/N	2.00	031	ST
612375	RING,RETAINING:TYP SHAFT	1.00	051	ST
9102047	SEAL,SPINNING RING,110MMID (7020036)	2.00	051	ST
619946	GSKT,SPWD:6IN,150LB,V#596,SS 304,RF	2.00	051	ST
601456	O-RING:ID 10-1/2IN,WD 0.21IN	2.00	051	ST
589753	CUT-OUT,THERMAL:	1.00	061	ST
235577	GSKT SET:APLC FISHER CONTROL VALVE	1.00	051	ST1
637072	COUPLING,PIPE:	1.00	051	ST
620200	BRACKET:TYP BEARING	1.00	051	ST
1021372	DETECTOR, LEAK, INSTRUMENT:	2.00	101	EA
630570	O-RING:APLC INNER/OUTER	2.00	051	ST
636652	BLWS:TYP EXPANSION JOINT,MTRL SS ASTM A2	1.00	051	ST
640072	ADAPTOR:TYP RELAY ACTIVATOR DEVICE	8.00	051	ST
617122	VALVE,SOLENOID:	2.00	051	ST
610295	ELBW-TUBE;6MM,90,COMPRESSION	1.00	051	ST
627191	PCKG;GARLOCK EVSP 9000,GLAND	2.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1602786	VLV;TUBING,1/16IN,350PSI G	6.00	051	EA
584760	ACTUATOR:TYP SPRING RETURN	1.00	061	ST
838852	STUD CNTNS THD:TYP BOLT,DIA 7/8IN,THRD 9	7.00	051	ST
602599	RING,WEAR:	1.00	081	ST
623848	CONTACTOR:TYP MAGNETIC,AMP 80A,3 POLE	3.00	011	ST
644000	COUPLING:HALF	1.00	051	ST
286931	BRKR-CRCUT:AM 50A,VLTG 750V AC,PL 3,P/N	2.00	011	EA
1034219	RELAY: COIL V 230VAC,ACTION SPDT	2.00	011	EA
632154	GSKT PRE-CUT :P#1300-S,BONNET,16IN	2.00	051	ST
641965	NOZZLE,VALVE:MT SS 304	1.00	051	ST
609084	OPERATOR,SWITCH:TYP PUSHBUTTON	1.00	011	ST
594227	PCKG;ID 18 X OD 28 X THK 10MM,PTFE	1.00	051	ST1
631186	KIT-VLV-RPR:TYP SOFT PARTS,APL BUTTERFLY	1.00	051	ST
1600719	RLY:COIL V 24V DC,ACTN SPDT,CNTCT RTNG 2	1.00	011	EA
584498	BASE,RELAY:	1.00	011	ST
614408	STUD CNTNS THD:LG 1000MM,MTRL AS ASTM A1	6.00	051	ST
614231	RELAY:CONTRT 110VAC 5A	2.00	031	ST
23981	NZL-VLV;4 X 6IN,SS 316	1.00	051	ST
642966	PACKING:ALCHEM,TYP STUFFING BOX	4.00	051	ST1
592313	PIN:PRIMARY PAWL STOP	2.00	051	ST
592217	NOZZLE:TYP EJECTOR,APLC STEAM TURBINE	2.00	051	ST
1204333	KEY:SIZE WD 20 X HT 12 X LG 55MM,TYP REC	1.00	051	EA
595666	ROD;CONNECTING,DIA 5/16 X LG 6-1/4IN,AS	3.00	131	ST
604265	CONTACT,MOVEABLE:MT COPPER	1.00	011	ST
1616311	SEAT-VLV:TYP BELLOW,VLV TYP BALL,VLV SZ	1.00	051	ST
636342	PIN:UNS S31600,STEM	1.00	051	ST
595665	ROD;PUSH,ID 3 X OD 8 X LG 184MM,STEEL	1.00	131	ST
9101850	REPAIR KIT	1.00	051	ST
596064	GUIDE,VALVE:VLV ST CONTROL	2.00	051	ST
1070018	ACTUATOR, PNEUMATIC: P RT 10 BAR	1.00	061	EA
1022971	DEVICE: TYP ETHERNET SWITCH UNIT	1.00	081	EA
1202956	FLANGE:TYP TRUNNION HEAD,MATL SS 304L,DO	1.00	051	EA
1081857	MONITOR: TYP EARTH LEAKAGE CURRENT	10.00	061	EA
1069263	CELL, LOAD: TYP PWS,P/N:V058895.B25	2.00	061	EA
577885	ASSEMBLY:SLEW BEARING HEAD/SLEW RING	1.00	081	ST1
609722	KIT,VALVE REPAIR:GLAND PACKING AND SEAT	1.00	051	ST1
631619	RING,RETAINING:SNAP	2.00	051	ST
630884	POWER SUPPLY:I/P 220VAC,OP VOLT 5VDC	1.00	021	ST
1629638	CPCTR;FILM,10MICRO F,600V,CYLINDRICAL	4.00	051	EA
637060	STUD CNTNS THD:DIA 1/2IN,THRD 13 UNC,LG	2.00	051	ST1
619270	GSKT PRE-CUT :DIA 110 X THK 0.5MM,REINZ	1.00	051	ST
592473	GSKT-PRE-CUT;RECTANGULAR,NON ASBESTOS	4.00	051	ST
605308	SET:TYP SWITCH PUSHBUTTON	2.00	081	ST
590629	SWITCH: TYP TREADLE,P/N:VCX-7103-R	1.00	021	ST
600349	GSKT,SPWD:APLC STEAM TURBINE GENERATOR	2.00	051	ST
930700	THERMOWELL:DRILLED BARSTOCK,500MM	1.00	061	EA
623927	GSKT:FIBRE/SS 304,BONNET	1.00	051	ST
581306	CRCUT;SPIKE SUPPRESSION	1.00	011	ST
626878	UNIT:TYP SYSTEM ADAPTER	1.00	051	ST
603510	CLMP;FASTENER,SS	2.00	051	ST
9102148	ELECTRODE, WELDING,MATL CARBON STEEL,(DI	968.00	051	KG
1039826	PACKING: SIZE SQ 19 MM X LG 0.88 M	5.00	051	EA
600049	GSKT,SPWD:GRAFOIL,IRID 438MM,SS 316	3.00	051	ST
623010	CONTROLLER,ELECTRONIC:TYP POWER	1.00	031	ST
526977	GSKT PRE-CUT :2IN,V#7020,FF	2.00	051	EA
9101752	PLATE,LOCKING,PN:346.40.003.2(DELETED)	1.00	051	ST
632838	SWTCH-LMT;380VAC 1.5A,SPDT,1NO-1NC,CE	2.00	061	ST
908612	NUT,ADAPTOR:DIA M12,WASHER,THD 1MM,4	1.00	051	EA
598287	BRG,ROLL:TYP TAPERED,ROW SINGLE	2.00	051	ST
642920	O-RING:APLC LOWER SHAFT	9.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
636890	O-RING:ID 28.25MM,WD 2.62MM,MT VITON A	6.00	051	ST
592153	GSKT PRE-CUT :NATURAL RUBBER,PLATE COVER	3.00	051	ST
502199	O-RING: INSIDE DIAMETER 75.87MM	2.00	051	EA
603404	CORD,ELECTRICAL:TYP SQUARE	1.00	021	ST
1245059	BREAKER,CIRCUIT:AMPERAGE 2.6A,VOLTAGE 38	1.00	011	EA
589846	FLTR-ELMNT:TYP CARTRIDGE,SZ WD 102.2 X L	6.00	051	ST
643116	PACKING:GRAPHITE,TYP GLOBE VALVE	2.00	051	ST1
600249	GSKT,SPWD:32IN,300LB,GRAPHITE,SS 316	9.00	051	ST
615411	SEAL,RING:TYP BEARING	3.00	051	ST
620271	SHAFT:MT AS ASTM A322 GR 4140	1.00	900	ST
588715	GSKT SET:APLC RELIEF VALVES	1.00	051	ST1
583778	CIRCUIT:TYP INTERFACE	1.00	011	ST
308585	SCREW,CAP:DIA M6,LG 12MM,HEX SOCKET	2.00	051	ST
597486	VALVE,GLOBE:VLV SZ DN 250	1.00	051	ST
603027	SET:TYP CONICAL AND FLAT SEAL,APLC SHAFT	1.00	081	ST
9101830	REPAIR KIT, S0421	2.00	051	ST
1626632	SEAL TOOL	1.00	900	EA
999304	BOLT, U: INSIDE LENGTH 215MM,MATL SS	1.00	051	EA
627363	BLOCK,TERMINAL:ELEC TRT 30A	2.00	021	ST
597957	BRG,SLEEVE:ID 44MM,TYP SPLIT BUSHING	1.00	051	ST1
1037855	GSKT, SPWD: NOMINAL FLANGE SIZE 315MM	1.00	051	EA
1079035	PROXIMITOR: SCALE 200MV/MIL; 7.87MV/M	1.00	061	EA
616799	METER,ELECTRICAL:TYP VOLT,RNG 0-75VDC	1.00	101	ST
486499	RING:PTFE,APLC ONIX CALORIMETER	3.00	051	EA
262491	FUSE:5A,250V,DIA 1/4 X LG 1-1/4IN	6.00	051	EA
613232	TRNSDUCR;LEVEL	1.00	061	ST
1226542	RING,WEAR:INSIDE DIAMETER 312MM,MATL AST	1.00	081	EA
624875	SHUNT;50MV 800A	2.00	011	ST
582067	IMPELLER,PUMP:DIA 580MM,COPPER ALLOY	1.00	081	ST
1031597	DIODE: TYP ZENER,THRESHOLD 19.1V	1.00	031	EA
595102	SEAL:SZ ID 27 X OD 35 X THK 2MM,MT STEEL	7.00	051	ST
604130	BRKR-CRCUT;6A,277V AC,6KA,1,RAIL,CSA; UL	3.00	011	ST
149950	NOZZLE:APLC TEMPERATURE TRANSMITTER	1.00	051	EA
580931	PLUG-VLV;CONTROL,DN 25MM	1.00	051	ST
1038850	INSERT: TYP OIL REGULATING,SIZE LG 100MM	3.00	051	EA
592851	GSKT-PRE-CUT;BOX BUSHING,OVAL,CORK	1.00	051	ST
683482	BRG,ROLL:ID 30MM,OD 72MM,WD 27MM	1.00	051	EA
581324	CRCUT;AMPLIFIER	1.00	011	ST
581897	TUBE:TYP TYRE,SZ 6.50-10,MT RUBBER	1.00	051	ST
578389	SET:TYP PACKING	1.00	081	ST1
696036	O-RING:APLC FOR STORAGE TANK	2.00	051	EA
587499	KIT-VLV-RPR:TYP SOFT PARTS,APL WAFER CHE	1.00	051	ST
117524	SWITCH:TYP MICRO,CONTRT 125/480VAC 15A	5.00	051	EA
644741	GSKT PRE-CUT :SYNTHETIC FIBRE,ROUND,RF	2.00	051	ST
586046	GLAND,PACKING:TYP YOKE	4.00	051	ST
930371	KEY, SHAFT: TYPE FEATHER,04 / 46669	1.00	051	ST
644336	FUSE:315A,1200V	6.00	021	ST
581747	HOSE:ID 21 X OD 2-1/2 X LG 2-3/8,RUBBER	2.00	051	ST
84931	BRG,BALL:IBI 13826,ID 55MM,OD 120MM	1.00	051	EA
593524	GSKT PRE-CUT :ID 13 X OD 18 X THK 2MM	2.00	051	ST1
580865	PLATE:TYP END I,SS 316	1.00	131	ST
698648	ASSEMBLY:TYP DIAPHRAGM/HEAD	1.00	051	EA
613373	BLOCK,TERMINAL:	2.00	021	ST
610540	BEARING,ROLLER:	2.00	051	ST
585281	SEAT,VALVE:BALL,PTFE	2.00	051	ST
579088	CNTRLR-PNUMTC;PRESSURE LEVEL,0-51.1BAR	1.00	061	ST
581327	CIRCUIT:TYP FLASHER HORN DRIVER	2.00	011	ST
581459	TRANSISTOR:	3.00	031	ST
615622	RETAINER:TYP OIL RING,MT SS 400 ASTM	1.00	051	ST
1064410	GSKT PRE-CUT :TYP RAISED FACE,SIZE ID 17	2.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
574706	VALVE,CHECK:TYP DISCHARGE	1.00	051	EA
604705	FUSE:500A,500V,SLOW BLOW	30.00	021	ST
619660	TUBE:MT A1050TD/PE	1.00	051	ST
591457	NUT,HEX:DIA 1-1/4IN,CS ASTM A194,GR 2H	5.00	051	ST
616151	INDICATOR:TYP LIQUID TEMPERATURE	1.00	061	ST
1008034	BREAKER, CIRCUIT: AMPERAGE 16A,POLE 2	1.00	011	EA
601695	O-RING:ID 5.3MM	10.00	051	ST
597707	VALVE:TYP VOLUME CONTROL,VLV SZ R 3/8IN	1.00	051	ST
826306	RETAINER:TYP O-RING	2.00	051	EA
627645	SOCKET,ELECTRICAL:TYP FUSE	2.00	021	ST
593976	O-RING:WD 3.6MM	1.00	051	ST
9101653	ASSY,STARTER MOTOR	1.00	051	ST
632355	BREAKER,CIRCUIT:20A	2.00	011	ST
589071	ALARM:TYP EXTERNAL FIRE ALARM SOUNDER	1.00	121	ST
594795	O-RING SET:6	6.00	051	ST
598075	BRG-RLR;DOUBLE,70MM,125MM,31MM,53795	2.00	051	ST
619190	GAUGE,PRESSURE:0-2.5BAR,BACK	1.00	101	ST
587915	KIT,VALVE REPAIR:GASKET AND PACKING	1.00	051	KIT
642399	O-RING:MT EPDM	6.00	051	ST
592355	ASSEMBLY:TYP BLACK PLANE	1.00	011	ST
593259	GSKT PRE-CUT :ID 40 X OD 47MM,PTFE,ROUND	1.00	051	ST
578339	KIT:TYP SOFT PARTS,CMPRSNG SPRING / VALV	1.00	081	ST
617685	DISTRIBUTOR:TYP PLATE	1.00	021	ST
600299	GSKT PRE-CUT :ID 11 X OD 20 X THK 1.5MM	2.00	051	ST
938855	SHAFT, PUMP: MNFR:NEUMAN & ESSER GROUP	1.00	051	SE
644863	METER,FLOW:TYP TURBINE,RNG 25-250L/MIN	1.00	101	ST
597460	VALVE,NEEDLE:VLV SZ 3/8IN,BDY MATL SS	2.00	051	ST
1080809	SEAT, VALVE: INSIDE DIAMETER 161MM	1.00	051	EA
616800	TRANSDUCER:I/P 110VAC 5A +/-15MW,O/P	1.00	061	ST
595331	KIT,SEAL:	2.00	051	ST1
1037182	HOSE: SIZE 1/4 IN X LG 710MM,RT 2000PSI	1.00	051	EA
572549	BUSHING:TYP LINED,DU	1.00	051	EA
856468	BOLT:SS 400,GR A283-D	2.00	051	ST
610648	PULY-V-BELT	1.00	051	ST
547905	KIT:TYP REPLACEMENT,APLC RELAY	4.00	900	EA
1023878	RING: SIZE DIA 14IN,MATL UNS N08825+HCR	1.00	051	EA
606728	SCREW,WOOD:1/2IN LG,FLAT PHILLIPS,STEEL	1.00	051	ST1
9102199	LINK,D.C.GG8290/GG8340,(TO BE DELETED)	1.00	051	EA
585048	DISC,VALVE:SS ASTM A276 GR	1.00	051	ST
590491	RELAY, PNEUMATIC: SUPPLY PRESSURE 2-8BAR	3.00	061	ST
615220	FUSE:4A,110VDC,DIA 10.3 X LG 38MM	6.00	021	ST
805312	CIRCUIT:TYP LIM CONNECTION	1.00	011	EA
600416	GSKT,SPWD:SHP ROUND	1.00	051	ST
641438	O-RING:ID 400MM,MT NYLON	1.00	051	ST
620239	VALVE,GATE:VLV SZ 1/2IN,DES RTG 800LB	1.00	051	ST
805379	KIT,SEAL:TYP PACKING,APLC GATE VALVE	1.00	051	ST
595976	SWTCH-PUSH;400VAC 10(6)A,SPST,1NC,RED	2.00	021	ST
639454	GSKT PRE-CUT :SYNTHETIC FIBRE	2.00	051	ST
644750	GSKT PRE-CUT :ASBESTOS/TEADIT NA 1000	4.00	051	ST
624196	SEAL,OIL:	2.00	051	ST
598896	LINK,FUSE RENEWAL:	5.00	021	ST
591488	NUT,HEX:DIA 1-1/8IN,CS ASTM A194,GR 2H	4.00	051	ST
598627	BELT,TOOTHED:	2.00	051	ST
604897	FUSE:2A,DIA 5 X LG 20MM,FST	10.00	021	ST
616385	TRANSFORMER,INSTRUMENT:CURR RT 250/5A	4.00	011	ST
593675	O-RIG;52.07MM,2.62MM,BUNA-N	3.00	051	ST
911666	MANIFOLD,VALVE:ST 3-WAY,COPLANAR	1.00	051	EA
598455	BEARING:	2.00	051	ST
612286	GOVERNOR:	1.00	051	ST1
590321	BREAKER,CIRCUIT:15A,110/250VDC	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
638596	KIT:TYP SOFT PARTS,CMPRSNG BONNET/GUIDE	1.00	081	ST1
616836	BRG,BALL:IBI 14411,INSIDE DIAMETER 70MM	2.00	051	ST
590931	TRANSFORMER,INSTRUMENT:VA RT 15VA	1.00	011	ST
343485	O-RING:ID 75.57MM,WD 5.33MM	3.00	051	ST
585884	VALVE:TYP CLACK	4.00	131	ST
913294	VALVE,RELIEF:TYP DUAL SUN,BDY MATL CS	1.00	051	ST
628638	BRG,SLEEVE:TYP BUSHING	2.00	051	ST
593654	O-RIG;6-1/4IN,3/32IN,BUNA-N	2.00	051	ST
1227140	VALVE,RELIEF:TYP SAFETY,SET PRESSURE 0.1	3.00	051	EA
585311	SEAT,VALVE:VLV SZ 4IN,BUTTERFLY	2.00	051	ST
900909	CONTACTOR:TYP POWER,POLE 3	1.00	011	EA
602340	PACKING:TYP GLAND	2.00	051	ST
590350	CIRCUIT:TYP (8) HIGH POWER SINGLE RELAY	1.00	011	ST
624946	RESISTOR:200OHM,RT 25W	3.00	031	ST
591574	PIN:AS JIS G4805 SUJ12/CS ASTM A295	3.00	051	ST
938618	THRMTR-DIAL;BIMETALLIC,0-100°C,100MM	1.00	101	EA
590400	TRANSFORMER,INSTRUMENT:VA RT 200VA	2.00	011	ST
536567	O-RING:ID 1/8IN,WD 1/16IN,MT FKM	8.00	051	EA
612456	O-RING:	2.00	051	ST1
597441	VALVE,CONT:SZ 1/2IN,DES RTG 25KG	1.00	051	ST
644550	GSKT PRE-CUT :ID 280 X OD 310 X THK 2MM	2.00	051	ST
761413	WASHER,LOCK:NOM SZ 75.5MM,STEEL,ID 75MM	3.00	051	ST
789132	BRUSH,ELECTRICAL:MT CARBON	1.00	021	ST
577071	UNIT;DIGITAL TRUNK LINE	1.00	051	EA
1587760	GSKT-PRE-CUT:TYP RF,SZ ID 356 X OD 451 X	1.00	051	EA
630448	SWITCH, TEMPERATURE: RANGE 110-190DEG C	1.00	021	ST
643092	GSKT,SPWD:1-1/2IN,GRAPHITE,SS 316	1.00	051	ST
948084	RING,WEAR:SS 316L,APLC CASING	1.00	081	SE
1080669	THERMOMETER: TYP PT100,MNFR:ROSEMOUNT	1.00	061	EA
618423	PIN:	1.00	051	ST
622585	RETAINER:TYP BEARING RING	1.00	051	ST
373623	O-RING, DIN 3771- 44.00X 3.00-N-NBR 70	1.00	051	ST
607349	GUIDE:TYP BUSH	4.00	091	ST
722884	SPRING:HIGH TEMP. ALLOY(SWOCV-V)	1.00	051	ST
592512	GSKT-PRE-CUT;ID 102 X OD 111 X THK 8MM	1.00	051	ST
605739	TRANSFORMER,INSTRUMENT:CURR RT 600/1A	1.00	011	ST
609339	GRBX;29.36:1,15-75RPM	1.00	081	ST
591984	BUSH:ALCOA A750,OIL CONSOLE UNIT	2.00	051	ST
1028970	BELLOWS: TYP VT-010 HUB 1200	4.00	051	ST
589124	CLAMP:TYP MANWAY LOCK,SZ THK 5,MT SS 410	2.00	051	ST
643160	ADAPTOR:TYP SEAT,MT SS ASTM A276	1.00	051	ST
643922	GSKT:BODY	1.00	051	ST
647945	O-RIG:I DIA 7/8IN,WD 1/16IN,MTRL FLUOROC	1.00	051	EA
628661	SEAT,VALVE:VLV SZ 3IN,GATE,AS ASTM A182	2.00	051	ST
73294	STUD CNTNS THD:DIA 5/8IN,THRD 11 UNC,LG	12.00	051	ST1
9102298	PIVOT BOLT (TO BE DELETED REF.ROSE RTSNI	2.00	051	ST
628107	GSKT;CONTROL VALVE	4.00	051	ST
193852	CONTACTOR:TYP MAGNETIC,AMP 50A,3 POLE	1.00	051	ST
616174	BRKR-CRCUT;32A,10KA,4,MINIATURE	1.00	011	ST
610623	MOTOR,ELECTRIC:11KW,380/660VAC 22/12.7A	2.00	011	ST
838230	GSKT,SPWD:24IN,150LB, GRAPHITE	69.00	051	ST
24973	SPRING,EXTENSION:MACHINE HOOK	5.00	051	ST
604817	FUSE;QUICK ACTING,0.63A,250V AC,CERAMIC	5.00	021	ST
629300	RING,WEAR:ID 90MM,OD 130MM,THK 32MM	1.00	081	ST
585400	SPRING,EXTENSION:CROSS OVER HOOK	2.00	051	ST
643713	BRG,ROLL:ID 17MM,OD 21MM,WD 13MM,TYP	1.00	051	ST
603248	SEAL,MECHANICAL:WATER PUMP	2.00	900	ST
642128	VLV-RLF:TYP PRESSURE SAFETY,BDY MTRL SS	5.00	051	ST
639432	SPRING,VALVE:SS 316/SS 304	2.00	051	ST
1004001	METER, FLOW: TYP SQUARE EDGE ORIFICE	1.00	101	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
804351	O-RING:ID 238MM,WD 3.5MM,MT FKM	4.00	051	ST
1011165	PLUG, VALVE: VALVE SIZE DN 300	1.00	051	ST
623980	BREAKER,CIRCUIT:2A,POLE 2	2.00	011	ST
602728	O-RING:MT RUBBER,APLC STEAM TURBINE	2.00	051	ST
1229635	VALVE,RELIEF:TYP SPRING LOADED PRESSURE,	1.00	051	EA
166448	O-RING:ID 61.6MM,WD 2.62MM,MT VITON A	4.00	051	EA
924445	DEMISTER PAD:TYP SECTORS,144.2KG/M3	1.00	051	SE
840430	BATTERY,PACK:TYP NICKLE CADMIUM	4.00	011	ST
603290	O-RING:MT EPDM,APLC AIR VACUUM RELEASE	1.00	051	ST
593050	GSKT PRE-CUT :ID 63 X OD 145 X THK 5MM	2.00	051	ST
581634	MODULE:SAMPLE CONDITIONING	1.00	031	ST
641321	MODULE:TYP CONTACTOR	1.00	011	ST
968665	GAUGE, PRESSURE: MNFR:SIEMENS AG	1.00	101	ST
603948	DRUM,BRAKE:	2.00	051	ST
599470	GSKT PRE-CUT :OIL SHEET	1.00	051	ST
594603	PACKING:ID 30 X OD 46 X THK 8MM,GRAPHITE	5.00	051	ST
600296	GSKT PRE-CUT :ID 103 X OD 109 X THK	3.00	051	ST
587858	KIT-SEAL;HYDRAULIC JACK	1.00	051	KIT
602447	PACKING:7/8 IN X 37.5MM,PTFE,TYP GLAND	1.00	051	ST1
623025	SWITCH,SELECTOR:TYP ROTARY SPRING RETURN	1.00	021	ST
586757	FAN:TYP AIR MOTOR,VOLT R 300M3/HR	1.00	900	ST
633131	KIT,VALVE REPAIR:PRESSURE REDUCING VALVE	1.00	051	ST
726690	VALVE,RELIEF:VLV SZ 3/4 X 1IN,CONN NPT	2.00	051	ST
644812	GSKT JKTD:ID 33 X OD 39 X THK 3MM,AL	2.00	051	ST
583987	BEND:TYP RETURN,SZ OD 168.3MM,DEG 180	3.00	131	ST
868748	CHEMICAL:PROPYLBENZENE,TYP STANDARD	1.00	001	BOT
581660	HOSE:HIGH PRESSURE	2.00	051	ST
105030	REDUCER,PIPE:	1.00	051	ST
628602	BRG,SLEEVE:TYP BUSHING	2.00	051	ST
604319	OVERLOAD,MOTOR PROTECTION:AMP 0.4A,0.24	1.00	011	ST
496488	SEAT:EPDM	1.00	051	EA
122950	SEAT;ALLOY 20,BALL	2.00	141	EA
585348	SEAT,VALVE:ID 2-1/2IN,OD 3IN,GLOBE	1.00	051	ST
799023	SPRING,COMPRESSION:OD 1.262,LG 3IN	1.00	051	SE
571777	O-RING:ID 80MM,WD 3MM,MT PTFE	2.00	051	ST
618431	CIRCUIT:TYP ELECTRONIC BOARD	1.00	011	ST
606630	BOLT:M46,254MM,5MM,PRESSURE	4.00	051	ST
808090	METER,FLOW:TYP ROTAMETER,NPT 3/4IN	3.00	101	ST
589393	BREAKER,CIRCUIT:200A,220/660VAC; 250VDC	1.00	900	ST
618523	RELAY:COIL 24VDC,4PDT,CONT 250VAC 6A	10.00	011	ST
611166	BREAKER,CIRCUIT:10A,220/440VAC/DC	2.00	011	ST
581114	PLUG,VALVE:CONTROL,SS DIN WN 1.4571	1.00	051	ST
588359	RIG;CARBON,STEAM DRIVE TURBINES	4.00	051	ST1
604382	RELAY:COIL 220-255VAC 50/60HZ,8PST	1.00	011	ST
585487	SPRING:TYP EXTERNAL	2.00	051	ST
578002	KIT:TYP SOFT PARTS,CMPSNG O RING/WASHER	1.00	081	ST
578805	WNDW;DIA 36MM	2.00	131	ST1
603801	SLEEVE:TYP PLUG VALVE	1.00	051	ST
1572271	PLT-MTLC:SZ SQ 1200 X THK 1MM,MTRL SS AS	1.00	131	EA
1088393	ASSEMBLY: TYP ELECTRIC CARD,MTRL FIBRE	2.00	081	ASY
653272	SPRING,VALVE:CS,VLV SZ 3/4 X 1IN	1.00	051	EA
642411	SEAL:FLEX-O-FORMS	4.00	051	ST
630825	TRNSMTR-PRSUR;0-250PSI G,ELECTRONIC	2.00	061	ST
1024258	TERMINAL: TYP PHASE/NEUTRAL	1.00	051	EA
585770	VALVE, GATE: VALVE SIZE 1IN,CNCT SW	1.00	051	ST
643304	O-RING:APLC ACTUATOR	2.00	051	ST
113380	FUSE:3A,300V,DIA 10 X LG 50MM,CLIP IN	11.00	051	EA
605939	DIODE:	25.00	031	ST
580653	BODY,VALVE:VLV SZ 20MM,MT STEEL	1.00	051	ST
478236	GSKT:TYP GUIDE AND BONNET,MTRL IRON,DOC	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
9102110	SHIM,M20;FOR 5199-P01-002 (TO BE DELETED	4.00	051	ST
604497	FUSE:250VAC,DIA 1/4 X LG 1.25IN,FERRULE	3.00	021	ST
637856	BRG,THRUST:MT STEEL	2.00	051	ST
1030001	PLUG: MATL S20C,TYP FUSIBLE,P/N:41885-R	2.00	051	ST
641040	CONTACT,AUXILIARY:CONTAR 6NO+6NC	1.00	011	ST
593159	GSKT PRE-CUT :ID 42.3 X OD 49 X THK 2MM	20.00	051	ST
598567	V-BELT SET:TOP WD 52MM,5	1.00	051	ST
583893	CIRCUIT:	3.00	011	ST
606610	SCREW:M8 DIA,25MM LG,THD 1.25MM	1.00	051	ST
582040	PUMP:TYP OIL	1.00	081	ST
1051509	STEM, VALVE: VALVE SIZE 4IN	2.00	051	EA
604539	FUSE:16A,660VAC,BOLTED TAG,SEMICONDUCTOR	9.00	021	ST
1032793	RING, WEAR: INSIDE DIAMETER 85MM	2.00	081	ST
912496	THERMOWELL: SHANK STYLE STRAIGHT	1.00	061	EA
587401	GSKT-ST	1.00	051	ST1
624879	DIODE:TYP PACKAGE,VOLT 1200,AMP 260A	3.00	031	ST
619582	GEAR,WORM:	1.00	081	ST
599504	GSKT PRE-CUT :MATL V#6500,DOC:N-9186 E	4.00	051	ST
593883	O-RIG;31/32IN,1/8IN,NITRILE RUBBER	7.00	051	ST
804315	KIT,SEAL:TYP PACKING	1.00	051	ST
599121	PULLEY,V-BELT:3SPB,GROOVE 3,DIA 280MM	1.00	051	ST
616952	BREAKER,CIRCUIT:400A,250VAC,POLE 4	1.00	011	ST
1226568	POWER SUPPLY:TYP SWITCHING,INPUT 115/230	1.00	021	EA
636082	GAUGE, PRESSURE: DIAL SIZE 2-1/2IN	1.00	101	ST
611816	SWITCH,DISCONNECT:690VAC/220VDC 160A	1.00	011	ST
627427	MODULE:RELAY INTERFACE BOARD(32 CHANNEL)	1.00	031	ST
605248	VALVE,SOLENOID:ELEC TRT 220VAC,OPER MAG	1.00	011	ST
599008	MOTOR,ELECTRIC:0.55-1.5KW	1.00	011	ST
604434	ELEMENT,HEATER:SZ DIA 1/2IN,W 13KW,MT N	8.00	011	ST
937266	REDUCER,PIPE:SZ 20 X 16IN,BW	2.00	051	ST
631646	ANGLE:SZ 1/2IN,STD DIN 2952-A1	3.00	131	ST
587466	KIT-VLV-RPR:APL WAFER CHECK VALVES,CMPRS	1.00	051	ST
616656	TRANSFORMER,INSTRUMENT:VA RT 25VA,VOLT R	1.00	011	ST
598597	BELT,V:	4.00	051	ST1
592982	GSKT PRE-CUT :ID 22 X OD 96 X THK 5MM	2.00	051	ST
620601	SEAL,RING:TYP V SHAPE,MT SYNTHETIC RUBB	2.00	081	ST
589687	CNTCTR;230V AC	1.00	011	ST
607561	COUPLING,SHAFT,HALF:JAW FLEXIBLE	1.00	051	ST
627674	RELAY:TYP CONTACTOR,CONTRT 595VAC 10A	2.00	011	ST
642430	CONE:MT SS DIN WN 1.4021 GR X20CR13	1.00	051	ST
642229	POTENTIOMETER:TYP SPAN	2.00	031	ST
602290	PACKING:MT PTFE	1.00	081	ST1
804644	GSKT PRE-CUT :ID 63 X OD 80 X THK 4MM	10.00	051	ST
593712	O-RING:ID 21.95MM,WD 1.78MM	6.00	051	ST
591912	SEAT,VALVE:VLV SZ 2 X 2; 2 X 6IN,MANUAL	1.00	051	ST
630746	POWER SUPPLY:	1.00	021	ST
642232	BRIDGE:TYP POWER SUPPLY	1.00	031	ST
599471	GSKT PRE-CUT :OIL SHEET	2.00	051	ST
599575	GSKT PRE-CUT :CARBON,6IN	1.00	051	ST
615756	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	1.00	081	ST
632459	BREAKER,CIRCUIT:5A,POLE 1	1.00	011	ST
594298	PCKG;ID 24 X OD 40 X THK 7MM,GRAPHITE	1.00	051	ST1
593859	O-RIG;76.2MM,2.4MM,VITON	2.00	051	ST
1031520	FLTR-ELMNT:TYP OIL MIST ELIMINATOR,SZ DI	5.00	051	ST1
597477	VALVE:	1.00	051	ST
591801	BRG,THRUST:DOC:3-1	2.00	051	ST1
1605204	VLV-GATE:TYP SOLID WEDGE,VLV SZ 1IN,DSGN	1.00	051	EA
860943	OILER:TYP CONSTANT LEVEL,MT GLASS/ZINC	2.00	101	EA
577770	SWITCH,PROXIMITY:250VDC 1A,LEAD WIRE	3.00	011	ST
600139	GSKT-SPRL-WUND;BASIC WITH INNER RING	4.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
613533	BRG:DE	2.00	051	ST
586217	BRG,SLEEVE:TYP STRIP,MT CARBON	1.00	051	ST
142452	SEAT,VALVE:VALVE TYPE GLOBE CONTROL,VALV	1.00	051	EA
577681	ALARM:	3.00	121	ST
503190	SPRING,VALVE:VLV SZ 1 X 2IN,17.58BAR G	1.00	051	EA
951722	STUD: DIAMETER M8MM,LENGTH 16MM	3.00	051	EA
902262	SWITCH,DISCONNECT:400VAC 100A	1.00	011	EA
592946	GSKT-PRE-CUT;PUMP CASING JOINT,ROUND	1.00	051	ST
799478	INTERFACE:TYP (16) DISCRETE I/O	1.00	061	ST
585043	DISC,VALVE:MATL A276-316 HF,GRD 316,VALV	1.00	051	ST
610330	ORIFICE,PLATE:	1.00	061	ST1
589917	FUSE:1.25A	10.00	021	ST
288535	DISC:PACK	1.00	051	EA
639479	WASHER:SYNETHIC FIBRE,LOWER	1.00	051	ST
596212	HUSG;SPRING	1.00	051	ST
583810	MODULE:INITATING ZONE	1.00	031	ST
617773	CNTCTR;MAGNETIC,3,170A,230-1000V AC	1.00	011	ST
586071	SPRING:TYP FLAPPER	2.00	051	ST
620978	TRANSFORMER:TYP CONTROL POTENTIAL	1.00	011	ST
1024816	HOOD: TYP ROPE SHEAVE,P/N:70398033	2.00	121	SE
718458	CONTROLLER:TYP PRESSURE	1.00	900	EA
595963	OPERATOR,SWITCH:TYP TURN LIGHT BUTTON	1.00	021	ST
584829	DIAPHRAGM,VALVE:VLV SZ 3IN	3.00	051	ST
604902	FUSE:10A,250V,DIA 5 X LG 20MM,FST	10.00	021	ST
587651	KIT,VALVE REPAIR:INCINERATOR PACKAGE	2.00	051	KIT
934876	SWITCH,LEVEL:PWR S 240VAC,SPDT	1.00	061	ST
626726	MTR-ELCTRC;18.5KW,380V AC,180M,B5 FLANGE	1.00	900	ST
619689	RING:SS 304,TYP EXTRUSION	2.00	051	ST
628596	COLLAR:TYP THRUST,MT AS ASTM A744	2.00	051	ST
593415	GSKT PRE-CUT :ID 167 X OD 250 X THK 2MM	8.00	051	ST
619316	CIRCLIP:	2.00	051	ST
738131	BUSHING:TYP TRUNION	1.00	051	ST
828431	DISC,VALVE:VLV SZ 25 X 40MM	1.00	051	ST
641773	KIT:	2.00	081	ST1
593863	O-RIG;94.62MM,5.33MM,EPDM	1.00	051	ST
642854	SPRING:TYP PRESSURE	2.00	051	ST
599401	GSKT JKTD:ID 524 X OD 550 X THK 3MM,SS	1.00	051	ST
1029327	GSKT SET: P/N:ISL0904604,DOC:SOL01357/3	2.00	051	ST1
585830	VALVE,BALL:VLV SZ 1IN,DES RTG CL 150	1.00	051	ST
592983	GSKT-PRE-CUT;ID 25 X OD 115 X THK 5MM	4.00	051	ST
588572	KIT,VALVE REPAIR:SEAT AND SEAL	3.00	051	ST1
738137	SCREW,CAP:SOCKET HEAD	1.00	051	ST1
583094	LGHT-INDCTG;PILOT,RED	5.00	021	ST
613230	REGULATOR,PNEUMATIC:TYP AIR PRESSURE	1.00	061	ST
600855	GSKT,SPWD:GRAPHITE,UNS S31600,SHP ROUND	2.00	051	ST
586969	ASSEMBLY:	1.00	081	ST
639737	KIT,VALVE REPAIR:TYP CONTROL	1.00	051	ST1
591872	SEAT,VALVE:VLV SZ DN 3,MANUAL CONTROL	1.00	051	ST
644783	GSKT PRE-CUT :ID 90 X OD 145 X THK 2MM	4.00	051	ST
642597	O-RING:ID 21.89MM,APLC SEAL	4.00	051	ST
643034	PACKING:GRAPHITE,TYP GATE VALVE	5.00	051	ST1
597469	VALVE:SG VITON	5.00	051	ST
621013	RELAY,OVERLOAD:45-67A,1NO-1NC,THERMAL	3.00	011	ST
622273	CONTACTOR:TYP SCREW TERMINATION,3 POLE	1.00	011	ST
690368	TUBE,CAPILLARY:	1.00	051	EA
110874	O-RIG;FKM,BEARING ASSEMBLY	4.00	051	EA
805506	TAG SUPERSEDED BY 7276467	10.00	121	ST
616501	MBRN;50MM	4.00	051	ST
577964	KIT;GASKET AND O-RING	2.00	081	ST1
623807	SWTCH-DSCNCT;415VAC 160A,3PST	1.00	900	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
590160	FUSE:6.3A	1.00	021	ST
601106	GSKT PRE-CUT :PTFE,2 X 4IN	2.00	051	ST
615067	TEE-PIPE;DN 6 IN X THK 2MM,DIN 2615	1.00	051	ST
1023196	ALARM: TYP DIRECT CURRENT,SUPPL:UOP	1.00	121	EA
614244	CAPACITOR:TYP FIXED,CAPCIT 37MICRO F	2.00	031	ST
588497	KIT-VLV-RPR:CMPSNG BEARING,GASKET,O RIN	1.00	051	ST1
911660	TRANSMITTER,PRESSURE:0-4BAR,O/P 4-20MA	1.00	061	EA
798659	GSKT,SPWD:GRAPHITE,SS 316,IRMT SS 316	1.00	051	ST
611312	PR-FLTR;DIA 150MM,20-25,ROUND	5.00	051	BX
639390	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
926867	THERMOWELL: SHANK STYLE BARSTOCK TAPERED	1.00	061	EA
578915	CONDENSER:TYP DISTILLING	3.00	081	ST
590459	RELAY:COIL 220VAC	1.00	011	ST
636113	DISPLACER:TYP PORCELAIN	1.00	061	ST
9102399	BASIN,ALUM;23ML;(USE 7044865 DISPOSABLE)	10.00	051	ST
608874	FLASK:TYP ERLNMEYER NARROW MOUTH,CAP	5.00	071	ST
639607	PLUG,VALVE:VLV SZ 4IN,PLUG	2.00	051	ST
1595347	BOLT-MCHN:DIA 1-3/4IN,LG 125MM,MTRL AS A	48.00	051	EA
1043360	KIT: TYP BREATHER LINE,P/N:804K002-1	1.00	081	KIT
634259	GSKT SET:APLC CONTROL VALVE	1.00	051	ST1
616551	RSTR;4K OHM,STUD,5	2.00	031	ST
590239	POWER SUPPLY:	1.00	021	ST
868769	LIGHT:TYP FLOURESCENT,VOLT 110/230V	1.00	021	EA
303483	BELLOWS:MT RUBBER	25.00	051	ST
584611	HUSG;FILTER	1.00	051	ST
607572	COUPLING:TYP ELASTIC	1.00	051	ST
896531	REDUCER,PIPE:SZ 20 X 16IN,BW	1.00	051	EA
578656	UNIT:TYP POWER	1.00	031	ST
584967	DISC:2-1/2IN,SAFETY	7.00	051	ST
628817	O-RING:	15.00	051	ST
1022547	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
578468	GSKT-PRE-CUT	1.00	051	ST1
595766	SUPPORT:TYP SHAFT	1.00	051	ST
624970	SNUBBER:TYP RECI	1.00	011	ST
592464	GSKT-PRE-CUT;COVER,ROUND,REINZ AFM 30	1.00	051	ST
604777	FUSE;ULTRA FAST BLOW,8A,250V AC,CERAMIC	10.00	021	ST
927215	CIRCUIT:TYP ALARM	1.00	011	EA
621885	BLOCK,TERMINAL:CIRCUIT 4	4.00	021	ST
616706	TRANSFORMER,INSTRUMENT:CURR RT 1/0.0278A	2.00	011	ST
618800	CONTACTOR:TYP MAGNETIC,AMP 12A,4 POLE	3.00	011	ST
598629	BELT,TOOTHED:	4.00	051	ST
639625	PLUG,VALVE:VLV SZ 2IN,PLUG	1.00	051	ST
984465	PLATE, HEAT EXCHANGER: TYP PRESSURE	1.00	081	ST
584766	GSKT:SS DIN WN 1.4313	2.00	051	ST
587390	KIT-VLV-RPR:TYP SOFT PARTS,APL FUEL-OIL	2.00	051	KIT
626695	CONTACTOR:TYP MAGNETIC,COILV 220VAC	1.00	011	ST
1007194	O RING:MATL PERFLUOROELASTOMER,APPL OH2	4.00	051	EA
599309	GRBX;DRIVE UNIT	1.00	900	ST
615503	GSKT JKTD:SHP ROUND	2.00	051	ST
601436	O-RING:ID 107.5MM,WD 0.275IN	6.00	051	ST
618097	TERMINAL:	2.00	051	ST
625339	LIGHT,INDICATING:COLOR YELLOW	2.00	021	ST
596583	DISC,VALVE:OD 4IN,NICKEL PLATED IRON,VLV	2.00	051	ST
898677	RLY;24V DC,2PDT,6A,DIN RAIL,CE	1.00	011	EA
700464	TRANSFORMER,INSTRUMENT:CURR RT 1200/5A	1.00	011	EA
457292	ASSEMBLY:SPRING PACKAGE	1.00	081	EA
830417	VLV-CHCK;DISCHARGE,DN 150MM,150LB,FLANGE	1.00	051	ST
644819	SEAT:TYP RING,ID 15MM,OD 45MM,THK 20MM	2.00	051	ST
616384	TRANSFORMER,INSTRUMENT:TYP CURRENT,CURRE	3.00	011	ST
589886	FUSE:1A,259V,DIA 5 X LG 20MM	10.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
611836	BREAKER,CIRCUIT:16A	2.00	011	ST
626959	BRKR-CRCUT:AM 10A,VLTG 400V AC,INTRUPT C	1.00	011	ST
590123	FUSE	2.00	021	ST
605443	SWITCH,PRESSURE:3-30BAR	1.00	061	ST
9101641	WHEEL,GEAR,Z-107 [TO BE DELETED]	2.00	051	ST
1024375	TRANSMITTER, LEVEL: O/P 4-20MA	1.00	061	EA
578965	CRTRDG;SCREEN,CERAMIC	2.00	900	ST
928448	TRANSFORMER:TYP AUTO,VA RT 300VA	1.00	011	EA
891589	SEAL:NITRONIC 60/SS,BALL	1.00	051	EA
584243	CHART: SCALE 0-100,DURATION 10MIN	3.00	061	ST
586874	WORM:	2.00	081	ST
585192	FILTER,ELEMENT:SUCTION	1.00	051	ST
636888	BRG:SZ ID 30 X OD 35 X WD 12MM,DOC:045.2	1.00	051	ST
585667	VALVE,CONT:	1.00	051	ST
616223	CNTCTR;MAGNETIC,3,40/55A,220-690V AC	1.00	011	ST
144638	SEAT,VALVE:VLV SZ 1IN,SS 316	1.00	051	EA
613285	KIT-VLV-RPR:TYP SOFT PARTS,APL CONTROL V	2.00	051	KIT
636915	BRG,BALL:	1.00	051	ST
898261	BREAKER,CIRCUIT:1.4-2A,690VAC	2.00	011	EA
588334	DISC,VALVE:SS ASTM A276	4.00	051	ST
607442	BUSH:	1.00	051	ST
804329	KIT,SEAL:TYP PACKING	1.00	051	ST
605706	TRANSFORMER,INSTRUMENT:VA RT 1KVA	1.00	011	ST
596332	SCTN;LG 93 X DIA 25MM,SS	1.00	051	ST
609606	COUPLING:ROD BUSH	2.00	051	ST
587694	KIT;MONITOR SPARE PARTS,MONITOR HYDRANT	6.00	081	KIT
644792	GSKT JKTD:ID 2 X OD 3-3/8 X THK 1/8IN	4.00	051	ST
581456	MODULE:DIGITAL CURRENT OUTPUT	1.00	031	ST
584300	SHIM:MT SS 316	1.00	051	ST
643002	PACKING:PTFE,TYP STUFFING BOX	4.00	051	ST1
600240	GSKT, SPWD: NOMINAL FLANGE SIZE 40IN	2.00	051	ST
632030	GSKT PRE-CUT :P#2601-GGO,BONNET,3IN	2.00	051	ST
628272	GAUGE,PRESSURE:100MM,MNPT 1/2IN,BOURDON	1.00	101	ST
614909	FLINGER: P/N:42G313B157AX1228AC	1.00	081	ST
620822	PLATE:TYP SEAL,APLC ELECTRIC MOTOR	1.00	131	ST
585620	VALVE,SOLENOID:ELEC TRT 24VDC	3.00	051	ST1
362164	GUD;ROPE,WIRE ROPE	1.00	051	ST
604578	FUSE:2A,250VAC,FERRULE,CURRENT LIMITING	20.00	021	ST
630219	WASHER:CD	1.00	051	ST1
476467	RELAY,OVERLOAD:17-25A,1NO-1NC,THERMAL	1.00	011	EA
579520	RTD:TYP SINGLE,WIRE (2) RED; (2) WHITE	8.00	101	ST
610986	FLASHER:	1.00	021	ST
577601	WHEEL,CUTTING:TYP DIAMOND	4.00	101	ST
639404	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
628807	FUSE:	2.00	021	ST
642962	PACKING:ALCHEM,TYP STUFFING BOX	6.00	051	ST1
600015	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	2.00	051	ST
611247	RELAY:8PST,CONT 595VAC 10A	2.00	011	ST
636465	SEAL:GRAPHITE/SS 316L,BODY CONNECTOR	1.00	051	ST
588747	KIT-VLV-RPR:TYP SOFT PART,APL GATE AND G	1.00	051	ST1
588574	KIT,VALVE REPAIR:SEAT AND SEAL	2.00	051	ST1
584168	COLUMN:TYP GC CAPILLARY	1.00	061	ST
618482	SPROCKET:TYP ROLLER CHAIN,BORE 30MM	4.00	051	ST
1012876	SPINDLE: TYP BOWL,P/N:522988 02	1.00	101	EA
604834	FUSE:10A,250V	10.00	021	ST
1604966	FAN-ELCTRC:TYP AC,DIA 60MM,SPD 1750RPM,P	1.00	081	EA
580911	PLUG-VLV;CONTROL,DN 25MM,SS	2.00	051	ST
875669	KIT,VALVE REPAIR:	1.00	051	KIT
585202	FLTR-OIL;AIR COOLED LIQUID CHILLER	2.00	051	ST
587650	KIT,VALVE REPAIR:INCINERATOR PACKAGE	1.00	051	KIT

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
598614	BELT,V:OC 920MM,TOP WD 10MM,THK 8MM	4.00	051	ST
619684	IMPELLER,PUMP:TYP CLOSED	2.00	081	ST
586656	BELT,V:IN CIRC 1625MM,TOP WD 13MM	1.00	051	KIT
600967	GSKT PRE-CUT :ROUND	2.00	051	ST
604318	CONTACTOR:AMP 16A,1 POLE,380/400VAC	12.00	011	ST
643918	SCREW:PVC,ADJUSTER	1.00	051	ST
597289	SP	8.00	051	ST
584832	DIAPHRAGM:MT PTFE	2.00	051	ST
624975	CIRCUIT,POWER SUPPLY:APLC 40 KVA UPS	1.00	021	ST
594441	RING:ID 153 X OD 234 X THK 100MM,CI	2.00	051	ST
612651	GURD	2.00	121	ST
636125	SWITCH,FLOW:200-1600KG/HR	1.00	061	ST
9102455	AMMONIUM CHLORIDE LIQUID, 2.5 KG/BTL	10.00	051	KG
605105	RELAY:COIL 24VDC,DPDT,CONT 400VAC 10A	2.00	011	ST
643911	SEAL:MT NBR,APLC FLANGE	1.00	051	ST
589138	CIRCLIP:TYP RETAINING RING	2.00	051	ST
635190	INSULATION:TYP THERMAL,SIZE 10 X 80 X 20	1.00	001	ST1
706276	GSKT PRE-CUT :ROUND,HOLES WITHOUT	2.00	051	EA
1229246	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	1.00	051	EA
1064277	SLEEVE, SHAFT: INSIDE DIAMETER 100MM	1.00	051	EA
590065	FUSE:3A	5.00	021	ST
582713	PROBE:TYP VIBRATION,APLC KEYPHASOR	3.00	011	ST
597459	VALVE,SOLENOID:ST 2 WAY,ELEC TRT 12V,PI	1.00	051	ST
643205	COVER:	1.00	051	ST
726027	ELECTRODE:TYP CHLORIDE	1.00	051	ST
582377	CONVERTER,SIGNAL:APLC ANALYZER SYSTEM	1.00	061	ST
643306	PLUG,VALVE:SQ 1IN,VLV SZ 1 X 1 IN	1.00	051	ST
195951	RELAY:COIL 110-120/115-120VAC 50/60HZ	2.00	051	ST
802924	PACKING:ID 26 X OD 38 X THK 7MM,GRAPHITE	1.00	051	ST
1595428	STUD-ASMBLY:TYP BOLT,DIA 1-3/4IN,LG 415M	240.00	051	ASY
631587	BOLT:	4.00	051	ST
608888	TUBE:TYP TEST,SZ OD 18 X LG 180MM	1.00	131	ST
602061	O-RIG;NITRILE RUBBER	6.00	051	ST1
610661	PULLEY,V-BELT:GROOVE 1,DIA 120MM	1.00	051	ST
622287	SWTCH-SLCTR;LIFTING-O-LOWERING	1.00	021	ST
1032797	O-RING: INSIDE DIAMETER 112MM,WIDTH 4MM	4.00	051	ST
629576	FILTER,ELEMENT:60MESH,SS 304,STRAINER	2.00	051	ST
800050	KIT-ACTUTR-RPR;WEARING PARTS	1.00	061	SE
639437	SPRING,VALVE:CS ASTM A234	1.00	051	ST
622435	UNIT:TYP TRIP	2.00	051	ST
610887	REPEATER:TYP SWITCHING	1.00	011	ST
602428	PACKING:7/8 IN X 35.7MM,PTFE,TYP GLAND	2.00	051	ST
577412	RING:ID 300 X OD 322MM	1.00	051	ST
617201	CUT-OUT:TYP AUTO LINER	2.00	061	ST
590844	SWTCH-PRSUR;CL1 GR BCD; CL2 GR EFG,SPDT	1.00	061	ST
627375	SOCKET,ELECTRICAL:TYP LAMP	3.00	021	ST
635734	BRG,BALL:	1.00	051	ST1
1015075	GSKT JKTD:TYP DOUBLE JACKETED,JACKET MAT	1.00	051	EA
114945	GSKT PRE-CUT :SS 316/GRAFOIL	1.00	051	EA
598952	MOTOR:110V 1.45A 100W 2400RPM,SPRING	2.00	011	ST
592607	GSKT PRE-CUT :	2.00	051	ST
225246	BRG,BALL:IBI 15059,ID 100MM,OD 150MM	1.00	051	ST
627181	PACKING:GRAFOIL,RECTANGULAR	3.00	051	ST1
961337	BRG: MATL ALLOY 6B,P/N:14A6547X012	3.00	051	EA
1522642	GRBX:TYP GEAR OPERATED HAND WHEEL,RT 38	1.00	900	ST
1246185	VALVE,GLOBE:VALVE SIZE 2IN,DSGN RT 800LB	2.00	051	EA
614652	IMPELLER,PUMP:TYP 1ST STAGE	1.00	081	ST
908020	KIT,SEAL:	3.00	051	EA
582323	CHASSIS:TYP PC-INDUSTRIAL	1.00	031	ST
578286	KIT,VALVE REPAIR:	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
578091	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG PACKIN	1.00	051	ST1
636772	BLOCK,TERMINAL:ELEC TRT 300-600VAC 10A	50.00	021	ST
591041	ELMNT-HTR-OVRLD:TYP OVERLOAD,AM 110-119A	2.00	051	ST
594349	GSKT PRE-CUT :ID 11.5 X OD 17 X THK 1MM	1.00	051	ST
612969	BLCK-CNTCT:TYP PILOT SWITCH,ELCTRCL RTNG	3.00	021	ST
904152	GAUGE,PRESSURE:RANGE 0-10BAR,DIAL SIZE 1	1.00	101	EA
593522	GSKT-ST	10.00	051	ST1
618230	THERMOMETER:TYP INDUSTRIAL	1.00	061	ST
586927	VALVE,SOLENOID:ELEC TRT 24VDC 10W	1.00	051	ST
247896	O-RING:ID 5.0IN,WD .125IN,MT VITON	1.00	051	EA
1526779	LIGHT,INDICATING:TYP LED,VOLTAGE 85-264V	1.00	021	KIT
897560	CIRCUIT: TYPE BARRIER BOARD,P/N:2223903	1.00	021	EA
622431	CONNECTOR,LUG:ELEC TRT 250A	7.00	021	ST
578041	KIT-VLV-RPR;SEAT AND SHAFT SEAL	1.00	051	ST
595277	SEAL:	4.00	051	ST
578851	FAN:TYP AXIAL,ELEC TRT 24VDC 2.5W	5.00	081	ST
552823	WHEEL:TYP CUTTER,MT SS 316L	1.00	091	EA
805300	RGNT:TYP NH3-NITROGEN,APL HIGH AMMONIA T	2.00	900	KIT
615366	SPRING:	1.00	051	ST
591166	INTERFACE:	1.00	061	ST
1078969	SLEEVE:TYP THROTTLE,MATL SS ASTM A276 GR	1.00	051	EA
585721	VALVE,GATE:VLV SZ 2IN,DES RTG CL 600	1.00	051	ST
624910	CIRCUIT:TYP REGULATOR FIRING CARD,APPL 4	2.00	011	ST
1090298	THROWER: TYP OILER,MATL P250GH,MNFR:KSB	1.00	081	EA
584909	DISC,VALVE:SS ASTM A276,304,PRESSURE AND	1.00	051	ST
612380	SEAT,VALVE:	2.00	051	ST
614798	SLEEVE:TYP BEARING,APLC PUMP END	1.00	051	ST
599111	PULLEY,V-BELT:6SPB,GROOVE 6,DIA 900MM	1.00	900	ST
804654	GSKT PRE-CUT :ID 64 X OD 80 X THK 5MM	10.00	051	ST
629592	FLOAT:SZ 3 IN X 150,MT SS 304 L	1.00	061	ST
615804	SEAL:AIR	1.00	051	ST
643637	CARRIER:TYP BLADE	1.00	051	ST
580390	SHFT;5.2MM,1200MM,SS,DRIVE	2.00	051	ST
616689	TRANSFORMER,INSTRUMENT:VA RT 3VA,CURR RT	2.00	011	ST
590312	DTCTR-RSTNC-TMPRTUR:STM SZ DIA 7MM,P/N:D	2.00	101	ST
585657	VALVE,SOLENOID:ST 3/2 WAY,ELEC TRT 24VDC	1.00	051	ST
898225	BREAKER,CIRCUIT:10A,240/415VAC,POLE 1	1.00	011	EA
617039	SWITCH,SELECTOR:2NO,3	2.00	021	ST
627644	FUSE:25A,380V	3.00	021	ST
629536	BUSH:C2600T,TURBO FAN FIRED	2.00	051	ST
19123	CHAIN:TYP PLATFORM,MATL SS,P/N:PL00190M	1.00	051	ST
625079	BREAKER,CIRCUIT:16A,POLE 4	1.00	011	ST
1625556	SEAT-VLV;BUTTERFLY,80MM,RPTFE	2.00	051	EA
623040	LENS,INDICATING LIGHT:TYP PILLAR	2.00	021	ST
592203	SPRINKLER,FIRE PROTECTION:	2.00	121	ST
587848	KIT,VALVE REPAIR:CHECK VALVE,INLET	1.00	051	KIT
613301	SCREW:G 1/4-19BSPIN DIA,THD 19 BSP	25.00	051	ST
626485	SWITCH:TYP TORQUE/POSITION CLOSING	1.00	021	ST
595454	PAPER,ROLL:TYP FAN FOLD DOUBLE PLY	13.00	141	BX
961618	GSKT PRE-CUT : MATL VITON,TYP FF	1.00	051	EA
623029	METER: TYPE ELAPSED TIME,MNFR:A/B	1.00	101	ST
604772	FUSE;ULTRA FAST BLOW,1.6A,250V AC	6.00	021	ST
593298	GSKT PRE-CUT :ID 80 X OD 130 X THK 2MM	2.00	051	ST
429267	VALVE,SOLENOID:ST 2/2 WAY	2.00	051	ST
602739	CIRCLIP:TYP RETAINING RING	1.00	051	ST
589075	TELEPHONE:	2.00	031	ST
432229	REACTOR:ELEC TRT 380-460VAC 146/120A	1.00	011	ST
593318	GSKT PRE-CUT :	2.00	051	ST
619658	RING,RETAINING:MT JIS G3505 GR SWRN,SNAP	2.00	051	ST
642692	PACKING:	1.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
577858	ASSEMBLY:	2.00	081	ST
1023396	KIT, VALVE REPAIR: APPL CONTROL VALVE	1.00	051	KIT
1003962	METER, FLOW: TYP SQUARE EDGE ORIFICE	1.00	101	EA
1003938	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
9101862	REPAIR KIT	1.00	051	ST
622788	SPRG-VLV;1-1/2 X F X 2IN	1.00	051	ST1
603061	SEAL:TYP GLAND,MT EPDM	2.00	051	ST
610222	BLCK-TRMNL;(6) BOLTED,3,UL 804	6.00	021	ST
166066	O-RING:ID 2-3/8IN,WD 1/16IN,MT VITON A	2.00	051	EA
624302	COLLAR:TYP THRUST	1.00	051	ST
581199	CIRCUIT:TYP RELAY BOARD,APLC INVERTER	2.00	011	ST
619744	SCREW:CS ASTM A576/CS JIS GR S50C	1.00	051	ST
9101902	SLEEVE, MECHANICAL SEAL MATL: SUS 403	1.00	051	ST
625344	OPERATOR,SWITCH:TYP PUSHBUTTON	3.00	011	ST
1232591	GSKT PRE-CUT :TYP FLAT,SIZE ID 222 X OD	1.00	051	EA
612747	FIXTURE:TYP DOWN LIGHT	9.00	021	ST
834255	VLV-CNTRL;DIVERter,DN125,PN10,AL,35-50°C	1.00	051	EA
600893	GSKT PRE-CUT :KLINGERSIL C-4400	1.00	051	ST
1580744	SEAT-VLV:TYP RING,VLV TYP CONTROL BALL,V	1.00	051	EA
636081	SWITCH,PRESSURE:30 IN VACUUM TO 100 PSIG	3.00	061	ST
580788	PLATE:TYP SLIDING	10.00	131	ST
609858	O-RING:APLC MIXER	2.00	051	ST
521957	O-RING:ID 89.5MM,WD 2MM,MT NBR	1.00	051	EA
636079	ELECTRODE,WELDING:	25.00	051	KG
9102457	1.4 DIOXANE (DIOX)	3.00	051	L
984395	PLATE, HEAT EXCHANGER: TYP PRESSURE	2.00	081	EA
577966	SET:TYP GROOVED RING	2.00	081	ST1
646549	O-RING:ID 107MM,WD 3.5MM,MT TEFLON	2.00	051	ST
613266	GAUGE, PRESSURE: RANGE 0-6BAR	2.00	101	ST
579601	TRANSDUCER:TYP INCREMENTAL	1.00	061	ST
579903	CATCH:TYP SAFETY	2.00	021	ST
578429	KIT:TYP SOFT PARTS,CMPRSNG GLASS/GASKET	1.00	081	ST1
594357	PACKING:ID 13 X OD 18 X THK 3MM	1.00	051	ST1
584902	DISC,VALVE:SS ASTM A276,304,PRESSURE AND	1.00	051	ST
595256	SEAL,OIL:ID 18MM,OD 35MM,WD 9MM,MT RUBB	1.00	091	ST1
632843	MODULE:2MB MEMORY	1.00	031	ST
619755	PIN:SNC 415/STEEL NICR,CROSSHEAD	1.00	051	ST
1024050	DIAPHRAGM, VALVE: VALVE SIZE 1/2IN	2.00	051	EA
600353	GSKT,SPWD:	2.00	051	ST
591393	BOLT,MACH:M20,LG 130MM,AL BRONZE,2.5MM	4.00	051	ST
597042	SPRING,COMPRESSION:	1.00	051	ST
609893	BLOCK,TERMINAL:	3.00	021	ST
643707	BRG,ROLL:TYP DOUBLE SEAL,STD DIN 618	1.00	051	ST
613281	DSPLY-UNIT-DATA	1.00	141	ST
1632772	BOD BOTTLE CAP	1.00	051	EA
586752	MOTOR,ELECTRIC:1.1KW,380VAC 2.9A 60HZ	1.00	900	ST
718077	INDCTR:TYP DIGITAL LCD,RNG 4-20MA,MUNT I	1.00	051	EA
586167	BRG,ROLL:TYP NEEDLE	2.00	051	ST
956402	COLUMN, ANALYSIS: SIZE ID 0.2MM X LG 50M	1.00	061	ASY
596471	FLTR-ELMNT;BASKET,SS WIRE CLOTH	1.00	051	ST
587602	KIT,VALVE REPAIR:TYP BALL VALVE,DOC:ALFA	6.00	051	ST
588305	O-RING SET:APLC CONTROL VALVE	6.00	051	ST
580391	SHAFT:DRIVE	1.00	051	ST
1001827	RELAY, PROTECTION: TYP MOTOR PROTECTION	1.00	031	EA
582743	SENSOR:TYP RTD,MOUNT PIPE	1.00	101	ST
641911	KIT-VLV-RPR:TYP SOFT PARTS,APL VALVE (SI	1.00	051	ST
1000458	COVER: TYP OIL WIPER PACKING,	2.00	051	ST
1003975	PLATE: TYP ORIFICE,SIZE 3IN,MATL SS 316	1.00	131	EA
581363	MODULE:TYP MULTI MEMORY,APLC CONTROL PA	2.00	011	ST
618463	PIN,GROOVED,HEADED:DIN 1476	7.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
634554	BUSH:TOE PIECE SHAFT,STEAM TURBINE	1.00	051	ST
580672	BOX;SWITCH,WD 450 X LG 675MM	1.00	001	ST
584811	DIAPHRAGM:TYP DOUBLE,MT PTFE	1.00	051	ST
1045864	VALVE, RELIEF: VALVE SIZE 4 X P2 X 6IN	1.00	051	EA
641273	THERMOSTAT:TYP DIFFERENTIAL	1.00	081	ST
589835	FILTER,ELEMENT:25MICRON	3.00	051	ST
585912	VALVE,SOLENOID:ST 2/2 WAY,ELEC TRT 24VDC	1.00	051	ST
327801	BRG,ROLL:ID 40MM,OD 90MM,WD 33MM	1.00	051	ST
581736	HOSE-RDTR;25MM,33MM,230MM,RUBBER,CURVED	2.00	051	ST
628108	GSKT:VALVE BODY	2.00	051	ST
599642	GSKT CAMPRO:TYP SANDWITCH,UNS S31600,3MM	4.00	051	ST
606643	SCREW,CAP:15MM DIA,72MM LG,MT STEEL	8.00	051	ST
802928	PCKG:SZ ID 46 X OD 65 X THK 10MM,MTRL GR	1.00	051	ST
622741	BLCK-TRMNL;STUD,3	1.00	021	ST
597001	SEAT,VALVE:	1.00	051	ST
608312	SOCKET:TYP LIGHT	3.00	101	ST
9101708	GLASS, SIGHT, 100 MM DIA X 15 MM THK,GLA	5.00	051	ST
1038196	RING:TYP SPIRAL JOINT,MATL SS DIN WN 1.4	1.00	051	ST
799589	FUSE;CONTROL,2A,230V,GLASS	3.00	021	SE
1049715	SEAL,MECHANICAL:SIZE 70MM,TYP ELASTOMER	1.00	051	EA
587728	KIT: TYPE ANALYZER,P/N:4141-11	7.00	081	ST
9102117	GLAND,STUFFING BOX(BE DELETED REF.ROSE R	1.00	051	ST
176162	ELBW-PIPE--TUBE:SZ 1/2IN,PIPE CNCTN MNPT	5.00	051	EA
620090	VALVE,RELIEF:APP MAKE UP GAS COMPRESSOR	1.00	051	ST
600091	GSKT PRE-CUT :ROUND	1.00	051	ST
71373	TUBE,ELECTRONIC:TYP ELECTRON	4.00	081	ST
928347	TRANSFORMER,INSTRUMENT:CURR RT 200MA	1.00	011	EA
603342	CBL;FLEXIBLE,LG 100M/ROL,CU/PVC	3.00	021	RE
1080511	SEAL, RING: INSIDE DIAMETER 10.3MM	2.00	051	EA
601353	O-RING:MT NBR,APLC CCR REGENERATION ISO	2.00	051	ST
1024357	RELAY: COIL V 230-240VAC,ACTION 1P	1.00	011	EA
604728	HOLDER,FUSE:FUSE DIA 5 X LG 20/25MM	3.00	021	ST
630516	PIN:STOP PLUG	1.00	051	ST
905104	TRANSMITTER, PRESSURE: CNCT FNPT 1/2IN	1.00	061	EA
616759	TRANSFORMER,INSTRUMENT:VA RT 40VA	1.00	011	ST
9102452	BROMOPHENOL BLUE, POWDER, 500 GM/PKT	2.00	051	KG
721418	LIGHT,INDICATING:TYP LED,VOLT 24V	1.00	021	ST
924531	STUD CNTNS THD:TYP BOLT,DIA 1-1/8IN,LG 5	41.00	051	EA
619305	SHIM:TYP DISC,SZ ID 17 X OD 24 X THK 1MM	2.00	051	ST
636857	SHAFT:DRIVE	1.00	051	ST
131142	BRG;JOURNAL	1.00	051	EA
653218	GSKT,SPWD:300LB,IRMT SS 347,OR MT SS 347	6.00	051	EA
600323	GSKT PRE-CUT :NON ASBESTOS	2.00	051	ST
603192	RING:ID 30 X OD 35 X THK 26MM,TYP	1.00	051	ST
780789	SEAT-VLV;GATE VALVE BOLTED BONNET,16IN	2.00	051	SE
968729	THERMOMETER: TYP COLD-AIR RESISTANCE	1.00	061	ST
592969	GSKT-PRE-CUT;BOX GLAND PLATE,U,CORK	1.00	051	ST
592995	GSKT PRE-CUT :ID 62 X OD 143 X THK 5MM	2.00	051	ST
1082048	DETECTOR, LEAK: P/N:A458556,MNFR:ALCATEL	1.00	061	ASY
579835	PIPETTE: TYPE GRADUATED,CAPACITY 5ML	4.00	071	ST
603179	SEAL;TRANSVERSAL,PTA HANDLING PACKAGE	2.00	051	ST
871880	MODULE:ELECTRONIC EXTEN CWD2000	1.00	031	ASY
588733	PACKING:MT PTFE	1.00	051	ST1
602253	PACKING:	1.00	051	ST1
604398	CONTACTOR:TYP MAGNETIC,AMP 9A,3 POLE	1.00	011	ST
9102195	GEAR,PART#2[TO BE DELETED]	2.00	051	EA
596683	FILTER,ELEMENT:	1.00	051	ST
612239	RING,WEAR:SS 416,APLC CASING	2.00	081	ST
304155	RAIL:SZ LG 480MM	1.00	051	ST
902319	BREAKER,CIRCUIT:6A,230VAC,INTP CAP 6KA	3.00	011	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1024095	ISOLATOR: TYP PULSE,P/N:M2PP-34N-R/UL	1.00	031	EA
1001713	SEAL;ID 30 X OD 47 X THK 7MM,SHAFT	1.00	051	EA
597445	VALVE,ANGLE:VLV SZ 1 X 1/2IN	2.00	051	ST
603845	P/N 07/10	1.00	051	ST
627283	SLEEVE,SHAFT:SS 304/PTFE	1.00	051	ST
643917	O-RING:MT VITON,APLC DIAPHRAGM	1.00	051	ST
590007	FUSE:16A,550VAC,DIA 13.8 X LG 58.7MM	18.00	021	ST
600246	GSKT,SPWD:26IN,300LB,GRAPHITE	3.00	051	ST
618415	ASSEMBLY:	1.00	081	ST
75648	REGULATOR,PNEUMATIC:TYP AIR PRESSURE	1.00	051	ST
643669	BRG,ROLL:ID 25MM,OD 30MM,WD 20MM,TYP	1.00	051	ST
583986	BEND:TYP RETURN,SZ OD 141.3MM,DEG 180	1.00	131	ST
76199	LIGHT,INDICATING:TYP INCANDESCENT PILOT	4.00	011	ST
643635	NUT:VICE	1.00	051	ST
643796	RIG-RTNG:SZ DIA 90 X THK 3MM,MTRL STEEL	1.00	051	ST
928352	CIRCUIT: TYP CURRENT MONITOR	1.00	011	EA
609628	SPRING:SZ 1.1 X 6.5 X 31 X 16.5MM	2.00	051	ST
636458	KIT,ACTUATOR REPAIR:TYP SEAL	1.00	061	ST1
540897	CPCTR:CPCTNC 35MICRO F,VLTG 370VAC 60HZ	2.00	031	EA
617745	BREAKER,CIRCUIT:0.63-1A,230-690VAC	1.00	011	ST
1081025	THRMCUPL;ELEMENT,40-1000°C,ROSEMOUNT	1.00	061	EA
1003981	METER, FLOW: TYP SQUARE EDGE ORIFICE	1.00	101	EA
536100	DISC,VALVE:SS 316,VLV SZ 6	5.00	031	EA
952706	GSKT:NITROGEN TRANSFER PUMP	1.00	051	ST
587737	KIT-VLV-RPR:TYP SOFT PART,APL BOLTED BON	4.00	051	ST
619854	FOLLOWER:MT SS 316	2.00	061	ST
617627	PUMP,DIAPHRAGM:TYP METERING,CAP 300L/HR	1.00	900	ST
591468	NUT,HEX:CI	2.00	051	ST
726686	STEM:MT SS	1.00	051	ST
706635	GUARD:TYP OUTER OIL	2.00	121	EA
615661	RETAINER:TYP OIL RING,MT CS ASTM A283 GR	1.00	051	ST
609757	BATTERY,DRY CELL:VOLT 3VDC	1.00	011	ST
629550	FLOAT:	1.00	061	ST
577978	KIT;GEAR BOX	1.00	081	ST
1196986	POWER SUPPLY: TYP UNIT	1.00	021	EA
592475	GSKT PRE-CUT :ID 36 X OD 70 X THK 2MM	8.00	051	ST
589972	FUSE:20A,660VAC; 250VDC,DIA 23.9 X LG	6.00	021	ST
612199	GAUGE,PRESSURE:0-12BAR; 0-166PSIG,MPT	2.00	101	ST
605307	SWITCH,PUSHBUTTON:400VAC 10A,DPTD,2NO	1.00	021	ST
615841	GSKT:FOAM REAR	5.00	051	ST
628600	RING,LANTERN:APLC BUTTERFLY VALVE	1.00	081	ST
1059596	COIL: TYP SOLENOID,SIZE DIA 8MM	1.00	081	ST
590819	SWITCH:TYP MICRO,CONTRT 30VAC 1A,SPDT	3.00	021	ST
1595225	VLV-GATE:TYP BELLOW SEALED,VLV SZ 1/2IN	1.00	051	EA
166465	O-RING:ID 67.95MM,WD 2.62MM,MT VITON A	9.00	051	EA
605913	CIRCUIT:TYP POSITION SIGNALLING	2.00	011	ST
604068	BREAKER,CIRCUIT:THERMAL	2.00	011	ST
602318	PACKING:TYP BONNET VALVE	2.00	051	ST
604180	SET:TYP ELECTRICAL BRUSH	6.00	021	ST
613286	KIT-VLV-RPR:TYP SOFT PARTS,APL CONTROL V	1.00	051	KIT
642435	CONE:MT SS DIN WN 1.4021 GR X20CR13	1.00	051	ST
110349	PLATE:APLC DETECTOR	1.00	051	EA
586144	BRG,BALL:ID 60MM,ST OPEN,ROW 2 X SINGLE	1.00	051	ST
599886	GASKET SUPERSEDED BY 599887	1.00	051	ST
1015076	GSKT, SPWD: NOMINAL FLANGE SIZE 840MM	1.00	051	EA
592824	GSKT;12MM,ID 730 X OD 815MM,ROUND,VALVE	1.00	051	ST
610336	KEYBOARD:	1.00	141	ST
600438	GSKT PRE-CUT :GRAPHITE	3.00	051	ST
605330	SWITCH:TYP IGNITION,CONTRT 250V,SPDT	1.00	021	ST
413008	O-RIG;3.4,NITROGEN COMPRESSOR	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
584216	KEYBOARD:TYP INDUSTRIAL	1.00	141	ST
594185	O-RING:APLC CONDUIT SLEEVE	2.00	051	ST
593964	O-RING:ID 66MM,WD 2MM	2.00	051	ST
632128	GSKT,SPWD:4IN,600LB,P#2601-ESO	2.00	051	ST
596465	FLTR-ELMNT;BASKET,SS WIRE CLOTH	1.00	051	ST
582662	GLASS,SIGHT:MT GLASS	1.00	101	ST
601211	GSKT PRE-CUT :WD 188 X LG 242MM,GRAPHITE	2.00	051	ST
612659	REFLECTOR:TYP DOME	2.00	061	ST
579535	SENSOR:TYP AMBIENT AIR	1.00	011	ST
1209667	ELECTRODE:TYP UNITRODE,MATL GLASS,APPL P	1.00	051	ST
593854	O-RIG;SPACER SLEEVE	5.00	051	ST
578342	KIT:	2.00	011	ST
642659	O-RING:ID 113.67MM,WD 5.33MM,APLC SEAL	1.00	051	ST
627090	BRG:	1.00	051	ST
638015	CIRCUIT:	1.00	011	ST
625326	TRANSFORMER,INSTRUMENT:CURR RT 100/1A	2.00	011	ST
584406	METER,ELECTRICAL:TYP AMMETER,RNG 0-32A	2.00	101	ST
632458	RELAY:COIL 24VDC,CONT 250VAC 8A,PLUG IN	1.00	011	ST
692685	LAMP-INCNDSCNT;TUNGSTEN HALOGEN	3.00	021	EA
640143	PACKING:	1.00	051	ST1
593884	O-RIG;13/32IN,3/32IN,NITRILE RUBBER	8.00	051	ST
577956	KIT:TYP SOFT PARTS,CMPRSNG BUSH/PLUG/SCR	1.00	081	ST
622294	BRACKET:	4.00	051	ST
606045	RESISTOR:10K OHM,RT 7W	5.00	031	ST
610555	TRNSFRMR	2.00	011	ST
634991	HEATER:	83.00	001	M
915052	POSITIONER,VALVE:	1.00	061	ST
1084535	RING,WEAR:INSIDE DIAMETER 330MM,MATL A27	1.00	081	EA
637045	WASHER,LOCK:SPLIT	1.00	051	ST1
119380	O-RIG;BUNA-N,FLANGE ADAPTOR	5.00	051	EA
594098	O-RING:APLC SEAL	1.00	051	ST
603776	CNCTR;BARBED,DIA 3/8IN	1.00	051	ST
601452	O-RING:ID 11-1/2IN,WD 0.21IN	12.00	051	ST
590539	RLY;90V DC,SPST,125/250VAC 3/1.5A,1NO	1.00	011	ST
593471	GSKT PRE-CUT :	1.00	051	ST
602496	PACKING:GRAFOIL,RECTANGULAR	1.00	051	ST
583036	FIXTURE:TYP LIGHT,RT 70W	3.00	021	ST
601027	GSKT:BODY	2.00	051	ST
800841	GSKT,SPWD:3IN,300LB,GRAPHITE,SS 316	1.00	051	ST
585490	SPACER:TYP SPRING	6.00	051	ST
130951	DIAPHRAGM:TYP UPPER AND LOWER,MATL SS 30	2.00	051	EA
46121	GSKT-SPRL-WUND;SS 316,GRAPHITE FLEXICARB	6.00	051	EA
1087013	TRANSFORMER,CURRENT:CRRNT RTIO 200/5A,P/	1.00	011	EA
603374	CABLE:TYP FLEXIBLE,SZ LG 100M/ROLL	2.00	021	ROL
629583	FILTER,ELEMENT:SS 304,SCREEN	4.00	051	ST
775100	RING,BACK-UP:ID 85.65MM,OD 95.1MM	1.00	051	ST
1023614	PACKING, BULK: MATL NBR,SHAP ROUND	1.00	051	EA
738101	SHFT	1.00	051	ST
601354	O-RING:MT NBR,APLC CCR REGENERATION ISO	2.00	051	ST
582003	JET:TYP TUBE,SZ DIA 20MM	1.00	051	ST
602090	PACKING:SS 410	2.00	051	ST1
643794	DISC,PUMP:STEEL,XYLENE COLUMN SAMPLE	1.00	081	ST
625434	RLY-OVRD;THERMAL,1NO-1NC,12-18A,CLOSED	2.00	011	ST
906027	PIN:SS BS2056 GR 302S26,SEAT	1.00	051	EA
602564	RING,WEAR:SS JIS G4305 GR 420J2	1.00	081	ST
606674	BREATHER:TYP VENTING SCREW	1.00	081	ST
642197	TRANSMITTER:TYP PH,RNG ****PH	1.00	061	ST
636186	VALVE,SOLENOID:ST 3/2 WAY,ELEC TRT 24VDC	2.00	051	ST
606754	SCREW,MACHINE:M4 DIA,5MM LG	70.00	051	ST
617588	SCKT-ELECT;FEMALE PLUG/MOTOR PLUG	2.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
655632	RELAY,OVERLOAD:THERMAL,24-40A,1NO-1NC	1.00	011	EA
582188	FAN:TYP COOLING,MT AL	2.00	081	ST
900657	CONVERTER,FREQUENCY:TYP MM440,I/P 400VAC	1.00	031	EA
577837	EYE:	1.00	101	ST
624002	MDUL-PWR-SUPLY;24V DC	2.00	031	ST
630970	VALVE,SOLENOID:ST 5/2 WAY	1.00	051	ST1
599757	GSKT,SPWD:SS 316	2.00	051	ST
643908	TRIMMER:TYP TRIM,SZ DN 10IN	1.00	101	ST
999309	BUSHING: MATL 21003,DOC:057.04.399.99	2.00	051	ST
632846	MODULE:TYP INTERFACE	1.00	011	ST
893246	PUMP,CENTRIFUGAL:TYP SUBMERSIBLE	1.00	081	ST
900648	CONTACT, AUXILIARY: P/N:807 991 555	1.00	011	EA
9102240	SHAFT, SLEEVE (TO BE DELETED)	1.00	051	ST
584764	BASKET,STRAINER:SZ 8IN	2.00	051	ST
1080808	PIN: DIAMETER 8.1MM,LENGTH 41.5MM	1.00	051	EA
595785	SLING,CHAIN:TYP TRIPLE LEG	1.00	091	ST
642112	KIT-VLV-RPR:TYP SOFT PART,APL PRESSURE S	1.00	051	ST
737202	KIT,SEAL:APLC MECHANICAL SEAL	2.00	051	KIT
585186	FILTER,BAG:WD 12 X LG 24 X THK 12IN	1.00	051	ST
578101	KIT:TYP REPAIR	1.00	081	ST
905122	STATION:TYP MANUAL CALL POINT	1.00	011	EA
699904	CIRCUIT:TYP FTA SERIAL DEVICE INTERFACE	2.00	011	EA
618127	SEAL,RING:TYP V SHAPE	4.00	051	ST
604086	BREAKER,CIRCUIT:6A,POLE 2	1.00	011	ST
258980	CONTACTOR:TYP MAGNETIC,AMP 40A,3 POLE	1.00	011	EA
603156	SEAL,OIL:TYP SINGLE LIP	1.00	051	ST
580953	PLUG,VALVE:VLV SZ DN 25-50MM,SS	1.00	051	ST
198275	SPIDER,COUPLING:COUPLING RIGID FLEXIBLE	3.00	051	ST
615206	SWITCH,SELECTOR:	2.00	021	ST
796232	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,LG 190	11.00	051	SE
633210	WSHR;6.4MM	5.00	051	ST1
196006	BRG-BAL:IBI 13990,I DIA 60MM,OUT DIA 95M	1.00	051	ST
642631	O-RING:APLC SEAL	2.00	051	ST
805377	KIT:TYP FUSE	2.00	081	KIT
401420	O-RING, 25X3 MM	7.00	051	ST
584440	METER,ELECTRICAL:TYP VOLT,RNG 0-40KV	1.00	101	ST
582486	GAUGE,PRESSURE:0-1.6BAR,MNPT,BOURDON	1.00	101	ST
653167	GLAND,PACKING:MT SS ASTM A351 GR CF8	1.00	051	EA
1226572	POWER SUPPLY:TYP PACKAGED SWITCHING,INPU	1.00	021	EA
615089	CLR;DIA 6 IN X THK 2MM,SS DIN WN 1.4541	2.00	051	ST
585610	VALVE,SOLENOID:STYL 5/2 WAY,ELEC RT 24VD	1.00	051	ST1
579954	LAMP,INCANDESCENT:TYP PILOT,W 6W	15.00	021	ST
642682	PACKING:	1.00	051	ST1
612173	REGULATOR,ELECTRIC:TYP DUAL VOLTAGE	1.00	011	ST
626766	BEARING:	1.00	051	ST
595583	KEY-SHFT;COUPLING,STEEL	1.00	051	ST
616714	RGULTR-ELCTRC:TYP POWER FACTOR,VLTG 120V	1.00	061	ST
609867	FOOT:MT RUBBER	8.00	081	ST
598060	BRG,BALL:ID 25MM,ST OPEN,ROW SINGLE	2.00	051	ST
586047	GLAND,PACKING:TYP YOKE	1.00	051	ST
1555518	STUBEND:TYP SHORT PATTERN,SIZE 8IN,FLANG	2.00	051	EA
905333	GAUGE,PRESSURE:0-10BAR,50MM,G 1/8IN	2.00	101	EA
1000790	METER,ELECTRICAL:TYP AMMETER,READOUT ANA	1.00	101	EA
607205	NAIL:TYP WIRE,LG 3/4IN,MT STEEL BRIGHT	2.00	051	KG
589184	CONNECTOR:TYP REDUCER	1.00	051	ST
984412	PLATE, HEAT EXCHANGER: TYP PRESSURE	2.00	081	ST
601625	O-RING:ID 12.42MM,WD 1.78MM,MT VITON,STD	1.00	051	ST
9102439	TARTARIC ACID	45,250.00	051	G
605385	SWITCH,PUSHBUTTON:400VAC 10A,(2) SPST	4.00	021	ST
602378	PACKING:PTFE,SQUARE	2.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
608947	INDICATOR:TYP DIGITAL,RNG 0-120M3/HR	1.00	061	ST
605807	RELAY,TIME DELAY:0-30SEC ON DELAY	1.00	011	ST
596337	SIEVE:SZ DIA 305MM,TYP CURVED	4.00	071	ST
593852	O-RING:ID 1/2IN,WD 1/16IN,MT VITON	2.00	051	ST
596417	NEEDLE:TYP SAMPLING	1.00	101	ST
624867	COIL,ELECTRICAL:TYP INDUCTOR	3.00	011	ST
579480	SENSOR:TYP CHLORINE	1.00	011	ST
631558	NUT,CAP:DIA M20,THD 2.5MM,DIN 1587-5	12.00	051	ST
806910	MOTOR,GEARED:HELICAL,100-125VDC 50-60 HZ	1.00	011	ST
579334	GLASS,LEVEL GAUGE:	1.00	101	ST
610467	METER,ELECTRICAL:TYP VOLT,RNG 0-500VAC	1.00	101	ST
642301	STOP:TYP TOP PLT SPEC	10.00	051	ST
583861	MODULE:(32) DIGITAL OUTPUT	2.00	031	ST
626708	FUSE:4A	14.00	021	ST
900646	CONTACT,AUXILIARY:	1.00	011	EA
770237	NUT:	10.00	051	ST
594142	O-RING:MT NITRILE RUBBER	2.00	051	ST
905117	METER,FLOW:TYP PROWIRL 72F	1.00	101	EA
591685	SCREW,SET:3/8IN DIA,0.187IN LG,BRASS	1.00	051	ST
602181	PACKING:RECTANGULAR,TYP GLAND	2.00	051	ST
799579	ELECTRODE:TYP PH,MT GLASS	5.00	051	ST
607773	FITTING:TYP STRAIGHT MALE STUD,SZ 1/2IN	6.00	051	ST
604059	BREAKER,CIRCUIT:5-6A,220VAC,POLE 2	1.00	011	ST
581226	CIRCUIT:TYP TTY CONTROL INTERFACE BOARD	1.00	011	ST
738356	SPRING,VALVE:VLV SZ 4 X 6IN	1.00	051	ST
643254	CVR;STEAM TURBINE	1.00	051	ST
643218	COLLAR:TYP HAND VALVE	3.00	051	ST
892032	PLUG, VALVE: VALVE SIZE 4IN	2.00	051	ST
622366	PLUG,ELECTRICAL:200A	2.00	021	ST
1214484	MODULE:TYP 32-CHANNEL DIGITAL O/P,INPUT	1.00	031	EA
580700	COVER:TYP ROLLER SLEEVE,SZ DIA 1-1/2 X	2.00	051	ST
586963	DISC,BRAKE:	1.00	051	ST
79806	RELAY,TIME DELAY:0.05SEC-100HR,ON DELAY	1.00	051	ST
1573119	O-RIG-ST:MTRL VITON,APL DRIVING SHAFT,QT	1.00	051	SE
599281	RACE:TYP INNER ROLLER BEARING	1.00	091	ST
581647	HOSE;ID 3/4 X OD 10 X LG 1IN,FUEL	1.00	051	ST
592988	GSKT PRE-CUT :	1.00	051	ST
1012872	INDICATOR: TYP LCD, LOCAL,MATL SS,STD CE	1.00	061	EA
1084508	BRKR-CRCUT:AM 400A,VLTG 690/415V AC,INTR	1.00	011	EA
609343	SPRCKT;CHAIN WHEEL,30MM	1.00	051	ST
601565	O-RING:MT BUNA-N	3.00	051	ST
912492	CONTACTOR:TYP AUXILIARY	1.00	011	EA
9102459	POTASSIUM DICHLOROMATE	18.00	051	KG
726732	SCREEN:MATL SS	1.00	051	ST
598758	GEAR,SPUR:TYP PLAIN TUBE,TEETH 8,OD 46MM	1.00	081	ST
579510	SENSOR:TYP CONDUCTIVITY	5.00	011	ST
1035118	DETECTOR, LEAK: TYP INFRARED POINT	1.00	061	EA
632761	THERMOWELL:DRILLED BARSTOCK,300MM,MT SS	2.00	061	ST
889878	SWITCH,TEMPERATURE:0-95 DEG C	1.00	021	EA
879911	SHIM;SPACER,0.51MM,5	8.00	051	EA
582379	CONVERTER:TYP DC/DC,I/P 125V 1.6A,O/P 2	1.00	031	ST
642578	O-RING:APLC SEAL	1.00	051	ST
595543	KEY;GIB,SS	1.00	051	ST
855783	HOLDER:TYP PUSHBUTTON	1.00	051	EA
604269	CONTACT,AUXILIARY:TYP ROTARY SWITCH,VOL	1.00	011	ST
619802	BLOCK, TERMINAL: CIRCUIT 3,P/N:P4223	1.00	021	ST
628278	REGULATOR,PNEUMATIC:TYP FILTER	1.00	061	ST
898626	ELBOW,PIPE:SZ 8IN,CS ASTM A420,90,BW	3.00	051	ST
620040	GSKT PRE-CUT :THK 1.5MM,ASBESTOS	2.00	051	ST
581196	CIRCUIT:	2.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
624515	PUMP:	1.00	081	ST
432	BRG,PLUM BLK:ID 45MM,WD 42.9 X LG 189MM	1.00	051	ST
586985	KIT:TYP SOFT PARTS,CMPRSNG GASKET /FITTI	1.00	081	ST
636169	PACKING:P#4519M,TYP GLAND	3.00	051	ST
616930	BREAKER,CIRCUIT:60A,220-690VAC	1.00	011	ST
1068930	COIL, ELECTRICAL: TYP PICK-UP	1.00	011	EA
579145	DAMPER,VIBRATION:	10.00	011	ST
1612192	PORT:TYP OIL PORT,MTRL SS316,SZ LG 125MM	1.00	081	ASY
166022	SCREW,SET:SS,GR 416	1.00	051	EA
387325	CONTACTOR: TYP MAGNETIC,MNFR:ABB	2.00	011	ST
585544	STEM,VALVE:VLV ST MANUAL CONTROL ANGLE	2.00	051	ST
637853	COLLAR:TYP VALVE	1.00	051	ST
591834	WASHER:4105,THK 3.5MM,STANDARD	2.00	051	ST
586001	CHASSIS,MCC INSERT:	1.00	051	ST
875589	DIPSTICK:APLC VACUUM PUMP	2.00	051	ST
430907	SEAL-RIG:MTRL NITRILE RUBBER,TYP SQUARE	2.00	051	ST
373446	BRG,ROLL:ID 70MM,OD 150MM,WD 35MM	1.00	021	ST
627200	GSKT,SPWD:4IN,300LB,GRAPHITE,SS 316	2.00	051	ST
585595	STRAINER:TYP GROUP	1.00	051	ST1
628019	PLUG,VALVE:VLV SZ 6IN,CONTROL,SS 316L GR	1.00	051	ST
625354	RELAY:TERM (14) PIN	4.00	900	ST
630882	LENS,INDICATING LIGHT:COLOR YELLOW	2.00	021	ST
632491	GSKT:	2.00	051	ST
585280	SEAT;PTFE	4.00	051	ST
383435	TRANSFORMER,INSTRUMENT:VA RT 15/15VA	1.00	011	ST
614201	VALVE,BALL:VLV SZ 1IN,DES RTG CL 150	2.00	051	ST
606779	SCREW,CAP:M6 DIA,8MM LG,HEX SOCKET	30.00	051	ST
1039885	GSKT PRE-CUT : MATL KLINGERSIL C4500	1.00	051	EA
600348	GSKT,SPWD:	2.00	051	ST
598359	BRG,BALL:P/N:16017,MNFR:NSK	1.00	051	ST
598505	BELT-V;6300MM,16MM,13MM,RUBBER,6322MM	6.00	051	ST
596619	FILTER,OIL:ELEMENT	6.00	051	ST
587320	O-RING SET:	2.00	081	KIT
1086782	OIL-INSULTG;DIALA S2	2.00	001	DR
642895	SPRING,EXTENSION:	1.00	051	ST
101776	GSKT:IRREGULAR,FOR CONTROLLER,PNEU,IND	5.00	081	ST
801876	SEAL,OIL:MT NBR,TYP RADIAL LIP	2.00	051	ST
636770	BREAKER,CIRCUIT:10A,24VDC,INTP CAP 10KA	1.00	011	ST
725203	SENSOR:	1.00	011	ST
269615	CIRCUIT:TYP GATE DRIVER	2.00	021	EA
625277	WASHER:PRE-LOADING	3.00	051	ST
641378	MODULE:ELECTRONIC CHASIS ASSEMBLY	2.00	031	ST
956060	KIT, ACTUATOR REPAIR: P/N:B1APCV300SET	2.00	061	ST1
272143	REGULATOR,PNEUMATIC:TYP PRESSURE	1.00	061	EA
42895	SWITCH,LIMIT:	2.00	900	EA
635704	PISTON:MT CS JIS G4051 GR S25C	1.00	091	ST
605384	SWITCH,LEVEL:PWR S 24/48VAC 50-60HZ,SPDT	1.00	061	ST
427358	BLCK-CNTCT:TYP AUXILIARY,ELCTRCL RTNG 23	6.00	021	ST
627969	PLUG,VALVE:CONTROL,SS 316	1.00	051	ST
1022917	PIN: TYP HYDRAULIC CYLINDER,P/N:SLP60544	1.00	051	ST
615718	RETAINER:TYP OIL RING,MT SS 400 ASTM	1.00	051	ST
706237	SWITCH:TYP VIBRATION,CONTRT 480VAC 5A	1.00	051	EA
1024512	BUSHING, ELECTRICAL CONDUCTOR: EQUIP	3.00	021	EA
589092	HOLDER,LAMP:	1.00	021	ST
871134	GSKT,SPWD:GRAPHITE,SS AISI 316,SHP ROUND	1.00	051	EA
582994	DIODE,LIGHT EMITTING:COLOR GREEN	2.00	021	ST
597737	SHEET:FILTER	2.00	131	ST
578385	SET:TYP PACKING	1.00	081	ST1
609340	GRBX;23.37:1,19-95RPM	1.00	900	ST
594407	SEAL-RIG;58MM,64MM,8MM,AL	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
114926	GSKT,SPWD:SHP ROUND,APLC CONTROL VALVES	8.00	051	EA
1024351	CABLE: SIZE OD 4.6 X LG 326000MM	1.00	021	EA
620616	SEAL,RING:TYP V SHAPE,MT SYNTHETIC RUBB	2.00	051	ST
598554	BELT,V:OC 380MM,TOP WD 17MM,THK 5MM,MT	2.00	051	ST
585919	VALVE,GATE:VLV SZ 3/4IN,DES RTG CL 800	1.00	051	ST
588398	TRANSMITTER,DIFF.PRESS.:	1.00	061	ST1
638080	DISC:SS,PACK	1.00	051	ST1
615446	V-BELT-ST;21/32IN,102.8IN,2	1.00	051	ST1
634826	CHEMICAL:SILICON CARBIDE	1.00	001	BOT
589104	BLOCK,CONTACT:TYP POTENTIAL TESTER,TERM	1.00	021	ST
602607	RING,WEAR:	1.00	081	ST
770235	NUT:	16.00	051	ST
592311	PIN,GROOVED,HEADED:	2.00	051	ST
584926	DISC,VALVE:SS ASTM A564,630,PRESSURE AND	1.00	051	ST
644296	UNIT:TYP INVERTER PANEL	1.00	051	ST1
1593773	CASE:TYP TILE,APL STAGED GAS BURNER,P/N	5.00	051	ASY
1196990	CIRCUIT: TYP ETHERNET SWITCH	3.00	011	EA
578890	THERMOSTAT,AUTOMOTIVE:CATERPILLAR DIESEL	2.00	051	ST
592436	GSKT-PRE-CUT;COVER,ROUND,GRAPHITE	1.00	051	ST
643679	WINDOW,SIGHT:	1.00	131	ST
599711	GSKT-PRE-CUT	1.00	051	ST
582291	CARTRIDGE:TYP ACCUTRACK90	2.00	051	ST
612372	RING,RETAINING:TYP BALL BEARING	1.00	051	ST
644665	PLT;THK 0.5MM,SS 316	2.00	131	ST
900645	CONTACT, AUXILIARY: TYP SIGNAL	1.00	011	EA
798668	GSKT,SPWD: MNFR: UNKNOWN,P/N: 3SDA080017	1.00	051	ST
620612	SEAL,RING:TYP V SHAPE,MT SYNTHETIC RUBB	2.00	051	ST
601000	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	2.00	051	ST
1030714	GEAR: MATL SUS403,P/N:2TOY0926-ISO A-2	1.00	081	ST
625358	TIMER:SUPP 110VAC,RNG 8-80MIN	2.00	011	ST
596177	HOLDER,LAMP:TYP PENDANT PIN,SCREW IN,EL	19.00	021	ST
617331	FUSE:20A	2.00	021	ST
40298	GSKT:	5.00	051	EA
617647	RING,WEAR:SS 316,APLC CASING	4.00	081	ST
1024799	GSKT JKTD: JACKET MATERIAL SS 316L	1.00	051	EA
637984	KIT-VLV-RPR:TYP SOFT PARTS,CMPRSNG PACKI	2.00	051	ST1
612157	SWITCH,PUSHBUTTON:230/660VAC 6/10A,SPST	1.00	021	ST
631667	PIPE:STRUCT FLEXIBLE	1.00	131	ST
618234	THERMOSTAT:TYP TEMPERATURE SWITCHING	1.00	081	ST
587321	KIT,ACTUATOR REPAIR:TYP SEAL	1.00	051	KIT
587233	O-RING:ID 69.52MM,WD 2.62MM	1.00	051	KIT
601113	GSKT PRE-CUT :PTFE,3 X 6IN	2.00	051	ST
430889	SLV:TYP REDUCING,APL PUMP,P/N:237-0073-0	1.00	051	ST
597045	SPRG-CMPRSNG;24MM,STEEL	1.00	051	ST
638121	DISC:THRUST	1.00	051	ST
606947	STUD CNTNS THD:DIA 1-1/2IN,THRD 8 UNC,LG	2.00	051	ST
619585	BLADDER,ACCUMULATOR:MT NBR	2.00	081	ST
601133	GSKT PRE-CUT :PTFE,2 X 12IN	2.00	051	ST
608212	BLADE:TYP SPRING,SZ WD 40 X LG 560 X THK	10.00	101	ST
588638	BOLT:TYP COUPLING	1.00	051	ST1
593729	O-RING:ID 32MM,WD 1.6MM	6.00	051	ST
587313	KIT,ACTUATOR REPAIR:TYP SEAL	1.00	061	ST
636391	SWITCH,TEMPERATURE:90-190DEG C,SZ LG	1.00	021	ST
604107	BREAKER,CIRCUIT:400A	1.00	011	ST
593437	GSKT PRE-CUT :THK 2MM,NEOPRENE RUBBER	4.00	051	ST
9101856	REPAIR KIT	3.00	051	ST
578073	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG PACKIN	1.00	051	ST1
968728	THERMOMETER: TYP BEARING,MNFR:SIEMENS AG	1.00	061	ST
612066	SWITCH,SELECTOR:690VAC 20A,LEVER KNOB	5.00	021	ST
586794	GEAR,HELICAL:	1.00	081	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
615614	BUSH:BRONZE BC6/B584,THROTTLE	2.00	051	ST
649196	JOINT:TYP ROTARY,MT BRASS,APLC AUTO	1.00	051	EA
635557	GSKT:CORRUGATED	1.00	051	ST
798952	KEYBOARD:TYP FLAT MEMBRANE,PROPRIETARY	1.00	141	EA
1602908	VLV-GATE:TYP BOLTED BONNET,VLV SZ 10IN,D	1.00	051	EA
1030716	KEY, SHAFT: MATL SUS403,DOC:10909-0900	2.00	051	ST
593016	GSKT-PRE-CUT;RECTANGULAR,CORK	2.00	051	ST
719312	PLUG-VLV;PRESSURE REGULATOR,3IN	4.00	051	EA
1025031	GSKT JKTD:TYP DOUBLE METAL JACKETED,JACK	5.00	051	EA
616812	METER,ELECTRICAL:TYP VOLT	1.00	101	ST
1612230	GSKT-KIT-INSULTG:TYP VCXT,NMNL FLNG SZ 1	8.00	051	KIT
624079	SWITCH,LIMIT:P/N:ZCE02 + ZCMD21L2,MNFR:T	2.00	061	ST
610656	PULLEY,V-BELT:GROOVE 1,DIA 95MM	2.00	051	ST
905175	DETECTOR,FIRE PROTECTION:TYP FLAME	3.00	121	EA
630575	PACKING:TYP CONTROL VALVE	1.00	051	ST1
577695	HORN:TYP ALARM,RT 24VDC	1.00	121	ST
249595	FACE,MECHANICAL SEAL:MT TUNGSTEN CARBIDE	1.00	051	EA
632584	SWITCH:1NO	5.00	021	ST
595591	KEY,SHAFT:SZ WD 5 X LG 22 X HT 5MM,MT SS	3.00	051	ST
615654	BUSH,PUMP:BRONZE BC6/B584,BEARING COVER	1.00	081	ST
598353	BRG,BALL:TYP DEEP GROOVE,P/N:6016 DUU CM	3.00	051	ST
608663	BAR,REINFORCING:SZ DIA 12MM,MS	144.00	131	M
616154	BREAKER,CIRCUIT:6A,400VAC,POLE 2	2.00	011	ST
582947	SLUTN;PH BUFFER	10.00	001	L
581503	MDUL;PHASE INVERTER	1.00	031	ST
593355	GSKT PRE-CUT :ROUND	1.00	051	ST
628111	SEAT, VALVE: VALVE SIZE 10 X 14IN	2.00	051	ST
798941	INSULTR;MV TERMINAL,10KV,LG 342MM	1.00	051	EA
599261	SPROCKET:TYP ROLLER CHAIN	2.00	051	ST
578106	KIT:TYP CONNECTION	2.00	081	ST
563873	INTERFACE:TYP PCA,PWR SRC 110VDC,STD IEC	1.00	900	EA
591934	BUSH,VALVE:ACETAL	1.00	051	ST
889957	VALVE:TYP ROTARY,SWITCHING,P/N:GCRV-GBCR	1.00	051	EA
580080	LENS:TYP PUSHBUTTON	9.00	121	ST
593055	GSKT PRE-CUT :ID 21 X OD 96 X THK 4MM	2.00	051	ST
780819	PLATE:TYP BAFFLE,APLC HTM FURNACE BURNER	2.00	131	ST
540355	BELT,V:IN CIRC 1800MM,OC 1830MM,TOP WD	4.00	051	EA
742296	TRAP,STEAM:SZ 1IN,CONN NPT	2.00	051	ST
1038630	SCREEN: TYP SCALPING,P/N:2405,6-2	2.00	051	EA
629183	KIT-VLV-RPR;SOFT PARTS,RELIEF VALVE	1.00	051	ST1
604771	FUSE;ULTRA FAST BLOW,1A,250V AC,CERAMIC	10.00	021	ST
609795	BLOCK,CONTACT:	2.00	021	ST
592119	GSKT PRE-CUT :ROUND,8IN	1.00	051	ST
255427	BOLT,MACH:SUNDSTRAND PUMP,P/N:02-200AF	2.00	051	EA
658750	TIP,TORCH:TYP CUTTING,ACETYLENE	30.00	051	EA
637031	BRG,SLEEVE:	1.00	051	ST
612080	DPHRGM-ACTUTR;ROLL,DIA 384MM,1.2BAR	2.00	061	ST
906103	FUSE:2A,250V,MICRO	5.00	021	EA
609229	SPNDL	1.00	101	ST
592586	GSKT-PRE-CUT;ID 27 X OD 43 X THK 5MM	4.00	051	ST
630213	SCRW-ST;5MM,8MM,0.8MM,HEADLESS SOCKET	1.00	051	ST1
602174	PACKING:GRAFOIL,RECTANGULAR	2.00	051	ST1
595910	METER,ELECTRICAL:TYP VOLT,RNG 0-15V	1.00	101	ST
593136	GSKT,SPWD:SHP ROUND,BASIC,FILL THK 3MM	3.00	051	ST
624893	SWITCH:TYP AUXILIARY	2.00	021	ST
643518	CASTER:TYP SWIVEL	1.00	081	ST
858061	SHIM:MT SS 304	2.00	051	ST
587627	KIT,VALVE REPAIR:HI-SEAL	2.00	051	KIT
625413	LGHT-INDCTG;PILOT,220/230V,2.6W,AMBER	5.00	021	ST
813391	PLUG,VALVE:VLV SZ 1IN,ANGLE	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
600926	GSKT:	1.00	051	ST
615977	GSKT:DIA 72.3MM,BONNET,THK 5.3MM,ROUND	1.00	051	ST
625518	COIL,ELECTRICAL:TYP CIRCUIT BREAKER	1.00	011	ST
582874	TRANSMITTER, DIFFERENTIAL PRESSURE:	1.00	061	ST
593308	GSKT-PRE-CUT;FF,ROUND,NON ASBESTOS,PUMP	13.00	051	ST
629920	SHIM:SZ ID 28 X OD 40MM,THK 2MM,MT STEEL	1.00	051	ST
641780	SHAFT:DOC:P620C016083	1.00	051	ST
609755	RELAY:COIL 24VDC,DPDT	2.00	011	ST
605837	AMPLIFIER:TYP ISOLATING	1.00	031	ST
578961	FILTER,ELEMENT:CARTRIDGE RETURN	1.00	051	ST
615961	KIT:TYP UNLOADING RINGS	2.00	081	ST1
604236	SOLENOID:TYP TRIPPING COIL,COILV 110VDC	2.00	011	ST
636858	BRG,BALL:	1.00	051	ST
608900	PIPETTE:TYP VOLUMETRIC,CAP 100ML,MT	6.00	071	ST
590521	CIRCUIT:TYP DIGITAL OUTPUT	3.00	011	ST
611184	CIRCUIT,POWER SUPPLY:	1.00	021	ST
804338	KIT,VALVE REPAIR:CARTRIDGE VALVE	1.00	051	KIT
622847	SPINDLE:TYP RELIEF VALVE	1.00	101	ST
1239155	KIT,VALVE REPAIR:APPL 6 IN REDUCED BORE	2.00	051	KIT
630569	SEAL,RING:TYP RADIAL,APLC CONTROL VALVE	2.00	051	ST
622564	SPRING,VALVE:SS 316	2.00	051	ST
636323	PIN:SS 316,STEM	1.00	051	ST
605158	RELAY:TYP FLASHING	1.00	011	ST
601374	O-RING:MT NBR,APLC CCR REGENERATION ISO	2.00	051	ST
771995	SHIM:TYP DIFFUSER	1.00	051	ST
637212	KIT:	3.00	011	KIT
615657	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	1.00	081	ST
605812	TIMER:TYP PULSE	1.00	101	ST
896495	FILLR:TYP WIRE, SZ DIA 2MM,MT ER-CU	5.00	051	KG
630847	THRMST:RNG 25-90°C,P/N:RT101,MNFR:DANFOS	1.00	081	ST
582482	GAUGE,LEVEL:MAGNETIC OIL	1.00	101	ST
1570516	PIPE-MTLC:NMNL P SZ DSGNTN 12IN,SCHDUL 4	3.00	131	EA
115987	STUD CNTNS THD:DIA 7/8IN,THRD 9 UNC,LG 2	10.00	051	EA
581583	MODULE:TYP INPUT	3.00	011	ST
601700	O-RING:ID 43MM,WD 3MM,MT NBR	19.00	051	ST
808092	KIT,ACTUATOR REPAIR:APLC CONTROL VALVE	1.00	061	KIT
593331	GSKT:ID 21 X OD 26MM,THK 3MM,ROUND,AL/IT	3.00	051	ST
588699	TRANSMITTER,DIFF.PRESS.:	1.00	061	ST1
594230	PCKG;ID 10 X OD 21 X THK 5MM,PTFE	1.00	051	ST1
589195	SLEEVE,SHAFT:SS ASTM A276 GR 316	1.00	051	ST
593332	GSKT PRE-CUT :	5.00	051	ST
589136	CLIP:TYP RELAY	2.00	051	ST
860727	RELAY: COIL V 24VDC,TYP AUXILIARY	2.00	011	ST
595934	BARRIER,ZENER:RT 21VDC 87MA	1.00	031	ST
590271	PROTECTOR:SZ 1IN	9.00	001	ST
630522	GSKT:APPL BODY - PRESSURE REGULATOR VALV	3.00	051	ST
59738	O-RING:ID 31.7MM,WD 3.5MM,STD JIS B2401	1.00	051	ST
581865	PIPE:SZ DIA 6 X 4,LG 280	1.00	131	ST
510050	SEAL,OIL:MT BUNA-N	1.00	051	ST
606085	SUPPRESSOR:TYP AC/DC SURGE	10.00	031	ST
610331	SPACER:	4.00	051	ST
597340	VALVE:	2.00	051	ST
1560958	KIT-VLV-RPR:CMPRSNG 11 PARTS,DOC:5600342	1.00	051	KIT
641440	O-RING:ID 400MM,MT NYLON	1.00	051	ST
849174	HEATER, SPACE: TYP ELECTRIC PANEL	1.00	011	ST
616961	SWITCH,SELECTOR:220-550VAC 5-2A	2.00	021	ST
985467	FUSE: AMPERAGE 5A,VOLTAGE 500VAC/DC	38.00	021	EA
578197	KIT,PUMP REPAIR:TYP OIL	1.00	900	ST
628171	GLAND, PACKING: P/N:NHD000010	2.00	051	ST
610569	SWTCH-PRSUR;DIFFERENTIAL	7.00	061	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
609161	UNIT:TYP EXCHANGE,APLC POTENTIOGRAPH	1.00	051	ST
636909	GSKT PRE-CUT :ROUND	1.00	051	ST
585447	SPRING:TYP BRAKE	1.00	051	ST
634041	DISPLACER:TYP LEVEL,SZ LG 1829MM	1.00	061	ST
615651	RING:	1.00	051	ST
1543156	BRG,ROLL:TYP ROLLER,ROW SINGLE,INSIDE DI	2.00	051	EA
619636	COUPLING,SHAFT,HALF:JAW FLEXIBLE,FC250	2.00	051	ST
615775	GSKT,SPWD:PTFE,SS 316,APLC BEARING COVER	2.00	051	ST
644700	PUMP,CENTRIFUGAL:MOTOR	1.00	081	ST
586136	BRG,BALL:	1.00	051	ST
624871	COIL,ELECTRICAL:TYP INDUCTOR	3.00	011	ST
586141	SET:TYP BEARING	2.00	051	ST
600355	GSKT,SPWD:	2.00	051	ST
621878	CONNECTOR,LUG:	2.00	021	ST
619610	SPRING,COMPRESSION:SWPA/A230	2.00	051	ST
592310	PIN:PRIMARY PAWL STOP	2.00	051	ST
1543251	WASHER,LOCK:SZ 15MM,MATL HIGH CARBON CHR	2.00	051	EA
595804	MOUNT:SZ DIA 40MM,MT RUBBER	4.00	051	ST
617145	HOLDER,FUSE:	3.00	021	ST
642610	O-RING:ID 50.17MM,APLC SEAL	3.00	051	ST
930287	GEAR, SET: TYPE DRIVING AND DRIVEN BOTH	1.00	081	SE
634133	O-RING:MT FKM,APLC PRESSURE REGULATOR	1.00	051	ST
591861	ADAPTOR,PIPE:INLET 1IN,INLET MNPT,OUTLE	11.00	051	ST
584812	DIAPHRAGM:TYP PROCESS,SZ 3IN,MT PTFE	1.00	081	ST1
1015058	FUSE: AMPERAGE 2A,SIZE DIA 5 X LG 20MM	1.00	021	EA
642822	SEAL,OIL:ID 17MM,OD 28MM,WD 5MM	1.00	051	ST
629580	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG WASHER	1.00	051	ST1
628622	BRG,SLEEVE:TYP BUSHING	2.00	051	ST
615036	KIT-SEAL;KIT, SEAL	2.00	051	ST1
644304	KIT,TERMINATION:HV CABLE,12/17.5KV	3.00	021	ST
703416	KIT,VALVE REPAIR:	8.00	051	EA
583018	DIODE,LIGHT EMITTING:COLOR CAMDEN YELLOW	2.00	031	ST
616644	TRANSFORMER,INSTRUMENT:VA RT 7.5VA,CURR	1.00	011	ST
578079	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG PACKIN	1.00	051	ST1
587702	KIT-CYLNDR-RPR;SOFT PARTS,FORKLIFT	1.00	091	ST
593103	GSKT PRE-CUT :	4.00	051	ST
581216	CIRCUIT:TYP INVERTER CONTROL	2.00	011	ST
9102321	NUT,ST (GV) M16 (205.00),P/N:25(TO BE DE	26.00	051	ST
583647	CIRCUIT:TYP REGULATOR CARD,APLC WASTE	1.00	011	ST
585451	SPRING:TYP BRAKE	1.00	051	ST
1192697	BODY: , TYP TRIP,DOC:FIG 4.6	1.00	081	EA
1004009	PLATE: TYP ORIFICE,SIZE 3 IN,MATL SS 316	1.00	131	EA
589208	SLEEVE:TYP MECHANICAL SEAL,MT SS ASTM A	1.00	051	ST
642643	GSKT:	1.00	051	ST
630538	POSITIONER: TYP BETA,MNFR:VALTEK	1.00	061	ST
579863	KNOB:ST HAND KNURLED,SZ DIA 70 X HT 120	13.00	141	ST
584304	SHIM:	1.00	051	ST
585734	POSITIONER,VALVE:TYP PNEUMATIC,SUPP PRE	1.00	051	ST
617416	GSKT-CMPRFL	1.00	051	ST
607866	INSERT:CARBIDE	12.00	051	ST
582257	CONDENSER:TYP TRAP	1.00	081	ST
642225	ACTUATOR,PNEUMATIC:TYP AIR	2.00	061	ST
603970	BIT,MASONRY:TYP DRILL,SZ DIA 20MM,CUTTI	4.00	101	ST
639635	KIT-VLV-RPR:APL PLUG VALVES,CMPRSNG SLEE	1.00	051	KIT
626377	GLASS,SIGHT:MT BOROSILICATE GLASS	1.00	101	ST
607112	WASHER,LOCK:	2.00	051	ST
578438	GSKT PRE-CUT :DN 25	1.00	051	ST1
582773	THERMOMETER:RNG 0-50DEG C	2.00	061	ST
595837	THRMTR-DIAL;BI-METALLIC	2.00	101	ST
18350	FLG-PIPE:TYP FLAT FACE,SZ 2IN,MTRL CS AS	1.00	131	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
600821	GSKT-SPRL-WUND;T#1804-NA,ROUND	6.00	051	ST
642964	PACKING:ALCHEM,TYP STUFFING BOX	6.00	051	ST1
1566294	BLCK-TRMNL:ELCTRCL RTNG 380V; 60 HZ,TRMN	1.00	021	EA
585446	SPRING:TYP BRAKE	1.00	051	ST
592520	GSKT PRE-CUT :	1.00	051	ST
1023207	GSKT-SPRL-WUND:TYP BASIC WITH INNER RING	2.00	051	EA
1226674	REAGENT:TYP NUTRIENT BUFFER,TRADE NAME R	2.00	001	PAK
594822	SEAL,RING:TYP X	2.00	051	ST
594440	RING,RETAINING:	4.00	051	ST
581494	MDUL;PHASE INVERTER	1.00	031	ST
144035	SEAT-VLV:VLV TYP CONTROL VALVE,VLV SZ 2I	1.00	051	EA
617087	TRANSMITTER,PRESSURE:SMART ELECTRONIC	2.00	061	ST
549151	PROCESSOR:	1.00	031	EA
714170	BOARD,TERMINAL:	1.00	021	EA
609803	SLIDE:TYP SHOE LINER	6.00	051	ST
1609321	TRNSDUCR:TYP S2,IN 200KHZ,O/P 100BAR,SUP	1.00	061	EA
589442	BREAKER,CIRCUIT:220A,220/690VAC; 250VDC	1.00	011	ST1
1071236	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPRSNG O	2.00	061	KIT
627610	SWITCH,LIMIT:	1.00	061	ST
641901	BEARING:MT STEEL GR 6B	5.00	051	ST
634686	SWITCH,PRESSURE:50-1200MM/HR	1.00	061	ST
1032790	RING, WEAR: INSIDE DIAMETER 60MM	1.00	081	ST
632178	SPRG-VLV;CS	2.00	051	ST
590462	RELAY,PROTECTION:EARTH FAULT	1.00	031	ST
644881	GUIDE:SZ DIA 8 X LG 8MM,MT CERAMIC	4.00	091	ST
583639	CIRCUIT:TYP MOTOR CONTROL,APLC LEVEL	1.00	011	ST
609746	SUPPRESSOR:	1.00	031	ST
924451	GLAND,PACKING:MT P# 6610; P# 6528	1.00	051	ST1
997564	CONTACTOR: TYP NON-REVERSING,POLE 3	1.00	011	EA
602746	SEAL, OIL: INSIDE DIAMETER 35MM	1.00	051	ST
593642	SHEET,GASKET:SZ WD 48 X LG 60IN,THK	2.00	051	ST
624583	RING:TYP NOZZLE,APLC RELIEF VALVE	1.00	051	ST
1035690	GSKT PRE-CUT :TYP FULL FACE,SIZE ID 610	2.00	051	EA
615609	NUT,LOCK:SS ASTM A276/JIS G4305,GRUB	1.00	051	ST
619706	RING:SS 316	1.00	051	ST
952705	POPPET,VALVE:	1.00	051	ST
262922	PIN,SPLIT:	8.00	051	EA
608471	GSKT PRE-CUT :ROUND	4.00	051	ST
593125	GSKT PRE-CUT :ID 12 X OD 20 X THK 1MM	10.00	051	ST
608550	RING,WEAR:SS ASTM A276 TP 420	1.00	081	ST
593163	GSKT PRE-CUT :ID 27 X OD 32 X THK 2MM	43.00	051	ST
1031929	O-RING: WIDTH 8MM,MATL EDPM/FDA	3.00	051	EA
597653	VALVE:TYP STOP,VLV SZ G 3/8IN,DESRT PN	2.00	051	ST
961350	SEAL: MATL SS,TYP SPRING,APPL VALVE	1.00	051	EA
612277	COLLAR:TYP VALVE STEM	2.00	051	ST
642475	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
1024443	KIT-VLV-RPR;SEALS, BUSHES	1.00	051	KIT
617011	KIT:TYP SEAL,END,APLC SELF REGULATING H	2.00	081	ST
597581	VALVE:	4.00	051	ST
602677	RING,RETAINING:SZ 12IN	2.00	051	ST
607577	PIN:SS DIN WN 1.3343,COUPLING ROD	2.00	051	ST
611006	KIT;FIRE FIGHTING TRUCKS	1.00	081	KIT
1552353	PIN:DIA 12.5MM,LG 50MM,TYP TRUNNION,APL	30.00	141	EA
923395	REDUCER,PIPE:SIZE 1 X 3/4IN,CNCT BW,MATL	4.00	051	EA
615027	ELBW-PIPE;OD 168.3 X THK 2MM,BW,90,LONG	1.00	051	ST
1033450	KIT, VALVE REPAIR: TYP PACKING; SEAT	1.00	051	KIT
634144	SHEET,GASKET:SZ 80MM,MT VF-35E NON	4.00	051	ST
580727	COVER:TYP FRONT	4.00	051	ST
799300	LAMP:TYP INDICATING,VOLT 220V	1.00	021	EA
639647	SHAFT:	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
615529	BUSH,PUMP:BRONZE BC6/B584,BEARING COVER	2.00	081	ST
258607	BOX:TYP POTENTIAL TEST	1.00	001	EA
742224	PLATE:TYP DIE,1.4057	1.00	131	ST
627987	PLUG,VALVE:VLV SZ 4IN,CONTROL,UNS S31600	1.00	051	ST
590401	RELAY:	1.00	011	ST
607582	COUPLING,SHAFT:FLEXIBLE	6.00	051	ST
1617041	TRNSFRMR-CURNT:PTNTL 10VA,CURNT RT 300/1	1.00	051	EA
611036	GSKT,SPWD:3IN,900LB,GRAPHITE,SS 316L	5.00	051	ST
1476556	SEAT,VALVE:TYP R1L025 K,BALL,MATL ALLOY	1.00	051	EA
615203	TRANSFORMER,INSTRUMENT:VA RT 100VA	1.00	011	ST
590770	SWITCH,SELECTOR:600VAC 20A,TYP TRIP	1.00	021	ST
584942	DISC,PUMP:100 X 260 X 124MM	1.00	081	ST
1594412	RTR:TYP BLADED,APL REFORMAT TURBINE FLO	2.00	081	EA
307229	BRG,ROLL:ID 100MM,OD 150MM,WD 39MM	1.00	051	ST
583390	BOX,ELECTRICAL:TYP JUNCTION	4.00	021	ST
898893	REACTOR:ELEC TRT 380-460VAC 47A 3PH	1.00	011	EA
601003	GSKT SET:TYP BODY	1.00	051	ST
1233482	SPRING,VALVE:MATL INCONEL X750,VALVE SIZ	1.00	051	EA
629489	SWITCH,LIMIT:SPDT	1.00	061	ST
615462	SEAT:DISCHARGE	1.00	051	ST
601987	O-RING:MT VITON	1.00	051	ST
1085557	TOP: TYP NTP LEDI TOP,P/N:9282	1.00	131	EA
904422	INDICATOR:TYP DIGITAL LOCAL	1.00	061	EA
1000781	METER, ELECTRICAL: TYP VOLTMETER	1.00	101	EA
644399	BOLT,UPSET:M24,240MM,GS,THD 3MM	3.00	051	ST
607123	WASHER,SEALING:	1.00	051	ST
532256	FUSE:2.5A	1.00	021	EA
618455	SEAL-MCH;40MM,T502	1.00	051	ST
609617	SHAFT:MT CS UNI 7845 GR C45	1.00	051	ST
619845	BLOCK,TERMINAL:	2.00	131	ST
9102437	AMMONIUMTHIOCYANATE, 0.5 KG/CTN	11,000.00	051	G
616629	METER,ELECTRICAL:TYP WATT,RNG 0-700W	1.00	101	ST
1022797	PIN: P/N:SLP60513,DOC:SOL01196/0	2.00	051	ST
611819	SWITCH,DISCONNECT:690VAC/440VDC 160A	1.00	011	ST
597104	SPRG-CMPRSN;20MM	16.00	051	ST
586986	KIT:TYP STEAM TRAP,CMPSNG VALVE PIECE,P	2.00	081	ST
180814	VALVE,GLOBE:VLV SZ 1/2IN,DES RTG 600LB	2.00	051	EA
494128	FUSE:315A,500V,HIGH RUPTURE CAPACITY	3.00	051	EA
421814	COUPLING,SHAFT,HALF:DRIVEN,BORE 25MM	2.00	051	ST
643210	PACKING:	6.00	051	ST
1032535	TERMINAL: TYP SCREW,RT 600A,MNFR:WESCOSA	1.00	051	EA
585736	VALVE,SOLENOID:ST 2 WAY,ELEC TRT 24VDC	1.00	051	ST
643203	VALVE:	1.00	051	ST
586960	ASSEMBLY:AIR CLEAN UP	1.00	081	ST
619206	KIT:TYP COAXIAL SPLICE	2.00	081	ST1
896494	GSKT:ID 772 X OD 798MM,THK 4MM,ROUND	2.00	051	ST
893842	SEAT,VALVE:VLV SZ 1IN,GLOBE	1.00	051	EA
386570	RLY;24VDC 1A,SWITCH,24V,EMERGENCY STOP	1.00	051	ST
1042814	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	1.00	051	EA
605884	CPCTR;FIXED,4.7MICRO F,35V DC,20	10.00	031	ST
636962	PALLET,MT.HANDLNG:	20.00	001	ST
592242	BODY:TYP NOZZLE	2.00	081	ST
9102290	REACTOR,OUTPUT, FOR 33 KVA,270 (TO BE DE	1.00	051	ST
1597746	GSKT:TYP FLAT,THK 5MM,SZ OD 75MM,MTRL T#	1.00	051	EA
638021	BAL-VLV;33MM,SS ASTM A182 GR F316	1.00	051	ST
589599	COIL,ELECTRICAL:FUNC CLOSING,ELEC TRT 1	4.00	011	ST
617874	ROTOR:APLC SUSPENSION DOSING PUMP	3.00	081	ST
589570	BRUSH,ELECTRICAL:MT CARBON,CONN PIGTAIL	2.00	021	ST
584788	DIAPHRAGM,VALVE:VLV TP CONTROL,MT RUBBER	4.00	061	ST
583151	ALARM:TYP EXTERNAL FIRE ALARM	1.00	121	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1003950	METER, FLOW: RANGE 0-26250KG/HR	1.00	101	EA
578901	THRMST;(1) STAGE,-35 TO 37°C	1.00	081	ST
643494	O-RING:	2.00	051	ST
946864	BELLOWS:TYP SAFETY RELIEF VALVE	1.00	051	ST1
585083	FLTR-ELMNT;OIL	3.00	051	ST1
538281	O-RING:ID 1-1/16IN,WD 1/16IN,MT PTFE	4.00	051	EA
600822	GSKT,SPWD:T#1804-NA/NON ASBESTOS,SS 304	5.00	051	ST
999877	DIAPHRAGM, VALVE: MATL NBR; NYLON	3.00	051	ST
584407	METER,ELECTRICAL:TYP AMMETER,RNG 0-130A	2.00	101	ST
600899	GSKT,SPWD:APLC LP CONDENSATE PUMP	1.00	051	ST
1579373	SHFT-VLV:LG 200MM,MTRL A564 GR 630 NITRI	1.00	051	EA
565085	SHAFT:TYP STUB,P/N:220.01,MNFR:ALLWEILER	1.00	051	ST
612083	KIT-VLV-RPR:CMPRSNG GASKET (MATERIAL:TEF	2.00	051	KIT
595617	KEY:MATL CS	1.00	051	ST
998956	PLUG;SCREW,SEPARATOR	1.00	051	ST
591184	POTENTIOMETER:100OHM,360 (CW/CCW)DEG	2.00	031	ST
607896	INSERT:CARBIDE	12.00	051	ST
84231	BOLT,U:CS,DIA 7/16IN,UNC 14TPI	28.00	051	EA
604899	FUSE:8A,DIA 5 X LG 20MM,FST	20.00	021	ST
652830	GSKT:	2.00	051	ST1
602346	PACKING:TYP GLAND	12.00	051	ST
612407	ASSEMBLY:PILOT	4.00	081	ST
609439	GSKT-PRE-CUT;ROUND	1.00	051	ST
592400	GSKT-PRE-CUT;ID 17 X OD 24 X THK 3MM	2.00	051	ST
636832	METER,TACHOMETER:TYP MECHANICAL	1.00	061	ST1
626388	BREAKER,CIRCUIT:100A,POLE 1	2.00	011	ST
644711	GSKT PRE-CUT :ASBESTOS/NOVUS 20,ROUND,FF	2.00	051	ST
592955	GSKT-PRE-CUT;ID 16-1/4 X OD 18-1/2IN	1.00	051	ST
774391	STUD-CNTNUS-THRD;3/4IN,10 UNC,245MM,B7	12.00	051	EA
1064368	RING: SIZE ID 50 X OD 72 X THK 7MM	1.00	051	EA
593069	GSKT PRE-CUT :	1.00	051	ST
618331	ROTOR:	1.00	081	ST
588752	KIT-VLV-RPR:TYP SOFT PARTS,APL GATE,GLOB	1.00	051	ST1
999004	PLUG, VALVE: VALVE SIZE 6IN, EQUIP	1.00	051	ASY
614218	STRAINER:	1.00	051	ST
631531	SLIDE:TYP ACTUATOR,DUP.WITH MAT.# 588055	1.00	051	ST
606747	SCREW,MACHINE:M6 DIA,12MM LG	15.00	051	ST
979131	PLATE, HEAT EXCHANGER: SIZE THK 0.4MM	1.00	081	ST
617724	GSKT PRE-CUT :ID 359 X OD 450 X THK 2MM	2.00	051	ST
585786	VALVE,GLOBE:VLV SZ 1/4IN,DES RTG CL 800	1.00	051	ST
687928	ELIMINATOR:TYP OIL	1.00	051	EA
588026	GSKT-ST:APL PRESSURE AND RELIEF VALVE,DO	2.00	051	ST1
1009734	BELLOWS: TYP PRESSURE RELIEF VALVE	2.00	051	ASY
585025	DISC,VALVE:PTFE,VLV SZ 1IN,GLOBE	2.00	051	ST
587615	KIT,TERMINATION:POWER HEAT	4.00	021	ST1
582658	GLASS:TYP WINDOW,SZ 16IN,MT GLASS	2.00	121	ST
907002	STEM,VALVE:VLV ST GLOBE,VLV SZ 10IN	1.00	051	ST
615005	PIPE;OD 60.3 X THK 2MM,6000MM,SS 321	6.00	131	M
593611	SHEET:CORK,SQ 1000 X THK 3MM	2.00	131	ST
591983	BUSH:ALCOA A750,OIL CONSOLE UNIT	1.00	051	ST
596464	FLTR-ELMNT;BASKET,SS WIRE CLOTH	1.00	051	ST
1081694	O-RING: INSIDE DIAMETER 125MM,WIDTH 5MM	1.00	051	EA
726745	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
594377	PACKING:SQUARE,TYP SIDE VALVE	1.00	051	ST1
608549	RING:SS JIS G4305 GR 420J2	1.00	051	ST
581590	MODULE:TYP OXYGEN DEPLETION	3.00	011	ST
584064	KIT: TYPE TUBE; FLOAT AND SEAL,P/N:35B-K	2.00	081	ST
723731	PISTON:	1.00	091	ST
577725	ASSEMBLY:TYP SOCKET,APLC TEMPERATURE SE	1.00	021	ST
582243	THERMOSTAT:RNG 0-30DEG C	4.00	081	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
583238	CYLNR-ACTUTG-LNR;EU	1.00	061	ST
908800	SWITCH,DISCONNECT:	1.00	011	EA
627678	BLOCK,TERMINAL:	6.00	021	ST
1197995	PLUG, VALVE: VLV STYL GLOBE,MATL SS 316L	1.00	051	ASY
600694	GSKT PRE-CUT :	1.00	051	ST
1045254	CONTACTOR: TYP AC OPERATED,AMPERAGE 100A	1.00	011	EA
573789	TRANSDUCER:TYP PRESSURE,I/P 0-40BAR	1.00	061	EA
604650	FUSE:40A,8.3KV,FERRULE	3.00	021	ST
1573350	DISC-VLV:MTRL SS DIN WN 1.4408,VLV SZ 5I	1.00	051	EA
619563	SHIM:	2.00	051	ST1
621922	LENS,INDICATING LIGHT:TYP PILOT	6.00	021	ST
586179	BRG,BALL:IBI 118596,ID 28MM,OD 52MM	2.00	051	ST
612063	RELAY,TIME DELAY:ON DELAY,SPST,1NO	2.00	011	ST
9101934	ROPE,WIRE,7.5 MM DIA., PART# 3308269	1.00	051	ST
1000097	RING, WEAR: APPL CASING,DOC:81579.SEC	1.00	081	ST
588994	GLASS,SIGHT:SZ DIA 72 X THK 12MM,MT	1.00	101	ST
1246085	KIT,VALVE REPAIR:APPL GATE VALVE 3 IN,TY	1.00	051	KIT
900183	FAN: TYP COOLING,ELEC RT 380-480VAC	1.00	081	EA
587854	KIT-PUMP-RPR;DIAPHRAGMS AND VALVE	1.00	081	KIT
593239	GSKT,SPWD:SS DIN WN 1.4541,IRID 100MM	15.00	051	ST
608686	BAR,ROUND:SZ 50MM,MT CI ASTM A48	6.00	131	M
868039	BRG-RLR;NEEDLE,SINGLE,35MM,45MM,30MM	1.00	051	EA
584429	MTR-ELECT;AMMETER,0-300A	1.00	101	ST
600135	GSKT:ID 1362.1 X OD 1387.5,THK 3,SS 316	3.00	051	ST
604359	CONNECTOR:	2.00	011	ST
994742	RING, RETAINING: TYP SNAP,P/N:N059008000	2.00	051	ST
618203	THERMOMETER,DIAL:TYP BI-METALLIC	1.00	101	ST
633110	WASHER,LOCK:CS,SWRH62A,JIS G3506	5.00	051	ST
569762	CELL:TYP QUARTZ,SZ 20MM	2.00	011	EA
617713	BOLT:M16,60MM,GS,2MM,GR 5.6,HEX	10.00	051	ST
611801	FUSE:63A,1200VAC,BLADE,GENERAL PURPOSE	2.00	021	ST
633004	NIPPLE:TYP LUBRICATION,SZ R 1/8IN	2.00	051	ST
634649	PROXIMITOR:	2.00	061	ST
619777	SCREW:CS JIS GR S50C,LEAD	1.00	051	ST
628976	VALVE,NEEDLE:BDY MATL SS 316	2.00	051	ST
624924	SWITCH:TYP STATIC CONTROL	2.00	011	ST
599005	MOTOR,ELECTRIC:1.5KW	1.00	011	ST
587432	KIT,VALVE REPAIR:BUTTERFLY VALVE	1.00	051	ST
585294	SEAT,VALVE:VLV SZ 18IN,BUTTERFLY,BUNA-N	1.00	051	ST
641785	PULLEY:TYP DRIVE SHEAVE	1.00	051	ST
602510	RING,WEAR:SS ASTM A473 TP 420	2.00	081	ST
1031945	KIT, VALVE REPAIR: APPL GATE VALVE	1.00	051	KIT
639391	SPRING, VALVE: MATL STEEL WIRE,P/N:2G07	1.00	051	ST
600089	GSKT PRE-CUT :ROUND	1.00	051	ST
918130	SPRING,VALVE:	1.00	051	ST
637037	WASHER:	1.00	051	ST1
590842	AUTO MANUAL TRANSFER SYSTEM,FOR FOXBORO	1.00	061	ST
572989	ASSEMBLY;PLUG/STEM	1.00	081	EA
603770	CONNECTOR:TYP STRAIGHT SCREW	2.00	051	ST
577849	ASSEMBLY:PHOTO SENSOR	1.00	081	ST
1246943	RIG-RTNG;SPLIT	1.00	051	EA
629032	PLUG:BUFFER	1.00	051	ST
583528	PLUG:TYP INTERIOR	2.00	021	ST
589867	ELEMENT:TYP THERMO	1.00	051	ST
103456	RIG-PSTN;73MM,90MM,9.5MM,CARBON,ACTUATOR	1.00	051	EA
911256	GSKT SET:TYP PRE-CUT	1.00	051	SE
589064	HANDSET:TYP TELEPHONE; WEATHERPROOF	3.00	031	ST
604723	FUSE:250A,3.6KV,OFFSET BOLTED/SLOTTED	3.00	021	ST
608353	DRIVER,NUT:SZ HEX 1/4IN,LG 8-3/8IN,SHAFT	1.00	101	ST
577410	PACKING:ID 16 X OD 23MM,PTFE,RECTANGULAR	10.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1616161	SWTCH-DSCNCT: CNTCT RTNG 750V AC, TYP FUSE	1.00	021	EA
583760	CRCUT; MAIN PRINTED BOARD, OXYGEN ANALYZER	2.00	011	ST
594030	O-RING: APLC GEAR	2.00	051	ST
245000	CAPACITOR: CAPCIT 12.5MICRO F, VOLT 370VAC	1.00	031	EA
949781	SWITCH, PUSHBUTTON: 600V 10A	1.00	021	EA
637048	COUPLING:	2.00	051	ST
606432	PIN, SPLIT: DIA 4MM, LG 70MM, STEEL	2.00	051	ST
496323	RING, PISTON: GRAPHITE, TYP EWD	2.00	051	EA
638582	SPRING, VALVE: CR STEEL, VLV SZ 1-1/2; 2IN	1.00	051	ST
616826	BRG, BALL: IBI 14411, INSIDE DIAMETER 70MM	4.00	051	ST
610585	CMPSR-RFRGRTN	1.00	081	ST
629181	KIT-VLV-RPR: TYP SOFT PART, APL RELIEF, CMP	2.00	051	ST1
583084	LIGHT, INDICATING: TYP PILOT	2.00	021	ST
719266	GSKT PRE-CUT : GRAPH/SST, 17F46, ROUND	1.00	051	EA
578599	INDICATOR: TYP REMOTE UNIT	3.00	051	ST
632760	THERMOWELL: DRILLED BARSTOCK, 250MM, MT SS	1.00	061	ST
596264	PIECE: TYP TRANSITION	1.00	051	ST
638017	SEAL:	1.00	051	ST
1585922	PLUG: SZ M20, MTRL SS 316, TYP METRIC, APL J	100.00	051	EA
643889	SEAT, VALVE: VLV SZ 1-1/2 X 2IN	2.00	051	ST
612542	COUPLING: OIL PUMP	1.00	051	ST
1214485	MODULE: TYP POWER SUPPLY, INPUT 220-240VAC	1.00	031	EA
799091	BREAKER, CIRCUIT: 16A, POLE 2, AUXILIARY	3.00	011	SE
626879	CONTROL: TYP VOLTAGE	1.00	061	ST
951906	SEAL, MECHANICAL: 40MM, DOUBLE, SUB PUMPS	1.00	051	ST
621932	PLUG, ELECTRICAL: 100A	2.00	021	ST
1003224	FLANGE, PIPE: TYP RAISED FACE, SIZE 8IN, CNC	3.00	131	EA
593141	GSKT PRE-CUT : ID 505 X OD 525 X THK	2.00	051	ST
592954	GSKT-PRE-CUT; ID 9-5/16 X OD 11IN, ROUND	2.00	051	ST
577627	GEAR: TYP WHEEL	1.00	081	ST
631046	BRG-BAL; 10987, 17MM, 47MM, 14MM, OPEN, SINGLE	1.00	051	ST
587661	KIT-VLV-RPR: TYP SOFT PARTS, CMPSRNG PTFE	1.00	051	ST1
1380457	BODY: TYP GAS LENS COLLET; LARGE, SIZE 3/3	15.00	051	EA
418111	FILTER, ELEMENT: PLASTIC, AIR	6.00	051	EA
668097	BRG, ROLL: ID 20MM, OD 26MM, WD 20MM	1.00	051	EA
642708	SEAT, VALVE: VLV SZ DN 20, BALL, GFK/PTFE	8.00	051	ST1
618309	BRG, BALL: STYL SEALED, TYP DEEP GRROVE, P/N	1.00	051	ST
918095	BAFFLE: TYP PLATE UPPER HALF	2.00	081	ST
581200	CIRCUIT: TYP PULSED RESISTOR ELECTRONICS	2.00	011	ST
586957	ASSEMBLY: TYP PCB; LAMP VOLTAGE REGULATOR	1.00	011	ST
585978	VLV; MAIN DRAIN, FNPT X SW, 6/1-WAY	1.00	051	ST
592082	COUPLING, SHAFT: ELASTIC	2.00	051	ST
1085250	KEY, SHAFT: TYP OUTPUT, MATL S40C	2.00	051	EA
579765	CLEANER: TYP CREW-2 WIPERS, 23 X 24CM	2.00	001	BAG
1032645	RING, WEAR: INSIDE DIAMETER 75MM, MATL CI/I	5.00	081	EA
601210	GSKT PRE-CUT : ID 78 X OD 148MM, GRAPHITE	2.00	051	ST
636882	O-RING: ID 84.5MM, WD 3MM	1.00	051	ST
601092	GSKT PRE-CUT : PTFE	2.00	051	ST
1568123	STRNR: TYP T1 ELEMENT, SZ D1 210 X D2 138	1.00	051	ASY
641936	DISC, VALVE: SS ASTM A276 GR 316, VLV SZ 1	1.00	051	ST
615307	SEAL, LABYRINTH: RING	2.00	051	ST1
595273	SEAL:	4.00	051	ST
616568	RLY-TIME-DLY; 110VAC 5A, 2NO-2NC, DPDT	1.00	011	ST
592121	GSKT PRE-CUT : ROUND, 10IN	3.00	051	ST
578579	UNIT: TYP PRESSURE MEASURING	1.00	051	ST
583750	CIRCUIT: TYP MODEM FSK	1.00	011	ST
612897	COUPLING, SHAFT: RIGID ADJUSTABLE	2.00	051	ST
277222	THERMOSTAT: TYP TEMPERATURE CONTROL	1.00	081	EA
858313	SWTCH-LMT; IP68	2.00	900	EA
607869	INSERT: CARBIDE	12.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
612391	ASSEMBLY:HEAD	1.00	081	ST
76238	LENS, INDICATING LIGHT: TYP PILOT	4.00	900	ST
597742	HANDWHEEL:DIA 2-1/2IN,MT CI	2.00	051	ST
605923	D;POWER,2200V,1030A	6.00	031	ST
635723	BUSH:SS 403	1.00	051	ST1
123100	O-RIG;NITRILE RUBBER	2.00	051	EA
587912	KIT,VALVE REPAIR:GASKET AND PACKING	1.00	051	KIT
1247871	GSKT-PRE-CUT:TYP RAISED FACE,SZ ID 114 X	13.00	051	EA
583059	DIODE,LIGHT EMITTING:COLOR ORANGE	4.00	031	ST
1571407	KIT-VLV-RPR:TYP REPLACEMENT,APL GLOBE,CM	1.00	051	KIT
615750	COVER:TYP BEARING,CI ASTM A48 CL35-30/CU	1.00	051	ST
620739	COIL,ELECTRICAL:TYP CONTACTOR	3.00	011	ST
604069	BREAKER,CIRCUIT:240/415V,POLE 2,THERMAL	3.00	011	ST
605990	INVERTER:	1.00	011	ST
607850	INSERT:CARBIDE	12.00	051	ST
640834	COIL,ELECTRICAL:TYP CHOKE	2.00	011	ST
588191	KIT-VLV-RPR:CMPSNG SEAT SEAL; PACKING R	1.00	051	ST1
798940	INSULTR;LV TERMINAL,1KV,LG 372MM	1.00	051	EA
634037	ASSEMBLY:APLC STOP TUBE	1.00	081	ST
615546	KEY,SHAFT:TYP PARALLEL,MT AS ASTM A322	2.00	051	ST
643162	GSKT,SPWD:SHP ROUND	3.00	051	ST
598358	BRG,BALL:P/N:6004 Z,MNFR:SKF	1.00	051	ST
621892	HOLDER,FUSE:AMP 30A,VOLT 250V	5.00	021	ST
608870	CYLINDER,GRADUATED:SZ 100ML,MT	15.00	071	ST
1071335	SENSOR: TYP DG 10,STD NAMUR	1.00	011	EA
9102574	OIL, IND; MOBIL GARGOYLE, ARTIC 155	208.00	051	EA
618173	BLOCK,TERMINAL:	20.00	021	ST
758686	KIT,VALVE REPAIR:SAFETY VALVE,SEALING	3.00	051	KIT
604862	FUSE:400A,1200VAC,BLADE,FAST BLOW	2.00	021	ST
9101849	REPAIR KIT	1.00	051	ST
623672	SWITCH,PUSHBUTTON:RED,PANEL,ROUND	1.00	021	ST
120563	FUSE:250MA,DIA 6 X LG 32MM,FERRULE	8.00	051	ST
1029727	THERMOMETER: TYP DOUBLE RTD,MNFR:WIKA	1.00	061	EA
626464	GSKT PRE-CUT :	2.00	051	ST
615570	RETAINER:TYP SLEEVE	1.00	051	ST
591117	CAPACITOR:TYP FIXED,CAPCIT 12MICRO F	10.00	031	ST
635501	O-RING:MT FLUOROCARBON	1.00	051	ST
1031940	KIT, VALVE REPAIR: APPL GATE VALVE	1.00	051	KIT
1052958	BLCK-TRMNL;800V 76A,16MM2,37.5 X 94.5MM	1.00	021	EA
600138	GSKT:ID 1514.5 X OD 1539.9MM,THK 4.5MM	4.00	051	ST
900662	CONVERTER,FREQUENCY:I/P 380 VAC 3PH 60HZ	1.00	031	EA
600741	GSKT-PRE-CUT:TYP FF,SZ ID 88.9MM X OD 19	1.00	051	ST
799192	KIT,SEAL:TYP END	3.00	051	KIT
638277	O-RING:MT BUNA-N,APLC COVER	1.00	051	ST
634280	WASHER:	1.00	051	ST
738091	RING:D381 / 271X8MM,ST52-3,TYP ADOPTER	1.00	051	ST
1040361	TRANSFORMER, INSTRUMENT: VA RATING 20VA	1.00	011	EA
615286	O-RING:APLC COUPLING	2.00	051	ST
592409	GSKT PRE-CUT :	1.00	051	ST
9101750	COVER,BEARING PUMPS 45[TO BE DELETED]	2.00	051	ST
1628961	BRKR-CRCUT;40A,440V,10 KA,2P;PN:A9F54240	1.00	051	EA
644440	NUT,HEX:DIA 27MM,GS,HT 27.5MM,THD 3MM	2.00	051	ST
594425	RING:TYP ANTI STATIC	1.00	051	ST
637950	KIT,VALVE REPAIR:TYP BALL VALVE,DOC:L 23	2.00	051	ST1
616559	RLY;63.5VAC 60HZ,4PDT,64VAC 5A,AUXILIARY	11.00	011	ST
593006	GSKT-PRE-CUT;CONSVR COVER,SQUARE,CORK	1.00	051	ST
594908	RING,RETAINING:	1.00	051	ST
908615	SYRINGE:TYP MICRO,CAP 100MICRO L	1.00	071	EA
730813	DISC:SUS 304 STELLITED	2.00	051	ST
9102044	SEAL,OIL,SINGLE LIP SPRING	12.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
905544	SEAT,VALVE:VLV SZ DN 40,GLOBE CONTROL	2.00	051	EA
620547	MDUL;ISOLATED BASE	4.00	031	ST
632618	DISPLAY UNIT,DATA:TYP BOARD,READOUT DIGI	1.00	141	ST
643206	SCREW,CAP:	1.00	051	ST
999323	ORIFICE: SIZE DIA 15 X 1, DIA 3MM	1.00	051	ST
620588	BLOCK,TERMINAL:ELEC TRT 800V 41A	100.00	021	ST
629324	O-RING SET:APLC BUTTERFLY VALVE,3	1.00	051	ST1
643004	PACKING:PTFE,TYP STUFFING BOX	4.00	051	ST1
577307	SWTCH-LVL;20-250VAC; 20-72VDC,IP66,CE	1.00	061	ST
641425	COUNTER:	1.00	061	ST
585631	VALVE,RELIEF:TYP OIL,CONN MNPT	1.00	051	ST
604214	BRUSH:TYP CYLINDER,MT NYLON,HANDLE WIRE	10.00	051	ST
600121	GSKT,SPWD:GRAFOIL,IRID 849.3MM,SS 316	4.00	051	ST
640141	ELECTRODE:MT SS 316	2.00	051	ST
918254	KIT,VALVE REPAIR:CONTROL VALVE	1.00	051	KIT
1037267	DISC, VALVE: MATL BRONZE, EQUIP MDL#:	1.00	051	EA
583401	COVER:TYP BEARING	1.00	051	ST
805376	KIT,SEAL:TYP PACKING	2.00	051	ST
592835	GSKT-PRE-CUT;BUSHING,ROUND,CORK	4.00	051	ST
596579	DISC-VLV;ID 45 X OD 62 X THK 4MM,PTFE	1.00	051	ST
1025045	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	2.00	051	EA
612596	SEAL,RING:APLC SHAFT	1.00	900	ST1
625330	FUSE:200A,ULTRA FAST	3.00	021	ST
1070670	CABLE: SIZE LG 3M,MATL CHROMEL/ALUMEL	1.00	021	EA
594259	PCKG;WD 15 X LG 404 X THK 10MM	1.00	051	ST
581357	CIRCUIT:TYP ANALOG INPUT	76.00	011	ST
643266	GSKT:ID 84 X OD 94MM,THK 3.2MM,ROUND	2.00	051	ST
601036	GSKT-PRE-CUT;4IN,RUBBER	2.00	051	ST
785710	VALVE,SOLENOID:ST SAFETY SHUT OFF	1.00	051	ST
590006	FUSE:16A,550VAC,DIA 13.8 X LG 58.7MM	18.00	021	ST
641459	GSKT PRE-CUT :	2.00	051	ST
592330	TOOL SUPERSEDED BY 7276594	2.00	101	ST
604936	FUSE:10A,415V	8.00	021	ST
1195404	ASSEMBLY: APPL STEAM TURBINE,DOC:FIG 4.6	1.00	081	ASY
897334	GSKT:BONNET,PILLAR 1300-S,GATE VALVEIN	1.00	051	ST
548030	SEAL,OIL:ID 1.75IN,OD 2.5IN,WD 0.37IN	1.00	051	EA
939905	GSKT PRE-CUT :THK 3MM,PTFE ENVELOPE	4.00	051	ST
618037	FUSE:20A,550VAC; 250VDC,OFFSET SLOTTED	4.00	021	ST
598070	BRG-RLR;CYLINDRICAL,SINGLE,180MM,320MM	2.00	051	ST
585901	VALVE,SOLENOID:ST 2 WAY,CONN FBSP	1.00	051	ST
590319	RELAY:COIL 110VDC,SPDT; DPST,TYP	10.00	011	ST
639779	SEAT,VALVE:CONTROL,SS 316	1.00	051	ST1
634684	SWITCH,PRESSURE:0-1.6BAR	1.00	061	ST
644586	ELBOW,TUBE:90,PUSH ON	1.00	051	ST
928612	TRANSMITTER, TEMPERATURE: MOUNT HEAD	1.00	061	EA
589679	CONTACTOR:TYP MAGNETIC,AMP 100A,3 POLE	1.00	011	ST
582553	GAUGE,PRESSURE:0-4BAR,BOURDON,NON	4.00	101	ST
583923	MODULE:TYP MONITOR	1.00	011	ST
906127	FUSE:4A,250V,MICRO/DELAY	5.00	021	EA
738103	ROD;END CONNECTING	1.00	131	ST
587045	ACTUATOR,PNEUMATIC:TYP GT210SE 90° EXECU	1.00	061	ST
615754	BUSH,PUMP:SS ASTM A276 / SS JIS G4305 GR	2.00	081	ST
595259	SEAL:ID 335 X OD 355 X THK 2MM	2.00	051	ST
907415	ACTATR,PNU:STROKE 60MM,PR RT 6BAR	1.00	061	EA
600350	GSKT,SPWD:	2.00	051	ST
482002	TEE,PIPE REDUCER:SZ 6 X 4IN,BW	1.00	051	EA
592894	GSKT PRE-CUT :ID 120 X OD 140 X THK 1MM	2.00	051	ST
598029	BRG,BALL:IBI 12053,ID 30MM,OD 72MM	1.00	051	ST
610324	JOINT,EXPANSION:SZ 200MM,LG 135 X 155MM	1.00	051	ST
475973	BRG,BALL:IBI 14656,ID 80MM,OD 125MM	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
584907	DISC,VALVE:SS ASTM A276,304,PRESSURE AND	1.00	051	ST
625423	THRMST;6-30°C,250VAC 16A	2.00	081	ST
578800	SCREEN:TYP VIBRATING,16,MATL SS	2.00	900	ST
792667	RLY;24V DC,ON OFF,230-690VAC 1- 6A,BOX	2.00	011	ST
1084560	RING,WEAR:INSIDE DIAMETER 320NM,MATL A27	1.00	081	EA
272004	GSKT:SOLENOID VALVE CHROMATOGRAPH	1.00	051	EA
636881	O-RING:ID 69.5MM,WD 3MM,MT VITON A	1.00	051	ST
612893	FUSE:	3.00	021	ST
619997	GSKT PRE-CUT :NBR	3.00	051	ST
616251	KIT,PUMP REPAIR:TYP SEAL	1.00	081	ST
587498	KIT-VLV-RPR:TYP SOFT PART,APL WAFER CHEC	1.00	051	ST
564013	CIRCUIT:TYP BRIDGE PROTECTION	1.00	021	EA
1019864	LAMP: TYP DEUTERIUM,P/N:CAT#L602-2728	1.00	021	ASY
578108	KIT:TYP CONNECTION	1.00	081	ST
623154	BREAKER,CIRCUIT:32A,POLE 4	1.00	011	ST
253773	FUSE:2A,250VAC,DIA 5 X LG 20MM,FERRULE	2.00	031	EA
630944	VALVE, SOLENOID: STYL 3/2 WAY,CNCT FNPT	2.00	051	ST
583914	MODULE:ELECTRONICS	1.00	031	ST
583754	KIT:TYP UNIVERSAL COMBO I/O	1.00	081	ST
526645	AGNT:TRD NM DEHA-1,FRM POWDER,P/N:216796	3.00	001	BOT
932614	BOLT,MACH:30MM,LG 310MM,CS ASTM A307	17.00	051	ST
1025219	GSKT-PRE-CUT:TYP RF,SZ ID 114 X OD 175 X	2.00	051	EA
620142	VALVE:BDY MATL CS JIS G4051 GR S45C	2.00	051	ST
591855	PACKING:TYP MALE ADAPTER	2.00	051	ST
578625	UNIT:TYP EXTENSION BLOCK,APLC CONTROLLER	1.00	051	ST
597863	BRG-BAL;10262,10MM,26MM,8MM,OPEN,SINGLE	6.00	051	ST
590804	SWITCH,TEMPERATURE:12-24V	1.00	021	ST
799245	TRANSFORMER, INSTRUMENT: TYPE CURRENT	1.00	011	ST
905641	TUBE: TYP MEASURING CYLINDER,SIZE 100ML	1.00	131	EA
600031	GSKT,SPWD:GRAFOIL,IRID 950MM,SS 316	5.00	051	ST
959635	PISTON: APPL FIN FAN,P/N:M941CKKE/6	1.00	091	ST
802623	SEAL,RING:ID 178MM,OD 225MM,THK 5MM	1.00	051	ST
639747	KIT,VALVE REPAIR:TYP CONTROL	1.00	051	ST1
612555	HOLDER,LAMP:TYP HALIDE,ELEC TRT 100W	2.00	021	ST
627947	SCREW,SET:GR A2	3.00	051	ST
588281	PACKING:TYP GLAND	1.00	051	ST1
855951	SWITCH,PUSHBUTTON:RED,DIA 22MM	2.00	021	EA
642955	GSKT PRE-CUT :PTFE,COVER,DN 50	6.00	051	ST
624556	RING,RETAINING:	1.00	051	ST
612917	CONTACTOR:TYP MAGNETIC,AMP 30A,3 POLE	1.00	011	ST
584297	SHIM:TYP BEARING COVER	2.00	051	ST1
1225353	RING,WEAR:MATL SS ASTM A268 TP 410,TYP I	2.00	081	EA
1595343	BOLT-MCHN:DIA 1-1/4IN,LG 245MM,MTRL CS A	8.00	051	EA
1010352	KIT, SEAL: APPL CATHODIC PROTECTION	2.00	051	KIT
1033954	GSKT PRE-CUT : MATL V#681,SHAP ROUND	4.00	051	EA
738393	SPRING,VALVE:SS GR TP304	1.00	051	ST
1589891	TUBG-MTLC:MTRL SS,TYP STRAIGHT SECTION,O	4.00	131	EA
601022	KIT-VLV-RPR:APL CHECK VALVES,CMPRSNG POP	1.00	051	ST1
902247	ANALYSER: TYP POWER AND ENERGY	1.00	061	EA
616657	TRANSFORMER,INSTRUMENT:VA RT 25VA,VOLT R	1.00	011	ST
1081192	METER, ELECTRICAL: RANGE M:3500/42M	1.00	101	EA
642228	POTENTIOMETER:TYP ZERO	2.00	031	ST
641767	SPACER:TYP LOWER BEARING HOUSING	3.00	051	ST
410322	MDUL;BORED,10 V,CLOSE/OPEN LOOP CONTROL	1.00	031	ST
602821	RING,WEAR:APLC COOLING WATER PUMP	1.00	081	ST
503964	ASSEMBLY:RETAINER AND BUSHING,APLC VALVE	1.00	081	EA
634265	PLUG,VALVE:VLV SZ 4IN,ET WHISPER I,SS	2.00	051	ST
1046285	VALVE, RELIEF: VALVE SIZE 6 X Q X 8IN	1.00	051	EA
642741	RING:PTFE/KOHLE,TYP SLIDING	8.00	051	ST
643760	BRG-RLR;STRAIGHT; NEEDLE,SINGLE,30MM	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
643265	GSKT:ID 92 X OD 102MM,THK 3.2MM,ROUND	2.00	051	ST
1009591	SPRING, VALVE: MATL ASTM A229	1.00	051	ST1
583770	CIRCUIT: TYP (6) POINT VIBRATION INPUT	1.00	011	ST
606371	NUT,LOCK:DIA M70,CS,WASHER,THD 2MM,GR 7H	1.00	051	ST
871615	GUG-DFRNTL-PRSUR;0-1BAR,100MM,THREAD,BOX	2.00	900	ST
1221375	TRNSFRMR-CURNT:APPRNT PWR 38KV,PTNTL 15V	1.00	011	EA
577006	UNIT:	1.00	051	EA
619685	RING:CS JIS G4051 GR S20C	2.00	051	ST
967201	KEY, SHAFT: MATL SS ASTM A240 GR 316L	2.00	051	ST
596985	SEAT-VLV;BALL,25MM,28MM,46MM,7.5MM	2.00	051	ST
1024103	SET: APPL VALVE,P/N:H093699	1.00	081	SE
581639	MODULE:CONTROL UNIT	1.00	031	ST
584860	DIAPHRAGM,VALVE:MT PTFE,VLV SZ 3/4IN	3.00	051	ST
594437	RTNR	2.00	051	ST
624900	INVERTER:TYP BASE DRIVE,PWR RT 260VDC	2.00	021	ST
590380	RELAY:COIL 120VAC,TYP AUXILIARY,4NO	1.00	011	ST
586658	BELT,V:	2.00	051	ST
600561	GSKT PRE-CUT :NEOPRENE RUBBER	14.00	051	ST
611008	KIT;FIRE FIGHTING TRUCKS	1.00	081	KIT
608258	KNIFE:	1.00	101	ST
1025055	GSKT: SIZE ID 29.4 X OD 35MM,TYP PLUG	2.00	051	EA
606516	PIN:DIA 8MM,LG 60MM,CYLINDRICAL,DIN 1	2.00	051	ST
1028527	BLCK-TRMNL;35MM2,TERMINAL	1.00	021	ST1
608306	SOCKET,ELECTRICAL:TYP PANEL LARGE FLANGE	8.00	021	ST
596369	GLAND:TYP FITTING	1.00	051	ST
602998	SEAL,OIL:ID 290MM,OD 330MM,WD 18MM,MT	2.00	051	ST
606466	PIN:GUIDE	3.00	051	ST
636330	GSKT,SPWD:1IN,T#1806-GR,APLC BODY VALVE	2.00	051	ST
588766	KIT-VLV-RPR:TYP SOFT PARTS,APL GATE,GLOB	1.00	051	ST1
286265	PNL:TYP OPERATOR/DISPLAY OP5/A1,P/N:6AV3	1.00	011	EA
605824	AMPLIFIER:TYP BUFFER	5.00	031	ST
614682	BRG,SLEEVE:TYP BUSHING	1.00	051	ST1
630844	SWITCH,PRESSURE:0.8-5BAR G	1.00	061	ST
1034843	TRNSMTR-PRSUR:RNG 5 TO 100BAR,TYP SMART	2.00	061	EA
584240	HEAD:TYP PILOT INDICATING LAMP; RED	2.00	101	ST
614865	NUT;ASTM D2075,SHAFT SLEEVE,PUMP	2.00	051	ST
623900	VALVE:TYP CLOCK,BDY MT X13	2.00	051	ST
624247	MEMBRANE:	1.00	051	ST1
588039	KIT-VLV-RPR:TYP SOFT PART,APL PRESSURE A	2.00	051	ST1
1075188	PACKING: MATL PTFE,SHAP RING,TYP	1.00	051	SE
1003961	METER, FLOW: RANGE 0-64500KG/HR	1.00	101	EA
192766	SPRING,VALVE:SUP 9,175MM,DIA 11MM	1.00	051	ST
604510	FUSE:4A,500VAC,CURRENT LIMITING	5.00	021	ST
798757	RELAY:COIL 24VDC,DPDT,CONT 8A	5.00	011	ST
623908	VALVE:TYP CLOCK,VLV SZ 20,BDY MT X13	2.00	051	ST
578080	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG PACKIN	1.00	051	ST1
583783	MODULE:(8) ANALOG INPUT	1.00	031	ST
581553	MODULE:RECTIFIER DIODE,INVERTER	3.00	031	ST
590846	SWTCH-PRSUR;CL1 GR BCD; CL2 GR EFG,SPDT	1.00	061	ST
632689	SWITCH,PRESSURE:0-25BAR,SPDT	1.00	061	ST
643015	GSKT PRE-CUT :PTFE,COVER,DN 125	4.00	051	ST
1064352	COLUMN, ANALYSIS: TYP CAPILLARY	1.00	061	EA
768053	KIT,SEAL:	1.00	051	KIT
606104	TRNSTR	5.00	031	ST
626471	BOARD,TERMINAL:PLUG-IN	1.00	900	ST
640186	GSKT PRE-CUT :UNIBLAU,ROUND,4IN	6.00	051	ST
629284	SLEEVE:	2.00	051	ST
607517	ROD:TYP COUPLING,APLC PTA PASTE PUMP	1.00	131	ST
1608603	ELCTRD-WLDG:SZ DIA 2.4MM,AWS CLS AWS A5	3.00	051	PAK
907406	ACTATR,PNU:TYP PNEUMATIC,STROKE 20MM	1.00	061	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
536832	GSKT-ST;VALVE,GRAPHOIL+ 316L	1.00	051	EA
584678	GLAND:	1.00	051	ST
639797	SEAT,VALVE:CONTROL,SS 316 STELLITE	2.00	051	ST1
609335	GAS:CALIBRATION,CYLINDER SIZE K.L	1.00	001	CY
587624	KIT,VALVE REPAIR:HI-SEAL	1.00	051	KIT
583086	DIODE,LIGHT EMITTING:COLOR RED	8.00	021	ST
635724	SPRING:MT AS JIS G3522 SWPB	1.00	051	ST
802922	PACKING:ID 20 X OD 32 X THK 6MM,PTFE	2.00	051	ST
1589225	GSKT-PRE-CUT:TYP RF,SZ ID 457 X OD 549 X	2.00	051	EA
761092	SOLUTN:1000MG/L,TOC STANDARD SOLUTION	2.00	001	BOT
599360	GSKT PRE-CUT :NON ASBESTOS,ROUND	1.00	051	ST
598543	BELT;WD 30 X LG 2800MM	2.00	051	ST
1226709	SEAL-LBYRNTH;ID 95 X OD 120MM,GRAPH PTFE	3.00	051	ST
1188250	SHAFT, PUMP: TYP DRIVE,MATL SS 403	1.00	051	EA
1017091	SWITCH, TEMPERATURE: RANGE 100-170DEG C	1.00	021	ST
587548	KIT-VLV-RPR:TYP SOFT PARTS,APL BUTTERFLY	1.00	051	KIT
902277	RELAY,OVERLOAD:1NO-1NC,THERMISTOR,AUTO	1.00	011	EA
612124	BREAKER,CIRCUIT:2A,127/240/415VAC	2.00	011	ST
610985	BREAKER,CIRCUIT:	2.00	061	ST
1022545	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
581806	HOSE, FLEXIBLE METAL: HOSE SZ 1IN	1.00	051	ST
623621	SEAL,RING:ID 45,OD 65,THK 8	9.00	051	ST
588435	SET:TYP DIAPHRAGM	1.00	081	ST1
614455	STUD CNTNS THD:LG 390MM,MTRL AS ASTM A19	2.00	051	ST
639398	WSHR;STEEL	1.00	051	ST
1022798	PIN: P/N:SLP60526,DOC:SOL01196/0	2.00	051	ST
641262	KIT-VLV-RPR:TYP SOFT PARTS,APL PLUG VALV	1.00	051	ST1
586080	ASSEMBLY;IGNITION ELECTRODE	1.00	081	ST
804318	KIT,SEAL:TYP PACKING	1.00	051	ST
615530	BUSH,PUMP:BRONZE BC6/B584,BEARING COVER	2.00	081	ST
612389	DIAPHRAGM:TYP PULSATROL	2.00	051	ST
643314	THERMOCOUPLE:TYP T,JUNC SINGLE	1.00	061	ST
160854	GSKT-PRE-CUT:TYP CAGE,SZ ID 4.56 X OD 5	8.00	021	EA
606111	THERMISTOR:	2.00	031	ST
871697	SENSOR: TYP ELECTRONIC,P/N:CWD2000/2005	1.00	011	ASY
628350	DTCTR-RSTNC-TMPRTUR;PT100,100OHM	1.00	101	ST
9101839	REPAIR KIT	2.00	051	ST
638182	RING,RETAINING:SNAP	2.00	051	ST
582943	CLTH;FLUIDIZING,0.5MM,POLYNOVA 1813	1.00	101	ST
587231	O-RING SET: TYPE SEALS KIT,P/N:S1131990	5.00	051	KIT
632186	DISC,VALVE:SS 316,SAFETY RELIEF	2.00	051	ST
618013	GSKT-PRE-CUT;ID 20MM,ROUND,WITHOUT	4.00	051	ST
596737	FILTER,HYDRAULIC:MT CELLULOSE FIBRE	1.00	051	ST
631556	STUD,D/END:DIA-A M8,DIA-B M8,LG 20MM	19.00	051	ST
634176	DISC,VALVE:METAL,ANGLE	1.00	051	ST
642406	SPRING,VALVE:SS DIN WN 1.4310	1.00	051	ST
1594411	RTR:TYP RIMMED,APL REFORMATE TURBINE FLO	2.00	081	EA
800680	THERMOMETER,DIAL:TYP BIMETAL	2.00	101	ST
1527624	BELT,V:TYP GRIPNOTCH,RFRNC NMBR AX24,INS	1.00	051	EA
1596867	KIT-SEAL:TYP REPAIR,APL ACTUATOR,P/N:U01	1.00	051	KIT
612627	BLST:TYP METAL HALIDE,VLTG 220VAC 60HZ,A	35.00	021	ST
9102329	SCREW, MACHINE, 3.5MM DIA, 0.6MM THRD, 1	25.00	051	ST
604537	FUSE:2A,1.2KV,DIA 8 X LG 50MM,FERRULE	13.00	021	ST
1036636	CONVERTER, SIGNAL: TYP REMOTE,O/P 4-20MA	1.00	061	EA
594019	O-RIG;1.78MM,VITON	6.00	051	ST
583748	CIRCUIT:TYP 8-CHANNEL ANALOG EXPANSION	1.00	011	ST
614725	RING,WEAR:APLC IMPELLER	1.00	081	ST1
905144	THRMWL;395MM,SS DIN WN 1.4571,6.6MM	1.00	061	EA
634000	SEAT,VALVE:VLV SZ DN 10IN,FUEL BLOCK	1.00	051	ST
584437	METER,ELECTRICAL:TYP AMMETER,RNG 0-1000A	1.00	101	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
597444	VALVE,CONTROL:TYP 5 WAY DIRECTIONAL,SZ	2.00	051	ST
9102362	WASHER,SPRING,GALVANIZED,CS,M16,(TO BE D	127.00	051	ST
644743	GSKT PRE-CUT :PTFE,ROUND,RF,300LB,4IN	2.00	051	ST
9101646	ASSEMBLY, TRANSLATION	1.00	051	SE
602334	GLAND:TYP FOLLOWER	1.00	061	ST
634784	SEAT,VALVE:VLV SZ 2IN	2.00	051	ST
619295	SPRING,VALVE:STEEL,68.4MM,7.2BAR	1.00	051	ST
634635	TRNSDUCR;TEMPERATURE	1.00	061	ST
853715	MODULE:SWITCHING UNIT,PWR S 24VDC	1.00	031	EA
602111	PACKING:GRAPHITE,P#6610 AND P#6315	19.00	051	ST1
581935	TUBE:TYP DESICATOR	1.00	131	ST
623044	MODULE:(16) INPUT,PWR S 24VDC	2.00	031	ST
578604	DTCTR-FIRE-PRTCTN	1.00	121	ST
600119	GSKT,SPWD:GRAFOIL,IRID 1757.4MM,SS 316	1.00	051	ST
640843	RESISTOR:	2.00	031	ST
1085388	COVER: TYP SHAFT,MATL SS400, EQUIP	1.00	051	EA
592285	BLADE,FAN:SZ DIA 108IN	1.00	011	ST
643363	ACTUTR-PNUMTC;CYLINDER; ACTUATING LINEAR	1.00	061	ST
973124	PIPE: SIZE 6IN,LENGTH 6000MM,SCHD 10	1.00	131	EA
639605	PLUG,VALVE:VLV SZ 3IN,PLUG	1.00	051	ST
611839	BREAKER,CIRCUIT:	2.00	011	ST
616647	TRANSFORMER,INSTRUMENT:VA RT 7.5VA	2.00	011	ST
109753	MDUL;(32) HIGH TRUE DIGITAL INPUT	1.00	051	EA
643238	PIN:	1.00	051	ST
598470	BRG,ROLL:TYP TAPERED	3.00	051	ST
597786	ELECTRODE,WELDING:ENICU-7,SZ DIA 2.5MM	7.00	051	PAK
617147	SWTCH-PRSUR;AIR FLOW	2.00	061	ST
189021	SHIM:TYP THRUST BEARING,MT CS 1018/20	9.00	051	ST
586950	FUSE: TYPE THERMAL,P/N:2536-1012,1100A	1.00	021	ST
632152	GSKT PRE-CUT :P#1200-S,BONNET,16IN	1.00	051	ST
581423	CIRCUIT:TYP LOGIC TS	1.00	011	ST
607454	BUSH,TAPER LOCK:TAPERED	1.00	051	ST
581454	MODULE:ANALOG INPUT,I/P 0-200OHM	1.00	031	ST
1012901	SEAT, VALVE: VALVE SIZE 2IN, EQUIP	1.00	051	EA
590268	COVER:TYP PROTECTION	2.00	051	ST
629545	INTEGRATED CIRCUIT:	2.00	031	ST
584899	DISC,VALVE:SS ASTM A276,304,PRESSURE AND	1.00	051	ST
630191	CLAMP:TYP TUBE,MT AL	4.00	051	ST1
588129	KIT,VALVE REPAIR:	1.00	051	KIT
318873	BRG,ROLL:ID 85MM,OD 150MM,WD 30.5MM	1.00	051	ST
626484	SWITCH:TYP MICRO; OPENING,SPDT,1NO-1NC	2.00	021	ST
589084	BLOCK,TERMINAL:ELEC TRT 20-26A	14.00	021	ST
617414	THRM CUPL;K,0-800°C,SS DIN WN 1.4571	1.00	061	ST
872270	NUT:CS,STAY BAR	6.00	051	ST
612504	SHIM:TYP ADJUSTMENT	1.00	051	ST
607848	INSERT:CARBIDE	30.00	051	ST
284441	VLV-NDL:BDY MTRL SS,CNCT TUBE,OPRTD THUM	1.00	051	EA
595417	DISC:METAL	1.00	051	ST1
1624740	SOLVENT RESERVOIR SPARGER 40 MICROMETER	8.00	051	EA
243608	GSKT,SPWD:GRAFOIL TAPE,316 SS,SHP ROUND	9.00	051	EA
588583	KIT,VALVE REPAIR:SEAT AND O-RINGS	1.00	051	ST1
1024124	DISC, RUPTURE:SIZE 4IN,BURST PRESSURE 9.5	1.00	051	EA
589165	BOARD,TERMINAL:CIRCUIT (2) 28	2.00	021	ST
590329	RLY;5-24V DC,60VDC 2A,AUXILIARY,PLUG IN	2.00	011	ST
603255	SEAT,VALVE:BALL,METAL	1.00	051	ST
585542	STEM,VALVE:VLV ST MANUAL CONTROL ANGLE	2.00	051	ST
1031519	DISC, RUPTURE: SIZE 3IN,P/N:12800767-1	5.00	051	EA
9101796	CATCH,SAFETY,PART# 24330 50570,POS.# 40	1.00	051	ST
618465	SPRING,VALVE:SS 316	2.00	051	ST
926866	THERMOWELL: SHANK STYLE BARSTOCK TAPERED	1.00	061	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
582360	MODULE:DIGITAL INPUT,PWR S 24VDC	2.00	031	ST
1009814	RELAY:COIL V 24VDC,CNTCT RT 20.4-26.4 VD	1.00	011	EA
143666	SEAT,VALVE:VLV SZ 4IN,CONTROL VALVE	1.00	051	EA
635884	VALVE:VLV SZ G 1-1/4IN,BDY MATL SS	1.00	051	ST1
622555	BRG,PLUM BLK:	2.00	051	ST
616590	RELAY:COIL 110VAC 50/60HZ,4PST	2.00	011	ST
644864	METER,FLOW:TYP TURBINE,RNG 15-150L/MIN	1.00	101	ST
628567	BRG: MATL BRONZE/PTFE/STEEL	1.00	051	ST1
1029632	GAUGE, PRESSURE: RANGE 0-10KG/CM2	1.00	101	EA
439096	SEAT-VLV;RING	2.00	051	EA
769611	KIT:TYP SPLICE LOW-PROFILE	1.00	081	KIT
601275	O-RING:ID 599.5MM,WD 9MM,MT FKM	3.00	051	ST
144626	SEAT,VALVE:VLV SZ 1IN,SS	1.00	051	EA
1080666	HEATER:TYP ANTI-CONDENSATION,SIZE LG 400	1.00	011	EA
597335	VALVE,BFY:VLV SZ 4IN,DES RTG 16KG	1.00	051	ST
642569	SEAT,VALVE:VLV SZ 6IN,GATE	1.00	051	ST
604855	NH3-FUSE 20 213 13.400 SIBA	3.00	021	ST
615028	BODY-VLV;SAFETY RELIEF VALVE,65 X 100MM	1.00	051	ST
644404	BOLT,UPSET:M16,80MM,GS,THD 2MM	1.00	051	ST
604445	ELEMENT,HEATER:TYP HELICAL SPRING	1.00	011	ST
580434	SHAFT:	2.00	051	ST
624887	BRKR-CRCUT;400A,2	1.00	011	ST
618834	CONTACTOR:TYP MOTOR REVERSING,POLE 1,LIN	8.00	011	ST
637292	BRG,SLEEVE:INSIDE DIAMETER 80MM,TYP NON	1.00	051	ST
605394	SWITCH,TOGGLE:250V 16A,SPDT,SCREW	2.00	021	ST
595104	SEAL:SZ ID 43 X OD 52 X THK 3MM,MT STEEL	4.00	051	ST
627656	BLOCK,TERMINAL:ELEC RT 380V,TERMINAL TYP	2.00	021	ST
606037	RESISTOR:50OHM,RT 95W,CONN BLADE	1.00	031	ST
602325	KIT-VLV-RPR:TYP SOFT PART,APL PNEUMATIC	2.00	051	ST1
609894	SEAL,RING:TYP V SHAPE	1.00	051	ST
631588	STUD,D/END:DIA-A M12,DIA-B M12,LG 35MM	8.00	051	ST
906012	CAP:TYP END	6.00	051	ST
634524	PIN:	1.00	051	ST
593051	GSKT PRE-CUT :ID 52 X OD 167 X THK 6MM	3.00	051	ST
631147	VLV:TYP THERMOSTATIC,VLV SZ 1-1/2IN,DSGN	1.00	051	ST
1009252	METER, FLOW: RANGE 0-9000KG/HR	1.00	101	EA
582330	ASSEMBLY:POLARIZER POTTED	1.00	081	ST
593381	GSKT:EPDM	2.00	051	ST
577845	ASSEMBLY:TYP PC BOARD INJECTOR	1.00	011	ST
508256	ELCTRD-WLDG;DIA 3.2 X LG 350MM,E310L-16	10.00	051	KG
643687	BRG,ROLL:ID 16MM,OD 20MM,WD 17MM,TYP	1.00	051	ST
643656	BRG,BALL:IBI 12017,INSIDE DIAMETER 30MM,	2.00	051	ST
741374	KIT,VALVE REPAIR:CONTROL VALVE	1.00	051	KIT
606254	DOWEL:SZ 8M6 X 28	10.00	051	ST
581823	HOSE:INSULATION	1.00	051	ST
599373	GSKT PRE-CUT :NON ASBESTOS,ROUND	1.00	051	ST
505991	ROPE,WIRE:DIA 15MM,TOT LG 30M,MT GS	1.00	051	ST
615693	BUSH,PUMP:BRONZE BC6/B584,BEARING COVER	1.00	081	ST
602792	SET: P/N:110813000,DOC:OZV 1796	2.00	081	ST
620335	NUT:,ROCK	2.00	051	ST
1245242	KIT,VALVE REPAIR:APPL GATE VALVE 6 IN,TY	1.00	051	KIT
1075685	SENSOR: RANGE 0.07 - 550 IN H2O	2.00	011	EA
599297	GEARBOX:TYP SPEED REDUCER,RATIO 63:1	1.00	081	ST
192020	COIL,ELECTRICAL:ELEC TRT 24VDC	3.00	051	ST
644915	BRG,BALL:ID 30MM,ST OPEN,ROW DOUBLE	6.00	051	ST
428319	CNCTR-CMUNCTN:TYP FRONT,HUSNG MTRL PLAST	1.00	031	ST
608493	BAFFLE:TYP OIL	1.00	081	ST
586762	MOTOR:TYP SPRING CHARGING,RT 110VDC	1.00	051	ST
2494	SLV;SHRINKABLE; TAPED,OD 80MM,PTFE	1.00	051	ST
607640	COUPLING,SHAFT:FLENDER N-EUPEX	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
599576	GSKT SET:	2.00	051	ST
601145	GSKT PRE-CUT :PTFE,1 X 4IN	2.00	051	ST
600461	GSKT,SPWD:GRAPHITE,SS 316	2.00	051	ST
596731	FLTR-ELMNT;AIR INTAKE	4.00	051	ST
612158	ALARM:TYP AUDIBLE,RT 9-30VDC	1.00	121	ST
634060	CHAIN:TYP LINK,SZ 12.5 X 38MM	1.00	051	ST
633155	GAUGE, PRESSURE: RANGE 0-16BAR	1.00	101	ST
590075	FUSE:10A,415VAC,OFFSET SLOTTED TAG	2.00	021	ST
579861	KNOB:ST HAND KNURLED,SZ DIA 65 X HT 80MM	3.00	141	ST
700785	BALL, VALVE: P/N:P1-T2	2.00	051	EA
605291	SWITCH:TYP ROCKER,SPDT,1NO-1NC	2.00	021	ST
588092	KIT, VALVE REPAIR: EQUIP MDL#:	3.00	051	ST1
616739	TRANSFORMER,INSTRUMENT:VA RT 500VA	1.00	011	ST
639473	O-RING:MT FKM	1.00	051	ST
588661	KIT,PUMP REPAIR:APPL NCINERATOR PACKAGE	2.00	081	ST1
593565	GSKT-PRE-CUT;ID 256 X OD 320 X THK 2MM	2.00	051	ST
597483	VALVE,CHECK:TYP DISC AND SPRING,VALVE SI	1.00	051	ST
588677	SET:	1.00	061	ST1
604983	POWER SUPPLY:TYP AC/DC,I/P 400VAC 50/60	1.00	031	ST
592979	GSKT PRE-CUT :	3.00	051	ST
637058	O-RING SET:APLC AIR COMPRESSOR	1.00	051	ST1
627596	RELAY,TIME DELAY:OPER ON DELAY	2.00	011	ST
604267	CONTACT,STATIONARY:CONTRT 250/380VAC	1.00	011	ST
612809	COUPLING:SIZE 16,P/N:DJ16180,MNFR:BOUSTE	1.00	051	ST1
265653	BRKR-CRCUT;2.4-4A,400V AC/DC,100KA,3,CSA	2.00	051	EA
891184	O-RING: INSIDE DIAMETER 158.34MM	3.00	051	EA
53533	GSKT,SPWD:8IN,150LB,GRAPHITE,316 SS	6.00	051	ST
578201	KIT:TYP AIR MOTOR SEAL	1.00	081	ST
9102201	PINION ROTATION	1.00	051	EA
584439	METER,ELECTRICAL:TYP AMMETER,RNG 0-100A	1.00	101	ST
1024364	NOZZLE: TYP STEAM,SIZE 1-1/2IN	1.00	051	EA
603501	BLCK-TRMNL;380VAC 10A,CAPTIVE SCREW,12	5.00	021	ST
589974	FUSE:	4.00	021	ST
590325	RELAY:COIL 110VDC,3PDT,TYP AUXILIARY	10.00	011	ST
599511	GSKT PRE-CUT :V#6500	6.00	051	ST
594713	O-RIG;75MM,4MM,VITON	2.00	051	ST
632714	ASSEMBLY:MANIFOLD	1.00	081	ST
597959	BRG,SLEEVE:ID 38MM,TYP SPLIT BUSHING	1.00	051	ST1
1589270	PLUG-TUBE:DIA LARGE END 16.5 X SMALL END	10.00	051	EA
1556685	PLATE,METALLIC:SIZE WD 1000 X LG 1200 X	1.00	131	EA
592606	GSKT-PRE-CUT;VESSEL,THK 7MM,IRREGULAR	2.00	051	ST
78025	SWITCH,LIMIT:240VAC 3A,ROLLER LEVER,IP66	1.00	011	ST
358375	BEARING SUPERSEDED BY 669850	2.00	051	ST
590571	SWITCH,PRESSURE:0.55-2.8BAR	1.00	061	ST
634207	THERMOCOUPLE:TYP K,DESLG 7000MM	1.00	061	ST
591559	NUT:	4.00	051	ST
616166	BREAKER,CIRCUIT:20A,INTP CAP 6KA,POLE 2	2.00	011	ST
625343	CUT-OUT-THRML;BI-METALLIC,250V AC,10A	3.00	061	ST
610322	JOINT,EXPANSION:TYP FLEXIBLE,SZ DN 315	1.00	051	ST
599765	GSKT,SPWD:SS 316	3.00	051	ST
601097	GSKT PRE-CUT :PTFE	2.00	051	ST
581499	MDUL;TRANSISTOR	9.00	031	ST
629151	NOZZLE,VALVE:MT MONEL	1.00	900	ST
582667	GLASS,SIGHT:MT BOROSILICATE GLASS	1.00	101	ST
600583	GSKT PRE-CUT :ID 46 X OD 62 X THK 1MM	1.00	051	ST
599777	GSKT PRE-CUT :NON ASBESTOS,ROUND	4.00	051	ST
904157	GAUGE,PRESSURE:-1 TO 15BAR,DIA 100MM	1.00	101	EA
599352	GSKT PRE-CUT :NON ASBESTOS/T#1995/V#6500	3.00	051	ST
994668	VALVE, CHECK: TYP SWING,VALVE SIZE	2.00	051	ST
615641	NUT:SS ASTM A283,GR D,SHAFT	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
594061	O-RIG;71MM,2MM,RUBBER	7.00	051	ST
265753	LAMP-INCNDSCNT:TYP PILOT,VLTG 110V AC,CL	5.00	011	EA
593057	GSKT-PRE-CUT;GLAND PLATE,U,CORK	1.00	051	ST
579179	DTCTR-FIRE-PRTCTN;GAS,40-55°C,50V DC	1.00	121	ST
608440	BURETTE:TYP MICRO,CAP 2ML,MT GLASS	12.00	071	ST
599557	GSKT:	1.00	051	ST
624114	WASHER:SS,316L,PACKING	3.00	051	ST
628291	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	ST1
599245	SPRCKT;6-9/16IN,5-17/32IN,1-3/4IN,19,CS	1.00	051	ST
1612228	GSKT-KIT-INSULTG:TYP VCFS,NMNL FLNG SZ 4	2.00	051	KIT
602096	PACKING:GRAPHITE,P#6610 AND P#6315	4.00	051	ST1
1617686	BLWS:TYP EXPANSION,MTRL SB443 GR 1 (N066	2.00	051	EA
1003974	PLATE: TYP ORIICE,SIZE 2IN,MATL SS 316L	1.00	131	EA
616669	RESISTOR,VARIABLE:CONN SOLDER BLADE	1.00	031	ST
630739	CNTRLR-ELCTRNC;4-20MA,4-20MA,220V 50HZ	1.00	031	ST
1529404	SUPPRESSOR:TYP EXCESS VOLTAGE,RT 110-240	1.00	011	EA
9102095	ROD,SILVER BRAZING,3.2 MMDIA (DISPOSE	20.00	051	KG
250760	VLV-GATE;SOLID WEDGE,40MM,25BAR,120°C	1.00	051	EA
811702	VALVE,CHECK:TYP BAR STOCK,VLV SZ 1/2IN	1.00	051	ST
619865	O-RING:ID 54.4MM,WD 3.1MM	2.00	051	ST
617625	COUPLING:	1.00	051	ST
629853	RELAY,PROTECTION:THERMISTOR,RT 24VDC	1.00	031	ST
604775	FUSE;ULTRA FAST BLOW,5A,250V AC,CERAMIC	10.00	021	ST
628014	PLUG,VALVE:VLV SZ 4IN,CONTROL,SS 316L	1.00	051	ST
606797	SCREW,CAP:M6 DIA,12MM LG,CSK,THD 1MM	40.00	051	ST
632815	PLUG,VALVE:VLV SZ 1IN,CONTROL,UNS S31600	1.00	051	ST
591625	PIN	2.00	051	ST
615209	TRANSFORMER,INSTRUMENT:VA RT 50VA	1.00	011	ST
603968	BIT,MASONRY:TYP DRILL,SZ DIA 12MM	15.00	101	ST
593418	GSKT PRE-CUT :ID 32 X OD 38 X THK 3MM	5.00	051	ST
622704	MOTOR,ELECTRIC:11KW,380VAC 22.5A 60HZ	2.00	011	ST
949964	VALVE,GATE:TYP SOLID/FLEXIBLE WEDGE	1.00	051	EA
616606	INDCTR;LED VOLTAGE,PLUG PIN	2.00	061	ST
588013	KIT,VALVE REPAIR:	6.00	051	ST1
618096	MTR-ELCTRC;1.1KW,220/380VAC 5/2.9A 60HZ	2.00	900	ST
1037174	VLV-SLND;2/2 WAY,24V DC,NO-NC,MALE,SS	1.00	051	EA
1233288	CABLE,FIBER OPTIC:TYP SINGLE MODE,SHEATH	5.00	021	EA
586716	GEAR,WORM:MT STEEL	1.00	081	ST
609986	PLATE,WALL:TYP RECEPTACLE COVER	1.00	021	ST
583337	SHAFT:	2.00	051	ST
588329	SET:TYP CONTROL AIR	3.00	061	ST1
594647	FACE,MECHANICAL SEAL:TYP RING	1.00	051	ST
591524	NUT,CAP:BRONZE	1.00	051	ST
599509	GSKT PRE-CUT :PTFE GLASS FILLED,ROUND	6.00	051	ST
903091	EARTH LEAKAGE:	1.00	011	EA
798637	BOLT:1-1/8IN,230MM,AS ASTM A193,8 UNC	3.00	051	ST
592568	GSKT-PRE-CUT;VESSEL,ROUND	2.00	051	ST
636152	PRB:TYP PICK-UP ROTOR ASSY,MTRL SS 304,R	2.00	061	ST
603128	SEAL,RING:MT PTFE GLASS FILLED	2.00	051	ST
587373	KIT,VALVE REPAIR:BALL VALVE	1.00	051	KIT
262375	O-RIG:I DIA 266.07MM,MTRL NBR,APL ACTUAT	5.00	051	EA
606573	PIN,DOWEL:SS DIN WN 1.3343	5.00	051	ST
623812	HEATER:TYP ANTI CONDENSATION,RT 220V 40W	2.00	011	ST
604440	ELEMENT,HEATER:	2.00	011	ST
592950	GSKT-PRE-CUT;ID 510 X OD 570 X THK 3MM	1.00	051	ST
601383	O-RING:MT VITON,APLC PRESSURE GAUGE	1.00	051	ST
614983	GSKT;SEAL	4.00	051	ST
591054	SWITCH,PUSHBUTTON:COLOR BLACK	3.00	011	ST
1012908	PLUG, VALVE: PLUG DIMENSION DIA 1/2IN	1.00	051	EA
742235	BAFFLE:TYP OIL EXHAUSE END INNER	1.00	081	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
617870	PACKING:CS DIN WN 1.4308,TYP GLAND	1.00	051	ST
643081	PACKING:GRAPHITE,TYP GATE VALVE	5.00	051	ST1
1060657	PACKING, BULK: MATL GRAPHITE/TEFLON	1.00	051	SE
512883	KIT:TYP REPAIR,APLC REGULATOR	1.00	051	KIT
591908	SEAT,VALVE:MANUAL CONTROL ANGLE,SS ASTM	2.00	051	ST
602748	RING:TYP CLAMP	3.00	051	ST
905362	RELAY:COIL 24VDC,4P,CONT 250VAC 7A	1.00	011	EA
561775	SPNDL;PRESSURE SAFETY/RELIEF VALVE	1.00	101	EA
235471	PLUG,VALVE:VLV STYL GLOBE CONTROL,VALVE	1.00	051	EA
918092	PIN,TAPER:	2.00	051	ST
949481	BLOCK,PILLOW:BORE 50MM,206MM	2.00	051	ST
29214	TEE,PIPE:SZ 6IN,RTG SCH 80,CONN BW	2.00	051	EA
608538	RING,WEAR:CI ASTM A48 CL 35,APLC CASING	1.00	081	ST
100701	BRG,ROLL:ID 25MM,WD 30MM,TYP NEEDLE	2.00	051	ST
643288	O-RING:APLC OUTER	1.00	051	ST
643128	PACKING:GRAPHITE,TYP GLOBE VALVE	1.00	051	ST1
619338	TOOL:TYP CRIMPING,SZ 10MM2	1.00	101	ST
1032756	BELT,TOOTHED:TYP ANTISTATIC,SIZE WD 40 X	2.00	051	EA
642910	O-RING:APLC UPPER SHAFT	10.00	051	ST
785344	GSKT;FLAT RING ,1/2 MM,OD 150 ID 120	1.00	051	ST
981495	ACTUATOR, PNEUMATIC: TYP DIAPHRAGM	1.00	061	EA
1026165	RELAY, PROTECTION: TYP BUCHHOLZ	1.00	031	EA
1078970	RING,WEAR:MATL A743 GR. CF-3M,APPL CENTR	1.00	081	EA
644991	DIODE:VOLT 24VAC,AMP 6A	2.00	031	ST
589192	SLEEVE,SHAFT:SS ASTM A276 GR 304	1.00	051	ST
1023616	POSITIONER: TYP VALVE CONTROLLER	3.00	061	EA
620556	FILTER:	4.00	051	ST
589334	JUMPER:	1.00	021	ST
587451	KIT-CYLNDR-RPR;SEAL	2.00	091	KIT
1585413	GSKT-PRE-CUT:TYP FF,SZ ID 1066.8 X OD 13	8.00	051	EA
589984	FUSE:2A,DIA 5 X LG 20MM	4.00	021	ST
579762	CLEANER:TYP STRIP	2.00	001	ST1
640600	CONVERTER:TYP PNEUMATIC,I/P 0.2-1BAR	1.00	061	ST
1065399	NUT, CAP: DIAMETER 43MM,THREADS 8	1.00	051	EA
211710	CONTACTOR:TYP MAGNETIC,AMP 20A,3 POLE	1.00	900	ST
618544	PLATE:TYP CENTER	2.00	131	ST
586747	MOTOR:	1.00	900	ST
589420	BREAKER,CIRCUIT:5A,220-600VAC	2.00	011	ST
1191051	TESTER: , P/N:30005791	1.00	900	ST1
618259	ASSEMBLY:TYP BRAKE	2.00	081	ST
625261	VALVE,GLOBE:VLV SZ 1IN,DES RTG 900LB	2.00	051	ST
613278	THERMOMETER,DIAL:	1.00	101	ST
602048	O-RING:MT NITRILE RUBBER,APLC DIAPHRAGM	3.00	051	ST
612721	FIXTURE:TYP INDUSTRIAL	4.00	021	ST
505085	HOLDER,FUSE:AMP 32,VOLT 500VAC 50HZ	12.00	031	ST
584552	GUIDE:TYP CHAIN	2.00	081	ST
824166	KIT-VLV-RPR;OVERHAULING WEARING PARTS	3.00	051	SE
619798	SHIM:	1.00	051	ST1
615101	GSKT-PRE-CUT;FLAT RING,ROUND,SILICON	10.00	051	ST
583870	CIRCUIT,POWER SUPPLY:APLC NUCLEAR LEVEL	1.00	021	ST
643691	BRG,ROLL:STD DIN 618	1.00	051	ST
600699	GSKT PRE-CUT :	1.00	051	ST
1022542	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
612970	CONTACTOR:TYP REVERSING,AMP 9A,3 POLE	1.00	011	ST
615100	GSKT-PRE-CUT;FLAT RING,ROUND,SILICON	5.00	051	ST
772058	DISC,VALVE:UNS S31600,VLV SZ 1-1/2IN	1.00	051	ST
583621	TERMINAL BOARD:P/N:733A0 08D-1,MNFR:ABB	1.00	021	ST
625333	CONTACT,AUXILIARY:TYP AUXILIARY	2.00	011	ST
584594	HOLDER:TYP FLAME	1.00	051	ST
632982	KIT,VALVE REPAIR:ON-OFF VALVE MOV	1.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
587460	KIT-VLV-RPR:TYP SOFT PART,APL WAFER CHEC	1.00	051	ST
1033569	HEAD:TYP DIAPHRAGM,SIZE 144MM,MATL PVC,P	3.00	101	EA
179178	CUPLG	2.00	051	EA
629191	ASSEMBLY:	1.00	081	ST1
643807	O-RIG;171.12MM,2.62MM,AFLAS	1.00	051	ST
1197276	TRAP, STEAM: SIZE 1IN,CNCT FLANGED RF	1.00	051	EA
1006071	SPRING, VALVE: MATL STL H51500	1.00	051	EA
596615	FILTER,OIL:7.9MICRON,PAPER	3.00	051	ST
627675	TRANSFORMER,DISTRIBUTION:KVA 130KVA	2.00	011	ST
627312	VLV-GATE;1IN,CL 800,MNPT X FNPT,SS F316	1.00	051	ST
1051286	BUSH: SIZE ID 35 X OD 39 X LG 30MM	2.00	051	EA
600128	GSKT,SPWD:IRID 858.8MM,SS 316	3.00	051	ST
639378	SPRG-VLV:MTRL SS ASTM A313 GR TP316,VLV	1.00	051	ST
143166	REGULATOR,PNU:	1.00	011	EA
627653	BLOCK,TERMINAL:	6.00	021	ST
617598	PIN;MOTOR PLUG	10.00	051	ST
602188	PACKING:LG 800MM,CERAMIC FIBRE	4.00	051	ST
594107	O-RING:ID 50MM,WD 3MM,MT NBR 872,SHOR -	2.00	051	ST
143575	RETAINER:TYP DISC,MT SS	1.00	051	EA
602206	PACKING:GRAFOIL,TYP GLAND	4.00	051	ST
804340	KIT,SEAL:TYP O-RING & GASKET	1.00	051	SE
585097	FILTER:	1.00	051	ST
593420	GSKT PRE-CUT :FRENZELIT,RECTANGULAR	4.00	051	ST
616650	TRANSFORMER,INSTRUMENT:VA RT 7.5VA	1.00	011	ST
738383	RAM:TYP VALVE	1.00	061	ST
582250	TRANSFORMER,INSTRUMENT:TYP CURRENT	1.00	011	ST
643373	PACKING:PTFE	2.00	051	ST
589016	PROBE:	3.00	061	ST
642419	BALL,VALVE:MT PERBUNAN	1.00	051	ST
581599	MODULE:INPUT	1.00	031	ST
636280	ELEMENT:TYP PRESSURE	1.00	051	ST
628340	SWITCH,PRESSURE:	1.00	061	ST
642722	SEAT,VALVE:VLV SZ DN 32,BALL,GFK/PTFE	8.00	051	ST1
642470	RING:TYP SEALING,APLC PLUG VALVE	2.00	051	ST
542900	WASHER,FLAT:ROUND	2.00	051	EA
603679	CLIP;VIBRO	10.00	051	ST
617864	RING:TYP CHAMBER	12.00	051	ST
807023	CIRCUIT:TYP INPUT RELAY	1.00	021	ST
604898	FUSE:4A,DIA 5 X LG 20MM,FST	9.00	021	ST
893262	COLUMN,PUMP:TYP CALIBRATION	1.00	081	ST
590874	SWITCH,LIMIT:	2.00	011	ST
423388	O RING:INSIDE DIAMETER 219.3MM,WIDTH 5.7	2.00	051	ST
173053	REDUCER,PIPE:SZ 4 X 1-1/2IN,BW	2.00	051	EA
604032	BREAKER,CIRCUIT:230VAC,POLE 2	2.00	011	ST
25628	GSKT,SPWD:12IN,150LB,PTFE,SS 316	1.00	051	ST
644571	GSKT PRE-CUT :ID 61 X OD 107 X THK 2MM	4.00	051	ST
53303	GSKT,SPWD:1-1/2IN,300/600LB	10.00	051	ST
905127	MODULE:	1.00	031	EA
611243	RELAY:8PST,CONT 595VAC 10A	2.00	011	ST
600418	GSKT:	1.00	051	ST
612065	SWITCH,SELECTOR:690VAC 20A,LEVER KNOB	3.00	021	ST
559804	RIG;CLAMP,PUMP TYPE: NE20B	2.00	051	ST
1599795	SPRG:MTRL CS,TYP BACK,P/N:10005550,MNFR	1.00	051	EA
597030	SPRING:WD 15 X LG 80MM	3.00	051	ST
577882	ASSEMBLY;HOSE/NOZZLE	30.00	081	ST
604338	CONTACTOR:TYP MAGNETIC,AMP 63A,3 POLE	1.00	011	ST
274278	CHN-PWR-TRNSMSN:STYL SIMPLEX,PTCH 1-1/2I	1.00	051	EA
579096	CONTROLLER,ELECTRONIC:TYP TEMPERATURE,E	1.00	031	ST
578092	KIT-VLV-RPR:TYP SOFT PARTS,CMPRSNG GASKE	1.00	051	ST1
577761	ASSEMBLY;REFLECTOR-GEAR TRAY	4.00	081	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
584408	METER,FLOW:RNG 18-180NM3/H,FLANGED	1.00	900	ST
612914	BREAKER,CIRCUIT:6A,POLE 3	1.00	011	ST
582059	IMPELLER,PUMP:DIA 179MM	1.00	081	ST
631581	VALVE:TYP SUCTION	2.00	051	ST
596991	SEAT:TYP STATIONARY,ID 12MM,OD 27MM,THK	1.00	051	ST
593719	O-RING:ID 17MM,WD 1.5MM	6.00	051	ST
639482	WASHER:STEEL	1.00	051	ST
600290	GSKT,RJ:IRON,20IN,PR RT 1500IN	1.00	051	ST
596137	HEAD,PUMP:PUMP ROTARY,MT PLASTIC	1.00	081	ST
633968	SET:TYP NYLON TUBE,APLC PNEUMATIC HOIST	2.00	131	KIT
603076	SEAL:TYP GLAND,MT EPDM	1.00	051	ST
590701	SWTCH;SAFTEY LEDGE	2.00	021	ST
594336	PCKG;ID 14 X OD 25 X THK 10MM,GRAPHITE	2.00	051	ST
642645	GSKT:FOR DIESEL ENGINE GENERATOR	1.00	051	ST
632981	BUSH:	1.00	051	ST1
600448	GSKT,SPWD:SS 316,IRMT CS,SHP ROUND	2.00	051	ST
333973	FUSE;CUT OFF,160A,500V,CERAMIC,PLATE	3.00	051	ST
914244	MTR-FLOW;CUTTING RING DIA 12MM,SS	1.00	101	EA
121514	RIG-RTNG;UPPER	1.00	051	EA
588432	SET:TYP BEARING	2.00	081	ST1
799472	CIRCUIT:TYP MOTHERBOARD	3.00	011	EA
618147	MTR-ELCTRC;1.5KW,380VAC 4.7A 60HZ,132S,F	1.00	900	ST
585347	SEAT:	1.00	051	ST
205973	O-RING:ID 339.3MM,WD 5.7MM,MT NBR	4.00	051	ST
630186	WASHER:	1.00	051	ST1
582316	CELL,LOAD:TYP WEIGH BRIDGE	2.00	061	ST
630230	NUT:U-SHAPED	1.00	051	ST
617624	GEARBOX:	1.00	081	ST1
638585	SPRING,VALVE:CHROME STEEL PHOSPHATED	1.00	051	ST
606751	SCREW,MACHINE:M5 DIA,8MM LG	20.00	051	ST
9101700	FAN,AXIAL,110MM DIA,18/29VDC,3/9.5W(TO B	2.00	051	ST
599450	GSKT,SPWD:GRAFOIL,SS 316,APLC CASING	1.00	051	ST
506007	CONTACTOR:400V,COILV 48VAC 22KW 60HZ	2.00	011	ST
586245	BRG:GUIDE CUP	4.00	051	ST
596801	FILTER,ELEMENT:	1.00	051	ST
620339	SHAFT,PUMP:SS ASTM A276 GR 403	1.00	051	ST
609364	COUPLER,HOSE:SZ 1IN,CONN MALE HEAD,MT SS	3.00	051	ST
1049880	VESSEL: TYP SAMPLE,P/N:45121	2.00	081	ASY
536687	FUSE:10A,550VAC,SLOTTED TAG,SLOW BLOW	5.00	051	EA
612929	CONTACTOR:TYP MAGNETIC,AMP 16A,400VAC	1.00	011	ST
608521	RING,WEAR:CI ASTM A48 CL 35	2.00	081	ST
9101644	WHEEL,GEAR Z-85,PART# 6/200462	1.00	051	ST
584355	INDICATOR:TYP LEVEL,MOUNT PANEL	1.00	061	ST
634585	MDUL;DIODE BLOCK	1.00	031	ST
641433	GSKT PRE-CUT :DIA 400MM	1.00	051	ST
636855	SEAT,VALVE:SS JIS G4305 GR 420J2	1.00	051	ST
1197976	GUIDE, VALVE: VLV STYL GLOBE	1.00	051	EA
578639	POWER SUPPLY:TYP AC TO DC,I/P 110/205V	1.00	021	ST
633967	SET:TYP NYLON TUBE,APLC PNEUMATIC HOIST	2.00	131	KIT
584765	BASKET,STRAINER:SZ 6IN	2.00	051	ST
632084	GSKT PRE-CUT :P#1200-S,BONNET,16IN	2.00	051	ST
259436	TIMER:TYP DELAY ON PNEUMATIC,RNG 1-30SEC	1.00	021	EA
634641	TRNSDUCR;PRESSURE,4-20MA,JACKET WATER	1.00	061	ST
636514	GSKT PRE-CUT :THK 1/8IN	10.00	051	ST
586119	BEARING:TYP CRANK PIN,MT CS	4.00	051	ST1
643634	WHEEL,CUTTING:TYP DIAMOND	1.00	101	ST
200275	O-RING:ID 299.3MM,WD 5.7MM,MT NBR	2.00	051	ST
643786	PAD:TYP OIL IMMersed	1.00	051	ST
643025	GSKT PRE-CUT :PTFE,COVER,DN 200	2.00	051	ST
623019	TRANSFORMER,INSTRUMENT:VA RT 150	2.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
602238	PACKING:	1.00	051	ST1
930791	GAUGE, DIFFERENTIAL PRESSURE:	1.00	061	EA
589888	FUSE:5A,250V,DIA 5 X LG 20MM,FAST ACTING	10.00	021	ST
603690	CIRCLIP:SZ ID 150 X THK 4MM	2.00	051	ST
626667	VALVE,BALL:VLV SZ 2IN,APP OIL DRAIN	4.00	051	ST
615344	SPRING:	1.00	051	ST
1008021	GSKT PRE-CUT : MATL GRAFOIL,SHAP SQUARE	2.00	051	ST
637926	KIT,VALVE REPAIR:BALL VALVE	1.00	051	ST1
579115	CONTROLLER:TYP PROPORTIONAL RECEIVER,RN	1.00	061	ST
620390	COUPLING:10 DBSE 140	1.00	051	ST1
644765	GSKT JKTD:ID 214 X OD 154 X THK 2MM,SHP	4.00	051	ST
612038	BREAKER,CIRCUIT:2.2 - 3.2A,400V 60HZ	1.00	011	ST
798346	ROPE-WIRE;12MM,1960NM,83.7M,STEEL	1.00	091	RE
612295	STEM,VALVE:VLV ST BUSHING,MT SS 431 GR	2.00	131	ST
619999	GSKT PRE-CUT :NON ASBESTOS,ROUND	1.00	051	ST
1035941	DEVICE:TYP SPRING SAVER,APPL DISCHARGE V	65.00	081	EA
464687	SEAL,OIL:ID 40MM,OD 58MM,WD 10MM	1.00	051	EA
615133	O-RIG;CHECK VALVE	2.00	051	ST
1230384	MODULE,POWER SUPPLY:INPUT 3300V; 800A,TY	1.00	031	EA
610723	GAUGE,PRESSURE:0-2.5BAR,160MM,MBSP G 1/2	1.00	101	ST
69035	RESTRICTOR:TYP PNEUMATIC TRANSMITTER	2.00	051	ST
412309	RELAY,OVERLOAD:5.2-8A,1NO-1NC,THERMAL	1.00	011	EA
1033540	DIAPHRAGM, ACTUATOR: S/N#: F68012	1.00	061	ST
584925	DISC,VALVE:SS ASTM A564,630,SAFETY AND	1.00	051	ST
9101690	SET, GASKET, MATL ASBESTOS (MARKED X)	3.00	051	SE
589688	CNTCTR;24V DC	1.00	011	ST
1216276	CONNECTOR:TYP CONTROLNET T-TYPE,MATL CU	1.00	051	EA
589573	BUSBAR:	1.00	051	ST1
1218232	POWER SUPPLY:TYP COVERED,INPUT 100-240VA	1.00	021	EA
759713	O-RING:ID 85.32MM,WD 3.53MM,MT VITON	2.00	051	EA
604763	FUSE;FAST BLOW; HRC,2A,550V AC,CERAMIC	3.00	021	ST
599449	GSKT,SPWD:WINDING MATERIAL SS 316,FILLER	1.00	051	ST
602518	RING,RETAINING:SNAP	3.00	051	ST1
644699	PUMP,RECIPROCATING:TYP HYDRAULIC	2.00	081	ST
600863	GSKT,SPWD:FLEXITE SUPER,SS 316L	2.00	051	ST
615610	RETAINER:TYP SLEEVE	1.00	051	ST
655494	O-RING:SZ 150X4MM,API PUMP	4.00	051	EA
1250811	KIT,ACTUATOR REPAIR:TYP SEAL,CMPRSNG O-R	1.00	061	KIT
588021	KIT-VLV-RPR:TYP SOFT PART,APL SAFETY REL	2.00	051	ST1
799093	BREAKER, CIRCUIT: AMPERAGE 30A	2.00	011	ST
602827	RING,PISTON:CARBON/PTFE	1.00	051	ST
636724	MODULE:LEVEL TRANSMITTER	1.00	031	ST
596484	COCK:SZ 1/2IN,CONN FNPT,MT SS 316	1.00	051	ST
639416	SPRING,VALVE:STEEL WIRE ASTM A231	1.00	051	ST
695140	FUSE:10A,550VAC; 250VDC,OFFSET BLADE	1.00	021	EA
634118	PLUG,VALVE:SS 304	1.00	051	ST
591557	NUT:DIA 1/16IN	10.00	051	ST
871432	SEAL,LABYRINTH:RING	1.00	051	EA
1505157	SEAT,VALVE:TYP BACK,VALVE TYPE GATE VALV	1.00	051	EA
1048836	KIT-SEAL:TYP SOFT PARTS,CMPNNT QTY O RIN	1.00	051	KIT
627634	BLOCK,TERMINAL:P/N:89566644,MNFR:DEMAG	12.00	021	ST
619543	O-RING:APLC PACKING	1.00	051	ST
837343	NUT,LOCK:	2.00	051	ST
577570	KIT;FIBER GLASS TAPE	5.00	081	ROL
607591	CPLG SHFT HALF:DOC:A1/505559	1.00	051	ST
585136	FILTER,AIR:TYP INLET AMBIENT,SIZE SQ 592	1.00	051	ST
585999	VALVE:TYP MOTOR	1.00	011	ST
1226541	RING,WEAR:INSIDE DIAMETER 270MM,MATL AST	1.00	081	EA
615325	VALVE:TYP GOVENOR,VLV SZ 45MM	3.00	051	ST
704200	SWITCH,SAFETY:TYP CONTROL	2.00	011	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
366812	BRG - ROLLER CYLINDRICAL- 60X 110X 28MM	1.00	051	ST
619349	BLCK-TRMNL;800V,CAPTIVE SCREW,16MM2,2	4.00	021	ST
928225	KIT:TYP REPAIR,APLC STEAM TRAP	19.00	081	SE
618100	BLCK-TRMNL;(6) BOLTED,3	1.00	021	ST
589665	CNTCT-AUXLRY	1.00	011	ST
644325	SLEEVE:SZ ID 2 X OD 5 X LG 15MM,SS	1.00	051	ST
634942	KIT:TYP TEST,APLC CHEMICAL DPD CHLORINE	1.00	081	ST
617022	BRACKET:TYP SUPPORT	2.00	051	ST
924640	SET:TYP GLAND PACKING,APLC GATE VALVE	3.00	081	ST1
608587	GUIDE,VALVE:VLV ST BUTTERFLY	1.00	051	ST
584305	SHIM:	1.00	051	ST
603849	SLEEVE:	1.00	051	ST
612142	MDUL-PWR-SUPLY;24VDC 15/20A	1.00	031	ST
606935	STUD CNTNS THD:DIA M10,THRD 1.5MM,LG 2-1	17.00	051	ST
594321	PCKG;ID 100 X OD 125 X THK 12.5MM,GLAND	10.00	051	ST
1484881	COUPLING:SIZE 1-7/8 IN MAXIMUM BORE,3-1/	1.00	051	EA
644807	GSKT-PRE-CUT;ID 142 X OD 220 X THK 2MM	4.00	051	ST
593076	GSKT;10MM,ID 730 X OD 813MM,ROUND	1.00	051	ST
606670	SCREW:1/2IN DIA,THD 13 UNC,LOCKING	1.00	051	ST
599748	GSKT,SPWD:SS 316	1.00	051	ST
1235600	ASSEMBLY:TYP BUTT AND WRAP LAMINATION JO	4.00	081	ASY
601413	O-RING:ID 47.6MM,WD 5.7MM,MT NBR	2.00	051	ST
605759	TRNSFRMR;MATCHING,15V,15V	1.00	011	ST
639458	WSHR;AS	1.00	051	ST
623054	SWITCH,PUSHBUTTON:600VAC,SPST,1NC,BLACK	2.00	021	ST
612175	RELAY:COIL 380-440VAC 50HZ,DPDT	1.00	011	ST
801004	GSKT,RJ:ROUND,SS 316,DIA 4IN	1.00	051	ST
1587784	GSKT-PRE-CUT:TYP RF, SZ ID 168 X OD 222 X	9.00	051	EA
625337	SHAFT:DIA 6MM,LG 290MM	3.00	051	ST
581668	HOSE:HIGH PRESSURE	1.00	051	ST
872269	BAR:TYP STAY,MT CS	3.00	131	ST
903942	CIRCUIT:TYP EXTENSION,APLC COMPTROL 7000	1.00	011	EA
584428	METER:TYP AMPERAGE,RNG 0-300 / 1800A	1.00	101	ST
585603	VALVE:TYP SUCTION	6.00	900	ST
1553251	SWITCH,TEMPERATURE:CNTCT RT 110/250VAC 5	1.00	061	ST
930289	COVER: TYPE SEAL,MNFR:POMPE CUCCHI SRL	1.00	051	ST
642704	RING:PTFE/TFM 4220,TYP ANTISTATIC	8.00	051	ST
605535	SWITCH,PUSHBUTTON:	1.00	011	ST
618472	PIPE:	4.00	131	ST
602224	PACKING:	2.00	051	ST1
131594	SEAL-MCH;1-3/4IN,SS 316,CENTRIFUGAL PUMP	1.00	051	EA
589137	CIRCLIP:TYP RETAINING RING	4.00	051	ST
609346	SPRCKT;CHAIN WHEEL,50FT	1.00	051	ST
612875	RING,RETAINING:	2.00	051	ST
618193	BLOCK,TERMINAL:	3.00	021	ST
490664	MODULE: TYP INTERFACE,P/N:6ES5-312-5CA12	1.00	101	EA
636846	STRAINER:TYP STEAM,MT SS 304	1.00	051	ST
349183	SWITCH,PRESSURE:8-10BAR,500VAC 25A,IP54	1.00	061	ST
600439	GSKT PRE-CUT :GRAPHITE	3.00	051	ST
609319	GAS:CALIBRATION,CYLINDER 10L	2.00	001	CY
607439	BUSH:	3.00	051	ST
578844	FAN;RADIAL,3IN,24VDC 0.117A 2.8W	1.00	081	ST
604454	LIGHT,INDICATING:TYP PILOT	20.00	021	ST
1235074	SPRG-VLV;INCONEL X750,2 X 3IN	1.00	051	EA
615017	ELBW;OD 168.3 X THK 2MM,90,1200MM	2.00	051	ST
642727	RING:PTFE/KOHLER,TYP SLIDING	8.00	051	ST
634794	HEATER:TYP LONG LINE	60.00	001	M
615481	GSKT:ID 12 X OD 20MM,THK 2MM	2.00	051	ST
631612	COVER:TYP SEALING	2.00	051	ST
609753	RELAY:COIL 110VDC	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
598633	BELT,TOOTHED:	6.00	051	ST
613307	COUPLING:	1.00	051	ST1
683331	MODULE,POWER SUPPLY:	2.00	021	EA
601481	O-RING:MT NBR	3.00	051	ST
591920	BUSH: SIZE SQ 100IN,MATL BUNA,DOC:FIG 5	4.00	051	ST
603953	WRINGER:	2.00	051	ST
578464	SEAL:TYP END	4.00	081	ST1
580296	CYLINDER,ACTUATING LINEAR:TYP PNEUMATIC	1.00	061	ST
589877	FUSE:50MA	40.00	021	ST
605738	TRANSFORMER,INSTRUMENT:CURR RT 200/1A	1.00	011	ST
601371	O-RING:MT NBR,APLC CCR REGENERATION ISO	2.00	051	ST
580110	LIGHT,INDICATING:COLOR GREEN,TERM SCREW	3.00	011	ST
643636	JAW:TYP MOVEABLE VICE	1.00	101	ST
599512	GSKT PRE-CUT :MATL V#6500,DOC:N-9153 D	6.00	051	ST
614404	STUD CNTNS THD:LG 270MM,MTRL AS ASTM A19	20.00	051	ST
637544	ANALYSER:	1.00	011	ST
594959	SEAL-RIG;93MM,14.8MM,SILICON	6.00	051	ST
629306	SEAL, RING: MATERIAL NBR 60	4.00	051	ST
1234869	SPRG-VLV;17-7H900,3/4 X 1IN,145PSI G	1.00	051	ASY
602954	SEAL-MCH;3-1/8 X 2-7/8IN,TANDEM,SS 316	1.00	900	ST1
619688	O-RING:MT NBR,APLC PROPORTIONING PUMP	2.00	051	ST
615928	RING,RETAINING:TYP SNAP	1.00	051	ST1
718262	BREAKER,CIRCUIT:	1.00	011	EA
597897	BRG,BALL:ID 100MM,ST OPEN,ROW DOUBLE	1.00	051	ST
600285	KIT:TYP GASKET	1.00	081	ST
580206	CABLE:TYP ELECTRONIC CALIBRATION	1.00	021	ST
1022540	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
939991	HOUSING:TYP VELOMITOR PROBE	8.00	051	ST
578083	KIT;SOFT GOODS	2.00	081	ST1
600297	GSKT PRE-CUT :ID 103 X OD 109 X THK	2.00	051	ST
1015074	GSKT JKTD: JACKET MATERIAL SS 304	1.00	051	EA
593074	GSKT;7MM,ID 339 X OD 382MM,ROUND	1.00	051	ST
583055	LIGHT,INDICATING:COLOR RED	6.00	021	ST
596651	FLTR-ELMNT;DIA 6.5 X THK 2MM,POROUS SS	1.00	051	ST
1061339	MODULE:TYP ASSET CONDITION MONITORING,IN	3.00	031	EA
636989	O-RING:APLC AIR COMPRESSOR	1.00	051	ST1
586962	ASSEMBLY:VAPORIZER BLOCK	1.00	081	ST
598763	GEAR:	2.00	081	ST
1028840	SET: TYP SEAT,APPL VALVE,P/N:H035473	1.00	081	EA
616947	METER,ELECTRICAL:TYP AMMETER	2.00	101	ST
634322	RING:APLC ANGLE VALVE	1.00	051	ST
542298	SYRINGE:TYP DISPOSABLE,CAP 10ML,GRDTNS	2.00	900	PAK
1008098	GSKT, SPWD: NOMINAL FLANGE SIZE 1IN	1.00	051	EA
9102118	GLAND,STUFFING BOX, P/N 5101(DELETED)	1.00	051	ST
634211	THERMOCOUPLE:TYP K,JUNC SINGLE,WIRE 2	1.00	061	ST
583175	INDICATOR:TYP LIGHT	1.00	021	ST
927138	GSKT-SPRL-WUND:TYP BASIC WITH INNER AND	3.00	051	EA
593235	GSKT,SPWD:PN 25,GRAPHITE,BASIC	2.00	051	ST
930318	COUPLING, SHAFT: MNFR:POMPE CUCCHI SRL	1.00	051	SE
642276	MICROPHONE:	3.00	031	ST
603439	SPEAKER:TYP PUBLIC ADDRESS,SZ DIA 6IN,W	2.00	031	ST
604784	FUSE;FAST ACTING,1A,250V AC,CERAMIC	8.00	021	ST
593984	O-RING:ID 90MM,WD 2.62MM,MT NBR	9.00	051	ST
592090	KEY,SHAFT:TYP FITTING FEATHER,MT CS	1.00	051	ST
587924	KIT-VLV-RPR:TYP SOFT PART,APL BALL (SIZE	2.00	051	KIT
265033	SWTCH-SLCTR:TYP AMMETER,ACTN 3PST,CNTCT	1.00	021	EA
1587910	MCHNSM:TYP TRIP,APL TURBINE,DOC:ERU02676	2.00	051	ASY
606129	BOLT,EYE:6MM,40MM LG,STEEL,1MM	2.00	051	ST
591792	WASHER,SEALING:MATL CS JIS G3101/NEOPREN	2.00	051	ST
612883	PIN:	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
632625	CPSUL;PRESSURE TRANSMITTER	1.00	071	ST
917846	SEAL:NITRILE RUBBER,APLC EVAPORATOR	4.00	051	ST
599486	GSKT PRE-CUT :PTFE GLASS FILLED	4.00	051	ST
602576	RING,WEAR:	1.00	081	ST
588969	BASKET,STRAINER:PERFORATIONS 200MESH	1.00	051	ST
615493	GSKT:SQUARE,CHILLER PACKAGE	1.00	051	ST
591881	SEAT,VALVE:VLV SZ DN 4,MANUAL CONTROL	1.00	051	ST
590591	SWITCH,LIMIT:	1.00	061	ST
278686	CNTCT-AUXLRY;BLOCK,2NO,690,10	1.00	900	EA
605175	RELAY:CONTAR 2NO-2NC	1.00	021	ST
615421	BUSH:CARBON	1.00	051	ST
961629	HANDLE: MATL SS 304,DOC:104 VVV F,8	1.00	101	EA
636916	GSKT PRE-CUT :ROUND	1.00	051	ST
615323	SPRING:	1.00	051	ST
1505161	WEDGE,VALVE:VLV STYL GATE VALVE,VALVE SI	1.00	101	EA
599863	GSKT:SS 316	2.00	051	ST
585252	REGULATOR:CONN SWIVEL MPT	1.00	061	ST
604134	BREAKER,CIRCUIT:6A,400VAC,INTP CAP 6KA	10.00	011	ST
639335	SPINDLE:MT SS ASTM A276 GR 304	1.00	101	ST
1028925	RING, RETAINING: MATL CS,P/N:W146305-001	2.00	051	ST
632983	O-RING:ID 0.8IN,WD 0.1IN	2.00	051	ST1
630829	O-RING: MATL ELASTOMER,P/N:14A0592 X012	1.00	051	ST
1078951	MONITOR: TYP TEMPERATURE MONITOR	1.00	061	EA
803164	PACKING:ID 28 X OD 40 X THK 2MM,PTFE	2.00	051	ST
587332	KIT:TYP SOFT PARTS,CMPRSNG CUSHION,SEAL	1.00	081	ST
584347	INDICATOR:RNG 20-35VDC	1.00	021	ST
629953	HOOK:TYP PIN	1.00	091	ST
9101697	MESH, SCREEN (TO BE DELETED)	1.00	051	ST
1549985	VALVE:TYP FLOW CONTROL,VALVE SIZE 1IN,DS	2.00	051	EA
597482	VLV-CHCK	1.00	051	ST
608614	OIL,INDUSTRIAL:TRADE NAME MOBIL DTE 10 E	1.00	001	L
189860	BRG,ROLL:TYP CYLINDRICAL,ROW SINGLE	2.00	051	ST
607287	BUSH;ID 12 X OD 17 X LG 24MM,STEEL	4.00	051	ST
583889	MODULE:TYP (16) ANALOG TERMINAL	1.00	011	ST
1031109	COVER: TYP CASING,MATL SS 316L	1.00	051	ST
599439	GSKT,SPWD:PTFE,SS 316,APLC CASING	1.00	051	ST
622034	BLOCK,CONTACT:TYP AUXILIARY,ELEC TRT 50	4.00	011	ST
610588	CPCTR;FIXED	1.00	031	ST
591491	NUT,HEX:CS ASTM A194,GR 2H	1.00	051	ST
855795	VARISTOR:VOLT 24-70VDC; 24-48VAC	1.00	031	EA
589540	BRKR-CRCUT;20A,MINIATURE	1.00	011	ST
606646	SCREW:M30 DIA,180MM LG,THD 3.5MM,VENTING	2.00	051	ST
584255	FEEDER:TYP HORIZONTAL TABLE	1.00	091	ST
628977	FILTER,ELEMENT:SIMPLEX	1.00	051	ST
604383	CONTACTOR:TYP MAGNETIC,AMP 16-26A,4 POLE	1.00	011	ST
600283	KIT:TYP GASKET	1.00	081	ST
603499	BLOCK,PILLOW:	1.00	051	ST
795467	VALVE,CONT:SZ 1IN,DES RTG 150LB,TYP BALL	4.00	051	ST
588354	ROPE:TYP GASKET SET	4.00	121	ST
612154	SWITCH:TYP LOAD BREAK; ISOLATOR	1.00	021	ST
611042	TRUNKING:TYP 4 COMPARTMENT FLUSH SCREED	2.00	021	ST
640121	FUSE:200A	3.00	021	ST
628056	PIN:DIA 2IN,UNS S31600,PLUG STEM	3.00	051	ST
594090	O-RING:APLC SEAL	1.00	051	ST
604889	FUSE;16A,500V AC,CERAMIC,FERRULE	11.00	021	ST
634593	FUSE;TIME DELAY,250MA,250V AC	10.00	021	ST
1020276	SEAL, RING: INSIDE DIAMETER 75MM	2.00	051	ST
614845	RIG-WEAR:I DIA 156MM,MTRL AS ASTM A351 G	1.00	081	ST
609221	RIG;FLANGE,SAFETY AND BUTTERFLY VALVE	1.00	900	ST
1198205	KIT, ACTUATOR REPAIR: P/N:MA0041957	1.00	061	KIT

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
719237	PIN, WEDGE, PART# 82891	14.00	051	ST
263248	LAMP, INCANDESCENT: TYP DEUTERIUM	2.00	021	EA
641884	RELAY:COIL 240VAC,4PDT,CONT 10A	1.00	011	ST
855789	CONTACTOR:POLE 1,COILV 24VDC	1.00	011	EA
603771	CONNECTOR:TYP ANGLE SCREW	2.00	051	ST
607559	COUPLING,PIPE:SZ 3 X 1-1/2IN,MT PVC AST	3.00	051	ST
1080171	FAN: TYP COOLING,ELEC RT 24VDC 3W	1.00	081	EA
619597	IMPELLER,PUMP:TYP CLOSED	2.00	081	ST
644456	WASHER,FLAT:STEEL,ID 21MM,THK 4MM,37MM	27.00	051	ST
604307	CONTACTOR:TYP CONTROL,AMP 45A	1.00	011	ST
601973	O-RING:APLC IMPELLER	2.00	051	ST
1528659	PACKING:SIZE DIA 75MM,MATL SS,SHAP ROUND	1.00	111	EA
804650	GSKT:WD (70 X 100) X LG (120 X 150)MM	3.00	051	ST
596620	FILTER,AIR:TYP REFRIGERANT, SZ DIA 29 X	1.00	051	ST
805339	GSKT,RJ:ROUND,SOFT IRON SILVER PLATE	1.00	051	ST
613242	VLV-SLND;G 2IN,BSP,1/4IN,NBR	1.00	051	ST
580208	COLLAR:TYP TRANSITION PLATE	4.00	051	ST
949960	VALVE,GATE:TYP SOLID/FLEXIBLE WEDGE	1.00	051	EA
1000683	SET: TYP DRIVE SHAFT,MNFR:CASAPPA SPA	1.00	081	SE
585282	SEAT,VALVE:VLV SZ 1IN,BALL,PTFE	2.00	051	ST
799302	LAMP:TYP INDICATING,VOLT 220VAC	3.00	021	EA
619709	TUBE:MT A1050TD/PE	1.00	131	ST
611276	SWITCH:	3.00	011	ST
595198	SEAL,OIL:ID 17MM,OD 25MM,WD 3MM	3.00	051	ST
604951	HEATER:TYP RADIANT, SZ WD 20 X LG 485 X	2.00	011	ST
582249	TRANSFORMER,INSTRUMENT:TYP CURRENT	2.00	011	ST
653178	DISC:DN 6IN,SS ASTM A276 GR TP304	1.00	051	EA
799230	SENSOR,CONDUCTIVITY:0.1/CMCM,NPT 1IN	1.00	011	ST
1054372	RCTFR	1.00	021	EA
608590	GUIDE,VALVE:VLV ST GLOBE	3.00	051	ST
644910	MOTOR,ELECTRIC:220VAC 1A,6500RPM,PH	1.00	011	ST
623038	LIGHT:TYP PILOT,VOLT 24V	2.00	021	ST
602234	PACKING:	1.00	051	ST1
608319	OL,CENTERING,HAND,DIA 10 X LG 91MM	4.00	101	ST
610522	FUSE:	2.00	021	ST
596444	ACTUTR-PNUMTC;10BAR	1.00	061	ST
596175	HOLDER,FUSE:AMP 20A,VOLT 380V	2.00	021	ST
1075610	GSKT-CMPRFL;1346MM,1390MM,316SS,3MM	2.00	051	EA
601701	O-RING:MT NBR,SHOR - HRD 70A	2.00	051	ST
608529	RING,WEAR:CI ASTM A48 CL 35	1.00	081	ST
731128	BELL:TYP LIFTER	1.00	121	ST
634030	DISPLACER:TYP LEVEL	1.00	061	ST
613229	SWITCH,PROXIMITY:	1.00	011	ST
536099	SHAFT,VALVE:SS ASTM A564 GR 630	4.00	051	EA
592450	GSKT:ID 130 X OD 160MM,THK 14MM,ROUND,AL	1.00	051	ST
592993	GSKT-PRE-CUT;ID 90 X OD 200 X THK 6MM	4.00	051	ST
568528	KIT-VLV-RPR:TYP REPAIR,APL CONTROL VALVE	1.00	051	EA
601614	O-RING:MT PTFE	3.00	051	ST
615796	SPRG-CMPRSN;CLOSE/GROUND	1.00	051	ST
800786	GSKT,SPWD:10IN,150LB,GRAPHITE,SS 316	1.00	051	ST
604247	COIL,ELECTRICAL:	1.00	011	ST
581604	MODULE:BUS	1.00	031	ST
607526	COUPLING,HOSE:1/4IN,BRASS,TWIST CLOCK	5.00	051	ST
739891	ACTUATOR,PNEUMATIC:PR RT 6 - 30PSI	1.00	061	EA
1192098	THROWER: , TYP OIL,MATL P250GH	1.00	081	EA
712285	VALVE, GATE: VALVE SIZE 2IN,TRIM SS 316	1.00	051	EA
1075603	SENSOR, VIBRATION: ELEC RT -1 TO -17VDC	1.00	011	EA
1000712	HOLDER, FUSE: FUSE STYLE CYLINDRICAL	10.00	021	EA
577785	ASSEMBLY:APLC PANEL INDICATOR LAMP	3.00	021	ST
623923	VALVE,RELIEF:VLV SZ 3/4 X 1IN,TYP SAFETY	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
643090	GSKT,SPWD:1IN,GRAPHITE,SS 316	1.00	051	ST
579985	LIGHT,INDICATING:TYP PILOT,VOLT 250VAC	2.00	021	ST
1628006	RLY;220V AC,DPDT,250 VAC,MINIATURE POWER	1.00	051	EA
594964	SEAL-OIL;70MM,90MM,10MM,BUNA-N	1.00	051	ST
661322	ELBOW:SZ 1/2IN,CS,45,CONN SW,GR ASTM	8.00	051	EA
601573	O-RING:	2.00	051	ST1
590642	SWITCH:TYP MICRO,CONTRT 24VDC 5A	1.00	021	ST
610566	LGHT-INDCTG;PILOT,24V AC,GREEN,PANEL	14.00	021	ST
643847	SEAT,VALVE:VLV SZ 6IN,PRESSURE SAFETY	2.00	051	ST
1211148	BRG,THRUST:MATL STELLITE 6,P/N:1192980,M	1.00	051	EA
592820	GSKT-JCKTD;MONEL,GRAPHITE,ROUND	1.00	051	ST
602093	SET:TYP PACKING	1.00	051	ST1
624294	SEAT,VALVE:GOVERNOR	1.00	051	ST
623647	SWITCH:PWR S 220VAC	3.00	021	ST
659434	NUT,HEX:DIA 1/2IN,CS ASTM A563,GR A,THD	30.00	051	EA
592200	SPRINKLER,FIRE PROTECTION:	2.00	121	ST
621948	POWER SUPPLY:I/P 230V,OP VOLT 24V	1.00	021	ST
1034868	GSKT PRE-CUT :TYP FLAT,SIZE OD 168 X ID	1.00	051	ST
855817	LGHT-INDCTG;DISPLAY,24V AC/DC,3W,RED,2MA	1.00	021	EA
585413	SPRING:TYP PLATE,MT AS JIS G4801 GR SUP3	17.00	051	ST
581293	CIRCUIT:TYP SWITCHING AMPLIFIER	1.00	011	ST
959817	O-RING: INSIDE DIAMETER 137MM,WIDTH 3MM	1.00	051	EA
592547	GSKT-PRE-CUT;ID 255 X OD 280 X THK 1MM	1.00	051	ST
583103	LAMP,HID:TYP MULTI-VAPOUR,W 175W	1.00	021	ST
102388	LAMP,INCANDESCENT:TYP PILOT,VOLT 12V	2.00	021	ST
692110	VALVE: TYP SUCTION/DISCHARGE	3.00	021	EA
1528468	RING:TYP V,MATL VITON,SIZE DIA 40MM,APPL	1.00	051	EA
627586	ASSEMBLY:BRAKE	1.00	081	ST
580934	PLUG-VLV;CONTROL,DN 25MM,SS	1.00	051	ST
588559	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	ST1
1571155	JNT-EXPNSN:TYP EJ-48.1, SZ INLET 7 X OUTL	1.00	051	ASY
581900	HTSHRNK;SLEEVE,ID 6.4 X LG 1200MM,PVC	10.00	001	ST
636281	RESISTOR:TYP RESTRICTOR	1.00	031	ST
612401	COUPLING:	1.00	051	ST
783021	RAM:TYP VALVE	1.00	061	ST
616628	METER,ELECTRICAL:TYP WATT,RNG 0-2MW	1.00	101	ST
617540	BUSH:TYP THROTTLE	2.00	081	ST
618416	PIN:CARRIER	1.00	051	ST
597750	BALL:	3.00	051	ST
634918	HEATER:TYP FREEZE STOP PLUS	44.00	001	M
589588	COIL-ELECT;SOLENOID VALVE	1.00	011	ST
636768	BREAKER,CIRCUIT:4A,24VDC,MINIATURE	1.00	011	ST
597580	VALVE:TYP POM LOCK	6.00	051	ST
198347	GAUGE,LEVEL:POLYCARBONATE RESIN,OIL	1.00	061	ST
639268	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
408495	GSKT PRE-CUT :THK 3MM,RUBBER,ROUND,3IN	10.00	051	ST
1001822	CIRCUIT: TYP MODBUS COMMUNICATION	1.00	011	EA
604843	FUSE;SUBMINIATURE FAST BLOW,1A,125V	20.00	021	ST
615658	GSKT,SPWD:PTFE,SS 316,SHP ROUND,BASIC	1.00	051	ST
638590	SPRING,VALVE:CHROME STEEL PHOSPHATED	1.00	051	ST
803062	GSKT PRE-CUT :	5.00	051	ST
1082745	GSKT PRE-CUT : MATL GRAPHITE,SHAP ROUND	1.00	051	EA
592429	GSKT-PRE-CUT;COVER,ROUND,GRAPHITE	1.00	051	ST
600046	GSKT,SPWD:GRAFOIL,IRID 489MM,SS 316	5.00	051	ST
903157	BREAKER, CIRCUIT: AMPERAGE 16A,POLE 4	1.00	011	EA
1015059	FUSE: AMPERAGE 1A,SIZE DIA 5 X LG 20MM	1.00	021	EA
600670	GSKT PRE-CUT :	1.00	051	ST
273474	KIT,ACTUATOR REPAIR:TYP SERVICE	3.00	011	KIT
604103	BREAKER,CIRCUIT:6-10A,230-690VAC	1.00	011	ST
628077	SEAT,VALVE:VLV SZ 6IN,CONTROL,UNS S31603	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
102212	SLIDE:TYP 8 PORT,MT POLYPHENYLENE	1.00	051	ST
579816	BEAKER, LABORATORY: TYPE GRADUATED	8.00	071	ST
636397	SWITCH,LEVEL:	1.00	061	ST
609783	KIT-PUMP-RPR:TYP SOFT PARTS,CMPRSNG ROTO	1.00	081	KIT
445456	ASSEMBLY:THERMOCOUPLE FID,APLC GAS	1.00	081	EA
603918	TERMINAL:TYP FUSE LINK,SZ 6MM,RT 660V	10.00	021	ST
1526200	PACKING:MATL GRAPHITE,SHAP ROUND,TYP SPA	1.00	111	SE
586919	BELL:TYP ALARM DOOR	1.00	121	ST
804587	BLOCK,TERMINAL:ELEC TRT 220VDC 1A; 24VDC	2.00	021	ST
610640	IMPLR-FAN;WHEEL	5.00	081	ST
615308	SEAL,LABYRINTH:OUTER GLAND RING	1.00	051	ST1
904418	SIPHON:TYP U-SHAPE,SZ LG 250MM	2.00	061	EA
588698	TRANSMITTER,DIFF.PRESS.:	1.00	061	ST1
599389	GSKT PRE-CUT :ROUND	2.00	051	ST
590867	STARTER,ELECTRIC MOTOR:TYP FORWARD	1.00	011	ST
587215	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPRSNG OR	2.00	061	KIT
591635	PIN:COPPER ALLOY ASTM B163	2.00	051	ST
639343	SPRING,VALVE:AS ASTM A231	1.00	051	ST
604029	BREAKER, CIRCUIT: AMPERAGE 16A	1.00	011	ST
900826	FAN:TYP VENTILATION	1.00	081	EA
634956	HEATER:TYP SELF REGULATING	30.00	001	M
615216	SWITCH,DISCONNECT:630A,TYP	1.00	011	ST
614690	BRG, SLEEVE: TYP BUSHING,P/N:154141	1.00	051	ST
1033732	MODULE: TYP CAN OPEN FIELDBUSE,P/N:UNK:	1.00	031	EA
579372	GLS-SGHT;ID 125 X OD 135 X HT 200MM	6.00	101	ST
603811	SLEEVE:TYP BUSHING	1.00	051	ST
579666	TRANSMITTER,PRESSURE:TYP OIL	1.00	061	ST
600959	GSKT PRE-CUT :ROUND	2.00	051	ST
601307	O-RING:ID 63.09MM,WD 3.53MM	2.00	051	ST
642010	DISC,VALVE:SS,VLV SZ 1/2 X 1IN,SAFETY	1.00	051	ST
616613	OPRTR-SWTCH;PUSHBUTTON,GREEN	2.00	011	ST
627682	FUSE:10A,500V	7.00	021	ST
603785	SLEEVE:TYP FLANGE BUSHING	2.00	051	ST
713969	HOLDER,VALVE DISC:	1.00	021	EA
622032	RELAY:COIL V 250V,CNTCT RT 5A,P/N:55.34	2.00	011	ST
436287	GSKT: APPL BODY CONTROL VALVE	1.00	051	EA
653193	BELLOWS:MT RUBBER	1.00	051	EA
637928	BALL,VALVE:VALVE SIZE 1IN,MATL SS ASTM A	1.00	051	ST
636607	GSKT,SPWD:24IN,150LB,GRAPHITE,SS 316L	1.00	051	ST
614654	RING,WEAR:APLC 1ST STAGE IMPELLER	6.00	081	ST
583708	MODULE:TYP (32) DIGITAL OUTPUT	1.00	011	ST
583260	CYLINDER:TYP WHEEL	1.00	081	ST
385122	CIRCUIT: TYP GATE,P/N:58919721,MNFR:ABB	2.00	021	ST
592318	SCRAPER SUPERSEDED BY 7276472	15.00	101	ST
640636	MODULE:(16) POINT INPUT CARD,PWR S 24VDC	1.00	031	ST
594324	PCKG;ID 70 X OD 86 X THK 8MM,GRAPHITE	4.00	051	ST
588088	BEARING:	1.00	081	ST
590316	RELAY:COIL 24VDC,TYP	1.00	011	ST
614635	RING:TYP SPACING	2.00	051	ST
662196	FLANGE,PIPE:TYP FLAT FACE,SIZE 1IN,MATL	4.00	051	EA
608629	GSKT PRE-CUT :	1.00	051	ST
1023058	GAUGE, PRESSURE: RANGE -1 TO 0BAR	1.00	101	EA
588348	GSKT SET:	1.00	051	ST1
612561	FIXTURE:RT 175W	2.00	021	ST
629916	SHIM:SZ ID 25 X OD 35MM,THK 0.1MM,1	2.00	051	ST
600868	GSKT PRE-CUT :KLINGERSIL C-4400	2.00	051	ST
498557	DISC-VLV:P RTNG 300LB,VLV SZ 2IN,VLV TYP	6.00	051	EA
597478	VALVE:	1.00	051	ST
632562	SWITCH,PROXIMITY:40MM,INDUCTIVE,SPST	1.00	011	ST
623833	VALVE:VLV SZ 3/8IN,BDY MT STEEL,CONN BSP	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
600151	GSKT JKTD:CS,TYP DOUBLE	2.00	051	ST
1004008	PLATE: TYP ORIFICE,SIZE 6 IN,MATL SS 316	1.00	131	EA
885210	MODULE SUPERSEDED BY 1031036	1.00	031	EA
590676	SWITCH,TEMPERATURE:40-100DEG C	1.00	021	ST
725889	BELL:	1.00	121	ST
1229633	BOARD,PRINTED CIRCUIT:TYP LED,FNCTN COMM	1.00	031	ASY
735844	STEM,VALVE:VLV ST CONTROL,SZ DIA 0.75IN	1.00	051	EA
587004	ASSEMBLY:WORM SHAFT	1.00	081	ST
620385	VESSEL:TYP GRINDING	1.00	081	ST
1025056	GSKT: TYP GARLOCK GASKET,SHAP ROUND	1.00	051	EA
615608	SLEEVE:TYP DISTANCE; SPACER,SS ASTM A276	1.00	051	ST
603882	SLV;RETAINING,STEEL	2.00	051	ST
599359	GSKT PRE-CUT :V#6500	2.00	051	ST
78533	LENS,INDICATING LIGHT:TYP PILOT	12.00	051	ST
584504	HOLDER,FUSE:FUSE DIA 10 X LG 38MM	20.00	021	ST
582224	THERMOSTAT:TYP RELAY,STD CSA; UL	1.00	081	ST
939972	MEMBRAN CPLG,MEMBRAN CPLG:TP FLEXIBLE	1.00	051	ST1
606773	SCREW,SET:M6 DIA,8MM LG,HEX SOCKET,CUP	4.00	051	ST
619941	GSKT,SPWD:GRAPHITE/V#6596,SS 316	2.00	051	ST
630851	VLV-SLND;110/220VAC 8W 12VA 50HZ,10BAR	3.00	051	ST
587343	KIT,VALVE REPAIR:BLADDER SEAL	1.00	051	KIT
595284	SEAL:APLC VALVE	1.00	051	ST
593139	GSKT PRE-CUT :ID 70 X OD 80 X THK 1.5MM	10.00	051	ST
585291	SEAT,VALVE:VLV SZ 12IN,BUTTERFLY,EPDM	2.00	051	ST
653267	DISC:SS ASTM A276 GR 316L/Z2 CND 17-12	1.00	051	EA
602230	PACKING:	1.00	051	ST1
643286	GLAND,PACKING:	2.00	051	ST
635700	BUSH:SS 403	1.00	051	ST
595865	INDICATOR:TYP VOLUME SENSOR	1.00	011	ST
584626	FILTER,ELEMENT:6MESH,SS 316	1.00	051	ST
632997	SPCR;RING,DIA (100 X 126) X THK 12MM	1.00	051	ST1
1034221	VARISTOR: VOLTAGE 127-240VAC; 70-150VDC	1.00	031	EA
594695	RIG-RTNG;SNAP	2.00	051	ST
799473	CIRCUIT:TYP MOTHERBOARD	3.00	011	EA
593305	GSKT PRE-CUT :SIGRAFLEX/GRAPHITE,ROUND	4.00	051	ST
604419	ELEMENT:TYP COUPLING,SZ ID 12 X OD 15 X	1.00	051	ST
926864	THERMOWELL: SHANK STYLE BARSTOCK TAPERED	1.00	061	EA
100738	BRG,ROLL:ID 65MM,OD 140MM,WD 48MM	3.00	051	ST
599772	GSKT PRE-CUT :GRAFOIL,DN 3IN	1.00	051	ST
644301	MANOMETER:TYP U-TUBE,RNG 0-5MBAR	7.00	061	ST
602545	RING:MONEL,TYP TOLERANCE	4.00	051	ST
1031934	O-RING: WIDTH 8MM,MATL EDPM/FDA	1.00	051	EA
1087614	GAUGE, PRESSURE: RANGE 0-10BAR	2.00	101	EA
588488	PACKING:GRAPHITE	4.00	051	ST1
627158	KIT,VALVE REPAIR:WORMSHAFT AND WORMWHEEL	1.00	051	ST1
585125	FILTER:REPLACEMENT	2.00	051	ST
596720	FILTER,ELEMENT:CELLULOSE FIBRE	2.00	051	ST
586154	BRG,BALL:IBI 14412,ID 70MM,OD 125MM	1.00	051	ST1
9101995	PACKING,GLAND,MATL GRAPHITE FILAMENT YAR	2.00	051	SE
905361	COOLER: TYP ELECTRIC GAS,P/N:02K1500	1.00	081	EA
624959	SOCKET,ELECTRICAL:TYP RELAY	2.00	021	ST
586574	BRG:CAM ROLLER	2.00	051	ST
1559609	VALVE,CONT:TYP GLOBE,SIZE 2IN,DSGN RT 30	1.00	051	EA
602745	PACKING:TYP PRESS RING	3.00	051	ST
615212	SWITCH,DISCONNECT:TYP EARTHING,STD CE	2.00	081	ST
582122	EJECTOR:SZ LG 295MM,MT GLASS,WATER	1.00	051	ST
9101992	PACKING, GLAND, MATL GRAPHITE FILAMENT (	50.00	051	ST
619259	SEAL,RING:	1.00	051	ST1
596658	FILTER:DIA 6MM,PAPER	2.00	051	ST
583475	PLUG:DIA 1-1/8IN,CS ASTM A105,SHEET	1,043.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
597797	ELECTRODE,WELDING:SFA 5.9	10.00	051	KG
600314	GSKT,SPWD:GRAPHITE,SS 316,IRMT SS 316	1.00	051	ST
638169	BUSH,VALVE:VALVE GUIDE	1.00	051	ST
600356	GSKT,SPWD:	6.00	051	ST
730807	BELLOWS: MATL SS 316L,P/N:UNKNHOWN	2.00	051	ST
597881	BRG-PLUMR-BLCK;2.295IN	4.00	051	ST
188938	DIAPHRAGM,ACTUATOR:	4.00	061	ST
617034	RELAY:COIL V 24V DC,ACTION DPDT,CNTCT RT	2.00	011	ST
586840	SPIDER:TYP ROLLER	1.00	051	ST
619208	BATTERY:	1.00	011	ST1
601293	O-RING:MT FKM,APLC STUFFING BOX	2.00	051	ST
594481	RING:ID 60 X OD 83 X THK 26MM,STEEL	2.00	051	ST
630218	LEVER:	2.00	091	ST
456833	CUPLG-SHFT-HALF;UPPER	3.00	051	EA
626709	FUSE:2A	14.00	021	ST
615774	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	2.00	081	ST
602327	KIT-VLV-RPR:TYP SOFT PARTS,APL PNEUMATIC	2.00	051	ST1
1579208	DMSTR-PAD:TYP SEGMENT,DNSTY 144.2KG/M3,M	1.00	051	ASY
624508	SPRING:	2.00	051	ST
1038425	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	1.00	051	EA
540635	FUSE:10A,500VAC,DIA 10 X LG 38MM,FERRULE	3.00	021	EA
34274	GSKT,SPWD:6IN,600LB	3.00	051	EA
584291	ROD:TYP ROCKER ARM	2.00	131	ST
596584	DISC,RUPTURE:14.5BAR,25MM,SS NICKEL 316	4.00	051	ST
714441	FILTER,AIR:	1.00	051	EA
639811	SEAT,VALVE:CONTROL,SS 316	1.00	051	ST1
1521819	GSKT,SPWD:TYP BASIC WITH INNER AND OUTER	3.00	051	EA
643538	GLS-LVL-GUG;GLASS	1.00	101	ST
607223	SYRG;DISPOSABLE,5ML,PLASTIC	1,300.00	071	ST
587232	KIT;OXYGEN ANALYZER	1.00	081	KIT
30699	BREAKER,CIRCUIT:150A,600VAC,POLE 3	1.00	081	EA
115903	SEAT,VALVE:TYP RING,VALVE TYPE CONTROL,V	4.00	051	ST1
600239	GSKT,SPWD:38IN,150LB,GRAPHITE	5.00	051	ST
626462	PINION:TYP MOTOR	1.00	081	ST
805363	KIT,SEAL:TYP PACKING,APLC GATE VALVE	6.00	051	ST
1595345	BOLT-MCHN:DIA 1-1/2IN,LG 100MM,MTRL AS A	16.00	051	EA
76203	LGHT-INDCTG:TYP PILOT,VLTG 380VAC 50HZ,W	2.00	021	ST
513674	HLDR-FUSE:FUS SZ DIA 10 X LG 38MM,FUS ST	6.00	081	ST
589529	SWITCH,TOGGLE:125/250VAC 3/1A,SPDT	9.00	021	ST
642634	GSKT:	1.00	051	ST
628798	BRG,BALL:P/N:6207 C4,MNFR:FAG,P/N:6207 C	2.00	051	ST
615332	SEAT, VALVE: INSIDE DIAMETER 50MM	1.00	051	ST
1089423	KIT, SEAL: TYP SPARE REPAIR	1.00	051	KIT
1037871	GSKT PRE-CUT :TYP FULL FACE,SIZE THK 3MM	1.00	051	EA
600110	GSKT,SPWD:GRAFOIL,IRID 1700.2MM,SS 316	3.00	051	ST
631190	SPRING,VALVE:	3.00	051	ST
815101	KIT,ACTUATOR REPAIR:TYP SPARE PARTS	2.00	061	KIT
644963	INSUL,PIPE:SZ THK 50MM,PIPE SZ 4IN	27.00	001	M
642616	O-RING:ID 11.89MM,WD 2MM,APLC SEAL	2.00	051	ST
1080190	SEAL, RING: INSIDE DIAMETER 10MM	1.00	051	EA
606253	DOWEL:SZ 8M6 X 24	4.00	051	ST
1039740	PLATE, METAL: MATL CS ASTM A516,GRD 70	1.00	131	ST
70645	SCREW,MACHINE:M4 DIA,15MM LG,PAN SLOTTED	2.00	051	ST
9102260	FUSE, CURRENT LIMITING, 40KA 350VDC, CER	5.00	051	ST
587780	KIT,VALVE REPAIR:SEAL	1.00	051	KIT
528639	CIRCUIT:TYP GPS	1.00	031	ST
760638	UNIT;DOSING,ROBOTIC USB SAMPLER	2.00	900	EA
885213	MODULE:(8) CHANNEL ANALOG OUTPUT	1.00	031	EA
605972	INTERFACE:TYP DATA CONCENTRATOR	2.00	061	ST
628888	GSKT:10IN	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
586758	MOTOR,ELECTRIC:170W,110VAC/DC 6A 50/60HZ	1.00	011	ST1
638214	BRG,ROD END:TYP SPHERICAL,THD MALE	1.00	051	ST
908828	SWITCH,SAFETY:24VDC 500MA 10W 1HZ,2NO	1.00	011	EA
592054	COUPLING,SHAFT,HALF:	2.00	051	ST
143179	SEAT,VALVE:VALVE TYPE GLOBE,VALVE SIZE 1	1.00	051	EA
584682	BRTHR	1.00	081	ST
602614	SEAL,RING:	2.00	051	ST
593009	GSKT PRE-CUT :ID 498 X SQ 600 X THK 5MM	1.00	051	ST
1012829	RING: TYP CLAMPING,P/N:1-006-000004	1.00	051	EA
615655	BUSH,PUMP:BRONZE BC6/B584,BEARING COVER	1.00	081	ST
615330	VALVE:VLV SZ 35MM	1.00	051	ST
738763	RAM:TYP VALVE	1.00	061	ST
626483	SWITCH:TYP MICRO; CLOSING,SPDT,1NO-1NC	1.00	021	ST
580028	LAMP-INCNDSCNT;TUNGSTEN,100W,240V AC	10.00	021	ST
579056	CONTROL:TYP LOW PRESSURE	1.00	061	ST
630741	POWER SUPPLY:	1.00	021	ST
584342	COUNTER,ELECTRICAL:TYP HOUR	1.00	011	ST
642505	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
838845	STUD CNTNS THD:TYP SHELL CLOSURE,DIA 1/2	9.00	051	ST
582666	PROTECTOR:TYP GLASS PROTECTION SHEET	8.00	001	ST
904417	SIPHON:TYP U-SHAPE,SZ LG 250MM	5.00	061	EA
731579	SEAL:APLC CONTROL VALVE	1.00	051	ST
584415	METER,ELECTRICAL:TYP AMMETER,RNG 0-10A	1.00	101	ST
596992	SEAT,VALVE:CONTROL	2.00	051	ST
587089	HOSE:	1.00	051	ST1
285641	CNTCT-AUXLRY:TYP ADDER BLOCK,CNTCT ARNG	1.00	011	EA
585889	VALVE,SOLENOID:ST 4/2 WAY,ELEC TRT 24VDC	1.00	051	ST
726677	PLLT:P/N:K800251-001,MNFR:WHESSOE VAREC	1.00	001	ST
1005505	PACKING: TYP RING,P/N:10C2285X012	3.00	051	EA
588303	PACKING:TYP GLAND	3.00	051	ST1
612396	ASSEMBLY:HEAD	2.00	081	ST
628377	MODULE:(16) POINT DIGITAL INPUT	1.00	031	ST
625456	COIL,ELECTRICAL:FUNC OPENING,ELEC TRT 2	1.00	011	ST
579311	GAUGE,PRESSURE:0-500PSI,4-1/2IN	2.00	101	ST
587988	KIT-VLV-RPR;SEAL,BUTTERFLY VALVE	19.00	051	ST1
852802	VALVE,CHECK:VLV SZ 6IN,DES RTG 150LB	2.00	051	ST
618891	CPCTR;FIXED,1500MICRO F,350V	1.00	031	ST
1566039	KIT,ACTUATOR REPAIR:TYP REPLACEMENT,CMPR	1.00	061	KIT
635647	KIT, VALVE REPAIR: APPL ACTUATOR	1.00	051	ST1
583228	SEAT-VLV	2.00	051	ST
928367	BREAKER,CIRCUIT:10A,240/415VAC	1.00	011	EA
130422	GSKT;CASE,1/16IN,ID 8-9/16 X OD 9-1/4IN	1.00	051	EA
579055	CONTROL:TYP FAN PRESSURE	1.00	061	ST
601415	O-RING:MT NBR,STD JISB2401	6.00	051	ST
644287	HOIST:TYP LEVER AND CHAIN,CAP 3T	1.00	091	ST
609463	BRG,THRUST:	1.00	051	ST1
609626	VALVE:DES RTG 7BAR	1.00	051	ST
1227156	SEAL,LABYRINTH:SIZE ID 70 X OD 90 X THK	2.00	051	EA
622729	GSKT:OUTSIDE DE	3.00	051	ST
783025	GSKT-ST;KIT	1.00	051	SE
611395	ASSEMBLY;HOSE/NOZZLE	2.00	081	ST
902321	TRANSFORMER:VA RT 400VA,PRIM V 220VAC	1.00	011	EA
600858	GSKT,SPWD:GRAFOIL	1.00	051	ST
578353	KIT,VALVE REPAIR:TYP FLANGE INSULATING	4.00	081	KIT
587090	ASSEMBLY:BEARING	1.00	081	ST
590945	TRANSFORMER,INSTRUMENT:VA RT 10VA	1.00	011	ST
585445	SPRING:TYP BRAKE	1.00	051	ST
632150	GSKT:STEEL	2.00	051	ST
641365	MODULE:MOTOR OPERATED VALVE	1.00	031	ST
627627	HOLDER,FUSE:FUSE 2P,AMP 63A,VOLT 380V	2.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1201775	TRANSMITTER,PRESSURE:RANGE 0.2-4BAR,TYP	1.00	061	ASY
595858	INDICATOR,SIGHT FLOW:MT SS 304/316	1.00	061	ST
617871	RING,LANTERN:MT SS DIN WN 1.4571 GR	1.00	081	ST
616195	RELAY,OVERLOAD:23-32A,1NO-1NC,THERMAL	2.00	011	ST
578802	CARTRIDGE:TYP SCREEN	4.00	051	ST
642858	BRG-RLR;SEPARABLE INNER RACE; STRAIGHT	1.00	051	ST
628270	SWITCH,PRESSURE:0-50PSID	1.00	061	ST
617020	BRACKET:TYP SUPPORT	2.00	051	ST
627208	GSKT PRE-CUT :GRAPHITE,3IN	2.00	051	ST
608675	BAR,ROUND:SZ ID 35 X OD 60MM,MT CS	1.00	131	M
603108	SEAL,MECHANICAL:45MM,BALANCED	1.00	900	ST
636417	VALVE,SOLENOID:ST 3/2 WAY,ELEC TRT 24VDC	1.00	051	ST
616755	TRANSFORMER,INSTRUMENT:VA RT 30VA,CURR	1.00	011	ST
604159	SET:TYP ELECTRICAL BRUSH	20.00	021	ST
580883	PLATE:TYP CHANNEL	4.00	131	ST
592901	GSKT,SPWD:GRAPHITE,SS 316,IRMT SS	2.00	051	ST
629548	COUPLING:TYP TRANSMITTER GAUGE HEAD	1.00	081	ST
583947	HOSE: SIZE 3/8IN,RT 200PSIG,CNCT MPT	1.00	051	ST
138018	BREAKER,CIRCUIT:15A,MINIATURE	2.00	021	EA
601062	GSKT PRE-CUT :PTFE,3IN	2.00	051	ST
592480	GSKT PRE-CUT :KLINGERSIL C-4409L,DN 450	10.00	051	ST
632710	CIRCUIT:TYP LCD DISPLAY	1.00	011	ST
592822	GSKT;11MM,ID 960 X OD 1070MM,ROUND,VALVE	1.00	051	ST
901128	RELAY:COIL 24VDC,5P,CONT 690VAC	2.00	011	EA
619839	BLOCK,TERMINAL:TERM BOLTED,CIRCUIT 3	2.00	021	ST
628551	SWITCH,PRESSURE:-1 TO 0BAR,240VAC 10;	1.00	061	ST
1623536	ACTUTR-PNUMTC;40-150PSI G,AL ALLOY,TOP	1.00	051	EA
615602	COUPLING,SHAFT:RIGID FLEXIBLE	1.00	051	ST
630532	ASSEMBLY:ELEMENT	1.00	081	ST1
644508	FLANGE,PIPE:SIZE ID 114 X OD 222 X THK 1	8.00	051	ST
589750	CONTACTOR:TYP CONTROL	2.00	011	ST
580919	PLUG-VLV;GLOBE,DN 25	1.00	051	ST
593203	GSKT PRE-CUT :ID 150 X OD 168 X THK 2MM	40.00	051	ST
624510	VALVE,RELIEF:TYP SAFETY	1.00	051	ST
627409	RIBBON:TYP CARTRIDGE,COLOR BLACK	2.00	001	ST
632495	PACKING:PTFE	2.00	051	ST1
644140	RESIN SUPERSEDED BY 6000716	625.00	001	L
722819	BELLOWS:MT SS 316L/403	1.00	051	ST
631139	SWITCH,TEMPERATURE:50-80 DEG C,DIA 7MM	1.00	021	ST
602494	PACKING:GRAFOIL,RECTANGULAR	1.00	051	ST
1038455	RIG;LOWER ADJUSTING,SS 304,SAFETY VALVE	1.00	051	EA
1580745	KIT-VLV-RPR:TYP SOFT PARTS,APL CONTROL B	1.00	051	KIT
632691	DETECTOR, RESISTANCE TEMPERATURE: WIRE	1.00	101	ST
644216	SOLUTION:TYP AMMONIUM HYDROXIDE,CAS RGST	42.50	001	BOT
682026	FUSE: AMPERAGE 63A,CNCT BLADE	4.00	021	EA
1203699	BRG-THRUST:I DIA 21MM,OUT DIA 53MM,WD 14	1.00	051	EA
604546	FUSE:250A,660V,CURRENT LIMITING	3.00	021	ST
622591	COOLER: MNFR:LUFKIN INDUSTRIES INC	1.00	081	ST
623037	LIGHT:TYP PILOT,VOLT 24VDC,COLOR GREEN	2.00	021	ST
1023394	KIT-VLV-RPR:TYP SOFT WEAR,APL CONTROL,CM	1.00	051	KIT
589454	BREAKER,CIRCUIT:100A,220/690VAC; 250VDC	1.00	011	ST1
611985	FUSE:4A,1.2KV	5.00	021	ST
619215	HOOK,LOAD RATED:2TON	1.00	091	ST
742216	SCREW,CAP:3/4IN DIA,7IN LG,MT ZNPL,HEX	24.00	051	ST
305240	STARTER,ELECTRIC MOTOR:	1.00	011	ST
608412	TENSIONER:	4.00	101	ST
1077046	KIT: TYP VISTA II HEATER,P/N:800K007-2	1.00	081	EA
620323	BOLT:8MM,32MM	8.00	051	ST
533538	RELAY,OVERLOAD:45-63A,THERMAL	1.00	011	EA
766708	BREAKER,CIRCUIT:6.3A,460VAC	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
589073	TLPHN;FULL DIALLER WEATHER RESISTANT	2.00	031	ST
593352	GSKT PRE-CUT :RECTANGULAR	1.00	051	ST
617680	STEM,VALVE:	15.00	051	ST
633117	VALVE,SOLENOID:ST 3/2 WAY,ELEC TRT 24VDC	1.00	051	ST
938286	KEY,SHAFT:MT SS ASTM A240 GR TP316	1.00	051	EA
634197	KIT-ACTUTR-RPR:TYP KIT,ACTUATOR REPAIR,C	4.00	061	ST
600127	GSKT-SPRL-WUND;BASIC WITH INNER RING	4.00	051	ST
1218718	TXFRMR CRNT:PTNTL 6KV,CRRNT RTIO 75/1A,T	1.00	011	EA
609203	TIMER:TYP COUNTDOWN/ON-DELAY	3.00	101	ST
590536	RELAY:	1.00	011	ST
578469	GSKT-PRE-CUT	1.00	051	ST1
594174	O-RING:	2.00	051	ST
579436	PRB;LEVEL,DIA 36 X LG 42MM,PLASTIC,650MM	1.00	061	ST
1012961	BREAKER, CIRCUIT: AMPERAGE 16A,POLE 1	1.00	011	EA
603233	SEAL,MECHANICAL:SIZE 35MM,TYP CARTRIDGE,	1.00	900	ST
597432	VALVE,GATE:VLV SZ 1/2IN,CONN FNPT X SW	1.00	051	ST
603065	GSKT PRE-CUT :EPDM,ROUND	1.00	051	ST
644480	BOLT-MCHN;M20,100MM,GS,2.5MM,HEX	2.00	051	ST
1030699	PISTON: MATL SUS403,P/N:3T-OY0907-ISO B	2.00	091	ST
593044	GSKT PRE-CUT :	1.00	051	ST
737205	KIT,SEAL:APLC MECHANICAL SEAL	3.00	051	KIT
642734	RING:PTFE/KOHLE,TYP SLIDING	8.00	051	ST
597793	ELECTRODE,WELDING:E8018-B2	14.60	051	KG
768350	CONTACT,AUXILIARY:TYP SNAP-ON,CONTAR 4NC	1.00	011	ST
574685	SPINDLE:MATL SS 410,SUPPL:ETH,DOC:CPL-PO	1.00	101	EA
600176	GSKT PRE-CUT :THK 1.6MM,REINZ AFM 34,FF	2.00	051	ST
603795	SLV;ID 30 X OD 35 X WD 45MM,VALVE	2.00	051	ST
1029257	PIN: TYP HYDRAULIC CYLINDER,P/N:SLP60465	2.00	051	ST
1028938	VALVE, GATE: TYP SOLID/FLEXIBLE WEDGE	1.00	051	EA
578494	KIT-VLV-RPR:TYP SOFT PARTS,APL GATE VALV	1.00	051	ST1
583090	LGHT-INDCTG;LED,RED	20.00	021	ST
644230	ACID IORG,INORGANIC:PERCHLORIC ACID	1.00	001	L
635659	KIT-CYLNDR-RPR:APL HD PNEUMATIC CYLINDER	2.00	091	ST1
760301	SCRW-CAP;10MM,105MM,CS,HEXAGONAL	8.00	051	ST
592354	ASSEMBLY:TYP JET,FID	1.00	051	ST
600313	GSKT JKTD:ID 1403.4 X OD 1428.8MM,SHP	2.00	051	ST
603134	SEAL,OIL:MT RUBBER	2.00	051	ST
602192	PACKING:SHP H-SHAPED ROUND,MT BUNA-N	1.00	051	ST
635521	SEAT,VALVE:BALL/ON-OFF,CS	1.00	051	ST
620110	GSKT PRE-CUT :NBR	2.00	051	ST
587700	KIT-CYLNDR-RPR;SOFT PARTS,FORKLIFT	1.00	091	ST
586070	FLAPPER:TYP LEVEL CONTROLLER	2.00	051	ST
905072	YOKE-VLV	1.00	051	EA
643663	BUSH:HEAVY DUTY LATHE MACHINE	1.00	051	ST
630224	SCRW-SELF-TPG;25MM,PAN PHILLIPS,SHARP	2.00	051	ST1
603915	TERMINAL:TYP LINK,RT 5-30V	20.00	021	ST
606645	SCREW,CAP:M12 DIA,140MM LG,MT AS BLACK	6.00	051	ST
963747	SEAL, RING: APPL VALVE,MNFR:MASONEILAN	3.00	051	ST
641954	SPINDLE:MT SS ASTM A276 GR 304	1.00	101	ST
587634	KIT,VALVE REPAIR:BUTTERFLY VALVE	2.00	051	ST
306144	MODULE:TYP ELECTRONIC,PWR S 24VDC	1.00	051	ST
898246	BREAKER,CIRCUIT:50-63A,415VAC	1.00	011	EA
999342	COVER: TYP SUCTION,P/N:638 83 00	1.00	051	ST
457383	BELT-V:I CRCUMFRNC 2120MM,TOP WD 16.3MM	1.00	051	EA
999333	COLLAR: P/N:14166,MNFR:ALFA LAVAL AB	1.00	051	ST
1001367	BREAKER, CIRCUIT: AMPERAGE 2A,POLE 2	1.00	011	EA
608031	SPCR;RING,ID 320 X OD 350 X THK 5MM	2.00	051	ST
604668	FUSE:6.3A,250VAC,DIA 5 X LG 20MM,FERRULE	5.00	021	ST
634232	PACKING:PTFE	1.00	051	ST
590848	SWITCH:TYP ROCKER LUMINOUS POWER,ACTN S	1.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
607372	BUSH:DIA 15 X LG 15MM,CS,ALTERNATOR	2.00	051	ST
616761	HEATER:RT 200/220V 120/140W	2.00	011	ST
615857	FILTER,ELEMENT:MS GALV	1.00	051	ST1
1064291	GSKT PRE-CUT : SIZE ID 100 X OD 124MM	1.00	051	EA
338868	FXTUR-QUARTZ-LGHTG;220/240VAC 50/60HZ	6.00	021	ST
898193	BREAKER,CIRCUIT:630A,380-415/500VAC	1.00	011	EA
1526783	BRKR-CRCUT;50A,220V,20KA,2,DIN,EX. D,UL	1.00	011	EA
632690	SWTCH-PRSUR;0-4BAR,SPDT,NPT 1/2IN	1.00	061	ST
635658	KIT-CYLNDR-RPR;SOFT PARTS	1.00	091	ST1
1003913	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
588029	KIT-VLV-RPR:TYP SOFT PART,APL SAFETY REL	1.00	051	ST1
536365	SPRING,VALVE:	1.00	051	EA
579411	MEMBRANE:SZ DIA 145 X THK 0.5MM,MT PTFE	2.00	051	ST
641902	BRG,THRUST:MT STEEL GR 6B	4.00	051	ST
588845	METER,FLOW:TYP ELECTRO MAGNETIC	1.00	900	ST
642970	PACKING:ALCHEM,TYP STUFFING BOX	4.00	051	ST1
593040	GSKT PRE-CUT :ID 81 X OD 104 X THK 5MM	3.00	051	ST
1000996	FAN: TYP FILTER,VOLUME RATING 461M3/H	2.00	081	EA
637953	BALL,VALVE:VLV SZ 12IN,MT CS ASTM A351	1.00	051	ST
634146	SHEET,GASKET:MT V#VF-35E	4.00	051	ST
631691	CBL-TIE;SELF ADHESIVE BASE,5MM,29MM,29MM	200.00	021	ST
1023244	METER, ELECTRICAL: TYP AMMETER,P/N:DIV48	1.00	101	EA
998959	NIPPLE: TYP LOCK,P/N:14466,DOC:549377-04	1.00	051	ST
631151	BRG-SLV;STRIP BUSHING	1.00	051	ST
1505156	SEAT,VALVE:TYP RING,VALVE TYPE GATE VALV	1.00	051	EA
635591	GSKT PRE-CUT :GRAFOIL,UPPER COVER,2IN	2.00	051	ST
926726	VALVE,RELIEF:VLV SZ 1 X 2IN,TYP SAFETY	1.00	051	EA
603695	CONNECTOR,ELECTRICAL:TYP MALE,SZ WD 1 X	3.00	021	ST
1024086	PACKING: SHAP CYLINDRICAL,TYP VALVE	1.00	051	ST1
120306	CAPACITOR:TYP FIXED,ST ELECTROLYTIC CAN	3.00	031	ST
618043	LIGHT,INDICATING:TYP PILOT LED	2.00	021	ST
653216	GSKT,SPWD:IRMT SS 316,OR MT SS 316	9.00	051	EA
631175	PLUG-VLV;2IN,SS	2.00	051	ST
1003972	METER, FLOW: TYP SQUARE EDGE ORIFICE	1.00	101	EA
603437	RECEIVER:TYP PHOTOCELL	1.00	031	ST
959003	GSKT PRE-CUT : MATL VITON,SHAP ROUND	1.00	051	EA
1007973	GSKT PRE-CUT : MATL GRAFOIL,SHAP SQUARE	4.00	051	ST
767490	NUT,LOCK:COUPLING	3.00	051	ST
74343	PACK:TYP DISC	1.00	051	ST1
1078818	GSKT PRE-CUT : MATL KLINGERSIL C4500	1.00	051	EA
1025175	TAPE, HEAT TRACING: P/N:10BTV-CT	5.00	001	M
536523	COLLECTOR:P/N:3526212-1,MNFR:ABB KENT TA	1.00	051	EA
604066	BREAKER,CIRCUIT:10A,220-380VAC	3.00	011	ST
616827	BEARING:	3.00	051	ST
604047	BREAKER,CIRCUIT:230/400VAC,POLE 1	12.00	011	ST
936463	WASHER: MATL BRONZE ALLOY,TYP THRUST	1.00	051	ST
84607	PACKING:ID 15.9 X OD 25.4 X THK 4.8MM	12.00	051	ST
594667	SEAL,RING:	3.00	051	ST
606745	SCREW,MACHINE:M4 DIA,30MM LG	26.00	051	ST
578688	BRAKE:TYP ELECTRIC	1.00	900	ST
642760	RING:PTFE/TFM 4220,TYP ANTISTATIC	8.00	051	ST
643351	SWTCH-TMPRTUR	1.00	021	ST
643054	PACKING:GRAPHITE,TYP GATE VALVE	3.00	051	ST1
586598	BRG,BALL:ID 25MM,ST 2 SHIELDS,ROW SINGLE	1.00	051	ST
284898	BLCK-TRMNL:ELCTRCL RTNG 600V 25A,TRMNL T	10.00	051	EA
1247019	GSKT:P/N:9466-26000-0,MNFR:SHINKO ENGINE	1.00	051	EA
578913	VENT;PILOT,DIA 1/8IN,BRASS	4.00	081	ST
601278	O-RING:ID 395MM,WD 9MM,MT FKM	2.00	051	ST
596027	GUD;WD 9 X LG 200 X THK 2MM,PTFE	4.00	091	ST
588728	PACKING:MT PTFE	1.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
624961	SUPPORT:	3.00	031	ST
450730	BREAKER,CIRCUIT:6A,POLE 2,MOTOR	5.00	131	EA
639375	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
585866	VALVE:TYP DYNA,BDY MATL SS 304	20.00	051	ST
625451	RLS;UNDER VOLTAGE	1.00	011	ST
653209	GSKT,SPWD:IRMT SS 316,OR MT SS 316	6.00	051	EA
644316	CLAMP:TYP QUICK CONNECT,SZ DIA 32-40MM	2.00	051	ST
618112	SEAL,RING:TYP V SHAPE	4.00	051	ST
583033	LIGHT,INDICATING:COLOR CLEAR	3.00	021	ST
622432	CONNECTOR,LUG:ELEC TRT 400A	6.00	021	ST
630546	STEM;CS NICKEL UNDER CHROME PLATED	5.00	051	ST
586168	BRG,ROLL:ID 120MM,OD 160MM,WD 40MM	2.00	051	ST
596237	RING,WEAR:	2.00	081	ST
590621	SWITCH,PRESSURE:SPDT,CSA; FM; UL	3.00	061	ST
994669	BELT, V: DOC:3121-716476,DOC:96697-01-1	1.00	051	ST
313452	O-RING, DIN 3771- 140.00X 3.00-N-MBR 80	1.00	051	ST
1564227	DIAPHRAGM,ACTUATOR:TYP PNEUMATIC,SIZE ID	1.00	061	ST
613287	KIT-VLV-RPR:TYP SOFT PARTS,APL CONTROL V	1.00	051	KIT
1225366	RING,WEAR:INSIDE DIAMETER 158MM,MATL AST	1.00	081	EA
293737	MDUL;DISCRETE RELAY OUTPUT,2A,24V	1.00	051	ST
590370	RELAY:COIL V 220VAC 60HZ,CNTCT RT 115VAC	2.00	011	ST
1549178	VALVE,CONT:TYP ECCENTRIC ROTARY PLUG,SIZ	1.00	051	ASY
590763	SWITCH,PRESSURE:0.5-8BAR,250VAC 3A,SPDT	1.00	061	ST
639449	SPRING,VALVE:VLV SZ 1-1/2IN	2.00	051	ST1
643792	WASHER:EF-255/SS,316	1.00	051	ST
596555	RING:TYP THREADED	1.00	051	ST
630443	MODULE:MAGNETIC PICKUP IS	9.00	031	ST
609631	GSKT PRE-CUT :ID 15 X OD 45 X THK 2MM	2.00	051	ST
582337	CONTROL:TYP TERMINAL BLOCK	2.00	021	ST
113452	GSKT PRE-CUT :	6.00	051	EA
256003	CIRCUIT:TYP ENGINEERING CARD,STD CE	1.00	051	EA
1526788	DIAPHRAGM,VALVE:SIZE ID 8 X OD 127 X THK	1.00	051	EA
643499	KIT,PUMP REPAIR:TYP SEAL	2.00	081	KIT
586714	GEAR,WORM:	1.00	081	ST
1540423	RELAY:COIL V 110-240V,ACTION SPDT,CNTCT	1.00	011	EA
9101821	SHAFT SEAL KIT 60 MM DIA.	1.00	051	SE
614699	SLEEVE:TYP INTERSTAGE	1.00	051	ST1
578490	PACKING:MATL GRAPHITE,TYP GLAND,P/N:F372	5.00	051	ST1
1205139	LAMP:TYP EMERGENCY LIGHTING,WATT 5W,VOLT	39.00	021	EA
623188	CIRCUIT:TYP EPROM	2.00	031	ST
589262	SLEEVE:MATL SS DIN WN 1.4571,P/N:861394,	1.00	051	ST
1235583	THERMOMETER,DIAL:TYP GAUGE,RANGE 0-100DE	1.00	101	EA
586166	BRG,ROLL:ID 62MM,OD 90MM,WD 20MM	5.00	051	ST
1089915	CONTROLLER: TYP MASS FLOW,P/N:K9630MN	1.00	061	EA
268647	BRG-FLG-BLCK:ROLR ELMNT BALL,I DIA 35MM	2.00	051	EA
616972	HEATER:TYP SELF LIMITING	100.00	001	M
616724	TRANSDUCER:	1.00	061	ST
607448	BUSH,VALVE:	1.00	051	ST
592503	GSKT-PRE-CUT;COVER,ROUND,GRAPHITE	1.00	051	ST
601800	O-RING:ID 54.4MM,WD 3.1MM,MT NBR,STD	1.00	051	ST
579838	PIPETTE:TYP 3 VALVE FILLER,MT GLASS	5.00	071	ST
588850	ALARM:TYP TEMPERATURE	1.00	121	ST
620560	RELAY,PROTECTION:SAFETY,RT 24VDC	1.00	031	ST
588642	BOLT:TYP COUPLING	1.00	051	ST1
587365	KIT:TYP MEMBRANE BANK	1.00	051	ST
634990	HEATER:	250.00	001	M
580718	COVER:TYP TRANSPARENT	1.00	051	ST
616992	CABLE,ELECTRICAL:TYP HEAT RESISTANCE,DOC	37.00	021	M
579619	TRNSMTR-PRSUR;0-100BAR,4-20MA DC	1.00	061	ST
589802	THERMOCOUPLE:TYP K,INS DIA 6.4MM,DESLG	1.00	061	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
618078	O-RING:APLC MOTOR	3.00	051	ST
595076	GSKT PRE-CUT :ID 52 X OD 102 X THK 2MM	1.00	051	ST
832359	VALVE,CONT:TYP SHUT OFF	1.00	051	ST
636266	PACKING:V#6500	1.00	051	ST
629571	FILTER,ELEMENT:SS 304,SCREEN	2.00	051	ST
578055	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG O RING	1.00	051	ST
785342	BUSHG;RETAINING,SS 316,HAND WHEEL	1.00	051	ST
628595	COLLAR:TYP THRUST,MT AS ASTM A744	2.00	051	ST
594551	RING:TYP BOTTOM PACKING	1.00	051	ST
584919	DISC, VALVE: MATL SS ASTM A276,GRD 316	2.00	051	ST
1588324	GSKT-PRE-CUT:TYP RF,SZ ID 33 X OD 67 X T	16.00	051	EA
590941	TRANSFORMER,INSTRUMENT:VA RT 30/120VA	1.00	011	ST
467205	CONE,BEARING:	1.00	051	EA
638967	BRG,SLEEVE:MT PTFE GR TFB-125	1.00	051	ST1
600253	GSKT,SPWD:42IN,300LB,E-MICA,INCONEL X750	9.00	051	ST
9101782	IMPELLER FOR BLOWER MXE100-010036-00(TO	1.00	051	ST
149409	BUSH:ID 1-3/4 X OD 1-7/8 X THK 3/8IN	2.00	051	EA
916869	O-RING:ID 340MM,WD 6MM	1.00	051	ST
585029	DISC:MT PTFE	1.00	051	ST
585094	FILTER:SS 316,MECHANICAL	1.00	051	ST
1087028	TRAP: TYP RESIN,SIZE 6IN,MATL SS 316	1.00	051	EA
627394	RELAY:COIL 220/240VAC 60HZ	1.00	900	ST
593848	O-RING:ID 5-1/8IN,WD 1/8IN,MT VITON	4.00	051	ST
583505	PLUG,ELECTRICAL:TYP E-PROM	1.00	011	ST
636604	KIT:	1.00	081	ST1
594372	PCKG-BULK;WIRE INSERTED CARBON YARN,1-14	2.00	051	ROL
1024352	CABLE: SIZE OD 3.7 X LG 501000MM	1.00	021	EA
800805	GSKT,SPWD:2IN,150LB,GRAPHITE,SS 316	1.00	051	ST
602422	PACKING:1-5/8 IN X 61.1MM,PTFE,TYP GLAND	2.00	051	ST1
589022	CBL-CMUNCTN;INTERFACE	1.00	031	ST
593208	GSKT PRE-CUT :ID 30 X OD 40 X THK 2MM	8.00	051	ST
578809	WINDOW:	2.00	131	ST
604508	FUSE:350A,660/700VAC	8.00	021	ST
951995	RING,PISTON:	4.00	051	ST
1035460	TRANSMITTER, FLOW: RANGE 0-300000KG/HR	1.00	061	EA
585627	VALVE:TYP WING	1.00	051	ST
431952	LUBRICANT,SPECIAL PURPOSE:	4.00	001	ST
610511	IMPELLER,FAN:TYP CONDENSER	1.00	081	ST
586032	GLAND,PACKING:TYP YOKE	2.00	051	ST
44481	REDUCER,PIPE:SZ 6 X 4IN,BW,CS ASTM A234	2.00	051	EA
644547	GSKT,SPWD:GRAPHITE,STEEL,SHP ROUND,BASIC	4.00	051	ST
608766	BLOCK,CONTACT:CIRCUIT 2,CONTAR 2NO	1.00	021	ST
592309	PAWL:TYP SECONDARY	4.00	091	ST
584004	TUBE;TORQUE,CS ASTM A105/INCONEL	1.00	061	ST
567990	FUSE;ONE TIME,15A,500VAC; 600VDC	8.00	031	EA
584294	SHEET:MT MICA	4.00	131	ST
800985	BELT,TOOTHED:TYP POWER GRIP HTD	23.00	051	ST
611043	FILLER:TYP REPLACEMENT	5.00	051	ST
601135	GSKT PRE-CUT :PTFE,2 X 28IN	2.00	051	ST
629176	ASSEMBLY:BELLOWS	1.00	081	ST1
676861	HORN:RT 120V 60HZ	1.00	121	EA
631117	ASSEMBLY;SENSOR CAP	1.00	081	ST
1010200	KIT, SEAL: APPL CATHODIC PROTECTION	2.00	051	KIT
594740	SEAL,RING:ID 12MM,OD 19MM,THK 2MM	2.00	051	ST
8369	LIGHT,INDICATING:TYP PILOT,VOLT 125V	1.00	021	ST
81506	CHALK:TYP SOAPSTONE,COLOR WHITE	1.00	141	BX
1251310	BOARD,PRINTED CIRCUIT:TYP MK2,FNCTN MOTO	2.00	031	ASY
592024	CAP:TYP MULTI	1.00	051	ST
589213	SLEEVE:TYP OIL RING	1.00	051	ST
615287	GSKT PRE-CUT :RECTANGULAR	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
609453	FUNL;LG 100MM,GLASS	85.00	071	ST
253169	DISPLAY UNIT,DATA:TYP PANEL,READOUT DIGI	1.00	011	EA
653219	GSKT,SPWD:IRMT SS 316,OR MT SS 316	17.00	051	EA
639455	STEM,VALVE:VLV ST PRESSURE AND RELIEF	1.00	051	ST
605903	CHOKE:TYP OUTPUT,APLC INVERTER	3.00	031	ST
644722	GSKT PRE-CUT :THK 1/8IN,PTFE,ROUND,RF	2.00	051	ST
630455	SWITCH,PRESSURE:8-40PSID,250VAC 11A,SPDT	1.00	061	ST
634532	COLLAR:	1.00	051	ST
607098	WASHER,LOCK:STEEL,B18,CONICAL,DIN 6796	4.00	051	ST
585502	STEM:	1.00	051	ST
723726	O-RING:MT VITON	1.00	051	ST
634989	HEATER:TYP LONG LINE	50.00	001	M
901172	UNIT, CONTROL: STANDARD CSA; UL	1.00	011	EA
578973	CELL,LOAD:	2.00	061	ST
929052	PWR-SUPLY:TYP DC TO DC SWITCH MODE,IN 10	1.00	021	EA
583049	FIXTURE, FLUORESCENT LIGHTING: LAMP 2	10.00	021	ST
600623	GSKT PRE-CUT :RUBBER	2.00	051	ST
1239152	SLEEVE,SHAFT:MATL SS316,TYP DISTANCE,APP	1.00	051	EA
380841	PLATE:TYP CHANNEL,TITANIUM	1.00	900	ST
608395	B&;CONNECTING MIDDLE	2.00	001	ST
1030732	SCREW, SET: MATL SUS 403,DOC:10909-0900	2.00	051	ST
619763	RING,LANTERN:	1.00	081	ST
602830	RING:STEEL GR IDG-48000,TYP THRUST	2.00	051	ST
641377	CONTACTOR:POLE 3,AMPERAGE 20A,LINE VOLTA	1.00	011	ST
624074	MOTOR,ELECTRIC:4.8KW,380VAC 60HZ,1706RPM	1.00	011	ST
885421	INVERTER:TYP FREQUENCY,PWR RT 7.5KW	1.00	011	EA
1563015	TEE,PIPE REDUCER:SIZE 4 X 4 X 3IN,CNCT B	1.00	051	ST
597002	SEAT,VALVE:	2.00	051	ST
590653	SWTCH-SLCTR:TYP CAM,ACTN SPDT,PSTN ON/OF	2.00	021	ST
603379	CABLE:TYP FLEXIBLE,SZ LG 100M/ROLL	1.00	021	ROL
608406	B&;COUPLING,LG 42 X THK 1.5MM,COPPER	1.00	001	ST
632756	THERMOWELL:DRILLED BARSTOCK,300MM,MT SS	1.00	061	ST
584535	COLLECTOR:TYP DUST,APLC CO REMOVAL UNIT	1.00	051	ST
745101	KIT, VALVE REPAIR: TYP SOFT GOODS	2.00	051	KIT
1579538	PLUG-TUBE:DIA LARGE END 27.5 X SMALL END	180.00	051	EA
598932	MOTOR,ELECTRIC:0.75KW,380VAC 60HZ	1.00	011	ST
604300	CONTACTOR:TYP AUXILIARY,AMP 260A,3 POLE	1.00	011	ST
593747	O-RING:ID 5MM,WD 1.5MM	8.00	051	ST
581827	HOSE;CLAMPED,BLACK	1.00	051	ST
630659	SEAL:RING	2.00	051	ST1
807015	GSKT SET:APLC LV INSULATOR NITRILE	1.00	051	SE
634072	GSKT PRE-CUT :P#1200-S,BONNET,6IN	3.00	051	ST
1208445	COUPLING,SHAFT:TYP UPPER,OUTSIDE DIAMETE	2.00	051	EA
602584	RING,WEAR:SS JIS G4305 GR 420J2	1.00	081	ST
644448	NUT,HEX:DIA M20,GS,HT 16MM,THD 2.5MM	3.00	051	ST
589799	THERMOCOUPLE:TYP K,INS DIA 4.8MM,TOT LG	1.00	061	ST
597088	WASHER,LOCK:SS DIN WN 1.4310,SPRING DISC	2.00	051	ST
903796	DISPLAY UNIT,DATA:TYP 4-LINE ALPHANUMERI	1.00	141	EA
1216288	POWER SUPPLY:TYP Q SERIES,INPUT 100-240V	1.00	021	EA
639653	SHAFT:	1.00	051	ST
594330	PCKG;ID 40 X OD 49 X THK 1MM,GRAPHITE	1.00	051	ST
581694	HOSE, FLEXIBLE METAL: HOSE SZ 3/4IN	5.00	051	ROL
419184	MODULE:CONTROL	1.00	011	EA
578273	KIT,CYLINDER REPAIR:SERVICE	1.00	091	ST
604438	ELEMENT,HEATER:	2.00	011	ST
9102197	GEAR,WHEEL; Z-61; ORDER[TO BE DELETED]	1.00	051	EA
603152	SEAL:NBR/SS DIN WN 1.4401,PIN JOINT-SM	5.00	051	ST
730851	COVER:TYP ROTARY- REAR,APLC XYLENE	1.00	051	ST
687337	BRG:BLOCK	4.00	051	EA
589003	ANNUNCIATOR:TYP WINDOW,ELEC TRT 24VDC	2.00	121	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1080103	KIT, ACTUATOR REPAIR: TYP CYLINDER	1.00	061	KIT
627201	PACKING:GARLOCK EVSP,TYP GLAND	1.00	051	ST1
592103	INSERT:TYP ELECTRONIC,MT RESIN	4.00	061	ST
602085	GSKT,SPWD:V#8590,SHP ROUND	1.00	051	ST
871698	RTD:TYP PT100	2.00	101	ASY
989886	SPRTR;OIL,26BAR,COMPRESSOR	1.00	051	ST
9102170	BEARING,ROLLER,21306-CC/C3 (79-01-0456)	2.00	051	EA
579839	PIPETTE:TYP MEASURING,CAP 2ML	10.00	071	ST
1626645	SPCTRPHTMTR;HARNESS ASSY-CORAA DISPLAY	2.00	051	EA
967210	KEY, SHAFT: MATL CS ASTM A576 GR 1040	1.00	051	ST
599427	GSKT-SPRL-WUND;GRAPHITE/V#6592-GGZ,ROUND	1.00	051	ST
602613	RING,BACK-UP:ID 9.018MM	2.00	051	ST
592904	GSKT-PRE-CUT;ID 115 X OD 140 X THK 2MM	2.00	051	ST
609248	O-RING:APLC ANALYZER	1.00	051	ST1
588276	KIT,VALVE REPAIR:RESILIENT SEAL	3.00	051	ST
609585	CUP;SPRING,CS DIN WN 1.0037 GR ST37	6.00	051	ST
643104	PACKING:GRAPHITE,TYP GLOBE VALVE	3.00	051	ST1
1033929	KIT-VLV-RPR:APL ON-OFF BALL VALVE,CMPSN	1.00	051	KIT
224608	COUPLING, SHAFT: MATL AL/RUBBER	5.00	061	ST
610436	BOLT,MACH:M30,LG 160MM,GS,3.5MM,GR 4.6	10.00	051	ST
608861	CEL;PRECISION	4.00	011	PAA
578394	KIT:TYP GLAND PACKING	1.00	081	ST1
587179	PLUG,VALVE:VLV SZ 3IN,CONTROL,SS 316	1.00	051	ST
521946	DIAPHRAGM:TYP PUMP,SZ OD 113 X THK 1MM	2.00	051	EA
583476	PLUG,TUBE:DIA 10.16 X 11.7MM,TITANIUM	2.00	051	ST
95564	O-RIG;177.39MM,3.53MM,NBR	1.00	051	EA
67244	O-RIG:I DIA 4.5MM,P/N:C0123AS,MNFR:FOXBO	5.00	051	ST
615073	UNIT;T-SHAPED,SS 321	1.00	051	ST
930807	THERMOMETER, DIAL: RANGE 157-200DEG C	1.00	101	EA
584167	COLUMN:SZ DIA 0.02 IN X LG 50FT	1.00	061	ST
617255	TRMNL-BRD;0.75KW	1.00	021	ST1
396160	GSKT,SPWD:PUMP,27.00X 36.00X 3.00	2.00	051	ST
626411	CONTACT:	3.00	011	ST
9102229	CABLE, IGNITION 2 X 1-810MM LG[7029955]	1.00	051	SE
1215129	POWER SUPPLY:TYP CS SERIES MODULE,INPUT	1.00	021	EA
626402	BLOCK,TERMINAL:	8.00	021	ST
643006	PACKING:PTFE,TYP STUFFING BOX	4.00	051	ST1
950076	CLIP:TYP RETENTION,MT INCONEL X750	1.00	051	EA
585270	REGULATOR,PNEUMATIC:CONN FNPT	1.00	061	ST
898613	VALVE:TYP HYDRANT,VLV SZ 4 X 4-1/2IN	3.00	051	ST
599551	GSKT,SPWD:10IN,600LB,T#1836-GR-SS	2.00	051	ST
622742	RIG;PRELOADING RESILIENT,MOTOR DE	2.00	051	ST
592260	UNION:SZ 1/8IN,CONN SW	1.00	051	ST
824096	BREAKER,CIRCUIT:6A,240VAC,POLE 1	1.00	011	EA
901118	MODULE,POWER SUPPLY:	2.00	031	EA
1201760	SNUBBER:TYP RESISTANCE,P/N:81001-956-54-	2.00	011	ASY
684540	FUSE;TIME DELAY,2A,250V AC,GLASS,FERRULE	9.00	051	PAK
772372	PANEL,CONTROL:APLC ACS 550 DRIVE	2.00	021	ST
583676	ANNUNCIATOR:	3.00	011	ST
577794	KIT-PUMP-RPR;ROTATING PART	1.00	081	ST
900774	CAPACITOR:TYP MKP,CAPCIT 5MICRO F	1.00	031	EA
889550	TRANSMITTER,DIFF.PRESS.:O/P 4-20MA	1.00	061	EA
585973	LUBRCNT-SPEC-PURPS;PLASTIC BOTTLE,PASTE	3.00	001	ST
589141	CIRCLIP:TYP INNER RING,MT SPRING STEEL	1.00	051	ST
610655	PULY-V-BELT	3.00	051	ST
638380	KIT-VLV-RPR:TYP SOFT PART,APL BUTTERFLY	2.00	051	KIT
588507	KIT-VLV-RPR:TYP SOFT PARTS,APL BALL VALV	1.00	051	ST1
77031	HOLDER,FUSE:FUSE DIA 10 X LG 38MM	5.00	051	ST
601660	O-RING:MT VITON	1.00	051	ST
611802	FUSE:1200V	2.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
602121	PACKING:ID 40 X OD 59MM	3.00	051	ST
579069	CONTROLLER,PNEUMATIC:TYP PRESSURE CUT,I	2.00	061	ST
639802	SEAT,VALVE:CONTROL,SS 316 STELLITE	1.00	051	ST1
695419	KIT-TRMNTN;INDOOR,15KV,300MM2,3 X 1C	1.00	021	KIT
579990	HEAD:TYP PILOT INDICATING LAMP; GREEN	2.00	101	ST
945497	VALVE,BALL:VLV SZ 10IN,DES RTG 150LB	1.00	051	EA
587079	ASSEMBLY:TYP LEVEL SWITCH,STD CE,P/N:SER	1.00	081	ST
1080642	LIMITER: TYP TEMPERATURE,P/N:67446090	1.00	031	EA
592232	NOZZLE:TYP MOTIVE SINGLE STAGE,CONN MPT	1.00	051	ST
583943	MODULE:	1.00	031	ST
633958	SEAT,VALVE:VLV SZ DN 6IN,BLOCK,PTFE	3.00	051	ST
595252	KIT;SEAL PEDAL GROUP	2.00	081	ST1
623639	DIODE:	8.00	031	ST
632754	KIT,ACTUATOR REPAIR:	1.00	061	ST1
588293	DIAPHRAGM,ACTUATOR:ACT SZ 1IN,RT 300LB	1.00	061	ST
591982	BUSH:ALCOA A750,OIL CONSOLE UNIT	1.00	051	ST
580897	PLATE:TYP SNUBBER	1.00	011	ST
612911	TRANSFORMER:TYP STEP DOWN,VA RT 1000VA	1.00	011	ST
627602	FUSE SUPERSEDED BY 604639	2.00	021	ST
592019	CAP:TYP STEM PROTECTOR	2.00	051	ST
581069	PLUG-ELECT;250-380VAC 6-10A,6,6	1.00	021	ST
614986	VLV-BUTRFLY;DN 150	1.00	051	ST
580900	PLATE:TYP SNUBBER	1.00	011	ST
616864	RELAY:COIL 24VDC,TYP AUXILLIARY	2.00	011	ST
95431	O-RIG;34.65MM,1.78MM	1.00	051	EA
614225	REACTOR:TYP CURRENT LIMITING	1.00	011	ST
585613	VALVE:VLV SZ 3/8IN,STY 2/2-WAY NC	5.00	051	ST1
593408	GSKT,SPWD:50MM,150LB,GRAPHITE	60.00	051	ST
617992	DRIVE,VARIABLE SPEED:	1.00	011	ST
604724	FUSE:315A,3.6KV,OFFSET BOLTED/SLOTTED	3.00	021	ST
602232	PACKING:	1.00	051	ST1
590893	SWITCH:TYP SYNCHRONIZING	2.00	021	ST
615733	BUSH,PUMP:BRONZE BC6/B584,BEARING COVER	1.00	081	ST
591608	PIN:BRASS,HANDLE	1.00	051	ST
578684	AXLE:TYP DAN THREAD	1.00	051	ST
1080598	GAUGE, PRESSURE: RANGE -160 TO 0MBAR	1.00	101	EA
602459	PACKING:DIA 6MM,PTFE,ROUND	3.00	051	ST1
599366	GSKT,SPWD:V#8590,SHP ROUND	1.00	051	ST
592077	COUPLING:TYP INT. TRIP VALVE	1.00	051	ST
584205	DISC,RUPTURE:11 BAR G AT 427 DEG C,1IN	2.00	051	ST
1072085	CHAIN, CONVEYOR: APPL ROTARY VALVE	1.00	091	ST
643097	GSKT,SPWD:2IN,GRAPHITE,SS 316	6.00	051	ST
600815	GSKT,SPWD:T#1804-NA/NON ASBESTOS,SS 304	3.00	051	ST
582286	CARTRIDGE:TYP FILTER	8.00	051	ST
603467	TIMER:TYP PNEUMATIC MODULE	1.00	101	ST
624296	GSKT:	3.00	051	ST
738720	RAM:TYP VALVE	1.00	061	ST
620178	SPRING:TYP N-END	2.00	051	ST
930316	KEY: MNFR:NEUMAN & ESSER GROUP	1.00	051	ST
1605761	GSKT-KIT-INSULTG:TYP FLANGES ISOLATION,N	2.00	051	KIT
592515	SEAT:ID 40MM,OD 78MM,THK 18MM,AL	1.00	051	ST
591571	NUT	1.00	051	ST
619822	SEAL,OIL:ID 20MM,OD 30MM,WD 7MM	2.00	051	ST
1058807	RGULTR:TYP AIR FILTER,RTNG MAX 16BAR,CNC	2.00	061	EA
536779	KIT-VLV-RPR;GASKETS AND SHIM	2.00	051	EA
583383	BLOCK,TERMINAL:TERM (6) BOLTED,CIRCUIT 3	1.00	021	ST
642536	O-RING:APLC SEAL	5.00	051	ST
615423	RING:CARBON	2.00	051	ST
597803	ELECTRODE:TYP SOLITRODE - COMBINED LL PH	1.00	051	ST
579831	PT:TYP VOLUMETRIC,CPCTY 20ML,MTRL GLASS	4.00	071	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
629239	O-RING:	1.00	051	ST
9102327	SCREW, VENTING, 30MM DIA, 3.5MM THRD, 24	2.00	051	ST
630205	PISTON:TYP BRAKE	1.00	091	ST
629278	O-RING SET:APLC BUTTERFLY VALVE,2	1.00	051	ST1
592033	CAP:TYP LOWER SPRING	16.00	051	ST
1599036	VLV-GLB:VLV SZ 8IN,DSGN RTNG 150LB,BDY M	1.00	051	EA
580938	PLUG-VLV;CONTROL,DN 25MM	1.00	051	ST
926865	THERMOWELL: SHANK STYLE BARSTOCK TAPERED	1.00	061	EA
586210	BRG,THRUST:1 PIECE,MT PTFE	2.00	051	ST
612837	CHARGER:TYP CARD,RT 220VAC 60HZ	1.00	011	ST
809580	BLOCK,CONTACT:TYP AUXILIARY	2.00	021	EA
606280	NUT-HXGN;M16,STEEL ZINC PLATED,13MM,2MM	3.00	051	ST
577831	ASSEMBLY:	1.00	081	ST
598971	HST;GEAR,CRANE,1TON	1.00	900	ST
584543	GUIDE:TYP ROPE	1.00	091	ST
1613293	RTNR:TYP SEAT,MTRL SS 316,P/N:001218.181	1.00	051	ST
1569982	STEM-VLV:VLV STYL BACK PRESSURE,VLV SZ 1	1.00	051	ASY
643321	ACCELEROMETER: MNFR:BENTLY NEVADA CORP.	1.00	061	ST
609231	DISC,VALVE:SS 316 STELLITED,SAFETY	1.00	051	ST
600002	GSKT,SPWD:10IN,GRAPHITE,SS 316	1.00	051	ST
1038960	SWITCH, SELECTOR: CNTCT RT 690VAC 20A	1.00	021	EA
586059	GLAND,PACKING:TYP YOKE	1.00	051	ST
592840	GSKT-PRE-CUT;BOX FLANGE,RECTANGULAR,CORK	1.00	051	ST
582648	GAUGE,PRESSURE:BOURDON	1.00	101	ST
634158	KIT-VLV-RPR:TYP SOFT PART,APL WAFER CHEC	1.00	051	ST1
609724	KIT,VALVE REPAIR:GLAND PACKING AND SEAT	2.00	051	ST1
242870	SWITCH,FLOW:SPDT	1.00	900	EA
906036	PLUG,PIPE:1/2IN,STEEL 9S20K,G THD,PN 25	1.00	051	EA
1080189	BUSHING: TYP SEAL,P/N:11317058	1.00	051	ST
580030	LAMP-INCNDSCNT;15W,240V AC,CLEAR	2.00	021	ST
585041	DISC,VALVE:SS ASTM A276,316L,RELIEF	1.00	051	ST
602000	O-RING:	1.00	051	ST
269448	BRKR-CRCUT;2.4-4A	1.00	021	EA
612167	ARRESTER,ELECTRICAL:TYP SURGE	1.00	011	ST
578409	GSKT SET:	1.00	051	ST1
634509	STEM,VALVE:	1.00	051	ST
1585071	TEE-PIPE:SZ 6IN,CNCT BW,MTRL CS ASTM A21	1.00	051	EA
580972	PLUG-VLV;DIA 42MM,AS	1.00	051	ST
1009253	ER, FLOW: RANGE 0-13000KG/HR	1.00	101	EA
918071	PLUG,VALVE:VLV SZ 1-1/2IN,CONTROL	1.00	051	ST
610632	BLCK-TRMNL;CAPTIVE SCREW,3,CSA; UL	3.00	021	ST
593213	GSKT PRE-CUT :ID 81 X OD 95 X THK 2MM	2.00	051	ST
591055	SWITCH,PUSHBUTTON:COLOR RED	2.00	011	ST
977805	SEAL, RING: APPL SAFETY VALVE	2.00	051	EA
1506703	BRTHR;AIR VENT,10MICRO,1-1/2 NPTIN,PUMP	2.00	081	EA
643107	GSKT,SPWD:1/2IN,GRAPHITE,SS 316	15.00	051	ST
620269	BRACKET:TYP BEARING	1.00	051	ST
581717	HOSE: SIZE 38MM,RT 150 LB AT 40 DEG F	1.00	051	ST
585637	VALVE,RELIEF:TYP SENTINEL	1.00	051	ST
612293	WASHER:GASKET	2.00	051	ST
608557	RING,WEAR:CI ASTM A48 CL 35	2.00	081	ST
630188	WASHER:	1.00	051	ST1
596817	FILTER,LIGHT:	1.00	051	ST
631244	THERMOMETER,DIAL:	1.00	101	ST
583922	CIRCUIT,POWER SUPPLY:TYP MONITOR	2.00	021	ST
1038662	KIT,SEAL:TYP REPAIR,APPL MECHANICAL SEAL	2.00	051	EA
591105	AMPLIFIER: TYPE ISOLATING,SUPPL:SERVOMEX	1.00	031	ST
592611	GSKT PRE-CUT :ID 90 X OD 120 X THK 1.5MM	5.00	051	ST
600100	GSKT,SPWD:IRID 86-1/8IN	1.00	051	ST
617425	THROWER:TYP OIL	2.00	081	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1011163	PLUG, VALVE: VALVE SIZE DN 350	1.00	051	ST
610438	BOLT,MACH:M12,LG 45MM,GS,1.75MM,GR 4.6	12.00	051	ST
731524	GSKT:BELLOW,V#1500	3.00	051	ST
593112	GSKT PRE-CUT :ROUND	2.00	051	ST
1525544	BLOCK,TERMINAL:ELEC RT 380V; 60 HZ,TERMI	1.00	021	EA
587961	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	KIT
586712	GEAR,WORM:	1.00	081	ST
581338	CIRCUIT:TYP INTERFACE CONTROL	1.00	031	ST
593608	SHEET:INSULATION	3.00	131	ST
641862	SWITCH:TYP MICRO,CONTRT 24VDC 0.5A,SPDT	1.00	021	ST
594086	O-RING:APLC SEAL	1.00	051	ST
585080	FILTER,OIL:	2.00	051	ST
590126	FUSE	2.00	021	ST
1048804	TRAP, STEAM: TYP THERMODYNAMIC DISC	2.00	051	EA
605434	SWITCH,TEMPERATURE:50-100DEG C	1.00	021	ST
631211	O-RING:APLC POSITIONER	2.00	051	ST1
606038	RESISTOR:50OHM,RT 95W,CONN TAB TERMINAL	1.00	031	ST
615362	SPRING:	1.00	051	ST
605756	TRANSFORMER:TYP CONTROL	1.00	011	ST
1038461	RING, WEAR: INSIDE DIAMETER 150MM	1.00	081	ST
1034847	TRANSMITTER, PRESSURE: RANGE 1 TO 20BAR	1.00	061	EA
583110	LAMP:W 40W,VOLT 220VAC	1.00	021	ST
1077068	KIT: TYP SERVICE,P/N:SKHPGS0-06	1.00	081	KIT
589439	BREAKER,CIRCUIT:80A,220/690VAC; 690VDC	1.00	011	ST
330774	BRG - BALL THRUST 75X 100X 19MM	1.00	051	ST
600667	GSKT PRE-CUT :	2.00	051	ST
633073	SWITCH,TEMPERATURE:20-560DEG C	1.00	021	ST
615526	RING:	2.00	051	ST
599455	GSKT,SPWD:GRAFOIL,SS 316,APLC CASING	1.00	051	ST
583808	CRCUT;SUB INTERFACE	1.00	011	ST
594253	PCKG;ID 1-1/4 X OD 1-7/8 X THK 3/4IN	2.00	051	ST1
640835	CONTACT,AUXILIARY:TYP SERVICE POSITION	4.00	011	ST
542154	RELAY,PROTECTION:	1.00	031	EA
646159	BLOCK,TERMINAL:TERM (12) STUD	1.00	081	EA
605133	RELAY,PROTECTION:DIRECTIONAL	1.00	031	ST
605136	RELAY,PROTECTION:OVERCURRENT	1.00	031	ST
581522	MODULE:RELAY CONTROL	1.00	031	ST
588044	O-RING: MATL VITON,P/N:P24 H 5	1.00	051	ST1
591044	TRANSFORMER,INSTRUMENT:CURR RT 50/5A	1.00	011	ST
924643	SET:TYP GLAND PACKING,APLC GLOBE VALVE	2.00	081	ST1
609674	TRANSFORMER:	3.00	011	ST
610647	PULY-V-BELT	1.00	051	ST
196225	GSKT PRE-CUT :ID 510 X OD 605 X THK 3MM	3.00	051	ST
590690	SWITCH:TYP LIMIT	2.00	021	ST
602823	RING:SS ASTM A743 GR CF8,APLC CASING	2.00	051	ST
812444	RIG;INNER ROLLER BEARING RING SEAL,STEEL	3.00	051	ST
275494	GSKT,SPWD:SHP ROUND,BASIC,FILL OD 3.75IN	1.00	051	EA
632121	GSKT,SPWD:3IN,600LB,P#2601-ESO	1.00	051	ST
579098	CONTROLLER:TYP BATCH	1.00	061	ST
9101908	COIL,PICK UP FOR TURBINE METER,PART.NO.	5.00	051	ST
593413	GSKT PRE-CUT :ID 490 X OD 530 X THK 4MM	2.00	051	ST
618868	FUSE;4A,DIA 5 X LG 25MM	2.00	021	ST
593429	GSKT PRE-CUT :RECTANGULAR	1.00	051	ST
1086690	RING: SIZE 4IN,MATL SS 316,TYP SEAT	1.00	051	EA
604098	BREAKER,CIRCUIT:2.5-4A,230-690VAC	1.00	011	ST
580212	CYLNRD-ACTUTG-LNR;PNEUMATIC,12BAR	2.00	061	ST
584199	CIRCUIT:TYP (6) HIGH POWER DIGITAL	1.00	011	ST
9102265	FUSE,TIME DELAY,630A,500V,CERAMIC,KNIFE	15.00	051	ST
593953	O-RING:ID 3.4MM,WD 2.5MM,MT PTFE	12.00	051	ST
587769	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	KIT

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
632721	PROBE:TYP TURBINE THURST DISPLACEMENT	1.00	061	ST
681344	BRG,BALL:IBI 10427,ID 12MM,OD 32MM	1.00	051	EA
637054	FILTER,ELEMENT:	4.00	051	ST
606020	RESISTOR:TYP NEUTRAL/REACTOR	2.00	031	ST
594433	RIG-RTNG	3.00	051	ST
617460	PIN:DIA 16MM,LG 40MM	8.00	051	ST
600422	GSKT PRE-CUT :	1.00	051	ST
636746	KIT,VALVE REPAIR:PISTON	1.00	051	ST1
799220	TRANSMITTER:TYP CONDUCTIVITY,O/P 4-20MA	1.00	061	ST
600006	GSKT,SPWD:2IN,150LB,GRAPHITE,SS 304,RF	2.00	051	ST
1024797	SWITCH, LIMIT: ACTION SPDT,ENCL IP67	3.00	061	EA
617127	FUSE:CONTROL	8.00	021	ST
644702	GSKT,SPWD:4IN,300LB,ASBESTOS,OR MT CS	2.00	051	ST
600054	GSKT,SPWD:GRAFOIL,IRID 508MM,SS 316	1.00	051	ST
629533	GSKT PRE-CUT :SS 304/SS 400/FIBREGLASS	2.00	051	ST1
642651	RING,PISTON:TYP DIESEL ENGINE	1.00	051	ST
642647	BRG,ROD END:TYP CONNECTING	1.00	051	ST
595488	CHART,ROLL:TYP PAPER,SZ WD 120MM	2.00	141	ROL
600243	GSKT,SPWD:60IN,150LB,GRAPHITE,SS 316	2.00	051	ST
628883	GSKT SET:	1.00	051	ST1
1047042	RELAY, PROTECTION: TYP DIGITAL	1.00	031	EA
143973	SEAT,VALVE:VLV SZ 8IN,CONTROL	1.00	051	EA
578603	INDICATOR:TYP 3 WAY STATUS	1.00	021	ST
642601	SEAL:APLC WATER	48.00	051	ST
574228	PACKING:	1.00	051	EA
643293	METER:TYP AIR LEAKAGE,RNG 0-40LB/HR	1.00	101	ST
1024329	ASSEMBLY: TYP TRANSFORMER,P/N:810550	1.00	081	ASY
361527	MDUL;(8) ANALOG OUTPUT,12-28V,SIMATIC S5	2.00	051	ST
903158	BREAKER, CIRCUIT: AMPERAGE 16A,POLE 3	1.00	011	EA
597265	STEM-VLV;DIA 12 X LG 262MM,SS	1.00	051	ST
1080184	SEAL, RING: INSIDE DIAMETER 175MM	1.00	051	EA
590508	RELAY:COIL 24VAC 50/60HZ,SPST	2.00	011	ST
577692	ALARM:TYP HORN,RT 230VAC 16MA 50/60HZ	1.00	121	ST
587927	KIT-VLV-RPR:TYP SOFT PART,APL BALL (SIZE	2.00	051	KIT
585727	VALVE,CHECK:TYP DISC/SPRING,VLV SZ 1/4IN	2.00	051	ST
588941	FILTER:DIA 3600MM,KNITMESH,DEMISTER	1.00	051	ST
618015	ASSEMBLY:LAMP ENVELOPE	2.00	081	ST
1060342	GAUGE, LEVEL: VISIBLE LENGTH 500MM	1.00	101	EA
607880	INSERT:CARBIDE	12.00	051	ST
600724	GSKT,SPWD:10IN,600LB,GRAPHITE	6.00	051	ST
281831	SEAL:PTFE,RESILIENT,APLC CONTROL VALVE	5.00	051	EA
604599	FUSE:TYP FAST ACTING,AMPERAGE 20A,VOLTAG	33.00	021	ST
999334	DISC: TYP COUPLING,P/N:527766 80	1.00	051	ST
798955	KIT-ACTUTR-RPR:TYP KIT,ACTUATOR REPAIR,C	1.00	061	KIT
100619	BRG,ROLL:ID 130MM,OD 230MM,WD 64MM	2.00	051	ST
602729	RING:SS JIS G4305 GR 420J2,TYP STUFFING	2.00	051	ST
592216	NOZZLE:TYP EJECTOR,APLC STEAM TURBINE	1.00	900	ST
595745	SHIM:TYP MAST	1.00	051	ST
620474	BRG,BALL:	1.00	051	ST1
602489	PACKING:GRAFOIL,RECTANGULAR	1.00	051	ST
634618	SEAT, VALVE: VALVE SIZE 4IN,DOC:EH10204E	4.00	051	ST
896540	GSKT:ID 772 X OD 798MM,WITHOUT RIB	2.00	051	ST
592023	CAP:TYP OIL TIP	6.00	051	ST
483015	FLG-PIPE;RAISED FACE,8IN,SCH 40; CL 300	1.00	051	EA
595060	GSKT-PRE-CUT;FF,FELT/WOOL	1.00	051	ST
643811	KIT-ACTUTR-RPR:TYP KIT,ACTUATOR REPAIR,C	1.00	061	KIT
587734	KIT, SEAL: TYPE ANALYZER,P/N:T-19K-33	2.00	051	ST
578202	KIT:TYP AIR MOTOR SEAL	1.00	081	ST
578077	KIT:TYP TEST,APLC CHLORINE ANALYZER	2.00	081	ST1
622659	RIG;PRELOADING RESILIENT DE	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
742287	WHEEL:TYP CHANGE	1.00	091	ST
9101659	ASSY,CLUTCH BRAKE MASTER	1.00	051	ST
1614237	VLV-CHCK;DUAL PLATE WAFER,6IN,150LB,98MM	1.00	051	EA
615495	BRG:SZ ID 55 X OD 100 X WD 21MM	1.00	051	ST
1054481	VLV-CHCK:TYP NON-RETURN,VLV SZ 1/4IN,DSG	1.00	051	ST
627136	KIT-VLV-RPR:APL ESD BALL VALVE BUTANE BA	2.00	051	ST1
604908	FUSE;FAST ACTING,1A,250V AC,GLASS	1.00	021	ST
644548	GSKT PRE-CUT :ID 570 X OD 586 X THK 2MM	4.00	051	ST
577409	PACKING:ID 16 X OD 22 X THK 3MM,PTFE	1.00	051	ST
759119	SEAL,OIL:ID 100MM,OD 130MM,WD 13MM	1.00	051	ST
9102451	LITHIUM CHLORIDE (DISPOSE OFF)	2.00	051	KG
590528	RLY:COIL V 24V DC,ACTN 2PDT,CNTCT RTNG 2	4.00	011	ST
643134	PACKING:GRAPHITE,TYP GLOBE VALVE	1.00	051	ST1
591652	BOLT:3/4IN,STEEL OXIDE	2.00	051	ST
619731	PLUNGER:MT SS ASTM A276 GR 420	1.00	051	ST
1025036	GSKT-SPRL-WUND:TYP BASIC WITH INNER RING	1.00	051	EA
577640	GEAR,WORM:	1.00	081	ST
642815	SEAL,RING:ID 38MM,THK 5MM	1.00	051	ST
615306	SEAL,RING:	2.00	051	ST1
1089370	SPRING, VALVE: MATL SS,WIRE DIA 35MM	1.00	051	EA
625353	RELAY:COIL 24VDC,4PDT,CONT 250VAC 7A	3.00	900	ST
610502	SWITCH,PUSHBUTTON:600VAC 10A,SPST,1NC	2.00	021	ST
593077	GSKT;11MM,ID 961 X OD 1083MM,ROUND	1.00	051	ST
634610	PIN-GRVD-HDLS;PLUG STEM	3.00	051	ST
805371	KIT,SEAL:TYP PACKING,APLC PUMP	2.00	051	ST
589441	BREAKER,CIRCUIT:150A,220/690VAC; 250VDC	1.00	011	ST1
605312	SWITCH:TYP FUSE,CONTRT 600V,SPDT,1NO-1NC	1.00	021	ST
9101826	REPAIR KIT	1.00	051	ST
113174	RELAY:COIL 110VDC,TYP AUXILIARY	34.00	051	EA
596370	GLAND:TYP STUFFING BOX,SZ ID 38.5 X OD	1.00	051	ST
600760	GSKT PRE-CUT :	2.00	051	ST
834340	KIT,VALVE REPAIR:PRESSURE RELIEF VALVE	2.00	051	KIT
619764	RING,RETAINING:MT TS JIS G4401 GR SK5	1.00	051	ST
1080644	STRIP, VALVE: P/N:64689890	1.00	051	EA
639444	RING:TYP NOZZLE	2.00	051	ST
614078	HOSE-FLXBL-MTL;500MM,SS 304L	2.00	051	ST
851432	RELAY:COIL 24V 1A,CONT 230V 3A	1.00	051	ST
1023883	LIGHT, INDICATING: TYP BEACON,WATT 7.2W	1.00	021	EA
975386	REGULATOR, PNEUMATIC: TYP VALVE	2.00	061	EA
582731	KIT;SENSOR REPLACEMENT,VORTEX FLOW METER	2.00	081	ST
602450	PACKING:1-7/8 IN X 68MM,GRAPHITE	1.00	051	ST1
592704	GSKT,SPWD:30IN,150LB,GRAPHITE,SS 316	3.00	051	ST
621921	CONTACT,AUXILIARY:	4.00	021	ST
582373	CONVERTER:TYP DC-DC,O/P 24VDC 0.6AMP	1.00	061	ST
197329	O-RIG:I DIA 19.8MM,WD 2.4MM,APL AUTOMATI	1.00	900	ST
590614	SWITCH:TYP LVDT	5.00	021	ST
900904	CONTACTOR:TYP MAGNETIC,POLE 3	2.00	011	EA
588746	KIT-VLV-RPR:TYP SOFT PARTS,CMPRSNG BONNE	1.00	051	ST1
619554	GSKT PRE-CUT :PTFE	2.00	051	ST1
636335	SEAT,VALVE:VLV SZ 1IN	1.00	051	ST
573507	GSKT SET:TYP SPIRAL WOUND,APPL HP CONTRO	11.00	051	EA
593068	GSKT PRE-CUT :	1.00	051	ST
326244	O-RING, DIN 3771- 45.00X 2.00-N-NBR 70	2.00	051	ST
9101729	SHAFT-360-NT-U3DXU3DX20CR13 (MARKED X)	1.00	051	ST
872390	ELEMENT,HEATER:	1.00	011	ST
643896	O-RING:APLC PRESSURE SAFETY VALVE	1.00	051	ST
582191	VENTILATOR:	1.00	081	ST
639840	GSKT PRE-CUT :PTFE	1.00	051	ST
577724	ASSEMBLY:CAPILLARY TUBE	1.00	081	ST
644715	GSKT PRE-CUT :TYP FF,SIZE THK 3MM,NOMINA	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1224133	RETAINER:TYP OIL RING,SIZE SQ 55 X LG 51	1.00	051	EA
742613	SPEAKER:TYP LOUD,W 20W	2.00	031	ST
644874	SIEVE:SZ DIA 40 X WD 400 X LG 300MM	10.00	071	ST
583231	CYLINDER,ACTUATING LINEAR:TYP PNEUMATIC	7.00	061	ST
539083	SWTCH-PUSH:CNTCT RTNG 380VAC (6)10A,ACTN	6.00	021	EA
1588408	KIT-VLV-RPR:TYP FASTENER,APL 10IN ANSI B	2.00	051	KIT
618018	ASSEMBLY:TYP BALLAST	1.00	021	ST
606344	NUT,HEX:DIA M9,STEEL,HT 8MM,THD 1.25MM	8.00	051	ST
1223096	CRD ELECTRNC:TYP MONITORING,FNCTN VOLTAG	1.00	031	EA
609447	CYLINDER:TYP SPECIFIC GRAVITY	10.00	081	ST
636468	BRG,SLEEVE:MT PTFE	2.00	051	ST1
624947	INVERTER:TYP CURRENT	2.00	011	ST
1029760	TRANSMITTER, TEMPERATURE: O/P 4-20MA	2.00	061	ST
738392	SPRING,VALVE:SS GR TP304	1.00	051	ST
610498	LIGHT,INDICATING:TYP PILOT,VOLT 230V	5.00	021	ST
902245	RELAY,PROTECTION:VOLTAGE MEASURING	1.00	031	EA
886887	MANOMETER:TYP DIFFERENTIAL	1.00	061	SE
602337	PACKING:TYP GLAND	10.00	051	ST
9101757	PLUG,NSF 57-085	1.00	051	ST
591914	SEAT,VALVE:VLV SZ 2 X 3IN,MANUAL CONTROL	1.00	051	ST
610554	SWTCH-PRSUR;POSITIVE AIR FLOW,0.5PSI G	2.00	061	ST
584864	DIAPHRAGM,VALVE:MT PTFE,VLV SZ 3IN	3.00	051	ST
619551	GUIDE,VALVE:MT SS 316	4.00	051	ST
634034	STEM:	2.00	051	ST
191490	STUD CNTNS THD:DIA 3/4IN,THRD 10 UNC,LG	18.00	051	ST
643096	GSKT,SPWD:1-1/2IN,GRAPHITE,SS 316	3.00	051	ST
1593777	RSR:TYP PRIMARY AND STAGED GAS,P/N:7091	4.00	051	ASY
643023	GSKT PRE-CUT :PTFE,COVER,DN 200	2.00	051	ST
627406	PANEL:	1.00	021	ST
578708	UNIT:TYP BRAKE,APLC TUBE MACHINE M/C	1.00	011	ST
644337	FUSE:125A,1200V	6.00	021	ST
630508	PLUG,VALVE:VLV SZ 4IN,PRESSURE REGULATOR	1.00	051	ST
624945	FUSE:VOLT 250V	2.00	021	ST
585047	DISC,VALVE:SS ASTM A564,630,RELIEF	1.00	051	ST
722854	GSKT:ROUND,V#7010	2.00	051	ST
1024064	UNIT: TYP PROTECTION,P/N:MA220	1.00	051	EA
631625	BALL:SZ DIA 10MM,MT STEEL	2.00	051	ST
1558125	FLANGE,PIPE:SCHDL STD,TYP RAISED FACE,SI	1.00	131	EA
598454	BRG:	2.00	051	ST
602491	PACKING:GRAFOIL,RECTANGULAR	1.00	051	ST
416824	VALVE,GATE:VLV SZ DN 15,DES RTG PN 16	1.00	051	EA
607706	COUPLING,SHAFT:DOC:EL-426-0013-9900886	1.00	051	ST
636777	BARRIER:TYP ANALOG INPUT	1.00	121	ST
582424	DETECTOR:TYP THERMOELEMENT	1.00	101	ST
612644	GSKT SET: APPL LUBE OIL COOLER	2.00	051	ST
596481	BAL-VLV;13MM,25MM,BRASS	1.00	051	ST
577781	ASSEMBLY:PISTON	1.00	081	ST
1580775	VLV-ANGL:VLV SZ 8 X 6IN,DSGN RTNG 150LB	1.00	051	EA
575034	VLV-CNTRL;REGULATOR,1IN,CS,NPT	1.00	101	EA
591419	SCREW, CAP: MATL CS ASTM A283/A322	4.00	051	ST1
580864	PLATE:TYP END II,SZ THK 0.6MM,SS 316	1.00	131	ST
583949	HOSE, FLEXIBLE METAL: HOSE SZ 3/4IN	3.00	051	ST
599776	GSKT PRE-CUT :NON ASBESTOS,ROUND	2.00	051	ST
597794	ELECTRODE,WELDING:E1-UM-350	2.00	051	PAK
592925	GSKT PRE-CUT :	4.00	051	ST
602019	O-RING:ID 100MM	2.00	051	ST
602101	PACKING:GRAPHITE,P#6610 AND P#6315	2.00	051	ST1
1608650	ELCTRD-WLDG:SZ DIA 3.2MM,AWS CLS AWS A5	3.00	051	PAK
580367	ROTOR:	2.00	081	ST
1510206	CONTACT,AUXILIARY:CONTACT ARRANGEMENT 2N	1.00	021	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
613550	THRMTR-DIAL;BIMETALLIC,0-160°C,160MM	1.00	101	ST
605135	RELAY:COIL 110VDC,4PST	3.00	011	ST
595156	GSKT-PRE-CUT;ROUND,RUBBER,WITHOUT	1.00	051	ST
612427	STAND:	8.00	051	ST
643912	SEAL:MT NBR	1.00	051	ST
737481	FILTER,OIL:PR 16BAR	2.00	051	ST
616172	BRKR-CRCUT;16A,10KA,4,MINIATURE	2.00	011	ST
593484	GSKT PRE-CUT :	2.00	051	ST
596315	ROLL:TYP FEED,SZ DIA 120MM	1.00	091	ST
1504975	KIT,VALVE REPAIR:APPL 16 IN GATE VALVE,T	1.00	051	KIT
653189	GLAND,PACKING:MT SS ASTM A351 GR CF8	1.00	051	EA
612422	SPRING,COMPRESSION:CLOSE/GROUND	2.00	051	ST
69343	BRG-BAL;10477,12MM,37MM,12MM,OPEN,SINGLE	4.00	051	ST
594081	SEAL,OIL:	1.00	051	ST
626599	RECEPTACLE,ELECTRICAL:ELEC TRT 125VAC	3.00	021	ST1
588275	PACKING:TYP GLAND	3.00	051	ST1
584870	DIAPHRAGM:	1.00	051	ST
603284	SEAL,MECHANICAL:UNBALANCED	1.00	051	ST
580408	SHFT;49MM,1394MM,STEEL,FAN	1.00	051	ST
612472	SCREW:IMPELLER LOCKING	1.00	051	ST
635661	PACKING:PTFE,IRREGULAR ROUND,TYP GLAND	2.00	051	ST1
641962	SPINDLE:TYP PILOT SAFETY VALVE,MT SS 403	1.00	101	ST
600897	GSKT PRE-CUT :ROUND	2.00	051	ST
634503	COLLAR:	1.00	051	ST
639435	DISC,VALVE:SS ASTM A564,630,PRESSURE AND	1.00	051	ST
583659	CIRCUIT:TYP GS,GCU,APLC TELEPHONE SYSTEM	1.00	011	ST
592821	GSKT;15MM,ID 1300 X OD 1380MM,ROUND	1.00	051	ST
602446	PACKING:TYP GLAND	1.00	051	ST1
589961	FUSE:	4.00	021	ST
69007	GSKT:SZ OD 95MM,MTRL SS 316 PTFE COATED	6.00	051	ST
639373	SPRING,VALVE:SS 316/SS 304	2.00	051	ST
896812	ELBOW,PIPE:SZ DIA 5IN,UNS S31803,90DEG	2.00	051	ST
594796	KIT-VLV-RPR:CMPSNG DIAPHRAGM,O RING	6.00	051	ST
623976	SWITCH,SELECTOR:POS 3	3.00	011	ST
612536	SPRG-VLV	2.00	051	ST
592582	GSKT-PRE-CUT;ID 109 X OD 119 X THK 1MM	1.00	051	ST
615102	GSKT-PRE-CUT;FLAT RING,ROUND,SILICON	5.00	051	ST
581434	CRCUT;ANALOG INPUT	1.00	011	ST
610461	STUD,D/END:DIA-A M16,DIA-B M16,LG 75MM	8.00	051	ST
599713	GSKT-PRE-CUT;ROUND	1.00	051	ST
585298	SEAT SUPERSEDED BY 226131	2.00	051	ST
582818	THERMOMETER,DIAL:RNG 100-500DEG C	1.00	101	ST
585149	FLTR-ELMNT;LG 150MM,CERAMIC,2MICRO	1.00	051	ST
612922	FUSE:50A	4.00	021	ST
602816	O-RING,CORD:MT NBR	3.00	051	ST
615025	ELBW-PIPE;OD 193.7 X THK 3MM,BW,30,LONG	1.00	051	ST
584483	BARRIER:TYP INPUT TEMPERATURE	1.00	121	ST
627630	FUSE:2A,380V	4.00	021	ST
602196	PACKING:SHF H-SHAPED ROUND,MT BUNA-N	1.00	051	ST
605737	TRANSFORMER,INSTRUMENT:CURR RT 1000/5A	1.00	011	ST
588741	KIT-VLV-RPR:TYP SOFT PARTS,APL GATE,GLOB	1.00	051	ST1
637981	BAL-VLV;SS 316	1.00	051	ST
605156	RELAY,TIME DELAY:ON DELAY	1.00	011	ST
1617039	TRNSFRMR-CURNT:PTNTL 10VA,CURNT RT 20/1A	1.00	051	EA
581700	HOSE, WATER: SIZE 1IN,LENGTH 3MM,CNCT PE	2.00	051	ST
590937	TRNSFRMR;CONTROL,15A,220V AC,SINGLE	1.00	011	ST
1036291	KIT-VLV-RPR	1.00	051	KIT
602223	PACKING:	2.00	051	ST1
601778	O-RING:ID 279.3MM,WD 5.7MM,MT NBR,STD	5.00	051	ST
588946	FILTER,ELEMENT:SS 316	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
626457	BRG,SLEEVE:TYP JOURNAL	1.00	051	ST
1078769	FILTER, OIL: MATL ASTM A105N,APPL	1.00	051	EA
604132	BREAKER,CIRCUIT:	1.00	011	ST
578675	RIBBON:APLC PRINTER	1.00	001	ST
590143	FUSE;350A,500V	5.00	021	ST
589823	STRAINER:TYP Y ELEMENT,MT SS 316,30	2.00	051	ST
619796	SHIM:	2.00	051	ST1
560881	KIT:APLC GAS CHROMATOGRAPH ANALYZER	2.00	081	KT
798664	GSKT,SPWD: MNFR: UNKNOWN,P/N: 3GTW080508	2.00	051	ST
1086670	PACKING: SIZE ID 52 X OD 75 X THK 5MM	3.00	051	EA
642905	O-RING:APLC LOWER SHAFT	10.00	051	ST
587754	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	KIT
607269	BUSH-PUMP;STEEL,PUMP SHAFT	1.00	081	ST
1189742	HANDLE: TYP ROTARY DRIVE LOCK	1.00	101	EA
593164	GSKT PRE-CUT :ID 33.5 X OD 39 X THK 2MM	20.00	051	ST
590012	FUSE:	1.00	021	ST
998960	PIECE: TYP ATTACHMENT,P/N:522983 02	1.00	051	ST
1595319	GSKT-PRE-CUT:TYP FF,SZ ID 66 IN X OD 80	6.00	051	EA
1012879	KIT-PUMP-RPR;SERVICE,SEPERATOR	1.00	081	KIT
1237152	SPRING,VALVE:MATL CHROME STEEL,VALVE SIZ	1.00	051	ASY
595580	KEY,SHAFT:TYP SPECIAL	7.00	051	ST
583658	CIRCUIT:TYP LIM,SIU	1.00	011	ST
589940	FUSE:6A	14.00	021	ST
582845	THERMOMETER,DIAL:RNG 0-400DEG C	1.00	101	ST
604731	FUSE:425A,LG 82MM,SCREW CLAMP,TIME DELAY	11.00	021	ST
859715	GSKT:ID 21.5 X OD 31.5MM,THK 2MM,ROUND	4.00	051	ST
577850	ASSEMBLY:PHOTO SENSOR (TC)	1.00	081	ST
608299	SOCKET,ELECTRICAL:TYP FREE STRAIGHT	10.00	021	ST
804692	SWITCH,SELECTOR:300VAC 20A	4.00	021	ST
594348	PACKING:ID 18 X OD 25 X THK 2.5MM,PTFE	1.00	051	ST1
596702	FILTER,ELEMENT:POLYESTER/POLYPROPYLENE	1.00	051	ST
589348	BARREL:TYP TELESCOPING	1.00	081	ST
1000793	SWTCH-SLCTR;MAIN,1NO,4,KNOB,690VAC 40A	1.00	021	EA
608519	SEAL,RING:	1.00	051	ST
630446	CORD,EXTENSION:	1.00	021	ST
617456	RING:	2.00	051	ST
1197363	MODULE: TYP DIGITAL I/O	1.00	031	EA
609431	SPRG-VLV;5BAR G	1.00	051	ST
623824	TRANSFORMER,INSTRUMENT:VA RT 50VA	1.00	011	ST
596381	GLAND:SZ ID 19 X OD 25MM	1.00	051	ST
604781	FUSE;ULTRA FAST BLOW,3.15A,500V AC	9.00	021	ST
598327	BRG:STARTER ARMATURE	1.00	051	ST
589771	SWITCH:TYP AUTOMATIC LINEAR CUT OUT	2.00	061	ST
63989	BRG,ROLL:TYP CYLINDRICAL,ROW SINGLE,INSI	1.00	051	ST
628087	GSKT,SPWD:DIA 1IN,300LB,GRAPHITE,SS	1.00	051	ST
615545	SHAFT,PUMP:	1.00	900	ST
1078771	PUMP, CENTRIFUGAL: TYP OPEN IMPELLER	1.00	081	KIT
726716	PALLET: MATL SS,P/N:300090-8874-1	1.00	001	ST
598228	BRG-RLR;TAPERED,33MM,68MM,18MM	4.00	051	ST
1024092	PACKING: SIZE ID 16 X OD 26 X HT 30MM	1.00	051	ST1
629161	NOZZLE,VALVE:MT SS ASTM A351 GR CF8	1.00	051	ST
600390	GSKT,RJ:SHAP OCTAGONAL,CODE R-39,SIZE ID	2.00	051	ST
642167	GSKT PRE-CUT :ROUND,DN 25MM	5.00	051	ST
595854	MTR-FLOW;2-18M3/HR,FPT	1.00	101	ST
610595	IMPLR-FAN;BLOWER WHEEL	1.00	081	ST
891328	HORN: TYP EX SOUNDER SHORT FLARE,STD CE	1.00	051	EA
601258	KIT,VALVE REPAIR:SOFT GOODS	3.00	051	ST
587369	KIT,VALVE REPAIR:BALL VALVE	1.00	051	ST
619702	SCREW,CAP:10MM DIA,40MM LG	2.00	051	ST
596372	GLAND:TYP PRESSURE,SZ LG 20MM,MT SS	4.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
497287	DISC,VALVE:SS 616,RELIEF	1.00	051	EA
632410	MODULE:TYP TC INPUT FIELD TERMINAL PANEL	1.00	031	ST
584388	THERMOMETER,DIAL:	1.00	101	ST
1031939	KIT, VALVE REPAIR: APPL GATE VALVE	2.00	051	KIT
1248887	BSKT-STRNR:PRFRTN SZ 5 BEKIPORMICRO M,MT	1.00	051	ST
774399	STUD-CNTNUS-THRD;7/8IN,9 UNC,350MM,B7	15.00	051	EA
1029114	FUSE: AMPERAGE 200A,VOLTAGE 250V	3.00	021	EA
1251421	KIT,VALVE REPAIR:APPL 6 IN GATE VALVE,TY	1.00	051	EA
9102200	PINION (TO BE DELETED REF.ROSE RTSNI 140	2.00	051	EA
1080901	SEAL, RING: INSIDE DIAMETER 278MM	1.00	051	EA
1049048	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	2.00	051	EA
804322	KIT,SEAL:TYP O-RING AND GASKET	1.00	051	SE
866129	VALVE,GLOBE:VALVE SIZE 3/4IN,DSGN RT 600	1.00	051	EA
1506686	O-RIG;10.77MM,1.38MM,VITON GLT600S,PUMP	2.00	051	EA
619855	FOLLOWER:MT BC3	2.00	061	ST
580645	BODY,VALVE:VLV ST BUTTERFLY,VLV SZ 150MM	1.00	051	ST
634743	SEAT,VALVE:VLV SZ 6IN	2.00	051	ST
708143	PLATE:TYP SPRING,SZ 51 X 100 X 2.7	2.00	051	EA
589366	BREAKER,CIRCUIT:20A,400VAC,INTP CAP 6KA	1.00	011	ST
636797	MEMBRANE: TYP DISK PACK,MATL SS 301	1.00	051	ST1
602973	SEAL:MT VITON	2.00	051	ST
623181	COVER:TYP DRUM COMPARTMENT	2.00	051	ST
599695	GSKT,SPWD:40IN,300LB,GRAPHITE,SS 304	2.00	051	ST
624928	RESISTOR:25OHM,RT 25W	5.00	031	ST
636258	PACKING: MATL V#8596,P/N:NAGP-D150 40A	2.00	051	ST
270968	TUBE,ELECTRONIC:TYP LEVEL GAUGE,CNCT 3 P	2.00	051	EA
617984	COIL,ELECTRICAL:TYP CIRCUIT BREAKER,FUN	1.00	011	ST
611038	PLUG,VALVE:VLV SZ 2IN,CONTROL,SS 316	1.00	051	ST
633130	KIT,VALVE REPAIR:	1.00	051	ST
583509	PLUG:VENT	2.00	051	ST
1047035	INSULATOR: TYP CAPACITIVE	1.00	051	EA
615522	KEY,SHAFT:TYP PARALLEL,MT SS ASTM	2.00	051	ST
651558	BRG,BALL:INSIDE DIAMETER 35MM,OUTSIDE DI	1.00	051	EA
600055	GSKT,SPWD:GRAFOIL,IRID 508MM,SS 316	2.00	051	ST
585437	SPRING,COMPRESSION:SS 316,CLOSE/GROUND	36.00	051	ST
592868	GSKT-PRE-CUT;HOLE TRUNKING,RECTANGULAR	1.00	051	ST
610765	VALVE,GATE:VLV SZ 1-1/4IN,CONN THD	5.00	051	ST
627611	DEVICE:TYP OVERLOAD	1.00	011	ST
806768	INSULATOR:TYP PHASE BUSBAR,STD DIN	1.00	051	ST
642012	SPRING,VALVE:STEEL	1.00	051	ST
630934	KIT,VALVE REPAIR:CONTROL VALVE	2.00	051	ST1
642457	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
596814	FILTER,AIR:	1.00	051	ST
598542	BELT,V:IN CIRC 2500MM,TOP WD 13MM	4.00	051	ST
622791	NOZZLE, VALVE: VALVE SIZE 4 X P2 X 6IN	2.00	051	ST
591219	THYRISTOR:	2.00	031	ST
580446	SHAFT:PINION	1.00	051	ST
586654	BELT,V:	1.00	051	ST
615453	O-RING:MT BUNA-N	2.00	051	ST
603864	SLEEVE:TYP SPACER,SZ 55 OD X 45 X 14.5	2.00	051	ST
588722	KIT-VLV-RPR:APL RELIEF VALVE,CMPRSNG GAS	4.00	051	ST1
612111	AMPLIFIER:TYP SWITCHING	1.00	011	ST
608789	TUBING,METALLIC:MT CU,OD 1/4IN,LG 30M	30.00	131	M
631561	WASHER,PRESSURE CLEANING:PRESSURE	2.00	051	ST1
601075	GSKT,SPWD:1IN,PTFE,SS 316L	2.00	051	ST
524419	RIG-RTNG;OD 48,LOCKING	1.00	051	ST
604157	SET:TYP ELECTRICAL BRUSH	10.00	021	ST
619797	SHIM:	1.00	051	ST1
580310	CYLNDR;LINER	2.00	081	ST
615780	SPRING:SS 302	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
610292	ELBW-TUBE-ADPTR;30MM,COMPRESSION,90	1.00	051	ST
416146	CAPACITOR:TYP FIXED,ST CAN,CAPCIT	1.00	031	EA
610683	FLANGE:	1.00	051	ST
642857	BRG-THRUST;BALL,70MM,105MM,27MM,3 PIECE	1.00	051	ST
599380	GSKT PRE-CUT :NON ASBESTOS,ROUND	2.00	051	ST
628351	DTCTR-RSTNC-TMPRTUR;PT100,100OHM	1.00	101	ST
639389	SPRING,VALVE:STEEL WIRE,175MM,DIA 11MM	1.00	051	ST
590338	RELAY:COIL 24VDC,4PST,CONT 220VAC 60HZ	2.00	900	ST
725924	VLV-RLF:TYP ANGLE - PROPORTIONAL,BDY MTR	1.00	051	ST
143006	PLUG,VALVE:VLV SZ 8IN,CONTROL,SS	1.00	051	EA
608114	ELBOW,PIPE:SZ 2IN,PVC,90,RAD LONG	6.00	051	ST
577917	KIT-SEAL:TYP SOFT PARTS,CMPNNT QTY ORING	4.00	051	KIT
819216	RTD:TYP SINGLE PT 100,100OHM	2.00	101	ST
594309	PACKING:GRAPHITE,RECTANGULAR ROUND	3.00	051	ST
1016804	STUD CNTNS THD:TYP BOLT,DIA 5/8IN,THRD U	12.00	051	ST1
578172	KIT-PUMP-RPR:TYP SOFT PARTS,APL LABORATO	1.00	081	ST
605961	DISPLAY UNIT:PWR S 1A	1.00	101	ST
577846	CIRCUIT:TYP LCD DISPLAY	1.00	011	ST
599393	GSKT,SPWD:PTFE/V#7596,SS 316,BASIC	2.00	051	ST
621887	CONTACT,AUXILIARY:	2.00	011	ST
808631	WASHER,LOCK:STEEL ASTM A29,1025,SPRING	1.00	051	SE
1078140	SEAL-MCH:TYP 2 POLE,BDY MTRL AISI 316L,P	2.00	051	EA
600194	GSKT PRE-CUT :	2.00	051	ST
582172	FAN:	1.00	081	ST
594158	O-RING:APLC CONTROL VALVE	6.00	051	ST
610772	SPRAYER:TYP PERENIAL	1.00	071	ST
901175	UNIT, CONTROL: STANDARD CSA; UL	9.00	011	EA
593060	GSKT-PRE-CUT;BOX FRONT COVER,SQUARE,CORK	1.00	051	ST
612145	BASE:MAIN TERMINAL TYP	2.00	051	ST
908922	RELAY:COIL 230VAC,SPDT,CONT 250VAC 10A	11.00	011	EA
123719	LIGHT,INDICATING:VOLT 250VAC,W 2/2.6W	5.00	021	EA
579514	SENSOR:TYP LEVEL CAPACITANCE	1.00	011	ST
643192	BLOCK:TYP SLIDING	1.00	131	ST
610214	BLOCK,TERMINAL:	1.00	021	ST
642680	PACKING:	1.00	051	ST1
600094	GSKT:BONNET,REFRIGERATION UNIT	1.00	051	ST
596455	ACTUATOR,ELECTRIC MOTOR:	1.00	061	ST
586395	BEARING:TYP SELF LUBE	2.00	051	ST
616116	MTR-ELECT-SRVC;KILO/MEGA WATT HOUR	1.00	061	ST
167173	GEAR:TYP PINION,MT STEEL	2.00	101	EA
628368	ACTUATOR:TYP DIAPHRAGM ROTARY	1.00	061	ST
17970	DISC-VLV:MTRL SS 316,VLV TYP PRESSURE SA	10.00	051	ST
615205	TRANSFORMER,INSTRUMENT:VA RT 40VA	1.00	011	ST
590854	RLY;24VAC 50/60HZ,DPDT,125/277VAC 15A	1.00	011	ST
628151	PACKING:GRAPHITE/STEEL GR 6	2.00	051	ST
589784	THERMOCOUPLE:TYP K,INS DIA 4.8MM,DESLG	1.00	061	ST
601014	GSKT,SPWD:SHP ROUND,APLC BONNET	2.00	051	ST
588951	FILTER,ELEMENT:SS 316,STRAINER SCREEN	1.00	051	ST
1025067	GSKT, SPWD: NOMINAL FLANGE SIZE 1 IN	2.00	051	EA
577648	GEAR:TYP WHEEL	2.00	081	ST
659437	NUT,HEX:DIA 3/4IN,CS ASTM A563,GR A,THD	20.00	051	EA
634161	STEM-VLV;BALL,DN 3IN,SS 316	1.00	051	ST
643529	BELT:SZ 18 X 1/2IN	1.00	051	ST
632600	SWITCH:TYP MICRO	3.00	021	ST
590277	PROTECTOR;FLANGE LEAK	2.00	001	ST
604078	BREAKER,CIRCUIT:6A	2.00	011	ST
738663	PINION:TYP SHAFT	1.00	081	ST
189831	BREAKER,CIRCUIT:4A,400/440VAC	1.00	011	ST
972531	REGULATOR, PNEUMATIC: MNFR:JORDAN VALVE	1.00	061	ST
1233479	NOZZLE,VALVE:VALVE SIZE 6 X 8IN,MATL SS3	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
600345	GSKT,SPWD:TYP BASIC WITH OUTER RING,WIND	6.00	051	ST
594318	PCKG;ID 70 X OD 87 X THK 8MM,GRAPHITE	4.00	051	ST
596165	HOLDER,FUSE:FERRULE,MOUNT PANEL,AMP 20A	1.00	021	ST
643168	INSERT,COUPLING:TYP FLEXIBLE	1.00	051	ST
629215	GSKT:END COVER,THK 0.4MM,PERMANITE	1.00	051	ST
637867	KIT,VALVE REPAIR:DOC:L2404	1.00	051	ST1
443796	ASSEMBLY:VALVE COMPLETE	1.00	081	EA
1056654	CORD, COMMUNICATIONS: TYP MODBUS	1.00	031	EA
581080	PLUG:TYP HEX SILINCER,SZ DIA 8 X LG 28MM	3.00	051	ST
625397	ELEMENT,HEATER:SZ 3/8IN,ELEC TRT 380V	6.00	011	ST
632028	GSKT PRE-CUT :P#1200-S,BONNET,3IN	2.00	051	ST
584117	PUMP;OIL	1.00	081	ST
608008	REDUCER:	1.00	051	ST
1627868	VSL;ACID DIGESTION,900ML,PTFE	1.00	051	EA
602215	GSKT PRE-CUT :THK 1.5MM,T#1500,ROUND	6.00	051	ST
594351	PACKING:13 X 19MM	1.00	051	ST1
593073	GSKT;4MM,ID 185 X OD 216MM,ROUND	1.00	051	ST
1217192	KIT,VALVE REPAIR:APPL 4IN GATE VALVE,TYP	1.00	051	KIT
858064	SHIM:MT SS 304	4.00	051	ST
808831	ARM:MT CS ASTM A216 GR WCB	1.00	131	ST
612824	DIFFUSER:	7.00	081	ST
634475	GSKT:THROTTLE VALVE BODY/COVER	4.00	051	ST
599332	GSKT:IRON	4.00	051	ST
161249	GSKT;CLOSING CAP,ROUND,WITHOUT	1.00	051	EA
577460	MTR;TURBINE	2.00	101	ST
443407	ASSEMBLY:CELL 3100 FID	1.00	081	EA
612880	RING,WEAR:APLC HUB AND EYE	2.00	081	ST
399850	CAGE-VLV:VLV STYL GLOBE CONTROL,VLV SZ 1	1.00	051	ST
584102	JET:APLC HYDROJET MACHINE	20.00	051	ST
593078	GSKT;14MM,ID 2095 X OD 4002MM,ROUND	1.00	051	ST
615732	SEAL,LABYRINTH:BUSH BEARING COVER,BRONZE	2.00	051	ST
608146	NIPPLE,PIPE:SZ 1-1/2IN,LG 4IN,GI,MNPT	18.00	051	ST
1613174	GUD-VLV:VLV STYL PRESSURE SAFETY VALVE,V	1.00	051	EA
580344	PSTN	1.00	091	ST
608404	BAND:TYP CLAMPING	4.00	001	ST
594716	O-RING:ID 35MM,WD 3MM,MT VITON	2.00	051	ST
806906	CONTACT:TYP EARTHING,MT BRASS,STD DIN	7.00	011	SE
595838	DISPLAY UNIT,DATA:TYP INDICATOR,SEGMENT	1.00	141	ST
616723	RESISTOR:RT 30W	2.00	031	ST
641169	WASHER:PRE-LOADING	3.00	051	ST
599325	GSKT,SPWD:T#18344-NA/NON ASBESTOS	1.00	051	ST
603693	CONNECTOR,COMMUNICATIONS:TYP BUS,FEMALE	1.00	031	ST
1022669	CIRCUIT: APPL CGS,P/N:010973-001	1.00	011	EA
577400	GSKT PRE-CUT :ID 218 X OD 278 X THK 1MM	3.00	051	ST
568004	SWITCH:TYP CLOSE-TRIP,MOUNT PANEL	1.00	031	EA
639344	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
1552618	PROCESSOR:TYP CENTRAL PROCESSING UNIT FO	1.00	031	ST
1587785	GSKT-PRE-CUT:TYP RF, SZ ID 406 X OD 514 X	2.00	051	EA
590630	SWITCH:TYP DOOR ALARM SENSING	1.00	021	ST
614688	BRG, SLEEVE: TYP BUSHING,P/N:BRN154122	1.00	051	ST
592826	GSKT-PRE-CUT;RECTANGULAR,CORK	20.00	051	ST
1244826	KEY,SHAFT:TYP COUPLING END,MATL A 276- 3	2.00	051	EA
798533	HEATER:TYP POWER LIMITING	10.00	011	EA
607343	BUSH,VALVE:ID 1-3/8 X OD 1-3/4IN	1.00	051	ST
609163	ANGLE:MT PLASTIC	2.00	131	ST
9101889	SLEEVE, MECHANICAL SEAL MATL: SUS 403	1.00	051	ST
586659	BELT,V:	1.00	051	ST
591467	NUT,HEX:DIA 11MM,STEEL ZINC PLATED	2.00	051	ST
600057	GSKT,SPWD:GRAFOIL,IRID 591MM,SS 316	1.00	051	ST
641853	MODULE:VOLTAGE REPEATER,I/P 0-12V	1.00	031	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
601028	GSKT:	2.00	051	ST
623632	POWER SUPPLY:TYP DC,I/P 220VAC	2.00	900	ST
1204358	TRANSDUCER:TYP TORQUE,INPUT 142-244NM,SU	1.00	061	EA
593434	O-RING:	1.00	051	ST
611980	SNSR;DENSITY METER,0.3~1.8	1.00	011	ST
595315	SEAL,OIL:	2.00	051	ST
617023	FITTING:TYP HEATER,SZ NPT 1/2 IN,MT MI	2.00	051	ST
536943	KEY-SHFT:TYP TAPER,MTRL ALLOY 6,P/N:12B9	1.00	051	EA
930809	THERMOWELL:TYP THREADED,TOT LG 135MM	1.00	061	EA
1594208	STRNR-PG:TYP Y-TYPE,SZ 1-1/2IN,P RTNG 30	9.00	051	EA
1239956	PLUG,VALVE:VLV STYL GLOBE,VALVE SIZE 1.5	1.00	051	EA
1248246	GSKT PRE-CUT :TYP FLAT,SIZE SQ 180 X THK	1.00	051	EA
601461	O-RING:APLC MONITOR	2.00	051	ST
931262	HOSE, FLEXIBLE METAL: HOSE SZ 3IN	1.00	051	ST
635536	BRG:MT CS/PTFE COATED	2.00	051	ST
1598900	VLV-CHCK:TYPE RETAINERLESS,TYPE 10IN,TYP	2.00	051	EA
577527	COMPOUND,SEALING:TYP SHELLAC,BOTTLE 59ML	20.00	001	CA
602400	PACKING:PTFE,SQUARE	2.00	051	ST1
625529	BLOCK,TERMINAL:ELEC TRT 600V 65A	95.00	021	ST
620279	RING:SS ASTM A276 TP 420	1.00	900	ST
635103	LIGHT,INDICATING:TYP PILOT,COLOR RED	22.00	021	ST
636952	O-RING:	1.00	051	ST
590895	SWITCH,PRESSURE:	1.00	061	ST
596502	DIAPHRAGM,ACTUATOR:ACT SZ DIA 125MM	1.00	061	ST
580694	COVER:TYP PROTECTIVE,SZ WD 7-1/2 X LG 53	4.00	051	ST
601026	GSKT PRE-CUT :ROUND	1.00	051	ST
615938	GSKT:END COVER	1.00	051	ST
615709	BUSH,PUMP:SS ASTM A276 / SS JIS G4305 GR	4.00	081	ST
639422	SPRING,VALVE:STEEL WIRE ASTM A231	1.00	051	ST
583427	PLATE:SZ THK 6MM,THERMO PLASTIC	4.00	131	ST
623049	FUSE:VOLT 600V	6.00	021	ST
620416	SEAT,VALVE:PRESSURE RELIEF,PERFLUORO	7.00	051	ST
589637	BASE:MOUNTING TYP	6.00	021	ST
605519	SWITCH,PRESSURE:2.5-50MBAR,240VAC 5A	1.00	061	ST
600970	KIT-SEAL:TYP SOFT PATRS,APL NITROGEN PLA	1.00	051	ST
584411	METER:TYP AMPERAGE,RNG 0-1600A	1.00	101	ST
594949	SEAL-OIL;61MM,80MM,12MM,RUBBER	3.00	051	ST
594113	O-RING:ID 10MM,WD 3MM	1.00	051	ST
603129	SEAL,OIL:MT NBR	2.00	051	ST
1585316	BRG-ASMBLY:TYP JOURNAL,ROW SINGLE,ROLR E	1.00	051	ASY
642819	SEAL:	1.00	051	ST
644338	FUSE:63A,WD 3/4 X LG 7-1/2 X THK 1/4IN	4.00	021	ST
600664	GSKT PRE-CUT :	2.00	051	ST
9102058	PAD, PEDAL COVER, 90 MM X 90 MM X 20 MM,	5.00	051	ST
593928	O-RING:ID 250MM,WD 7MM,MT RUBBER	1.00	051	ST
580438	SHAFT:	1.00	051	ST
612082	DIAPHRAGM,VALVE:RT 1.2BAR,SZ DIA 205MM	3.00	061	ST
1029179	PIN: P/N:4TOYO947C,P/N:4TOYO947C	2.00	051	ST
642120	DISC,VALVE:UNS S30400,VLV SZ 2 X 3IN	1.00	051	ST
393818	GASKET, FLAT 370X 424X1.00MM NON-ASBEST	2.00	051	ST
642504	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
583279	ROTOR:	1.00	081	ST
1037903	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	1.00	051	EA
612064	FIXTURE,FLUORESCENT LIGHTING:VOLT 230V	4.00	021	ST
580946	PLUG-VLV;CONTROL,DN 40MM,SS	2.00	051	ST
592548	GSKT PRE-CUT :DIA 12 X THK 1.5MM,ROUND	4.00	051	ST
628064	SEAT,VALVE:VLV SZ 1-1/2IN,CONTROL	1.00	051	ST
1579140	PLUG-TUBE:DIA LARGE END 24 X SMALL END 2	100.00	051	EA
612576	VALVE:TYP EMERGENCY	1.00	051	ST
609668	O-RING:APLC PFA VALVE	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
610667	BRG,BALL:ID 17MM,ST 2 SHIELDS,ROW SINGLE	2.00	051	ST
269161	O-RING:	1.00	051	EA
584645	RTNR:TYP BEARING,MTRL BABBIT; STEEL,APL	2.00	051	ST1
632589	MODULE:COMMUNICATION PROCESSOR	1.00	031	ST
642757	SEAT,VALVE:VLV SZ DN 80,BALL,GFK/PTFE	8.00	051	ST1
494071	ROD:TYP COUPLING,MT SS DIN WN 1.4301	1.00	081	EA
624261	PUMP:TYP OIL	1.00	081	ST
582798	THERMOMETER,DIAL:TYP BI-METALLIC	1.00	101	ST
602345	PACKING:SQ 7 X ID 35MM,PTFE,SQUARE	5.00	051	ST
591357	STUD CNTNS THD:TYP BOLT,DIA M16,THRD 2MM	3.00	051	ST
1024532	STUD CNTNS THD:TYP BOLT,DIA M30,THRD 8 U	36.00	051	EA
592074	COUPLING,SHAFT:RIGID,SS ASTM A276 GR 403	1.00	051	ST
904414	INSERT,ELECTRONIC:O/P 4-20MA	3.00	061	EA
582924	PROXIMITOR:8MM,5M	13.00	061	ST
596483	INSRT	1.00	051	ST
441595	GSKT:OD 3.465IN,THK 0.062IN	1.00	051	EA
604543	FUSE:63A,660V,CURRENT LIMITING	6.00	021	ST
411132	CABLE,COAXIAL:	1.00	021	ST1
1032788	RING, WEAR: INSIDE DIAMETER 70MM	1.00	081	ST
590185	HEATER,SPACE:RT 220VAC 200W 60HZ	1.00	011	ST
605202	RLY;240/288VAC 50/60HZ,4PST,CONTACTOR	2.00	011	ST
590868	STARTER,ELECTRIC MOTOR:TYP FORWARD	1.00	011	ST
634701	JET;T.O.C ANALYZER	2.00	051	ST1
641770	HOUSING:TYP LOWER BEARING	1.00	051	ST1
617126	FUSE:50A,HIGH RUPTURE CAPACITY	4.00	021	ST
694468	RLY	2.00	900	EA
586415	BRG,SLEEVE:	1.00	051	ST
617638	PULLEY,V-BELT:SPB,GROOVE 3	1.00	051	ST
595608	KEY,SHAFT:TYP DRIVE SHAFT	2.00	051	ST
642764	SEAT,VALVE:VLV SZ DN 80,BALL,GFK/PTFE	8.00	051	ST1
9101944	GASKET,RF;DN100,PN10-16;C4409L (7017740)	12.00	051	ST
632556	CEL-PHTLCTRC	1.00	011	ST
600912	GSKT,SPWD:SHP ROUND	2.00	051	ST
592981	GSKT PRE-CUT :	2.00	051	ST
623981	BREAKER,CIRCUIT:6A,POLE 2	2.00	011	ST
603905	STRIP:SZ WD 10 X THK 6MM,MT EPDM	3.00	051	M
643239	LEVER:	1.00	091	ST
620247	DEFLECTOR:MT BRASS ASTM B16 GR C36000	2.00	081	ST
644865	THERMOWELL:280MM,TOT LG 315MM,MT SS 316	1.00	061	ST
604250	CONTACT:TYP MOVEABLE STATIONARY	4.00	011	ST
114390	BRKR-CRCUT:AM 2A,VLTG 277V AC,INTRUPT CP	7.00	051	EA
189760	RING,RETAINING:TYP SNAP,MT STEEL	2.00	051	ST
638069	GSKT PRE-CUT :	1.00	051	ST
609717	KIT,VALVE REPAIR:GLAND PACKING AND SEAT	1.00	051	ST1
618062	THERMOMETER,DIAL:TYP FIXED	1.00	101	ST
1247401	VALVE:TYP FLEXILOCK TRAY,VALVE SIZE THK	705.00	051	EA
598193	BRG,ROLL:	1.00	051	ST1
621981	SEAL-LBYRNTH;DIA 280MM,MOTOR	2.00	900	ST
603808	SLEEVE,COUPLING:	4.00	051	ST
798667	GSKT,SPWD: MNFR: UNKNOWN,P/N: 3SBO280017	1.00	051	ST
635577	RING,BACK-UP:MT CS	2.00	051	ST
800775	GSKT,SPWD:3IN,300LB,GRAPHITE,SS 316	2.00	051	ST
9101707	GAUGE,PRESS.CASING:SS 1.43(TO BE DELETED	1.00	051	ST
808245	SEAL-LBYRNTH:TYP OIL OUTBOARD,MTRL BRONZ	2.00	051	EA
635199	WASHER:MS	1.00	051	ST
901111	WASHER,SEALING:NOM SZ 1/4IN	1.00	051	EA
1522635	INTERFACE:TYP HUMAN MACHINE,DMNSN WD 8.4	2.00	061	EA
615578	NUT:SS ASTM A283,GR D,SHAFT	2.00	051	ST
643747	BRG-BAL;12427,35MM,62MM,14MM,2 SEALS	1.00	051	ST
632406	MODULE:SEQUENCE CONTROL,PWR S 24VDC	1.00	031	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
619625	O-RING:MT NBR/S46	3.00	051	ST1
615715	RING,WEAR:	2.00	081	ST
606501	PIN,SPRING:DIA 2MM,LG 8MM	2.00	051	ST
642750	SEAT,VALVE:VLV SZ DN 65,BALL,GFK/PTFE	8.00	051	ST1
1080674	AMPLIFIER: TYP ISOLATION,O/P 4-20MA	1.00	031	EA
748315	NOZZLE,TORCH:TYP CUTTING,SZ ID 8 X OD	40.00	051	ST
629848	RELAY:COIL 110/120VAC,4PDT	2.00	011	ST
607215	PLUG:TYP RAWL,SZ M5 X 25	77.00	051	ST
1087038	IMPELLER, PUMP: TYP OPEN	1.00	081	EA
153957	TUBING:TYP ANALYZER,INSIDE DIAMETER 1/16	5.00	131	FT
593230	GSKT PRE-CUT :ID 169 X OD 218 X THK 2MM	15.00	051	ST
600143	GSKT-SPRL-WUND;BASIC WITH INNER RING	3.00	051	ST
637199	BELLOWS:TYP EXPANSION,MT INCOLOY 800H	1.00	051	ST
587966	KIT,VALVE REPAIR:SEAT AND SEAL	3.00	051	KIT
586844	SPIDER:TYP COUPLING L110	2.00	051	ST
588504	KIT-VLV-RPR:TYP SOFT PARTS,APL BALL VALV	1.00	051	ST1
598624	BELT,TOOTHED:SZ LG 200M	2.00	051	M
738361	ADAPTOR:TYP SEAT,TP 316L	1.00	051	ST
598167	BRG,BALL:IBI 14286,ID 65MM,OD 140MM	3.00	051	ST
990751	VALVE, GATE: TYP FLEXIBLE WEDGE	1.00	051	EA
599723	GSKT JKTD:SHP ROUND	1.00	051	ST
644939	FLANGE,PIPE:SIZE DN 150,CNCTN TYP WELD N	4.00	051	ST
595280	SEAL,OIL:ID 40MM,OD 60MM,WD 8MM,MT PTFE	1.00	051	ST
804636	GSKT:ID 85 X OD 105MM,BODY BONNET	1.00	051	ST
589700	CONTACTOR:TYP MAGNETIC,AMP 25A,4 POLE	1.00	900	ST
639596	KIT-VLV-RPR:APL PLUG VALVES,CMPRSNG SLEE	1.00	051	KIT
628881	GSKT PRE-CUT :NON ASBESTOS	1.00	051	ST
608540	RING:SS ASTM A276 TP 420	1.00	051	ST
615649	RETAINER:TYP SLEEVE	1.00	051	ST
629582	GSKT:MONEL	2.00	051	ST
609623	PIN:	4.00	051	ST
632695	TRANSMITTER, TEMPERATURE: O/P 4-20MA DC	1.00	061	ST
599341	GSKT PRE-CUT :IRON,ROUND	6.00	051	ST
1032768	RING,WEAR:INSIDE DIAMETER 292MM,MATL SS	1.00	081	ST
612822	BRG-RLR	2.00	051	ST
595108	SEAL:SZ ID 48 X OD 58 X THK 3MM,MT STEEL	2.00	051	ST
624516	VALVE,RELIEF:TYP SAFETY	1.00	051	ST
584763	BSKT-STRNR;1/16IN,SS 304	1.00	051	ST
583653	CIRCUIT:TYP LIM,REU	1.00	011	ST
617742	TRANSFORMER:TYP CONTROL,VA RT 200VA	1.00	011	ST
642558	BRG:SHAFT,MT GRAPHITE/SS DIN WN 1.4571	5.00	051	ST
1038963	TRANSFORMER, INSTRUMENT: VA RATING 25VA	1.00	011	EA
900640	CONTACT,AUXILIARY:	1.00	011	EA
582356	CONTROLLER,ELECTRONIC:TYP TEMPERATURE	1.00	031	ST
588308	GSKT PRE-CUT :ROUND	3.00	051	ST
656794	BAG:TYP ZIP LIP, WD 4" X LG 6" X THK 4MM	2,000.00	001	EA
581178	CIRCUIT:TYP RESISTANCE TRANSMITTER	2.00	011	ST
619989	GSKT PRE-CUT :NBR,IRREGULAR	2.00	051	ST
624676	O-RIG:MTRL BUNA-N,APL SEAL,P/N:PRW000011	1.00	051	ST
1603373	GSKT-ST:APL PRESSURE SAFETY VALVE,MTRL S	1.00	051	SE
602731	RING,WEAR:APLC CASE HUB	1.00	081	ST
9102289	REACTOR,FOR CHASIS UNIT,0.20MH/3X64 AMP,	1.00	051	ST
600755	GSKT,RJ:OVAL,IRON,2IN,PR RT 150LB	2.00	051	ST
581342	CIRCUIT:TYP GELYL RICHTER CONTROL	1.00	011	ST
641951	HOLDER,VALVE DISC:	2.00	051	ST
616630	METER,ELECTRICAL:TYP POWER FACTOR	1.00	101	ST
587220	KIT,COMPRESSOR REPAIR:TYP MINOR REBUILD	2.00	900	ST1
606401	PIN-DWL;32MM,74MM,STEEL	2.00	051	ST
641963	SPRING,VALVE:SS 304	1.00	051	ST
961636	SCREW, MACHINE: MATL SS,GRD 304	2.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
589081	CIRCUIT:TYP P AND Z DECODER INPUT/OUTPUT	1.00	031	ST
417555	CIRCUIT:TYP SPU II AND ALARM	2.00	051	EA
613519	OPERATOR,SWITCH:TYP PUSHBUTTON	2.00	011	ST
631247	BOX,ELECTRICAL:TYP SWITCH LIMIT	2.00	061	ST
592247	REDUCER:TYP MANUAL PRESSURE	1.00	051	ST
590894	SWITCH:TYP BRAKE	1.00	021	ST
587211	KIT:TYP ESD	3.00	081	ST
585570	BASKET,STRAINER:PERFORATIONS 6MESH	1.00	900	ST
903943	CIRCUIT:TYP ADVANCED TERMINAL HW2	1.00	011	EA
614860	SHAFT,PUMP:	1.00	051	ST
726714	DISC:RESIN BONDED CORK	1.00	051	ST
630846	THERMOSTAT:RNG 70-120DEG C	1.00	081	ST
589185	CONNECTOR:TYP REDUCER	1.00	051	ST
579333	GLASS,SIGHT:SZ DIA 80 X TH 12MM,MT GLASS	2.00	101	ST
641893	TRANSDUCER:	1.00	061	ST
766885	COIL,ELECTRICAL:TYP REACTOR	1.00	011	ST
615567	RING:	2.00	051	ST
600766	GSKT PRE-CUT :	2.00	051	ST
903588	MODULE:OUTPUT SERIAL MODBUS	1.00	031	EA
619576	GSKT PRE-CUT :V#6500	1.00	051	ST
642844	BRG-RLR;TAPERED CONE AND CUP,SINGLE,40MM	1.00	051	ST
582847	THERMOMETER:RNG 0-100DEG C	1.00	061	ST
590926	TRANSFORMER,INSTRUMENT:CURR RT 5/0.025A	1.00	011	ST
603470	BLOCK:TYP AUXILIARY SWITCH	1.00	131	ST
605119	RELAY:TYP AUXILLIARY,CONTAR 1NC	1.00	011	ST
775548	O-RING:ID 320MM,WD 3.0MM,MT VITON	1.00	051	ST
756375	SWTCH-SLCTR;SELECTOR,(2) SPST,2NO,3	1.00	021	ST
541884	TIMER:TYP PNEUMATIC	1.00	021	EA
869023	KIT-PUMP-RPR:TYP SEAL,APL LUBE PUMP,CMPR	1.00	081	KIT
666029	GSKT PRE-CUT :ORGANIC FIBRE,ROUND	1.00	081	EA
627660	BREAKER,CIRCUIT:16A,MOLDED CASE	2.00	011	ST
988314	CABLE, COMMUNICATIONS: P/N:1756-CPR	1.00	031	EA
605435	SWTCH-PRSUR;DIFFERENTIAL,0.2-4BAR,SPDT	1.00	061	ST
594062	O-RING:ID 36MM,WD 4MM,MT PLASTIC	12.00	051	ST
587920	KIT,VALVE REPAIR:GASKET AND PACKING	2.00	051	KIT
144723	SEAT-VLV:VLV TYP CONTROL,VLV SZ 1-1/2IN	1.00	051	EA
498461	DISC-VLV:MTRL SS 316,VLV TYP SAFETY RELI	1.00	051	EA
579578	THERMOMETER,DIAL:RNG -20 TO 60DEG C,DIAL	2.00	101	ST
629588	GSKT:CAP,MONEL	2.00	051	ST
809291	SUPPRESSOR:TYP TRANSIENT,RT 110-250VAC	1.00	031	EA
1607747	MTR-ELCTRC:PWR RTNG 5.0HP,ELCTRCL RTNG 3	1.00	011	EA
584119	FLTR-ELMNT:TYP HYDRAULIC PUMP DISCHARGE	1.00	051	ST
428315	CIRCUIT:TYP INTERFACE	2.00	011	ST
625008	PLUG,VALVE:VLV SZ 1IN,CONTROL,SS 316	1.00	051	ST
1244770	CONTACTOR:TYP MOTOR CONTROL,POLE 3,CONTC	1.00	011	EA
602490	PACKING:GRAFOIL,RECTANGULAR	1.00	051	ST
877624	SEAL:ID 50 X OD 68 X THK 8MM,SHAFT	1.00	051	EA
626395	SOCKET,ELECTRICAL:	6.00	021	ST
586763	MOTOR:FAN/TILT	1.00	011	ST
612250	SLEEVE:TYP JOURNAL	1.00	051	ST
1032607	BUSHING:TYP THROAT,SIZE ID 121 X OD 160	1.00	051	EA
1024817	SET;WEAR PARTS,HOIST BRAKE	2.00	081	SE
602311	PACKING:GRAPHITE/TEFLON BRAIDED (GTJ +	1.00	051	ST
612898	RELAY:	4.00	011	ST
1235805	SCREEN:TYP VALVE,MATL SS304,APPLN PRESSU	9.00	051	EA
642575	SEAL,RING:MT SS ASTM A790 GR S31803	1.00	051	ST
639337	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
1563942	MOTOR,ELECTRIC:PWR RT 0.75KW,ELEC RT 380	1.00	011	EA
616182	BRKR-CRCUT;20A,10KA,3,MINIATURE	1.00	011	ST
585126	FILTER,ELEMENT:REPLACEMENT	3.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
625530	BLOCK,TERMINAL:ELEC TRT 600V 80A	9.00	021	ST
582811	THERMOMETER,DIAL:RNG 0-120DEG C	1.00	101	ST
802923	PACKING:ID 38 X OD 57 X THK 9MM,GRAPHITE	1.00	051	ST
642866	BRG,ROLL:ID 17MM,OD 40MM,WD 12MM,TYP	4.00	051	ST
601661	O-RING:MT VITON	1.00	051	ST
594453	RIG;PRESSURE,SS	1.00	051	ST
638974	POLE:TYP TADPOLE,MT FIBRE GLASS	1.00	021	ST
642739	RING:PTFE/TFM 4220,TYP ANTISTATIC	8.00	051	ST
928348	ACTATR:APLC CONTROL AND LOAD SWITCH	1.00	061	EA
594319	PCKG;ID 27 X OD 39 X THK 6MM,COMPRESSED	2.00	051	ST
604992	CIRCUIT,POWER SUPPLY:	2.00	021	ST
1032795	O-RING: INSIDE DIAMETER 92MM,WIDTH 4MM	5.00	051	ST
601393	O-RING:MT VITON	4.00	051	ST
604716	FUSE:8A,250VAC,DIA 1/4 X LG 1IN,SCREW IN	40.00	021	ST
592358	PIECE:TYP CROSS TRIM,MT NYLON FREE GSM	1.00	051	ST
644464	STUD,D/END:DIA-A M16,DIA-B M16,LG 68MM	1.00	051	ST
585283	SEAT,VALVE:VLV SZ 1IN,BALL,PTFE	2.00	051	ST
607870	INSERT:CARBIDE	30.00	051	ST
864186	CIRCUIT:TYP OPTION BOARD,APPL (4) CHANNE	2.00	011	EA
600892	GSKT PRE-CUT :KLINGERSIL C-4400	2.00	051	ST
629197	SPRING,VALVE:SS 304	2.00	051	ST
582339	CONTROL:TYP REMOTE,FIELD PORTABLE	1.00	061	ST
622736	GSKT:OUTSIDE DE	2.00	051	ST
587952	KIT,VALVE REPAIR:SEAL	1.00	051	KIT
1605759	GSKT-KIT-INSULTG:TYP FLANGES ISOLATION,N	2.00	051	KIT
1024253	TERMINAL: TYP EARTH,STD ASTM	1.00	051	EA
584268	KEY,SHAFT:TYP IMPELLER,MT SS	1.00	051	ST
78057	PIPE:SZ 10IN,SCHD 100,CS ASTM A106,B	18.00	101	M
839174	METER,ELECTRICAL:TYP CURRENT	4.00	101	ST
592834	GSKT PRE-CUT :TYP PUMP,SIZE ID 160 X OD	1.00	051	ST
641375	MODULE:	2.00	031	ST
928613	CONTACTOR: TYP REVERSING,POLE 3	1.00	011	EA
1033924	GUARD: TYP VALVE,MATL AL,DOC:SPI2_52620	1.00	121	EA
599538	GSKT PRE-CUT :OD 23.5MM,ROUND	4.00	051	ST
632598	THERMOMETER, DIAL: RANGE 0-200DEG C	1.00	101	ST
1080638	INSERT: TYP OIL CONTROL,SIZE DIA 24MM	1.00	051	ST
635017	SHAFT:NI GR MONEL K500	2.00	051	ST
600585	GSKT PRE-CUT :GRAPHITE/SS,ROUND	1.00	051	ST
1223818	TRANSFORMER:TYP CONTROL,VA RATING 500VA,	1.00	011	EA
644683	MODULE:INVERTER	1.00	031	ST
579118	CONTROLLER:TYP PLC,RT 24VDC,MOUNT RAIL	1.00	031	ST
582444	GAUGE,PRESSURE:0-2.5BAR G	1.00	101	ST
708602	PLUG, VALVE: MATL SS 316,MNFR:MASONEILAN	1.00	051	EA
630577	SEAT,VALVE:VLV SZ 3IN,CONTROL,SS 316	1.00	051	ST
578193	KIT:TYP REPLACEMENT	1.00	081	ST
587925	KIT-VLV-RPR:TYP SOFT PART,APL BALL (SIZE	1.00	051	KIT
643182	BUSH:STEAM TURBINES	1.00	051	ST
624923	ASSEMBLY:TYP ALARM	2.00	011	ST
905119	CRCUT;REDUNDANT CENTRAL	1.00	011	EA
605723	TRANSFORMER,INSTRUMENT:TYP CURRENT,CURR	3.00	011	ST
546354	SEAL,RING:ID 15MM,OD 35MM,THK 7MM,TYP	1.00	051	EA
611310	CYLINDER,GRADUATED:SZ 1000ML,MT	7.00	071	ST
804693	SWITCH,SELECTOR:300VAC 20A	2.00	021	ST
640590	SWITCH,PRESSURE:1.6-10BAR,110/250VAC 5A	1.00	061	ST
587542	KIT-VLV-RPR:TYP SOFT PARTS,APL BUTTERFLY	1.00	051	KIT
628635	BRG,THRUST:	2.00	051	ST
621879	HOLDER,FUSE:AMP 30A,VOLT 600VAC,FERRULE	6.00	021	ST
623847	SWTCH-DSCNCT;415VAC 250A,4PST	1.00	011	ST
1617036	TRNSFRMR-CURNT:PTNTL 10VA,CURNT RT 50/1A	1.00	051	EA
605080	RELAY:COIL 24V,CONT 240V 5A	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
594277	PCKG;ID 18 X OD 28 X THK 10,GRAPHITE	1.00	051	ST
587001	ASSEMBLY:WORM SHAFT	1.00	081	ST
1065065	RIG:TYP SEAT,MTRL 316L NACE/COCR-A,SZ DN	1.00	051	EA
1204199	PLATE:TYP SET,SIZE ID 220 X OD 270 X THK	1.00	131	EA
854451	HYGROMETER:TYP MOISTURE MONITOR	1.00	061	ASY
909860	KIT:TYP ACCESSORIES	2.00	081	EA
606910	STUD CNTNS THD:DIA 5/8IN,LG 3IN,MTRL AS	4.00	051	ST1
584867	DIAPHRAGM, VALVE: MATL HYPALON GR 237	1.00	051	ST1
644233	CHEMICAL:TOLUENE,TOL,TYP TOLUENE,LIQUID	12.50	001	L
855778	LIGHT,INDICATING:TYP FLASH LAMP	2.00	021	EA
1587330	GSKT-PRE-CUT:SZ ID 265 X OD 318 X THK 4M	2.00	051	EA
838778	GSKT JKTD:ID 296 X OD 316MM	40.00	051	ST
609153	POTENTIOMETER:TYP BALANCING METER	3.00	031	ST
1209325	KIT,VALVE REPAIR:OPRTG PRESS 18BAR G,CMP	2.00	051	KIT
609802	GIB:TYP DOOR	2.00	101	ST
589151	CONNECTOR,COMMUNICATIONS:TYP FRONT,42	4.00	031	ST
284426	STRP-VLV:SZ WD 5.5 X LG 700 X THK 0.4MM	1.00	051	EA
734709	SLV:TYP THREADED,P/N:2430058016,MNFR:MIL	1.00	051	EA
9102255	CONTACTOR, CONTROL 400/460VAC, [USE 23-	1.00	051	ST
593979	O-RING:ID 14MM,MT FKM,SHOR - HRD 72	4.00	051	ST
602098	PACKING:GRAPHITE,P#6610 AND P#6315	2.00	051	ST1
582352	CONTROLLER:TYP HUMIDITY,RNG 30-80PCT RH	1.00	081	ST
601192	GSKT:DIA 36MM,ROUND,SS 316	2.00	051	ST
1232999	GSKT PRE-CUT :TYP FLAT,SIZE ID 327 X OD	1.00	051	EA
619540	BUSHING,ELECTRICAL CONDUCTOR:	3.00	021	ST
642409	SPRING,VALVE:SS DIN WN 1.4310	1.00	051	ST
598038	BRG:LANTERN	1.00	051	ST
496225	SEAT,VALVE:SS 316/COCR-A	1.00	051	EA
619745	WASHER:AS,ID 90MM,OD 120MM,THK 1MM	2.00	051	ST
579383	GLS-SGHT;TUBULAR	2.00	900	ST
644390	BOLT,MACH:DIAMETER M20,LENGTH 75MM,MATL	1.00	051	ST
927217	CIRCUIT:TYP CURRENT OUTPUT OPTION	1.00	011	EA
901529	KIT:TYP COMISSIONING	1.00	081	EA
627603	LGHT-INDCTG:TYP PILOT,VLTG 120V AC,WTG 2	2.00	021	ST
637589	SPRG-VLV	1.00	051	ST1
676175	KIT,TERMINATION:HEAT SHRINKABLE,4KV	3.00	021	KIT
799970	KIT-VLV-RPR;WEARING PARTS	2.00	051	SE
602281	GSKT PRE-CUT :SQ 500 X WD 30 X THK 3MM	1.00	051	ST
742286	WHEEL:TYP CHANGE	1.00	091	ST
599452	GSKT,SPWD:GRAFOIL,SS 316,APLC CASING	1.00	051	ST
602587	RING,WEAR:	2.00	081	ST
585892	VALVE:TYP WATER FLOW	1.00	051	ST
589962	FUSE:	2.00	021	ST
583767	CIRCUIT:TYP FILTER	1.00	011	ST
599419	GSKT-PRE-CUT;GRAPHITE/P#6633	1.00	051	ST
1080654	CONTROLLER: TYP TEMPERATURE,RT 230V	1.00	061	EA
586272	BRG,BALL:TYP RADIAL	3.00	051	ST
585583	FILTER,ELEMENT:SS 316,STRAINER SCREEN	1.00	051	ST
593462	GSKT PRE-CUT :ID 10 X OD 13 X THK 1.5MM	4.00	051	ST
930024	KIT, VALVE REPAIR: TYP REPLACEMENT	1.00	051	EA
632118	GSKT PRE-CUT :P#1200-S,BONNET,3IN	2.00	051	ST
591875	SEAT,VALVE:VLV SZ DN 3,MANUAL CONTROL	1.00	051	ST
598715	CUP;OIL,DIA 35 X THK 8MM,RUBBER; STEEL	1.00	051	ST
583969	HOSE:ASSEMBLY	1.00	051	ST
609899	BOARD,TERMINAL:	1.00	021	ST
580615	SHAFT:PINION	1.00	051	ST
592777	GSKT PRE-CUT :THK 1/8IN,ETHELENE RUBBER	20.00	051	ST
582252	TRANSFORMER,INSTRUMENT:CURR RT 2000/1A	1.00	011	ST
602113	PACKING:GRAPHITE,P#6610 AND P#6315	2.00	051	ST1
622648	DEVICE:TYP CLAMPING,APLC PROCESS PUMP	6.00	081	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
642425	SPRING,VALVE:SS DIN WN 1.4310	1.00	051	ST
650053	O-RIG;1-9/16IN,3/32IN,FLUOROCARBON	2.00	051	EA
617536	ROD:TYP COUPLING,MTRL SS DIN WN 1.4571,A	1.00	131	ST
604238	COIL,ELECTRICAL:ELEC TRT 110-115VAC	2.00	011	ST
617538	O-RING:ID 75MM,WD 3MM	4.00	051	ST
1034929	ADAPTOR, PIPE: P/N:064-10923-000	1.00	051	ST
643307	GSKT:SQ 1IN,VALVE	2.00	051	ST
599415	GSKT,SPWD:4IN,150LB,V#6501,SHP ROUND	13.00	051	ST
1595115	BOLT-ASMBLY:NMNL DIA 1-3/4IN,LG 395MM,MT	728.00	051	ASY
816879	MDUL-PWR-SUPPLY;24VDC 40A,REDUNDANCY	1.00	031	EA
610561	HOLDER,FUSE:FUSE 10.3 X 38MM,AMP 1A	14.00	021	ST
588313	O RING SET:P/N:AB5I608690,MNFR:ABB KENT	1.00	051	ST
587071	TRANSMITTER,PRESSURE:ELECTRONIC GAUGE	1.00	061	ST
598272	BRG,THRUST:ROLLER,ID 65MM,3 PIECE	2.00	051	ST
590015	FUSE:	1.00	021	ST
729101	PCKG:SZ 10 STEM X 20MM,P/N:10C2076X012,M	1.00	111	ST1
636935	O-RING:	1.00	051	ST
599764	GSKT,SPWD:SS 316	3.00	051	ST
632464	RSTR-NTWRK;672OHM,2W	1.00	031	ST
605196	RELAY:COIL 220VAC 50/60HZ,4PST	1.00	011	ST
917935	GAUGE, PRESSURE: RANGE 0-60MBAR	1.00	101	EA
1042520	CONTACTOR: TYP AC OPERATED,AMPERAGE 250A	1.00	011	EA
21120	BLOCK,CONTACT:TYP AUXILIARY	3.00	021	ST
857512	JOINT,BALL:	1.00	051	EA
583520	PLUG:APLC AIR COMPRESSION PACKAGE UNIT	1.00	051	ST
591097	CRCUT;AMPLIFIER,VORTEX FLOWMETER	1.00	011	ST
631638	STUD CNTNS THD:DIA M20,THRD 2.5MM,LG 40M	8.00	051	ST
577766	REGULATOR,PNEUMATIC:TYP PRESSURE	1.00	061	KIT
671437	KIT:APLC ACCUMULATOR	1.00	051	KIT
643013	GSKT PRE-CUT :PTFE,COVER,DN 100	4.00	051	ST
591837	SPRING,VALVE:VLV SZ 1 X D X 2IN	1.00	051	ST
589875	FUSE:3A,600VAC,DIA 13 X LG 50MM,THD CAP	28.00	021	ST
631145	REGULATOR:TYP PRESSURE,CONN FNPT 3/8IN	1.00	061	ST
588132	PACKING:GRAPHITE	1.00	051	ST1
591152	RCTFR;BRIDGE,35A	2.00	021	ST
582064	IMPELLER,PUMP:DIA 180MM,SS,BORE 23MM	1.00	081	ST
610553	BLCK-TRMNL;CAPTIVE SCREW,2,CSA; UL	3.00	021	ST
598181	BRG,BALL:IBI 11396,INSIDE DIAMETER 7/8IN	1.00	051	ST
596923	GASKET,PRE-CUT:MT NBR	1.00	051	ST
1569066	KIT-VLV-RPR:TYP REPLACEMENT,CMPSNG BACK	1.00	051	KIT
642101	BUSH,VALVE:PTFE,SHAFT	1.00	051	ST
1596787	KIT-VLV-RPR:TYP TRIM KIT,APL CONTROL VAL	1.00	051	KIT
750162	BRG-SLV:TYP YOKE,P/N:GE01148X012,MNFR:EM	23.00	051	EA
632031	GSKT PRE-CUT :P#6630,BONNET,3IN	2.00	051	ST
579073	CONTROLLER,ELECTRONIC:	1.00	031	ST
82425	MODULE:(8) CHANNEL DIGITAL OUTPUT	3.00	051	ST
628593	COLLAR:TYP THRUST,MT AS ASTM A744	2.00	051	ST
608375	AXIS, P/N:4-6587-980; FOR 6300-Y10	2.00	900	ST
596068	GUIDE,VALVE:VLV ST CONTROL	1.00	051	ST
595000	SEAL-MCH;40MM	1.00	051	ST
602660	SEAL,RING:TYP INNER SEAL,MT FKM/VITON	2.00	051	ST
632613	CPSUL;PRESSURE TRANSMITTER	2.00	071	ST
1030733	SCREW, SET: MATL SCM 435,P/N:KS-M4X14	2.00	051	ST
624966	JUMPER:	6.00	021	ST
583742	CIRCUIT:	2.00	011	ST
1078811	GSKT, SPWD: NOMINAL FLANGE SIZE 3/4IN	1.00	051	EA
615784	GSKT SET:P/N:50045738,MNFR:AIR PRODUCTS	1.00	051	ST1
1064286	SEAT, VALVE: INSIDE DIAMETER 73MM	1.00	051	EA
718179	VALVE: TYP INJECTION PORTS	1.00	051	EA
643537	GSKT PRE-CUT :	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1587592	DISC-VLV:MTRL SS ASTM A276,GRD 304,VLV S	1.00	051	EA
614197	TRAP,STEAM:SZ 1IN,CONN FLANGE RF,PR RT	1.00	051	ST
617675	LEVER:	12.00	091	ST
580949	PLUG:OD 24 X THK 4.5MM,PLASTIC	2.00	051	ST
903797	DISPLAY UNIT,DATA:TYP FRON; ADVANCED,P/N	2.00	141	EA
624883	CLAMP:	2.00	051	ST
836269	PLUG-VLV:P/N:GE00082X012,MNFR:EMERSON -	2.00	051	ASY
1081659	GAUGE, PRESSURE: RANGE 0-100PSI,CNCT NPT	1.00	101	EA
597044	SPRING:	1.00	051	ST
592431	GSKT PRE-CUT :ID 160 X OD 170 X THK 2MM	1.00	051	ST
1031110	COVER: TYP MECH SEAL,MATL SS 316	1.00	051	ST
642630	O-RING:APLC SEAL	1.00	051	ST
619994	GLASS, LEVEL GAUGE: SIZE OD 31.5 X	2.00	101	ST
1586981	JNT-EXPNSN:TYP FABRIC,SZ A=380; B=608; A	4.00	051	EA
619619	IMPELLER,PUMP:TYP CLOSED	2.00	081	ST
579287	GUG-LVL;1385MM,1365MM,FLANGE DN20,1BAR	1.00	101	ST
606282	NUT-CUPLG;STEEL,1.5MM	2.00	051	ST
83305	CAP,PIPE:SZ 6IN,CONN BW,MT CS ASTM A234	2.00	131	ST
590186	HTR-SPC;ANTI CONDENSATION,230V 60W	2.00	011	ST
642562	BRG:SHAFT,MT GRAPHITE/SS DIN WN 1.4571	4.00	051	ST
1595341	STUD-ASMBLY:TYP BOLT,DIA 1-3/4IN,LG 440M	192.00	051	ASY
604741	FUSE:125A,415/500VAC,CURRENT LIMITING	13.00	021	ST
801005	GSKT,RJ:ROUND,SS 316L,DIA 4IN	1.00	051	ST
603335	WIRE,ELECTRICAL:TYP BUILDING/COMMERCIAL/	1.00	021	ROL
600963	GSKT:ROUND	1.00	051	ST
587392	KIT,ACTUATOR REPAIR:	4.00	051	KIT
759236	GLND;ASSEMBLY,1.5,SS 316	1.00	051	ST
834820	FAN:TYP FILTER,VOLT R 368-478M3/H	1.00	081	EA
803829	SEPARATOR:TYP FUEL WATER	2.00	051	EA
643261	WEIGHT:	1.00	061	ST
605303	SWITCH,LIMIT:SPDT,300VAC 10A,1NO-1NC	1.00	061	ST
643502	VLV-CHCK;CARTRIDGE	1.00	900	ST
795412	DETECTOR, RESISTANCE TEMPERATURE: WIRE	1.00	101	ST
634391	DAMPER: TYP PULSATION,MNFR:FLOWGUARD	1.00	081	ST
642453	PACKING:ASBESTOS/GRAPHITE	2.00	051	ST1
612096	KIT-VLV-RPR:CMPSNG GASKET (MATERIAL:TEF	1.00	051	KIT
426568	FUSE:3A,250VAC,DIA 6.3 X LG 32MM,FERRULE	5.00	051	ST1
585224	FLOAT:MT SS 316	1.00	061	ST
768333	BREAKER,CIRCUIT:8A,690VAC,INTP CAP 100KA	1.00	011	ST
929047	CONTACT,AUXILIARY:TYP EARTHING SWITCH	1.00	011	EA
585626	BALL,VALVE:DIA 1-1/2IN,MT SS ASTM A276	2.00	051	ST
587161	ASSEMBLY:	1.00	081	ST
642626	SEAL:ID 8.92MM	3.00	051	ST
607490	CAP:TYP PROTECTIVE,MT SILICON	5.00	051	ST
600234	GSKT,SPWD:26IN,150LB,GRAPHITE	14.00	051	ST
1586753	ELBW-PIPE:SZ ID 49.3 X OD 60.3MM,CNCT BW	6.00	051	EA
644328	BLOCK,TERMINAL:ELEC TRT 500VAC 25A	20.00	021	ST
750750	WASHER:TYP DYNASEAL,P/N:P-1508-1/004,MNF	2.00	051	EA
600787	GSKT PRE-CUT :	2.00	051	ST
1003993	PLATE: TYP ORIFICE,SIZE 2IN,MATL SS 316L	1.00	131	EA
592505	GSKT-PRE-CUT;COVER,ROUND,GRAPHITE	1.00	051	ST
636871	GSKT PRE-CUT : MATL FIBRE,SHAP ROUND	1.00	051	ST
905134	THERMOMETER, DIAL: TYP BI-METALLIC	1.00	101	EA
597443	VLV-RLF;SS,3/4IN,THD,MANUAL	1.00	051	ST
871917	KIT:TYP TEST,APLC PORTABLE GAS TESTER	2.00	081	ST
579084	CONTROLLER,ELECTRONIC:TYP LEVEL,ELEC TR	2.00	031	ST
605735	TRNSFRMR;ISOLATING,94/240V AC,SINGLE	1.00	011	ST
644384	BOLT,UPSET:M24,150MM,GS,THD 3MM	2.00	051	ST
636843	SEAT,VALVE:SS JIS G5121 GR SCS13	1.00	051	ST
838870	GSKT,SPWD:GRAPHIITE,SS 316,IRMT SS 316	3.00	051	SE

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
999109	CLUMN-ANLYS:TYP PACKED,P/N:84.50.210,MNF	2.00	061	ASY
602666	SEAT,VALVE:CONTROL,SS 316	4.00	051	ST
592654	GSKT,SPWD:DN 125,PN 16,SS DIN WN 1.4571	4.00	051	ST
585496	SPRING,VALVE:SS 316,VLV SZ 6IN	1.00	051	ST
593142	GSKT PRE-CUT :	10.00	051	ST
591036	FUSE:10A,600V	4.00	021	ST
639415	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
593170	GSKT,SPWD:DN 32,PN 16,NON ASBESTOS	60.00	051	ST
616802	TRANSDUCER:I/P 0-100MV DC,O/P 4-20MA	1.00	061	ST
625334	CONTACT,AUXILIARY:TYP AUXILIARY	2.00	011	ST
898899	REACTOR:ELEC TRT 480VAC 40A 3PH 60HZ	1.00	011	EA
799189	KIT,VALVE REPAIR:4 IN BALL VALVE,SPARE	1.00	051	KIT
632064	GSKT,SPWD:8IN,600LB,P#2601-SO	2.00	051	ST
586988	KIT-VLV-RPR:TYP SOFT PART,APL CONTROL (R	1.00	051	ST
928604	THRMST;BI-METALLIC,0-60°C,260VAC 6A	1.00	081	EA
592086	COUPLING,PIPE:2IN,COMPRESSION	1.00	051	ST
910767	GSKT-ST;END COVER OF OIL PUMP	1.00	051	ST
617523	PULLEY:TYP MOTOR	1.00	051	ST
906032	PLUG,VALVE:VLV SZ DN 50	1.00	051	EA
642775	GUIDE,VALVE:VLV ST BALL,VLV SZ DN 100	4.00	051	ST
905093	MODULE:FMZ 5000,FIRE ALARM CONTROL PANEL	1.00	031	EA
596123	HANDLE:SZ DIA 27 X LG 53MM,MT PLASTIC	1.00	101	ST
602406	PACKING:PTFE,SQUARE	2.00	051	ST1
1596580	MDUL:TYP OMNI,IN 110-250V AC,O/P 4-20MA	1.00	031	EA
631168	PSTNR-VLV;BETA CONTROL	1.00	061	ST
602054	O-RING:ID 48.9IN,WD 2.62IN	2.00	051	ST
580209	COLLAR:TYP SCRAPER	4.00	051	ST
1617309	DTCTR-RSTNC-TMPRTUR:TYP THERMOELEMENTS,R	1.00	101	EA
861766	MANIFOLD,VALVE:ST 2 WAY,BDY MT SS 316	1.00	051	EA
636201	THERMOMETER,DIAL:TYP FILLED,RANGE 200-65	1.00	101	ST
285740	CNTCT-AUXLRY:TYP MOTOR STARTER,CNTCT ARN	1.00	011	EA
997449	SPINDLE, VALVE: MATL SS DIN WN 1.4122	1.00	101	ST
604743	FUSE:250A,500VAC,DIA 1-1/8 X LG 4-1/2IN	10.00	021	ST
592867	GSKT PRE-CUT :	1.00	051	ST
76705	FUSE: AMPERAGE 16A,VOLTAGE 500V	11.00	051	ST
636236	SPRING:MT AS JIS G4801 GR SUP10	1.00	051	ST
614242	SWITCH:TYP AUXILIARY	1.00	021	ST
631639	CONNECTOR:TYP ANGLE SCREW	2.00	051	ST
615088	CLR;DIA 4 IN X THK 2MM,SS DIN WN 1.4541	2.00	051	ST
564738	POWER SUPPLY:TYP MODULE,INPUT 93-265VAC	1.00	011	EA
631208	VALVE:TYP PILOT	1.00	051	ST
615541	GAUGE,LEVEL:	6.00	101	ST
635556	O-RING:MT FKM	2.00	051	ST
582185	VENTILATOR:	1.00	081	ST
998963	CASING: TYP SPRING,P/N:14158	1.00	051	ST
581945	TUBE:TYP TYRE,SZ 165/70 R 13	2.00	051	ST
416368	FUSE:10 A	2.00	051	EA
612087	KIT,VALVE REPAIR:	1.00	051	KIT
584876	DPHRGM-VLV	1.00	051	ST
589546	BRKR-CRCUT;100A,600V AC,3	1.00	011	ST
586350	BRG,ROLL:	1.00	051	ST
600160	GSKT PRE-CUT :GRAFOIL GH*R	1.00	051	ST
1217213	RELAY,TIME DELAY:OPERATION ±0.1% TO ±0.0	1.00	011	EA
636252	BUSH:SS 403	3.00	051	ST
601347	O-RING:MT FKM	3.00	051	ST
580682	CVR;BEARING,ID 30 X OD 85 X THK 7,AL	4.00	051	ST
1087615	BRG,ROLL: INSIDE DIAMETER 50MM	2.00	051	ST
589617	COIL,ELECTRICAL:TYP CIRCUIT BREAKER,FUN	3.00	011	ST
637192	GSKT PRE-CUT :ID 115 X OD 157 X THK 3MM	4.00	051	ST
589575	CHARGER:RT 480VAC 220/517A; 500VDC 370A	1.00	031	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
266875	VALVE,SOLENOID:ELEC RT 115VDC 6W,DSGN RT	1.00	051	EA
799303	LAMP;INDICATING,220V AC,WHITE	1.00	021	EA
1039663	FLASK: TYP DOUBLE OUTLET,CAPACITY 1.0L	2.00	071	ST
596390	GLAND:TYP CYLINDER STEER	2.00	051	ST
594033	O-RING:MT VITON,APLC OUTER FITTINGS	1.00	051	ST1
587939	KIT-VLV-RPR:TYP SOFT PART,APL GATE (SIZE	1.00	051	KIT
607114	WASHER,LOCK:	2.00	051	ST
610140	CONTACT,AUXILIARY:TYP SWITCH,CONTAR 4NO	1.00	011	ST
620115	GSKT PRE-CUT :RUBBER	3.00	051	ST
1024353	CABLE: SIZE OD 3.2 X LG 628000MM	1.00	021	EA
590250	POWER SUPPLY: TYP EMERGENCY,P/N:1074-720	1.00	021	ST
615579	RETAINER:TYP OIL RING,MT CS ASTM A283 GR	1.00	051	ST
1029967	VALVE: TYP REGULATING,VALVE SIZE 25MM	1.00	051	EA
541867	FUSE:TYP HRC INDUSTRIAL,AM 10A,VLTG 550V	6.00	021	EA
800798	GSKT,SPWD:2IN,150LB,GRAPHITE,SS 316	1.00	051	ST
9101837	REPAIR KIT	4.00	051	ST
910947	KIT-CMPRSR-RPR;CYLINDER LINER	2.00	081	ST
615074	UNIT;T-SHAPED	1.00	051	ST
614161	PULLEY:TYP DRIVE	1.00	051	ST
596692	FILTER,ELEMENT:ID 50 X OD 100 X LG 420MM	1.00	051	ST
253688	KEY,SHAFT:SZ WD 10 X LG 50 X THK 8MM	1.00	031	EA
1064287	SEAT,VALVE:VALVE TYPE BUTTERFLY,VALVE SI	1.00	051	EA
596065	GUIDE:TYP LOWER STEM SEVERN	4.00	091	ST
1060659	YOKE, VALVE: VLV STYL RAISING STEM	1.00	051	SE
979928	VALVE, SOLENOID: STYL 3/2 WAY,CNCT FNPT	1.00	051	ST
581964	TUBING:TYP FLEXIBLE TRANSPARENT,ID 1/4IN	60.00	131	M
612226	GAUGE,PRESSURE:RNG 0-1BAR,DIAL 75MM	1.00	061	ST
628269	SWITCH, PRESSURE: RANGE 0-15PSID	1.00	061	ST
578378	SET:TYP PACKING	1.00	081	ST
581527	CIRCUIT:TYP POSITION DETECTION	1.00	011	ST
1039869	O-RIG-ST;SAFETY VALVE,5,O-RING SET	2.00	051	EA
594685	SEAL,RING:ID 45MM,OD 60MM,THK 15MM,MT CS	2.00	051	ST
644953	VALVE,GATE:TYP FLEX WEDGE,VLV SZ 1IN	1.00	051	ST
597298	STRAINER,PIPING:TYP Y-SHAPED DUPLEX	1.00	051	ST
626696	CONTACTOR:TYP MAGNETIC,COILV 220VAC	1.00	011	ST
642696	RING:PTFE/TFM 4220,TYP ANTISTATIC	5.00	051	ST
627680	FUSE:6A,500V	5.00	021	ST
1030713	GEAR: MATL SUS403,P/N:2TOY0926-ISO A-1	1.00	081	ST
363113	BRG - BALL DEEP GROOVE - 40X 68X 15MM	1.00	051	ST
612161	RELAY:4PDT	2.00	011	ST
639776	SEAT,VALVE:CONTROL,SS 316	2.00	051	ST1
586777	MOTOR:24VAC 50/60HZ,SYNCHRONOUS	1.00	011	ST
407181	NPL-PIPE:TYP SMLS SWAGED CONCENTRIC,SZ 1	1.00	051	ST
586822	ROLLER:	2.00	091	ST
1054485	SWTCH-LMT	1.00	061	EA
642715	SEAT,VALVE:VLV SZ DN 25,BALL,GFK/PTFE	8.00	051	ST1
636613	SEAT,VALVE:SS 403	1.00	051	ST
614796	IMPELLER, PUMP: P/N:H258CD228	1.00	081	ST
603870	SLEEVE:TYP WEARING	4.00	051	ST
1078789	CASE: TYP DRIVE END MOTOR,P/N:L0067179	1.00	051	EA
635569	BRG:MT STEEL/PTFE COATED	2.00	051	ST
1208461	VALVE,RELIEF:DSGN RT 150 X 150LB,BODY MA	1.00	051	EA
581999	INJECTOR:TYP ATOMISER	6.00	061	ST
950296	KIT,COMPRESSOR REPAIR:TYP HP UPGRADE	4.00	081	KIT
644933	PULLEY:TYP FAN,SZ DIA 400MM	1.00	081	ST
642961	GSKT PRE-CUT :PTFE,COVER,DN 80	6.00	051	ST
600735	GSKT PRE-CUT :	2.00	051	ST
1246756	KIT,VALVE REPAIR:APPL 16IN 150LB GATE VA	1.00	051	KIT
599499	GSKT PRE-CUT :MATL V#6500,DOC:P-9479 C	2.00	051	ST
617616	SHIM:SZ ID 12 X OD 18,THK 0.1	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
628366	ACTUATOR:TYP ELECTRIC,RT 300LB	1.00	061	ST
588643	SEAL, RING: MATL CARBON,P/N:P20722233A	1.00	051	ST1
636272	CIRCUIT,POWER SUPPLY:	1.00	021	ST
643725	BUSH:BRONZE	2.00	051	ST
594738	SEAL-OIL;1-3/4IN,2-3/8IN,5/16IN,RUBBER	1.00	051	ST
585814	VALVE,CHECK:TYP BALL,VLV SZ 2IN	1.00	051	ST
580648	BODY,VALVE:VLV ST BUTTERFLY,VLV SZ 80MM	5.00	051	ST
581138	RECEPTACLE:TYP PLUG	2.00	021	ST
619575	GSKT PRE-CUT :V#6500	1.00	051	ST
584892	DISC,VALVE:SS ASTM A276,304,PRESSURE AND	1.00	051	ST
918131	SEAL,OIL:	2.00	051	SE
993055	O RING:MATL BUNA N,P/N:4080095051,MNFR:M	1.00	051	EA
600041	GSKT,SPWD:GRAFOIL,IRID 700MM,SS 316	2.00	051	ST
597955	BRG,SLEEVE:ID 25MM,TYP SPLIT BUSHING	1.00	051	ST1
638170	BUSH,VALVE:VALVE GUIDE	1.00	051	ST
643510	SEAL,OIL:	2.00	051	ST
599862	GSKT,SPWD:GRAFOIL,UNS S31603,SHP ROUND	2.00	051	ST
638222	VALVE:OPR PILOT	1.00	051	ST
584745	OPERATOR: TYPE PUSHBUTTON	2.00	011	ST
704508	SPRING,VALVE:CR	1.00	051	EA
581013	PLUG,TUBE:DIA 12MM,SS 316	8.00	051	ST
606953	STUD:DIA M14,50MM LG,STEEL,THD 1.5MM	1.00	051	ST
414978	FILTER,AIR:WD 16 X LG 25 X THK 2IN,AL	4.00	051	EA
592045	COUPLING:SOCKET	2.00	051	ST
588494	BELLOWS:MT STEEL	1.00	900	ST1
609798	ASSEMBLY:TYP ROLLER CRANK	2.00	091	ST
589686	CONTACTOR:220VAC 60HZ	1.00	011	ST
609754	RELAY:COIL 110VDC	1.00	011	ST
600398	GSKT:	2.00	051	ST
603285	SEAL,MECHANICAL:UNBALANCED	1.00	051	ST
527894	RELAY:COIL 24VDC,4PST	1.00	011	ST
603938	CONNECTOR,LUG:SINGLE CORE,MT CU AL	5.00	021	ST
596157	HOLDER:TYP MACHINERY,SZ LG 80MM	4.00	051	ST
1003912	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
615524	NUT,LOCK:SS ASTM A276/JIS G4305,GRUB	1.00	051	ST
588712	GSKT SET: APPL RELIEF VALVE	3.00	051	ST1
799294	LAMP, FLUORESCENT: WATTAGE 36W	9.00	021	EA
1029649	FILTER, OIL: MATL STRTAPORE,P/N:LF9325	1.00	051	EA
579156	TRNSMTR-TMPRTUR;-200 TO 840°C	2.00	061	ST
114826	GSKT,SPWD:FILL THK 0.13IN,FILL ID 5-25IN	6.00	051	EA
905360	CONTROLLER,ELECTRONIC:TYP DIGITAL	1.00	031	EA
593037	GSKT PRE-CUT :	1.00	051	ST
505081	HOLDER,FUSE:AMP 32,VOLT 500VAC 50HZ	16.00	031	ST
1038962	TRANSFORMER, INSTRUMENT: VA RATING 20VA	1.00	011	EA
588957	FILTER,ELEMENT:20MESH,SS 316	1.00	900	ST
604163	BUSH:TYP BRUSH,SZ 8 X 16 X 20MM,MT CARB	1.00	021	ST
582715	PROBE:TYP DUMMY	1.00	061	ST
20805	RELAY:COIL 24VAC 50/60HZ,4PST	1.00	021	ST
585056	DISC,VALVE:SS ASTM A276 GR	1.00	051	ST
590853	CUT-OUT,THERMAL:TYP THERMOSTATIC	1.00	061	ST
594925	RING:MT RUBBER	10.00	051	ST
603848	SLEEVE:	1.00	051	ST
633108	GUIDE:TYP BUSHING,SZ 12IN,MT STEEL	3.00	091	ST
585592	FILTER,ELEMENT:SS 316,STRAINER SCREEN	1.00	051	ST
1631018	STNDRD-ANLYTCL-TEST;1ML,AMPULE,LIQUID	1.00	001	PAK
609537	MTR-GRD;220/240VAC 50/60HZ,4RPM,93.75:1	1.00	011	ST
603282	SEAL-LBYRNTH;OIL	1.00	051	ST
595265	O-RIG;PUMP UNIT	2.00	051	ST
127184	O-RIG:I DIA 79.4MM,WD 3.1MM,MTRL NBR,APL	4.00	051	EA
590947	TRANSFORMER,INSTRUMENT:VA RT 10/15VA	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
605917	CIRCUIT,POWER SUPPLY:TYP PERSONAL COMPU	1.00	011	ST
642126	SPRING,VALVE:SS	2.00	051	ST
898897	REACTOR:ELEC TRT 480VAC 315A 3PH 60HZ	1.00	011	EA
587606	KIT,VALVE REPAIR:SEAL	3.00	051	KIT
620627	SET:TYP SEAL PLATE,APLC ELECTRIC MOTOR	2.00	081	ST
9102065	KEY,FITTING PN 6002(DELETED REF.ROSE RT	1.00	051	ST
591655	NUT,CAP:	3.00	051	ST
930268	CONTACTOR:POLE 3,380VAC	1.00	011	ST
594183	O-RING:APLC VENT CLOSING SCREW	4.00	051	ST
620774	COLLAR:TYP SEAL PLATE	4.00	051	ST
1082121	RING: SIZE 194 X 204 X 4.5MM,MATL SS	1.00	051	EA
616373	BREAKER,CIRCUIT:16A,380VAC,POLE 4	2.00	011	ST
602344	PIN,TAPER:SS 316	4.00	051	ST
1626461	BSKT-STRNR;ID 51MM,40MESH,SS 316,ROUND	1.00	051	EA
643036	PACKING:GRAPHITE,TYP GATE VALVE	3.00	051	ST1
76332	O-RING:ID 169.3MM,WD 5.7MM,MT NBR	2.00	051	ST
939106	SLEEVE: MATERIAL CS DIN 1.1191 CK45N	1.00	051	EA
644705	GSKT PRE-CUT :ASBESTOS,ROUND,FF,1/2IN	3.00	051	ST
726020	CHEMICAL:P/N:SH 357-74,MNFR:ONDEO NALCO,	3.00	001	BOT
582723	DETECTOR:TYP TEMPERATURE	1.00	101	ST
592048	COUPLING,SHAFT,HALF:	1.00	051	ST
583984	HOSE;DIA 4-1/2IN,CLAMP ON,PUMP,BLACK	1.00	051	ST
619756	BLADDER,ACCUMULATOR:MT SYNTHETIC RUBBER	1.00	081	ST
581545	MDUL;DIODE,1000V 53A,INVERTER	2.00	031	ST
585944	VLV-SLND:STYL 3 WAY,ELCTRCL RTNG 24V DC	1.00	051	ST
880159	SPRING,VALVE:17.7 PH,VLV SZ 1 X 1IN	1.00	051	ASY
635725	BELLOWS:MT RUBBER	1.00	051	ST
633118	VALVE,SOLENOID:ST 3 WAY,ELEC TRT 24VDC	1.00	051	ST
886623	VALVE,PLUG:VLV SZ 3/4IN,DES RTG 150LB	1.00	051	EA
636288	SET:TYP PLUG	1.00	051	ST1
1087672	PACKING: SIZE ID 22 X OD 32MM,TYP PLAIN	1.00	051	SE
621886	CONTACT,AUXILIARY:	2.00	011	ST
584703	SEAL,LABYRINTH:IMPELLER,AL	2.00	051	ST1
631218	VALVE,CONT:TYP PRESSURE	1.00	051	ST
589783	THERMOCOUPLE:TYP K,INS DIA 4.8MM,DESLG	1.00	061	ST
905363	RELAY: CNTCT RT 45A,TYP SOLID STATE	1.00	011	EA
623633	FILTER:TYP NOISE	2.00	031	ST
1033748	KIT: TYP POWER,P/N:JBS-100-L-EP	1.00	081	EA
632741	SWITCH,TEMPERATURE:115-210DEG C,SZ 120MM	1.00	021	ST
806736	CRCUT;RELAY BOARD,ANALYZER	1.00	021	EA
163176	FUSE:6A,250VAC,DIA 1/4 X LG 1-1/4IN	105.00	051	EA
606785	SCREW,CAP:M6 DIA,14MM LG,HEX SOCKET	41.00	051	ST
599459	GSKT,SPWD:PTFE,SS 316,APLC CASING	1.00	051	ST
639801	SEAT,VALVE:VLV SZ 4IN,CONTROL	1.00	051	ST1
959004	GSKT PRE-CUT : MATL VITON,SHAP ROUND	1.00	051	EA
590324	RELAY:COIL 110VDC,SPDT; DPST,TYP	4.00	011	ST
581393	CIRCUIT:	1.00	011	ST
618047	CIRCUIT:TYP CONTROL	1.00	011	ST
637253	BALL,VALVE:VLV SZ 2IN	2.00	051	ST
725909	PISTON:TYP VALVE,MT MS58 NWR2,APLC PSV	1.00	091	ST
998950	WASHER, FLAT: SZ M6,MATL SS,GRD A2	9.00	051	EA
604221	BUSBAR:RECTANGULAR,SZ WD 80 X LG 180MM	1.00	021	ST
746728	BRG-RLR;TAPERED,SINGLE,60MM,110MM,STEEL	3.00	051	ST
599560	GSKT:	1.00	051	ST
643280	GLAND,PACKING:	1.00	051	ST
586086	ELECTRODE:TYP JELLY,MT AL	2.00	001	ST
117075	GAUGE,COMPOUND:-1250 TO 1250MM H2O	1.00	061	EA
1046836	TRANSFORMER, INSTRUMENT: VA RATING 10VA	1.00	011	EA
578391	O-RING SET:	1.00	051	ST1
596844	FLOAT:	1.00	061	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
580482	SHFT-PUMP;X35CRM017	1.00	900	ST
590344	RELAY,TIME DELAY:	1.00	011	ST
636310	PLUG-VLV:VLV STYL CONTROL,VLV SZ 2IN,MTR	1.00	051	ST1
1058987	COIL, ELECTRICAL: TYP TRIP,ELEC RT 6A	1.00	011	EA
588998	WINDOW,SIGHT:MT GLASS	1.00	131	ST
622566	RETAINER:TYP SEAL,MT SS 316	2.00	051	ST
607563	COUPLING:	2.00	051	ST
599319	GSKT PRE-CUT :2IN,T#1995 NON ASBESTOS	1.00	051	ST
627380	O-RING:	1.00	051	ST1
596722	FILTER,ELEMENT:INLET	1.00	051	ST
582225	THERMOSTAT:TYP ROOM,RNG 3-27DEG C	3.00	081	ST
601950	O-RING:APLC LEVEL CONTROLLER	4.00	051	ST
608476	BAFFLE:TYP OIL,MT C3604BE	1.00	081	ST
628000	PLUG,VALVE:VLV SZ 16IN,CONTROL	1.00	051	ST
632739	FLT;UNS S31600	1.00	061	ST
585602	VALVE,RELIEF:VLV SZ 3/4IN,CONN MNPT	3.00	051	ST
600450	GSKT,SPWD:OR OD 572MM,SHP ROUND	5.00	051	ST
724751	KIT:	1.00	081	KIT
589266	SLEEVE,SHAFT:STEEL	1.00	051	ST
595107	SEAL:TYP BONDED,SZ ID 7 X OD 13 X THK 1	8.00	051	ST
626386	GLOBE,LIGHTING:MT GLASS	6.00	021	ST
656651	ADHESIVE:TYP HIGH STRENGTH SPRAY	8.00	001	EA
600992	GSKT PRE-CUT :GRAPHITE/SS 316	2.00	051	ST
637854	BRG,THRUST:MT STEEL	4.00	051	ST
1031944	KIT, VALVE REPAIR: APPL GATE VALVE	1.00	051	KIT
930792	GAUGE,DIFF.PRESS.:0-1BAR,100MM	1.00	061	EA
578382	SET:TYP PACKING	1.00	081	ST
583477	POINT:TYP TEST PLUG	1.00	061	ST
799974	ASSEMBLY:SPRING,APLC PNEUMATIC ACTUATOR	2.00	081	SE
597732	INSUL:TYP THERMAL,SZ DIA 100 X THK 10MM	2.00	001	ST
508584	SPRING,EXTENSION:	1.00	051	ST
1034928	ELIMINATOR: TYP OIL,P/N:364-10616-000	1.00	051	EA
612140	SWTCH-SFTY;3PST,690V 63A,PANEL/BOX	1.00	011	ST
539093	LGHT-INDCTG:TYP PILOT,VLTG 400V,WTG 2.6W	1.00	021	EA
625455	COIL,ELECTRICAL:FUNC CLOSING,ELEC TRT 2	1.00	011	ST
1312618	BRG,ROLL:TYP CYLINDRICAL,ROW SINGLE,INSI	3.00	900	EA
639403	SPRING,VALVE:AS ASTM A231	1.00	051	ST
640637	MODULE:(16) POINT OUTPUT CIRCUIT BOARD	1.00	031	ST
639316	SPINDLE:MT SS ASTM A276	1.00	101	ST
586049	GLAND,PACKING:TYP YOKE	1.00	051	ST
1024802	GSKT JKTD: JACKET MATERIAL SS 316L	2.00	051	EA
616003	GSKT:	3.00	051	ST
632145	GSKT PRE-CUT :P#1200-S,BONNET,3IN	3.00	051	ST
1065075	SEAL-RIG;92MM,95MM,10MM,PTFE/CARB	1.00	051	EA
642599	GSKT:CYLINDER HEAD	2.00	051	ST
644657	BOX,ELECTRICAL:TYP SPEAKER JUNCTION	803.00	021	ST
589809	DTCTR-RSTNC-TMPRTUR:TYP DUPLEX,RSTNC 100	1.00	101	ST
600578	GSKT PRE-CUT :THK 1.5MM,ROUND	3.00	051	ST
1569069	KIT-VLV-RPR:TYP REPLACEMENT,APL BUTTERFL	1.00	051	KIT
579785	BASIN:TYP CHROMIC MIXER,SZ DIA 6 X LG	1.00	900	ST
1086686	CNTRL:P/N:802A011B-1,MNFR:ABB PTE LTD,DO	1.00	061	EA
627184	STRIP,VALVE:APLC ISOLATION VALVES	1.00	051	ST
634512	RING,RETAINING:	1.00	051	ST
609250	ASSEMBLY:SLIDER	1.00	081	ST
951825	RIG;BRONZE,ID 30 X OD 38 X THK 15MM	1.00	051	ST
1244691	FAN:TYP HOT PLUG,SIZE DIA 60MM,SPD 880RP	5.00	081	EA
616118	TRNSFRMR-INST;INTERMEDIATE CURRENT,5/5A	2.00	011	ST
1188249	SHAFT, PUMP: TYP IMPELLER,MATL SS 403	1.00	051	EA
9101741	SHAFT,PUMP,STEEL,IDENT# 518402,P/N:210.0	1.00	051	ST
642561	KIT,VALVE REPAIR:SEALING	4.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
584104	PLUNGER:MT CERAMIC	6.00	051	ST
594233	PCKG;ID 16 X OD 26 X THK 5MM,PTFE	1.00	051	ST1
627236	VALVE,GATE:VLV SZ 1/2IN,DES RTG CL 800	1.00	051	ST
590273	PROTECTOR;FLANGE LEAK	2.00	001	ST
613312	BRACKET:TYP BEARING	1.00	051	ST
1567730	DPHRGM:TYP DIAPHRAGM SEAL,SZ ID 305 X OD	1.00	051	EA
583054	LIGHT,INDICATING:COLOR GREEN	6.00	021	ST
588390	SET:TYP STRAINER	1.00	051	ST1
860323	FLANGE,PIPE:TYP SPECTACLE BLIND RF,SIZE	1.00	131	EA
619717	RING,RETAINING:CS JIS G3522 GR SWPA,SNAP	1.00	051	ST
585806	VALVE,GLOBE:VLV SZ 1/2IN,DES RTG CL 800	1.00	051	ST
615565	KEY,SHAFT:TYP PARALLEL,MT SS ASTM	2.00	051	ST
1024039	BREAKER, CIRCUIT: AMPERAGE 20A,POLE 1	1.00	011	EA
600430	GSKT PRE-CUT :ROUND	1.00	051	ST
997129	WASHER, LOCK: P/N:NG32-010, EQUIP MDL#:	1.00	051	EA
1034037	SENSOR: TYP FLAMMABLE,RANGE 0-100LEL	1.00	011	EA
642763	SEAL:PTFE,APLC BODY	8.00	051	ST
231139	BUSH:CS DIN WN 1.0715	15.00	051	EA
1225954	SPACER:TYP STATOR,MATL SS,APPLN TURBINE	1.00	051	EA
537106	BREAKER,CIRCUIT:32A,415/480VAC	1.00	011	EA
602771	RING:TYP FACE WASHING,MT SS 304	3.00	111	ST
632307	SPRG-VLV;CS	1.00	051	ST
636267	SPRING:MT SWP-8	2.00	051	ST
588855	BLST;EMERGENCY LIGHTING	2.00	021	ST
620036	GSKT PRE-CUT :NBR,L.O. DEVICE	3.00	051	ST
580670	BOX:TYP DEEP SQUARE,SZ 1-1/2IN	10.00	001	ST
593207	GSKT PRE-CUT :ID 25 X OD 35 X THK 2MM	30.00	051	ST
593392	GSKT:ID 30 X OD 40MM,THK 0.3MM,ROUND,AL	4.00	051	ST
583212	LUBRICNT:TYP ANTI SEIZING	2.00	001	ST
930267	CONTACTOR:TYP MAGNETIC,AMP 63A,POLE 3	1.00	011	ST
619649	RING:CS JIS GR STPG370	2.00	051	ST
1047043	O-RING: INSIDE DIAMETER 162MM,MATL NBR	1.00	051	EA
599262	SPROCKET:TYP ROLLER CHAIN	1.00	051	ST
804588	HLDR-FUSE;MICRO ELEMENT,CLIP IN,6.3A	1.00	021	SE
602824	RING:ID 30 X OD 40 X THK 1MM,PTFE,TYP	2.00	051	ST
602308	PACKING:PTFE,SQUARE	1.00	051	ST
1631551	CUPLG-SHFT;MEMBRANE,86MM,180MM,CS	2.00	051	EA
589328	BLCK-TRMNL;800V,CAPTIVE SCREW,2.5MM2,1	12.00	021	ST
799450	LIGHT,INDICATING:TYP PILOT,VOLT 230V	5.00	021	ST
1081701	KIT, SEAL: TYP PUMP REPAIR,P/N:19550040	2.00	051	KIT
600387	GSKT PRE-CUT :	2.00	051	ST
914185	CIRCUIT:TYP FUSE,APLC PCIMS	1.00	021	EA
595935	BARRIER,ZENER:RT 19VDC 32MA	1.00	031	ST
590410	RELAY:COIL 110VDC,TYP INSTANTANEOUS	11.00	011	ST
1023593	KIT, SEAL: APPL HEAT TRACING CABLE	4.00	051	EA
653200	GSKT,SPWD:SPIRAL	24.00	051	EA
583163	LAMP,INCANDESCENT:TYP MINIATURE PILOT	2.00	021	ST
584873	DIAPHRAGM,VALVE:MT SS 302,VLV SZ 1IN	2.00	051	ST
1522001	SPRG-VLV:MTRL SWPA,O/SIDE LG 300MM,VLV S	1.00	051	EA
826970	BRG:MT INCONEL 625	2.00	051	ST
1085447	RELAY: TYP SOCKET,TERMINAL 11 PIN	1.00	011	EA
610101	PLATE:TYP SPECIAL ANGLED	3.00	131	ST
628804	BRG,ROLL:TYP NEEDLE,CAGE MT STEEL	2.00	051	ST
109674	FUSE:2A,250VDC,OFFSET BOLTED TAG,HIGH	6.00	131	EA
635584	SPRING,VALVE:MATL SS 301,VALVE SIZE 2IN	1.00	051	ST
619897	SEAL,OIL:TYP DE	1.00	051	ST
1024068	UNIT: TYP THERMAL MAGNETIC PROTECTION	1.00	051	EA
602401	PACKING:DIA 8MM,PTFE,ROUND	2.00	051	ST1
620298	IMPELLER,PUMP:CS ASTM A216 GR WCB	1.00	900	ST
577404	GSKT PRE-CUT :	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
628073	SEAT,VALVE:VLV SZ 4IN,CONTROL	1.00	051	ST
602059	O-RING:MT NITRILE RUBBER	6.00	051	ST1
607127	WASHER:SS,ID 322MM,OD 360MM,THK 20MM	2.00	051	ST
1015913	VALVE, RELIEF: VALVE SIZE 6MM	1.00	051	EA
634807	HEATER:TYP FREEZE STOP PLUS	20.00	001	M
582484	GAUGE,DIFF.PRESS.:0-50MM H2O; 0-0.5KPA	1.00	900	ST
627127	VALVE,CHECK:TYP BALL,VLV SZ 1IN	1.00	051	ST
602694	RIG-PSTN;PTFE,ROD	1.00	051	ST
1038613	KIT, VALVE REPAIR: APPL BALL VALVE	1.00	051	KIT
9101735	SHAFT,PINION,Z-12 KPL [TO BE DELETED]	2.00	051	ST
590109	FUSE:0.315A	15.00	021	ST
589294	SLEEVE,SHAFT:	1.00	051	ST
585996	VALVE,CHECK:VLV SZ 1/2IN,BDY MATL SS 316	2.00	051	ST
591896	SEAT,VALVE:VLV SZ 1 X 1; 1 X 3IN,MANUAL	1.00	051	ST
1032323	SPIDER, COUPLING: COUPLING TYPE BIPEX	4.00	051	ST
579182	DETECTOR:TYP CURRENT	1.00	011	ST
585800	VALVE,GLOBE:VLV SZ 3/4IN,DES RTG CL 800	2.00	051	ST
868037	O-RIG;119.5MM,2MM,NBR,METERING PUMP(PE)	1.00	051	EA
9102420	RTD WINDING, PT-100	2.00	051	ST
585672	VALVE,CONT:SZ 1IN,DES RTG 300LB	1.00	051	ST
681907	CHAIN,POWER TRANSMISSION:ST DUPLEX	5.00	051	M
901159	GSKT CAMPRO:ID 589MM,OD 607MM	2.00	051	EA
581275	CIRCUIT,POWER SUPPLY:	3.00	021	ST
619638	RIG-RTNG:MTRL CS JIS G3522 GR SWPA,RTNTN	1.00	051	ST
587053	GSKT,SPWD:3IN,900LB,GRAPHITE,SS 316	1.00	051	ST
1023597	KIT, SEAL: APPL SERVICE VALVE	1.00	051	EA
603293	O-RING:MT RUBBER,APLC AIR VACUUM RELEAS	1.00	051	ST
643916	SPRING:TYP LOADING,MT STEEL	1.00	051	ST
590129	FUSE:2A	8.00	021	ST
642810	VLV-BAL;FOR BALL VALVES	2.00	051	ST
593978	O-RING:ID 40.64MM,WD 5.53MM,MT NBR	1.00	051	ST
577808	ASSEMBLY:APLC TILT CYLINDER	1.00	081	ST
119219	VALVE:TYP BLEED,BDY MATL SS 316,CONN MPT	22.00	051	EA
845582	GSKT, SPWD: NOMINAL FLANGE SIZE 24IN	1.00	051	EA
582088	IMPLR-PUMP;CI GR GG-20	1.00	081	ST
623585	BREAKER,CIRCUIT:POLE 3	1.00	011	ST
592248	REDUCER:TYP PRESSURE CAPILLARY	1.00	051	ST
643701	BRG,ROLL:STD DIN 618	1.00	051	ST
617581	BRKR-CRCUT;2A,250VAC 50/60HZ,6/15KA,2	2.00	011	ST
18486	BREAKER,CIRCUIT:4A,240-415VAC	2.00	051	ST
1232963	ASSEMBLY:TYP FASTENER,APPL SIEVE TRAYS,D	50.00	081	ASY
653222	GSKT,SPWD:IRMT SS 316,OR MT SS 316	12.00	051	EA
589775	FILTER,ELEMENT:LUBE OIL	2.00	051	ST
945419	TEE,PIPE REDUCER:SZ 1-1/2 X 1IN,BW	2.00	051	ST
1521998	KIT-VLV-RPR:TYP REPLACEMENT,APL PCV,OPRT	1.00	051	KIT
577847	ASSEMBLY:TYP PC BOARD POWER	1.00	021	ST
619851	FOLLOWER:MT SS 330/ASTM A306 GR 45	1.00	061	ST
615021	ELBW;OD 168.3 X THK 2MM,45,1200MM	2.00	051	ST
593138	GSKT PRE-CUT :	6.00	051	ST
331485	RING:TYP ENTRY GUIDE	3.00	051	ST
602979	SEAL,OIL:MT NBR	2.00	051	ST
587030	ASSEMBLY:ALARM	1.00	081	ST
618864	RELAY,PROTECTION:SYNCHRO CHECK	1.00	031	ST
629928	SHIM:SZ ID 30 X OD 42MM,THK 0.1MM	1.00	051	ST1
616729	METER,ELECTRICAL:TYP WATT,RNG 0-15MW	1.00	101	ST
639638	SHAFT:	2.00	051	ST
607541	COUPLING,PIPE:1/2IN,SCH 40,PVC ASTM	6.00	051	ST
584479	BARRIER:TYP DIGITAL INPUT	1.00	121	ST
607990	NOZZLE:TYP SUCTION	28.00	051	ST
593939	O-RING:MT ETHYLENE,APLC D.E. BEARING SL	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
630496	SWTCH-PRXMTY;LIMITING,2.3MM,1NO-1NC,SPDT	1.00	011	ST
587172	ASSEMBLY: TYPE CAM	2.00	081	ST
610773	VALVE,ANGLE:VLV SZ 1/2IN	1.00	051	ST
619840	MTR-ELCTRC;7.5KW,380VAC 60HZ,AE132M	1.00	011	ST
609320	GAS:CALIBRATION,A1 CYLINDER 31.5L	1.00	001	CY
577375	MODULE:ANALOG I/O,PWR S 24VDC 0.9A	1.00	031	ST
602186	PACKING:RECTANGULAR,TYP GLAND	20.00	051	ST
604085	BREAKER,CIRCUIT:10A,POLE 2	3.00	011	ST
602751	RING:TYP CLAMP,APLC SCREW PUMP	2.00	051	ST
617641	WASHER, LOCK: TYP BEARING,P/N:016279-00	2.00	051	ST
612382	O-RING:	1.00	051	ST1
1003947	METER, FLOW: RANGE 0-4500KG/HR	1.00	101	EA
963743	BRG,BALL:STYL DEEP GROOVE,STD DIN 625,P/	5.00	051	EA
621964	SEAL,RING:TYP SPRING LOADED,APLC MOTORS	1.00	051	ST
605191	RELAY:PANEL	9.00	011	ST
642629	O-RING:APLC SEAL	12.00	051	ST
635210	UNIT:	1.00	091	ST
604516	FUSE;QUICK ACTING,0.5A,250V AC,GLASS	55.00	021	ST
593485	GSKT PRE-CUT :	2.00	051	ST
591869	SEAT,VALVE:VLV SZ DN 3	1.00	051	ST
593436	GSKT PRE-CUT :THK 2MM,NEOPRENE RUBBER	4.00	051	ST
604558	FUSE:25A,500V,CURRENT LIMITING	19.00	021	ST
592218	NOZZLE:TYP EJECTOR,APLC STEAM TURBINE	1.00	900	ST
798943	INSULTR;LV TERMINAL,1KV,LG 263MM	1.00	051	EA
585488	SPRING:	2.00	051	ST
599513	GSKT PRE-CUT :MATL V#6500	2.00	051	ST
625324	ELEMENT,HEATER:ELEC TRT 220V,W 1.5KW	2.00	011	ST
643797	ELEMENT:TYP COUPLING,MT ELASTOMER/RUBBER	1.00	051	ST
1595990	VLV-BUTRFLY:TYP DOUBLE ECCENTRIC,BDY MTR	2.00	051	EA
638013	CIRCUIT:TYP DIGITAL OUTPUT	1.00	011	ST
589548	BREAKER,CIRCUIT:20A,600VAC,POLE 3	3.00	011	ST
610726	GAUGE,PRESSURE:0-4BAR,160MM,MBSG 1/2	1.00	101	ST
638212	CLAMP:	2.00	051	ST
478570	FLTR-ELMNT;GENEAL PURPOSE,10-15MICRO	1.00	051	EA
1225363	RING,WEAR:INSIDE DIAMETER 162MM,MATL AST	1.00	081	EA
590565	SWTCH;24VDC 2A,SPST	10.00	021	ST1
599876	GSKT,SPWD:1IN,GRAPHITE,UNS S31603	2.00	051	ST
738732	RAM:TYP VALVE	1.00	061	ST
668446	COUPLING,SHAFT:GOVERNOR DRIVE	1.00	051	EA
600303	GSKT,SPWD:GRAPHITE,SS 316,IRMT SS 316	2.00	051	ST
631061	SHFT-PUMP;PIN HOLE,PIN HOLE	4.00	051	ST
625335	ISOLATOR,ELECTRICAL:ELEC TRT 125A,POLE 3	2.00	011	ST
612580	STRIP,TERMINAL:	2.00	021	ST
603806	SLEEVE,SHAFT:ID 30MM,OD 35MM,LG 51.5MM	2.00	051	ST
583619	CIRCUIT:TYP MODIFICATION MULTIBUS EXTEN	1.00	101	ST
802929	PACKING:ID 46 X OD 64 X THK 10MM	1.00	051	ST
922179	ELECTROD,WLDG:A5.4 E16.8.2-15	57.00	051	KG
642469	SEAL:GF/PTFE,SLEEVE	2.00	051	ST
602245	PACKING:	2.00	051	ST1
601435	O-RING:ID 46.51MM,WD 0.275IN	3.00	051	ST
579054	CONTROL:TYP HIGH PRESSURE	1.00	061	ST
596476	FLTR-ELMNT;BASKET STRAINER,SS WIRE CLOTH	1.00	051	ST
599536	GSKT PRE-CUT :	12.00	051	ST
608458	GUD-VLV:VLV STYL UPPER STEAM,P/N:04-1111	5.00	051	ST
600081	GSKT PRE-CUT :ROUND	4.00	051	ST
795411	RTD:TYP PT100,100OHM,WIRE 3,SH MT SS 316	1.00	101	ST
579658	CIRCUIT:TYP CONTROL	1.00	011	ST
589194	SLEEVE,SHAFT:SS ASTM A276 GR 316	1.00	051	ST
619287	BALL:SZ DIA 14MM,STD DIN 5401	2.00	051	ST
759021	SEAL,OIL:ID 45MM,OD 65MM,WD 8MM	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
723626	HOLDER,VALVE DISC:MT SS 403	1.00	051	ST
577696	HORN;ALARM,220V AC	1.00	121	ST
1035691	GSKT PRE-CUT :TYP FULL FACE,SIZE ID 610	1.00	051	EA
585469	SPRING:	1.00	051	ST
593918	O-RING:ID 3-3/4IN,WD 1/16IN,MT NITRILE	1.00	051	ST
613967	SEAL,MECHANICAL:CARTRIDGE	2.00	900	ST
1023594	KIT, SEAL: APPL RETRIEVER,P/N:210237	1.00	051	EA
1088421	SENSOR, VIBRATION: O/P 50OHM,P/N:7150-02	1.00	011	EA
631687	CLMP;CABLE TIE,NYLON	100.00	051	ST
838846	STUD CNTNS THD:TYP BOLT,DIA 5/8IN,THRD 1	8.00	051	ST
585894	VALVE,RELIEF:TYP SAFETY	1.00	051	ST
930788	GAUGE, PRESSURE: RANGE 0-1BAR	1.00	101	EA
161452	PLUG,VALVE:VLV SZ 1IN,CONTROL	1.00	051	EA
1031479	O-RING, CORD: THICKNESS 6MM, EQUIP	8.00	051	EA
616614	SWTCH-PUSH:TYP BLOCK,CNTCT RTNG 660 V; 1	2.00	021	ST
596806	FILTER:TYP SACK,SZ 500 X LG 1000MM	1.00	051	ST
618130	SEAL,RING:TYP V SHAPE	3.00	051	ST
602293	PCKG:TYP LIQUID,P/N:S369-2,MNFR:EBARA CO	2.00	051	ST
615483	CROSSHEAD:	1.00	081	ST
626486	SWITCH:TYP TORQUE/POSITION OPENING,SPDT	2.00	021	ST
592949	GSKT-PRE-CUT;ID 150 X OD 250 X THK 3MM	1.00	051	ST
643654	BRG,ROLL:ID 101.6MM,OD 111.13MM,WD	1.00	051	ST
131339	RIG-RTNG;INTERNAL,STEEL	1.00	101	EA
604235	COIL,ELECTRICAL:FUNC CONTACTOR HOLDING	1.00	011	ST
806909	RELAY:COIL 110VDC,TYP ANTI-PUMPING	2.00	011	ST
426007	SEAT,VALVE:ID 371.6MM,OD 438MM	2.00	051	ST
592856	GSKT-PRE-CUT;ID 51 X OD 152 X THK 5MM	4.00	051	ST
472325	MODULE:(32) CHANNEL DIGITAL INPUT	2.00	031	EA
593147	GSKT PRE-CUT :ID 24 X OD 32 X THK 1/16IN	5.00	051	ST
615821	SEAL,OIL:	1.00	051	ST
608877	FLASK:TYP ROUND BOTTOM,CAP 250ML,MT	2.00	071	ST
642532	GSKT:	1.00	051	ST
633007	BOLT:M48,920MM,AS DIN WN 1.7711,1.5MM	8.00	051	ST
593351	GSKT PRE-CUT :ROUND	4.00	051	ST
589538	BREAKER,CIRCUIT:10A	2.00	011	ST
578071	KIT:TYP REPAIR	2.00	081	ST1
636566	GSKT,SPWD:42IN,150LB,GRAPHITE	1.00	051	ST
593461	GSKT PRE-CUT :	8.00	051	ST
586409	BRG,SLEEVE:TYP JOURNAL,P/N:50280-2738/20	1.00	051	ST
616760	RESISTOR:	1.00	031	ST
737200	KIT,SEAL:APLC MECHANICAL SEAL	2.00	051	KIT
117620	BRG-BAL:STYL OPEN,ROW SINGLE,TYP CONRAD	3.00	051	EA
968854	FITTING, OUTLET: TYP SOCKOLET,RT 3000LB	2.00	051	ST
590432	DRIVER:TYP RELAY TIMER	1.00	101	ST
726695	WASHER:SS	1.00	051	ST
608934	MTR-ELCTRC;0.37-0.38KW,1700RPM,71B,IP54	1.00	011	ST
1566058	KIT,VALVE REPAIR:APPL BUTTERFLY VALVE,TY	1.00	051	KIT
582263	DRYER:	1.00	081	ST
584410	METER:TYP AMPERAGE,RNG 0-100A	1.00	101	ST
592917	GSKT:ID 21 X OD 25 MM,THK 1MM,ROUND,CU	8.00	051	ST
639830	FILTER,ELEMENT:25MICRON,SUCTION	1.00	051	ST
615607	KEY,SHAFT:TYP PARALLEL,MT SS ASTM	1.00	051	ST
898260	BREAKER,CIRCUIT:25A,240/415VAC	1.00	011	EA
282426	PIN:DIA 15MM,LG 70MM	1.00	051	EA
929131	LIGHT,INDICATING:TYP PILOT LED	1.00	021	EA
585993	VALVE,CONT:TYP BLEED	1.00	051	ST
600116	GSKT,SPWD:GRAFOIL,IRID 1801MM,SS 316	3.00	051	ST
1048834	O-RING: INSIDE DIAMETER 123.42MM	1.00	051	EA
799336	MANIFOLD:TYP PRESSURE TRANSMITTER	2.00	051	EA
628363	TRANSMITTER,PRESSURE:0-350PSIG	1.00	061	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
608664	BAR,REINFORCING:SZ DIA 20MM,MS	12.00	131	M
799094	BREAKER, CIRCUIT: AMPERAGE 16A,POLE 3	1.00	011	ST
630193	SCREW,CAP:MT STEEL,HEX ALLEN	1.00	051	ST1
578182	KIT-ACTUTR-RPR;SEALING	1.00	061	ST
600237	GSKT,SPWD:34IN,150LB,GRAPHITE,SS 316	5.00	051	ST
636466	WASHER:PTFE GLASS FILLED 25PCT,THRUST	1.00	051	ST
579661	TRANSMITTER,DIFF.PRESS.:	2.00	061	ST
120175	PULLEY,V-BELT:	1.00	051	EA
800726	GSKT,SPWD:4IN,150LB,GRAPHITE,SS 304	1.00	051	ST
624932	RESISTOR:10OHM,RT 15W	5.00	031	ST
594222	PCKG;ID 13.5 X OD 24 X THK 6MM,PTFE	1.00	051	ST1
912772	DSPLY-UNIT-DATA:RDUT LCD,P/N:03031-0193-	2.00	141	EA
579487	SWITCH,PROXIMITY:9.6-55VDC 200MA,5MM	2.00	011	ST
615816	GSKT:TYP PINION COVER AND BULL GEAR,P/N	1.00	051	ST
628059	SEAT,VALVE:VLV SZ 1IN,CONTROL,MONEL	1.00	051	ST
592469	GSKT PRE-CUT :ID 235 X OD 255 X THK	4.00	051	ST
638196	BUSH:COMPRESSOR AND TURBINE	1.00	051	ST
588200	PLUG,VALVE:CONTROL,UNS S31600	2.00	051	ST
598544	BELT;WD 30 X LG 3100MM	3.00	051	ST
585967	KIT,VALVE REPAIR:APLC SYSTEM RELIEF PLA	1.00	051	KIT
604075	BREAKER,CIRCUIT:0.5A	2.00	011	ST
619205	TERMINATOR:TYP COAXIAL	2.00	021	ST
616215	BREAKER,CIRCUIT:16A,277/380VAC	2.00	011	ST
577910	KIT:TYP GASKET	2.00	081	ST1
641436	GUIDE,VALVE:VLV ST GATE,VLV SZ 400MM	1.00	051	ST
587792	KIT,VALVE REPAIR:SEAL	1.00	051	KIT
588750	KIT:TYP PACKING RING AND GASKET	1.00	081	ST1
636817	PACKING:COPPER ASTM B152 GR C11000PP	1.00	051	ST
928458	RESISTOR: TYP EARTH FAULT,P/N:0M-94070	1.00	031	EA
630583	BELLOWS:TYP RESET,3-15PSIG	1.00	051	ST
964777	ADHESIVE: TYP EPOXY,CTNR 3OZ,P/N:RP-48	50.00	001	KIT
617493	O-RING:ID 52MM,WD 3MM,MT VITON	4.00	051	ST1
610536	MOTOR,ELECTRIC:3HP,380VAC 5A 60HZ	1.00	011	ST
828405	AMPLIFR:TYP PRE,I/P 8-29VDC	2.00	031	EA
590716	BRKR-CRCUT;6A,400V AC,6KA,2,AUTOMATIC	2.00	011	ST
616993	CABLE,POWER:TYP HEAT RESISTANCE	29.00	021	M
634796	HEATER:	190.00	001	M
599733	GSKT,SPWD:GRAFOIL,SS 316,APLC DISC	1.00	051	ST
622830	METER,FLOW:TYP POSITIVE DISPLACEMENT	1.00	101	ST
632896	FUSE:3A	2.00	021	ST
615812	O-RING:ID 3-1/4IN,WD 0.103IN	1.00	051	ST
594266	PCKG;ID 125 X OD 169 X THK 20MM,GRAPHITE	2.00	051	ST
1170436	SEAL:SZ SQ 70 X THK 2MM,APPLN PSTN PMP	1.00	051	EA
638168	BUSH,VALVE:VALVE GUIDE	1.00	051	ST
590532	RELAY,PROTECTION:REVERSE POWER	1.00	031	ST
1071175	KIT,VALVE REPAIR:APPL DOUBLE BLOCK AND B	2.00	051	KIT
1086763	KEY, SHAFT: TYP IMPELLER,MATL SS 316	1.00	051	EA
898226	BREAKER,CIRCUIT:63A,690VAC	1.00	011	EA
418399	O-RING:MT PTFE	1.00	051	EA
643133	GSKT,SPWD:3/4IN,GRAPHITE,SS 316	2.00	051	ST1
890672	SLEEVE,SHAFT:TYP NUT	1.00	051	ST
972862	GSKT, SPWD: P RT 900LB,SHAP ROUND	2.00	051	ST
616673	DIODE,LIGHT EMITTING:COLOR YELLOW	1.00	031	ST
643651	O-RING:ID 173MM,WD 3MM,STD DIN 3770	1.00	051	ST
879387	GLAND,CABLE:SZ ID 8.5-16 X OD 12-21MM	1.00	021	EA
578117	KIT-SEAL;SOFTGOODS	3.00	051	ST
605251	VLV-SLND;24V DC	4.00	051	ST
604067	BREAKER,CIRCUIT:20A,220/380/480VAC	1.00	011	ST
612269	SLEEVE:TYP THRUST	2.00	051	ST
632139	GSKT PRE-CUT :P#1200-S,BONNET,16IN	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
595859	INDICATOR:TYP TEMPERATURE WINDING	1.00	101	ST
596971	SEAT-VLV;CONTROL,100MM,95MM,120MM,25MM	1.00	051	ST
556561	CIRCUIT: TYP DIGITAL EXTENSION	1.00	011	EA
593313	GSKT:ID 100 X OD 120MM,THK 0.2MM,ROUND	4.00	051	ST
588827	UNIT:APLC ON-OFF/BUTTERFLY VALVES	1.00	051	ST
594085	O-RIG;SEAL	1.00	051	ST
632069	GSKT PRE-CUT :P#1300-S,BONNET,10IN	1.00	051	ST
623026	METER,ELECTRICAL:TYP AMMETER,RNG 0-1200A	2.00	101	ST
905344	GAUGE,LEVEL:M36 X 1.5MM,OIL	1.00	101	EA
643098	GSKT,SPWD:3/4IN,GRAPHITE,SS 316	3.00	051	ST
831783	KIT:APLC MAIN VALVE	1.00	081	EA
632045	GSKT,SPWD:4IN,600LB,P#2601-ESO	4.00	051	ST
805314	COIL,ELECTRICAL:TYP HEATING	5.00	011	ST
587693	KIT;BENZENE CHIP	5.00	081	ST
608503	O-RING SET:2	1.00	051	ST
615752	COVER:TYP BEARING,CI JIS G5501 GR	1.00	051	ST
631648	PIPE:SZ DIA 11 X 14MM,LG 500MM	1.00	131	ST
579673	TRANSMITTER,PRESSURE:0-10BAR	1.00	061	ST
585115	FILTER,AIR:	1.00	051	ST
625454	BRKR-CRCUT;200A,220-690V AC,10-100KA,4	1.00	900	ST
582259	BEARING:TYP CROSSHEAD PIN,MT CS	4.00	051	ST
579818	BEAKER, LABORATORY: TYPE GRADUATED	15.00	071	ST
643926	GSKT:BODY	1.00	051	ST
278301	ADHSV;PSX 60 KIT,SEMI SOLID LIQUID,3OZ	10.00	001	KIT
588968	FILTER,ELEMENT:SS 304,STRAINER SCREEN	1.00	051	ST
605530	SWITCH,LIMIT:	1.00	061	ST
581822	HOSE:	1.00	051	ST
620136	O-RIG;25MM,2MM,VITON,A 70	8.00	051	ST
643772	JOINT:	1.00	051	ST
601708	O-RING:	1.00	051	ST
1223093	WASHER,FLAT:MATL CAST IRON,INSIDE DIAMET	2.00	051	EA
643595	PUMP:	1.00	081	ST
1024070	CABLE:TYP DRUM,SIZE LG 75MM,MATL SS 316,	1.00	021	EA
165177	BELLOWS:TYP ASSEMBLY	1.00	051	EA
595634	KEY:TYP FEATHER	1.00	051	ST
580419	SHAFT,VALVE:LG 315MM,STEEL	3.00	051	ST
603051	SEAL,OIL:ID 22MM,OD 35MM,WD 7MM	1.00	051	ST
605111	RELAY,OVERLOAD:2.5-4A,1NO-1NC,THERMAL	1.00	011	ST
829028	ACTUTR;CYLINDER,FOR SURFACE CONDENSER	1.00	061	EA
598748	GEAR-SPUR;PLAIN,19,84MM,32MM,25MM,CS	1.00	081	ST
584922	DISC,VALVE:SS ASTM A564,630,PRESSURE AND	1.00	051	ST
853719	SET:TYP PACKING,APLC VALVE	3.00	081	SE
643066	GSKT,SPWD:3/4IN,GRAPHITE,SS 316	3.00	051	ST
621595	SPRING,COMPRESSION:SWO-A ASTM A229	2.00	051	ST
584941	DISC,PUMP:TYP DEFLECTOR	2.00	081	ST
604084	BREAKER,CIRCUIT:10A,POLE 3	2.00	011	ST
618480	ARM:TYP SWIVEL	2.00	131	ST
905125	DISPLAY UNIT,DATA:TYP FRONT PANEL,P/N:90	1.00	141	EA
417933	O-RING:	1.00	051	EA
1205040	SEAL:MATL NITRILE,TYP LIP,DOC:B2-272C241	1.00	051	EA
618780	COUPLING,SHAFT:N-EUPEX FLEXIBLE,OD 80MM	1.00	051	ST
1201766	SNUBBER:TYP RESISTANCE,P/N:81001-956-60-	2.00	011	ASY
1078983	KIT: TYP MAINTENANCE,STD ASTM,P/N:MOD55C	2.00	081	KIT
623047	HTR-STRP;240V AC,150W	2.00	011	ST
609984	SWITCH, TOGGLE: ACTION SPDT,P/N:30AC2-HP	1.00	021	ST
961379	SHAFT, VALVE: MATL SS S17400 H900	1.00	051	EA
634390	DAMPER:TYP PULSATION	1.00	081	ST
901129	TRANSFORMER:VA RT 3300VA	1.00	011	EA
9102088	KEY,RING,RETAINING,FOR [TO BE DELETED]	2.00	051	ST
604981	DISPLAY UNIT:TYP FRONT	1.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
652710	BRKR-CRCUT;1A,230/400V AC,6KA,1,CIRCUIT	1.00	011	ST
594022	O-RING:ID 35MM,WD 2.5MM,MT PTFE	2.00	051	ST1
836508	CIRCUIT,POWER SUPPLY:TYP CARD	2.00	021	EA
642703	RING:TYP STUFFING BOX	7.00	051	ST1
619336	GUN:TYP HOT AIR	1.00	101	ST
885664	SWITCH,PRESSURE:550-5000PSI,600V 10A	18.00	061	ST
9101851	REPAIR KIT	1.00	051	ST
1078597	O-RING: INSIDE DIAMETER 225MM,WIDTH 3MM	1.00	051	EA
1024796	KIT, ACTUATOR REPAIR: TYP SERVICE	1.00	061	EA
619699	O-RIG;74.4MM,3.1MM,PTFE/NBR	2.00	051	ST1
635360	BOARD,TERMINAL:	1.00	021	ST
604479	THERMOCOUPLE:TYP J,DESLG 350MM	1.00	061	ST
561742	DISC-VLV;SS 316,PRESSURE SAFETY	1.00	051	EA
585264	REGULATOR, PNEUMATIC: TYPE PRESSURE	2.00	061	ST
585520	STEM,VALVE:VLV ST MANUAL CONTROL ANGLE	1.00	051	ST
601342	O-RING:MT VITON	2.00	051	ST
1623013	KIT-INSTLTN:CMPRSNG TORCH,INJECTOR,O-RIN	1.00	051	KIT
589697	CNTCTR;MAGNETIC,3,185A,1000V AC,110V DC	1.00	900	ST
508314	WIRE, WELDING: TYP FILLER,DIAMETER 2.4MM	4.50	051	KG
1599765	VLV-CHCK:TYPE RETAINERLESS,TYPE 2IN,TYPE	1.00	051	EA
599431	GSKT PRE-CUT :GRAPHITE/V#6592-GGZ	2.00	051	ST
590274	PROTECTOR;FLANGE LEAK	4.00	001	ST
618495	FIXTURE,FLUORESCENT LIGHTING:	3.00	900	ST
620821	SEAL,RING:MT SYNTHETIC RUBBER,TYP V	2.00	051	ST
581551	THYRISTOR:TYP RECTIFIER DIODE MODULE	1.00	031	ST
617728	SHIELD:MT SS 316	1.00	121	ST
157518	LGHT-INDCTG:TYP PILOT,VLTG 24V AC/DC,CLR	2.00	021	EA
602947	SEAL, MECHANICAL: SIZE 2-1/8IN	1.00	051	ST1
1527631	FAN:TYP COOLING,SPD 1800RPM,ELEC RT 3300	1.00	081	EA
582747	CIRCUIT: TYPE TEMPERATURE BOARD	2.00	011	ST
586005	CAGE-VLV	1.00	051	ST
612921	CNTCT-AUXLRY:CNTCT ARNG 1NO-1NC,VLTG 600	3.00	011	ST
610665	PULY-V-BELT	1.00	051	ST
1078761	VALVE: TYP SWITCHING,VALVE SIZE 1-1/4IN	1.00	051	EA
601446	O-RING:ID 63IN,WD 0.275IN	5.00	051	ST
905542	SEAT,VALVE:VLV SZ DN 50,GLOBE CONTROL	1.00	051	EA
9101743	SHAFT,PINION PART# 6[TO BE DELETED]	2.00	051	ST
582892	TRANSMITTER:TYP FIBER OPTIC PIC CONTROL	1.00	061	ST
790298	SWTCH-LMT;230V-400V-500V/4.4A/2.5A-2A	2.00	061	ST
628360	KIT:TYP SINGLE ACTING POSITIONER	1.00	081	ST
581384	MODULE:	1.00	061	ST
615898	IMPELLER:CI 220	1.00	081	ST
586405	BRG,ROLL:ID 140MM,OD 210MM,WD 53MM	2.00	051	ST
642712	BUSH,VALVE:PTFE/GFK,GUIDE	8.00	051	ST
599272	STATOR:	2.00	011	ST
615528	BUSH:BRONZE BC6/B584,THROTTLE	2.00	051	ST
602064	O-RING:MT NITRILE RUBBER	6.00	051	KIT
624908	CIRCUIT:TYP REGULATOR CONTROL LOGIC CMOS	2.00	011	ST
1042766	TRANSMITTER, PRESSURE: RANGE 0-10BAR	2.00	061	EA
619730	VALVE,CHECK:TYP DISC/SPRING	2.00	051	ST
586257	BRG,BALL:DOC:3121-713692	2.00	051	ST
894572	SEAL,RING:MT N10276/PTFE,G,M	1.00	051	EA
642658	O-RING:ID 158.12MM,WD 6.99MM,APLC SEAL	1.00	051	ST
587788	KIT,VALVE REPAIR:SEAL	2.00	051	KIT
578118	KIT,SEAL:TYP SOFTGOODS	2.00	051	ST
598874	CUPLG-SHFT-HALF;FLEXIBLE; HUB	1.00	051	ST
577838	STOP:TYP CHAIN END	1.00	051	ST
609208	NUT	1.00	051	ST
587319	KIT,VALVE REPAIR:SEAL	2.00	051	KIT
902346	CABLE,COMMUNICATIONS:TYP V-NET/IP	1.00	031	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
579123	CONVERTER,FREQUENCY:	1.00	031	ST
589659	CONTACT,AUXILIARY:CONTAR 2NO	3.00	021	ST
1471748	SPRING,VALVE:MATL STEEL,WIRE DIA 0.3IN,V	3.00	900	EA
642405	CONE:	1.00	051	ST
480844	MODULE:SENSOR	1.00	011	EA
587335	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG PACKIN	1.00	051	ST
638309	SPRING:SS,TYP SPIRAWAVE WAVE	2.00	051	ST
9101718	BULB, HEAD LAMP, 12 V60/55 W, PYREX GLAS	4.00	051	ST
589943	FUSE:6A	4.00	021	ST
706376	CIRCUIT:TYP RESOLVER BOARD,APLC ACTUATOR	1.00	051	EA
616728	METER,ELECTRICAL SERVICE:	1.00	900	ST
1558896	STEM,VALVE:VLV STYL BOLTED BONNET GATE V	1.00	051	EA
578538	SPRING:	1.00	051	ST1
588307	GSKT PRE-CUT :ROUND	2.00	051	ST
611751	BRKR-CRCUT;6-10A,415-690V AC,4/100KA,3	1.00	011	ST
1001368	BREAKER, CIRCUIT: AMPERAGE 6A,POLE 2	1.00	011	EA
609348	FUNNEL:MT SS	5.00	071	ST
798550	MDUL-PWR-SUPPLY;120/220VAC 47-63HZ,PLC	1.00	031	EA
918825	TUBE:TYP STEAM TRACING,SZ DIA 1/2IN	20.00	131	M
768513	O-RING:ID 156MM,WD 3MM,MT FPM	4.00	051	EA
738097	RING:D125 / 70X20MM,C45,TYP CARRIER	1.00	051	ST
974294	CIRCUIT: P/N:6ES7953-8LJ30-A00A	1.00	011	EA
1002194	SEAL: APPL HYDRAULIC ACCUMULATOR	1.00	051	ST
961376	BUSH, VALVE: MATL UNS S31700,TYP DRIVE	1.00	051	EA
609745	RELAY:COIL 120VAC	1.00	011	ST
805340	GSKT PRE-CUT :	3.00	051	ST
939965	PLUG:SCREW,SCREW PUMP	1.00	051	EA
587340	KIT, VALVE REPAIR: TYP SEAL	2.00	051	KIT
594326	PCKG;ID 11/16 X OD 1-3/16 X THK 7/32IN	1.00	051	ST1
587910	KIT,VALVE REPAIR:GASKET AND PACKING	1.00	051	KIT
1544136	BRG,ROLL:TYP NEEDLE,ROW SINGLE,INSIDE DI	1.00	051	EA
681512	BRG,ROLL:ID 35MM,OD 80MM,WD 23MM	4.00	101	EA
616592	RELAY:COIL 220VAC,TYP AUXILIARY	2.00	011	ST
585057	DISC,VALVE:SS ASTM A276 GR	1.00	051	ST
587519	KIT-VLV-RPR:TYP SOFT PARTS,APL BUTTERFLY	1.00	051	ST1
595019	SEAL-OIL;35MM,62MM,7MM,NBR	1.00	051	ST
165927	ASSEMBLY:WORM SHAFT,APLC ELECTRIC	1.00	081	EA
638172	BUSH,VALVE:GUIDE	2.00	051	ST
637960	BALL,VALVE:VLV SZ 4IN,MT SS 316 HARDCOA	1.00	051	ST
604257	CONTACT,STATIONARY:TYP STUD,MT COPPER	4.00	011	ST
856963	SEAT,VALVE:VLV SZ 2IN,GLOBE,SS 416	4.00	051	ASY
570232	RGULTR;1.38-3.4BAR	1.00	011	EA
1065540	REAGENT: TYP COPPER TEST,CTNR PACK	2.00	001	PAK
638024	KIT,VALVE REPAIR:BALL VALVE	1.00	051	ST1
772703	CNTCT-AUXLR;SNAP-ON,1NO-2NC,230V AC,6A	1.00	011	ST
960353	JOINT, EXPANSION: TYP TEXTILE,CNCT CLAMP	1.00	051	ST
641861	SWITCH,LEVEL:SPDT	1.00	061	ST
867783	SLNGR:P/N:32332 001,MNFR:DRESSER-RAND,DO	1.00	900	EA
653206	GSKT,SPWD:SPIRAL	6.00	051	EA
1233001	GSKT PRE-CUT :TYP FLAT,SIZE ID 221 X SQ	1.00	051	EA
596545	DISC-VLV;150MM,SS DIN WN 1.4571,316	1.00	051	ST
1556975	FILTER:TYP WASHABLE DOOR,MICRON 2MICRON	1.00	051	EA
1016421	SPROCKET: TEETH 192, REF#: JOB NO.	4.00	051	ST
898252	BREAKER,CIRCUIT:2A,440VAC; 125VDC,POLE 3	1.00	011	EA
588596	PAD,BEARING:TYP JOURNAL,SZ 7 X 3-3/8IN	2.00	051	ST1
601303	O-RING:MT VITON,APLC SHAFT SLEEVE	2.00	051	ST
597276	STEM,VALVE:VLV ST CONTROL	4.00	051	ST
605696	SWTCH-PRXMTY;ANTIVALENT,20MM,PNP,CE	3.00	011	ST
615047	ELBW-PIPE;OD 323.9 X THK 3MM,BW,90,LONG	1.00	051	ST
578775	TRNSFRMR;THROTTLE POWER,10A	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
588917	CHARGER,BATTERY:TYP POWER SUPPLY	1.00	031	ST
574251	ASSEMBLY:SEAT RING,APLC CONTROL VALVE	1.00	081	EA
9102059	POT,QUENCH; COOLING SYSTEM[TO BE DELETED	1.00	051	ST
617113	JUMPER:TYP SECURITY AND ALARM	3.00	021	ST
612494	DISC,VALVE:	1.00	051	ST
600264	GSKT,SPWD:12IN,600LB,GRAPHITE	2.00	051	ST
612697	BALLAST:TYP HS/HI LAMP,VOLT 220VAC 60HZ	2.00	021	ST
600150	GSKT JKTD:CS,TYP DOUBLE	2.00	051	ST
636116	SENSOR:TYP ULTRASONIC LEVEL CONTROL	1.00	011	ST
9101698	BEARING CARRIER, MAT.- MAT.- ASTM A494M-	1.00	051	ST
683114	BRG,THRUST:BALL,ID 50MM,OD 74MM,WD 18MM	3.00	051	EA
1627392	TRNSMTR-TMPRTUR;0-150°F,4-20MA,24V DC	1.00	051	EA
593410	GSKT PRE-CUT :ID 70 X OD 80 X THK 5MM	15.00	051	ST
608658	BAR,HEX:SZ 32MM,MT SS ASTM A276 GR 85 E	28.00	131	M
595275	SEAL:	2.00	051	ST
9101654	ASSY,CYL,CLUTCH RELEASE	1.00	051	ST
584206	DISC,RUPTURE:3.3 BAR G AT 93 DEG C,3IN	1.00	051	ST
592439	GSKT-PRE-CUT;RF,ROUND,PTFE	3.00	051	ST
642639	GSKT:	1.00	051	ST
581543	MDUL;DIODE,1200V 151A,INVERTER	1.00	031	ST
625533	BREAKER, CIRCUIT: AMPERAGE 160A,POLE 3	1.00	011	ST
599739	GSKT,SPWD:GRAFOIL,SS 316,APLC BOTTOM	1.00	051	ST
628008	PLUG,VALVE:VLV SZ 2IN,CONTROL,PTFE/SS	1.00	051	ST
265557	RIG-BCKUP:I DIA 2IN,MTRL FKM,P/N:1V55070	6.00	051	EA
609068	ACTUTR-PNUMTC;CYLINDER	1.00	061	ST
901574	RELEAS VLTG,RELEAS VLTG:TP SHUNT CLOSING	1.00	011	EA
581537	MODULE:BASE DRIVE (TRIGGER) BOARD (TFC)	2.00	031	ST
965800	KIT,TERMINATION:TYP SPLICE,STD CE; CSA;	1.00	021	EA
630861	TRANSFORMER:TYP CONTROL,VA RT 50VA	1.00	011	ST
621020	RECTIFIER:	1.00	021	ST
644740	GSKT PRE-CUT :	3.00	051	ST
599400	GSKT JKTD:ID 1040 X OD 1080 X THK 3MM,SS	2.00	051	ST
1040358	CONTACTOR: TYP MOTOR CONTROL,POLE 3	1.00	011	EA
601381	O-RING:MT VITON	3.00	051	ST
606897	SCREW:A2	4.00	051	ST
591427	NUT,CAP:HT 28MM,SS ASTM A276,GR TP 316	1.00	051	ST
624335	BEARING:	2.00	101	ST
585295	SEAT,VALVE:VLV SZ 10IN,BUTTERFLY,EPDM	1.00	051	ST
631596	PLATE:TYP LOCK	28.00	131	ST
1004010	PLATE: TYP ORIFICE,SIZE 4 IN,MATL SS 316	1.00	131	EA
143850	BELT, V: INSIDE CIRCUMFERENCE 2600MM	2.00	051	EA
606323	NUT,CAP:DIA 12MM,GS,THD 1.75 MM	20.00	051	ST
585522	STEM,VALVE:VLV ST ANGLE,MT SS ASTM A276	1.00	051	ST
599692	GSKT-SPRL-WUND;T#1806,ROUND,BODY	3.00	051	ST
580985	PLUG:DIA 58 X LG 188MM,STEEL,THREADED	10.00	051	ST
587794	KIT-VLV-RPR:TYP SOFT PARTS,APL GATE,GLOB	1.00	051	KIT
605685	SWTCH;LEVEL	1.00	021	ST
941650	COVER:ALLOY 20	1.00	051	ST
597728	GAUGE:TYP NEEDLE	2.00	051	ST
608674	BAR,ROUND:SZ ID 25 X OD 50MM,MT CS	1.00	131	M
585964	VALVE:	1.00	051	ST
636182	DIAPHRAGM,VALVE:VLV TP CONTROL	1.00	051	ST
692087	CONTACT:TYP SWITCH	1.00	021	EA
604505	FUSE:1A,DIA 5 X LG 20MM,FERRULE	10.00	021	ST
626655	SHT-GSKT;2.20M	2.00	051	ST
592421	GSKT-PRE-CUT;ID 69 X OD 78 X THK 3MM	1.00	051	ST
1026492	GSKT, SPWD: NOMINAL FLANGE SIZE 616MM	2.00	051	EA
606339	NUT,HEX:DIA M12,THD 1.75MM	2.00	051	ST
627774	CONTACTOR:TYP NON REVERSING,3 POLE	1.00	011	ST
628647	SEAT,VALVE:VLV SZ 4IN,GATE,AS ASTM A182	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
589431	BREAKER,CIRCUIT:6.3A,220/690VAC; 250VDC	1.00	011	ST
626453	RETAINER:TYP SEALING EXTERNAL BEARING	1.00	051	ST
930025	KIT, VALVE REPAIR: TYP REPLACEMENT	1.00	051	EA
596654	FILTER,AIR:POLYMER	1.00	051	ST
629291	CASING,PUMP:	1.00	081	ST
580851	SEAL,RING:	1.00	051	ST
578676	MCHNSM;ROTARY DRIVE	1.00	051	ST
585233	POSITIONER,VALVE:TYP PNEUMATIC	1.00	061	ST
1217303	CELL:TYP CAPILLARY,SIZE ID 50 UM & EFFEC	1.00	011	PAK
604839	FUSE;QUICK ACTING,0.5A,250V AC,GLASS	30.00	021	ST
629860	BARRIER:	1.00	031	ST
586278	BRG,SLEEVE:TYP JOURNAL	2.00	051	ST
631668	PIPE:MS,STRUCT HOSE	1.00	131	ST
596143	OPERATOR,SWITCH:TYP PUSHBUTTON,COLOR RED	5.00	011	ST
641960	NOZZLE,VALVE:MT SS 304	1.00	051	ST
593145	GSKT PRE-CUT :ID 16 X OD 23-1/2 X THK	5.00	051	ST
593116	GSKT PRE-CUT :ID 82 X OD 140 X THK 6.5MM	4.00	051	ST
586016	BALL,VALVE:VLV SZ 3IN	1.00	051	ST
584896	DISC,VALVE:SS ASTM A276,304,SAFETY AND	1.00	051	ST
592615	GSKT-PRE-CUT;HOUSING,ROUND	2.00	051	ST
542704	HOLDER,FUSE:AMP 32A	2.00	021	EA
598994	MOTOR,GEARED:380VAC 60HZ,MOTOR	1.00	011	ST
603351	CBL;FLEXIBLE,LG 100M/ROL,CU/PVC	2.00	021	RE
585286	SEAT,VALVE:VLV SZ 4IN,BALL,PTFE	2.00	051	ST
615707	RETAINER:TYP SLEEVE,MT SS ASTM A276	2.00	051	ST
643798	O-RIG:I DIA 34.65MM,WD 1.75MM,MTRL KALRE	1.00	051	ST
493603	PINION:TYP LOW SPEED	1.00	051	EA
581501	MDUL;IGBT	3.00	031	ST
592898	GSKT PRE-CUT :ID 197 X OD 215 X THK 1MM	2.00	051	ST
595085	SEAL-RIG;29.5MM,40MM,7MM,RUBBER,STRIPPER	8.00	051	ST
578436	GSKT PRE-CUT :DN 25	1.00	051	ST1
588615	SET:TYP FILTER	4.00	051	ST1
744625	SET:TYP SPRING,APLC LABYRINTH RING	4.00	081	ST1
632055	GSKT PRE-CUT :P#6630,BONNET,6IN	2.00	051	ST
643118	PACKING:GRAPHITE,TYP GLOBE VALVES	2.00	051	ST1
996375	BUSHING, ELECTRICAL CONDUCTOR:	4.00	021	ST
597795	ELECTRODE,WELDING:E1-UM-350	2.00	051	PAK
730819	SCREW:ADJUSTING	1.00	051	ST
615006	PIPE;OD 88.9 X THK 2MM,6000MM,SS 321	6.00	131	M
642092	HOLDER,VALVE DISC:SZ 1-1/2 X 2-1/2IN	5.00	051	ST
586351	BRG,ROLL:TYP HIGH SPEED	1.00	051	ST
598716	CUP;OIL,DIA 28 X THK 7MM,RUBBER; STEEL	1.00	051	ST
618477	RING:TYP NILOS	5.00	051	ST
642246	VALVE,SOLENOID:	1.00	051	ST
604906	FUSE:0.25A,SEMI DELAY	1.00	021	ST
1058107	MODULE: TYP DH NETWORK COMMUNICATION	2.00	031	EA
598766	GEAR:	1.00	081	ST
589404	BREAKER,CIRCUIT:500A,220-690VAC	1.00	011	ST
1085247	BRG, SLEEVE: TYP BUSHING,MATL S 30C WJ1	4.00	051	EA
602749	RING:TYP CLAMP,APLC SCREW PUMP	2.00	051	ST
1251643	VARISTOR:VOLTAGE 275V,TYP RADIAL LEADED	1.00	031	EA
641849	SWITCH,LEVEL:	1.00	061	ST
902251	SWITCH,SELECTOR:1NO-1NC,2	2.00	021	EA
612127	BRKR-CRCUT;800A,415-690V AC,20-50KA,3	1.00	011	ST
318953	O-RING:ID 164.69MM,WD 3.53MM,MT NBR	12.00	051	ST
619297	PLUNGR;DIA 8 X LG 28.5 X HT 1MM	1.00	051	ST
1032794	RING, WEAR: INSIDE DIAMETER 260MM	1.00	081	ST
599378	GSKT,SPWD:V#8596,SHP ROUND	2.00	051	ST
623201	UNIT;COMMUNICATION INTERFACE	1.00	051	ST1
594361	PACKING:TYP STUFFING BOX	4.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
637931	BALL,VALVE:VLV SZ 1IN,MT SS 316 HARDCOA	1.00	051	ST
1004140	BREAKER, CIRCUIT: AMPERAGE 6A,POLE 2	1.00	011	EA
591897	SEAT,VALVE:MANUAL CONTROL ANGLE,SS ASTM	3.00	051	ST
917934	MODULE:CONTROL	1.00	031	EA
423724	CRCUT:TYP ANALOG OUTPUT,APL ROTARY FEED	1.00	051	ST
628206	SWITCH,LIMIT:24VDC 250MA	1.00	061	ST
605374	SWITCH,TEMPERATURE:180-220DEG F	1.00	021	ST
614624	SET:TYP COUPLING SHELL HALF	4.00	051	ST1
601595	O-RING:APLC COUPLING COVER	2.00	051	ST
612115	SWTCH-SLCTR;4,KEY,230-690VAC 3-1A	2.00	021	ST
625361	FAN:TYP COOLING	2.00	081	ST
9102382	FLANGE,THREADED,NSF 57-0-86	1.00	051	ST
619517	RELAY:COIL 24VDC,DPDT,CONT 10A,TYP	3.00	011	ST
950320	RING,RETAINING:	1.00	051	ST
592448	GSKT:ID 45 X OD 62MM,THK 7MM,ROUND,AL	1.00	051	ST
326066	BRG,ROLL:ID 90MM,OD 190MM,WD 63.95MM	1.00	011	ST
589347	CIRCUIT:APLC ELECTRICAL CONTROL SYSTEM	1.00	011	ST
581117	PLUG,VALVE:CONTROL	3.00	051	ST
597050	SPRG-CMPRSN;12MM,16MM,223MM	2.00	051	ST
595261	KIT;SEAL,FORK LIFT	2.00	081	ST
614253	STUD CNTNS THD:DIA 1-7/8IN,LG 425MM,MTRL	1.00	051	ST
922177	ELECTROD,WLDG:A5.4 E16-8-2-15	81.00	051	KG
716048	OIL:TYP ULTRAGRADE,CNTNR TYP 1L,P/N:H110	5.00	001	L
165624	O-RIG;40.87MM,3.53MM,NBR,70A	2.00	051	EA
613274	SWITCH,PRESSURE:0.5-350MBAR	1.00	061	ST
589453	BREAKER, CIRCUIT: AMPERAGE 70KA,POLE 4	1.00	011	ST1
627197	GSKT PRE-CUT :GRAPHITE,4IN	2.00	051	ST
1236301	O-RIG:I DIA 8MM,WD 2.4MM,MTRL PTFE,APL S	1.00	900	EA
708517	SEAT,VALVE:VLV SZ 1-1/2IN,CONTROL,SS 316	1.00	051	EA
579097	CONTROLLER,PNEUMATIC:TYP INDICATING	1.00	061	ST
316443	O-RING, DIN 3770- 10.00X 2.00-N-NBR 70	1.00	051	ST
625037	POSITIONER,VALVE:TYP CONTROL	1.00	061	ST
624929	CAPACITOR:TYP FIXED,CAPCIT 0.22MICRO F	5.00	031	ST
643643	PUMP:TYP COOLANT	1.00	081	ST
642072	SPRING,VALVE:HIG TEMP ALLOY,RUST PROOF	1.00	051	ST
593322	GSKT PRE-CUT :ID 920 X OD 1080 X THK 3MM	6.00	051	ST
617438	SCREW,SET:M6 DIA,16MM LG,HEX,DOG,THD 1MM	25.00	051	ST
714007	DIAPHRAGM:TYP PUMP	1.00	051	EA
1023199	BREAKER, CIRCUIT: AMPERAGE 80A,POLE 3	1.00	011	EA
638138	GSKT PRE-CUT :SQ 32.6 X THK 0.62IN	1.00	051	ST
596574	DISC-VLV;ID 25 X OD 32 X THK 4MM,PTFE	2.00	051	ST
608842	LENS:MT LEXAN	1.00	121	ST
618091	SEAL,RING:TYP V SHAPE	2.00	051	ST
1033513	FAN: TYP AXIAL COOLING,P/N:PTS400	1.00	081	EA
612402	DIAPHRAGM:TYP PULSATROL	2.00	051	ST
602037	O-RING:APLC SENSOR	2.00	051	ST1
632894	FUSE:12A	3.00	021	ST
1078498	KEY, SHAFT: TYP PARALLEL,P/N:11218361	1.00	051	EA
1024101	SET: APPL VALVE,P/N:H069844	2.00	081	SE
617282	CONTACTOR:TYP MAGNETIC,3 POLE	1.00	011	ST
616570	TRNSFRMR-INST;CURRENT,2500/5/5A,12KV,1/5	1.00	011	ST
579975	LAMP,INCANDESCENT:TYP MINIATURE PILOT	20.00	021	ST
644898	ACTUATOR:TYP VANE,RT 220/230VAC 2A 50/6	1.00	061	ST
614675	SLEEVE:TYP INTERSTAGE	1.00	051	ST1
639452	DISC-VLV;STEEL,PRESSURE AND RELIEF	1.00	051	ST
580757	PLATE:	1.00	131	ST
632825	GSKT PRE-CUT :NEOPRENE	1.00	051	ST
922711	BRG,BALL:TYP RADIAL	1.00	051	EA
596119	HANDLE:SZ DIA 25 X LG 50MM,MT PLASTIC	1.00	101	ST
592943	GSKT PRE-CUT :	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
585068	FILTER,OIL:SPIN ON	6.00	051	ST
631575	WASHER,PRESSURE CLEANING:PRESSURE	3.00	051	ST1
639627	KIT-VLV-RPR:TYP SOFT PARTS,APL PLUG VALV	1.00	051	KIT
583695	MODULE:TYP (16) ANALOG INPUT	1.00	011	ST
638968	PACKING:PTFE TFP-125	1.00	051	ST1
798320	FUSE:125A,12KV,DIA 86 X LG 442MM,FERRULE	2.00	021	ST
578522	SET:TYP CUP,APLC WHEEL CYLINDER	2.00	081	ST1
1033650	ASSEMBLY: TYP COOLING CONTROL	1.00	081	EA
1000098	RING, WEAR: APPL CASING,DOC:81587.SEC	1.00	081	ST
624202	BRG,BALL:	1.00	051	ST1
583400	COVER:	4.00	051	ST
860497	CIRCUIT:TYP LOCAL CONTROL,APLC ACTUATOR	1.00	021	ST
581636	CIRCUIT:APLC CONTROLLER,STD UL	1.00	011	ST
600011	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	2.00	051	ST
592120	GSKT PRE-CUT :ROUND,6IN	1.00	051	ST
1241090	ROD:TYP PITCH CONTROL,APPL FAN,DOC:COF02	1.00	131	ASY
630576	PLUG,VALVE:VLV SZ 3IN,CONTROL	1.00	051	ST
9102442	SODIUM HYDROXIDE SOLID AR	30,500.00	051	G
973368	PACKING: SIZE ID 30MM,SHAP SQUARE	2.00	051	ST1
604636	FUSE:4A,250VAC,DIA 12 X LG 60MM,CLIP IN	3.00	021	ST
595386	GSKT-PRE-CUT;NBR	2.00	051	ST
9101861	REPAIR KIT	3.00	051	ST
579926	BULB:TYP STOP AND TAIL LIGHT	2.00	021	ST
602352	PACKING:GRAPHITE	1.00	051	ST
593745	O-RING:	1.00	051	ST
592518	GSKT-PRE-CUT;COVER,ROUND,GRAPHITE	1.00	051	ST
593433	GSKT PRE-CUT :RECTANGULAR	1.00	051	ST
585345	SEAT,VALVE:VLV SZ 2IN,CONTROL,SS 316L	1.00	051	ST
592246	REGULATOR,PNEUMATIC:	1.00	061	ST
587630	KIT-VLV-RPR:TYP SOFT PART,APL BUTTERFLY	2.00	051	ST
614241	SOLENOID:TYP LATCH IN,COILV 110VDC	1.00	011	ST
629520	SHEET,GASKET:SZ 82MM,MT V#6500	4.00	051	ST
901615	RESISTOR,NETWORK:2 X 6K OHM,RT 90W	1.00	031	EA
1000789	MOTOR, GEARED: ELEC RT 100/130VDC	1.00	011	EA
620254	COVER:TYP BEARING,CS ASTM A283 GR D	1.00	051	ST
995402	ARM: TYP LEVER,APPL GOVERNOR VALVE	3.00	131	EA
923497	GSKT PRE-CUT :	1.00	051	EA
641439	O-RING:ID 47MM,WD 3MM,MT NITRILE RUBBER	1.00	051	ST
592971	GSKT-PRE-CUT;ID 22 X OD 95 X THK 5MM	2.00	051	ST
593554	GSKT PRE-CUT :ID 123 X OD 165 X THK	16.00	051	ST
577679	ALRM;MULTI-TONE,50-250VAC 50/60 HZ	2.00	121	ST
602603	RING,WEAR:	1.00	081	ST
622885	RING,RETAINING:TYP INTERNAL	3.00	051	ST
614608	RING,WEAR:APLC CASING	1.00	081	ST1
602507	RING,WEAR:SS ASTM A473 TP 420	1.00	081	ST
411225	HEATER,SPACE:TYP ANTI CONDENSATION	2.00	011	EA
961641	STRAINER, PIPING: TYP Y,SIZE 1IN,F800	1.00	051	EA
599089	PULY-V-BELT;SPZ,2	1.00	051	ST
614193	VALVE,BALL:VLV SZ 1IN,DES RTG CL 300	1.00	051	ST
581070	SCKT-ELECT;FEMALE INSERT,250V 16A	1.00	021	ST
1034220	RELAY: COIL V 415VAC,ACTION SPDT	1.00	011	EA
592189	NOZZLE:TYP MOTIVE SINGLE STAGE,CONN MPT	1.00	051	ST
597301	STRNR-PG;G 3/4IN	1.00	051	ST
661794	UNION,TUBE,BULKHEAD:SZ 1/2IN,SS 316	35.00	051	EA
619815	WASHER,LOCK:ID 127MM,OD 147MM,PRE-LOAD	5.00	051	ST
586006	CAGE:TYP PROTECTIVE	1.00	051	ST
604707	FUSE;BOTTLE,1A,500V AC,CERAMIC	2.00	021	ST
620152	GSKT,SPWD:GRAPHITE/V#6591,SS 316	2.00	051	ST
600663	GSKT PRE-CUT :	2.00	051	ST
41515	SWITCH,PRESSURE:5-30PSIG	1.00	900	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
608810	DEVICE:TYP CALIBRATION	2.00	081	ST
1567755	INSRT:TYP DIAPHRAGM SEAL,SZ ID 305 X OD	1.00	051	EA
595725	SHIM:	2.00	051	ST
593483	GSKT PRE-CUT :	2.00	051	ST
1026892	MDUL-PWR-SUPPLY:O/P 24V DC,IN 12V DC,TYP	1.00	031	EA
608442	CRUCIBLE:TYP GOOCH,CAP 30ML	9.00	071	ST
603667	CLIP;VIBRO	1.00	051	ST
622102	SEAL,OIL:	2.00	051	ST
593750	O-RING:ID 10MM,WD 2MM	6.00	051	ST
644454	WASHER,FLAT:STEEL,ID 7MM,THK 3MM,23MM	1.00	051	ST
627776	BRG,ROLL:	1.00	051	ST
591047	TRANSFORMER:TYP CONTROL POWER	1.00	011	ST
508305	WIRE-WLDG;FILLER,SS 310,2.4MM,AWS A5.9	15.00	051	KG
617608	CRCUT;ELECTRONIC RWG	3.00	011	ST
622810	PIN, COTTER SPLIT: MATL STEEL,P/N:008139	2.00	051	ST
637877	VALVE,RELIEF:TYP SAFETY	1.00	900	ST
639466	STEM,VALVE:VLV ST PRESSURE AND RELIEF	1.00	051	ST
923501	VALVE,CHECK:TYP WAFER,VLV SZ 200MM	1.00	051	ST
130970	RIG;SLYD,PTFE,DIAPHRAGM COMPRESSOR	1.00	051	EA
590527	RELAY,PROTECTION:OVERCURRENT,RT 5A 3PH	1.00	031	ST
610150	RELEASE:TYP UNDER VOLTAGE	3.00	011	ST
580731	COVER:	2.00	051	ST
586913	HORN:TYP AUDIBLE	1.00	121	ST
608774	KIT:TYP DIAPHRAGM AND O-RING	1.00	081	ST
903092	EARTH LEAKAGE:	1.00	011	EA
584970	DISC,VALVE:VLV TP SAFETY	2.00	051	ST
1008035	BREAKER, CIRCUIT: AMPERAGE 40A,POLE 4	1.00	011	EA
584670	ARM:TYP CLAPPER	1.00	131	ST
1226576	BOARD,PRINTED CIRCUIT:TYP ACB,FNCTN ANAL	1.00	031	EA
9102245	SLEEVE,SPACER (8023046), P/N: 2 (TO BE D	4.00	051	ST
593088	GSKT PRE-CUT :ID 21 X OD 28 X THK 3MM	4.00	051	ST
600820	GSKT,SPWD:T#1804-NA/NON ASBESTOS,SS 304	5.00	051	ST
585619	VALVE,SOLENOID:ST 4 WAY,ELEC TRT 24VDC	1.00	051	ST1
642687	SEAT,VALVE:VLV SZ DN 80,GLOBE VALVE	1.00	051	ST
702520	GSKT, SPWD: SHAP ROUND,TYP BASIC,DOC:218	1.00	051	EA
642952	PACKING:NON ASBESTOS,TYP STUFFING BOX	4.00	051	ST1
606391	SCREW:M10 DIA,36MM LG,ROUND HEX SOCKET	4.00	051	ST
634531	COLLAR:	1.00	051	ST
617631	SCRW-MCHN;M6,16MM,1MM,SLOTTED CSK	5.00	051	ST
617543	BOLT:	7.00	051	ST1
594282	SEAL:STRING	2.00	051	ST
643017	GSKT PRE-CUT :PTFE,COVER,DN 125	4.00	051	ST
601951	O-RING:APLC HOUSING TO HEAD	3.00	051	ST
614919	BUSH,PUMP:BEARING	2.00	081	ST
627986	PLUG,VALVE:VLV SZ 4IN,CONTROL	1.00	051	ST
969373	VALVE, SOLENOID: STYL 3/2 WAY,CNCT NPT	1.00	051	EA
612241	SWTCH-PRSUR;0.5-10BAR,SPDT,MBSP 1/2IN	1.00	061	ST
9101828	REPAIR KIT	11.00	051	ST
630463	CORD,EXTENSION:	1.00	021	ST
726721	PLATE:TYP RETAINING,SS	1.00	131	ST
610977	THRMST;TEMPERATURE SWITCHING	1.00	081	ST
588197	KIT-VLV-RPR:APL ON/OFF,CMPRSNG (1) PRIMA	1.00	051	ST1
589448	BREAKER,CIRCUIT:200A,220/690VAC; 250VDC	1.00	011	ST1
643062	PACKING:GRAPHITE,TYP GATE VALVE	18.00	051	ST1
585771	VALVE, GATE: VALVE SIZE 1-1/2IN,CNCT SW	1.00	051	ST
593014	GSKT-PRE-CUT;ID 175 X OD 201 X THK 10MM	2.00	051	ST
605001	MODULE,POWER SUPPLY:O/P 25/16VAC 0.5/1A	1.00	031	ST
616679	TRANSFORMER,INSTRUMENT:CURR RT 75/1A,TYP	2.00	011	ST
1197358	STUB END: SCHD 10S,SIZE 6IN	1.00	051	ST
585521	STEM,VALVE:VLV ST MANUAL CONTROL ANGLE	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
584499	BASE,FUSE:BLADE,AMP 25/165A,VOLT 660V	2.00	021	ST
606179	BOLT,EYE:12MM,40MM LG,1.75MM,THD LG FULL	2.00	051	ST
644327	BLOCK,TERMINAL:ELEC TRT 600VAC 25A	41.00	021	ST
584550	GUIDE,VALVE:MT SS ASTM A276	1.00	051	ST
9101890	SLEEVE, MECHANICAL SEAL MATL: SUS 403	1.00	051	ST
614677	SLEEVE,COUPLING:TYP SHAFT	1.00	051	ST
934744	WASHER,LOCK:IMPELLER	3.00	051	ST
593160	GSKT PRE-CUT :ID 48.3 X OD 55 X THK 2MM	20.00	051	ST
1037854	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	2.00	051	EA
622543	BRG:	1.00	051	ST1
627166	SPRG-VLV	1.00	051	ST1
577900	SNSR	1.00	011	ST
602131	PACKING:ID 46 X OD 65 X THK 9.5MM,T#2240	1.00	051	ST
639364	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
1629651	CPCTR;RADIAL,0.002MICRO F,3000V DC,DISC	8.00	051	EA
1038459	WASHER,LOCK:INSIDE DIAMETER 20.5MM,OUTSI	1.00	051	EA
1249203	SEAL:SIZE 2-1/2IN,MATL FLUOROELASTOMER,T	1.00	051	ST
923374	WASHER,LOCK:STEEL	1.00	051	EA
980171	STUD CNTNS THD:TYP BOLT,DIA 1-1/2IN,THRD	68.00	051	ST1
589114	BLOCK:TYP TIME DELAY RELAY	1.00	131	ST
634533	PIN:ROLL	1.00	051	ST1
592476	GSKT PRE-CUT :ID 49 X OD 91 X THK 2MM	8.00	051	ST
615618	DFLCTR:TYP RING,MTRL BRONZE ASTM B584 OR	2.00	081	ST
1039097	O-RING: INSIDE DIAMETER 144.6MM	1.00	051	EA
629180	ASSEMBLY:BELLOWS	4.00	081	ST1
904128	THERMOCOUPLE:TYP K,TEMP R 280-600DEG C	2.00	061	EA
638192	BRG,BALL:	1.00	051	ST
594484	SPCR;RING DISTANCE,STEEL	2.00	051	ST
608685	BAR,HEX:SZ 32MM,MT BRASS ASTM B16	8.00	131	M
581559	MODULE:TYP INTERFACE	1.00	011	ST
627229	SPRING:INCONEL X-750	1.00	051	ST1
601442	KIT,COMPRESSOR REPAIR:	2.00	081	ST
838718	PROCESSOR:	1.00	031	ASY
193755	O-RING:ID 84.6MM,WD 5.7MM,MT EPDM	4.00	051	ST1
632631	VLV-SLND;24V DC,1/4IN	1.00	051	ST
632151	GSKT PRE-CUT :P#1200-S,BONNET,4IN	1.00	051	ST
633094	GSKT:SEAT,ROUND	1.00	051	ST
524118	O-RING:ID 24.5MM,WD 2MM,MT NBR	1.00	051	EA
600831	GSKT PRE-CUT :	2.00	051	ST
609786	SEAL,RING:ID 3IN,OD 4IN,TYP SINGLE LIP	2.00	051	ST
799215	MODULE:CONTACT OUTPUT CONNECTOR	1.00	031	EA
605298	SWITCH:TYP AUXILIARY,CONTRT 250VAC 10A	1.00	021	ST
577920	KIT,SEAL:	1.00	051	ST1
592055	COUPLING:	1.00	051	ST
616185	LENS,INDICATING LIGHT:COLOR GREEN	2.00	021	ST
635633	GSKT PRE-CUT :GRAFOIL,UPPER COVER,2IN	2.00	051	ST
634851	SOLUTN:TYP INDICATOR,BOTTLE 25G	1.00	001	BOT
143030	STEM-VLV:VLV STYL CONTROL,VLV SZ 8IN,P/N	1.00	051	EA
613355	KIT:TYP CALIBRATION	1.00	081	KIT
641441	WIPER:TYP SCRAPER	1.00	101	ST
592097	O-RING:APLC FLANGE	4.00	051	ST
607202	NAIL:TYP WIRE,LG 2IN,MT GS,DIA 0.212IN	70.00	051	KG
601423	O-RING SET:2	6.00	051	ST
590534	RELAY,PROTECTION:UNDER/OVER FREQUENCY	1.00	031	ST
590679	SWITCH,PRESSURE:0-16BAR	2.00	061	ST
929324	RELAY:COIL 230VAC,4PDT,BASE	1.00	011	EA
612653	INVERTER:	4.00	011	ST
592977	GSKT PRE-CUT :	1.00	051	ST
841357	GSKT PRE-CUT :SIZE THK 0.5MM,SHAP NON-ST	2.00	051	EA
636324	SEAT,VALVE:UNS S31600	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
584624	FILTER,ELEMENT:6MESH,SS 316	2.00	051	ST
636100	MONITOR:TYP TEMPERATURE	1.00	061	ST
610427	BOLT,MACH:M24,LG 90MM,GS,3MM,GR 4.6	5.00	051	ST
628268	ASSEMBLY:TYP JOURNAL CROSS	2.00	081	KIT
633089	POSITIONER,VALVE:TYP PNEUMATIC	1.00	061	ST
601002	GSKT PRE-CUT :RECTANGULAR	1.00	051	ST
603839	SLEEVE:SZ 4 X 4MM,FIBRE GLASS	4.00	051	M
644461	WASHER,LOCK:STEEL,ID 17MM,OD 24MM	16.00	051	ST
629276	O-RING SET:APLC BUTTERFLY VALVE,2	2.00	051	ST1
1628926	BRKR-CRCUT;125A,440V,10 KA,2P,MINIATURE	1.00	051	EA
617016	STRAP:TYP PIPE,MATL SS,P/N:PS-20 C77216-	2.00	001	ST
644862	METER,FLOW:TYP TURBINE,RNG 25-250DM3	1.00	101	ST
1612697	PLUG-VLV:VLV STYL CONTROL,VLV SZ 4IN,OPR	1.00	051	ST
1228574	STRIP:TYP COVER,SIZE WD 10 MM X THK 3 MM	1.00	051	EA
802925	PACKING:ID 29 X OD 44 X THK 8MM,GRAPHITE	1.00	051	ST
1235857	DEVICE:TYP PRESSURE PALLET,APPL PRESSURE	1.00	081	EA
589645	CONTACT,AUXILIARY:CONTAR 2NO 2NC	1.00	021	ST
79385	HOLDER,LAMP:TYP PILOT,BA9S	3.00	011	ST
587190	KIT:TYP SOFT PARTS,CMPRSNG PADLOCK DEVIC	5.00	081	ST
780788	PLUG-VLV;MOTOR OPERATED GATE VALVE,16IN	1.00	051	EA
1054298	BOARD, TERMINAL: P/N:3GZF284720-4	1.00	021	EA
624394	GSKT PRE-CUT :ROUND	5.00	051	ST
592428	GSKT-PRE-CUT;COVER,ROUND,GRAPHITE	1.00	051	ST
627976	PLUG,VALVE:VLV SZ 1IN,CONTROL,MONEL	1.00	051	ST
643179	LEVER:	1.00	091	ST
644620	THERMOWELL:TYP SCREWED,STRAIGHT,11-1/2IN	1.00	061	ST
544257	COUPLING,SHAFT,HALF:BORE 15.9MM	1.00	071	EA
738396	VALVE,RELIEF:TYP SAFETY,VALVE SIZE 1/2 X	1.00	051	ST
1078955	DIAPHRAGM, VALVE: VALVE SIZE 3IN	1.00	051	EA
581591	MODULE:TYP RELAY,I/P 420MA	4.00	011	ST
585419	SPRING,VALVE:	1.00	051	ST
636151	CABLE:TYP PROXIMETER	1.00	021	ST
853044	PACKING:DIA 30.3 X THK 3MM,NBR,ROUND	2.00	111	EA
935022	BLOCK,TERMINAL:TERM PUSH	9.00	021	ST
598765	GEAR:	1.00	081	ST
1065083	RING, WEAR: INSIDE DIAMETER 123MM	2.00	081	EA
624703	MOTOR,ELECTRIC:3KW	1.00	900	ST
578140	KIT:APLC GENERATOR	1.00	081	ST
614992	O-RIG;VITON,SAFETY AND BUTTERFLY VALVE	2.00	051	ST1
636228	O-RING: MATL RUBBER,DOC:10909-0200-10	1.00	051	ST
627642	SWITCH:TYP ELEMENT	2.00	021	ST
602249	PACKING:	1.00	051	ST1
599718	GSKT,SPWD:24IN,600LB,FLEXIBLE GRAPHITE	1.00	051	ST
610749	HLDR;UPPER DEFLECTOR	1.00	051	ST
238298	BRG,ROLL:ID 80MM,OD 140MM,WD 33MM	2.00	051	ST1
643851	SCREW:ADJUSTING	1.00	051	ST
641888	MODULE:ISOLATED TRANSFORMER	1.00	031	ST
644764	GSKT-PRE-CUT;ID 500 X OD 532 X THK 3MM	1.00	051	ST
18524	REDUCER,PIPE:SZ 1 X 1/2IN,SW	8.00	051	ST
589595	COIL,ELECTRICAL:TYP AIR CIRCUIT BREAKER	1.00	011	ST
584351	METER,ELECTRICAL:TYP AMMETER	2.00	101	ST
614245	SUPPORT:MT CS ASTM A297 GR HK	1.00	051	ST
1029652	KIT: TYP SEAL MODULE,P/N:64354	2.00	081	EA
591204	RESISTOR:10K OHM,CONN WIRE LEAD	2.00	031	ST
744644	WASHER,FLAT:	1.00	051	SE
211132	CONTACTOR:TYP MAGNETIC,AMP 16A,3 POLE	7.00	900	ST
898224	BREAKER,CIRCUIT:1250A,690VAC 50/60HZ	1.00	011	EA
1081340	O-RING, CORD: THICKNESS 4MM,MATL RUBBER	1.00	051	EA
589001	WINDOW:TYP POST HEAD	2.00	131	ST
589666	CONTACT,AUXILIARY:CONTACT ARRANGEMENT 1N	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
581600	MODULE:RELAY OUTPUT,PLC	1.00	031	ST
605992	INVERTER:TYP DC-AC	1.00	011	ST
808321	KIT-ACTUTR-RPR:TYP KIT,ACTUATOR REPAIR,C	2.00	061	KIT
639832	GSKT PRE-CUT :ID 49 X OD 73 X THK 3MM	2.00	051	ST
1080156	SEAL, RING: INSIDE DIAMETER 231MM	1.00	051	EA
929050	METER, ELECTRICAL: TYP WATT-HOUR	1.00	101	EA
598587	BELT,V:IN CIRC 800MM,OC 818MM	5.00	051	ST
587009	ASSEMBLY:DECLUTCH SHAFT	2.00	081	ST
1205883	O RING:INSIDE DIAMETER 180MM,WIDTH 5.3MM	1.00	051	EA
632040	GSKT PRE-CUT :P#2601-GGO,BONNET,4IN	2.00	051	ST
826497	PLUG, VALVE: VALVE SIZE 1IN	2.00	051	ST
577965	KIT,PUMP REPAIR:TYP SEAL,P/N:8223P070000	1.00	081	ST1
1023252	SWITCH, PRESSURE: RANGE 0-400MBAR	1.00	061	EA
633182	CABLE,COMMUNICATIONS:	1.00	031	ST
615978	GSKT:DIA 116.8MM,BONNET,THK 7MM,ROUND	1.00	051	ST
1023618	SWITCH, SELECTOR: CNTCT RT 500VAC 20A	1.00	021	EA
718284	WASHER,LOCK:WAVY SPRING AND FINGER	2.00	051	EA
622792	RING: SIZE 6IN,MATL SS 316,TYP NOZZLE	3.00	051	ST
871937	SPRING:SS,TYP GARTER	4.00	051	ST
634780	SEAT,VALVE:VLV SZ 6IN	2.00	051	ST
627659	BREAKER,CIRCUIT:90A,MOLDED CASE	2.00	011	ST
628964	VALVE,BALL:DES RTG 150LB,CONN FLANGE	1.00	051	ST
910544	DISC,VALVE:SS ASTM A351,CF8M,VLV SZ 24IN	2.00	051	ST
600594	GSKT:	1.00	051	ST
637066	GAUGE,LEVEL:SIGHT	1.00	101	ST1
1559504	FLANGE,PIPE:SCHDL 40S,TYP RAISED FACE,SI	1.00	131	EA
625015	SEAL:PTFE,RESILIENT	1.00	051	ST
634688	SWITCH,PRESSURE:RANGE 0.3-15BAR,ACTION S	1.00	061	ST
969384	SWITCH, PRESSURE: RANGE 0.006BAR	1.00	061	EA
636467	BRG:SELF LUBRICATING,MT SS 316/PTFE	2.00	051	ST1
999345	CLAMP: MNFR:FLYGT,DOC:MP 3068.890	1.00	051	SE
627360	TRANSFORMER,INSTRUMENT:TYP CURRENT,CURRE	2.00	011	ST1
799469	CIRCUIT:TYP MOTHERBOARD	3.00	011	EA
9102189	CONE,INLET,PART#00041805 (TO BE DELETED)	1.00	051	EA
600038	GSKT,SPWD:GRAFOIL,SS 316	1.00	051	ST
579359	GLASS,SIGHT:	1.00	101	ST
907006	CONNECTOR:TYP GAS OUTLET	1.00	051	EA
590115	HOLDER,FUSE:FUSE DIA 10 X LG 38MM	1.00	021	ST
1234581	SPRING,VALVE:MATL CHROME STEEL,VALVE SIZ	1.00	051	ASY
800785	GSKT,SPWD:4IN,150LB,GRAPHITE,SS 316	1.00	051	ST
494056	PIN:SS DIN WN 1.3343,ROD COUPLING	8.00	051	EA
599514	GSKT PRE-CUT :MATL V#6500	2.00	051	ST
608853	FLTR-ELMNT;OIL	4.00	051	ST
619805	WASHER:PRE-LOADING	2.00	051	ST
593635	MATERIAL,NORMEX E67 CENTRE DRILLED	2.00	051	ST
799470	CIRCUIT:TYP MOTHERBOARD	3.00	011	EA
886316	SPIDER,INSERT,COUPLING:COUPLING TYPE ROT	3.00	051	EA
610759	GLASS,SIGHT:SZ DIA 1IN,COLOR CLEAR,SHF	1.00	101	ST
614186	VALVE,GLOBE:VLV SZ 4IN,DES RTG CL 150	2.00	900	ST
639773	SEAT,VALVE:PTFE; SS 316	1.00	051	ST1
603960	ARBOUR:TYP DRIVING SHAFT	2.00	051	ST
1033919	GSKT: SIZE ID 1116 X OD 2127MM,TYP HAND	2.00	051	EA
643242	BUSH:STEAM TURBINES	1.00	051	ST
600627	GSKT PRE-CUT :ROUND	1.00	051	ST
589766	CONTACTOR:	1.00	011	ST
627220	PACKING:GRAPHITE,ROUND,TYP SEALING RING	1.00	051	ST
588926	BRK;ELECTRO MAGNETIC	2.00	051	ST
593581	PACKING:MT PTFE/SILK SEIDE,TYP GASKET	1.00	051	ST
642776	RING:PTFE/KOHLE,TYP SLIDING	8.00	051	ST
616678	TRANSFORMER,INSTRUMENT:VA RT 3VA,CURR RT	2.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
630745	CIRCUIT:	1.00	011	ST
599517	GSKT PRE-CUT :PTFE GLASS FILLED	2.00	051	ST
643296	SWITCH:TYP MICRO,SPDT	1.00	021	ST
582576	GAUGE,PRESSURE:0-3000PSI,MPT,CENTER REAR	1.00	101	ST
596377	GLAND:SZ ID 12.5 X OD 19MM	1.00	051	ST
599522	GSKT PRE-CUT :PTFE GLASS FILLED	12.00	051	ST
612327	GSKT PRE-CUT :THK 3MM,RUBBER,FF,DN 25	4.00	051	ST
578872	FAN;5V DC	2.00	081	ST
592902	GSKT-PRE-CUT;ID 155 X OD 180 X THK 1.5MM	2.00	051	ST
642972	PACKING:ALCHEM,TYP STUFFING BOX	4.00	051	ST1
598717	CUP;OIL,DIA 62 X THK 8MM,RUBBER; STEEL	1.00	051	ST
580026	LAMP-INCNDSCNT;TUNGSTEN,60W,110V AC,A 19	80.00	021	ST
616757	ARRESTER:TYP SURGE,MT METAL OXIDE	1.00	011	ST
233004	GSKT SET:APLC SAFETY VALVE	1.00	051	ST1
588042	KIT-VLV-RPR:TYP SOFT PARTS,APL PRESSURE	1.00	051	ST1
593752	O-RIG;3.68MM,1.78MM,NEOPRENE RUBBER,60A	2.00	051	ST1
961345	PIN, TAPER: FOR VALVE	1.00	051	EA
590130	FUSE:	3.00	021	ST
616676	TRANSFORMER,INSTRUMENT:VA RT 3VA,CURR RT	2.00	011	ST
618107	BLCK-TRMNL;(6) BOLTED,3	2.00	021	ST
900907	CONTACTOR:TYP POWER,POLE 3	1.00	011	EA
598760	GEAR:	1.00	081	ST
784922	REACTOR:TYP COMMUTATING	1.00	011	ST
590727	SWITCH,SELECTOR:	2.00	021	ST
1040424	GSKT PRE-CUT : MATL DPAF,SHAP ROUND	4.00	051	ST
1023251	SWITCH, PRESSURE: RANGE - 200 TO 0MBAR	1.00	061	EA
584617	FILTER,ELEMENT:30MESH,SS 316	1.00	051	ST
615369	O-RING:	1.00	051	ST
9102300	BOTL,FOR CARDAN SHAFT,287.100.02	26.00	051	ST
636954	O-RING:	1.00	051	ST1
78536	OPERATOR, SWITCH: TYP PUSHBUTTON	2.00	011	ST
642227	WINDOW:SZ 6.4MM,MT QUARTZ	3.00	131	ST
582004	JET:TYP TUBE, SZ DIA 25MM	1.00	051	ST
592000	BUSHING:SZ M12	2.00	021	ST
642975	GSKT PRE-CUT :PTFE,COVER,DN 150	2.00	051	ST
620602	PLATE:TYP SEAL,APLC ELECTRIC MOTOR	2.00	081	ST
1089188	SENSOR: TYP AXIAL POSITION,RT 0 TO 10KHZ	1.00	011	EA
584293	SHEET:MT MICA	6.00	131	ST
614639	SCREW,SET:	1.00	051	ST1
578495	KIT-VLV-RPR:TYP SOFT PART,APL NEEDLE (SI	1.00	051	ST1
633175	MODULE:PLC5 RIO INTERFACE	1.00	031	ST
603180	SEAL;SURROUNDING,PTA HANDLING PACKAGE	1.00	051	ST
738133	O-RING:APLC LPG METERING	2.00	051	ST
1021374	SENSOR: TYP COMBUSTIBLE GAS	1.00	011	EA
617094	KIT:TYP METER	2.00	081	ST1
619723	RING,LANTERN:MT SS 316	2.00	081	ST
581490	MDUL;DIODE	4.00	031	ST
1082700	CONTACT, AUXILIARY: TYP PRIMARY	2.00	011	EA
585535	STEM,VALVE:VLV ST MANUAL CONTROL ANGLE	1.00	051	ST
597741	HANDWHEEL:DIA 3-1/4IN,MT CI	1.00	051	ST
625313	TRANSFORMER:TYP CONTROL,VA RT 1200VA	2.00	011	ST
630916	VALVE,CONT:SZ 1/2IN,DES RTG 150LB	1.00	051	ST
1029646	BRG, BALL: IBI 6201 2RSR,WIDTH 10MM	1.00	051	EA
599494	GSKT PRE-CUT :MATL V#6500,DOC:P-9576 C	2.00	051	ST
591663	SCRW-CAP;M12,SS,1.75MM,F304,ASTM A182	10.00	051	ST
600403	GSKT:	2.00	051	ST
612394	VALVE,BALL:	2.00	051	ST
800063	SEAT-VLV;GLOBE,1-1/2IN,SS STELLITED	6.00	051	EA
44493	REDUCER,PIPE:SZ 4 X 2IN,BW,CS ASTM A234	3.00	051	EA
623021	SWITCH,SELECTOR:	1.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
726963	VALVE,RELIEF:VLV SZ 1/2 X 3/4IN	2.00	051	ST
620619	BLOCK,TERMINAL:TERM BOLTED,CIRCUIT 3	2.00	021	ST
938847	HOLDER: TYP PISTON ROD,P/N:1-007-000047	2.00	051	EA
599807	GSKT,SPWD:GRAPHITE,TITANIUM,SHP ROUND	2.00	051	ST
580662	BOX:TYP FUSE AUXILIARY ELECS	1.00	001	ST
1235485	SOLUTION:TYP NITROGEN/AMMONIA STANDARD,C	1.00	001	BOT
608023	SPACER:TYP RING	1.00	051	ST
513375	BRKR-CRCUT;0.35-0.5A,660V AC,100 KA,3,N	2.00	011	ST
975385	REGULATOR, PNEUMATIC: TYP VALVE	1.00	061	EA
638381	KIT-VLV-RPR:TYP SOFT PARTS,APL BUTTERFLY	2.00	051	KIT
584903	DISC,VALVE:SS ASTM A276,304,SAFETY AND	1.00	051	ST
638106	SEAL,RING:ID 31IN,OD 31IN,THK 0.250IN	1.00	051	ST
611585	NUT;SPINDLE	1.00	051	ST
9102379	COUPLING,VOD,17MMDIAX203MMLG(DELETED)	2.00	051	ST
606418	PIN;2.5MM,10MM,PLASTIC/STEEL	2.00	051	ST
603696	CONNECTOR,ELECTRICAL:TYP MALE	3.00	021	ST
592349	MAGNET:TYP TEST	1.00	061	ST
612237	RING,WEAR:SS 416,APLC IMPELLER	3.00	081	ST
1205691	BRG,THRUST:MATL STELL 6,P/N:H002288,MNFR	1.00	051	EA
584114	WASHER:	1.00	081	ST
588272	O-RING SET:	9.00	051	ST
607225	ADAPTOR,HOSE TO PIPE:HOSE 1/2IN,BARBED	1.00	081	ST
9102194	GEAR,POS# 1[TO BE DELETED]	2.00	051	EA
1600611	KIT-VLV-RPR:TYP SEAL,CMPSNG HEXAGONAL N	1.00	051	KIT
917847	SEAL:NITRILE RUBBER,FLANGE	50.00	051	ST
1024815	GUIDE: TYP ROPE,P/N:70280233	2.00	091	SE
639348	SPINDLE:MT SS ASTM A276 GR 304	1.00	101	ST
596763	FILTER,ELEMENT:	1.00	051	ST
912808	GAUGE, PRESSURE: RANGE 0-6BARG	1.00	101	EA
616688	TRANSFORMER,INSTRUMENT:VA RT 3VA,CURR RT	2.00	011	ST
602579	RING,WEAR:	1.00	081	ST
578195	KIT:TYP REGULATOR	1.00	081	ST
622298	CONTROLLER:TYP PHOTOELECTRIC,RT 230V	1.00	900	ST
602288	SET:TYP PACKING,P/N:1R290001012,MNFR:FIS	1.00	081	ST1
618860	BRKR-CRCUT;4KA,2	1.00	011	ST
627618	SWITCH,LIMIT:ACTN SPDT,CONTRT 230-500VA	1.00	081	ST
859327	GSKT-PRE-CUT;OIL SHEET,(4) DIA 15MM	4.00	051	EA
610697	GAUGE,DIFF.PRESS.:0-16BAR,160MM,MNPT	1.00	061	ST
1015069	THERMOMETER, DIAL: TYP GAS FILLED	2.00	101	EA
592933	GSKT:ID 25 X OD 31MM,THK 1MM,ROUND,CU	6.00	051	ST
145932	KIT-ACTUTR-RPR:APL DIAPHRAGM ACTUATOR,SU	1.00	061	KIT
622666	BRG-BAL;75MM,OPEN,SINGLE,DEEP GROOVE	1.00	051	ST
578001	KIT:TYP SOFT PARTS,CMPSNG O RING/WASHER	1.00	081	ST
603836	SLEEVE:TYP PRESSURE,SZ ID (8 X 14) X OD	2.00	051	ST
703389	DISC,VALVE:	2.00	051	EA
629194	ASSEMBLY;BELLOWS, DISC HOLDER, RING	1.00	081	ST1
800662	THERMOMETER,DIAL:TYP BIMETAL	6.00	101	ST
1196593	TRANSMITTER, DIFFERENTIAL PRESSURE:	1.00	061	EA
1228257	RING,WEAR:INSIDE DIAMETER 245MM,MATL AIS	1.00	081	EA
1198289	ELBOW, PIPE: SIZE 12IN,CNCT BW	5.00	051	EA
628637	RETAINER:TYP SEAL RING	1.00	051	ST
615013	PIPE;OD 273 X THK 3MM,6000MM,SS 321	6.00	131	M
579815	BEAKER, LABORATORY: TYPE GRADUATED	12.00	071	ST
738351	DISC,VALVE:VLV SZ 4 X 6IN,PSV	1.00	051	ST
596863	GUG-PRSUR	3.00	101	ST
605187	RELAY:TYP BLINK	1.00	011	ST
597470	VALVE:TYP EXHAUST	1.00	051	ST
9102177	BEARING,BALLNO. 2 # 90099-10113	2.00	051	EA
616748	BUZZER:TYP MONITOR,RT 24VDC 0.065A	1.00	121	ST
774930	FILTER,ELEMENT:2MICRON,SUCTION AIR	6.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
636647	PACKING:V#6500	1.00	051	ST
634690	SWITCH:TYP MICRO,CONTRT 30VDC 3A,SPDT	2.00	021	ST
582309	CELL:TYP REFERENCE	1.00	011	ST
622017	BLOCK,CONTACT:CIRCUIT 1,CONTAR 1NC	5.00	021	ST
587923	KIT-VLV-RPR:TYP SPARE,APL FLANGED BALL (	1.00	051	KIT
594389	PACKING:	2.00	051	ST
593399	GSKT PRE-CUT :SIZE ID 205 X OD 215 X THK	1.00	051	ST
636728	SPRING:AS JIS G3522 SWPB	1.00	051	ST
1023623	RELAY, PROTECTION: TYP ISOLATION	1.00	031	EA
592031	CAP:TYP UPPER SPRING	2.00	051	ST
1031947	KIT, VALVE REPAIR: APPL GATE VALVE	2.00	051	KIT
610524	FUSE	3.00	021	ST
1031238	LEVER: P/N:4TOYO949A,DOC:10910-0900	2.00	091	ST
1084445	BRG-SLV:I DIA 28.8MM,TYP BUSH,OUT DIA 31	1.00	051	EA
586670	CHAIN:TYP TREADLE	1.00	051	ST
760305	SCRW-CAP;14MM,90MM,CS,HEXAGONAL	4.00	051	ST
631112	RELAY,TIME DELAY:	2.00	011	ST
723637	HOLDER,VALVE DISC:VLV STYL PRESSURE SAFE	2.00	051	ST
602233	PACKING:	1.00	051	ST1
577926	KIT,VALVE REPAIR:SERVICE	1.00	051	ST
1028837	ACTUTR-PNUMTC;SPRING-OPPOSED DIAPHRAGM	1.00	061	EA
617603	HTR-SPC;48V	1.00	011	ST
626583	KIT-SEAL;DRIVING SHAFT	2.00	051	ST1
585575	STRAINER:	1.00	051	ST
579018	CMPNSTR;AIR	1.00	051	ST
593417	GSKT PRE-CUT :ID 35 X OD 41 X THK 3MM	5.00	051	ST
918127	SET;PACKING GLAND,GATE VALVE	3.00	081	ST1
1506673	GSKT;DRIVE,1MM,3-1/2 X 4-3/32IN,1100PSI	1.00	051	EA
601476	O-RING:MT FKM,APLC AGITATOR	2.00	051	ST
614846	RIG-WEAR:I DIA 100MM,MTRL AS ASTM A351 G	1.00	081	ST
588727	KIT,VALVE REPAIR:TYP PACKING SET,DOC:GA-	1.00	051	ST1
592794	GSKT PRE-CUT :THK 1/16IN,REINZ AFM 30	23.00	051	ST
604867	FUSE;ULTRA FAST BLOW; SEMICONDUCTOR; HRC	12.00	021	ST
590223	MODULE,POWER SUPPLY:O/P 24VDC 250MA	1.00	031	ST
603585	CLIP:TYP UNIVERSAL HOSE STRAP,SZ WD 1IN	10.00	051	ST
600905	GSKT PRE-CUT :	1.00	051	ST
461617	DIAPHRAGM,ACTUATOR:ACT SZ 3A/4A	1.00	011	EA
602052	O-RING:ID 39.6IN,WD 3.53IN	16.00	051	ST
592550	GSKT-PRE-CUT;ID 35 X OD 70 X THK 1.8MM	2.00	051	ST
592341	DRIVER:TYP FLASHER HORN	1.00	101	ST
395941	BRG;BLOCK,ID 20 , OD 28 , W 28 MM,STEEL	2.00	051	ST
944886	KEY,SHAFT:	1.00	051	ST
606439	PIN;17 X 40MM,175MM,STEEL,STEP	6.00	051	ST
616659	SWITCH,DISCONNECT:TYP ACB CONTROL	1.00	021	ST
1590019	KIT-ACTUTR-RPR:TYP MAINTENANCE,CMPRSNG Q	8.00	061	KIT
598873	HUB:TYP COUPLING FLANGE	1.00	051	ST
590451	RELAY:TYP PORTABLE	1.00	011	ST
592552	GSKT-PRE-CUT;ID 246 X OD 280 X THK 1MM	1.00	051	ST
726026	SET: TYP PLATINUM DISH WITH COVER	1.00	081	ST
603380	WIRE,ELECTRICAL:SZ 50MM2	1.00	021	ROL
614224	TRANSFORMER,INSTRUMENT:VA RT 5VA	4.00	011	ST
590861	SWITCH,SELECTOR:3,KEY	1.00	021	ST
494201	SCREW,SET:AS JIS G4052,GR SCM435Q	6.00	051	EA
693966	BRACKET:TYP FACE SHIELD DI ELECTRIC	10.00	051	EA
597891	BRG-BAL;13840,55MM,120MM,49.21MM,OPEN	2.00	051	ST
600222	GSKT, SPWD: P RT 300LB	41.00	051	ST
834254	VLV-CNTRL;DIVERter,DN150,PN10,CAST AL	1.00	051	EA
1047266	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	1.00	051	EA
642079	DISC,VALVE:1-1/2 X 2-1/2IN,SS 316,SAFETY	2.00	051	ST
631149	DISC-VLV;SS ASTM A182,F316,DN 4IN	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
903936	CIRCUIT:TYP SERVOBOARD	1.00	011	EA
1602028	FLG-PIPE:TYP RAISED FACE,SZ 8IN,MTRL SS	1.00	131	EA
583418	FEEDER:	1.00	900	ST
636853	BUSH:SS 400	1.00	051	ST
945963	SEAL,LABYRINTH:DIA 60MM,INPRO,BRONZE	1.00	051	EA
822358	FILTER,AIR:WD 24 X LG 12 X THK 2IN,AL	1.00	051	EA
582823	THERMOMETER,DIAL:RNG 0-400DEG C	1.00	101	ST
644895	BASKET,STRAINER:MT SS	1.00	051	ST
610796	SENSOR:TYP FLOWMETER	1.00	101	ST
590148	FUSE:5A,250VAC,DIA 5 X LG 20MM,FERRULE	39.00	021	ST
601820	O-RING:ID 29.2MM,WD 3MM,MT VITON	2.00	051	ST
699364	HOLDER,VALVE DISC:	1.00	051	EA
594317	PCKG;ID 45 X OD 55 X THK 5,GRAPHITE	6.00	051	ST
9101883	SEALS,FOR SEAT ASSEMBLY (USE 7012910)	1.00	051	SE
644195	CHEMICAL:IODINE RESUBLIMED AG,POWDER	1.00	001	KG
596508	DIAPHRAGM:SZ DIA 68MM,MT CLOTH RESIN	4.00	051	ST
601636	O-RING:APLC PISTON ROD GUIDE	1.00	051	ST
627667	FUSE:80A	2.00	021	ST
632103	GSKT PRE-CUT :P#1300-S,BONNET,24IN	2.00	051	ST
591033	TRANSFORMER:	1.00	011	ST
607060	WSHR;BRASS,SQ 5/16IN,9/16IN,3/16IN	1.00	051	ST
983687	SPRING, VALVE: VALVE SIZE 1-1/2 X 2IN	1.00	051	EA
593591	GSKT;3MM,WD 10 X LG 2100MM,FELT	1.00	051	ST
1214486	MODULE:TYP I/O,O/P 1800MA,PWR SRC 5VDC,A	1.00	031	EA
902244	RELAY,TIME DELAY:50MS-60H,COIL 230VAC,SP	1.00	011	EA
631118	FILTER,ELEMENT:FILTER	1.00	051	ST
619142	O-RIG;80	6.00	051	ST
629172	SPRING,VALVE:STEEL WIRE JIS 3561 SWOCV-V	1.00	051	ST
951996	WASHER:SPRING	4.00	051	ST
1206169	FLOAT:TYP REINFORCED,SIZE DIA 11-3/4IN,M	2.00	061	ASY
624884	CLAMP:	2.00	051	ST
623975	CONTACT,AUXILIARY:	4.00	011	ST
606415	PIN:COUPLING ROD	4.00	051	ST
600188	GSKT PRE-CUT :	22.00	051	ST
918100	BUSH,VALVE:JIS SACM 645 NITRIDE,GUIDE	1.00	051	ST
737118	SPINDLE:TYP VALVE,MT 1.4571 / 316 TI	1.00	101	ST
604021	BREAKER,CIRCUIT:6-10A,INTP CAP 2KA	3.00	011	ST
585875	ASSEMBLY:GOVERNOR VALVE/STEM	1.00	081	ST
938827	SCREW,MACHINE:	4.00	051	EA
644558	GSKT PRE-CUT :ID 520 X OD 575MM	2.00	051	ST
609815	DIODE,LIGHT EMITTING:COLOR RED	4.00	031	ST
633977	KIT-VLV-RPR:TYP SOFT PART,APL PNEUMATIC	1.00	051	ST1
590510	RELAY:COIL 120VAC 50/60HZ,DPDT	1.00	011	ST
641264	KIT-VLV-RPR:TYP SOFT PART,APL PLUG,CMPRS	1.00	051	ST1
69822	SLEEVE,SHAFT:ID 100MM,OD 110MM,LG 77MM	6.00	051	ST
797323	VALVE,SOLENOID:ELEC TRT 24VAC 50-60HZ	2.00	051	EA
639310	DISC,VALVE:SS ASTM A351 GR CF8	1.00	051	ST
726736	SEAT:CAST SS BS3100- 316C16,PRESSURE	1.00	051	ST
723660	GSKT:	2.00	051	ST
428314	CIRCUIT:TYP INTERFACE WATCHDOG	4.00	011	ST
11885	ELBOW,PIPE:SZ 8IN,SS ASTM A403,90,BW,RAD	1.00	051	ST
596718	FILTER:SZ 3/8IN,MT PAPER	2.00	051	ST
644470	BOLT-MCHN;M12,45MM,GS,1.75MM,HEX	3.00	051	ST
589891	FUSE:225A,700VAC	6.00	021	ST
622379	OPERATOR,SWITCH:TYP PUSHBUTTON,COLR YELL	5.00	011	ST
905133	MDUL;AP LOOP,FIRE ALARM CONTROL PANEL	1.00	031	EA
590068	FUSE:2A,250V,DIA 5 X LG 20MM,FERRULE	40.00	021	ST
594479	O-RING:ID 57.5MM,WD 3.5MM,MT METAL	16.00	051	ST
589858	ELEMENT,HEATER:ELEC TRT 400V,W 2100W	3.00	011	ST
585183	REGULATOR, PNEUMATIC: P/N:B07-201-X1KG	2.00	061	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
610826	ASSEMBLY:TYP BRAKE	2.00	051	ST
605676	SWITCH,FLOW:500-4000L/HR	1.00	061	ST
630858	VLV;AUTO/DRAIN	1.00	051	ST
591426	NUT,CAP:HT 18MM,SS ASTM A276 GR 316	1.00	051	ST
121503	BRG,BALL:P/N:6307 C3,MNFR:FAG,P/N:6307 C	2.00	051	EA
1012982	MODULE: TYP (4) CHANNEL RELAY	1.00	031	EA
618731	SUPPORT:	1.00	051	ST
635604	GSKT PRE-CUT :GRAFOIL,BODY/CONNECTOR,6IN	1.00	051	ST
633083	RELAY:	1.00	011	ST
619741	COUPLING,SHAFT,HALF:JAW,FC250	2.00	051	ST
588674	KIT;REPAIR,FUSE/SCREW/WASHER/TOOL	2.00	081	ST1
9102365	WASHER, (TO BE DELETED REF.RTSNI 1347)	1.00	051	ST
599336	GSKT:IRON	8.00	051	ST
610717	MTR-ELCTRC;1/3HP,1140RPM,56,FOOT,TEFC,B	1.00	011	ST
619586	O-RIG;59.4MM,3.1MM,NBR	2.00	051	ST
877101	DIAPHRAGM,ACTUATOR:ACT SZ 46/60/76	2.00	061	EA
588623	GSKT SET:	4.00	051	ST1
588535	KIT,VALVE REPAIR:SEAT AND SEAL	5.00	051	ST1
602263	KIT,VALVE REPAIR:GASKET AND PACKING	2.00	051	ST
586184	BRG,THRUST:	1.00	051	ST
586851	STATOR:	1.00	081	ST
600427	GSKT PRE-CUT :ROUND	2.00	051	ST
637215	KIT-VLV-RPR:TYP SPARE,APL GATE; ACTUATOR	1.00	051	KIT
700140	FUSE:20A,500VAC,DIA 10 X LG 38MM,FERRULE	10.00	011	EA
589023	CBL-CMUNCTN;INTERFACE	1.00	031	ST
799186	KIT,VALVE REPAIR:3 IN BALL VALVE,SPARE	1.00	051	KIT
902345	CABLE,COMMUNICATIONS:TYP V-NET/IP	1.00	031	EA
629947	BUSH:TYP NEEDLE	1.00	051	ST
642916	O-RING:APLC UPPER SHAFT	10.00	051	ST
627217	GSKT,SPWD:10IN,150LB,GRAPHITE	1.00	051	ST
588312	O-RING SET:APLC CONTROL VALVE	2.00	051	ST
636877	O-RING:ID 7-3/4IN,WD 0.275IN,MT BUNA-N	2.00	051	ST
592479	GSKT-PRE-CUT;RECTANGULAR	4.00	051	ST
579174	DETECTOR:TYP OXYGEN DEPLETION	2.00	061	ST
589772	SWITCH:TYP MANUAL INEAR CUT OUT	2.00	061	ST
1003963	PLATE: TYP ORIFICE,SIZE 3IN,MATL SS 316L	1.00	131	EA
632603	SWITCH:TYP MICRO	2.00	021	ST
616705	TRANSFORMER,INSTRUMENT:CURRE RT 2/0.078A	2.00	011	ST
615975	SEAL,RING:ID 45MM,OD 62MM,THK 3MM	1.00	051	ST
637030	SEAL,LABYRINTH:OIL	1.00	051	ST
1031949	KIT, VALVE REPAIR: APPL GATE VALVE	1.00	051	KIT
775547	O-RING:ID 324.3MM,WD 5.7MM,MT VITON	1.00	051	ST
872245	FUSE:TYP SEMIC,AM 200A,VLTG 660V AC,P/N	3.00	021	EA
608119	ELBOW,PIPE:SZ 1/2IN,PVC,90,SOLVENT WELD	15.00	051	ST
615779	DISC:SS 316	1.00	051	ST
1032647	RING,WEAR:INSIDE DIAMETER 70MM,MATL TFE/	8.00	081	EA
595106	SEAL:SZ ID 14 X OD 20 X THK 2MM,MT STEEL	5.00	051	ST
1102565	KIT: TYP MULTI SPILL REAGENT TREATMENT	2.00	081	KIT
622019	OPERATOR,SWITCH:TYP LATCHING PUSHBUTTON	3.00	011	ST
297244	FUSE;FAST ACTION,2A,125VAC; 60VDC,PLUG	89.00	051	ST
609721	KIT,VALVE REPAIR:GLAND PACKING AND SEAT	1.00	051	ST1
581190	CIRCUIT:TYP GTO/GDU ELECTRIC DRIVER	2.00	011	ST
585450	SPRING,COMPRESSION:CLOSE/GROUND	2.00	051	ST
325158	CONTACTOR:TYP MAGNETIC,POLE 3,AMPERAGE 9	1.00	011	ST
69985	THRMST;CAPILLARY,0-60°C	1.00	051	ST
590073	FUSE:2A,415VAC,OFFSET SLOTTED TAG	8.00	021	ST
912776	DISPLAY UNIT,DATA:READOUT LCD,P/N:03095-	1.00	141	EA
586668	CHAIN:TYP PLATFORM	1.00	051	ST
731548	SPINDLE:	1.00	101	ST
607882	INSERT:CARBIDE	29.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1551384	STUD ASSY:TYP ALL THREADED,DIA 1-1/8,LG	6.00	051	ASY
630863	RELAY,TIME DELAY:	1.00	011	ST
626590	GSKT	2.00	051	ST
606126	BOLT,MACH:M16,LG 60MM,2MM,HD HEX	1.00	051	ST
1566318	SEAT-VLV:VLV TYP BUTTERFLY,VLV SZ 6IN,MT	1.00	051	EA
602236	PACKING:	2.00	051	ST1
482804	CABLE,COAXIAL:SZ LG 5M	1.00	011	EA
913883	SOLUTION:TYP CATHOD,CONCENTRATION 20-30P	29.00	001	BOX
642434	SPRING,VALVE:FED STEEL	1.00	051	ST
608215	BLADE:TYP GUTTER	2.00	101	ST
590604	SWITCH:	1.00	021	ST
1646851	KIT-VLV-RPR;REPLACEMENT	1.00	051	KIT
592929	GSKT:ID 30 X OD 35MM,THK 1MM,ROUND,CU	2.00	051	ST
590122	FUSE	2.00	021	ST
584436	MTR-ELECT;AMMETER,0-100A	1.00	101	ST
526644	SLUTN:TYP DEHA-2,CNTNR TYP 100ML,P/N:216	4.00	001	BOT
605198	RELAY:COIL 12V	1.00	011	ST
142005	KIT-VLV-RPR;MAINTENANCE,CONTROL VALVE	1.00	051	KIT
911663	TRANSMITTER,DIFF.PRESS.:	1.00	061	EA
589912	FUSE:0.1A	2.00	021	ST
683626	BRG,ROLL:ID 95MM,OD 200MM,WD 67MM	2.00	051	EA
640616	RTD:TYP PT100,WIRE 3	1.00	101	ST
586833	PAD:TYP SHOE TILTING,MT CS JIS G4051 GR	12.00	051	ST
607218	ANCHR-SCRW;RAWL,DIA 12 X LG 50MM	221.00	051	ST
608899	PT:TYP VOLUMETRIC,CPCTY 25ML,MTRL BOROSI	6.00	071	ST
592543	GSKT-PRE-CUT;ID 14 X OD 22 X THK 3MM	1.00	051	ST
583642	MDUL:TYP (32) DIGITAL INPUT,IN 24VDC 7MA	8.00	031	ST
151651	REGULATOR, PNEUMATIC: TYP AIR FILTER	1.00	011	EA
537688	LIGHT,INDICATING:TYP SIGNAL	4.00	021	EA
43466	GSKT-SPRL-WUND:TYP BASIC,P/N:4-412788-00	1.00	051	EA
1008792	KIT, SEAL: APPL CATHODIC PROTECTION	2.00	051	KIT
615218	BLOCK,CONTACT:TYP FUSED,ELEC TRT 400/60	4.00	021	ST
206719	COUPLING,SHAFT:FLEXIBLE,BORE 40MM	1.00	051	ST
9102116	GLAND,STUFFING BOX (TO BE DELETED)	1.00	051	ST
614236	LGHT-INDCTG;PILOT,100-120/6.3V AC,AMBER	2.00	021	ST
905099	BOX, ELECTRICAL: TYP TERMINAL	1.00	021	EA
630859	MODULE:PRESSURE CONTROL	1.00	031	ST
592422	GSKT-PRE-CUT;ID 38.5 X OD 49 X THK 2MM	2.00	051	ST
635564	WASHER:SS PTFE COATED,THRUST	2.00	051	ST
597450	VALVE,SOLENOID:ST 2 WAY	1.00	051	ST
9101787	LANTERN,COUPLING(TO BE DELETED REF.ROSE	1.00	051	ST
612351	WASHER:CS ZINC PLATED,ID 3/4IN	25.00	051	ST
1086691	PACKING: SIZE ID 50 X OD 54 X WD 28MM	2.00	051	SE
1235057	WSHR-LOCK;SS 316 TI,35.1MM,56MM,PUMP	1.00	051	EA
593296	GSKT PRE-CUT :ID 89 X OD 140 X THK 2MM	2.00	051	ST
578155	KIT:TYP SEAL	4.00	081	ST
639619	PLUG,VALVE:VLV SZ 3/4IN,PLUG	1.00	051	ST
980240	CAP: TYP INNER BEARING, MDL/MACH#:	3.00	051	EA
624905	CIRCUIT:TYP CASCADING CONTROL	2.00	011	ST
596475	FLTR-ELMNT;BASKET,SS WIRE CLOTH	1.00	051	ST
619307	SPRING:DIA 9.2 X LG 18.9 X WIRE THK	2.00	051	ST
639265	SPINDLE:MT SS ASTM A276	3.00	101	ST
724422	DISC:	2.00	051	ST
619292	VALVE:TYP HYDRAULIC SNIFT	1.00	900	ST
1080599	O-RING: INSIDE DIAMETER 550MM,WIDTH 4MM	1.00	051	EA
930181	TRANSFORMER:CURR RT 400A,PH 3,FREQ 60HZ	1.00	011	EA
585455	SPRING:TYP SNAP	2.00	051	ST
583035	FIXTURE:TYP LIGHT,RT 70W	7.00	021	ST
600300	GSKT,SPWD:GRAPHITE,SS 316,IRMT SS 316	24.00	051	ST
799095	BREAKER, CIRCUIT: AMPERAGE 16A,POLE 2	6.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
640381	SPRING:	1.00	051	ST
586099	TIP:TYP OIL	1.00	101	ST
630826	DPHRGM-ACTUTR;40	1.00	061	ST
615904	ADAPTOR:TYP BEARING	1.00	051	ST
596256	UNIT;PROTECTION,RUBBER	1.00	051	ST
655041	CONTACTOR:TYP MAGNETIC,110/125A,4POLE	1.00	011	EA
1012969	STATOR, ELECTRIC MOTOR: PWR RT 2KW	1.00	011	EA
594106	O-RING:ID 360MM,WD 40MM	5.00	051	ST
620108	GSKT PRE-CUT :NBR	2.00	051	ST
1003926	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
613311	CASING,PUMP:	1.00	900	ST
745562	CNTCT-AUXLRY;LV SWITCHBOARD,1NO-1NC,2-6A	2.00	011	ST
447948	BRG,THRUST:ROLLER,OD 42MM,WD 2MM	1.00	051	EA
467144	BAL:TYP CHECK POLYMERIZATION INHIBITOR P	2.00	051	EA
593321	GSKT:WD 107 X ;G 397MM,THK 2MM	12.00	051	ST
9102328	SCREW, VENTING, 32MM DIA, 1.5MM THRD, 34	3.00	051	ST
311046	VLV-DPHRGM;DN 20,0.35-8.5BAR,FPT 3/4IN	2.00	051	ST
1001717	SEAL-RIG;8MM,2MM,ROUND,MOTOR 12/2 H42	5.00	051	EA
247069	NOZZLE,VALVE:	1.00	051	EA
607555	COUPLING,PIPE:SZ 2 X 1-1/2IN,MT PVC AST	2.00	051	ST
1025125	RING, WEAR: INSIDE DIAMETER 122.5MM	1.00	081	EA
584476	METER:TYP DOUBLE FREQUENCY,RNG 55-65 HZ	1.00	101	ST
610210	BLOCK,TERMINAL:	1.00	021	ST
623153	BREAKER,CIRCUIT:2A,277/480VAC	1.00	011	ST
913300	RTR:TYP OUTER,APL CAUSTIC UNLOADING PUMP	1.00	081	ST
1587071	SPRG-VLV:MTRL SS ASTM A313 GR 304,VLV SZ	1.00	051	ASY
799297	LAMP:TYP INDICATING,VOLT 220V	1.00	021	EA
581211	PWR-SUPLY	2.00	021	ST
632996	RING:ID 85 X OD 115 X THK 20MM	2.00	051	ST
612398	ASSEMBLY:APLC CAUSTIC DOSING PUMP	1.00	081	ST
929045	TRANSFORMER,INSTRUMENT:VA RT 10VA	1.00	011	EA
921519	PLAT,MTL:SZ WD 4FT X LG 8FT X THK 8MM	1.00	131	ST
924384	GLAND,PACKING:MT UNS S30400,SHF ROUND	2.00	051	ST
595214	SEAL:SEAT	2.00	051	ST1
605167	RELAY:COIL 12/24VDC,SPST,TYP AUXILLIARY	5.00	011	ST
642554	BRG:SHAFT	4.00	051	ST
592202	SPRINKLER,FIRE PROTECTION:	10.00	121	ST
602986	SEAL,OIL:MT NBR	4.00	051	ST
643670	O-RING:ID 41MM,WD 3.5MM,STD DIN 3770	2.00	051	ST
600763	GSKT PRE-CUT :	6.00	051	ST
627982	PLUG,VALVE:VLV SZ 2IN,CONTROL,UNS S31600	1.00	051	ST
620083	BUSH:GUIDE	3.00	051	ST
905136	THERMOMETER, DIAL: TYP BI-METALLIC	1.00	101	EA
643389	REGULATOR:TYP OVER RANGE PROTECTOR	1.00	061	ST
646512	FILTER:DIA 15/8 X 21MM,SS,CANNISTER	2.00	051	ST
1246707	REAGENT:TRADE NAME 1-HEPTANESULFONIC ACI	200.00	001	G
901125	MODULE:CURRENT CONVERTER,I/P 380V	1.00	031	EA
617346	FUSE:6A	2.00	021	ST
904393	CABLE,COMMUNICATIONS:TYP V-NET/IP	1.00	031	EA
1613990	TRNSFRMR-CURNT:PTNTL 600V,CURNT RT 4000/	1.00	011	EA
738353	CIRCLIP:TYP VALVE	1.00	051	ST
1065102	WASHER, LOCK: MATL STEEL,THICKNESS 2MM	1.00	051	EA
632999	THROWER:SS DIN WN 1.4027	1.00	081	ST
1611076	COIL:TYP PICK OFF,SZ WD 15MM,MTRL SS,P/N	1.00	081	EA
590530	RELAY:COIL 24VDC,TYP LOCKOUT,4NO-4NC	2.00	011	ST
1032786	RING, WEAR: INSIDE DIAMETER 235MM	3.00	081	ST
643308	PACKING:TYP GLAND	2.00	051	ST1
627345	SWITCH:TYP TEST	1.00	021	ST
584618	FILTER,ELEMENT:6MESH,SS 316	2.00	051	ST
626454	SET:TYP SEALING BEARING,APLC MOTORS	2.00	081	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
594333	PCKG;ID 22 X OD 34 X THK 12MM,GRAPHITE	2.00	051	ST
611693	CAPACITOR:TYP FIXED	19.00	031	ST
373474	NITROGEN COMPRESSOR, P/N: 00007003	3.00	021	ST
1012875	SPINDLE: TYP BRAKE,P/N:14463,	1.00	101	EA
602349	PACKING:GRAPHITE,TYP STEM	2.00	051	ST
606640	SCREW,CAP:M30 DIA,60MM LG,HEX SOCKET	13.00	051	ST
644791	GSKT PRE-CUT :ID 60 X OD 110 X THK 3MM	3.00	051	ST
617412	GSKT-PRE-CUT	1.00	051	ST
578287	KIT-VLV-RPR:TYP SOFT PART,APL CRANE,CMPR	1.00	051	ST
643497	BRG:TRAVELLING,MT CI	1.00	051	ST
619711	ADAPTOR:TYP PLUNGER,SS 400	1.00	051	ST
614668	RING,WEAR:	1.00	081	ST1
600149	GSKT:SS SA240 TP 347	8.00	051	ST
578444	O-RIG-ST;RUBBER	2.00	051	ST1
1579469	SWTCH-PRSUR:TYP DIFFERENTIAL ADJUSTABLE	1.00	061	ST
596338	SV;DIA 1-1/4IN,CONICAL	2.00	071	ST
513639	RLY-OVRD:TYP THERMAL,CNTCT ARNG 1NO-1NC	1.00	011	ST
594508	RIG;SS 316,ID 40 X OD 54 X THK 10MM	1.00	051	ST
605058	RELAY,TIME DELAY:OPER 0.1-40S	1.00	101	ST
578793	RFRCTRY;ID 90 X OD 448 X LG 205MM,SOLID	1.00	001	ST
589977	FUSE:	2.00	021	ST
631148	VALVE,CHECK:VLV SZ 1-1/2IN	1.00	051	ST
636723	TRANSMITTER, LEVEL: RANGE 650MM	1.00	061	ST
605456	SWITCH,PRESSURE:6-6.2BAR	1.00	061	ST
624258	SEAL:APLC CHILLED WATER PUMP	1.00	051	ST
616731	METER,ELECTRICAL:TYP POWER FACTOR	1.00	101	ST
494098	SEAL,OIL:ID 62MM,OD 80MM,WD 10MM	2.00	021	EA
725298	SPRING:	2.00	051	ST
111886	GOVERNOR: TYP HYDRAULIC,P/N:8516-038	1.00	051	EA
641763	KIT-VLV-RPR:TYP SOFT PART,APL WAFER CHEC	1.00	051	ST1
1045433	VALVE, RELIEF: VALVE SIZE 4 X P2 X 6IN	2.00	051	EA
930810	THERMOWELL: TYP THREADED,BORE 8.5MM	1.00	061	EA
599559	GSKT,SPWD:SHP ROUND	1.00	051	ST
600775	GSKT PRE-CUT :	2.00	051	ST
629202	NOZZLE,VALVE:MT SS ASTM A351 GR CF8M	1.00	051	ST
904194	SWITCH,PRESSURE:0.2-7.5BAR,400V 16A,SPDT	2.00	061	EA
598157	PAD,BEARING:SZ ID 14 X LG 200MM	6.00	051	ST
644802	SEAL-RIG;40MM,52MM,8MM,AL/RUBBER	3.00	051	ST
582984	CHART:TYP BULBS	10.00	061	ST
590331	RELAY:COIL 24VDC	5.00	011	ST
1060626	GLAND, PACKING: TYP RING,MATL SS	1.00	051	ST
143332	CAGE,VALVE:VLV ST CONTROL,VLV SZ 3IN	1.00	051	EA
588963	FILTER,ELEMENT:SS 304,SCREEN	6.00	051	ST
610702	GAUGE,PRESSURE:0-6BAR,100MM,MBSP G 1/2	1.00	101	ST
594977	SEAL,MECHANICAL:	1.00	900	ST1
607397	BUSH,TAPER LOCK:55MM BORE DIA,3535	1.00	051	ST
723773	RING:SS 304,TYP ADJUSTING	1.00	051	ST
599751	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	2.00	051	ST
1078428	HORN: TYP STROBE,RT 12/24VDC,P/N:114N225	1.00	121	EA
187835	CRCUT;CURRENT OUTPUT MULTIPLEXER	1.00	011	ST
583937	CRCUT;OUTPUT TERMINATION	1.00	011	ST
588505	KIT-VLV-RPR:APL BALL VALVES,CMPRSNG SEAT	1.00	051	ST1
597413	VLV-SLND;2 WAY,220VAC 5A 10W,400BAR,FNPT	1.00	051	ST
619653	PLUNGER:MT SS ASTM A276 GR 420	1.00	051	ST
911623	GOVNR HYD,GOVNR HYD:TP SPEED CONTROL	1.00	081	ST
596819	FILTER:TYP MAINS	2.00	031	ST
615294	GSKT:COUPLING COVER	2.00	051	ST
838853	STUD CNTNS THD:TYP BOLT,DIA 1/2IN,THRD 1	14.00	051	ST
593226	GSKT PRE-CUT :	2.00	051	ST
836253	SWITCH,PROXIMITY:MAGNETIC,250V 3A	6.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
589932	FUSE:	2.00	021	ST
593123	GSKT PRE-CUT :WD (63 X 165) X LG 4200 X	1.00	051	ST
635671	PACKING:ID 45 X OD 53 X THK 12MM	1.00	051	ST1
9102446	ANTIMONY TRIOXIDE 99% 1 KG (DISPOSE OFF)	2.00	051	KG
598615	BELT-THD;NOTCHED	1.00	051	ST
638006	COLLECTOR:TYP NEEDLES,APLC GAS CHROMATO	2.00	101	ST
632611	CPSUL;PRESSURE TRANSMITTER	2.00	071	ST
804585	HLDR-FUSE;SCREW-IN CAP,PANEL,16A,400V	2.00	021	SE
595051	SEAL;WD 10 X OD 3000 X THK 3MM	1.00	051	ST
605396	SWITCH,LIMIT:CONTRT 250V 5A,ENCL NEMA	2.00	021	ST
592553	GSKT-PRE-CUT;ID 110 X OD 134 X THK 1MM	1.00	051	ST
630956	STATION:TYP PNEUMATIC MANUAL LOADING	1.00	011	ST
589966	FUSE:	2.00	021	ST
617317	ISOLATOR,ELECTRICAL:ELEC TRT 125A,POLE 4	1.00	021	ST
595247	GSKT;WD 110 X LG 700MM,SS,RECTANGULAR	4.00	051	ST
583359	BAFFLE:TYP LOW MOX	6.00	081	ST
596938	SEAT,VALVE:CONTROL	8.00	051	ST
608560	RING,WEAR:SS ASTM A276 TP 420	2.00	081	ST
592157	GSKT PRE-CUT :NOVUS 21,ROUND	1.00	051	ST
611021	VALVE,BALL:VLV SZ 3/4IN	1.00	051	ST
634555	PIN,GROOVED,HEADLESS:GROOVE	4.00	051	ST
579809	FLASK:TYP VOLUMETRIC CLASS A,CAP 50ML	21.00	071	ST
637545	KIT-VLV-RPR:TYP SOFT PART,APL GAS CHROMA	1.00	051	ST
586182	BRG,ROLL:ID 30MM,OD 62MM,WD 17.25MM	8.00	051	ST
592094	SPUD:TYP GAS,SZ DIA 2 X 2-1/2IN	12.00	081	ST
151137	GSKT;NITRILE BUTADIENE RUBBER CN-705	4.00	051	EA
636235	SPRING:MT AS JIS G4801 GR SUP10	2.00	051	ST
642641	O-RING:APLC SEAL	1.00	051	ST
591228	ISOLATOR,ELECTRICAL:	1.00	021	ST
891094	O-RING:APLC SEA WATER PUMP	1.00	051	ST
809385	MODULE:SYNCHRONIZING,PWR S 24VDC,PLC	1.00	031	EA
641384	MODULE:TYP CONTACTOR	1.00	011	ST
628660	SEAT,VALVE:VLV SZ 12IN,GATE,AS ASTM A182	2.00	051	ST
631181	DISC-VLV:MTRL PTFE,VLV SZ 10IN,VLV TYP B	1.00	051	ST
373807	GREASE: CTNR PAIL 18KG,MNFR:MOBIL	180.00	001	KG
618149	RIG	1.00	051	ST
578893	COUNTER:RNG 0-999999,READOUT DIGITAL	1.00	061	ST
753798	GSKT,SPWD:APLC CONTROL VALVE	4.00	051	EA
599472	GSKT PRE-CUT :OIL SHEET	2.00	051	ST
600278	KIT:TYP GASKET	2.00	081	ST
643037	GSKT,SPWD:2IN,GRAPHITE,SS 316	3.00	051	ST
305613	O-RING:ID 91.67MM,WD 3.53MM	4.00	051	ST
600035	GSKT,SPWD:1IN,150LB,IRID 28.6MM,SS 316	1.00	051	ST
1206380	FLANGE,PIPE:SCHDL 40S,TYP WELD NECK LARG	1.00	051	EA
632617	O-RING:APLC TRANSMITTER	1.00	051	ST1
631688	CLMP;CABLE TIE	100.00	051	ST
589043	CORD,COMMUNICATIONS:TYP RIBBON,LG 1FT	1.00	031	ST
595781	SUPPORT:SZ 200-470,MT ST 37-Z	1.00	051	ST
630547	SEAT-VLV;CS HARD CHROME PLATED	5.00	051	ST
632052	GSKT PRE-CUT :P#2601-GGO,BONNET,6IN	2.00	051	ST
588842	SWITCH, SAFETY: TYPE CONTROL	1.00	011	ST
635029	CONVERTER:TYP CURRENT TO PNEUMATIC	1.00	061	ST
611001	LAMP-INCNDS CNT	2.00	021	ST
644738	GSKT JKTD:PTFE,SHP ROUND,TYP ENVELOPE	3.00	051	ST
643657	O-RING:ID 110MM,WD 2.5MM,STD DIN 3770	1.00	051	ST
644221	KIT:APLC TRANSFORMER	1.00	081	KIT
928447	SENSOR: TYP CURRENT,RT 200A	1.00	011	EA
627152	KIT:TYP GEAR CASE	1.00	051	ST1
593102	GSKT;0.5MM,ID 39.5 X OD 46MM,SS,ROUND	2.00	051	ST
903128	CONTACTOR:POLE 3,380 VAC	2.00	011	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
196828	BRG-RLR:TYP CYLINDRICAL,ROW SINGLE,I DIA	3.00	051	ST
726747	WSHR-LOCK;STEEL,13 MM,18 MM,LOCK	2.00	051	ST
1028916	TRANSMITTER, DIFFERENTIAL PRESSURE:	1.00	061	EA
795428	KIT,VALVE REPAIR:SHUT-OFF VALVE	1.00	051	EA
625512	BREAKER,CIRCUIT:2A,400VAC,INTP CAP 6KA	2.00	011	ST
918093	PIN,TAPER:UNS S40300	2.00	051	ST
350889	BREAKER, M/C 13.00A W/O AUX C 5SX2113-7	1.00	011	ST
615408	BRG:INSERT	1.00	051	ST
615668	KEY,SHAFT:TYP PARALLEL,MT SS ASTM	2.00	051	ST
588484	SEAL-MCH	1.00	900	ST1
603165	SEAL,MECHANICAL:35MM	1.00	900	ST
648586	SEAT-VLV:VLV TYP GLOBE CONTROL,VLV SZ 8I	1.00	051	EA
601966	O-RING:MT VITON	2.00	051	ST
738719	RAM:TYP VALVE	1.00	061	ST
619123	GSKT PRE-CUT :CORK	1.00	051	ST
1216287	SRVR DTA PROCSG:TYP 8-PORT RS-232/422/48	2.00	141	ASY
1612227	GSKT-KIT-INSULTG:TYP VCFS,NMNL FLNG SZ 2	2.00	051	KIT
588199	KIT,VALVE REPAIR:APLC CONTROL VALVE	2.00	051	ST
606789	SCREW,CAP:M3 DIA,8MM LG,HEX SOCKET	49.00	051	ST
594708	SEAL-RIG;V SHAPE	2.00	051	ST
900607	SEAT,VALVE:VLV SZ DN 150,ANGLE SHUT OFF	1.00	051	EA
593081	GSKT-PRE-CUT;ID 24 X OD 36 X THK 3MM	2.00	051	ST
602246	PACKING:	1.00	051	ST1
579986	LAMP,INCANDESCENT:TYP INDICATING,VOLT 5V	12.00	021	ST
612493	PCKG;RING	6.00	051	ST1
612804	LENS:TYP DIFFUSER/PROTECTIVE BOWL	2.00	121	ST
802021	BR-ZNR;-26V DC,NEGATIVE,CE; FM	1.00	031	EA
605026	RELAY:COIL 24VAC,SPST,TYP INTERFACE,1NO	1.00	011	ST
1606034	CONE:TYP INVERTED,SZ 3MM,MTRL TEFZEL,APL	5.00	051	ST1
579399	MANOMETER:TYP INCLINED TUBE,RNG 0-10MBAR	3.00	061	ST
590885	SWTCH-TGL;SPST,ON-OFF,1NO	3.00	021	ST
597410	REGULATOR,PNU:OPR 0-300MBAR	1.00	061	ST
930290	COVER: TYPE SEAL,MNFR:POMPE CUCCHI SRL	1.00	051	ST
584900	DISC,VALVE:SS ASTM A276,304,PRESSURE AND	1.00	051	ST
644347	SWITCH,PUSHBUTTON:ACTN DPDT	4.00	011	ST
592359	TRMR	1.00	101	ST
608871	CYLINDER,GRADUATED:SZ 25ML,MT	15.00	071	ST
628013	PLUG,VALVE:VLV SZ 3IN,CONTROL,SS 316L GR	2.00	051	ST
615995	MEMBRANE:	1.00	051	ST1
589629	COIL,ELECTRICAL:TYP CIRCUIT BREAKER	1.00	011	ST
593254	GSKT PRE-CUT :WD 163 X OD 192 X THK 1MM	1.00	051	ST
578962	FILTER,ELEMENT:CARTRIDGE	1.00	051	ST
634074	GSKT PRE-CUT :P#1300-S,BONNET,6IN	2.00	051	ST
610102	COIL,ELECTRICAL:TYP RELEASE	1.00	011	ST
756110	KIT,VALVE REPAIR:APPL CONTROL VALVE,TYP	1.00	051	KIT
1026167	CNTRLR-ELCTRNC:TYP BASIC ED16,RNG 0-240°	1.00	031	EA
1023392	GSKT JKTD:TYP DOUBLE,JACKET MATERIAL SS	1.00	051	EA
614838	GSKT:PUMP CASING	3.00	051	ST
643709	BUSH:WHEEL	1.00	051	ST
587855	KIT-SEAL;HYDRAULIC JACK	1.00	051	KIT
586346	BRG, BALL: TYP DEEP GROOVE	1.00	051	ST
597369	VALVE,SOLENOID:ST 4/2 WAY	2.00	051	ST
581903	HTSHRNK;SLEEVE,ID 19 X LG 1200MM,PVC	10.00	001	ST
630209	KIT:TYP PLATE END	1.00	081	ST1
631201	TRANSMITTER:TYP ELECTRONIC POSITION	3.00	061	ST
635621	GSKT PRE-CUT :GRAFOIL,STEM BEARING,3IN	1.00	051	ST
493500	GEAR:TYP LOW SPEED,MT BS970-070M-55	1.00	051	EA
642956	PACKING:ALCHEM,TYP STUFFING BOX	6.00	051	ST1
800660	THERMOMETER,DIAL:TYP BIMETAL	1.00	101	ST
615336	BUSH:	1.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
599730	GSKT PRE-CUT :	2.00	051	ST
636837	LINER:SS 403	1.00	051	ST
592191	NOZZLE:TYP MOTIVE SINGLE STAGE,CONN MPT	1.00	051	ST
615704	KEY,SHAFT:TYP PARALLEL,MT SS ASTM	3.00	051	ST
633014	SEAL,MECHANICAL:CARTRIDGE	1.00	900	ST
636946	SEAL,RING:	1.00	051	ST
599436	GSKT,SPWD:GRAFOIL,SS 316,FILL THK 4.5MM	4.00	051	ST
579812	BEAKER, LABORATORY: CAPACITY RATING 25ML	15.00	071	ST
884177	CIRCUIT:TYP TCD CARD	2.00	011	EA
634109	SWITCH,LIMIT:	1.00	061	ST
189902	DIAPHRAGM:MT NEOPRENE/NYLON	3.00	051	ST
805365	KIT,SEAL:TYP PACKING,APLC GLOBE VALVE	1.00	051	ST
608438	BURETTE:TYP AUTOMATIC,CAP 25ML,MT GLASS	2.00	071	ST
654638	BULB: TYP ZB4-BVBG3,P/N:S038100125	2.00	021	ST
643601	VALVE,SOLENOID:	2.00	051	ST
549686	ACTUTR-PNUMTC;VALVE	1.00	061	EA
587088	ASSEMBLY:BONNET	2.00	081	ST
589131	CIRCLIP:TYP EXTERNAL,STD DIN 471	1.00	051	ST
603750	CONNECTOR:	1.00	021	ST
616579	TRANSFORMER,INSTRUMENT:VA RT 7.5VA	1.00	011	ST
590125	FUSE	2.00	021	ST
1003914	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
611214	CONTACTOR:TYP MAGNETIC,AMP 100-130A	2.00	011	ST
587405	KIT:APLC INSIDE BIG DOOR	1.00	081	ST
634363	SWITCH,LEVEL:CONTRT 1.5A	1.00	061	ST
738092	RING:AS 90/3.8X0.82MM,W5730 FED-ST	1.00	051	ST
615955	BRG;HALF SECTION	2.00	051	ST1
143964	RETAINER:TYP DISC,MT SS 316	1.00	051	EA
597806	ELECTRODE:MT SILVER/SILVER CHLORIDE,691	1.00	051	ST
142573	CAGE,VALVE:VLV ST CONTROL,VLV SZ 3IN	2.00	051	EA
587326	KIT-VLV-RPR:TYP SPARE,APL ANGLE,CMPRSNG	1.00	051	ST
619698	O-RING:MT FKM,APLC GAS CHARGING PORT	2.00	051	ST
950295	KIT-CMPRSR-RPR;REPAIR/OVERHAULING	1.00	081	KIT
856761	O-RIG;40MM,2.5MM,NBR,70,CONTROL VALVE	1.00	051	EA
598768	GEAR,HELICAL:	1.00	081	ST
599478	GSKT,SPWD:PTFE,SS 316,SHP ROUND,BASIC	1.00	051	ST
186723	GSKT PRE-CUT :ROUND	2.00	051	ST
920675	FITTING,OUTLET:TYP SOCKOLET,RUN SZ 6IN	1.00	051	EA
578082	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG PACKIN	1.00	051	ST1
450209	PIPE:SZ 2IN,LG 6000MM,SCHD 40	6.00	101	M
643000	PACKING:PTFE,TYP STUFFING BOX	5.00	051	ST1
604480	THERMOCOUPLE:TYP J,TOT LG 900MM	1.00	061	ST
616754	TRANSFORMER,INSTRUMENT:VA RT 100VA	1.00	011	ST
616986	CABLE,POWER:TYP HEAT RESISTANCE	30.50	021	M
636049	WIRE,WELDING:TYP FILLER,MT ER-80S-NI1	9.00	051	KG
644525	FLANGE,PIPE:TYP RING JOINT,SIZE ID 2 X O	4.00	051	ST
642589	GSKT:	1.00	051	ST
603203	SEAL:TYP RESILIENT,MT ELGILOY/PTFE	1.00	051	ST
643114	PACKING:GRAPHITE,TYP GLOBE VALVE	5.00	051	ST1
596172	HOLDER,LAMP:TYP INCANDESCENT,DIA 1-3/8IN	4.00	021	ST
581851	PIPE:SZ 6IN,LG 6000MM,SCHD 80	2.00	131	ST
607624	COUPLING,SHAFT,HALF:HUB,BORE 48MM	2.00	051	ST
9101853	REPAIR KIT	9.00	051	ST
628348	SWITCH,PRESSURE:	1.00	061	ST
634983	HEATER:TYP SELF REGULATING	35.00	001	M
627626	TRANSFORMER:TYP STEP DOWN,VA RT 400VA	1.00	011	ST
643303	O-RING:APLC ACTUATOR	2.00	051	ST
625419	TRNSFRMR-INST;CURRENT,800/1A,0.72/3KV,1	2.00	011	ST
604058	BREAKER,CIRCUIT:2A,220VAC,POLE 2	2.00	011	ST
624290	SEAL,RING:	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
606029	DIODE:VOLT 1000V	10.00	031	ST
643008	PACKING:PTFE,TYP STUFFING BOX	4.00	051	ST1
967214	KEY, SHAFT: MATL CS ASTM A576 GR 1040	1.00	051	ST
1045865	BELLOWS: TYP SAFETY RELIEF VALVE	2.00	051	EA
928426	CONTACTOR: TYP POWER,AMPERAGE 16A	1.00	011	EA
1022668	BREAKER, CIRCUIT: AMPERAGE 250A,POLE 3	1.00	011	EA
956248	VALVE: TYPE GOVERNER,MNFR:ELLIOTT-EBARA	1.00	051	ST
589863	ELEMENT: TYPE LOGIC ELEMENT "OR"	4.00	051	ST
804697	BRG-RLR;TAPER,SINGLE,65MM,140MM,36,STEEL	2.00	051	ST
595901	METER,ELECTRICAL:TYP AMMETER,RNG 0-1.5KA	1.00	101	ST
872355	KIT,VALVE REPAIR:GATE VALVE	2.00	051	SE
642416	SPRING,VALVE:VA	1.00	051	ST
587791	KIT, VALVE REPAIR: APPL GLOBE VALVE	1.00	051	KIT
614487	STUD CNTNS THD:LG 280MM,MTRL AS ASTM A19	2.00	051	ST
592828	GSKT-PRE-CUT;FLANGE,ROUND,CORK	3.00	051	ST
588575	KIT,VALVE REPAIR:SEAT AND SEAL	2.00	051	ST1
606826	SCREW,CAP:HEX SOCKET	6.00	051	ST
114041	RELAY:COIL 24VDC,DPDT	31.00	051	EA
608573	RING,WEAR:SS ASTM A276 TP 420	1.00	081	ST
642714	SEAL:PTFE,APLC BODY	8.00	051	ST
611529	BREAKER,CIRCUIT:10A,400VAC,INTP CAP 6KA	2.00	011	ST
592040	COUPLER:TYP V-NET	1.00	031	ST
578283	KIT,VALVE REPAIR:HOLDING VALVE	1.00	051	ST
596802	FILTER:	2.00	051	ST
1078762	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	1.00	051	EA
644676	CIRCUIT:TYP DRIVING UNIT BOARD	2.00	011	ST
901714	WOOL:MT QUARTZ	1.00	051	EA
596491	MEMBRANE:	1.00	051	ST
1619089	BODY:TYP SUPPORT,MTRL S235 HOT-DIP GALVA	2.00	051	EA
615092	CLR;DIA 12 IN X THK 2MM,SS DIN WN 1.4541	2.00	051	ST
618041	METER,ELECTRICAL:TYP AMMETER,RNG 0-10A	2.00	101	ST
1033935	SEAT, VALVE: INSIDE DIAMETER 100MM	1.00	051	EA
856557	BRG,BALL:ID 60MM,OD 130MM,WD 31MM	1.00	051	EA
584620	FILTER,ELEMENT:30MESH,SS 316	1.00	051	ST
619686	SCREW:CS ASTM A576/CS JIS GR S50C	1.00	051	ST
590771	SWITCH,SELECTOR:TYP VOLTMETER,7NO-1NC	1.00	021	ST
1246171	VLV-GLB:VLV SZ 6IN,DSGN RTNG 900LB,BDY M	1.00	051	EA
262457	RLY:COIL V 115VAC 60HZ,CNTCT RTNG 10A,TY	2.00	051	EA
580664	BOX:TYP DEEP HANDY,SZ 1-7/8IN	25.00	001	ST
594375	PACKING:GRAPHILEX,SQUARE	2.00	051	ST
614712	BRG,SLEEVE:TYP BUSHING	1.00	051	ST
1196991	BUZZER: TYP POWER,RT 24VDC	1.00	121	EA
584830	DIAPHRAGM,VALVE:VLV SZ 4IN	1.00	051	ST
590516	RELAY,OVERLOAD:1.6-2.5A,1NO-1NC,THERMAL	1.00	011	ST
615482	BUSH:45MM,BRONZE	1.00	051	ST
616626	METER,ELECTRICAL:TYP AMMETER,RNG 0-1.2KA	2.00	101	ST
800797	GSKT,SPWD:3IN,150LB,GRAPHITE,SS 316	1.00	051	ST
582643	GUG-PRSUR;0-80PSIG/0-5KPA/CM2,OIL,BACK	1.00	101	ST
721270	UNIT:TYP PMU,APLC UNITS 75A&250A	1.00	051	ST
607890	INSERT:CARBIDE	12.00	051	ST
188372	FUSE:1A,500VAC,DIA 10 X LG 38MM,FERRULE	43.00	051	ST1
1200919	BRKR-CRCUT:AM 2A,VLTG 277V,INTRUPT CPCTY	1.00	011	EA
625318	SWITCH,SELECTOR:660VAC 20A,4,THUMB KNOB	2.00	021	ST
620594	JUMPER:	4.00	021	ST
858936	SWITCH:TYP MICRO,PWR S 250VAC 5A	2.00	051	EA
571663	CPCTR;DC LINK,800V	1.00	031	ST
630836	DISC,VALVE:SS,VLV SZ 12IN	1.00	051	ST
599540	GSKT PRE-CUT :ROUND	5.00	051	ST
584067	TUBE:TYP CONTROL UNIT SUBASSEMBLY,MT NE	1.00	131	ST
1024049	DPHRGM PMP:TYP LIQUID END ASSEMBLY,PMP S	2.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
601963	O-RING:MT VITON	2.00	051	ST
628085	SEAT, VALVE: VALVE SIZE 12IN, S/N#:	2.00	051	ST
601021	KIT,VALVE REPAIR:CHECK VALVE	1.00	051	ST1
588499	KIT-VLV-RPR:TYP SOFT PARTS,APL BALL VALV	1.00	051	ST1
585493	SPRING,COMPRESSION:CLOSE/GROUND	2.00	051	ST
1040453	CYLINDER, ACTUATING LINEAR: TYP TRACKING	1.00	061	EA
591624	PIN;RING	1.00	051	ST
578097	KIT-CYLNDR-RPR	2.00	091	ST
597295	BASKET,STRAINER:SZ DIA 60 X LG 125MM,MT	1.00	051	ST
583944	MODULE:	1.00	031	ST
509242	STATOR,PUMP:	1.00	900	ST
602588	RING,WEAR:MATL SS ASTM A276 TP 420/SS JI	2.00	900	ST
1021429	MBRN-CUPLG;MEMBRANE GR ASSEMBLY,MONEL	1.00	051	ASY
599724	GSKT JKTD:SHP ROUND	1.00	051	ST
600558	GSKT PRE-CUT :ROUND	2.00	051	ST
616575	MODULE:TYP ELECTRONIC RESTART	1.00	011	ST
588973	STRAINER:TYP SCREEN	2.00	051	ST
601713	O-RING:	1.00	051	ST
642427	CONE:MT SS DIN WN 1.4021 GR X20CR13	1.00	051	ST
638003	KIT:TYP FLOW METER	1.00	081	KIT
165826	O-RING:ID 329.57MM,WD 5.33MM,MT NBR,STD	1.00	051	EA
601475	O-RING:MT NBR,APLC AGITATOR	2.00	051	ST
582398	ASSEMBLY:TYP PC	1.00	011	ST
9101661	ASSY,ALTERNATOR	1.00	051	ST
596560	DISC,VALVE:OD 46.5 X THK 31,STEEL,SAFETY	1.00	051	ST
596225	HOUSING:	4.00	051	ST
617537	BOLT:TYP THRU	7.00	051	ST1
1003932	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
587325	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPRSNG OR	1.00	061	ST
1018709	O-RIG;165MM,3MM,NBR	1.00	051	EA
799471	CIRCUIT:TYP MOTHERBOARD	3.00	011	EA
604989	POWER SUPPLY:I/P 230VAC,OP VOLT 12VDC,O	1.00	031	ST
113179	GSKT:	1.00	051	EA
608218	BLADE,WIPER:SZ 433MM,MT RUBBER	4.00	051	ST
607489	CAP,TUBE:SZ 12MM,CONN THD,MT SS,GR 316	10.00	051	ST
578683	AXLE:TYP DXX THREAD,SZ DIA 2.5 X LG 14MM	1.00	051	ST
588367	BUSH:STEEL,LINKAGE STAND	1.00	051	ST1
1006326	LAMP, HID: TYP HIGH PRESSURE SODIUM	4.00	021	ST
590346	RELAY,OVERLOAD:3.9-5.8A,1NO-1NC,THERMAL	1.00	011	ST
839674	GSKT:THERMAL BARRIER,PUMP	2.00	061	EA
615640	GSKT,SPWD:PTFE,SS 316	2.00	051	ST
163689	FUSE:TYP CURRENT LIMITING,AM 4A,VLTG 600	2.00	051	EA
627238	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	1.00	051	ST
807624	O-RIG;1-7/8IN,3/32IN,PUMP	1.00	051	EA
641267	VALVE,SOLENOID:	1.00	051	ST
585677	VALVE,SOLENOID:	3.00	051	ST
595196	SEAL-OIL;60MM,85MM,13MM	1.00	051	ST
1064404	WASHER: SZ 0.375IN,MATL VITON,STD ASTM	2.00	051	EA
588745	KIT-VLV-RPR;SOFT PARTS	1.00	051	ST1
900775	CAPACITOR:TYP DC LINK	1.00	031	EA
597269	STEM-VLV;DIA 28 X LG 560.5MM,STEEL	1.00	051	ST
766487	CIRCUIT:TYP CONTROL	1.00	011	ST
273718	BRG-BAL:I DIA 8MM,OUT DIA 22MM,WD 7MM,ST	2.00	051	EA
1062837	ISOLATOR: TYP BEARING,P/N:5021636070	1.00	031	EA
804863	KIT,ACTUATOR REPAIR:	2.00	061	KIT
1028853	WASHER, LOCK: P/N:BR-23D-06, S/N#:	1.00	051	ST
1617429	SWTCH-PRSUR:TYP SNAP,RNG 0-1500PSI,ACTN	1.00	061	EA
642418	GSKT PRE-CUT :KLINGERSIL	6.00	051	ST
682669	CIRCLIP:	3.00	051	EA
1605758	GSKT-KIT-INSULTG:TYP FLANGES ISOLATION,N	3.00	051	KIT

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
631603	LANTERN:	4.00	051	ST
615064	RDUCR-PIPE;8 X 7IN,BW,ECCENTRIC,DIN 2463	1.00	051	ST
594767	GSKT JKTD:ID 21 X OD 26MM,SHP ROUND,TYP	1.00	051	ST
581323	CIRCUIT:TYP INTERFACE	1.00	011	ST
642933	GSKT PRE-CUT :PTFE,COVER,DN 40	4.00	051	ST
1617124	SNSR-CURNT:TYP TORUS,CURNT 250A,PTNTL 10	1.00	051	EA
598055	BRG-BAL;14825,85MM,180MM,41MM,2 SHIELDS	2.00	051	ST
580599	SHAFT:DIA 75MM,LG 251MM,ROD	1.00	051	ST
1588152	KIT-VLV-RPR:TYP MAINTENANCE,APL 10IN ANS	2.00	051	KIT
615632	RETAINER:TYP SLEEVE	1.00	051	ST
1030734	SCREW, SET: MATL SCM 435,P/N:KS-M5X10	4.00	051	ST
603350	CBL;FLEXIBLE,LG 100M/ROL,CU/PVC	3.00	021	RE
595184	SEAL,MECHANICAL:UNBALANCED	1.00	051	ST
430909	DPHRGM:SZ DIA 5IN,MTRL PTFE,P/N:298-0106	2.00	051	ST
602484	PACKING:VITON,TYP ON/OFF BALL VALVE	1.00	051	ST
644557	GSKT PRE-CUT :ID 60 X OD 107MM	4.00	051	ST
632395	MODULE:DIGITAL OUTPUT	2.00	031	ST
606515	PIN:DIA 16MM,LG 160MM,DOWEL CYLIDRICAL	2.00	051	ST
633998	SHAFT:	1.00	051	ST
444617	PLUG, PIPE: , SIZE 3/4IN	3.00	051	EA
599552	GSKT,SPWD:14IN,300LB,T#1836-GR-SS	2.00	051	ST
608764	GEAR-HLCL;44MM,130MM,STEEL,115MM	2.00	900	ST
631163	KIT-ACTUTR-RPR:TYP KIT,ACTUATOR REPAIR,C	3.00	061	ST
736985	CIRCUIT:TYP PCA RFI/ FUSE BOARD,APLC	2.00	061	ST
600745	GSKT PRE-CUT :	2.00	051	ST
600250	GSKT-SPRL-WUND:TYP BASIC WITH INNER AND	7.00	051	ST
605527	SWITCH:TYP 2 SPEED	1.00	021	ST
582574	GAUGE,PRESSURE:0-4BAR,2IN,NPT,BOTTOM	1.00	101	ST
599722	GSKT JKTD:SHR ROUND	1.00	051	ST
635663	PACKING:PTFE,IRREGULAR ROUND,TYP GLAND	1.00	051	ST1
1605763	GSKT-KIT-INSULTG:TYP FLANGES ISOLATION,N	2.00	051	KIT
587767	KIT,VALVE REPAIR:SEAT AND SEAL	1.00	051	KIT
600198	GSKT PRE-CUT : SIZE THK 1.6MM,SHAP ROUND	5.00	051	ST
609546	DRUM:TYP SHRINKAGE ROTATABLE	1.00	001	ST
606664	SCREW,CAP:M6 DIA,10MM LG,HEX SOCKET,THD	30.00	051	ST
632573	SWTCH-LMT	1.00	061	ST
609347	BOTTLE:TYP SQUEEZE,500ML CAP,MT PLASTIC	10.00	071	ST
602107	PACKING:GRAPHITE,P#6610 AND P#6315	2.00	051	ST1
586421	BEARING:SZ ID 30 X OD 35 X WD 12MM,MT P	2.00	051	ST
587409	KIT:TYP BEARING	1.00	051	ST
838851	STUD CNTNS THD:TYP BOLT,DIA 1-1/8IN,THRD	16.00	051	ST
616393	METER:TYP AMPERAGE,RNG 0-150/300/5A	2.00	101	ST
9101745	SHAFT, (TO BE DELETED REF.RTSNI 1347)	1.00	051	ST
644119	CHEMICAL:POTASSIUM HYDROXIDE,TYP KOH	5.00	001	KG
738107	GVRNR;TURBINE	1.00	081	ST
592600	GSKT;1MM,ID 13 X OD 19MM,CU,ROUND	2.00	051	ST
800060	SEAT-VLV;GLOBE,1-1/2IN,SS	2.00	051	EA
613235	VLV-CNTRL;FLOW	1.00	051	ST
738128	SCREW,CAP:	2.00	051	ST
582163	PWDR;DRY,PLASTIC BOTTLE	24.00	001	CA
588748	KIT-VLV-RPR:TYP SOFT PARTS,APL GATE,GLOB	2.00	051	ST1
585591	FILTER,ELEMENT:SS 316,STRAINER SCREEN	1.00	900	ST
615061	RDUCR-PIPE;7 X 6IN,BW,ECCENTRIC,DIN 2463	1.00	051	ST
1612072	GSKT-KIT-INSULTG:NMNL FLNG SZ 2IN,DSGN R	12.00	051	KIT
625046	FILTER:REGULATOR	1.00	051	ST
597954	BRG-RLR;THRUST; CYLINDRICAL,SINGLE,40MM	4.00	051	ST
632885	FAN:	2.00	900	ST
801212	IMPELLER,PUMP:	1.00	900	ST
643793	SPACER:TYP SEAL,MT SS 316	1.00	051	ST
586108	BRG,SLEEVE:TYP BUSHING,MT CARBON	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
600060	GSKT,SPWD:GRAFOIL,IRID 762MM,SS 316	1.00	051	ST
584827	DIAPHRAGM,VALVE:VLV SZ 1IN	2.00	051	ST
604673	FUSE:40A,660VAC; 460VDC,OFFSET BOLTED	10.00	021	ST
396705	FUSE, 63.000A 660V NH 00 170L5847	2.00	051	ST
594456	RING:ID 74 X OD 97 X THK 18MM,SS	1.00	051	ST
612252	SLEEVE:TYP JOURNAL	2.00	051	ST
1024121	DISC,RUPTURE:SIZE 6IN,BURST PRESSURE 14	1.00	051	EA
631538	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPRSNG SE	1.00	061	ST
644814	O-RING:ID 240MM,WD 5MM,MT RUBBER	4.00	051	ST
578149	KIT;PRINTER RIBBON AND PAPER	1.00	081	ST
590283	RELAY,PNEUMATIC:	2.00	061	ST
587885	KIT,VALVE REPAIR:SEAL	1.00	051	KIT
641263	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG SEAT R	1.00	051	ST1
601398	O-RING:MT VITON	1.00	051	ST
633972	KIT,VALVE REPAIR:SHUTTLE VALVE	2.00	051	KIT
597490	VALVE,CHECK:	4.00	051	ST
592288	BLADE,FAN:SZ DIA 108IN	1.00	011	ST
610068	CIRCUIT:TYP POWER CONTROL,APPL SERVOMEX	1.00	011	ST
577706	ASSEMBLY:TYP PIPING	1.00	131	ST
642681	PACKING:	1.00	051	ST1
626698	RELAY,OVERLOAD:	1.00	011	ST
1626438	BSKT-STRNR;4IN,40 MESH,SS 316	1.00	051	EA
593241	GSKT PRE-CUT :ID 64 X OD 100 X THK 3MM	2.00	051	ST
640597	DISPLACER:	1.00	061	ST
1566964	BRCKT:TYP PIVOT,MTRL CAST IRON,APL STEAM	1.00	051	EA
581566	MODULE:DIGITAL INPUT,PWR S (32) 5-15V	3.00	031	ST
615597	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	3.00	081	ST
1527518	ASSEMBLY:TYP CHARGING,APPL PULSATION DAM	1.00	081	ASY
610715	MOTOR,ELECTRIC:1/3HP	1.00	011	ST
629946	PULLEY:TYP DEFLECTION	1.00	051	ST
632063	GSKT PRE-CUT :P#2601-GGO,BONNET,8IN	2.00	051	ST
619694	O-RIG;44.4MM,3.1MM,VITON	2.00	051	ST
583155	LIGHT,INDICATING:TYP PILOT,VOLT 12V	2.00	021	ST
907003	CAGE VLV,VALVE:VLV ST GLOBE,VLV SZ 10IN	1.00	051	ST
593260	GSKT PRE-CUT :ID 47 X OD 61MM,ROUND	1.00	051	ST
642484	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
583113	LIGHT,INDICATING:TYP PILOT	2.00	021	ST1
644964	INSUL:SZ THK 50MM,MT ROCK WOOL	1.00	001	ROL
601196	GSKT PRE-CUT :DIA 354MM,ROUND	2.00	051	ST
1032791	RING, WEAR: INSIDE DIAMETER 70MM	2.00	081	ST
588890	MEMBRANE:	1.00	051	ST
636243	BUSH:SS 403	2.00	051	ST
9101786	SHIELD END,NON DRIVE END,PART#6.00(USE 6	1.00	051	ST
593071	GSKT PRE-CUT :ID 80 X OD 105 X THK 5MM	3.00	051	ST
327483	SWITCH,SELECTOR:CONTACT ARRANGEMENT 1NO	1.00	061	ST
237857	BRG,BALL:IBI 13772,INSIDE DIAMETER 55MM,	2.00	051	EA
642823	SEAL,RING:ID 34MM,THK 1.5MM	4.00	051	ST
579971	LAMP,INCANDESCENT:TYP FROSTED,W 40W	6.00	021	ST
639472	BRG,THRUST:	1.00	051	ST
580548	SHAFT:	1.00	051	ST
589963	FUSE:	2.00	021	ST
589959	FUSE:	25.00	021	ST
603713	CNCTR-ELECT;SPADE,1; 2.5-6.5MM2,PUSH ON	50.00	021	ST
959636	PISTON: APPL FIN FAN,P/N:M941CKKE/5	1.00	091	ST
577817	ASSEMBLY:UNION AND NIPPLE,CSA	3.00	081	ST
632883	RECTIFIER:	1.00	031	ST
581699	HOSE-FIRE;1/4IN,RUBBER	1.00	121	ST
837164	GSKT, SPWD: NOMINAL FLANGE SIZE 24IN	2.00	051	EA
636778	BARRIER:TYP RESISTANCE INPUT	1.00	121	ST
1025041	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
643810	KIT,VALVE REPAIR:BUTTERFLY VALVE	1.00	051	KIT
605454	SWITCH,SELECTOR:KEY	1.00	021	ST
615921	STRAINER:	1.00	900	ST
618196	FUSE;SLOW BLOW,1A,GLASS,FERRULE	10.00	021	ST
356036	BLOCK,TERMINAL:ELEC TRT 380VAC 26A	4.00	031	ST
621918	ELMNT-HTR-OVRLD:TYP OVERLOAD,AM 5.63A,P/	2.00	051	ST
635707	PISTON:MT CS JIS G4051 GR S25C	1.00	091	ST
630856	GLASS,SIGHT:	1.00	061	ST
968244	STUD: MATL ASTM A193 B8M,TYP STUD,81584	4.00	051	ST
587987	FUSE:	1.00	081	ST
596294	RESTRICTOR:TYP LINE UNIDIRECTIONAL FLOW	1.00	061	ST
644896	BASKET,STRAINER:MT SS	1.00	051	ST
600134	SHEET,GASKET:SZ ID 1363.7 X OD 1389.1MM	3.00	051	ST
800799	GSKT,SPWD:18IN,150LB,GRAPHITE,SS 316	1.00	051	ST
928354	CIRCUIT, POWER SUPPLY: INPUT 24VDC	1.00	021	EA
584638	RESTRICTOR: P/N:5981-3484,SUPPL:SERVOMEX	3.00	061	ST
618148	BLCK-TRMNL;BOLTED,3	1.00	021	ST
605159	RELAY:TYP INSTANTANEOUS,COILV 64VAC 60HZ	1.00	011	ST
642177	DISPLAY UNIT,DATA:TYP LCD,P/N:K9291PA-01	1.00	141	ST
227930	BRG, BALL: IBI 15378,STYL OPEN	1.00	051	EA
259033	BREAKER,CIRCUIT:3A,400VAC	6.00	011	EA
1579528	PLUG-TUBE:DIA LARGE END 15.5 X SMALL END	130.00	051	EA
1024872	CONVERTER: P/N:RC001-1AC,P/N:RC112-FE-S1	2.00	061	EA
1547518	BRG:TYP DE, SZ WD 30MM,ROW SINGLE,APL MOT	3.00	051	EA
49398	GSKT-PRE-CUT:SZ ID 5.19 X OD 5.69IN,SHP	10.00	051	EA
636859	SLEEVE:	1.00	051	ST
602218	FLUID:TYP PACKING LIQUID	1.00	001	ST
612399	ASSEMBLY:TYP GEAR	1.00	081	ST
592018	BUSH,PUMP:	2.00	081	ST
1208096	FLANGE,PIPE:SCHDL 40S,TYP WELD NECK LARG	1.00	051	EA
617262	SEAL,RING:TYP V SHAPE,APLC MOTOR	1.00	051	ST
639377	SPINDLE:MT SS ASTM A276	1.00	101	ST
587501	KIT-VLV-RPR:TYP SOFT PARTS,APL WAFER CHE	1.00	051	ST
594396	PACKING:SZ WD 6 X THK 3.5MM,SHP RECTANG	7.00	051	KG
606050	RESISTOR:TYP PULSE	3.00	021	ST
642729	SEAT,VALVE:VLV SZ DN 40,BALL,GFK/PTFE	8.00	051	ST1
589498	BREAKER,CIRCUIT:0.2A	1.00	011	ST
638554	ELEMENT:TYP FLEXIBLE	1.00	051	ST
612736	FIXTURE:TYP MIRROR,RT 220VAC 40W 60HZ	2.00	021	ST
638140	SEAL,RING:THK 0.25MM	1.00	051	ST
622033	BREAKER,CIRCUIT:2.5-4/2.4-3A,600VAC	1.00	011	ST
596375	GLAND:SZ ID 19 X OD 29MM	1.00	051	ST
607894	INSERT:CARBIDE	12.00	051	ST
944961	IMPELLER,PUMP:TYP CENTRIFUGAL	1.00	081	ST
592942	GSKT PRE-CUT :ID 304 X OD 359 X THK 2MM	2.00	051	ST
627988	PLUG,VALVE:VLV SZ 6IN,CONTROL,UNS S31600	1.00	051	ST
577960	KIT:TYP SEAL	12.00	081	ST1
634550	ASSEMBLY;VALVE CUP/STEM	1.00	081	ST
1034383	SENSOR: TYP INDUCTIVE,RT 24VDC	2.00	011	EA
615629	SLEEVE:TYP DISTANCE; SPACER,SS ASTM A276	1.00	051	ST
1085387	GEAR, HELICAL: TEETH 128,MATL SCM 420	1.00	081	EA
605902	CHOKE:	4.00	031	ST
738411	GSKT,SPWD:GRAPHIITE,UNS S31600,APLC GATE	2.00	051	ST
1047197	GSKT: SIZE OD 43 X ID 33 X THK 1MM	3.00	051	EA
614804	RIG-RTNG:TYP BEARING,MTRL SS316,P/N:L420	1.00	051	ST
617687	DISTRIBUTOR:TYP PLATE	1.00	021	ST
117924	CHAMBER:APLC TOTAL SULFUR ANALYZER	1.00	081	EA
629909	BOLT,MACH:M10,LG 25MM,AS ASTM A447 GR	2.00	051	ST
1033440	KIT, SEAL: APPL ACTUATOR,P/N:80-0054184	1.00	051	KIT
582795	THERMOMETER, DIAL: TYP BI-METALLIC	1.00	101	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
589545	BREAKER,CIRCUIT:200A,600VAC,POLE 3	1.00	900	ST
587345	KIT,ACTUATOR REPAIR:TYP SEAL	1.00	061	KIT
626664	PLUG:2IN,OIL FILLING	3.00	051	ST
582707	MONITOR:TYP CONDENSATE	1.00	061	ST
583638	CIRCUIT:TYP REED SWITCH	2.00	011	ST
119378	O-RIG;88.49MM,3.53MM,NEOPRENE RUBBER	1.00	051	KIT
592967	GSKT PRE-CUT :	3.00	051	ST
613366	SEAL-RIG;V SHAPE	2.00	051	ST
599763	GSKT,SPWD:SS 316	1.00	051	ST
1589725	GSKT-ST;GIRTH,SURFACE AFTER CONDENSER,3	1.00	051	SE
630214	INSERT:	1.00	051	ST
583277	ROTOR:	1.00	081	ST
798951	KEYBOARD SUPERSEDED BY 7276466	1.00	141	EA
604335	CONTACTOR:TYP MAGNETIC,AMP 80A,3 POLE	12.00	011	ST
1763	SEAL, RING: MATL CARBON,P/N:621090	2.00	051	ST
588278	O-RING SET:	2.00	051	ST
583230	CYLINDER:TYP CALIBRATED	1.00	081	ST
631129	SWITCH, FLOW: P/N:29-MS,DOC:FS-184	2.00	061	ST
963745	DIFFUSER: TYP VALVE,MNFR:MASONEILAN	3.00	081	ST
577333	SWTCH-LVL;CAPACITANCE,DIA 20 X LG 600MM	1.00	061	ST
588335	SPRING,VALVE:CS,VLV SZ 8 X T2 X 10IN	4.00	051	ST1
642971	GSKT PRE-CUT :PTFE,COVER,DN 125	4.00	051	ST
590103	FUSE:5A	9.00	021	ST
602359	SEAT:PACKING	6.00	051	ST
642913	O-RIG;UPPER SHAFT	10.00	051	ST
639789	SEAT,VALVE:CONTROL,SS 316 STELLITE	1.00	051	ST1
1022795	PIN: P/N:FPB20160,DOC:SOH10508	4.00	051	ST
963614	BALL: SIZE 3/8IN,MATL SS 440	1.00	051	EA
619663	COUPLING,SHAFT,HALF:JAW FLEXIBLE,FC250	2.00	051	ST
1235800	SEAT,VALVE:TYP PRESSURE,VALVE TYPE PRESS	1.00	051	EA
639644	SHAFT:	1.00	051	ST
608361	FILE:SHP FLAT,SZ LG 10IN,BASTARD CUT	20.00	101	ST
636844	NUT:SS 403	1.00	051	ST
587938	KIT,VALVE REPAIR:BALL VALVE	1.00	051	KIT
609484	SEAL,RING:TYP V SHAPE	2.00	051	ST
600965	GSKT PRE-CUT :ROUND	2.00	051	ST
604616	FUSE:80A,DIA 1/4 X LG 3-5/8IN,CURRENT	1.00	021	ST
634777	SEAT,VALVE:VLV SZ 4IN	2.00	051	ST
1545270	ROPE:TYP INSULATION,SIZE DIA 6 X LG 2500	25.00	121	M
593954	O-RING:ID 90MM,WD 2.62MM,MT NBR	12.00	051	ST
602390	PACKING:PTFE,SQUARE	2.00	051	ST1
614617	SHAFT,PUMP:	1.00	051	ST
716573	KIT,SEAL:TYP REPAIR	1.00	051	EA
587378	KIT,VALVE REPAIR:BALL VALVE	1.00	051	ST
631252	LIMITER:TYP SWITCH	1.00	021	ST
1032805	CIRCUIT: TYP M. COM BOARD,STD ASTM	2.00	011	EA
617676	HANDLE:TYP FLAG	6.00	101	ST
699358	GUIDE, VALVE: MATL SST A297-HE	1.00	051	EA
440533	SEAT-VLV;RING	1.00	051	EA
631194	WASHER:ID 4MM,OD 20MM,DIAPHRAGM	2.00	051	ST
600832	GSKT PRE-CUT :ROUND	2.00	051	ST
51433	GUD;ROPE,CRANE	1.00	051	ST
1080157	O-RING: INSIDE DIAMETER 35MM,MATL	2.00	051	EA
642923	O-RING:APLC LOWER SHAFT	10.00	051	ST
628347	SWITCH,PRESSURE:	1.00	061	ST
580939	PLUG,VALVE:VLV SZ DN 25MM,CONTROL	1.00	051	ST
493028	O-RING:ID 59.5MM,WD 3MM,MT VITON	2.00	051	EA
636108	SCANNER:TYP FLAME	2.00	141	ST
607602	CUPLG-SHFT-HALF;SHEAR PIN	7.00	051	ST
9101930	TOOL , SPHERE REMOVAL FOR 20" SPHERE	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
604435	ELEMENT,HEATER:SZ DIA 1/2IN,W 6KW,MT NI	8.00	011	ST
693113	ELECTRODE: TYP COMBINATION, EQUIP MDL#:	1.00	051	EA
641370	CONTACTOR:POLE 3,LINE VOLTAGE 120V,ENCL	1.00	011	ST
615204	SWITCH,SELECTOR:	2.00	021	ST
1079012	O-RING: INSIDE DIAMETER 1/2IN,P/N:886790	8.00	051	EA
589890	FUSE:	2.00	021	ST
1033420	RIG-WEAR;120MM,AS VG434,15MM,130MM	2.00	081	ST
597745	HANDWHEEL:DIA 4IN,MT CI	1.00	051	ST
631584	LANTERN:	4.00	081	ST
938619	THRMTR-DIAL;BIMETALLIC,0-100°C,100MM	1.00	101	EA
577473	VALVE,CONTROL:TYP FLOW	1.00	900	ST
619737	RING,RETAINING:MT TS JIS G4401 GR SK5	2.00	051	ST
773221	STUD CNTNS THD:DIA 1-1/4IN,THRD 8 UN,LG	5.00	051	ST1
579995	LAMP,NEON:VOLT 220V,BLB T 3-1/4	9.00	021	ST
1043185	OVEN: TYP ISOTHERMAL,TEMP RT 0- 125DEG C	3.00	071	EA
618139	BLOCK,TERMINAL:TERM BOLTED,CIRCUIT 3	2.00	021	ST
643163	GSKT,SPWD:SHP ROUND,APLC TUBE SHEET	7.00	051	ST
594258	PCKG;ID 15 X LG 40 X HT 10MM,FLAT STRIP	2.00	051	ST
813172	MDUL-PWR-SUPPLY:O/P 75W,IN 120/240VAC 95W	1.00	031	EA
614234	BRKR-CRCUT;6A,415V AC,6KA,1,RAIL	1.00	011	ST
1031345	VALVE, RELIEF: TYP PRESSURE SAFETY	1.00	051	EA
619271	BRG,BALL:IBI 10267,ID 10MM,OD 26MM	1.00	051	ST1
615763	SLEEVE:TYP DISTANCE; SPACER,SS ASTM A276	1.00	051	ST
627593	BREAKER,CIRCUIT:12A	1.00	011	ST
592149	GSKT,SPWD:GRAPHITE/SS 316	6.00	051	ST
1034022	PACKING: SIZE OD 135 X THK 3MM	4.00	051	EA
636907	O-RING:	1.00	051	ST
583402	CVR:TYP BEARING,P/N:B12711AB01,MNFR:DAVI	1.00	051	ST
520358	PLUG-VLV;CF8M	1.00	051	ST
1032796	O-RING: INSIDE DIAMETER 106MM,WIDTH 4MM	1.00	051	ST
438510	GSKT PRE-CUT :ID 24 X OD 54 X THK 0.4MM	1.00	051	EA
583530	PLUG,PIPE:	16.00	051	ST
503329	RING:TYP UPPER ADJUSTING	1.00	051	EA
637160	VLV-BAL:VLV SZ 1-1/4IN,CNCT NPT,DOC:1417	3.00	051	ST
601459	O-RIG-ST;9	1.00	051	KIT
615333	STEM,VALVE:	3.00	051	ST
631656	RING:TYP LOCKING	1.00	051	ST
590938	TRANSFORMER:TYP CONTROL,PRIM V 320VAC	1.00	011	ST
589626	COIL,ELECTRICAL:FUNC UNDERVOLTAGE TRIP	1.00	081	ST
583030	DIODE,LIGHT EMITTING:COLOR ORANGE (AMBE	8.00	021	ST
603490	BLCK;HEATING	1.00	131	ST
636247	SEAT,VALVE:LOWER,SS 403	3.00	051	ST
603807	SLEEVE,SHAFT:TYP WEAR	2.00	051	ST
597046	SPRG-CMPRSN;16MM,21MM,97MM	1.00	051	ST
590632	SWTCH-TGL:CNTCT RTNG 125 V; 15 A,SZ WD 1	4.00	021	ST
601770	O-RING:ID 279.3MM,WD 5.7MM,MT NBR,STD	3.00	051	ST
599246	SPRCKT;6-3/16IN,5-1/18IN,1-15/16IN,18	1.00	051	ST
642652	SLINGER:TYP OIL	1.00	101	ST
589175	ASSEMBLY:AUTOMATIC AIR LINE CONNECTOR	1.00	081	ST
596373	PLUG:OD 35MM,PVC,STOPPING	2.00	051	ST
583197	GREASE:TYP VALVE STEM	11.00	001	BX
1003911	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
631610	WASHER,TAB:OD 75MM,DIN 462	2.00	051	ST
601788	O-RING:ID 254.3MM,WD 5.7MM,STD JIS-B2401	6.00	051	ST
601007	GSKT:L/SCREW,IRON	1.00	051	ST
615979	GLAND,PACKING:	1.00	051	ST1
642633	O-RING:APLC SEAL	2.00	051	ST
588916	BUS:	1.00	021	ST
568702	PCKG:SZ ID 25.58 X OD 34.92 X HT 17.76MM	4.00	111	EA
591874	SEAT,VALVE:VLV SZ DN 3,MANUAL CONTROL	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1078766	DIAPHRAGM, VALVE: MATL PTFE,P/N:SPR_1511	1.00	051	EA
603381	CABLE:TYP FLEXIBLE,SZ LG 100M,MT CU/PVC	1.00	021	ROL
595916	METER,ELECTRICAL:TYP VOLT,RNG 20-200VDC	1.00	101	ST
593941	O-RING:	2.00	051	ST
626594	RECEPTACLE,ELECTRICAL:POLE 4,ELEC TRT	3.00	021	ST
586213	BRG,SLEEVE:TYP STRIP,MT PTFE	1.00	051	ST
610144	MECHANISM:TYP MOTOR	1.00	900	ST
621596	GSKT PRE-CUT :NBR/NON ASBESTOS,HOUSING	2.00	051	ST
634806	HEATER:TYP POWER HEAT	11.00	001	M
583693	CIRCUIT:TYP DIGITAL INPUT	2.00	011	ST
617109	KIT:TYP M5 METER	2.00	081	ST
602600	RING,WEAR:	1.00	081	ST
634181	DISC,VALVE:METAL,ANGLE	1.00	051	ST
236818	SPRING,COMPRESSION:CLOSED/GROUND	1.00	051	EA
590376	RELAY:COIL 220VAC,TERM (11) PIN	4.00	011	ST
606904	STUD CNTNS THD:DIA 3/8IN,LG 1/2IN,MTRL A	10.00	051	ST
608578	RING:CI JIS G5501 GR FC250	1.00	051	ST
593090	GSKT:	4.00	051	ST
593523	GSKT:	3.00	051	ST1
532697	DISC:COOLING	1.00	051	EA
579225	GAUGE,PRESSURE:0-4BAR,150MM,MNPT 1/2IN	1.00	101	ST
627278	SLEEVE,SHAFT:SS 304/PTFE,TYP LOWER	1.00	051	ST
1024100	KIT,VALVE REPAIR:APPL ON OFF VALVE,CMPRS	2.00	081	SE
625359	THERMOSTAT:RNG 0-30DEG C	2.00	081	ST
604917	LINK-FUSE;HIGH RUPTURE CAPACITY,4A,415V	8.00	021	ST
587323	KIT-VLV-RPR:TYP SOFT PART,APL BALL,SOLE	1.00	051	ST
611046	BRG,BALL:IBI 11971,ID 30MM,OD 62MM	1.00	051	ST
332004	FLTR-AIR:TYP ELEMENT,SZ ID 134 X OD 162	6.00	051	ST
1541520	RELAY:COIL V 120/240V,ACTION SPDT,CNTCT	1.00	011	EA
1050888	GSKT,SPWD:TYP WITH INNER RING,STYL RIR,W	1.00	051	EA
579966	LAMP-INCNDSCNT;PILOT,2W,28V,CLEAR,E 10	1.00	021	ST
642609	O-RING:ID 53.34MM,WD 5.33MM,APLC SEAL	1.00	051	ST
584825	DIAPHRAGM:TYP OPERATING,SIZE 1-1/2IN,MAT	1.00	051	ST
627298	ADPTR:APLC DIGITAL INPUT BOARD	2.00	051	ST
610549	BRG,BALL:ID 25MM,ST 2 SHIELDS,ROW SINGLE	3.00	051	ST
592906	GSKT PRE-CUT :ID 134 X OD 150 X THK	2.00	051	ST
614628	BRG, SLEEVE: TYP BUSH,P/N:04048281	2.00	051	ST1
580000	LAMP,INCANDESCENT:TYP PILOT,VOLT 24V	47.00	021	ST
1551554	BRG:TYP DE,SZ WD 5MM,ROW SINGLE,APL SLUD	3.00	051	EA
759758	DISC,VALVE:CS,WCC,SAFETY RELIEF	2.00	051	EA
628071	SEAT,VALVE:VLV SZ 3IN,CONTROL,SS 316L	2.00	051	ST
606517	PIN:CYLINDRICAL	2.00	051	ST
605103	RELAY:TERM CAPTIVE SCREW	2.00	011	ST
689275	SADDLE:SZ 1-1/2IN	1.00	051	EA
589643	CONTACT:	15.00	021	ST
1192709	PLUG, VALVE: , TYP BALANCED HF	1.00	051	EA
644790	GSKT PRE-CUT :ID 73 X OD 125 X THK 3MM	1.00	051	ST
605314	CNTCT-AUXLR;1NO-1NC,600V AC,6A	1.00	011	ST
759571	RETAINER:TYP O-RING,MT SS 316	2.00	051	EA
584789	DIAPHRAGM,VALVE:MT RUBBER	8.00	061	ST
618545	WSHR	12.00	051	ST
597285	SILENCER:TYP STOP,CONN MPT	10.00	051	ST
9101936	GASKET,HEAT EXCHANGER'A',656 MMID X 676	1.00	051	ST
948563	STUD CNTNS THD:TYP BOLT,DIA 1-1/2IN,THRD	128.00	051	ST1
611303	BOTTLE:500ML CAP,MT POLYETHYLENE,ST	20.00	071	ST
600621	GSKT PRE-CUT :RUBBER,ROUND	1.00	051	ST
1001737	TRNSFRMR;CONTROL,130VA,380V,48V	1.00	011	EA
620055	SPRCKT;CS GR S38C/1038	1.00	051	ST
592883	GSKT PRE-CUT :ID 277 X OD 297 X THK 1MM	2.00	051	ST
594553	RING:ID 165 X OD 180MM	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1612143	FTG-OUTLT:TYP WELDOLET,BRNCH CNCTN BW,RU	1.00	051	EA
583013	LIGHT,INDICATING:TYP NEON,VOLT 220V	6.00	021	ST
1553216	WIRE:TYP TIE,SIZE DIA 0.405MM,MATL MONEL	10.00	021	M
938842	RING:TYP CLAMP	4.00	051	EA
583361	CAM:MT AS JIS G4102 GR SNC815	1.00	051	ST
738726	RAM:TYP VALVE	1.00	061	ST
886735	RING:3IN,PVC; FRP,TYP DRIP	1.00	051	ST
593411	GSKT PRE-CUT :ID 90 X OD 110 THK 1MM	5.00	051	ST
601629	O-RING SET:TYP PACKING	2.00	051	ST
801079	MEMBRAN FLTR,FILTER:	9.00	051	ST
799219	TRANSMITTER:TYP PH,RNG - 2.00 TO 16.00PH	1.00	061	ST
961226	HARNESS: TYP SAFETY,STD EN 362 - 2004/A	3.00	121	EA
602769	RING,WEAR:SS JIS G4305 GR 420J2	2.00	081	ST
734779	SPRING:SIZE LENGTH 29 X WD 7.4MM,P/N:280	1.00	051	EA
619734	BUSH,PUMP:BC3	2.00	081	ST
920659	FITTING, OUTLET: TYP SOCKOLET,RT 3000LB	1.00	051	EA
615727	RETAINER:TYP SLEEVE	1.00	051	ST
600584	GSKT PRE-CUT :	1.00	051	ST
1022531	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
589744	CONTACTOR:TYP MAGNETIC,AMP 80A,3 POLE	3.00	011	ST
189278	GSKT,SPWD:NON ASBESTOS,SHP ROUND,BASIC	1.00	051	ST
167079	GEAR,WORM:MT BRONZE	1.00	101	EA
608523	RING,WEAR:SS ASTM A276 TP 420	2.00	081	ST
581809	FLTR-BAG;HOSE PU BLOWING,LW 100MM	14.00	051	M
1595314	GSKT-SPRL-WUND:TYP BASIC WITH OUTER RING	2.00	051	EA
1613107	SPRG-VLV:MTRL SPRING STEEL CORROSION RES	1.00	051	ASY
642888	SPRING,EXTENSION:	1.00	051	ST
591975	BUSH, PUMP: MATL ALBC,TYP THROTTLE (C)	1.00	081	ST
605488	SWITCH,PRESSURE:TYP ENGINE OIL	1.00	061	ST
624518	GLASS,SIGHT:	1.00	101	ST
589090	BLOCK,TERMINAL:ELEC TRT 44-45A	4.00	021	ST
623615	BREAKER,CIRCUIT:10A,220/250VAC; 125VDC	2.00	011	ST
582348	CONTROLLER:TYP TEMPERATURE	1.00	031	ST
1531260	O-RIG;96MM,5MM,VITON,DOSING PUMP,106MM	2.00	051	EA
578477	SET:TYP GASKET GRIP	1.00	081	ST1
742297	JOINT:TYP ROTARY	2.00	051	ST
578398	SET:TYP GLAND PACKING	1.00	081	ST1
592847	GSKT-PRE-CUT;ID 25 X OD 114 X THK 5MM	4.00	051	ST
623184	CIRCUIT:TYP MOTOR CONNECTION	2.00	031	ST
901531	KIT,CABLE JOINT:254VAC 40A 2PH,10MM2	1.00	021	EA
593246	GSKT PRE-CUT :35 X 48MM,ROUND	1.00	051	ST
613540	TRANSFORMER:VA RT 100VA,PRIM V 380VAC	2.00	011	ST
904435	DISPLAY UNIT,DATA:TYP 5 DIGIT,READOUT DI	2.00	141	EA
604595	FUSE:4A,250VAC,DIA 5 X LG 20MM,FERRULE	10.00	021	ST
588717	KIT,VALVE REPAIR:APPL RELIEF VALVE,TYP 3	3.00	051	ST1
1003931	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
1524664	BUSH:SZ ID 0.14 X OD 0.33 X THK 9MM,MTRL	3.00	051	EA
624207	PUMP:TYP OIL	1.00	081	ST
627612	DEVICE:TYP OVERLOAD	1.00	081	ST
973976	BRKR-CRCUT;5.5-8A,690V AC,3KW,3	1.00	011	ST
631585	PLATE:TYP LOCK	3.00	131	ST
624274	STUD CNTNS THD:DIA M24,THRD 3MM,LG 105MM	10.00	051	ST
595221	GSKT PRE-CUT :KLINGERSIL C-4400,ROUND	4.00	051	ST
636923	BRG,BALL:	1.00	051	ST
642533	GSKT:AFTER COOLER	1.00	051	ST
587909	KIT,VALVE REPAIR:GASKET AND PACKING	2.00	051	KIT
609762	GUIDE:	2.00	091	ST
589447	BREAKER,CIRCUIT:125A,220/690VAC; 250VDC	1.00	011	ST1
643109	GSKT,SPWD:3/4IN,GRAPHITE,SS 316	20.00	051	ST
999343	CLAMP: P/N:464 43 00,MNFR:FLYGT	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
259319	COIL,ELECTRICAL:	1.00	011	EA
612818	BRG:	1.00	051	ST
644576	NIPPLE,PIPE:TYP HEX,SZ ID 25 X OD 33.5MM	6.00	051	ST
611610	CRCUT;BARREL SIGNALS UNIT	1.00	011	ST
578884	THERMOSTAT:ELEC TRT 250-400VAC 25-15A	1.00	081	ST
165948	SWTCH-LMT;ELECTRICAL,SPDT	1.00	900	EA
584898	DISC,VALVE:SS ASTM A276,304,PRESSURE AND	1.00	051	ST
586841	SPIDER:TYP ROLLER	1.00	051	ST
591866	SEAT,VALVE:VLV SZ DN 2; DN 3	1.00	051	ST
612916	BREAKER,CIRCUIT:6A,POLE 1	1.00	011	ST
580552	SHAFT:TYP DRIVE	1.00	051	ST
587777	KIT-VLV-RPR;KIT, VALVE REPAIR	1.00	051	KIT
589786	THERMOCOUPLE:TYP K,INS DIA 4.8MM,DESLG	2.00	061	ST
1024085	PACKING: SHAP CYLINDRICAL,TYP VALVE	1.00	051	ST1
614902	RING,WEAR:APLC IMPELLER	1.00	081	ST
585609	VALVE:TYP DISCHARGE,2ND STAGE	4.00	900	ST
584194	CIRCUIT,POWER SUPPLY:TYP MODULE	2.00	011	ST
577715	ASSEMBLY:PULL ROD	1.00	081	ST
601567	O-RIG-ST	2.00	051	ST1
1012559	BASE: TYP AUTOMATIC FIRE DETECTOR	2.00	051	ST
619783	BREATHER:MT CS ASTM A366,CONN MPT	2.00	081	ST
610545	MTR-ELCTRC;1/4HP,1725/1750RPM,48,FOOT,B	1.00	011	ST
600320	GSKT PRE-CUT :CHLOROPRENE RUBBER	2.00	051	ST
592879	GSKT PRE-CUT :	3.00	051	ST
1088392	STEM, VALVE: VLV STYL CONTROL,P/N:SPR-42	1.00	051	EA
577854	ASSEMBLY;HEATING ELEMENT	1.00	081	ST
620667	SEAL,RING:MT SYNTHETIC RUBBER,TYP V	1.00	051	ST
625418	MTR-ELECT;VOLT,ANALOG,0-500V AC,CE; DIN	2.00	101	ST
580749	COVER:	1.00	051	ST
1605756	GSKT-KIT-INSULTG:TYP FLANGES ISOLATION,N	13.00	051	KIT
603919	TERMINAL:TYP FUSE,SZ 6.34MM,RT 500V	5.00	021	ST
605173	RELAY:COIL 110VAC 50HZ,2NO-3NC	1.00	011	ST
601228	GSKT,SPWD:3IN,GRAPHITE,SHP ROUND	1.00	051	ST
578505	GSKT SET:APLC CHILLER PACKAGE	1.00	051	ST1
211148	SWTCH-PRSUR:RNG 0.5-8BAR,ACTN SPDT,ENCLS	4.00	011	ST
628048	PIN:DIA 6IN,UNS S31603,PLUG STEM	4.00	051	ST
620243	NUT,ADAPTOR:DIA 85MM	2.00	051	ST
631248	VALVE,SOLENOID:ST 2/2 WAY,ELEC TRT 20BAR	1.00	051	ST
643093	PACKING:GRAPHITE,TYP GLOBE VALVE	1.00	051	ST1
582638	GAUGE,PRESSURE:RNG 0-6BAR	1.00	061	ST
642600	GSKT:CHAMBER	12.00	051	ST
9102004	PACKING, GLAND, 3-1/2"ID X 4-1/8"OD X 3/	6.00	051	SE
605100	RELAY:COIL 24VDC,DPDT,CONT 250V 5A,TYP	6.00	011	ST
596385	GLAND,PACKING:SHP CIRCULAR	1.00	051	ST
609362	COUPLER,HOSE:SZ 1IN	3.00	051	ST
588619	BUSH:BALANCE	1.00	051	ST1
634077	GSKT PRE-CUT :P#1300-S,BONNET,8IN	2.00	051	ST
604469	ELEMENT,HEATER:MT CRNI	15.00	011	ST
626605	RECEPTACLE,ELECTRICAL:POLE 3,ELEC TRT	2.00	021	ST
639603	PLUG,VALVE:VLV SZ 2IN,PLUG	2.00	051	ST
625304	METER,ELECTRICAL:TYP AMMETER,RNG 0-100A	2.00	101	ST
1525023	MOTOR,ELECTRIC:PWR RT 0.75KW,ELEC RT 380	1.00	011	EA
489455	MODULE: TYP MAIN BOARD,P/N:64-825-0156	1.00	031	EA
617858	GSKT:	3.00	051	ST
583540	BREAKER,CIRCUIT:20A,120-240VAC	2.00	011	ST
593062	GSKT-PRE-CUT;BOX COVER,RECTANGULAR,CORK	1.00	051	ST
1023200	BREAKER, CIRCUIT: AMPERAGE 80A,POLE 3	1.00	011	EA
585581	FILTER,ELEMENT:SS 316,STRAINER SCREEN	2.00	051	ST
588333	SPRING,VALVE:VLV SZ 4 X P2 X 6IN	2.00	051	ST1
579206	GAUGE,PRESSURE:0-160MBAR,150MM	1.00	101	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
605181	RELAY:COIL 220VAC 50/60HZ,4PST	2.00	011	ST
1082272	VALVE: TYP COMPENSATING & SHUT-OFF	1.00	051	ST
9101797	CATCH,SAFETY,PART# 24330 50570,POS.# 40	1.00	051	ST
605253	SOLENOID:TYP GENERAL PURPOSE	1.00	011	ST
644564	GSKT PRE-CUT :ID 33 X OD 70MM,ASBESTOS	1.00	051	ST
616609	RSTR;100OHM,3W,SOLDER PIN,5	2.00	031	ST
588972	STRAINER:TYP SCREEN	1.00	051	ST
598631	BELT;OPTIBELT	4.00	051	ST
1505162	WEDGE,VALVE:VLV STYL GATE VALVE,VALVE SI	1.00	101	EA
9102178	BEARING, CW6R-5-61	15.00	051	EA
624588	MODULE:FIRE CONTROL	1.00	031	ST
594224	PCKG;ID 16 X OD 28 X THK 6MM,PTFE	1.00	051	ST1
631641	CONNECTOR:	3.00	051	ST
594572	GSKT PRE-CUT :ROUND,PACKING RING	6.00	051	ST
598072	BRG-RLR;DOUBLE,30MM,72MM,19MM,STEEL	2.00	051	ST
628374	RELAY:	2.00	011	ST
605716	TRANSFORMER:TYP POWER,PRIM V 420/400VAC	1.00	011	ST
589089	BLOCK,TERMINAL:ELEC TRT 20-24A	79.00	021	ST
589760	CONTACTOR:TYP MAGNETIC,AMP 20-28A,4 POLE	1.00	011	ST1
554450	RELAY:	1.00	061	EA
598929	MOTOR,ELECTRIC:0.37KW	1.00	011	ST
640122	FUSE:250A	2.00	021	ST
623811	RLY-OVRD;THERMAL,1NO-1NC,90-150A,PANEL	1.00	011	ST
597056	SPRG-LEAF;WD 35 X LG 172 X THK 1MM,STEEL	3.00	051	ST
586401	BEARING:TYP THRUST	2.00	051	ST1
643282	O RING:APPL CONTROL VALVE,P/N:200802401/	1.00	051	ST
593810	O-RIG;58.42MM,2.62MM,RUBBER	8.00	051	ST
552458	O-RING: INSIDE DIAMETER 104.5MM,STD 568A	5.00	051	EA
1232965	ASSEMBLY:TYP FASTENER,APPL SIEVE TRAYS,D	8,800.00	081	ASY
461932	SEAT,VALVE:VLV SZ 1/2IN,CONTROL,SS 416	2.00	051	EA
606123	BOLT,MACH:M20,LG 85MM,2.5MM,HD HEX	8.00	051	ST
625535	BREAKER,CIRCUIT:AMPERAGE 20A,VOLTAGE 240	2.00	011	ST
619801	SEAL,OIL:ID 70MM,OD 90MM,WD 10MM	2.00	051	ST
634617	PIN-GRVD-HDLS;PLUG	2.00	051	ST
778913	VALVE, GATE: VALVE SIZE 14IN	1.00	051	EA
1225953	RING:TYP STATOR LOCKING,MATL SS,APPL TUR	1.00	051	EA
643690	BRG,ROLL:STD DIN 5405	1.00	051	ST
600428	GSKT PRE-CUT :ROUND	2.00	051	ST
818389	RLY;230VAC 50/60HZ,8PST,230-690VAC 6-1A	1.00	011	EA
588781	KIT-CMPRSR-RPR;DIESEL AIR,COMPRESSOR	1.00	081	ST1
637196	BELLOWS:TYP EXPANSION,MT INCOLOY 800H	1.00	051	ST
619736	GSKT PRE-CUT :PTFE GLASS FILLED	2.00	051	ST1
601985	O-RING SET:APLC BEARING BUSH,5	2.00	051	ST
627342	ASSEMBLY:MICROSWITCH	1.00	081	ST
1612232	GSKT-KIT-INSULTG:TYP VCXT,NMNL FLNG SZ 4	18.00	051	KIT
1587605	GSKT-PRE-CUT:TYP RF,SZ ID 60 X OD 105 X	7.00	051	EA
629327	O-RING SET:APLC BUTTERFLY VALVE,3	1.00	051	ST1
636767	BREAKER,CIRCUIT:2A,480/600V	1.00	011	ST
605210	RELAY,OVERLOAD:0.4-0.63A,1NO-1NC,THERMAL	1.00	011	ST
635359	COIL,ELECTRICAL:TYP BRAKE	1.00	011	ST
897338	GSKT,SPWD:52 IN,150LB,GRAPHITE	1.00	051	ST
615785	SPRING:SS 302	1.00	051	ST
602999	SEAL,OIL:MT FKM	2.00	051	ST
601346	O-RING:MT FKM	3.00	051	ST
603329	TAPE,HEAT TRACING:	40.00	001	M
642201	RESISTOR,VARIABLE:RT 25W,250OHM	3.00	031	ST
608195	TEE,PIPE REDUCER:SZ 1-1/2 X 1IN,FLANGE	1.00	051	ST
632804	GSKT:TYP E TUBE,APPL LEVEL SWITCH OF CYC	2.00	051	ST
9102259	FUSE, CURRENT LIMITING,URD 10A 600V, CER	14.00	051	ST
610334	HOSE: SIZE LG 40IN,MATL RUBBER	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
587633	KIT,VALVE REPAIR:HI-SEAL	1.00	051	ST
271509	FUSE:AM 0.25A,VLTG 250V,P/N:3615087-01,M	1.00	021	EA
1046827	O-RING: INSIDE DIAMETER 277MM,MATL NBR	1.00	051	EA
1022967	MODULE, POWER SUPPLY: P/N:E2070879A03	1.00	031	EA
609445	SWITCH,LIMIT:	3.00	061	ST
770804	CHAIN:TYP ANCHOR,LG 200MM,UNS S34700	4.00	051	ST
643325	SWITCH,PRESSURE:1-6BAR,NPT 1/2IN	1.00	061	ST
1003959	METER, FLOW: RANGE 0-6200KG/HR	1.00	101	EA
598576	BELT,V:	1.00	051	ST
585686	VALVE,CONT:SZ DN 20	2.00	051	ST
589421	BREAKER,CIRCUIT:6A,POLE 2	1.00	011	ST
596276	PIECE:TYP TEST	1.00	051	ST
592063	COUPLING:	2.00	051	ST
590188	ELEMENT,HEATER:ELEC TRT 380V,W 6000W	1.00	011	ST
583116	LIGHT,INDICATING:TYP PILOT	40.00	021	ST1
616596	BREAKER,CIRCUIT:6A,254/440VAC	2.00	011	ST
583393	SENSOR:TYP BOX	1.00	001	ST
600366	GSKT PRE-CUT :ROUND	1.00	051	ST
639477	STEM,VALVE:VLV ST PRESSURE AND RELIEF	1.00	051	ST
592219	NOZZLE:TYP EJECTOR,APLC STEAM TURBINE	2.00	051	ST
597267	STEM;INSTRUMENT,DIA 12 X LG 280MM,SS 316	1.00	051	ST
583487	PLUG,TUBE:DIA 16MM,CS ASTM A105,LG 1.6IN	3.00	051	ST
595376	GSKT PRE-CUT :SEALING	4.00	051	ST
587905	KIT,VALVE REPAIR:GASKET AND PACKING	1.00	051	KIT
590875	SWTCH-SLCTR;SPST,1NO,2,THUMB KNOB	2.00	021	ST
601592	O-RING:APLC STEAM TURBINE GENERATORS	1.00	051	ST
578351	KIT,VALVE REPAIR:TYP FLANGE INSULATING	2.00	081	KIT
583960	HOSE: SIZE ID 2-1/2 X LG 48IN,P/N:9	1.00	051	ST
509996	GSKT-SPRL-WUND:APL OVERSPEED TRIP VALVE	1.00	051	ST
622697	RIG;PRELOADING RESILIENT DE	1.00	051	ST
600632	GSKT PRE-CUT :ROUND	2.00	051	ST
600442	GSKT PRE-CUT :CORK	2.00	051	ST
615123	CMPNSTR	1.00	051	ST
591785	WASHER,LOCK:SS ASTM A276,403,IMPELLER	2.00	051	ST
611018	GUG-PRSUR;2-1/2IN	2.00	101	ST
604195	BRUSH,ELECTRICAL:TYP SWITCH,MT CARBON	1.00	021	ST
1228566	RING,RETAINING:SIZE OD 256 X WD 5MM,TYP	4.00	051	EA
638283	COUPLING,SHAFT:JAW FLEXIBLE	1.00	051	ST
9101835	REPAIR KIT	2.00	051	ST
591234	SWTCH-DSCNCT;460VAC 20A,ON-OFF ISOLATOR	1.00	011	ST
211163	RELAY:COIL 183/220VAC 50/60HZ,4PST	5.00	011	ST
616655	TRANSFORMER,INSTRUMENT:VA RT 50VA,VOLT R	1.00	011	ST
629859	BARRIER:CLASS IS	1.00	121	ST
585568	SPRING:TYP FLOAT STOP,MT SS 316L	2.00	051	ST
603485	BODY-VLV	1.00	051	ST
629243	O-RING:	1.00	051	ST
9101687	SET, GASKET, 4 GRAPHITE & 4 ASBESTOS (MA	6.00	051	SE
944884	KEY,SHAFT:	1.00	051	ST
624868	COIL,ELECTRICAL:TYP INDUCTOR	3.00	011	ST
617154	OVERLOAD,MOTOR PROTECTION:AMP 63A,4-6.3A	2.00	011	ST
628744	MOTOR,VLV ACT:0.1KW/0.13HP	2.00	900	ST
610768	VALVE,CHECK:VLV SZ 1IN,BDY MATL BRONZE	1.00	051	ST
9102162	BEARING, LANTEN; FOR 1409-M01(TO BE DELE	2.00	051	EA
609494	MOTOR,ELECTRIC:1.0-1.2KW	1.00	900	ST
590212	CRCUT;INTEGRATED CONTROL SYSTEM	1.00	011	ST
589682	CONTACTOR:TYP MAGNETIC,AMP 39A,3 POLE	1.00	011	ST
1080183	SEAL, RING: INSIDE DIAMETER 100 MM	3.00	051	EA
590697	SWITCH:CONTAR NC	1.00	021	ST
770241	STUD CNTNS THD:DIA 1-1/4IN,THRD 8 UN,LG	10.00	051	ST
145736	PIN-GRVD-HDLS;F,0.81IN,3/32IN	8.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
589793	THERMOCOUPLE:TYP K,INS DIA 4.8MM,DESLG	1.00	061	ST
620071	RING,BACK-UP:ID 92.9MM,OD 99MM,THK 1.5MM	2.00	051	ST
1251419	STEM,VALVE:VLV STYL GATE VALVE,VALVE SIZ	1.00	051	EA
1233000	GSKT PRE-CUT :TYP FLAT,SIZE SQ (520 X 46	1.00	051	EA
1024127	FUSE: AMPERAGE 350A,VOLTAGE 250V,P/N:NA	1.00	021	EA
602411	PACKING:DIA 9MM,PTFE,ROUND	2.00	051	ST
594768	RING:M10,SS DIN WN 1.4301 GR X5CRNI	7.00	051	ST
592855	GSKT-PRE-CUT;RECTANGULAR,CORK	2.00	051	ST
145159	GSKT-ST:APL CONTROL VALVE,MTRL GRAPH/INC	2.00	051	ST1
582817	THERMOMETER,DIAL:TYP BI-METALLIC	1.00	101	ST
1080649	STRIP, VALVE: SIZE LG 917 X THK 2.4MM	1.00	051	EA
420855	CAPACITOR:TYP FIXED,CAPCIT 5000MICRO F	1.00	031	ST
599068	PULLEY:TYP TAPERLOCK,GROOVE 3	1.00	051	ST
628738	ACTUTR-ELCTRC;380VAC 3PH 60HZ,IP68/TE	1.00	900	ST
595294	SEAL:VALVE INTAKE	6.00	051	ST
912031	SEAT,VALVE:VLV SZ 4IN,ROTARY CONTROL	1.00	051	EA
908445	ELECTRODE:TYP REFERENCE,MT GLASS	1.00	051	EA
630776	SPL	1.00	051	ST
602320	KIT,VALVE REPAIR:GASKET AND PACKING	1.00	051	ST
624904	COIL,ELECTRICAL:TYP PRIMARY CASCADE CON	2.00	011	ST
599475	GSKT,SPWD:PTFE,SS 316,SHP ROUND,BASIC	6.00	051	ST
623031	METER,ELECTRICAL:TYP AMMETER,RNG 0-30A	2.00	101	ST
588345	DISC,VALVE:SS 316,VLV SZ 6 X R X 8IN	1.00	051	ST
636775	BARRIER:TYP DIGITAL INPUT	1.00	121	ST
9102136	FILTER, AIR VALVE GT800/3 (TO BE DELETE	1.00	051	ST
591999	BUSHING,ELECTRICAL CONDUCTOR:VOLTAGE 0.4	3.00	021	ST
617453	RING,LANTERN:MT SS DIN WN 1.4571 GR	1.00	081	ST
1586640	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPRSNG DI	1.00	061	KIT
597334	VALVE,ANGLE:VLV SZ 16MM,DES RTG 8-12LB	1.00	051	ST
813497	SUPPRESSOR:TYP ANION,SIZE DIA 4MM,P/N:06	2.00	031	ST
580155	GRS-INDUSTRL;TUBE,WHITE	1.00	001	TB
638312	GAUGE,LEVEL:OIL	1.00	101	ST
592032	SEAL,RING:TYP SCRAPER	2.00	051	ST
579519	SENSOR:TYP RTD	2.00	011	ST
610672	THRMTR	1.00	061	ST
638211	SPACER:	1.00	051	ST
643903	SEAL:TYP BIG FLOAT,MT RUBBER	1.00	051	ST
604377	CONTACTOR:TYP MAGNETIC,AMP 60A	1.00	011	ST
88202	ELECTRODE,WELDING:A5.5 E8018-C1	10.00	051	LB
602229	PACKING:	1.00	051	ST1
585220	FLOAT:TYP BIG,MT COPPER ASTM B75	1.00	061	ST
602040	O-RIG;ROTARY	2.00	051	ST
583028	DIODE,LIGHT EMITTING:COLOR WHITE,ELEC T	10.00	021	ST
639791	SEAT,VALVE:CONTROL,SUS 630 (H1075)	1.00	051	ST1
295767	STRTR-AU;AUTOMOTIVE,12V DC	1.00	051	ST
644798	GSKT:DIA 8IN,THK 1/32IN,ROUND,AL,VALVE	1.00	051	ST
615896	SHAFT:TOP VLS	1.00	900	ST
738692	SHIM:SZ ID 40 X OD 50MM,THK 0.3	2.00	051	ST
579657	TRNSMTR-PRSUR;0-160BAR,FLANGE,4-20MA DC	1.00	061	ST
615656	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	1.00	081	ST
617274	CONTROLLER:	1.00	031	ST
620543	RELAY:COIL 24VDC,DPDT,CONT 5A	32.00	011	ST
582640	GUG-PRSUR;0-2500KPA; 0-400PSIG,FPT,SS	1.00	101	ST
608591	GUIDE,VALVE:VLV ST GLOBE	1.00	051	ST
600613	GSKT PRE-CUT :ROUND	2.00	051	ST
639724	KIT,VALVE REPAIR:TYP CONTROL	1.00	051	ST1
1036833	SCREW, SET: DIAMETER 8MM,LENGTH 8MM	2.00	051	ST
329907	BRG - BALL DEEP GROOVE - 75X 130X 25MM	1.00	051	ST
601321	O-RING:MT VITON	2.00	051	ST
643640	CARRIER:TYP BLADE	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
898219	BREAKER,CIRCUIT:16A,230/400VAC	1.00	011	EA
604859	FUSE:35A,1200VAC,BLADE	12.00	021	ST
624257	O-RING SET:SET X 2 PCS	1.00	051	ST1
635503	GSKT:CORRUGATED	1.00	051	ST
627356	SWITCH:TYP TEST	1.00	021	ST
654218	METER, FOR 3051 TRANSMITTER	1.00	900	EA
898236	BREAKER,CIRCUIT:100-250A,415VAC	1.00	011	EA
619262	BELLOWS:MT PVC-W	1.00	051	ST
584777	DIAPHRAGM:MT PTFE	1.00	051	ST
639463	DISC-VLV;STEEL,PRESSURE RELIEF	1.00	051	ST
604205	BRUSH,ELECTRICAL:TYP ALTERNATOR	8.00	021	ST
943179	CIRCUIT:TYP PRECHARGING CONTROL BOARD	1.00	011	ST
604824	FUSE;ANTI SURGE,1A,250V AC,CERAMIC	35.00	021	ST
581500	MODULE:ELECTRIC IGBT TRANSISTOR	6.00	031	ST
929037	RELAY:COIL 110VDC,CONT 600VAC 10A	1.00	011	EA
581816	HOSE: SIZE ID 2 X OD 3 X LG 169MM,P/N:48	9.00	051	M
628648	SEAT,VALVE:VLV SZ 8IN,GATE,AS ASTM A182	2.00	051	ST
631539	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPRSNG PI	1.00	061	ST
617633	THRWR:TYP WASTE WATER,MTRL NBR,SZ 38.25	2.00	081	ST
588731	PACKING:MT PTFE	1.00	051	ST1
634799	HEATER:	30.00	001	M
609446	CYLINDER:TYP DISTILLATION	8.00	081	ST
9101731	SHAFT,28	1.00	051	ST
581587	MODULE:DECODING	2.00	031	ST
635634	GSKT PRE-CUT :GRAFOIL,LOWER COVER	2.00	051	ST
594457	RIG;COX,TIN,ID 30 X OD 61.5 X THK 0.3MM	2.00	051	ST
743380	KIT,VALVE REPAIR:PILOT VALVE,SOFT GOODS	2.00	051	KIT
595693	ROD;PISTON	1.00	131	ST
17984	KIT-VLV-RPR;SAFETY RELIEF VALVES,GASKETS	1.00	051	ST
604851	FUSE:6A,415VAC,OFFSET BLADE,HRC	2.00	021	ST
738116	O-RING:	2.00	051	ST
590541	RELAY:	5.00	011	ST
642595	GSKT:PLATE	2.00	051	ST
642216	FILTER,LIGHT:	2.00	051	ST
622288	LGHT-INDCTG;PILOT,20-250V AC/DC,YELLOW	1.00	021	ST
625443	SWTCH-DSCNCT;690VAC 32A 50/60HZ,RAIL	2.00	011	ST
636413	BRG,BALL:IBI 15416,ID 140MM,OD 300MM	2.00	051	ST
1595336	STUD-ASMBLY:TYP FULL THREADED,DIA 1/2IN	4.00	051	ASY
627384	LENS,INDICATING LIGHT:COLOR RED	1.00	021	ST
804506	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPRSNG RU	2.00	061	KIT
619793	SHIM:	2.00	051	ST1
793641	SLEEVE,SHAFT:TITANIUM GR B	1.00	051	ST
600259	GSKT,SPWD:60IN,300LB,GRAPHITE	4.00	051	ST
608301	SOCKET,ELECTRICAL:TYP PANEL LARGE FLANGE	5.00	021	ST
596821	FILTER:	2.00	051	ST
610886	PACKING:TYP HOUSING	1.00	051	ST
608467	SEPARATOR:TYP MAGNETIC SUCTION	1.00	051	ST
643722	BRG,ROLL:ID 17MM,OD 21MM,WD 10MM,TYP	1.00	051	ST
683470	BELT,V:IN CIRC 4000MM,OC 4025MM,TOP WD	4.00	051	EA
619561	RING,RETAINING:CS JIS G3522 GR SWPA/A230	2.00	051	ST
918094	BAFFLE:TYP PLATE UPPER HALF	2.00	081	ST
628185	O-RING:APLC SEAL BOX	3.00	051	ST
637200	BELLOWS:TYP EXPANSION,MT INCONEL 625	1.00	051	ST
1037543	CIRCUIT: TYP ELECTRONICS PERIPHERY	1.00	011	EA
600067	GSKT,SPWD:GRAFOIL,IRID 305MM,SS 316	2.00	051	ST
339655	BRG - BALL SELF-ALIGNING- 45X 100X 36MM	3.00	051	ST
643742	BRG-BAL;112985,20MM,52MM,22.23MM,2 SEALS	1.00	051	ST
606289	NUT:DIA 28MM,BRASS	1.00	051	ST
590330	RELAY:COIL 24VDC,3PDT,TYP AUXILIARY	15.00	011	ST
586934	ASSEMBLY:	2.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
584110	PUMP:TYP OIL	1.00	081	ST
627019	TRANSFORMER,INSTRUMENT:	2.00	011	ST
583753	PROCESSOR:	2.00	011	ST
588316	DIAPHRAGM,ACTUATOR:	4.00	061	ST
590655	SWITCH,PUSHBUTTON:COLOR RED	4.00	011	ST
610452	BREAKER,CIRCUIT:1.6A,240/440VAC	2.00	011	ST
598024	BRG-RLR;TAPERED,SINGLE,31.8MM,68.3MM	1.00	051	ST
627231	O-RING:MT FLUOROCARBON	2.00	051	ST
612717	FIXTURE:RT 220V 3 X 36W 60HZ	2.00	021	ST
585994	VALVE,RELIEF:VLV SZ 10IN	1.00	051	ST
590004	FUSE:2A	30.00	021	ST
638592	BELLOWS:150/300LB,MT SS 316L	2.00	051	ST
584908	DISC,VALVE:SS ASTM A276,304,PRESSURE AND	1.00	051	ST
636776	BARRIER:TYP DIGITAL OUTPUT	1.00	121	ST
885442	BREAKER,CIRCUIT:6A,277/480VAC	1.00	011	EA
594635	RIG-RTNG;ID 322 X OD 360 X WD 30,STEEL	2.00	051	ST
608586	GUIDE,VALVE:VLV ST BUTTERFLY	1.00	051	ST
1059558	FAN: TYP AC DRIVE,P/N:20AD027A0AYNCO	1.00	081	ST
616574	LGHT-INDCTG;PILOT,125/220/250V,2.5W,RED	3.00	021	ST
614233	BLOCK,CONTACT:CIRCUIT 4,CONTAR 4NO	2.00	021	ST
584600	HLDR-LAMP;BAYONET	2.00	021	ST
904779	SWITCH,PUSHBUTTON:85-264VAC,1NO-1NC	1.00	021	EA
599318	GSKT PRE-CUT :ROUND	3.00	051	ST
618038	RELAY:TYP VOLTAGE SENSING,PLUG IN,CLOSED	2.00	011	ST
599516	GSKT,SPWD:V#7592,SS 304,SHP ROUND	3.00	051	ST
236579	RING,BACK-UP:MT FKM/FMS	1.00	051	EA
613288	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG PACKIN	1.00	051	KIT
627367	FUSE:5A,2.5/5KV,FERRULE	2.00	021	ST
9102395	ROPE,NYLON,50 MM X 100 MTR LONG;(DELETE	1.00	051	ROL
583365	GOVERNOR:TYP GAS PRESSURE	1.00	061	ST
615692	BUSH,PUMP:BRONZE BC6/B584,THROTTLE	2.00	081	ST
626949	TRANSDUCER:TYP ACTIVE POWER,O/P 4-20MA	1.00	061	ST
1080508	GSKT: SIZE ID 138 X OD 148MM,TYP FLAT	1.00	051	EA
644778	GSKT PRE-CUT :ID 700 X OD 732 X THK 3MM	2.00	051	ST
583631	BARRIER:TYP DUAL CHANNEL DIGITAL INPUT	1.00	121	ST
416162	BREAKER, CIRCUIT: AMPERAGE 6A,POLE 2	2.00	011	EA
582568	GAUGE,PRESSURE:0-1000MM H2O,100MM	1.00	101	ST
904201	SWITCH,PROXIMITY:	3.00	011	EA
634199	PIPE:P/N 4-6445-407	1.00	131	ST
583040	FIXTURE,HID LIGHTING:TYP MARINE	4.00	021	ST
605567	SWITCH,LIMIT:1NO-1NC,IP67	3.00	061	ST
595190	SEAL:TYP SHAFT,MT VITON	1.00	051	ST
609818	THERMOMETER:TYP OIL LEVEL/TEMPERATURE	1.00	061	ST
583336	SHAFT:	1.00	051	ST
620817	SEAL,RING:MT SYNTHETIC RUBBER,TYP V	1.00	051	ST
638937	FUSE;ULTRA FAST BLOW,5A,250V AC,GLASS	18.00	021	PAK
1004000	PLATE: TYP ORIFICE,SIZE 3 IN,MATL SS 316	1.00	131	EA
800838	GSKT,SPWD:6IN,300LB,GRAPHITE,SS 316	1.00	051	ST
602176	PACKING:SQUARE,TYP GLAND	2.00	051	ST
592152	GSKT PRE-CUT :GRAPHITE/SS 316,ROUND	1.00	051	ST
581899	HTSHRNK;SLEEVE,ID 3.2 X LG 1200MM,PVC	10.00	001	ST
608840	CONE	2.00	051	ST
76496	O-RIG;79.5MM,2MM,NBR,METERING PUMP(PE)	5.00	051	ST
592308	PAWL:TYP PRIMARY	2.00	091	ST
608179	NIPPLE:TYP LUBRICATION	3.00	051	ST
445500	O-RING: INSIDE DIAMETER 29.4MM	1.00	051	EA
608927	FLSK;VOLUMETRIC,10ML,BOROSILICATE GLASS	23.00	071	ST
633115	SWITCH, LIMIT: ACTUATOR ROLLER LEVER	2.00	061	ST
593404	GSKT,SPWD:ASBESTOS,IRMT SS,SHP ROUND	2.00	051	ST
636913	BRG,BALL:	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
795414	RTD:TYP PT100,100OHM,TEMP R 80-90DEG C	2.00	101	ST
918830	FLOAT:TYP BIG	1.00	061	ST
610705	CONTACTOR:	1.00	011	ST
585495	SPRING,COMPRESSION:CLOSE/GROUND	2.00	051	ST
578923	CLR;SPIRAL	1.00	081	ST
1197670	SPROCKET: BORE 48MM,TEETH 28,PITCH 14MM	1.00	051	SE
851431	RLY-TIME-DLY;CE; CSA; UL	1.00	051	ST
619645	TUBE:	1.00	131	ST
582921	POINT:TYP CALL	1.00	061	ST
592442	GSKT-PRE-CUT;ID 21 X OD 50 X THK 2MM	5.00	051	ST
930693	THERMOWELL:DRILLED BARSTOCK,150MM	1.00	061	EA
595345	SEAL;LINITEST(HERAEUS)	1.00	051	ST
631277	MANIFOLD:TYP BLOCK,MT PTFE/SS	1.00	051	ST
1231422	HOLDER,VALVE DISC:VLV STYL SAFETY RELIEF	1.00	051	EA
777289	UNIT,CONTROL:TYP SWITCH ELECTRONIC,P/N:3	1.00	011	ST
605941	D-LGHT-EMTG;3MM,RED	2.00	031	ST
1064403	GSKT PRE-CUT : MATL STEEL,SHAP ROUND	1.00	051	EA
1589833	CAP-PIPE:SZ 1IN,CNCT SW,MTRL SS GR 304L	1.00	131	EA
594860	RING:TYP TOLERANCE,SIZE DIA 40 X THK 10M	4.00	051	ST
599461	GSKT PRE-CUT :OIL SHEET	1.00	051	ST
599485	GASKET,SPIRAL WOUND:SS 304,FILL MAT GRA	2.00	081	ST
578065	KIT-VLV-RPR:TYP SOFT PARTS,CMPSNG GASKE	1.00	051	ST
741261	BRKR-CRCUT;6A,230/400VAC 50/60HZ,6 KA,1P	2.00	011	EA
615304	SEAL,LABYRINTH:OIL; EXHAUST SIDE RING	2.00	051	ST1
588527	KIT,VALVE REPAIR:BALL VALVE	2.00	051	ST1
690338	O-RING:ID 1-7/8IN,WD 1/16IN,MT FKM	3.00	051	EA
602394	PACKING:PTFE,SQUARE	2.00	051	ST1
628352	PROBE:TYP VIBRATION	1.00	061	ST
579204	GAUGE,PRESSURE:0-160MBAR,150MM	1.00	101	ST
1594673	MTR-FLOW:TYP ROTAMETER,RNG 0.85-8.5M3/HR	1.00	061	EA
592220	TIP,NOZZLE:TYP WASH WATER SPRAY	1.00	051	ST
413097	KIT,PUMP REPAIR:APLC MAIN OIL PUMP	1.00	900	KIT
587857	KIT-SEAL;HYDRAULIC JACK	1.00	051	KIT
986777	DIAPHRAGM, VALVE: MATL HYTREL (H)	1.00	051	EA
121507	RIG-PSTN;UPPER	1.00	051	EA
578408	SET:TYP GLAND PACKING	1.00	081	ST1
1602459	COLUMN-ANLYS:TYP PACKED,SZ 2 M X 1/8 IN,S	1.00	061	EA
1225950	WASHER,LOCK:MATL SS,STD ANSI,APPLN FOR T	3.00	051	EA
194155	MOTOR,ELECTRIC:0.5HP,208-230VAC 3.5A	1.00	011	ST
961432	BUSH, VALVE: MATL UNS S31700	1.00	051	EA
1557223	HOUSING:TYP AUXILIARY,SIZE WD 15MM,MATL	1.00	051	ASY
588788	O-RING SET:APLC BEARING HOUSING,STD AS	3.00	051	ST1
595222	GSKT PRE-CUT :ID 210 X THK 2MM	2.00	051	ST
594550	GSKT;SEAL RING; DISC,1MM,ID 23 X OD 27MM	2.00	051	ST
619604	KIT,PUMP REPAIR:APLC PROPORTIONING PUMP	2.00	081	ST
1616996	TRNSFRMR-CURNT:PTNTL 10VA,CURNT RT 25/1A	1.00	051	EA
643112	PACKING:GRAPHITE,TYP GLOBE VALVES	6.00	051	ST1
688372	ARM;DRIVE,DP INDICATOR	1.00	900	EA
642596	PLUG:	8.00	051	ST
625369	BLCK-TRMNL;1000V,BOLTED,35MM2,1	2.00	021	ST
596487	COCK;BALL,G 1/4IN,BSP	2.00	051	ST
588331	SPRING,VALVE:VLV SZ 4 X P2 X 6IN	1.00	051	ST1
813889	CIRCUIT:TYP PCB ASSEMBLY CONTROL (STD)	2.00	051	EA
592970	GSKT-PRE-CUT;ROUND,CORK	1.00	051	ST
607312	BUSH;ID 13 X OD 16 X LG 12.5MM,CS	2.00	051	ST
1595395	VLV-CHCK:TYPE SWING,TYPE 16IN,TYPE 300LB	1.00	051	EA
590843	SWTCH-PRSUR;CL1 GR BCD; CL2 GR EFG,SPDT	1.00	061	ST
591560	NUT:CS,HORIZONTAL TABLE SPINDLE	1.00	051	ST
605592	SWITCH,SELECTOR:	1.00	021	ST
1023223	MODULE: TYP FREQUENCY INPUT,SUPPL:UOP	1.00	031	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
624891	SWITCH:TYP AUXILIARY,SPDT	2.00	021	ST
163237	GSKT,SPWD:1-1/2IN,300LB,GRAPHITE,SS 316L	32.00	051	EA
619229	MODULE:DIGITAL MICRO TRANCIEVER NETWORK	3.00	031	ST
1033512	DPHRGM PMP:TYP PUMP HEAD,DMNSN DIA 144 X	2.00	051	EA
608506	O-RING:	1.00	051	ST
1065077	PLUG-VLV:VLV STYL EQUAL PERCENTAGE,VLV S	1.00	051	EA
639263	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
611687	TRANSFORMER,INSTRUMENT:TYP CURRENT	15.00	011	ST
593248	GSKT PRE-CUT :ID 320 X OD 410MM,ASBESTOS	2.00	051	ST
620626	SEAL,RING:TYP V SHAPE,MT SYNTHETIC RUBB	3.00	081	ST
9101692	SET, CURRENT LIMITING, [7031518]	12.00	051	SE
1080632	-RING: INSIDE DIAMETER 100MM,WIDTH 4MM	1.00	051	EA
976330	GSKT PRE-CUT : SHAP ROUND,TYP FLAT FACE	16.00	051	ST
627154	DRIVE:TYP BUSH	1.00	101	ST
584423	METER,ELECTRICAL:TYP AMMETER,READOUT ANA	1.00	101	ST
586875	COMPOUND:TYP MOLY SLIP	2.00	001	ST
596033	GUIDE:TYP SPRING,SZ WD 28 X LG 438MM	2.00	091	ST
616956	BREAKER,CIRCUIT:50A,100/415VAC	2.00	011	ST
627669	CONTACTOR:TYP MAGNETIC,AMP 65A,3 POLE	4.00	011	ST
585268	REGULATOR,PNEUMATIC:TYP AUTO MANUAL	2.00	061	ST
851522	BELT,V:TOP WD 12.7MM,THK 10MM	4.00	051	EA
608185	TEE,PIPE:SZ 1-1/2IN,PVC-I,RT SCH 40	11.00	051	ST
635472	VALVE:TYP ON OFF,VLV SZ 3/8IN,CONN NPT	1.00	051	ST
590923	TRANSFORMER,INSTRUMENT:VA RT 1.75/10VA	1.00	011	ST
642953	PACKING:NON ASBESTOS,TYP STUFFING BOX	4.00	051	ST1
509919	FLTR:TYP COOLANT,P/N:WF2075,MNFR:FLEET G	1.00	051	ST
903944	CIRCUIT: TYP ADVANCED TERMINAL HW2	1.00	011	EA
636876	GSKT PRE-CUT :DIA 10-1/4 X THK 1/8IN	12.00	051	ST
1604153	LAMP:TYP DEUTERIUM,WTG 70W,VLTG 100 TO 2	1.00	900	EA
589951	FUSE:6A,DIA 14 X LG 51MM	10.00	021	ST
601822	O-RING:MT BUNA-N,SHOR - HRD 70A	4.00	051	ST
597743	HANDWHEEL:DIA 4IN,MT CI	1.00	051	ST
603988	BATTERY,DRY CELL:TYP LITHIUM,VOLT 3VDC	2.00	011	ST
802589	SET:TYP PACKED COLUMN	1.00	081	SE
600338	GSKT:EXPANSION JOINT	2.00	051	ST
609328	GAS:CALIBRATION,A9 CYLINDER 10L	1.00	001	CY
587944	KIT-VLV-RPR:TYP SOFT PART,APL GATE (SIZE	1.00	051	KIT
595378	GSKT SET:TYP SHAFT SEAL	2.00	051	ST
9101933	ROPE,WIRE,7.5 MM DIA.,PART# 3308269	1.00	051	ST
642481	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
805361	IMPELLER,PUMP:DIA 90MM	1.00	081	ST
269462	FUSE:1A,250VAC,DIA 1/4 X LG 1-1/4IN	5.00	021	EA
577750	ASSEMBLY:HOSE/NOZZLE,UL	4.00	081	ST
643623	BELT,TOOTHED:TYP TIMING	1.00	051	ST
607226	ADAPTOR,PLUG TO SOCKET:500V 50A,MT THER	1.00	051	ST
587214	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPRSNG OR	3.00	061	KIT
838461	SEAT,VALVE:VLV SZ 8IN,BUTTERFLY	1.00	051	EA
583196	GREASE:TEMP RT -20 TO 900DEG F,TYP HIGH	7.00	001	BX
615713	DFLCTR;OIL,BRONZE ASTM B584 GR C83600	1.00	081	ST
595394	CIRCUIT:TYP RELAY BOARD	1.00	011	ST
1060340	RTD: RESISTANCE 100OHM,WIRE 4	3.00	101	EA
590151	FUSE:1A,125VAC,DIA 5 X LG 20MM,FERRULE	5.00	021	ST
627199	VALVE,GATE:VLV SZ 4IN,DES RTG 150LB	1.00	051	ST
579348	GLASS,LEVEL GAUGE:TYP SIGHT	5.00	101	ST
585846	VALVE,RELIEF:TYP THERMAL SAFETY	1.00	051	ST
633088	RING,LANTERN:ID 1/2IN,MT SS 316	2.00	081	ST
900903	CONTACTOR:TYP MAGNETIC,POLE 3	1.00	011	EA
622361	GLOBE,LIGHTING:COLOR RED,MT GLASS	4.00	021	ST
588761	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG PACKIN	1.00	051	ST1
1209324	KIT,VALVE REPAIR:OPRTG PRESS 18BAR G,CMP	1.00	051	KIT

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
439182	VALVE,BALL:VLV SZ 1/8IN,DES RTG 2500PSIG	10.00	051	EA
1023209	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	4.00	051	EA
631627	SCREW:ADJUSTING	3.00	051	ST
1232962	ASSEMBLY:TYP FASTENER,APPL SIEVE TRAYS,D	172.00	081	ASY
858266	SET:TYP WEAR AND TEAR,APLC HOISTS	2.00	081	ST1
638187	NUT,LOCK:	1.00	051	ST
804503	ACTUATOR: TYP DIAPHRAGM,OPER 7 - 25BAR	1.00	061	KIT
643048	PACKING:GRAPHITE,TYP GATE VALVE	1.00	051	ST1
592763	GSKT PRE-CUT :THK 1/8IN,PTFE,ROUND,RF	13.00	051	ST
1506685	O-RIG;1.609IN,0.084IN,VITON,PUMP,1.777IN	1.00	051	EA
1216275	MODULE:TYP D-SUB INTERFACE,INPUT 50V,O/P	1.00	031	EA
611768	COVER:TYP TERMINAL,APLC 1000A SWITCH	2.00	051	ST
628192	O-RING:APLC COLLAR	5.00	051	ST
772081	MTR;DIGITAL,RECTANGULAR	1.00	061	EA
1233590	PLUG:SIZE 3/8IN-18FNPT,MATL CS ASTM A307	3.00	051	EA
983869	COLUMN, ANALYSIS: TYP CAPILLARY	1.00	061	EA
902276	STARTER,ELECTRIC MOTOR:TYP SOFT,SPEC S3	1.00	011	EA
601676	O-RING:MT NBR	2.00	051	ST
800804	GSKT,SPWD:4IN,150LB,GRAPHITE,SS 316	2.00	051	ST
1188240	PLUG, VALVE: VALVE SIZE 10IN	1.00	051	EA
1064405	WASHER: SZ 1IN,MATL VITON,THICKNESS 3MM	2.00	051	EA
631191	GSKT:POSITIONER	2.00	051	ST
638579	BELLOWS:150/300LB,MT UNS S31603	2.00	051	ST
599412	GSKT,SPWD:150 LB,GRAFOIL,IRID 2280MM	3.00	051	ST
582837	THERMOMETER,DIAL:RNG 0-60DEG C	1.00	101	ST
578174	KIT;REPAIR,CONTROL LIGHT	1.00	081	ST
597375	VLV-SLND;2 WAY,24VDC 317MA 7W/VA,1/4IN	2.00	051	ST
580922	PLUG-VLV;CONTROL,DN 50MM	1.00	051	ST
589630	COIL,ELECTRICAL:TYP CONTACTOR	2.00	011	ST
580944	PLUG-VLV;CONTROL,DN 25MM,SS	2.00	051	ST
614644	RING,WEAR:APLC 1ST STAGE CASING	1.00	081	ST
608889	TUBE:TYP TEST,SZ OD 24 X LG 156MM	1.00	131	ST
615941	GSKT:SHAFT SEAL	5.00	051	ST
994646	PACKING: MATL PILLAR 6610/6710	5.00	051	ST1
588320	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPRSNG PI	1.00	061	ST1
903086	WASHER,SEALING:CU/SOFT IRON/PTFE	1.00	051	EA
905254	SLNCR	1.00	051	EA
634964	REAGENT:CHEMICAL ELIMIN-OX	1.00	001	PAK
583614	CIRCUIT:TYP TEMPERATURE CONTROL BOARD	1.00	011	ST
630818	KIT,VALVE REPAIR:VITON ELEMENT,SERVICE	1.00	051	ST1
616637	BREAKER,CIRCUIT:4A	1.00	011	ST
582215	THERMOSTAT:TYP CONTROL	4.00	081	ST
641765	FILTER:BREATHER	6.00	051	ST
632727	CORD,EXTENSION:LG 8M	1.00	021	ST1
1038986	KIT,SEAL:TYP REPAIR,APPL MECHANICAL SEAL	1.00	051	KIT
1029183	SHAFT: TYP STOPPER,P/N:4TOYO946C	1.00	051	ST
597268	STEM:TYP HOSE,SZ DIA 15 X LG 55MM,MT PL	1.00	051	ST
582739	SENSOR:TYP MOISTURE,ELECT WIRE LEADS	1.00	011	ST
634424	SPRING,TORSION:SS 302	1.00	051	ST
624952	ASSEMBLY:TYP SNUBBER	2.00	011	ST
593951	O-RING:ID 88.8MM,WD 2.6MM,MT NBR	2.00	051	ST
586406	BRG,SLEEVE:TYP JOURNAL	2.00	051	ST
903880	AMPLIFR:TYP ISOLATED SWITCH	2.00	031	EA
903087	WASHER,SEALING:CU/SOFT IRON/PTFE	1.00	051	EA
610104	BLOCK,TERMINAL:	2.00	021	ST
608886	FLASK:TYP VOLUMETRIC,CAP 250ML,MT	9.00	071	ST
628120	SPACER:TYP PACKING,MT FLEXIGRAPH	2.00	051	ST
798534	HEATER:TYP SELF REGULATING	5.00	011	EA
635618	GSKT PRE-CUT :GRAFOIL,BODY/CONNECTOR,3IN	2.00	051	ST
604322	CONTACTOR:TYP MOTOR,4 POLE	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
624248	BOLT:HUB	1.00	051	ST1
606481	PIN:DIA M12,LG 26MM,THREADED	2.00	051	ST
1023149	GAUGE, PRESSURE: RANGE -1 TO 5BAR	1.00	101	EA
590887	SWTCH-PRSUR;HYDRAULIC,35-375PSI G,SPST	1.00	061	ST
1000998	DRIVER: TYP THYRISTOR,P/N:EN479	1.00	101	EA
580545	SHAFT:	1.00	051	ST
1619464	CH-SOL:CLSS SUBCLSS DICHLOROMETHANE,CLR	65.00	001	L
604915	ASSEMBLY:TYP FUSE ENCAPSULATION	6.00	021	ST
610432	BOLT,MACH:M27,LG 130MM,GS,3MM,GR 4.6	10.00	051	ST
153058	O-RING:MT FKM,APLC PRESSURE REGULATORS	2.00	051	EA
622737	GSKT:OUTSIDE NDE	2.00	051	ST
587856	KIT-SEAL;HYDRAULIC JACK	1.00	051	KIT
929053	RELAY: COIL V 24VDC,TYP MINIATURE	1.00	011	EA
636238	RING,RETAINING:SS 420	3.00	051	ST
599483	GASKET,SPIRAL WOUND:SS 304,FILL MAT GRA	2.00	081	ST
587893	KIT,VALVE REPAIR:BALL VALVE,SEAT RING	1.00	051	KIT
622776	NOZZLE,VALVE:MT SS 316	1.00	051	ST
586109	BRG,SLEEVE:TYP BUSHING,MT CARBON	6.00	051	ST
583758	MODULE:TYP (16) ANALOG INPUT	1.00	011	ST
871136	SEAL,RING:MT SS UNS S31803 WITH GRAPHITE	1.00	051	EA
1588808	KIT-VLV-RPR:TYP OVERHAULING,CMPRSNG GASK	1.00	051	KIT
619639	SCREW,CAP:24MM DIA,110MM LG,MT SS 304	4.00	051	ST
618074	O-RING:APLC FOR MOTORS OF ETP PLANT	2.00	051	ST
1233007	RGULTR-PRSUR;250PSI G,125PSI G,NPT 1/4IN	5.00	061	ST
644675	CIRCUIT:	1.00	011	ST
608544	RING,WEAR:SS ASTM A276 TP 420	1.00	081	ST
1556976	FILTER:TYP DRY,MICRON 2MICRON,SIZE LG 43	1.00	051	EA
668579	HOUSING:TYP BEARING	1.00	051	EA
612445	SEAL-OIL	2.00	051	ST
614716	CARTRIDGE:TYP MECHANICAL SEAL	1.00	051	ST
587797	KIT,VALVE REPAIR:SEAL	1.00	051	KIT
604448	ELEMENT,HEATER:SZ DIA 8 X LG 212MM	3.00	011	ST
615491	PIN:	1.00	051	ST
579918	LAMP,INCANDESCENT:TYP AUTOMOTIVE HALOGEN	3.00	021	ST
809285	DPHRGM-ACTUTR;PNEUMATIC,NA-225,VALVE	4.00	061	EA
738105	ROD;CONNECTING,TURBINE	1.00	131	ST
604211	BRUSH:HANDLE WIRE	60.00	051	ST
628810	O-RING:	5.00	051	ST
930455	FILTER,ELEMENT:5MICRON,SS DIN WN 1.4404	305.00	051	EA
636395	SWITCH,LEVEL:CONTRT 0.1A	1.00	061	ST
1026233	CONTACTOR: AMPERAGE 17A,POLE 3,P/N:A16	2.00	011	EA
257747	GSKT:PTFE GLASS FILLED,METERING PUMPS	6.00	051	EA
112356	LAMP-FLURSCNT;10W,115/120V AC,1FT,BI-PIN	2.00	051	EA
1040068	MANOMETER: RANGE -1 TO 1BAR,MNFR:PAKKENS	1.00	061	EA
591221	VARISTOR:	10.00	031	ST
1634909	KIT-VLV-RPR;SOFTGOOD,PRESSURE REDUCING	3.00	051	KIT
599589	GSKT,SPWD:PTFE GLASS FILLED,SS 316	2.00	051	ST
578841	EXCHANGER:TYP VESSEL,MT SS	2.00	081	ST
630222	HOOK:TYP S-SHAPED	1.00	091	ST1
615077	FLG;LAP JOINT FF,DN 2 IN X THK 20MM,AL	1.00	051	ST
868786	CHEMICAL:1,2-DIMETHYLBENZENE,O-XYLENE	1.00	001	BOT
598316	BRG-RLR;DOUBLE,100MM,180MM,46MM,STEEL	7.00	051	ST
591915	SEAT,VALVE:MANUAL CONTROL ANGLE,SS ASTM	1.00	051	ST
609149	KNOB:	2.00	141	ST
585653	VALVE:TYP FLOW CONTROL	1.00	051	ST
582728	SENSOR,CONDUCTIVITY:	1.00	011	ST
629171	KIT-VLV-RPR:TYP SOFT PART,APL RELIEF,CMP	2.00	051	ST1
586943	PUMP,RECIPROCATING:TYP HAND	1.00	900	ST
632719	RELAY:	1.00	011	ST
587918	KIT,VALVE REPAIR:GASKET AND PACKING	2.00	051	KIT

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
801890	KIT-VLV-RPR:TYP REPLACEMENT,APL VALVE,P/	1.00	051	EA
637187	BOLT,MACH:M8,LG 12MM,AS ASTM A193/SS 304	2.00	051	ST1
612734	FIXTURE:RT 220VAC 20W 60HZ	2.00	021	ST
627368	FUSE:6A,600VAC,FERRULE,ONE TIME	2.00	021	ST
594774	RING,RETAINING:TYP SHAFT	2.00	051	ST
805357	GSKT,RJ:ROUND,SS 316	1.00	051	ST
626472	INDICATOR:TYP GROUP DIAL	2.00	061	ST
607637	COUPLING,SHAFT:N-EUPEX FLEXIBLE,BORE 100	1.00	051	ST
9102454	MUREXIDE (AMMONIUM PURPURATE)	2.00	051	KG
1246805	KIT,VALVE REPAIR:APPL 3IN 150LB BOLTED B	1.00	051	KIT
799883	PACKING:TYP VALVE	1.00	051	EA
620625	BLOCK,TERMINAL:TERM BOLTED,CIRCUIT 3	2.00	021	ST
613220	GAUGE:	1.00	101	ST
629193	SPRING,VALVE:AS JIS G4801 GR SUP10	2.00	051	ST
1040125	SWITCH: TYP PROTECTION,P/N:F10-170-2A101	8.00	021	KIT
805355	GSKT PRE-CUT :ID 120 X OD 140 X THK 2MM	2.00	051	ST
615799	SEAL:TYP AIR,P/N:AAA3791150-01072,MNFR:A	1.00	051	ST
590144	FUSE:1.6A	8.00	021	ST
9102274	TRANSFORMER,CONTROL 500VA,380V(TO BE DEL	1.00	051	ST
1080676	SEAL, MECHANICAL: TYP PUMP,BODY MATL SS	2.00	051	EA
462031	RING,BACK-UP:INSIDE DIAMETER 1/4IN,MATL	1.00	051	EA
590270	PROTECTOR;3/4IN	3.00	001	ST
597420	VLV-SLND;5/3 WAY,24VDC 4.5W,3-10BAR,FNPT	1.00	051	ST
603767	CNTCTR;MAGNETIC,4,20A,115-690V AC,CLOSED	1.00	011	ST
5160	SHAFT:DRUM	1.00	051	ST
587049	ASSEMBLY:TYP GRAPHITE SEAL	9.00	051	ST
639456	STEM,VALVE:VLV ST PRESSURE AND RELIEF	1.00	051	ST
636469	SEAL:VITON	1.00	051	ST1
998971	BUSHING: P/N:545503 01,DOC:529209-83	1.00	051	ST
578689	CLUTCH:TYP BRAKE	1.00	051	ST
444704	BRG,BALL:IBI 15102,ID 100MM,OD 215MM	2.00	051	EA
1036832	SCREW, SET: DIAMETER 8MM,LENGTH 8MM	2.00	051	ST
609179	CYLINDER,GRADUATED:SZ 100ML	22.00	071	ST
630318	WASHER:CD	1.00	051	ST1
585346	SEAT,VALVE:VLV SZ 3IN,CONTROL,SS 316L	2.00	051	ST
593553	GSKT PRE-CUT :ID 123 X OD 165 X THK	14.00	051	ST
1558242	ELECTRODE:TYP DOUBLE PT,MATL GLASS,APPL	1.00	900	EA
607317	BUSH:CERAMIC,POD	1.00	051	ST
1022161	CLOCK: TYP GPS,READOUT DIGITAL,COLR GRAY	1.00	141	ST
9101749	COVER,NSF 57-0-87	1.00	051	ST
601377	O-RING:ID 154.3MM,WD 5.7MM,MT VITON,SHOR	3.00	051	ST
587840	KIT-VLV-RPR:APL ELECTRO,CMPRSNG SPRING;	1.00	051	ST
578185	KIT-ACTUTR-RPR;SEALING	1.00	061	ST
199237	VLV-RLF;CLOSED,SS,1/4IN,VITON,FPT X NPT	1.00	021	ST
582183	IMPELLER,FAN:TYP COOLING,FRP	1.00	081	ST
67339	SEAL,OIL:ID 100MM,OD 120MM,WD 12MM	6.00	051	ST
581808	HOSE, FLEXIBLE METAL: HOSE SZ DN 50	1.00	051	ST
599278	RACE:SZ ID 31 X OD 35,MT STEEL	2.00	091	ST
799794	SWITCH: TYPE LIGHTING,ACTION 3P	1.00	021	ST
639315	SPRING,VALVE:SS 316/SS 304	1.00	051	ST
618231	THERMOMETER:TYP INDUSTRIAL	1.00	061	ST
1040624	TRANSFORMER, INSTRUMENT: VA RATING 50VA	1.00	011	EA
636262	SPRING:MT SWP-8	2.00	051	ST
594323	PCKG;ID 95 X OD 115 X THK 10MM,GRAPHITE	5.00	051	ST
630940	COIL,ELECTRICAL:TYP SOLENOID VALVE	2.00	011	ST
868918	CHEMICAL:NAPHALENE	3.00	001	BOT
589045	CORD,COMMUNICATIONS:TYP RIBBON,LG 3FT	1.00	031	ST
624685	MOTOR,ELECTRIC:4KW	2.00	900	ST
581130	CNCTR-LUG;RECEPTACLE,1.5-2.5MM2,CRIMP	39.00	021	ST
18923	SEAT,VALVE:VLV SZ 4IN,CONTROL,PTFE	7.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
595534	KEY STOCK:SZ SQ 5/16IN,LG 12IN,MT CS	1.00	081	ST
1574435	STUD-ASMBLY:TYP CONTINUOUS THREAD,DIA 1-	1.00	051	ASY
615697	GSKT:SLEEVE,GRAFOIL/SS 304	2.00	051	ST
595375	GSKT PRE-CUT :SEALING	8.00	051	ST
605154	RESISTOR,VARIABLE:47OHM	1.00	031	ST
1577843	FLG-PIPE:TYP RF ORIFICE,SZ 1-1/2IN,MTRL	2.00	131	EA
595980	BLCK-CNTCT;PUSH BUTTON,CAPTIVE SCREW,1	1.00	021	ST
629160	ASSEMBLY;BELLOWS, DISC HOLDER, RING	1.00	081	ST1
1024038	FAN: VOLUME RATING 230VAC,MOUNT ROOF	1.00	081	EA
621015	RELAY,TIME DELAY:	2.00	011	ST
623892	WASHER:CI,ID 55MM,OD 110MM,THK 16MM	2.00	051	ST
600649	GSKT PRE-CUT :	8.00	051	ST
1032177	CONTACTOR: AMPERAGE 18A,POLE 3	1.00	011	EA
616842	PLUG:SS 304,OIL,SUBMERSIBLE SEWAGE PUMP	1.00	051	ST
9101736	SHAFT,PINION,Z-18 [TO BE DELETED]	2.00	051	ST
622428	PLUG,ELECTRICAL:125A	2.00	021	ST
110358	RLY;24V DC,4PDT,110VAC 3A; 24VDC 3A	32.00	051	EA
637097	BOLT: P/N:716091,DOC:B016091, EQUIP	1.00	051	ST1
770238	STUD,D/END:DIA-A 2IN,DIA-B 2IN,LG 16.5IN	5.00	051	ST
616848	POWER SUPPLY:I/P 110/220VAC 50/60HZ	1.00	021	ST
600849	GSKT,SPWD:PTFE,UNS S31600,SHP ROUND	1.00	051	ST
647838	SEAT,VALVE:	1.00	051	EA
630816	DETECTOR:TYP TEMPERATURE	1.00	101	ST
580526	PN;SHAFT	1.00	081	ST
628109	GSKT:SEAT,GRAPHITE/316	7.00	051	ST
642448	PACKING:GRAPHITE	4.00	051	ST1
1506730	KIT-VLV-RPR:TYP REPLACEMENT,APL DIAPHRAG	2.00	051	KIT
590775	SWTCH-PRSUR;0.25-1.6BAR,SPDT,120V 5A	1.00	061	ST
644658	ORFC-PLT;ID 100 X OD 170 X THK 2MM,SS	2.00	061	ST
435945	ELECTRODE:TYP CATHODE SOLUTION CELL	8.00	051	EA
642444	BRG:SHAFT	4.00	051	ST
1196985	CIRCUIT:TYP SERIAL INTERFACE CARD,APPL I	1.00	011	EA
1618568	BR-ZNR:RTNG 28V,PLRTY POSITIVE,CHNL 2,CL	1.00	051	EA
626396	SUPPORT:	11.00	051	ST
593378	GSKT:	8.00	051	ST
615731	BUSH,PUMP:BRONZE BC6/B584,THROTTLE	2.00	081	ST
609614	COMPENSATOR:TYP AXIAL	1.00	051	ST
622938	GSKT PRE-CUT :THK 1MM,V#6500	2.00	051	ST1
726022	REAGENT:ELIMIN-OX TEST REAGENT-2	5.00	001	PAK
602417	PACKING:GRAPHITE,TYP GLAND	2.00	051	ST
589862	ELEMENT: P/N:2475-0035,SUPPL:SERVOMEX	4.00	051	ST
610108	SEAL,RING:TYP V SHAPE	1.00	051	ST
629166	ASSEMBLY;BELLOWS, DISC HOLDER, RING	1.00	081	ST1
588614	SET:TYP FUSE	1.00	081	ST1
592102	INSERT:	1.00	131	ST
604499	FUSE:TIME DELAY	9.00	021	ST
682326	BRG,BALL:IBI 10479,ID 12MM,OD 37MM	2.00	051	EA
600080	GSKT,SPWD:FLEXITE SUPER,SS 316L	1.00	051	ST
593261	GSKT PRE-CUT :ID 26 X OD 31MM,PTFE,ROUND	2.00	051	ST
583798	MODULE:TYP (16) OUTPUT	1.00	011	ST
271784	HTR:P/N:81943A042-1,MNFR:ABB	1.00	011	EA
590452	TRANSFORMER,INSTRUMENT:VA RT 7.5/15VA	1.00	011	ST
550094	BASE:DETECTOR ANALOGUE SENSOR TYP	2.00	051	EA
1029643	BARRIER, ZENER: RT 16V,CHANNEL DUAL	1.00	031	EA
1606875	STRNR-PG:TYP Y-TYPE,SZ 1-1/2IN,P RTNG 15	4.00	051	EA
838464	KIT,VALVE REPAIR:HARD PARTS	2.00	051	KIT
623973	BODY:TYP PUSH BUTTON	2.00	021	ST
1250896	NUT:DIAMETER M24,THREADS 2MM,GRD AISI 31	1.00	051	EA
609700	SEAT,VALVE:VLV SZ 36IN,BUTTERFLY,BUNA-N	1.00	051	ST
1559713	GSKT-PRE-CUT:TYP RAISED FACE,SZ ID 21.3	6.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
601197	GSKT:SS 316	2.00	051	ST
1035455	TRANSMITTER, FLOW: RANGE 0-10000KG/HR	1.00	061	EA
614480	STUD CNTNS THD:LG 285MM,MTRL AS ASTM A19	6.00	051	ST
615063	RDUCR-PIPE;8 X 6IN,BW,ECCENTRIC,DIN 2463	1.00	051	ST
1065099	BUSH: SIZE OD 80 X ID 65 X THK 70MM	3.00	051	EA
622349	TERMINAL:	4.00	021	ST
619728	RING,RETAINING:CS JIS G3522 GR SWPA/A230	1.00	051	ST
588911	KIT,VALVE REPAIR:BUTTERFLY VALVE	1.00	051	ST1
115747	SEAT,VALVE:CONTROL,SS 403	1.00	051	EA
580037	LAMP:W 50W,VOLT 13.8V	2.00	021	ST
631154	SEAL:WD 5.5 X LG 400 X THK 0.4MM,STRIP	1.00	051	ST
798982	STUD CNTNS THD:TYP BOLT,DIA 1-1/8IN,THRD	4.00	051	SE
607982	NOZZLE:TYP SPRAY,SZ 1/4IN,CONN MPT	20.00	051	ST
640563	RING:TYP SPACER	1.00	051	ST1
1051566	PLUG, VALVE: VALVE SIZE 12IN,DOC:IN 34	1.00	051	ASY
1028779	CIRCUIT: TYP MX,APPL ACTUATOR,P/N:LMXPB	1.00	011	EA
599747	GSKT,SPWD:SS 316	1.00	051	ST
587136	ASSEMBLY:	2.00	081	ST
798343	RIG;ROPE GUIDE,CAST IRON,DIA 9MM	1.00	051	ST
632822	O-RING:MT NITRILE RUBBER,APLC ACTUATOR	5.00	051	ST
596762	FLTR-AIR	1.00	051	ST
332153	RELAY,OVERLOAD:200-320A,1NO-1NC,THERMAL	1.00	011	ST
539640	BELLOWS:MT SS 316L	1.00	051	EA
1087311	KIT,VALVE REPAIR:TYP PLAIN,OPRTG PRESS S	3.00	051	KIT
602408	PACKING:DIA 6-1/2MM,GRAPHITE,ROUND	2.00	051	ST1
623979	BREAKER,CIRCUIT:1A,POLE 2	2.00	011	ST
627206	GSKT PRE-CUT :GRAPHITE,6IN	2.00	051	ST
608017	REDUCER,PIPE:SZ 1-1/2 X 1IN,FLANGED RF	1.00	051	ST
587750	KIT:TYP GC FID AIR BURNER	1.00	081	ST
502440	ADAPTOR,TUBE TO PIPE:T SZ 6MM	10.00	051	EA
638102	FILTER:SZ 1.5	1.00	051	ST
602615	RING,BACK-UP:ID 63MM	4.00	051	ST
610589	MOTOR:TYP FAN	1.00	011	ST
601995	O RING:P/N:5G83180463 (NEW),MNFR:FLOWSER	2.00	051	ST
930315	KEY: MNFR:NEUMAN & ESSER GROUP	1.00	051	ST
174318	TEE,PIPE:SZ 1IN,BW,SS ASTM A403	4.00	051	EA
641939	GSKT SET:	2.00	051	ST1
928365	CRCUT:TYP PHOTOCELL CONTROL,APL CONTROL	1.00	011	EA
593962	O-RING:ID 1-3/8IN,WD 1/8IN	2.00	051	ST
896828	SNSR:TYP ULTRA LOW DIFFERENTIAL PRESSURE	1.00	011	ST
580978	PLUG-CNDUT;DIA 3/4IN,SS,SLIP-ON	1.00	021	ST
613551	RTD:TYP DOUBLE PT100	1.00	101	ST
619670	GSKT:CU ASTM B152 C1100PP	2.00	051	ST
586335	BRG,BALL:ID 45MM,OD 85MM,WD 22MM	9.00	051	ST
588944	FILTER,ELEMENT:SS 316	2.00	051	ST
615797	O-RING:ID 22-1/4IN,WD 0.21IN	1.00	051	ST
1232991	ASSEMBLY:TYP FASTENER,APPL SIEVE TRAYS,D	10.00	081	ASY
634801	HEATER:TYP LONG LINE	122.00	001	M
627247	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	2.00	051	ST
583747	CIRCUIT:TYP MOTHER BOARD	1.00	011	ST
607116	WASHER,LOCK:	2.00	051	ST
596996	KIT-VLV-RPR:TYP SOFT PART,APL BALL,CMPRS	1.00	051	ST
604234	COIL,ELECTRICAL:TYP CONTACTOR	1.00	011	ST
1196988	CIRCUIT: APPL MICOM,STD CSA; UL	3.00	011	EA
1611040	BOLT-U:SZ 1IN,I LG 70MM,MTRL CS GALVANIZ	25.00	051	ASY
616870	RELAY,OVERLOAD:1.7-2.4A,THERMAL	1.00	011	ST
599456	GSKT,SPWD:PTFE,SS 316,APLC CASING	1.00	051	ST
583694	CIRCUIT:TYP DIGITAL OUTPUT,APLC FIRE AN	2.00	011	ST
599752	GSKT,SPWD:SS 316	1.00	051	ST
637087	SPRING:INCONEL X-750	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
610792	REGULATOR,PNEUMATIC:TYP AIR SUPPLY,OPR	1.00	061	ST
1043518	FUSE: AMPERAGE 2A,VOLTAGE 220V	3.00	021	EA
639345	SPRING,VALVE:AS ASTM A29 GR 5155	1.00	051	ST
938310	DOWEL:MT CS ASTM A307	2.00	051	EA
904486	TRANSMITTER, PRESSURE: O/P 4-20MA	2.00	061	EA
618135	BLCK-TRMNL;BOLTED,3	6.00	021	ST
623646	SWITCH:	3.00	021	ST
577427	SEAL, MECHANICAL: DOC:525064 X 19	1.00	900	ST
579867	KNOB;ROTARY SELECTOR SWITCH,DIA 25MM	2.00	141	ST
619587	O-RING:MT NBR,APLC GAS CHARGING PORT	2.00	051	ST
582139	SHIELD:TYP BEARING	1.00	121	ST
900934	CONTACTOR:TYP MAGNETIC,POLE 3	1.00	011	EA
635715	BUSH:SS 403	1.00	051	ST
593122	GSKT PRE-CUT :WD 162 X LG 2275 X THK	2.00	051	ST
577769	ASSEMBLY:SWITCHFUSE	1.00	081	ST
831705	SWITCH,DISCONNECT:630A,DISCONNECT,ON/OFF	1.00	051	EA
629531	MEMBRANE:TYP COUPLING	4.00	081	ST1
643697	O-RING:ID 34MM,WD 2MM,STD DIN 3770	1.00	051	ST
585546	STEM,VALVE:VLV ST MANUAL CONTROL ANGLE	1.00	051	ST
1023585	TRANSMITTER, FLOW: RANGE 0-45KG/HR	1.00	061	EA
579888	LEVER:APLC SPOOL VALVE ON FORKLIFT	2.00	091	ST
591057	DIFFUSER:TYP LAST STAGE	1.00	081	ST
494130	SLEEVE:TYP RETAINING,ST 35	4.00	051	EA
603142	SEAL,MECHANICAL:CARTRIDGE	3.00	900	ST
616636	BREAKER,CIRCUIT:10A	1.00	011	ST
725891	KIT, VALVE REPAIR: TYP BUSH	1.00	051	ST
632123	GSKT PRE-CUT :P#1200-S,BONNET,4IN	2.00	051	ST
605532	SWITCH,TOGGLE:	1.00	021	ST
726720	PLATE:ALUMINUM	1.00	131	ST
585857	VALVE,SOLENOID:ST 4/2 WAY	2.00	051	ST
610483	STUD,D/END:DIA-A M24,DIA-B M24,LG 125MM	4.00	051	ST
642930	PACKING:ALCHEM,TYP STUFFING BOX	6.00	051	ST1
586317	BRG,FLG:BALL,ID 2-3/16IN,BOLT 4	2.00	051	ST
643310	PACKING:TYP SEAT	1.00	051	ST
589251	BRG,SLEEVE:MT CS JIS G4051 GR S20C/WJ2	2.00	051	ST
643872	DIAPHRAGM,VALVE:MT PTFE	1.00	051	ST
587664	KIT,VALVE REPAIR:SEAT AND SEAL	2.00	051	ST
590631	SWTCH-FLOW:RNG 4.9-17.6; 13.7-56.4; 24.2	1.00	061	ST
637064	GAUGE,LEVEL:SIGHT	1.00	101	ST1
583725	MODULE:TYP DC INPUT	1.00	011	ST
604367	CONTACTOR:TYP MAGNETIC,AMP 16A,3 POLE	6.00	011	ST
579067	CONTROLLER,PNEUMATIC:TYP PRESSURE CUT,I	2.00	061	ST
629164	NOZZLE,VALVE:MT SS ASTM A351 GR CF8M	2.00	051	ST
591156	DISPLAY UNIT:TYP CONTROL	1.00	011	ST
640615	RTD:TYP PT100,WIRE 3	1.00	101	ST
114901	GSKT,SPWD:600LB,T#1806-GR,SHP ROUND	12.00	051	EA
637958	BALL,VALVE:VLV SZ 3IN,MT SS ASTM A479 U	1.00	051	ST
644320	CNCTR-CNDUT;SS,ID 6 X OD 8 X LG 42MM	48.00	021	ST
604611	FUSE:0.5A,250VAC,DIA 5 X LG 20MM,FERRULE	15.00	021	ST
607586	COUPLING,SHAFT:RIGID FLEXIBLE	1.00	051	ST
592138	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	2.00	051	ST
586332	BEARING:TYP REAR,MT CARBON/GRAPHITE	4.00	051	ST
592858	GSKT-PRE-CUT;BOX FLANGE,RECTANGULAR,CORK	1.00	051	ST
1029776	WASHER:MATL SS 304L,INSIDE DIAMETER 100M	4.00	051	EA
634336	RING:SS DIN WN 1.4571,APLC ANGLE VALVE	1.00	051	ST
907816	BRG,SLEEVE:TYP BUSH	1.00	051	ST
627222	PACKING:GRAPHITE,ROUND,TYP SEALING RING	2.00	051	ST
627156	KIT,VALVE REPAIR:BASE MAINTENANCE	1.00	051	ST1
584346	INDICATOR:RNG 20-35VDC	1.00	021	ST
635738	PACKING:V#6500	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
610497	LIGHT,INDICATING:COLOR BLACK	5.00	021	ST
601241	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	1.00	051	ST
642766	RING:TYP STUFFING BOX	7.00	051	ST1
590297	RELAY:COIL 230VAC,DPDT,CONT 250VAC 5A	2.00	011	ST
582042	PUMP,CENTRIFUGAL:MOTOR,SINGLE	1.00	081	ST
597075	SPRING,TORSION:DIA 16MM,STEEL,NO. OF	10.00	051	ST
189848	RING,RETAINING:MT STEEL,SNAP	2.00	051	ST
591787	WASHER,LOCK:SS ASTM A276,403,IMPELLER	1.00	051	ST
1084666	JOINT, EXPANSION: TYP NON METALLIC	3.00	051	EA
607897	INSERT:CARBIDE	12.00	051	ST
622838	SWTCH-PRSUR;0.3-10BAR	2.00	061	ST
602591	RING,WEAR:	3.00	900	ST
589678	CONTACTOR:TYP MAGNETIC,AMP 80A,3 POLE	1.00	011	ST
584944	ASSEMBLY:DISC	2.00	081	ST
9102373	BUSH, FOR 5199-P01-002 BOOSTER PUMP(TO B	2.00	051	ST
647258	DISC:	1.00	051	ST
605977	MODULE:MULTIPLE COMMUNICATION INTERFACE	1.00	031	ST
639624	KIT-VLV-RPR:TYP SOFT PARTS,APL PLUG VALV	1.00	051	KIT
1001735	TRNSFRMR;CONTROL,63VA,380,48V	1.00	011	EA
1061332	DISPLAY UNIT,DATA:TYP BACKLIT,P/N:135785	3.00	141	EA
644339	FUSE:250A,1200V	3.00	021	ST
632592	MODULE:DIGITAL INPUT,PWR S 24VDC	1.00	031	ST
642678	PACKING:	1.00	051	ST1
1026160	SENSOR: TYP DISSOLVED OXYGEN,RT 0-20VDC	1.00	011	EA
602122	PACKING:V#2630/BUNA-N DUCK,V SHAPE ROUND	2.00	051	ST
588823	CIRCUIT:	3.00	011	ST
627159	KIT,VALVE REPAIR:WORMSHAFT AND WORMWHEEL	1.00	051	ST1
594095	O-RING:APLC SEAL	1.00	051	ST
641878	FLOAT:TYP MAGNETIC	1.00	061	ST
606447	PIN,DOWEL:DIA 8MM,LG 116MM,SS	1.00	051	ST
605356	SWITCH:TYP AUXILIARY CONTACT,ACTN DPDT	2.00	021	ST
602305	PACKING:RECTANGULAR,ROUND,TYP GLAND	2.00	051	ST
594981	GSKT-PRE-CUT;ID 75 X OD 88.5 X THK 3MM	2.00	051	ST
589737	CONTACTOR:24VDC	1.00	900	ST
367645	O-RING, DIN 3771- 31.42X 2.62-N-NBR	2.00	051	ST
598468	BRG,ROLL:ID 35MM,OD 80MM,WD 21MM	3.00	051	ST
582850	THERMOMETER:CONN BSP G 1/2 IN-14	1.00	061	ST
588392	GSKT PRE-CUT :	1.00	051	ST1
637170	KIT-VLV-RPR:TYP SOFT PART,APL BALL,ROTAR	2.00	051	KIT
606024	RECTIFIER:TYP BRIDGE	1.00	021	ST
625490	BRACKET:TYP TERMINAL	2.00	051	ST
524135	O-RING:ID 3.5MM,WD 1.5MM,MT NBR	1.00	051	EA
628654	SEAT,VALVE:VLV SZ 3IN,GATE,AS ASTM A182	2.00	051	ST
600860	GSKT,SPWD:PTFE,UNS S31600,SHP ROUND	1.00	051	ST
731539	SCREW:ADJUSTING	1.00	051	ST
632749	KIT-VLV-RPR:TYP O-RING AND CAPTIVE SCREW	2.00	051	ST1
71681	SWITCH,PUSHBUTTON:115VAC 60HZ,1NO-1NC	2.00	021	ST
601697	O-RING:ID 7.6MM	18.00	051	ST
258203	BARRIER:TYP SWITCH	3.00	121	EA
913297	STRAINER:MT WIRE SS; CLOTH,100	1.00	051	ST
643188	PIN:	1.00	051	ST
582982	SPRING,COMPRESSION:CLOSED	1.00	051	ST
599993	GSKT PRE-CUT :	1.00	051	ST
592878	GSKT,SPWD:GRAPHITE,IRMT SS,SHP ROUND	1.00	051	ST1
581421	CIRCUIT:TYP ISOLATED CURRENT OUTPUT	1.00	011	ST
614816	KEY-SHFT:TYP IMPELLER,MTRL NICKEL ALLOY	2.00	051	ST
47860	GSKT,SPWD:BASIC WITH OUTER RING	2.00	081	EA
604754	FUSE:32A,550VAC,DIA 3/8 X LG 2-7/8IN	37.00	021	ST
26636	KIT,VALVE REPAIR:	1.00	051	ST
632024	GSKT,SPWD:2IN,300LB,P#2601-GGO	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
597213	KIT;LINITEST	2.00	081	ST
589865	ELEMENT:TYP THERMO	1.00	051	ST
616963	KIT:TYP SPLICE IN LINE	2.00	021	ST
629162	SPRING,VALVE:AS JIS G4801 GR SUP9	1.00	051	ST
1084559	RING,WEAR:INSIDE DIAMETER 305MM,MATL A27	1.00	081	EA
799092	BREAKER,CIRCUIT:2A,POLE 4,AUXILIARY	5.00	011	ST
619326	HEATER:	44.00	001	M
578466	SET:TYP SPIRAL WOUND GASKET	2.00	081	ST1
798319	FUSE;INDUSTRIAL HRC,10A,550VAC; 250VDC	1.00	021	ST
642226	GSKT PRE-CUT :PTFE	5.00	051	ST
636856	GEAR,WORM:	1.00	081	ST
643251	PIN:ROLL	1.00	051	ST
601999	O-RING:ID 2.85IN,WD 0.21IN,MT BUNA-N	2.00	051	ST
593206	GSKT PRE-CUT :ID 255 X OD 285 X THK 2MM	50.00	051	ST
625528	BLOCK,TERMINAL:ELEC TRT 600VAC 40A	71.00	021	ST
1024249	VALVE, SOLENOID: STYL 2-WAY,OPERATION NC	1.00	051	EA
589148	CONNECTOR:	1.00	051	ST
1064402	GSKT PRE-CUT : MATL NON-ASBESTOS	2.00	051	EA
601480	O-RING:MT NBR,APLC AGITATOR	3.00	051	ST
959692	SEAL: APPL PUMP,MNFR:MILTON ROY COMPANY	6.00	051	EA
1037872	GSKT PRE-CUT : MATL NATURAL RUBBER	1.00	051	EA
582655	GLASS:TYP WINDOW PRESSURE GAUGE,MT GLASS	2.00	121	ST
722883	SPRING:HIGH TEMP ALLOY(SWOCV-V)	1.00	051	ST
463044	BRG,ROLL:TYP SERVICE	2.00	051	EA
604443	ELEMENT,HEATER:	2.00	011	ST
601704	O-RING:ID 23MM,WD 2MM,APLC SCREW PUMP	4.00	051	ST
605766	TRANSFORMER,INSTRUMENT:CURR RT 1/1A,FREQ	2.00	011	ST
586881	GEAR,WORM:	1.00	081	ST
998492	ACTUATOR, PNEUMATIC: TYP SINGLE EFFECT	1.00	061	EA
807009	GSKT SET:APLC RADIATOR	1.00	051	SE
607128	WASHER:SS,ID 322MM,OD 360MM,THK 30MM	2.00	051	ST
1033771	GSKT, SPWD: NOMINAL FLANGE SIZE 2IN	3.00	051	EA
642421	CONE:MT SS DIN WN 1.4021 GR X20CR13	1.00	051	ST
301071	FAN:TYP RADIAL	2.00	900	ST
589397	BREAKER,CIRCUIT:660VAC,POLE 4	1.00	011	ST
628754	ACTUTR-ELCTRC;380VAC 3PH 60HZ,IP68/TE	1.00	900	ST
612172	MTR-ELECT;AMMETER,ANALOG,0-15A,CLASS 1.5	1.00	101	ST
1195114	BAR, ROUND: , SIZE DIA 20MM	19.00	131	EA
1022716	PIN: P/N:SLQ60966,DOC:SLO1263316	4.00	051	ST
644373	BOLT,MACH:M16,LG 80MM,GS,2MM,HD HEX	1.00	051	ST
623638	DIODE:	53.00	031	ST
597320	VALVE,SOLENOID:ST 5/2 WAY,DESRT 10BAR,P	1.00	051	ST
618366	OPERATOR,SWITCH:TYP PUSHBUTTON	2.00	011	ST
641358	MODULE:COMPONENTS IN KITS	1.00	031	ST
664398	SPRING,VALVE:SS ASTM A564 GR 630	1.00	051	EA
609594	KIT-PUMP-RPR:TYP SOFT PARTS,CMPRSNG O RI	1.00	081	ST
582822	THERMOMETER,DIAL:RNG 0-300DEG C	1.00	101	ST
583083	LIGHT,INDICATING:TYP PILOT,VOLT 200-220V	2.00	021	ST
1228563	RING,RETAINING:SIZE DIA 110MM,MATL CS,P/	2.00	051	EA
614541	DTCTR-RSTNC-TMPRTUR:STM SZ DIA 6 X LG 23	3.00	101	ST
946863	BELLOWS:TYP SAFETY RELIEF VALVE	1.00	051	ST1
602467	PACKING:DIA 9MM,PTFE,ROUND	2.00	051	ST1
636577	COUPLING:	1.00	051	ST
1504976	KIT,VALVE REPAIR:APPL 8 IN GATE VALVE,TY	1.00	051	KIT
799482	STATION: TYPE START-STOP	1.00	011	ST
780675	SPRING,VALVE:CR STEEL	2.00	051	EA
265747	SWITCH:TYP MICRO,SPDT,1NO-1NC	3.00	051	EA
619811	SEAL,OIL:	5.00	051	ST
619896	BRG:	1.00	051	ST
928409	RELAY: COIL V 110VDC,P/N:450-9028	3.00	011	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
580350	PISTON:	1.00	900	ST
726023	CHEMICAL:P/N:S0 464-87,MNFR:ONDEO NALCO,	3.00	001	PAK
633044	O-RING:MT VITON,APLC INNER	2.00	051	ST
627173	SPRING,VALVE:	1.00	051	ST1
581602	MODULE:TYP SIPART	1.00	011	ST
619771	O-RING:MT NBR,APLC PROPORTIONING PUMP	2.00	051	ST
592968	GSKT PRE-CUT :	1.00	051	ST
620828	SEAL,RING:TYP V SHAPE,MT SYNTHETIC RUBB	2.00	081	ST
582910	THERMOWELL:300MM,MT SS 316,FLANGE RF 1IN	1.00	061	ST
600829	GSKT PRE-CUT :T#1995/NON ASBESTOS	4.00	051	ST
9101891	SLEEVE, MECHANICAL SEAL MATL: SUS 403	1.00	051	ST
605412	SWITCH,PUSHBUTTON:SPST,WHITE,PANEL	1.00	021	ST
618088	MOTOR,ELECTRIC:55KW,380VAC 60HZ,3550RPM	1.00	900	ST
633141	SWITCH,FLOW:RANGE 75M3/HR,CNTCT RT 220V	1.00	061	ST
930028	KIT, VALVE REPAIR: TYP REPLACEMENT	1.00	051	EA
629518	SHEET,GASKET:MT V#6500	4.00	051	ST
642640	GSKT:REGULATOR COVER	2.00	051	ST
43798	ELBOW,PIPE:SZ 1/2IN,CS ASTM A105,90,SW	12.00	051	EA
593025	GSKT PRE-CUT :	1.00	051	ST
588397	TRANSMITTER,DIFFERENTIAL PRESSURE:TYP EL	2.00	061	ST1
1248009	VLV-RLF:DSGN RTNG 150LB,BDY MTRL ASTM A1	2.00	051	EA
879451	SPRING,VALVE:5160 CHROMIUM	4.00	051	ASY
189842	GSKT:SS ASTM A296 GR CF8	2.00	051	ST
634488	VALVE:TYP THROTTLE	1.00	051	ST
597343	VALVE:TYP POPPET,VLV SZ 9MM	4.00	051	ST
612381	VALVE,BALL:	1.00	051	ST
585312	SEAT,VALVE:VLV SZ 6IN,BUTTERFLY	2.00	051	ST
600727	GSKT,SPWD:16IN,600LB,GRAPHITE	10.00	051	ST
600287	GSKT,SPWD:IRID 500MM,OR OD 563MM,IRMT SS	2.00	051	ST
675534	FUSE: AMPERAGE 5A,VOLTAGE 600VAC;	3.00	051	EA
799232	RTR;DISC BRAKE,HOIST CRAB TRAVEL MOTOR	6.00	081	ST
623864	WASHER:STEEL,ID 110MM,OD 130MM,THK 8MM	2.00	051	ST
622042	BLOCK,CONTACT:TYP AUXILIARY	6.00	021	ST
593042	GSKT-PRE-CUT;BOX COVER,RECTANGULAR,CORK	1.00	051	ST
615046	ELBW;OD 273 X THK 3MM,90,1.5MM	2.00	051	ST
630881	LENS,INDICATING LIGHT:COLOR RED	5.00	021	ST
644097	CHEMICAL:SODIUM HYPOCHLORITE,LIQUID,CAN	1,295.00	001	KG
616927	LIGHT,INDICATING:TYP PILOT	2.00	021	ST
817085	STEM,VALVE:VLV ST CONTROL GLOBE	1.00	051	EA
585536	STEM,VALVE:VLV ST MANUAL CONTROL ANGLE	2.00	051	ST
811207	RING,WEAR:SS 316L	1.00	081	ST
594103	O-RING:APLC SEAL	1.00	051	ST
604266	CONTACT,STATIONARY:CONTRT 250/380V	1.00	011	ST
612417	GAUGE,PRESSURE:RNG 0-100PSI,FILLED LIQU	12.00	101	ST
160148	FUSE:375MA,250V,FERRULE,SLOW BLOW	1.00	061	EA
629157	ASSEMBLY: TYP BELLOWS,APPL RELIEF VALVE	1.00	081	ST1
580281	CYLINDER,ACTUATING LINEAR:TYP HYDRAULIC	1.00	061	ST
615807	O-RING:ID 4.06IN,WD 0.139IN	1.00	051	ST
1072699	PACKING: SIZE SQ 10 X LG 720MM	4.00	051	SE
644237	CHEMICAL:BENZENE,BENZOL,TYP BENZENE	10.00	001	L
588591	KIT,VALVE REPAIR:SEAT AND O-RINGS	1.00	051	ST1
738136	SCREW,CAP:HEX SOCKET	1.00	051	ST1
819218	BRG,THRUST:	1.00	051	ST
607816	INSRT;ELEMENT INSERT	1.00	051	ST
584127	PUMP,CENTRIFUGAL:TYP COOLANT,CAP 35L/MIN	1.00	081	ST
599430	GSKT-SPRL-WUND;GRAPHITE/V#6592-GGZ,ROUND	2.00	051	ST
1078989	SHAFT, PUMP: LENGTH ID 257MM	1.00	051	EA
592301	BLADE,WIPER:	2.00	051	ST
608297	SOCKET,ELECTRICAL:TYP FREE STRAIGHT	5.00	021	ST
606318	NUT,HEX:DIA M7,STEEL,HT 16MM,THD 1MM	8.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
629170	ASSEMBLY;BELLOWS, DISC HOLDER, RING	1.00	900	ST1
638191	PIN:	1.00	051	ST
578259	KIT,SEAL:APLC CONTAINER HANDLER	1.00	051	ST
624551	RIG-WEAR:I DIA 75MM,MTRL CI JIS G5502 GR	1.00	081	ST
1003977	PLATE: TYP ORIFICE,SIZE 2 IN	1.00	131	EA
619347	BLCK-TRMNL;800V,CAPTIVE SCREW,2.5MM2,2	9.00	021	ST
595867	GAUGE,PRESSURE:0-1.6BAR	1.00	101	ST
798662	GSKT,SPWD: MNFR: UNKNOWN,P/N: 3GTW250544	1.00	051	ST
930501	PULLER:TYP STUFFING BOX	3.00	101	EA
595586	KEY STOCK:SZ WD 10 X THK 8MM,LG 1M	2.00	081	ST
601813	O-RING:ID 48.5MM,WD 2MM,MT PTFE,APLC CH	2.00	051	ST
604504	FUSE:WD 11 X HT 84 X DP 57MM	1.00	021	ST
1227130	SEAL,LABYRINTH:SIZE ID 80 X OD 100 X THK	1.00	051	EA
1228562	PIN:TYP DUMMY CROSSHEAD,APPLN RECIPROCAT	1.00	051	EA
583993	PIPE,SPECIAL PURPOSE:P/N 96100.2596	2.00	131	ST
867758	RIG:TYP OIL,APL STEAM TURBINE,P/N:14 004	1.00	051	EA
641854	MODULE:CURRENT/VOLTAGE DRIVER,I/P 0-20MA	1.00	031	ST
644331	CONNECTOR:SZ WD 3-1/8 X LG 5 X THK 5/8IN	1.00	051	ST1
854028	VALVE,SOLENOID:ST 4-WAY	1.00	051	ASY
605406	SWITCH,TOGGLE:125V 6A,DPDT,2NO-2NC	2.00	021	ST
930365	SPRING, VALVE: MNFR:NEUMAN & ESSER GROUP	2.00	051	ST
929051	METER, ELECTRICAL: TYP VAR-HOUR	1.00	101	EA
643029	PACKING:GRAPHITE,TYP GATE VALVE	2.00	051	ST1
635228	SCREW,CAP:M12 DIA,50MM LG,MT GS	2.00	051	ST
593532	GSKT-PRE-CUT;CHLOROPRENE RUBBER,150LB	2.00	051	ST
650809	DIAPHRAGM, ACTUATOR: P/N:B-10274/014	12.00	011	EA
615555	BUSH,PUMP:BRONZE BC6/B584,BEARING COVER	1.00	081	ST
1602175	SNSR-CURNT:TYP AC,CURNT 14A,PTNTL 10V,P/	1.00	011	EA
901182	UNIT,CONTROL:TYP THYRISTOR SWITCHING	1.00	011	EA
600588	GSKT PRE-CUT :	1.00	051	ST
621017	CONTACTOR:TYP MAGNETIC,AMP 80A	3.00	011	ST
625550	BRKR-CRCUT:AM 6A,PL 4P,TYP MAIN,P/N:C60H	2.00	011	ST
568607	O-RIG:I DIA 18.77MM,WD 1.78MM,MTRL NITRI	3.00	051	EA
820711	SEAL:FLOATING,APLC THRUST BEARING	1.00	051	ST1
582554	THERMOMETER,DIAL:RNG 0-120DEG C	1.00	101	ST
627958	FAN:TYP VENTILLATION,ELEC TRT 230VAC,MO	4.00	081	ST
634006	PACKING:PTFE,TYP STEM	1.00	051	ST
628152	PACKING:GRAPHITE/STEEL GR 6	2.00	051	ST
1246807	KIT,VALVE REPAIR:APPL 4 IN 150LB BOLTED	1.00	051	KIT
602286	GSKT PRE-CUT :ID 200 X OD 218 X THK 3MM	1.00	051	ST
612560	HOLDER,LAMP:TYP MERCURY VAPOUR	9.00	021	ST
578894	SWITCH:TYP THERMOSTATIC	1.00	081	ST
1028918	TRANSMITTER, DIFFERENTIAL PRESSURE:	1.00	061	EA
607233	ADAPTOR,HOSE TO PIPE:HOSE 1IN,BARBED	1.00	081	ST
594411	PACKING:SZ DIA 80,MT SS,TYP RING	2.00	051	ST
609509	PULLEY:SZ DIA 150MM,GROOVE 2	1.00	051	ST
639402	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
617423	REGULATOR:TYP TEMPERATURE,RT 40-290DEG C	1.00	081	ST
589437	BREAKER,CIRCUIT:25A,220/690VAC; 250VDC	1.00	011	ST
958141	SWITCH, PRESSURE: CNCT NPT 1/2IN	1.00	061	EA
630223	CHAIN:TYP CONTROL	1.00	051	ST1
596210	HOOD;MACHINERY,WD 76 X LG 140 X THK 44MM	3.00	121	ST
623893	WASHER:STEEL,ID 120MM,OD 135MM,THK	2.00	051	ST
905272	PROBE:TYP GAS SAMPLING	1.00	061	EA
612400	ASSEMBLY:TYP GEAR	1.00	900	ST
644305	KIT,TERMINATION:HV CABLE,5KV,XLPE	1.00	021	ST
585093	FILTER,AIR:TYP AIR COMPRESSOR UNIT	8.00	900	ST
583793	MODULE:TYP RELAY OUTPUT	2.00	011	ST
1003976	PLATE: TYP ORIFICE,SIZE 2IN,MATL SS 316L	1.00	131	EA
588964	FILTER,ELEMENT:SS 304,SCREEN	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
596657	FILTER,ELEMENT:15MICRON,POROUS SS	2.00	051	ST
606025	RECTIFIER:TYP BRIDGE,VOLT 70VAC,AMP 25A	1.00	021	ST
433031	BRKR-CRCUT:AM 6A,VLTG 400V AC,INTRUPT CP	5.00	021	ST
603725	CONNECTOR,ELECTRICAL:TYP SPRING	2.00	021	ST
521739	GSKT-SPRL-WUND:TYP BASIC WITH INNER AND	5.00	051	EA
1079010	IMPELLER: TYP WEAR RING,P/N:4022430210	1.00	081	EA
643087	PACKING:GRAPHITE,TYP GLOBE VALVE	10.00	051	ST1
595590	KEY,SHAFT:SZ WD 5 X LG 16 X HT 3MM,MT SS	1.00	051	ST
583265	MODULE,POWER SUPPLY:O/P 24VDC 150A	1.00	031	ST
780793	GSKT PRE-CUT :	2.00	051	ST
987629	FLTR-BAG;WD 594 X LG 492 X THK 20MM	1.00	051	EA
1527011	GSKT PRE-CUT :TYP FLAT FACE,SIZE ID 170	3.00	051	EA
588350	GSKT,SPWD:APLC CHECK VALVE	1.00	051	ST1
566098	STEM,VALVE:VLV ST CONTROL,MT SS 316L	2.00	011	ST
622731	MOTOR,ELECTRIC:5.5KW,380VAC 11A 60HZ	1.00	011	ST
588186	O-RIG-ST:APL DESUPERHEATER VALVE,P/N:B51	2.00	051	ST1
612492	BRG-BAL;THRUST	1.00	051	ST
642870	SEAL,RING:ID 90MM,THK 4MM	1.00	051	ST
9101730	SHAFT,FL65(TO BE DELETED REF.RTSNI 1347)	3.00	051	ST
596961	SEAT-VLV;CONTROL,DN 25,25MM,45MM,20MM	5.00	051	ST
587034	KIT:APLC FLAME CONTROL FLARE SYSTEM	2.00	081	ST
626940	MODULE:DIGITAL INPUT	1.00	031	ST
1631169	PULY-V-BELT;A, B,4,8.35IN,1 TO 2-5/8IN	1.00	051	EA
602086	PACKING:NON ASBESTOS	2.00	051	ST
683489	BELT,V:IN CIRC 1500MM,OC 1524MM	8.00	051	ST1
80070	RLY-OVRLD:TYP THERMAL,CNTCT ARNG 1NO-1NC	4.00	011	ST
582907	THERMOWELL:300MM,MT SS 316,FLANGE RF 1IN	14.00	061	ST
634569	KIT-VLV-RPR:TYP REPLACEMENT,APL DEMIN WA	2.00	051	ST
800807	GSKT,SPWD:6IN,600LB,GRAPHITE,SS 316	1.00	051	ST
616832	TRANSFORMER,INSTRUMENT:VA RT 50VA	2.00	011	ST
609430	SPRING,VALVE:2.8BAR G	1.00	051	ST
589176	CONNECTOR:TYP REDUCER	1.00	051	ST
595847	INDICATOR:TYP SIGNAL,SZ DIA 58MM,MT	2.00	061	ST
600073	GSKT,SPWD:GRAFOIL,IRID 559MM,SS 316	2.00	051	ST
800839	GSKT,SPWD:2IN,150LB,GRAPHITE,SS 316	1.00	051	ST
1056651	BOX, ELECTRICAL: P/N:MG 1790256/1733002	1.00	021	EA
939848	BRG,SLEEVE:TYP SHAFT	1.00	051	ST1
600016	GSKT,SPWD:GRAFOIL,IRID 305MM,SS 316	3.00	051	ST
599646	GSKT CAMPRO:TYP SANDWITCH,UNS S31600,3MM	2.00	051	ST
600279	KIT:TYP GASKET	5.00	081	ST
582696	MONITOR:TYP VIBRATION	1.00	061	ST
276505	CIRCUIT:TYP ANALOG INPUT	1.00	011	EA
610680	FLANGE:	1.00	051	ST
595260	GSKT PRE-CUT :SHAP ROUND,MATL KLINGERSIL	2.00	051	ST
621607	KIT:	2.00	051	ST
813504	STARTER,ELECTRIC MOTOR:TYP THERMAL	1.00	011	EA
540989	SYRINGE:TYP DISPOSABLE,CAP 1ML,GRDTNS	1.00	071	PAK
868054	O-RIG;129.5MM,2MM,NBR,METERING PUMP (LE)	1.00	051	EA
633126	SWTCH-LMT:CNTCT RTNG 250 VAC; 5A,TYP ADJ	1.00	061	ST
639351	SPRING,VALVE:STEEL WIRE	1.00	051	ST
589887	FUSE:1.6A,250V,DIA 5 X LG 20MM	10.00	021	ST
592044	COUPLING:	1.00	051	ST
636808	PACKING:COPPER ASTM B152 GR C11000PP	1.00	051	ST
804864	KIT-VLV-RPR:CMPSNG GASKET SEAT RING (P/	2.00	051	KIT
617686	DIE:TYP PLATE,MT SS 431	1.00	101	ST
592447	GSKT-PRE-CUT;COVER,ROUND,PTFE	1.00	051	ST
612256	FLINGER: MATL AS ASTM B505 GR C93200	2.00	081	ST
585812	VALVE,CHECK:TYP BALL,VLV SZ 2IN	1.00	051	ST
641910	KIT:APLC ACTUATOR	1.00	081	ST
627171	SPRING,VALVE:	1.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
583392	BOX,ELECTRICAL:TYP JUNCTION	1.00	021	ST
597266	STEM-VLV;DIA 12 X LG 285MM,SS	1.00	051	ST
587881	KIT-VLV-RPR:APL BALL (ESD AND AOV),CMPRS	1.00	051	KIT
600579	GSKT PRE-CUT :GRAPHITE/SS,ROUND	1.00	051	ST
583884	MODULE:BINARY DIGITAL OUTPUT	2.00	031	ST
636841	PIN:SS 403,SNAP	2.00	051	ST
577979	KIT;ADAPTOR LP 100/112	1.00	081	ST1
631212	SPRING,VALVE:	2.00	051	ST
1080188	SEAL, RING: INSIDE DIAMETER 21MM	18.00	051	EA
623883	WASHER:STEEL,ID 120MM,OD 140MM,THK 8MM	2.00	051	ST
1032180	PLATE: TYP HUB,APPL BLOWER,DOC:TMC-959	1.00	131	ST
594419	RIG-RTNG	4.00	051	ST
588701	PACKING:TYP GLAND	2.00	051	ST1
592523	GSKT PRE-CUT :ID 330 X OD 358 X THK 1MM	2.00	051	ST
871168	BRKR-CRCUT:AM 16A,VLTG 230-240VAC 50-60H	2.00	011	EA
589044	CORD,COMMUNICATIONS:TYP RIBBON,LG 2FT	1.00	031	ST
584344	KIT,COMPRESSOR REPAIR:TYP SEAL	4.00	081	ST
634803	HEATER:TYP LONG LINE	20.00	001	M
9101932	ROPE,WIRE,7.5 MM DIA., PART# 3308269	1.00	051	ST
583981	HOSE,RADIATOR:	1.00	051	ST
1602733	GSKT-PRE-CUT:TYP RAISED FACE,SZ ID 88.9	4.00	051	EA
396178	SLEEVE:TYP SEAL,GRAPHITE,APLC TURBINE	1.00	051	ST
798967	STRAP,PIPE:PIPE SZ 1/2IN,SZ 1-1/4IN	2.00	051	ST
604958	PIN;CONNECTING BOLTS HEATERS	8.00	051	ST
602671	SEAT,VALVE:CONTROL,SS 316	3.00	051	ST
582848	THERMOMETER:RNG 0-150DEG C	1.00	061	ST
608602	BUSH:TYP THROAT,MT SS ASTM A276 GR 403	2.00	081	ST
644878	GUD;WD 20 X LG 26 X THK 11MM,CERAMIC	20.00	091	ST
622362	FLASHLIGHT:RED,TYP BEACON FLASHING	1.00	900	ST
588942	SCREEN:TYP TRANSMITTER,MATL SS 316	20.00	051	ST
589572	BUSBAR:TYP INSULATED	1.00	021	ST1
594828	SEAL-OIL;75MM,110MM,13MM	2.00	051	ST
619302	SEAL,RING:ID 37MM,OD 57MM,THK 10MM,MT	2.00	051	ST
611817	SWITCH,DISCONNECT:690VAC/440VDC 160A	1.00	011	ST
630950	KIT-ACTUTR-RPR:APL OVERHAULING	1.00	061	ST
583529	CONNECTOR,COMMUNICATIONS:TYP MULTI PIN	2.00	031	ST
612511	BRG,BALL:IBI 100086,ID 4MM,OD 13MM	2.00	051	ST
597787	ELECTRODE,WELDING:SZ DIA 2.5MM,MT AL	6.00	051	KG
581934	TUBE:TYP SYPHON	2.00	131	ST
639796	SEAT,VALVE:CONTROL,SS 316 STELLITE	2.00	051	ST1
581222	CRCUT;INTERCONNECTING	2.00	011	ST
627981	PLUG,VALVE:VLV SZ 2IN,CONTROL,UNS S31600	3.00	051	ST
588578	SET:TYP ADAPTER,APLC FLUE GAS ANALYZER	5.00	051	ST1
905606	KIT,SEAL:	3.00	051	ST1
1064299	O-RING: INSIDE DIAMETER 80MM,WIDTH	2.00	051	EA
755425	RIG:TYP OIL SPLASH,MTRL STEEL,APL ROOTS	1.00	051	ST
123429	O-RING:ID 154.3MM,WD 5.7MM,MT NBR	3.00	051	EA
604805	FUSE;QUICK ACTING,1.5A,250V AC,GLASS	5.00	021	ST
605231	RELAY:	1.00	011	ST
870117	O-RING:ID 2-5/8IN,WD 1/16IN,MT BUNA-N	1.00	051	EA
639318	SPINDLE:MT SS ASTM A276 GR 403	1.00	101	ST
579427	CIRCUIT:TYP MONITOR INPUT	1.00	011	ST
592194	NZL:TYP MOTIVE SINGLE STAGE,CNCT MPT,MTR	2.00	051	ST
578949	BLWS	2.00	051	ST
618705	BREAKER,CIRCUIT:2A,380VAC,INTP CAP 5KA	2.00	011	ST
9101844	REPAIR KIT	1.00	051	ST
643386	REGULATOR:TYP FILTER	1.00	061	ST
580933	PLUG-VLV;CONTROL,DN 100MM,SS	1.00	051	ST
911620	GLASS:TYP WELDING DARK	40.00	121	EA
605611	SWITCH,PUSHBUTTON:COLOR RED,HD ST MUSHR	5.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
586771	MOTOR,ELECTRIC:0.75KW	3.00	900	ST
615619	GSKT,SPWD:PTFE,SS 316,SHP ROUND,BASIC	2.00	051	ST
584747	ACTUATOR:	2.00	061	ST
591505	NUT,HEX:DIA 1-1/4IN,AS ASTM A194,GR 2H	12.00	051	ST
583109	LAMP:W 40W,VOLT 220VAC	1.00	021	ST
737123	SPINDLE:TYP VALVE,MT 1.4462 / ALLOY 2205	1.00	101	ST
595145	SEAL;ID 144 X OD 152 X THK 8MM,RUBBER	1.00	051	ST
621906	PLUG,ELECTRICAL:400A	2.00	021	ST
962515	DETECTOR: TYP SAFETY,MNFR:PETROTEST	1.00	061	ASY
593343	GSKT-PRE-CUT;ID 70 X OD 35 X THK 2MM	2.00	051	ST
634035	SPRING:TYP RANGE	2.00	051	ST
722473	REACTOR:ELEC TRT 600V,18A,1.5MA,3P,IP00	1.00	011	ST
943960	BUSHING: SIZE DIA 168MM,P/N:M941CEFU	1.00	051	EA
625556	BREAKER,CIRCUIT:6A,POLE 2	1.00	011	ST
644567	GSKT PRE-CUT :ID 135 X OD 225 X THK 2MM	4.00	051	ST
643588	SLEEVE:	1.00	051	ST
1080650	RELAY: COIL V 400VAC,ACTION SPDT	1.00	011	EA
625447	SWTCH-DSCNCT;690VAC 32A 50/60HZ,RAIL	2.00	011	ST
1060946	GASKET SUPERSEDED BY 1060640	2.00	051	ST
1015067	SWITCH, PUSHBUTTON: CNTCT RT 600VAC 10A	1.00	021	EA
612873	RING,WEAR:APLC SUCTION BELL	2.00	081	ST
643241	PIN:	1.00	051	ST
610839	DIODE:	4.00	031	ST
639447	HOLDER,VALVE DISC:	2.00	051	ST
603793	SLEEVE,SHAFT:ID 30MM,OD 35MM,LG 30MM	1.00	051	ST
589810	DETECTOR:TYP THERMOELEMENT	6.00	101	ST
616691	RELAY,PROTECTION:	2.00	031	ST
1025025	GSKT JKTD:TYP DOUBLE METAL JACKETED,STYL	1.00	051	EA
635697	DISC,VALVE:SS,403	1.00	051	ST
619553	SEAT,VALVE:SS ASTM A276 TP 316	4.00	051	ST
573860	SNSR:TYP TEMPERATURE,P/N:3617330-1,MNFR	1.00	011	EA
587431	KIT,VALVE REPAIR:BUTTERFLY VALVE	2.00	051	ST
46691	O-RING:MT PTFE,APLC CONSOLIDATED	1.00	051	EA
585475	SPRING:TYP FILTER	4.00	051	ST
913298	VALVE,RELIEF:VLV SZ 1/2IN,TYP PRESSURE	2.00	051	ST
582856	TRANSDUCER:TYP PULSE	5.00	061	ST
635505	GSKT PRE-CUT :NITRILE RUBBER	1.00	051	ST
642783	RING:PTFE/KOHL, TYP SLIDING	8.00	051	ST
589703	CONTACTOR:	2.00	900	ST
589964	FUSE:	2.00	021	ST
595866	CBL-FBR-OPTC;LIGHT INDICATING	1.00	021	ST
9102294	RESISTOR, 2X1K6 OHMS,100WATTS,(TO BE DEL	1.00	051	ST
602267	KIT,VALVE REPAIR:GASKET AND PACKING	2.00	051	ST
582765	THERMOCOUPLE:JUNC SINGLE,WIRE 2	2.00	061	ST
592517	GSKT-PRE-CUT;COVER,ROUND,ASBESTOS	1.00	051	ST
581869	PIPE:SZ 1IN,LG 3000MM,SCHD 40,CS A513	2.00	131	FT
1002698	SEAL-MCH;SS304,LUBE OIL PUMP	1.00	051	ST
579472	SENSOR:RT 10VDC,SZ DIA 20 X LG 37MM	2.00	011	ST
619588	O-RIG;44.4MM,3.1MM,NBR	2.00	051	ST
706606	BRG,FLG:ROLLER,BOLT 4,SHP SQUARE	2.00	051	EA
615673	BUSH,PUMP:SS ASTM A276 / SS JIS G4305 GR	3.00	081	ST
620755	SET:TYP SEAL PLATE,APLC ELECTRIC MOTOR	2.00	081	ST
583721	CIRCUIT:TYP COMMUNICATION	1.00	011	ST
605741	TRANSFORMER,INSTRUMENT:VA RT 10/15VA	1.00	011	ST
660974	NIPPLE,PIPE:TYP SWAGED CONCENTRIC,SIZE 1	2.00	051	EA
808625	BELLOWS:	1.00	051	ST
642686	PACKING:TYP GLOBE VALVES	1.00	051	ST1
443769	SWITCH,PRESSURE:0-50PSIG,115VAC 1A,MPT	2.00	011	EA
1037397	BRG,CAM : OUTSIDE DIAMETER 3-11/16IN	1.00	051	EA
9101827	REPAIR KIT	9.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
615918	BUSH,TAPER LOCK:42MM BORE DIA,TAPERLOCK	1.00	051	ST
635571	BRG:MT STEEL/PTFE COATED	2.00	051	ST
639609	PLUG,VALVE:VLV SZ 6IN,PLUG	1.00	051	ST
604697	FUSE:160A,500V,WD 25 X LG 150 X THK 6MM	30.00	021	ST
799089	BLOCK,CONTACT:TYP AUXILIARY	2.00	021	ST
637081	ASSEMBLY:TYP MISCELLANEOUS	1.00	051	ST1
619266	VLV;2-BALL,DN 5	1.00	051	ST
632204	SPRG-VLV;CS	1.00	051	ST
587239	KIT-VLV-RPR:TYP SOFT PARTS,APL MOTOR OPE	2.00	051	KIT
632097	GSKT PRE-CUT :P#1200-S,BONNET,20IN	2.00	051	ST
583165	BULB:TYP LIGHT	2.00	021	ST
610139	SEAL,RING:TYP V SHAPE	1.00	051	ST
587659	KIT,VALVE REPAIR:INCINERATOR PACKAGE	3.00	051	KIT
627679	SOCKET,ELECTRICAL:TYP FUSE	2.00	021	ST
602970	SEAL,MECHANICAL:1-7/8 X 1-5/8IN	1.00	900	ST1
601024	GSKT:	1.00	051	ST
588195	KIT-VLV-RPR;KIT, VALVE REPAIR	2.00	051	ST1
944865	THROWER:	1.00	081	ST
1557463	FITTING,OUTLET:TYP THREADOLET,BRNCH CNCT	3.00	051	EA
1540208	RELAY,CONTROL:TYP PROTECTION,CUR 1A,APPL	1.00	031	EA
591042	TRANSFORMER:TYP CONTROL POWER	1.00	011	ST
583085	DIODE,LIGHT EMITTING:COLOR WHITE	8.00	021	ST
618807	SLEEVE:TYP SPACER,SZ 24 X 7.5	2.00	051	ST
631665	VALVE,CHECK:TYP NON RETURN	2.00	051	ST
1595321	GSKT-PRE-CUT:TYP FLAT RING,SZ ID 72 IN X	6.00	051	EA
580701	COVER:TYP PHENOLIC CORE ROLLER,SZ DIA	5.00	051	ST
604498	FUSE:250VAC,DIA 1/4 X LG 1.25IN,FERRULE	6.00	021	ST
617198	CUT-OUT,THERMAL:TYP AUTO	2.00	011	ST
642914	O-RING:APLC LOWER SHAFT	10.00	051	ST
1072043	VALVE: TYP PNEUMATIC,VALVE SIZE DN 15MM	1.00	051	ST
581064	PLUG-ELECT;230V 32A,2P+E,FREE STRAIGHT	10.00	021	ST
583184	BLST;FLUORESCENT LAMP,220VAC 60HZ,0.160A	1.00	021	ST
583060	LIGHT,INDICATING:TYP SIGNAL,VOLT 120VAC	4.00	061	ST
574416	O-RIG;1/4IN,NITRILE RUBBER,CONTROL VALVE	1.00	051	EA
616810	SWTCH-SLCTR:TYP PANEL,SZ WD 48 X LG 108M	2.00	021	ST
704402	SWITCH,PUSHBUTTON:1NO-1NC,BLACK	1.00	021	EA
901644	OPERATOR:TYP STORED ENERGY	1.00	011	EA
589101	BLOCK,CONTACT:TYP AUXILIARY,CIRCUIT 2,C	1.00	011	ST
589907	FUSE: AMPERAGE 1A,VOLTAGE 220-250VAC	12.00	021	ST
630810	KIT: P/N:P3403893-0006,DOC:FF7062-10423	1.00	081	ST
585022	DISC:MT PTFE	2.00	051	ST
634816	CHEMICAL:AMMONIUM FERRIC ALUM	1.00	001	BOT
587425	KIT,VALVE REPAIR:BUTTERFLY VALVE	1.00	051	ST
620610	SEAL,RING:TYP V SHAPE,MT SYNTHETIC RUBB	2.00	081	ST
215393	O-RING:ID 32.92MM,WD 3.53MM,MT VITON	8.00	051	ST
578054	KIT-VLV-RPR:CMPRSNG O RING (QTY:1PC)/PAC	1.00	051	ST
611190	LIGHT,INDICATING:TYP PILOT,VOLT 125/250V	2.00	021	ST
600334	GSKT PRE-CUT :	11.00	051	ST
584813	DIAPHRAGM,VALVE:VLV TP DESUPER HEATER,M	7.00	061	ST
943194	CIRCUIT,POWER SUPPLY:APLC INVERTER	1.00	021	ST
908939	NUT,ADAPTOR:DIA M30,WASHER,THD 1.5MM,4	1.00	051	EA
1223068	MODULE:TYP RTD SCANNER,INPUT 10-120OHM,P	1.00	031	EA
582338	CONTROL:TYP TERMINAL BLOCK	1.00	021	ST
603768	CONNECTOR:TYP ANGLE SCREW,MT GS	2.00	051	ST
600460	GSKT,SPWD:1IN,GRAPHITE,SS 316	5.00	051	ST
598862	HUB:	1.00	051	ST
633969	SUPPORT:	1.00	051	ST1
798762	RELAY:COIL 110VDC,TYP AUXILIARY CONTROL	2.00	011	ST
1049517	ANODE: SIZE 8 X 4 X 8IN,MATL MAGNESIUM	20.00	051	ST
502302	SEAL,MECHANICAL:1-7/8IN,UNBALANCED	1.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
720752	BUSH-VLV;CONTROL VALVES,1IN,STEEL	1.00	031	EA
1579117	VLV-GLB:VLV SZ 3/4IN,DSGN RTNG 800LB,BDY	6.00	051	EA
581589	MODULE:TYP OPEN PATH BEAM	1.00	011	ST
588196	KIT-VLV-RPR;SEAL	1.00	051	ST1
804331	KIT,SEAL:TYP PACKING	1.00	051	ST
903592	RELAY:CONT 24VAC,TYP COUPLING	1.00	011	EA
608497	O-RING:ID 18.6MM	1.00	051	ST
572495	CAGE VLV,VALVE:	1.00	051	EA
588388	TUBE;TORQUE	1.00	131	ST1
607337	BUSH;ID 30 X OD 34 X LG 30MM,STEEL	1.00	051	ST
601434	O-RING:ID 11/16IN,WD 0.103IN	6.00	051	ST
620630	SET:TYP SEAL PLATE,APLC ELECTRIC MOTOR	4.00	081	ST
916861	O-RING:ID 372MM,WD 7MM	1.00	051	ST
639702	KIT-VLV-RPR:TYP CONTROL,CMPRSNG PLUG/PLU	1.00	051	ST1
913309	CIRCUIT:TYP ELECTRONIC BOARD	2.00	011	ST
1001732	SUPPRESSOR: RT 24-28VAC/DC,STD IEC	1.00	031	EA
1602732	GSKT-PRE-CUT:TYP FLAT FACE,SZ ID 273.1 X	3.00	051	EA
609549	THRMST;TEMPERATURE CONTROL	2.00	081	ST
587002	ASSEMBLY:WORM SHAFT	1.00	081	ST
579618	TRANSMITTER,PRESSURE:0-25MBAR,ABSOLUTE	1.00	061	ST
906094	SWITCH:TYP AUXILIARY/INITIATION SIGNAL	1.00	021	EA
593216	GSKT PRE-CUT :ID 142 X OD 220 X THK 2MM	20.00	051	ST
629540	STEM,VALVE:MT SS 316	2.00	051	ST
420856	CAPACITOR:CAPCIT 2MICRO F,VOLT 400V	1.00	031	ST
616120	CONVERTER:TYP BUS CONNECTION MODULE	1.00	061	ST
592490	GSKT-SPRL-WUND;BASIC WITH INNER RING,4MM	2.00	051	ST
622504	CIRCLIP:TYP INTERNAL	2.00	051	ST
578380	SET:TYP PACKING	1.00	081	ST
1601551	RLY-CNTRL:TYP TE-SYS D,SUPLY 5MA,ELCTRCL	1.00	031	EA
998970	SLEEVE: APPL FEED AND DISCHARGE PUMP	1.00	051	ST
593590	GSKT;3MM,WD 12 X LG 3251MM,FOAM	1.00	051	ST
1022978	BOARD: TYP LED DISPLAY,P/N:1087-512	2.00	051	EA
805359	GSKT:	1.00	051	ST
639321	SPRG-VLV:MTRL AS ASTM A229,VLV SZ 1 X D	1.00	051	ST
930676	KIT:TYP WEARING PARTS	1.00	081	EA
800045	CAGE-VLV;GLOBE,3IN	2.00	051	EA
912481	VLV-SLND;24VAC 50/60HZ,10-16BAR,IP67	2.00	051	EA
627683	CONTACTOR:TYP MAGNETIC,COILV 220VAC 60HZ	2.00	011	ST
630503	UNIT,CONTROL:TYP GOVERNOR,TURBINE	1.00	011	ST
599324	GSKT PRE-CUT :NON ASBESTOS/T#1995	2.00	051	ST
636608	SCREEN:60,MATL SS 304	1.00	051	ST
635194	NUT:DIAMETER M20,THREADS 2.5MM,TYP TAPER	1.00	051	ST1
644452	WASHER,FLAT:SS,ID 10.5MM,THK 1MM,23MM	1.00	051	ST
640842	RESISTOR:RT 5W	2.00	031	ST
614698	RING,WEAR:APLC IMPELLER	1.00	081	ST1
579068	CONTROLLER,PNEUMATIC:TYP PRESSURE CUT O	1.00	061	ST
805478	SWITCH,PRESSURE:1-20PSI,SPDT	2.00	061	ST
867877	LEVER:APLC STEAM TURBINE	1.00	900	EA
608456	SEAT-VLV;FLAP	2.00	051	ST
621798	WASHER:THRUST	1.00	051	ST
1085323	KEY, SHAFT: TYP COUNTER,MATL S40C	2.00	051	EA
618584	BREAKER,CIRCUIT:1250A,380VAC	1.00	011	ST
771089	STUD:DIA M36,220MM LG,AS,THD 3MM,GR B16	3.00	051	ST
939095	SCREW: DIAMETER M16,LENGTH 53MM	1.00	051	SE
587852	KIT,VALVE REPAIR:CHECK VALVE,INTERMEDITE	1.00	051	KIT
1025166	SWITCH, LIMIT: CNTCT RT 5-25VDC	1.00	061	EA
546759	RIM:TYP TOOTHED,P/N:073379.1759 (NEW),MN	1.00	091	EA
582968	KNOB:TYP DRAIN,ST MUSHROOM,SZ 3/4IN	1.00	141	ST
930367	SHUTTER: TYPE FEELER,04 / 46669	1.00	011	ST
640621	SWITCH:TYP MICRO,CONTRT 250VAC/125VDC 5A	30.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
594518	GSKT:ID 43 X OD 49MM,SEAL RING,THK 1MM	4.00	051	ST
637014	SEAL,LABYRINTH:BUFFER GAS	2.00	051	ST
589263	SLEEVE:SZ ID 26.5 X OD 30 X LG 19MM	1.00	051	ST
612317	SWITCH:TYP MAIN POWER,SPST,1NO,MOUNT	2.00	021	ST1
583381	BLOCK,TERMINAL:ELEC RT 380V,TERMINAL TYP	1.00	021	ST
589455	BREAKER,CIRCUIT:125A,220/690VAC; 250VDC	1.00	011	ST1
643801	O-RIG:I DIA 209.14MM,WD 3.53MM,MTRL KALR	1.00	051	ST
586216	BRG,SLEEVE:TYP STRIP,MT CARBON	1.00	051	ST
286557	CNTCT-AUXLRV:TYP SWITCH DISCONNECT,CNTCT	3.00	021	EA
612041	SWITCH:TYP POSITION	1.00	011	ST
603400	CORD-CMUNCTN;PATCH CORD,74-1/2IN,CU	1.00	031	ST
718293	COUPLING:TYP FLEXIBLE	1.00	011	EA
597000	SEAT:	2.00	051	ST
643804	O-RING:MT VITON	1.00	051	ST
642904	O-RING:APLC UPPER SHAFT	9.00	051	ST
589450	BREAKER,CIRCUIT:25A,220/690VAC; 250VDC	1.00	011	ST
605023	RELAY,PROTECTION:EMERGENCY STOP	3.00	031	ST
130291	COVER:TYP BEARING END,CI,APLC PUMP	1.00	051	EA
615096	CLR;DIA 6 IN X THK 2MM,SS DIN WN 1.4541	3.00	051	ST
635718	VALVE:BDY MATL SS 403	1.00	900	ST
611003	LAMP-INCNDSCNT	2.00	021	ST
522746	GUIDE:TYP LINER,MT PLASTIC/PTFE	16.00	091	ST
1063190	SEAL-RIG;75MM,100MM,18MM,GRAPHITE/PTFE	7.00	051	EA
1029883	CUP: TYP TURBINE GOVERNOR,MATL CS	1.00	051	SE
582641	GUG-CMPUND;MPT,BOTTOM BACK,SURFACE	1.00	061	ST
798919	INDICATOR:TYP OIL LEVEL	1.00	061	EA
616632	METER,ELECTRICAL:TYP VOLT,RNG 0-600V	2.00	101	ST
591783	WASHER,LOCK:SS ASTM A276,316,IMPELLER	2.00	051	ST
588023	KIT-VLV-RPR:APL PRESSURE AND RELIEF VALV	1.00	051	ST1
799965	KIT-ACTUTR-RPR;OVERHAULING	2.00	061	SE
595131	GSKT-PRE-CUT;ID 500 X OD 528 X THK 11MM	2.00	051	ST
582911	THERMOWELL:450MM,MT SS 316,FLANGE RF 1IN	4.00	061	ST
53116	O RING:INSIDE DIAMETER 21.7MM,WIDTH 3.5M	3.00	051	ST
595384	GSKT-PRE-CUT;NBR	2.00	051	ST
600061	GSKT JKTD:ID 622 X OD 641 X THK 3.2MM	1.00	051	ST
594346	PACKING:26 X 32MM	1.00	051	ST
1589733	BOLT-ASMBLY:NMNL DIA 1-3/4IN,LG 380MM,MT	104.00	051	ASY
599476	GSKT,SPWD:PTFE,SS 316,SHP ROUND,BASIC	11.00	051	ST
583114	LIGHT,INDICATING:TYP PILOT,VOLT 250V	2.00	021	ST1
623765	UNIT: TYP DIGITAL POSITION INDICATING	1.00	051	ST
578461	GSKT SET:	1.00	051	ST1
155642	CYLINDER:MT SS 304L	1.00	061	EA
617557	BOLT:TYP THRUST	6.00	051	ST1
612280	COUPLING,SHAFT:JAW FLEXBLE	2.00	051	ST
580410	SHAFT,VALVE:LG 117MM,SS	1.00	051	ST
620177	SPRING:TYP D-END	2.00	051	ST
738093	RING:TYP DISTANCE	1.00	051	ST
637939	BALL,VALVE:VLV SZ 3IN,MT SS ASTM A479 U	1.00	051	ST
578062	KIT-VLV-RPR:TYP SOFT PARTS,CMPRSNNG ORING	1.00	051	ST
617749	BREAKER,CIRCUIT:4A,400/480VAC	2.00	011	ST
1040151	TRANSFORMER, INSTRUMENT: VA RATING 30VA	1.00	011	EA
1607421	STUD-ASMBLY:TYP FULL THREAD,DIA M42MM,LG	40.00	051	ASY
641864	SWITCH,LEVEL:	1.00	061	ST
726734	SCREEN: TYP VACUUM,MATL SS	1.00	051	ST
623650	BREAKER,CIRCUIT:50A,600VAC	2.00	011	ST
623180	GSKT PRE-CUT :	4.00	051	ST
1012973	WASHER: MATL SS,INSIDE DIAMETER 16.5MM	1.00	051	EA
612048	BREAKER,CIRCUIT:9 -12A,400V 60HZ	1.00	011	ST
1031380	BREAKER,CIRCUIT:AMPERAGE 80A,VOLTAGE 690	2.00	011	EA
581663	HOSE:LG 1M,HIGH PRESSURE	2.00	051	M

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
601970	O-RING SET:2	4.00	051	ST
584646	RTNR:TYP BEARING,MTRL BABBIT/STEEL,APL C	2.00	051	ST1
597031	SPRING,EXTENSION:OD 20MM,TOT LG 70MM	2.00	051	ST
616383	TRANSFORMER,INSTRUMENT:CURR RT 60/5A	4.00	011	ST
620307	BRACKET:TYP BEARING	1.00	051	ST
1032792	RIG-WEAR;110MM,SS DIN WN 1.4027/QT,15MM	2.00	081	ST
617458	RING,LANTERN:MT SS DIN WN 1.4571 GR	1.00	081	ST
565919	HOLDER,VALVE DISC:	1.00	051	EA
583787	MODULE:TYP FILTER,APLC REMOTE ALARM	1.00	011	ST
615058	RDUCR-PIPE;6 X 4IN,BW,CONCENTRIC	1.00	051	ST
1001734	TRNSFRMR;CONTROL,63VA,400V,SINGLE,230V	1.00	011	EA
587945	KIT,VALVE REPAIR:SEAL	1.00	051	KIT
1001823	POWER SUPPLY: TYP DC TO DC SWITCH MODE	1.00	021	EA
1012843	SWITCH, SELECTOR: CNTCT RT 690VAC 20A	1.00	021	EA
1023534	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,THRD 1	12.00	051	ST1
578561	STATION:TYP PANEL MANUAL LOADING	1.00	011	ST
593425	GSKT-PRE-CUT	2.00	051	ST
1025032	GSKT JKTD:TYP DOUBLE METAL JACKETED,STYL	3.00	051	EA
624022	BRKR-CRCUT;5A,250VAC; 80VDC,1,RAIL	1.00	011	ST
976332	GSKT PRE-CUT : SHAP ROUND,TYP FLAT	16.00	051	ST
594094	O-RING:APLC SEAL	1.00	051	ST
589123	CLAMP:TYP BOTTOM TRAY,SZ THK 2.5,MT SS	2.00	051	ST
604747	FUSE:250A,500V,SLOW BLOW	15.00	021	ST
589638	CONTACT,AUXILIARY:TYP PUSHBUTTON SWITCH	2.00	021	ST
616183	BREAKER,CIRCUIT:63A,INTP CAP 10KA,POLE 3	1.00	011	ST
603259	SEAL:VANE,APLC NITROGEN PLANT PACKAGE	1.00	051	ST
1012846	TRANSFORMER, INSTRUMENT: VA RATING 2VA	1.00	011	EA
602240	PACKING:TYP GASKET	1.00	051	ST1
620147	BUSH:ALCOA A750/AP ALLOY	1.00	051	ST
600852	GSKT,SPWD:PTFE,UNS S31600,SHP ROUND	1.00	051	ST
642781	RING:PTFE/TFM 4220,TYP ANTISTATIC	8.00	051	ST
588034	KIT-VLV-RPR:TYP SOFT PART,APL PRESSURE A	1.00	051	ST1
985256	CRCUT:TYP ALARM/ AUX SWITCH UPTO SENTRON	1.00	021	EA
494000	RING:TYP GREASING CHAMBER,APLC MONO	4.00	081	EA
580550	SHAFT:TYP PLANT	1.00	081	ST
589320	TERMINAL:	2.00	021	ST
1003933	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
1024065	UNIT: TYP THERMAL MAGNETIC PROTECTION	2.00	051	EA
999332	BUFFER: TYP BOTTOM,P/N:63214, EQUIP	1.00	051	ST
594084	O-RING:APLC SEAL	1.00	051	ST
602123	PACKING:ID 120 X OD 145MM	2.00	051	ST
600833	GSKT PRE-CUT :ROUND	4.00	051	ST
804649	GSKT PRE-CUT :ID 80 X OD 100 X THK 14MM	2.00	051	ST
595321	SEAL:	6.00	051	ST
1003939	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
587177	ASSEMBLY:SENSOR	1.00	081	ST
965880	TORCH: TYP ICP ANALYZER,MATL QUARTZ	1.00	051	ASY
1065101	RING: SIZE ID 50 X OD 71 X THK 10MM	1.00	051	EA
1217726	ASSEMBLY:TYP FASTENER,APPL DUAL FLOW TRA	2.00	081	ASY
357882	O-RING, DIN 3771- 104.50X 3.00-N-FPM 70	10.00	051	ST
965881	INJECTOR: SIZE ID 2MM,MATL ALUMINA	1.00	061	ASY
102449	ELECTRODE:MT GLASS	1.00	051	ST
637092	KIT-VLV-RPR:TYP SOFT PARTS,CMPRSNG GASKE	2.00	051	ST1
604136	BREAKER,CIRCUIT:6A,POLE 1,AUTOMATIC	10.00	011	ST
602978	SEAL,OIL:MT NBR	1.00	051	ST
798746	SPINDLE:TYP SAFETY RELIEF VALVE	1.00	101	ST
1041835	FILM: TYP MYLAR,SIZE 6MICRON,P/N:N/A	1.00	001	PAK
578885	THERMOSTAT:TYP HEATER	1.00	081	ST
968666	DETECTOR, LEAK: MNFR:SIEMENS AG	1.00	061	ST
642401	O-RING:MT EPDM	6.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
640652	GSKT PRE-CUT :ASBESTOS,ACTUATOR	2.00	051	ST
1022800	SCREW: P/N:HMK05020,DOC:SOL01196/0	2.00	051	ST
619201	CONVERTER:TYP DENSITY	1.00	061	ST
643309	RING,LANTERN:APLC VALVE	1.00	081	ST
1085326	COLLAR: TYP THRUST,MATL S45C, EQUIP	4.00	051	EA
622587	GSKT:PUMP	1.00	051	ST
608483	GSKT-PRE-CUT;ROUND	1.00	051	ST
588742	KIT,VALVE REPAIR:GATE & GLOBE VALVE	1.00	051	ST1
668438	SHAFT: TYP GOVERNOR DRIVE	1.00	051	EA
585408	SPRING,VALVE:SS	16.00	051	ST
638103	GSKT PRE-CUT :ROUND	1.00	051	ST
273696	STUD CNTNS THD:TYP BOLT,DIA 7/8IN,THRD 9	30.00	051	EA
800790	GSKT,SPWD:2IN,150LB,GRAPHITE,SS 316	1.00	051	ST
973126	PIPE: SIZE 10IN,LENGTH 6000MM,SCHD 10	1.00	131	EA
628080	SEAT,VALVE:VLV SZ 8IN,CONTROL,UNS S31603	2.00	051	ST
898892	REACTOR:ELEC TRT 380-460VAC 3PH 300HZ	2.00	011	EA
601365	O-RING:MT VITON	6.00	051	ST
615943	SET:TYP SHAFT	1.00	081	ST1
595742	SHIM:	1.00	051	ST
577278	ASSEMBLY: TYP SIGHT GLASS,P/N:3.C.6	1.00	900	ST
582195	FAN:TYP ASPIRATING	1.00	081	ST
597263	STEM-VLV;DIA 20 X LG 338MM,SS	1.00	051	ST
632125	GSKT PRE-CUT :P#6630,BONNET,4IN	1.00	051	ST
582440	ELIMINATOR:TYP VIBRATION	1.00	051	ST
615527	BUSH,PUMP:SS ASTM A276 / SS JIS G4305 GR	2.00	081	ST
612163	RELAY:1NO	2.00	011	ST
591046	TRNSFRMR;CONTROL,75VA,200/230V AC,SINGLE	1.00	011	ST
625534	BRKR-CRCUT;100A,220/690VAC; 250VDC,4	1.00	900	ST
600617	GSKT PRE-CUT :ROUND	2.00	051	ST
623533	THRMTR-DIAL;20-120DEG C; 0-248DEG F,MPT	1.00	101	ST
592029	CAP:TYP VALVE PLUG,SZ 1IN	1.00	051	ST
597041	SPRING,COMPRESSION:	1.00	051	ST
1030715	STEM, VALVE: MATL SUS403,DOC:10909-0900	2.00	051	ST
644556	GSKT PRE-CUT :ID 520 X OD 578 X THK 3MM	4.00	051	ST
579142	DAMPER:TYP PULSATION	1.00	081	ST
634392	DAMPER:TYP PULSATION	1.00	081	ST
985897	RGNT;LEAD TETRAACETATE,BOTTLE,500G	6.00	001	BOT
598625	BELT,TOOTHED:	2.00	051	ST
609624	CIRCLIP:	4.00	051	ST
1247989	GSKT,SPWD:TYP BASIC WITH INNER AND OUTER	1.00	051	EA
631142	SWITCH,PRESSURE:1-10BAR,SPDT	1.00	061	ST
638281	STRAINER:TYP BASKET	1.00	051	ST
615980	GLAND,PACKING:	1.00	051	ST1
586074	BLADDER,ACCUMULATOR:	1.00	081	ST
1024430	THERMOMETER, DIAL: TYP BIMETAL	1.00	101	EA
584751	KIT,ACTUATOR REPAIR:TYP SOFT GOODS	1.00	061	ST
1219842	MODULE:TYP POWER SUPPLY,INPUT 110VAC,O/P	2.00	011	EA
726018	CELL:TYP SAMPLE,CAP 25ML	1.00	011	PAK
606125	BOLT,MACH:M16,LG 55MM,2MM,HD HEX	1.00	051	ST
585441	SPRING,COMPRESSION:SS 316,CLOSE/GROUND	36.00	051	ST
738730	RAM:TYP VALVE	1.00	061	ST
1012975	SCREW: DIAMETER M5,LENGTH 12MM,GRD A4-70	1.00	051	EA
638171	BUSH,VALVE:VALVE GUIDE	2.00	051	ST
616577	TRANSFORMER,INSTRUMENT:VA RT 7.5/15VA	1.00	011	ST
115033	PACKING:TYP GLAND	5.00	051	EA
642987	PACKING:ALCHEM,TYP STUFFING BOX	3.00	051	ST1
39804	TACHOMETER:TYP MODULE	1.00	051	EA
600360	GSKT PRE-CUT :GRAFOIL	8.00	051	ST
723646	DISC:UNS S31600,INSERT,ASTM A479	1.00	051	ST
578705	BRAKE:TYP THREAD,APLC CIRCULAR KNITTING	1.00	081	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
617544	ROD:TYP COUPLING,APLC SCREW PUMP	2.00	131	ST
592419	GSKT-PRE-CUT;COVER,ROUND	2.00	051	ST
615014	PIPE;OD 323.9 X THK 3MM,6000MM,SS 321	12.00	131	M
627282	KIT-VLV-RPR:APL ISOLATION,BALL (SIZE:10	1.00	051	ST1
589677	STARTER,ELECTRIC MOTOR:	1.00	011	ST
604536	FUSE:315A,660V,CURRENT LIMITING	1.00	021	ST
643490	BRG:	2.00	051	ST
610580	CONTACTOR:	1.00	011	ST
588187	O-RIG-ST;2	1.00	051	ST1
800836	GSKT,SPWD:8IN,600LB,GRAPHITE,SS 316	1.00	051	ST
582411	CONVERTER:TYP RTD/I,I/P 4-20MA	2.00	061	ST
622693	GSKT:OUTSIDE DE	3.00	051	ST
610457	STUD,D/END:DIA-A M12,DIA-B M12,LG 70MM	6.00	051	ST
588342	GSKT SET:	1.00	051	ST1
610164	OPERATOR,SWITCH:TYP PUSHBUTTON,COLOR RED	2.00	021	ST
593018	GSKT PRE-CUT :	1.00	051	ST
579014	COMPENSATOR:TYP FLEXIBLE	1.00	051	ST
590569	SWITCH,LEVEL:CONTRT 250VAC 11A,SPDT	1.00	061	ST
616189	CONTACTOR:TYP AUXILIARY,AMP 16A	2.00	011	ST
627956	SCREW,SET:GR A2	2.00	051	ST
1081698	O-RING: INSIDE DIAMETER 180MM,WIDTH 5MM	1.00	051	EA
601221	GSKT PRE-CUT :DIA 559MM,GRAPHITE,ROUND	1.00	051	ST
930813	KIT,VALVE REPAIR:REGULATOR,REPLACEMENT	1.00	051	EA
33339	O-RIG;THRUST LABYRINTH SEAL	1.00	051	EA
604779	FUSE;ULTRA FAST BLOW,1.6A,500V AC	10.00	021	ST
638201	BUSH:	1.00	051	ST
9101658	ASSY,HOLDER BRUSH	1.00	051	ST
591789	WASHER,LOCK:SS 316,IMPELLER	1.00	051	ST
578285	KIT-VLV-RPR:APL CRANE,CMPRSNG O RING,SEA	1.00	051	ST
625345	CONTACT,AUXILIARY:	3.00	011	ST
1624682	SPRGR;SOLVENT RESERVOIR,SS;PN:09903610	8.00	051	EA
1531608	BAL-VLV;1-1/2IN,SS,316	2.00	051	EA
591976	BUSH, PUMP: MATL ALBC,TYP THROTTLE (T)	1.00	081	ST
580340	PISTON:	1.00	091	ST
609242	COUPLING:	1.00	051	ST
592699	GSKT,SPWD:12IN,150LB,GRAPHITE,SS 316	3.00	051	ST
1023608	SWITCH, NETWORK: TYP MANAGED ETHERNET	1.00	031	EA
630834	KIT-VLV-RPR;OVERHAULING WEARING PARTS	1.00	051	ST1
9102121	DIAPHRAGM	3.00	051	ST
288979	BLCK-CNTCT;PUSH BUTTON,690V 12-10A,1,1NO	2.00	021	ST
610516	CUT-OUT:TYP LOW PRESSURE	1.00	061	ST
624953	ASSEMBLY:TYP SNUBBER	2.00	011	ST
608196	TEE,PIPE:SZ 1-1/2IN,FLANGE RF	1.00	051	ST
601216	GSKT PRE-CUT :WD 225 X LG 440MM,GRAPHITE	1.00	051	ST
601804	O-RING:	1.00	051	ST
723714	GASKET SET SUPERSEDED BY 528031	8.00	051	ST
636255	BUSH:SS 403	2.00	051	ST
638285	O-RING:APLC FILTER COVER	1.00	051	ST
611275	REPEATER:TYP ISOLATING	3.00	031	ST
1034065	LIGHT, INDICATING: VOLTAGE 24VDC,WATT 4W	1.00	021	EA
750943	MODULE:	1.00	031	EA
610590	CONTACTOR:	2.00	011	ST
590889	SWTCH-PRSUR;6-16PSI G,FPT,CSA; UL	2.00	061	ST
1087916	GSKT PRE-CUT : MATL RF 20,SHAP ROUND	2.00	051	EA
599339	GSKT PRE-CUT :THK 1.5MM,V#6500	4.00	051	ST
603135	SEAL,OIL:MT RUBBER	2.00	051	ST
634529	SEAL,RING:	4.00	051	ST1
681760	RING:TYP SUPPORT,APLC BLOWER	1.00	051	EA
1555505	KIT,VALVE REPAIR:APPL BALL VALVE,TYP MAI	1.00	051	KIT
579473	SNSR;CHLORINE CELL	2.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
589252	BRG,SLEEVE:MT CS JIS G4051 GR S20C/WJ2	2.00	051	ST
495804	DIAPHRAGM,VALVE:SIZE 32IN,MATL NITRILE R	3.00	061	EA
599491	GSKT PRE-CUT :PTFE GLASS FILLED	4.00	051	ST
618261	SWTCH-LMT	3.00	061	ST
604751	FUSE:500VAC,DIA 10.3 X LG 38MM,FERRULE	12.00	021	ST
639309	DISC,VALVE:SS ASTM A276,PRESSURE RELIEF	2.00	051	ST
644475	BOLT-MCHN;M20,75MM,GS,2.5MM,HEX	1.00	051	ST
605609	SWITCH,PUSHBUTTON:1NC,RED,MUSHROOM	3.00	021	ST
616695	CNVRTR;380V SWITCHGEAR AND MCC	1.00	061	ST
632692	TRANSMITTER:TYP ELECTRONIC POSITION	1.00	061	ST
608605	HNDWHL	1.00	051	ST
737071	HOLDER,FUSE:FUSE 6.3 X 32MM,VOLT 660 VAC	2.00	051	ST
1030217	GAUGE, PRESSURE: RANGE 0-60BAR G	1.00	101	EA
1245904	BUSH,PUMP:SIZE DIA 118 X WD 21MM,MATL BR	1.00	081	EA
596919	SEAT,VALVE:ID 80MM,OD 120MM,THK 47MM	2.00	051	ST
588209	DISC,VALVE:MT CS DIN WN 1.0715,VLV TP C	1.00	051	ST
627276	KIT-VLV-RPR:TYP SOFT PARTS,APL ISOLATION	2.00	051	ST1
634570	KIT, VALVE REPAIR: P/N:MA0001116	1.00	051	ST
584431	MTR-ELECT;AMMETER,0-20A	1.00	101	ST
592416	GSKT PRE-CUT :ID 14 X OD 21 X THK 2.5MM	1.00	051	ST
594864	RING:TYP SPACER,SZ DIA 570 X THK 90MM,M	2.00	051	ST
581185	CRCUT;PULSE GENERATOR	1.00	011	ST
605216	RLY;230VAC 50/60HZ,DPDT,230VAC 6VA,CE	1.00	011	ST
639470	WASHER:SS 410	2.00	051	ST
619207	KIT:TYP COAXIAL CONNECTOR	2.00	081	ST1
1025104	SEAT, VALVE: VALVE SIZE 1-1/2IN	1.00	051	EA
596454	ACTUATOR,ELECTRIC MOTOR:ELEC TRT 110V	2.00	061	ST
583310	SET;SHAFT	1.00	081	ST
634367	MTR-FLOW;DIRECT READING,115ML/MIN,SS 316	1.00	101	ST
617344	TRANSMITTER:	2.00	061	ST
600088	GSKT PRE-CUT :ROUND	2.00	051	ST
949982	VALVE,CHECK:TYP SWING,VLV SZ 3IN	1.00	051	EA
609600	CUPLG-SHFT;N-EUPEX FLEXIBLE,32 X 22MM	1.00	051	ST
580881	PLATE:TYP END I	1.00	131	ST
604232	COIL,ELECTRICAL:FUNC CONTACTOR HOLDING	3.00	011	ST
798338	PROCESSOR:TYP ALRAM PANEL,MOUNT RACK	1.00	031	ST
605137	RELAY:COIL 230VAC 50/60HZ,4PST	4.00	011	ST
601235	GSKT PRE-CUT :DIA 139MM,GRAPHITE,ROUND	1.00	051	ST
1523556	INSRT-CUPLG;TRANSMISSION UNIT,PUMP	1.00	051	EA
1064370	PLUG-VLV:VLV STYL GLOBE,VLV SZ NPT 1-1/2	1.00	051	EA
76743	O-RIG;249.3MM,5.7MM,NBR,POWER END	3.00	051	ST
628566	O-RING:MT NBR	1.00	051	ST1
639474	DISC-VLV;STEEL,10IN,SAFETY RELEIF VALVE	1.00	051	ST
1023204	GSKT,RJ:SHAP OVAL RING,MATL SOFT IRON,SI	4.00	051	EA
585524	STEM,VALVE:VLV ST MANUAL CONTROL ANGLE	1.00	051	ST
891982	CIRCUIT:TYP ADDITIONAL ELECTRONICS	1.00	011	ASY
901577	RESISTOR,NETWORK:2 X 18OHM	1.00	031	EA
592228	NOZZLE:TYP 1ST STAGE,CONN MPT	2.00	051	ST
582955	BKR-LBRTRY;GRADUATED,2000ML	13.00	071	ST
392365	CIRCUIT:	1.00	011	ST
677705	CONNECTOR: TYP FILLER,SIZE 1IN	2.00	051	EA
581584	MODULE:	2.00	011	ST
586068	CAP:TYP IGNITION	1.00	051	ST
627153	KIT-VLV-RPR:TYP SOFT PARTS,APL ESD BALL	1.00	051	ST1
582597	GAUGE,COMPOUND:-50 TO 50MM H2O,DIAL 4IN	6.00	061	ST
590575	SWITCH,PUSHBUTTON:DPDT,RED,MUSHROOM	1.00	021	ST
625342	BREAKER,CIRCUIT:2A,POLE 3	2.00	011	ST
610128	TRANSFORMER,INSTRUMENT:VA RT 30VA,VOLT R	1.00	011	ST
1063895	DIAPHRAGM: TYP PUMP,SIZE 1/4IN	2.00	051	EA
607281	BUSH;ID 18 X OD 20 X LG 14MM,STEEL	20.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
591807	WASHER:DISHED PACK	1.00	051	ST
607401	GUD-VLV;CONTROL,80MM	1.00	051	ST
9101756	PLUG, THREADED, 58MM X 188MM LG, MATL ST	4.00	051	ST
600968	GSKT PRE-CUT :ROUND	2.00	051	ST
579553	THERMOMETER,DIAL:	2.00	101	ST
1009707	BELLOWS: TYP PRESSURE RELIEF VALVE	1.00	051	ASY
585571	BASKET,STRAINER:MT SS ASTM A276 GR 304	1.00	900	ST
1023873	SWITCH, PRESSURE: RANGE 0-16BAR	1.00	061	EA
642861	SEAL,OIL:ID 30MM,OD 55MM,WD 10MM	1.00	051	ST
19883	SPRING,EXTENSION:ENDS CROSSOVER LOOP,P/N	1.00	051	ST
609605	COUPLING:TYP ROD PIN	1.00	051	ST
582269	BELLOWS:TYP LEVEL CONTROLLER	1.00	051	ST
636396	SWITCH,LEVEL:	1.00	061	ST
100697	BRG,BALL:IBI 14541,ID 75MM,OD 115MM	4.00	051	ST
614840	O-RING:	2.00	051	ST
594410	RIG	1.00	051	ST
635454	CONVERTER:TYP I/P	2.00	061	ST
628869	GSKT:	2.00	051	ST
613226	TRANSMITTER,TEMPERATURE:RNG 0-600DEG C	1.00	061	ST
589860	REGULATOR,HYDRAULIC:TYP ELEMENT,CONN NP	1.00	081	ST
632652	BUZZER:TYP HIGH OUTPUT CHIME,RT 24VDC	1.00	121	ST
626474	DEVICE:TYP POSITION TRANSMISSION	1.00	081	ST
594178	O-RING:MT PTFE P10	2.00	051	ST
620060	BUSH:AL	3.00	051	ST
589072	ALARM:TYP INTERNAL FIRE ALARM SOUNDER	1.00	121	ST
635565	O-RING: MATL SPTFE+GRAPHITE, EQUIP	2.00	051	ST
732928	KIT;CERAMIC FIBER	1.00	900	EA
664422	STEM-VLV;GLOBE,SS 316	1.00	051	EA
604073	BREAKER,CIRCUIT:1.8-2.5A,415VAC	4.00	011	ST
604217	BRUSH,ELECTRICAL:MT CARBON	4.00	021	ST1
589433	BREAKER,CIRCUIT:15A,220V,MOLDED CASE	1.00	011	ST
579260	GAUGE,PRESSURE:0-160PSI,2-1/4IN,MNPT	1.00	101	ST
642675	PACKING:	1.00	051	ST1
798632	SOLUTN:TYP CONDUCTIVITY CALIBRATION	5.00	001	BOT
1003945	METER, FLOW: RANGE 0-3000KG/HR	1.00	101	EA
938285	KEY,SHAFT:MT SS ASTM A240 GR TP316	1.00	051	EA
592378	GSKT PRE-CUT :ID 35 X OD 70 X THK 3MM	20.00	051	ST
614441	STUD CNTNS THD:LG 135MM,MTRL AS ASTM A19	1.00	051	ST
1065989	NUT: DIAMETER 1-3/4IN,MATL 1.4021	1.00	051	EA
569913	CNTCT-AUXLRY;120-460V AC	1.00	011	ST
603074	SEAL:TYP GLAND,MT EPDM	1.00	051	ST
111213	BRG,ROLL:TYP TAPERED,ROW SINGLE,INSIDE D	1.00	051	EA
803172	METER,ELECTRICAL TEST:TYP AMMETER	2.00	061	ST
588134	PACKING:GRAPHITE	1.00	051	ST1
626582	GSKT	2.00	051	ST
579752	CSTR;RIGID FRAME,DIA 95 X WD 120MM,STEEL	2.00	081	ST
636850	PIN:SS 304,SNAP	2.00	051	ST
871696	SENSOR:TYP SPECIFIC GRAVITY HEATED	1.00	011	ASY
619732	STUD,D/END:DIA-A 16MM,DIA-B 16MM	4.00	051	ST
1388956	NOZZLE:TYP GAS LENS,MATL ALUMINA,P/N:57N	15.00	051	EA
1039544	KIT, SEAL: TYP REPAIR,P/N:89349661	2.00	051	EA
1586575	GSKT-PRE-CUT:SZ SQ 140 X DIA 82.8 X THK	10.00	051	EA
626843	PANEL: TYP FRONT,P/N:0P6134, EQUIP	1.00	021	ST
620276	RING,WEAR:SS ASTM A276 TP 420	1.00	081	ST
581764	HOSE,HYD: TYP FLEXIBLE,P/N:7057379	1.00	051	ST
69052	AMPLIFIER:TYP PNEUMATIC,SZ 48 X 38MM	1.00	011	ST
635693	O-RING:MT RUBBER	1.00	051	ST
623840	WASHER:STEEL,ID 20.5MM,OD 55MM,THK 15MM	4.00	051	ST
608090	RING:TYP CUTTING	1.00	051	ST
604808	FUSE;QUICK ACTING,3A,250V AC,GLASS	5.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
598872	HUB:	2.00	051	ST
1624985	FAN CORAP 80MM 12VDC	1.00	051	EA
399490	CAGE VLV,VALVE:VLV ST GLOBE CONTROL	2.00	021	ST
581271	CIRCUIT:TYP PROCESS REGULATING	3.00	011	ST
599573	GSKT PRE-CUT :CARBON,1IN	1.00	051	ST
585580	FILTER,ELEMENT:SS 316,STRAINER SCREEN	1.00	051	ST
636600	NUT,LOCK:STEEL	1.00	051	ST
1036109	SEAT: INSIDE DIAMETER 200MM,TYP BELLOW	2.00	051	EA
1026027	TAPE: TYP SEAL,P/N:SLO1768151	2.00	001	ST
587003	ASSEMBLY:WORM SHAFT	1.00	900	ST
9101831	REPAIR KIT	1.00	051	ST
891973	BRG,BALL:ID 30MM,OD 62MM,WD 23.8MM	1.00	051	EA
600359	GSKT,SPWD:	3.00	051	ST
800842	GSKT,SPWD:3IN,150LB,GRAPHITE/PTFE,SS 316	1.00	051	ST
589261	SLEEVE:SZ ID 50 X OD 54 X LG 30MM	3.00	051	ST
582089	IMPLR-PUMP;CI GR GG-20/2.2	1.00	081	ST
593330	GSKT;3MM,ID 27 X OD 32MM,AL/IT,ROUND	1.00	051	ST
631562	WASHER,PRESSURE CLEANING:PRESSURE	4.00	051	ST1
584700	SHAFT:TYP LABYRINTH,MT AL	1.00	051	ST
627036	UNIT:APLC LV SWITCHGEAR	1.00	051	ST
627254	GSKT:GRAFOIL/SS 304	6.00	051	ST
600894	GSKT PRE-CUT :KLINGERSIL	2.00	051	ST
1613241	SPNDL:MTRL SS,APL PRESSURE SAFETY VALVE	1.00	101	EA
605794	BUTTON:TYP PUSHBUTTON SWITCH OPERATOR	2.00	011	ST
642247	VALVE,SOLENOID:	1.00	051	ST
701568	GSKT-ST:P/N:RGASKETX312,MNFR:EMERSON - F	2.00	051	EA
637977	KIT,VALVE REPAIR:TYP BALL VALVE,DOC:L241	2.00	081	ST1
582353	CONTROLLER,ELECTRONIC:TYP POSITION	1.00	031	ST1
607562	COUPLING:	1.00	051	ST
607395	BUSH:TRANSMISSION	2.00	051	ST
584354	INDICATOR:RNG 24VDC	2.00	061	ST
643138	GSKT,SPWD:3/4IN,GRAPHITE,SS 316	13.00	051	ST
804866	MDUL:TYP INPUT/OUTPUT DUAL,APL MACHINE M	6.00	031	EA
626937	RELAY,TIME DELAY:ON,COIL 110VDC	5.00	011	ST
580821	PLATE:TYP END II, SZ M30 X THK 0.6MM	1.00	131	ST
730383	RELAY,TIME DELAY:ON DELAY	1.00	011	EA
611211	CONTACTOR:TYP MAGNETIC,3 POLE,460VAC	2.00	011	ST
592190	NOZZLE:TYP MOTIVE SINGLE STAGE,CONN MPT	1.00	051	ST
631577	WSHR-LOCK;M16,CONICAL SPRING	2.00	051	ST1
582836	THERMOMETER,DIAL:RNG 0-150DEG C	1.00	101	ST
158707	STRAP:TYP PIPE	2.00	001	EA
653203	GSKT,SPWD:IRMT SS 347,OR MT SS 347	11.00	051	EA
634804	HEATER:TYP LONG LINE	160.00	001	M
630842	KIT:	1.00	081	ST
582665	GLASS,LEVEL GAUGE:TYP SIGHT	5.00	101	ST
599725	GSKT JKTD:SHP ROUND	1.00	051	ST
979132	PLATE, HEAT EXCHANGER: SIZE THK 0.4MM	1.00	081	ST
598369	BRG-RLR	1.00	051	ST
905888	RELAY: TYP BOOSTER,MNFR:MACCHI S.P.A	2.00	011	EA
620530	BREAKER,CIRCUIT:6A,230/440VAC	1.00	011	ST
1616951	BRKR-CRCUT:AM 40A,VLTG 800V AC,INTRUPT C	1.00	051	EA
616603	CUNTR-ELECT;OPERATING HOUR,DIGITAL	2.00	011	ST
623887	WASHER:STEEL,ID 55MM,OD 80MM,THK 30.5MM	2.00	051	ST
589458	BREAKER,CIRCUIT:400A,220-690VAC	2.00	900	ST1
636340	GSKT,SPWD:1IN,T#1806-GR,SHP ROUND	2.00	051	ST
599771	GSKT PRE-CUT :ROUND	2.00	051	ST
653199	GSKT,SPWD:IRMT SS 316,OR MT SS 316	10.00	051	EA
642451	GSKT PRE-CUT :KLINGERSIL C-4409L,BONNET	4.00	051	ST
644406	BOLT,UPSET:M16,80MM,GS,THD 2MM	1.00	051	ST
624954	ASSEMBLY:TYP SNUBBER BOARD	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
158822	ELMNT;PH OR ORP REFERENCE,TRANSMITTERS	1.00	051	EA
593079	GSKT-PRE-CUT;SEALING BAR,RECTANGULAR	1.00	051	ST
1085321	GEAR, HELICAL: TEETH 67,FACE WIDTH	1.00	081	EA
589577	CHARGER:	8.00	081	ST
589684	CONTACTOR:TYP MAGNETIC,AMP 54A,3 POLE	1.00	011	ST
633053	CIRCUIT:TYP SCANNER REMOTE INPUT/OUTPUT	1.00	011	ST
628893	GSKT PRE-CUT :THK 3MM,GRAPHITE/SS 316,RF	1.00	051	ST
583982	HOSE	1.00	051	ST
599454	GSKT,SPWD:GRAFOIL,SS 316,APLC CASING	1.00	051	ST
606457	CONNECTOR:TYP MALE AND FEMALE	2.00	051	ST
987843	RESISTOR, VARIABLE: RT 45W, CAT#: 5	10.00	031	EA
578413	PCKG;ID 65 X OD 85 X THK 9MM,PTFE,SQUARE	1.00	051	ST1
641409	SWITCH,PRESSURE:	1.00	061	ST
595851	THERMOMETER,DIAL:RNG 0-120DEG C,CONN MPT	3.00	101	ST
643877	GSKT-ST;PRESSURE SAFETY VALVE	2.00	051	ST
929129	LIGHT, INDICATING: TYP NEON PILOT	1.00	021	EA
612919	RELAY,OVERLOAD:36-52A,THERMAL	1.00	011	ST
1003936	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
627299	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	1.00	051	ST
594082	SEAL:TYP O-RING	1.00	051	ST
642963	GSKT PRE-CUT :PTFE,COVER,DN 80	6.00	051	ST
636268	SPRING:MT SILICON-CR	2.00	051	ST
633082	MODULE:INPUT	1.00	031	ST
941170	WASHER,FLAT:NOM SZ 5/8IN	2.00	051	EA
607486	CAP:TYP NON STOP FILTER	2.00	051	ST
800781	GSKT,SPWD:14IN,150LB,GRAPHITE,SS 316	1.00	051	ST
586157	BRG:HIGH SPEED	1.00	051	ST
548051	GSKT PRE-CUT :NON ASBESTOS,IRREGULAR	1.00	051	EA
606637	SCREW:M32 DIA,3.75MM LG,THD 1.5MM	1.00	051	ST
637578	KIT:TYP HYDROGEN REGULATOR	1.00	081	ST
578242	KIT,CYLINDER REPAIR:REAR STRG CYLINDER	3.00	091	ST
571660	MODULE,POWER SUPPLY:	1.00	031	ST
612016	ELECTRODE:APLC CONDUCTIVITY METER	2.00	051	ST
620871	BOARD,TERMINAL:ELEC TRT 2.2KW	1.00	021	ST
799216	MODULE:COMMUNICATION,MODBUS ALARM PANEL	1.00	031	ST
893198	SEAT, VALVE: INSIDE DIAMETER 75MM	1.00	051	EA
911662	TRANSMITTER,PRESSURE:-1000 TO 1000MBAR	1.00	061	EA
636835	STEM,VALVE:MT SS 403	1.00	051	ST
623971	OPERATOR,SWITCH:TYP PUSHBUTTON	2.00	011	ST
621904	SWITCH:TYP DOOR	2.00	081	ST
21481	FILTER,ELEMENT:CARTRIDGE; COALESCING	3.00	051	ST
637042	KEY,SHAFT:TYP WOODRUFF	1.00	051	ST
1023142	GAUGE, PRESSURE: RANGE 0-2.5BAR	1.00	101	EA
590313	RELAY:COIL 220VAC 60HZ,6PST	3.00	011	ST
496204	SEAL,RING:MT INCONEL,TYP C	1.00	051	EA
638961	PACKING:PTFE TFP-175	1.00	051	ST1
612113	AMPLIFIER:TYP SWITCHING	1.00	011	ST
596576	DISC,VALVE:ID 14 X OD 29 X THK 4MM,PTFE	1.00	051	ST
589642	CIRCUIT:TYP AUXILIARY SEQUENCY	5.00	011	ST
733729	INJECTOR:TYP AUTO,SZ 40 X 10CM	1.00	061	EA
898218	BREAKER,CIRCUIT:160A,380-415/500VAC	1.00	011	EA
596451	ACTUTR;PRESSURE LEVEL,7MM	2.00	061	ST
612505	BRG-BAL	1.00	051	ST
630819	GUG-PRSUR;0-200PSI G,4-1/2IN,MNPT 1/2IN	1.00	101	ST
1023224	MODULE: TYP DIGITAL OUTPUT,SUPPL:UOP	1.00	031	EA
955727	MODULE: TYPE RELEASE,P/N:FCM-1-REL	1.00	031	EA
143231	GSKT-ST;GRAPHITE/SS	1.00	051	ST1
606980	WSHR-LOCK;STEEL,12MM,25MM,0.7MM	6.00	051	ST
580342	PISTON:SZ LG 572MM,MT STEEL	1.00	091	ST
594000	O-RING:MT PTFE	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
600615	GSKT PRE-CUT :ROUND	2.00	051	ST
629544	SHEET GASKET, V# 6500 (FOR CROSS GLASS	10.00	051	ST
616721	RELAY,TIME DELAY:0/0.6S-60HR ON DELAY	2.00	011	ST
644386	STUD,D/END:DIA-A 24MM,DIA-B 24MM	1.00	051	ST
950428	METER, ELECTRICAL: TYP PRIMARY AMMETER	2.00	101	EA
1029634	GAUGE, PRESSURE: RANGE 0-0.6KG/CM2	1.00	101	EA
587738	KIT,VALVE REPAIR:SOLENOID VALVE	2.00	051	ST
624916	CIRCUIT:TYP RECTIFIER SNUBBER,P/N:42-20-	2.00	011	ST
586661	BELT,V:	4.00	051	ST
631591	PIPE:	2.00	131	ST1
643227	SLINGER:TYP OIL	1.00	101	ST
528547	SPEAKER:	1.00	031	ST
588379	KIT;GASKET AND SEAL,STEAM DRIVE TURBINE	2.00	081	ST1
898627	FLANGE,PIPE:TYP RAISED FACE,SIZE 8IN,CNC	1.00	051	EA
642818	BRG-RLR	1.00	051	ST
1528812	RGNT:TRD NM HYDROCHLORIC ACID:37PCT,CLR	5.00	001	BOT
582408	DETECTOR:TYP RESISTANCE TEMPERATURE	1.00	101	ST
596738	FLTR;ELEMENT	22.00	051	ST
639841	GSKT PRE-CUT :PTFE	1.00	051	ST
610722	BLCK-TRMNL	1.00	021	ST
644602	TRANSMITTER,PRESSURE:0-60BAR,MPT 1/4IN	1.00	061	ST
615056	RDUCR-PIPE;8 X 5IN,BW,CONCENTRIC	1.00	051	ST
624912	POWER SUPPLY:TYP AC-DC,I/P 100-240VAC 5	2.00	031	ST
275880	SWTCH-SLCTR:ACTN SPDT,CNTCT ARNG 1NO-1NC	1.00	021	EA
577345	BAG:	900.00	001	KG
589816	DETECTOR:TYP THERMOELEMENT	1.00	101	ST
592999	GSKT PRE-CUT :	1.00	051	ST
627652	BLOCK,TERMINAL:	6.00	021	ST
624955	ASSEMBLY:TYP SNUBBER	2.00	011	ST
612162	CIRCUIT:TYP INPUT	1.00	011	ST
612864	NUT,LOCK:SS 316,IMPELLER	2.00	051	ST
623889	WASHER:STEEL,ID 55MM,OD 80MM,THK 30MM	2.00	051	ST
1003924	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
600425	GSKT PRE-CUT :ID 145 X OD 159 X THK 2MM	2.00	051	ST
643117	PACKING:GRAPHITE,TYP GLOBE VALVE	2.00	051	ST1
620255	DEFLECTOR:MT BRASS ASTM B16 GR C36000	2.00	081	ST
613352	BATTERY,STORAGE:TYP NICKLE CADMIUM	1.00	011	ST
591422	BOLT,MACH:10MM,LG 90MM	4.00	051	ST
594252	PCKG;ID 30 X OD 48 X THK 8,ASBESTOS	1.00	051	ST
1022395	TUBE: TYP CERTIFIED REFERENCE STANDARD	4.00	131	PAK
585980	VLV-CHCK;SWING DISC,1IN,FNPT,2-WAY	2.00	051	ST
579862	KNOB:ST HAND KNURLED,SZ DIA 50 X HT 70MM	4.00	141	ST
9101996	PACKING,GLAND,MATL BRAIDED GRAPHITED ASB	4.00	051	SE
627965	MODULE:TYP 8 CHANNEL DIGITAL INPUT,I/P	1.00	011	ST1
588751	KIT: TYPE PACKING RING AND GASKET	1.00	081	ST1
625242	HEATER:TYP ANTI CONDENSATION	3.00	011	ST
586164	BRG,ROLL:ID 90MM,OD 120MM,WD 30MM	2.00	051	ST
585573	STRAINER,PIPING:SZ 3/4IN,PR RT 20K	2.00	051	ST
605531	SWITCH,LIMIT:	1.00	061	ST
600388	GSKT,SPWD:SHP ROUND	4.00	051	ST
589866	ELEMENT:TYP THERMO	1.00	051	ST
632400	D;SILICON RECTIFIER,400V,1A,3W,DO-41	2.00	031	ST
628074	SEAT,VALVE:VLV SZ 4IN,CONTROL,SS 316L	1.00	051	ST
799480	UNIT:TYP MOTOR OPERATING MECHANISM	2.00	051	ST
1029180	PIN: TYP SNAP,P/N:MP-6,DOC:10910-0900	2.00	051	ST
596913	REGULATOR:TYP TEMPETTE,THERMO	1.00	061	ST
1025019	GSKT JKTD:TYP DOUBLE METAL JACKETED,STYL	1.00	051	EA
619710	GSKT PRE-CUT :V#6500	2.00	051	ST
878926	WIRE, WELDING: TYPE GTAW,DIAMETER 1.6MM	38.00	051	KG
604655	FUSE:35A,500VAC 60HZ,SCREW,NEOZED	6.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
619810	SEAL,OIL:ID 30MM,OD 47MM,WD 6MM,TYP	2.00	051	ST
588496	KIT-VLV-RPR:TYP KIT,VALVE REPAIR,APL BAL	1.00	051	ST1
42383	SWITCH,LIMIT:	2.00	900	ST
771873	SEAT,VALVE:VLV SZ 12 X 12IN,PSV	1.00	051	ST
598095	BRG,ROLL:ID 260MM,OD 480MM,WD 174MM	1.00	051	ST
643263	DISC,VALVE:HAND	1.00	051	ST
599050	PULLEY,V-BELT:SPA,GROOVE 4,DIA 635MM	1.00	051	ST
583389	BOX,ELECTRICAL:TYP JUNCTION,MT SS	3.00	021	ST
635626	SPRING,VALVE:MATL SS 301,VALVE SIZE 2IN	1.00	051	ST
582461	THERMOMETER,DIAL:	2.00	101	ST
587200	LIGHT:TYP XENON,VOLT 24VDC	14.00	021	ST
960009	KIT, VALVE REPAIR: TYP PACKING AND SEALS	1.00	051	SE
585676	TAG:TYP PLATE,TAG NO,MT SS	8.00	121	ST
600069	GSKT,SPWD:GRAFOIL,IRID 660MM,SS 316	3.00	051	ST
600304	GSKT,SPWD:GRAPHITE,SS 316,IRMT SS 316	7.00	051	ST
365598	O-RING, DIN 3771- 183.74X 3.53-N-NBR 70	6.00	051	ST
594091	O-RING:APLC SEAL	1.00	051	ST
596147	TUBE:TYP MEASURING,SZ DN 25MM,MT SS	1.00	101	ST
631278	RTD:TYP PT100,100OHM	1.00	101	ST
600029	GSKT,SPWD:GRAFOIL,IRID 584MM,SS 316	4.00	051	ST
578587	MESH:SZ WD 1050 X LG 1590 X THK 37MM	6.00	051	ST
332150	BRG,ROLL: INSIDE DIAMETER 75MM,IBI 41632	5.00	051	ST
1008039	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
544955	FILTER: , MEDIUM GAS,P/N:CP17971	6.00	071	EA
608405	BAND:TYP CLAMPING	4.00	001	ST
15709	FUSE:50A,600V,DIA 1.06 X LG 2.88IN,BLADE	1.00	051	ST
591849	WASHER:SS,316L,PACKING	2.00	051	ST
588509	KIT-VLV-RPR:APL BALL VALVE,CMPRSNG SEAT	1.00	051	ST1
630703	THERMOMETER,DIAL:	1.00	101	ST
583756	MODULE:TYP (32) DIGITAL INPUT	3.00	011	ST
581491	MDUL;IGBT	6.00	031	ST
614633	BRG,SLEEVE:TYP BUSH	2.00	051	ST1
578550	SET:TYP SLIPPING CLUTCH	3.00	081	ST
583280	ROTOR:	2.00	081	ST
580431	SHFT;8MM,152MM,SS,SCREW	2.00	051	ST
707694	BLCK-TRMNL;FEED-THROUGH	503.00	021	EA
902344	CABLE,COMMUNICATIONS:TYP V-NET/IP	1.00	031	EA
590752	SWITCH,TEMPERATURE:110/190DEG C	6.00	021	ST
596920	SEAT,VALVE:ID 50MM,OD 85MM,THK 45MM	2.00	051	ST
1003927	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
605916	CIRCUIT:TYP CB FAULT CARD	1.00	011	ST
594334	PCKG;ID 16 X OD 25 X THK 10MM,GRAPHITE	1.00	051	ST
1024526	THERMOMETER, DIAL: RANGE 0-160DEG C	1.00	101	EA
619676	RING,RETAINING:CS JIS G4051 GR S50C,SNAP	2.00	051	ST
612291	SHIM:MT SS	1.00	051	ST
623886	WASHER:STEEL,ID 56MM,OD 95MM,THK 6MM	2.00	051	ST
610484	STUD,D/END:DIA-A M27,DIA-B M27,LG 135MM	8.00	051	ST
612796	REFLECTOR,LIGHTING:W 250W	2.00	021	ST
619306	O-RING:ID 4.47MM,WD 1.78MM,MT NBR	2.00	051	ST
617597	PIN;PLUG	20.00	051	ST
942727	CIRCUIT:TYP FIRING CONTROL BOARD	1.00	011	ST
20220	DETECTOR:TYP BARIUM FLUORIDE	1.00	051	ST
597039	SPRING,COMPRESSION:	2.00	051	ST
643224	SLINGER:	1.00	101	ST
589892	FUSE:6A,600V,DIA 1.13 X LG 2.63IN	5.00	021	ST
609482	MOTOR,ELECTRIC:0.75KW	1.00	900	ST
582606	GAUGE,PRESSURE:0-100PSIG	3.00	101	ST
643305	SEAT,VALVE:VLV SZ 1 X 1IN	2.00	051	ST
582381	CONVERTER:O/P 24VDC	1.00	061	ST
619255	BRG,BALL:INSIDE DIAMETER 15MM,OUTSIDE DI	1.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
902304	CNTCTR;MAGNETIC,3,12A,400V AC	1.00	011	EA
601667	O-RING:MT NBR	4.00	051	ST
582902	TRANSMITTER,FLOW:BDY MT SS 316	1.00	061	ST
1085393	COVER: TYP OUTPUT SHAFT,MATL FC200	1.00	051	EA
594232	PCKG;ID 15 X OD 25 X THK 5MM,PTFE	2.00	051	ST1
465416	O-RING:ID 269.3MM,WD 5.7MM,MT NBR	6.00	051	EA
585087	FILTER,ELEMENT:DIA 2 X LG 10IN	3.00	051	ST
612649	GSKT:ID 388 X OD 512MM,THK 3MM,REINZ	3.00	051	ST
282295	THYRISTOR:TYP DISC,AMP 340A	2.00	051	EA
601350	O-RING:MT RUBBER,STD JIS-B2401	1.00	051	ST
604833	FUSE:6A	8.00	021	ST
583615	CIRCUIT:TYP ISOLATED CURRENT	1.00	011	ST
589118	BLOCK,CONTACT:TYP AUXILIARY	1.00	021	ST
636649	PACKING:V#6500	1.00	051	ST
591936	BUSH,VALVE:ACETAL	2.00	051	ST
602752	RING,WEAR:CI	1.00	081	ST
999310	PLUG: SIZE 1/2 NPTIN,MATL ASTM A105	4.00	051	ST
579371	GLASS,SIGHT:	10.00	101	ST
605591	SWITCH,SELECTOR:	4.00	021	ST
644610	TRANSMITTER,LEVEL:RNG 0-418MBAR	1.00	061	ST
622989	SENSOR:TYP GROUND FAULT	1.00	011	ST
742255	BAFFLE:TYP OIL STEAM END	1.00	081	ST
9102109	SHIM,45.1X88X4; FOR 5199-P01-002 (TO BE	2.00	051	ST
587382	KIT,VALVE REPAIR:BUTTERFLY VALVE	1.00	051	KIT
903159	BREAKER, CIRCUIT: AMPERAGE 16A,POLE 2	1.00	011	EA
747893	FITTING:TYP BULLNOSE,MT BRASS	3.00	051	SE
585401	SPRING,VALVE:SS	32.00	051	ST
831774	KIT: APPL PILOT VALVE	2.00	081	EA
585584	FILTER,ELEMENT:SS 316,STRAINER SCREEN	1.00	051	ST
377237	SWITCH:TYP MICRO LEVER ROLLER,CONTRT	1.00	011	ST
1037863	SEAL:SZ ID 205 X OD 215 X THK 5.5MM,MTRL	1.00	051	EA
601585	O-RING:MT BUNA-N,APLC RETAINER	2.00	051	ST
605901	CHOKE:	3.00	031	ST
903203	BLOCK:TYP RELEASE	1.00	131	EA
604119	BREAKER,CIRCUIT:4A,230/440VAC	1.00	011	ST
630869	TMR;CYCLIC	1.00	101	ST
610605	CONTACTOR:	2.00	011	ST
643781	JOINT:	2.00	051	ST
604691	FUSE:80A,500V,WD 15 X LG 80 X THK 6MM	16.00	021	ST
602039	O-RIG;IMPELLER	2.00	051	ST
600251	GSKT,SPWD:36IN,300LB,INCONEL X750/MICA	19.00	051	ST
9101640	WHEEL,GEAR,Z-105 [TO BE DELETED]	2.00	051	ST
584882	DIAPHRAGM:TYP MEMBRANE	1.00	051	ST
628978	FILTER,ELEMENT:SIMPLEX	1.00	051	ST
603641	CLIP:TYP HOSE CUP,STD DIN 3017	2.00	051	ST
1015060	FUSE: AMPERAGE 4A,SIZE DIA 5 X LG 20MM	1.00	021	EA
592922	GSKT PRE-CUT :ID 390 X OD 425 X THK 3MM	6.00	051	ST
926955	RTD: TYP DOUBLE ELEMENT; PT100,WIRE 3	1.00	101	EA
588841	SWITCH, SAFETY: TYPE CONTROL	1.00	011	ST
586951	ASSEMBLY: APPLICATION OXYGEN ANALYZER	1.00	081	ST
737116	SPINDLE:TYP VALVE,MT 1.4571 / 316 TI	1.00	101	ST
643870	DIAPHRAGM,VALVE:MT PTFE	1.00	051	ST
639445	DISC,VALVE:PRESSURE RELIEF	3.00	051	ST
1556974	FILTER:TYP DRY,MICRON 2MICRON,SIZE LG 79	1.00	051	EA
1046829	GSKT-PRE-CUT:SHF IRREGULAR,MTRL VITON,HL	2.00	051	EA
627624	BLOCK,TERMINAL:	7.00	021	ST
591689	SCREW:	4.00	051	ST
619274	SEAL,RING:TYP RADIAL,ID 12MM,OD 28MM,TH	2.00	051	ST
634547	VALVE:TYP THROTTLE	1.00	051	ST
612358	BRG,SLEEVE:TYP SHELL	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1038448	PLUG, VALVE: VALVE SIZE 1-1/2IN	1.00	051	EA
769612	CABLE:TYP SELF REGULATING HEATING	1.00	021	EA
627157	KIT,VALVE REPAIR:TOP HAND WHEEL	2.00	051	ST1
615126	CMPNSTR	1.00	051	ST
588120	SET;SEAL	1.00	081	ST1
626460	KIT-TRMNTN:TYP SOFT PARTS,CMPRSNG COVER	1.00	021	ST
599445	GSKT,SPWD:PTFE,SS 316,APLC CASING	10.00	051	ST
590495	CIRCUIT:TYP ALARM RELAY	1.00	011	ST
642967	GSKT PRE-CUT :PTFE,COVER,DN 100	4.00	051	ST
616686	SWITCH:	2.00	021	ST
604721	FUSE:20A,415VAC,DIA 12 X LG 28MM,FERRULE	38.00	021	ST
615076	UNIT;T-SHAPED,SS 321/SS DIN WN 1.4541	1.00	051	ST
799971	KIT-VLV-RPR;OVERHAULING,BUTTERFLY VALVE	2.00	051	KIT
632162	GSKT,SPWD:6IN,600LB,P#2601-ESO	2.00	051	ST
598866	HUB:SZ DIA 315/175-H6/100-H7 X WD 200	2.00	051	ST
612296	GSKT:CS ASTM A217 GR CF 8	2.00	051	ST
508619	DETECTOR SUPERSEDED BY 563538	4.00	061	EA
910540	SLEEVE,SHAFT:	1.00	051	EA
602574	RING,WEAR:	1.00	081	ST
637036	NUT,LOCK:	1.00	051	ST1
615368	O-RING:	1.00	051	ST
644322	CLAMP:TYP TUBE,SZ WD 20 X THK 2MM	4.00	051	ST
643020	PACKING:PTFE,TYP STUFFING BOX	3.00	051	ST1
929326	SWITCH:TYP AUTOMATIC,CONTRT 2A,DP	10.00	021	EA
595404	DISC:TOOTHED	1.00	051	ST
446567	O-RING: INSIDE DIAMETER 4-1/4IN	4.00	051	EA
588595	FUSE:	3.00	081	ST1
428040	POSITIONER,VALVE:	1.00	051	ST
9101881	REPAIR KIT, MATL: W88 / INCONEL "C" RING	4.00	051	SE
740078	GEAR:	2.00	081	ST
600272	GSKT,RJ:OVAL,R-16,IRON,1IN,PR RT 1500LB	10.00	051	ST
1602506	CLUMN-ANLYS:TYP PACKED,SZ 6 X 1/8IN,STNR	1.00	061	EA
513644	RLY-OVRLD:TYP THERMAL,CNTCT ARNG 1NO-1NC	2.00	051	ST
974287	BREAKER, CIRCUIT: AMPERAGE 11-16A	1.00	011	ST
1580317	SEAT-VLV:TYP RING,VLV TYP GLOBE,VLV SZ 4	1.00	051	EA
644263	ACID IORG,INORGANIC:SILVER NITRATE	2.00	001	BOT
626976	RELAY:COIL 230VAC,3PDT,CONT 10A	2.00	011	ST
585205	FILTER:TYP PERMANENT	3.00	051	ST
1023203	GSKT JKTD:TYP DOUBLE METAL,JACKET MATERI	2.00	051	EA
588479	KIT:TYP HEAD	2.00	081	ST1
616953	METER,ELECTRICAL:TYP AMMETER,RNG 0-300A	1.00	101	ST
610840	DIODE:	2.00	031	ST
596478	STRAINER:	1.00	051	ST
600051	GSKT JKTD:ID 413 X OD 432 X THK 3MM	3.00	051	ST
643195	ROD-END:P/N:149484-004,MNFR:BIN ZAGR,DOC	1.00	051	ST
589004	GLASS,SIGHT:COLOR CLEAR,SHP ROUND	2.00	101	ST
603062	SEAL:TYP GLAND,MT EPDM	1.00	051	ST
630835	RING,RETAINING:TYP SEAL	1.00	051	ST
595629	KEY;PARALLEL	1.00	051	ST
631141	SWITCH,TEMPERATURE:0-90 DEG C	1.00	021	ST
59445	COUPLING, SHAFT: TYP FLEXIBLE	3.00	051	ST
799483	STATION: TYPE START-STOP	1.00	011	ST
609058	CELL,LOAD:	1.00	061	ST
603920	BLOCK,TERMINAL:ELEC TRT 600-800V 20-25A	3.00	021	ST
1233480	SPRING,VALVE:MATL INCONEL X750,VALVE SIZ	2.00	051	EA
580335	PISTON:SZ DIA 3 X LG 1-1/2IN,MT SS	1.00	900	ST
904484	TRANSMITTER:24VAC/DC,APLC VISCOMETER	1.00	061	EA
595254	KIT-CYLNDR-RPR;OIL SEAL,FORKLIFT	2.00	091	ST1
615631	RETAINER:TYP SLEEVE	1.00	051	ST
593165	GSKT PRE-CUT :ID 42.3 X OD 49 X THK 2MM	15.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
609337	GRBX;37.55:1,12-60RPM	1.00	081	ST
616027	TRANSFORMER,INSTRUMENT:CURR RT 1500/5A	2.00	011	ST
578855	FAN:TYP AXIAL COOLING	1.00	081	ST
111775	TERMINAL:	99.00	051	EA
603798	SLEEVE:TYP PLUG VALVE	2.00	051	ST
592876	GSKT-SPRL-WUND;44MM,52MM,3MM,GRAPHITE,SS	2.00	051	ST
617681	SPRING,LEAF:	15.00	051	ST
245870	MODULE:(64) DIGITAL INPUT,I/P 24VDC 0.1A	1.00	031	EA
606489	PIN:DIA 28MM,LG 80MM,STEEL	4.00	051	ST
1525276	LEVER:TYP ARM,MATL EN 1563-GJS-400-15+EN	1.00	091	ASY
582875	TRNSMTR;RAIL,CAPTIVE SCREW,0-10V 4-20MA	1.00	061	ST
631039	RELAY:COIL 24VDC,CONT 5A	4.00	011	ST
122609	SEAL	1.00	051	EA
597792	ELECTRODE:MT COPPER COATED,SZ DIA 1/4IN	2.00	051	KG
628851	WASHER:THRUST	4.00	051	ST
1025165	MODULE: TYP DISPLAY,O/P 4-20MA	6.00	031	EA
616376	BREAKER,CIRCUIT:100A,380VAC,POLE 4	3.00	011	ST
1217202	KIT,VALVE REPAIR:APPL 8IN GATE VALVE,TYP	1.00	051	KIT
591145	CIRCUIT:TYP FIRE ALARM	1.00	011	ST
585582	FILTER,ELEMENT:SS 316,STRAINER SCREEN	1.00	051	ST
611769	UNIT:TYP COVER,APLC CONTROL PANEL	3.00	051	ST
616443	PROTOCOL GILN 130054 R 8823 TYPE PK/MOD	3.00	031	ST
609081	DEVICE:TYP BECON WEATHER PROOF	1.00	021	ST
1226546	RING,WEAR:INSIDE DIAMETER 294MM,MATL AST	1.00	081	EA
819912	SET:TYP SEALING,APLC DRIVING SHAFT	3.00	051	ST
506662	RTR:APL VALVE,P/N:SSAC6UWE,MNFR:VARIAN G	3.00	081	ST
774409	STUD-CNTNUS-THRD;1IN,8 UN,375MM,B7	2.00	051	EA
561764	SPNDL:TYP PRESSURE SAFETY/RELIEF VALVE,M	1.00	101	EA
644096	CHEMICAL:ISOPROPANOL,LIQUID,DRUM,160KG	1,750.00	001	KG
587314	KIT,ACTUATOR REPAIR:TYP SEAL	2.00	061	KIT
642891	SEAL,RING:ID 115MM,THK 3MM	1.00	051	ST
593903	O-RIG;1/16IN,NITRILE RUBBER	8.00	051	ST
600756	GSKT PRE-CUT :	2.00	051	ST
627980	PLUG,VALVE:VLV SZ 2IN,CONTROL,UNS S31600	1.00	051	ST
628974	VALVE,GLOBE:DES RTG 2500LB	4.00	051	ST
957745	GSKT PRE-CUT : MNFR:DRESSER-RAND	9.00	051	ST
809167	KIT-VLV-RPR:TYP REPLACEMENT,APL CONTROL	1.00	051	KIT
604323	CONTACTOR:TYP MAGNETIC,16A AMP,3 POLE,2	2.00	011	ST
632723	PROBE:TYP COMPRESSOR THURST DISPLACEMENT	3.00	061	ST
1081931	FAN: TYP EXHAUST,ELEC RT 230V 50/60HZ	1.00	081	EA
799487	STATION: TYPE START-STOP	1.00	011	ST
578124	KIT;BUSBAR SUPPORT CONNECTOR	1.00	081	ST
1189475	SCREW,CAP:DIAMETER 33MM,LENGTH 63MM,MATL	12.00	051	EA
738746	RAM:TYP VALVE	1.00	061	ST
1088422	MODULE: TYP RACK INTERFACE,INPUT 24VDC	1.00	031	EA
593198	GSKT PRE-CUT :ID 30 X OD 40 X THK 2MM	40.00	051	ST
1005411	NOZZLE, VALVE: VALVE SIZE 8IN	6.00	051	EA
595062	GSKT-PRE-CUT;FLAT RING,ROUND,RUBBER	1.00	051	ST
642832	BRG-BAL;11178,20MM,42MM,12MM,2 SEALS	2.00	051	ST
913299	VALVE:TYP FOOT,VLV SZ 3/4IN	2.00	051	ST
1031952	KIT-ACTUTR-RPR:TYP WEAR PARTS,CMPRSNG SE	2.00	061	KIT
579308	GAUGE,PRESSURE:0-1050MBAR ABS,TEST	1.00	101	ST
609712	KIT,VALVE REPAIR:GLAND PACKING AND SEAT	1.00	051	ST1
915378	MOTOR:180VA 125VDC	1.00	011	ST
628628	RING,LANTERN:APLC BUTTERFLY VALVE	2.00	081	ST
599644	GSKT CAMPRO:TYP SANDWITCH,UNS S31600,3MM	2.00	051	ST
124999	WASHER,LOCK:CS G3101,ID 450CM,OD 500CM	1.00	051	EA
627677	BLOCK,TERMINAL:TERM CAPTIVE SCREW,WIRE	6.00	021	ST
592823	GSKT;9MM,ID 600 X OD 680MM,ROUND,VALVE	1.00	051	ST
898247	BREAKER,CIRCUIT:400A,380-415/500VAC	1.00	011	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
632035	GSKT PRE-CUT :P#2601-GGO,BONNET,3IN	2.00	051	ST
599421	GSKT PRE-CUT :GRAPHOIL P#6633	1.00	051	ST
1003985	PLATE: TYP ORIFICE,SIZE 3IN,MATL SS 316	1.00	131	EA
583632	BARRIER:TYP OUTPUT ANALOG	4.00	121	ST
616808	CONVERTER:TYP PULSE	1.00	061	ST
627355	FUSE:10A,600VAC	3.00	021	ST
616803	DIODE:	1.00	031	ST
961613	GSKT PRE-CUT : SHAP ROUND,TYP RF	2.00	051	EA
583990	BEND:TYP SHORT RADIUS,SZ OD 168.3MM	2.00	131	ST
598335	BRG	4.00	051	ST
599053	PULLEY:TYP FAN,SZ ID 114 X OD 410 X THK	1.00	051	ST
1528627	SWITCH,SELECTOR:TYP LONG BLACK HANDLE,CO	1.00	011	EA
6962	BRG,PLUM BLK:ID 25.4MM,WD 22 X LG 130MM	1.00	051	ST1
578177	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPRSNG OR	2.00	061	ST
603772	CONNECTOR:TYP STRAIGHT SCREW	2.00	051	ST
601817	O-RING:ID 69.49MM,WD 3MM,MT VITON	2.00	051	ST
738665	SHIM:SZ 40 X 50MM,STD DIN 988-ST	2.00	051	ST
596349	MD;MOLECULAR SIEVE	1.00	051	ST
616622	RELAY,TIME DELAY:	2.00	101	ST
918072	CAGE VLV,VALVE:VLV ST GLOBE	1.00	051	ST
598626	BELT,TOOTHED:	2.00	051	ST
615572	BUSH,PUMP:BRONZE BC6/B584,THROTTLE	2.00	081	ST
639629	KIT,VALVE REPAIR:PLUG VALVE,SLEEVE	1.00	051	KIT
961616	GSKT PRE-CUT : MATL VITON	1.00	051	EA
644955	VALVE,GATE:TYP FLEX WEDGE,VLV SZ 4IN	1.00	051	ST
599715	GSKT-PRE-CUT:TYP FF,SZ ID 90 X OD 152 X	2.00	051	ST
1078781	BUSHING: TYP SEALING,P/N:11316765	1.00	051	EA
1228233	ASSEMBLY:TYP BUTT AND WRAP LAMINATION JO	4.00	081	ASY
598282	BRG,ROLL:TYP NEEDLE	2.00	051	ST
594556	SEAL,RING:TYP V SHAPE	1.00	051	ST
585098	ELEMENT:TYP FILTER	2.00	051	ST
590761	SWITCH,TEMPERATURE:	1.00	021	ST
1064399	GSKT PRE-CUT : MATL NON-ASBESTOS	2.00	051	EA
1229693	THYRISTOR:PTNTL 3300V,AMPERAGE 1500A,IND	1.00	031	EA
610769	VALVE,CHECK:VLV SZ 1-1/2IN	1.00	051	ST
144845	SEAT,VALVE:ID 1IN,VLV SZ 1-1/2IN	1.00	051	EA
641410	SWITCH,TEMPERATURE:	1.00	021	ST
586012	HANDWHEEL:	1.00	051	ST
609701	KIT,VALVE REPAIR:PACKING AND SEAT	1.00	051	ST1
601680	O-RING,CORD:	2.00	051	ST
596387	GLAND:TYP CYLINDER	1.00	051	ST
616756	TRANSFORMER,INSTRUMENT:VA RT 30VA	1.00	011	ST
642720	RING:PTFE/KOHLE,TYP SLIDING	8.00	051	ST
628009	PLUG,VALVE:VLV SZ 2IN,CONTROL,SS 316L GR	1.00	051	ST
9102180	BEARING,ROLLER;23224-CACW33;(79-01-0481)	1.00	051	EA
629555	TRANSMITTER,LEVEL:O/P 4-20MA DC	1.00	900	ST
69018	GSKT PRE-CUT :38 X 48MM	8.00	051	ST
612020	ANVIL:TYP PREPARATION POSITION	2.00	101	ST
592819	GSKT-CMPRFL;185MM,222MM,SS,GRAPHITE	1.00	051	ST
9101668	KIT, (USE 7019755/7018774); FOR 8133-K01	3.00	051	SE
53122	DIAPHRAGM,ACTUATOR:SZ DIA 381 X HT 38MM	4.00	011	ST
902340	CABLE,COMMUNICATIONS:TYP V-NET	1.00	031	EA
799218	MODULE:DISCRETE OUTPUT,O/P 24VDC 0.1A	2.00	031	ST
653171	BELLOWS:MT RUBBER	1.00	051	EA
643018	PACKING:PTFE,TYP STUFFING BOX	4.00	051	ST1
602596	RING,WEAR:	2.00	081	ST
631590	STUD,D/END:DIA-A M12,DIA-B M12,LG 120MM	24.00	051	ST
623041	SWITCH,SELECTOR:2	2.00	021	ST
1505158	SEAT,VALVE:TYP RING,VALVE TYPE GATE VALV	1.00	051	EA
609667	MEMBRANE:MT PTFE	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1035119	DETECTOR, LEAK: TYP INFRARED POINT	1.00	061	EA
580280	CYLINDER,ACTUATING LINEAR:TYP AIR,SINGL	5.00	061	ST
1078959	KIT: TYP STEM SOFT GOODS,STD ASTM	3.00	081	KIT
602077	PACKING:NBR,U	7.00	051	ST
533897	TRANSCEIVER:TYP OPTICAL	2.00	031	EA
536871	RING,BACK-UP:ID 1IN,MT FKM	1.00	051	EA
628536	FUSE:6.25A,18-32VDC,LG 30MM,FERRULE	2.00	021	ST
584370	INDICATOR:TYP POSITION,CONN SOLDER	8.00	061	ST
577843	MOTOR,GEARED:	1.00	011	ST
642570	SLEEVE:B62-C83600	1.00	051	ST
593700	O-RING:WD 7MM,MT NBR	2.00	051	ST
905131	CIRCUIT:TYP (2) CHANNEL ANALOG INPUT BBF	1.00	011	EA
588395	FLTR-ELMNT	1.00	051	ST1
642433	CONE:MT SS DIN WN 1.4021 GR X20CR13	1.00	051	ST
868746	CHEMICAL:INDANE,INDANE OEKANAL	1.00	001	BOT
450536	PIPE:SZ 4IN,LG 6000MM,SCHD 40S	30.00	131	M
1199853	WIRE, LOCK: MATL 1.4430	2.00	121	EA
577352	CYLINDER:TYP HYDRAULIC POWER,APPLN ROTAR	1.00	061	ST
584781	DIAPHRAGM:MT HASTELLOY C/B336	3.00	051	ST
602562	RING, WEAR: APPL IMPELLER,DOC:S8/9634388	1.00	081	ST
1037155	SWITCH, PRESSURE: RANGE 294-1000PSI	1.00	061	EA
550290	STATION:TYP PUSHBUTTON	1.00	061	EA
337030	BRG,BALL:IBI 15227,ID 110MM,OD 170MM	1.00	051	ST
596507	DIAPHRAGM:SZ DIA 50MM,MT NEOPRENE RUBBER	5.00	051	ST
727048	BRKR-CRCUT:AM 10A,PL 1,TYP MINIATURE,P/N	2.00	011	EA
579416	MBRN;DIAPHRAGM,VITON	1.00	051	ST
600522	GSKT-PRE-CUT;ROUND	3.00	051	ST
593161	GSKT PRE-CUT :ID 60 X OD 68 X THK 2MM	22.00	051	ST
587886	KIT-VLV-RPR;SERVICE,BALL VALVE	1.00	051	KIT
591004	TRANSFORMER,INSTRUMENT:CURR RT 100/5A	4.00	011	ST
623925	GSKT:SEALING PLUG,STEEL	1.00	051	ST
1227159	SLEEVE,SHAFT:INSIDE DIAMETER 59MM,OUTSID	2.00	051	EA
1052166	MAGNET: TYP TRUCK LOCKING	1.00	061	EA
963512	SOLUTION: TYP BUFFER,P/N:YS-06796-38	1.00	001	PAK
602543	RING:TYP STUFFING BOX,MT EPOXY RESIN,AP	1.00	051	ST
643642	BELT,V:	1.00	051	ST
1076200	ASSEMBLY:TYP TRANSDUCER,APPL HART TRANSM	3.00	081	ASY
599766	GSKT,SPWD:SS 316	1.00	051	ST
601658	O-RING:MT VITON	1.00	051	ST
642907	O-RING:APLC UPPER SHAFT	10.00	051	ST
580655	BOX,ELECTRICAL:TYP JUNCTION	2.00	021	ST
585111	FILTER,OIL:APLC GENSET	12.00	051	ST
609613	ROD:TYP TIE,APLC DOSING PUMP SUSPENSION	1.00	131	ST
631574	WASHER,PRESSURE CLEANING:PRESSURE	3.00	051	ST1
644767	GSKT PRE-CUT :ID 142 X OD 220 X THK 2MM	2.00	051	ST
578503	PACKING:TYP GLAND	1.00	051	ST1
592751	GSKT PRE-CUT :THK 2MM	6.00	051	ST
612373	RING,RETAINING:TYP STEADY BEARING	1.00	051	ST
595890	MTR;ELAPSED TIME,0-999999HR,DIGITAL	1.00	101	ST
600401	GSKT:	1.00	051	ST
634599	KIT;DAMPNER RETROFIT	1.00	081	ST
998491	COUPLER: TYP QUICK STEM,MATL SS	19.00	051	EA
585206	FILTER:TYP PERMANENT	5.00	051	ST
625414	SWTCH-SLCTR;AMMETER,4,THUMB KNOB	2.00	021	ST
596479	AGTR;BASKET	1.00	081	ST
626700	RELAY:COIL 220V,TYP CONTACTOR CONTROL	5.00	011	ST
587521	KIT-VLV-RPR:TYP SOFT PART,APL BUTTERFLY	1.00	051	ST1
9101912	RELAY, VERI-SYNC TYPE PRS-250, 65-140 VA	1.00	051	ST
595218	GSKT PRE-CUT :KLINGERSIL C-4400,ROUND	2.00	051	ST
607676	COUPLING,SHAFT:N-EUPEX H FLEXIBLE	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1596652	SPRG-VLV:MTRL SS ASTM A313 GR 316,VLV SZ	1.00	051	EA
592529	GSKT:ID 865 X OD 910 X THK 6MM,DOOR	2.00	051	ST
1213113	KIT-VLV-RPR:TYP SPARE PARTS,APL MULTIVIB	1.00	051	KIT
1030006	FILTER, ELEMENT: MATL CELLULOSE,TYP AIR	1.00	051	EA
771876	SEAT,VALVE:VLV SZ 24 X 24IN,PSV	2.00	051	ST
592427	GSKT;1.2MM,ID 14 X OD 20MM,CU,ROUND	6.00	051	ST
588322	KIT-ACTUTR-RPR;KIT, ACTUATOR REPAIR	1.00	061	ST1
617767	SWTCH-SLCTR;(2) SPST,2NO,3,THUMB KNOB	1.00	021	ST
920237	NEEDLE SUPERSEDED BY 7276460	15.00	101	BOX
599112	PULLEY,V-BELT:SPB,GROOVE 6,DIA 280MM	1.00	051	ST
590949	TRANSFORMER,INSTRUMENT:VA RT 7.5VA	1.00	011	ST
608530	RING,WEAR:SS ASTM A276 TP 420	1.00	081	ST
786836	STEM,VALVE:VLV ST ANGLE CONTROL	2.00	051	EA
625367	CUT-OUT-THRML;AUTO RESET,30°C	1.00	061	ST
642932	PACKING:ALCHEM,TYP STUFFING BOX	6.00	051	ST1
1040231	BUSHING: TYP SEALING,P/N:11316764	1.00	051	ST
616693	RELAY:COIL 230VAC 60HZ,SPDT,CONT 10A	2.00	011	ST
596575	DISC-VLV;ID 35 OD 48 X THK 5MM,PTFE	2.00	051	ST
587317	GSKT PRE-CUT :KLINGERSIL C-4400,ROUND	1.00	051	ST1
591935	BUSH,VALVE:ACETAL	1.00	051	ST
1022676	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	2.00	051	EA
588133	PACKING:GRAPHITE	1.00	051	ST1
586652	BELT-V;2475MM,12.7MM,10MM,2493MM	1.00	051	ST
132559	KEY-SHFT;SQUARE END,CS	2.00	051	EA
901575	RELEAS VLTG,RELEAS VLTG:	1.00	011	EA
114887	GSKT,SPWD:GRAPHITE TAPE/T#1806-GR,SS 304	1.00	051	EA
9101947	GASKET,SHEET,HIGH TEMPERATURE ASB; 1MX1M	5.00	051	ST
585148	FLTR-ELMNT;S-2K150,LG 150MM,CERAMIC	4.00	051	ST
913301	RTR:TYP INNER,APL CAUSTIC UNLOADING PUMP	1.00	081	ST
635667	PACKING:CARBON,SQUARE,TYP GLAND	1.00	051	ST1
1075609	GSKT CAMPRO: INSIDE DIAMETER 1344.6MM	4.00	051	EA
602404	PACKING:DIA 8MM,PTFE,ROUND	2.00	051	ST1
595344	GSKT PRE-CUT :PTFE,ROUND,SEAL	2.00	051	ST1
1576759	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPRSNG OR	1.00	061	KIT
584405	SCALE:TYP AMMETER FRONT PLATE	2.00	051	ST
609728	KIT,VALVE REPAIR:GLAND PACKING AND SEAT	1.00	051	ST1
629185	NOZZLE,VALVE:MT SS ASTM A276 GR 304	1.00	900	ST
619294	SEAT,VALVE:ID 41MM,OD 47.3MM,THK 115MM	1.00	051	ST
585191	FILTER,ELEMENT:RETURN	1.00	051	ST
612795	HOLDER,LAMP:	2.00	021	ST
599546	GSKT,SPWD:12IN,150LB,T#1836-GR-SS	3.00	051	ST
642746	RING:PTFE/TFM 4220,TYP ANTISTATIC	8.00	051	ST
634366	SNSR-CNDUCTVTY;0.01005CM,SS 316	1.00	011	ST
602913	RING:	1.00	051	ST
998957	PLUG: TYP BRAKE,APPL SEPARATOR,P/N:14462	1.00	051	ST
9102239	SLEEVE, RETAINING 106MM ID X 116MM OD X	10.00	051	ST
636123	ELEMENT,HEATER:TYP ANNULAR	1.00	011	ST
585204	FILTER,AIR:APLC AIR CONDITIONING UNIT	1.00	051	ST
758588	NUT,LOCK:DIA 45MM,SS DIN WN 1.4021	1.00	051	ST
906085	ASSEMBLY: TYP SWITCH BOX,MNFR:FLOWSERVE	2.00	081	EA
615945	GSKT PRE-CUT :THK 0.2MM,PAPER	1.00	051	ST
398527	O-RIG;25MM,2.5MM,RUBBER	1.00	051	ST
179186	CUPLG	1.00	051	EA
608824	OIL,IND:DRUM 208L	208.00	001	L
717010	O-RING:APLC STROKE ADJUSTING SCREW	1.00	051	EA
595452	PAPER:TYP Z-FOLDED,SZ WD 52 X LG 230MM	2.00	051	BX
601242	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	4.00	051	ST
984410	PLATE, HEAT EXCHANGER: TYP PRESSURE	2.00	081	ST
612390	VALVE,RELIEF:TYP PRESSURE,BDY MATL METAL	1.00	051	ST
1234623	SPRING,VALVE:MATL CHROME STEEL,VALVE SIZ	1.00	051	ASY

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
581068	SCKT-ELECT;FEMALE INSERT,250VAC 10A	1.00	021	ST
587979	PAD,BEARING:TYP THRUST	1.00	051	ST1
288183	MODULE:ELECTRONIC INSERT,TRANSMITTER	1.00	081	ST1
644502	ELBOW,PIPE:SZ ID 1-1/2IN,SS ASTM A182,45	1.00	051	ST
675986	BUSHING,ELECTRICAL CONDUCTOR:	1.00	021	EA
614625	SLEEVE,COUPLING:	2.00	051	ST1
620159	FILTER,OIL:1IN,DUPLEX,PR 150LB	1.00	051	ST
604732	FUSE:250A,LG 82MM,SCREW CLAMP,TIME DELAY	11.00	021	ST
592131	GSKT PRE-CUT :GRAPHITE/MONEL,ROUND	6.00	051	ST
596708	FILTER,AIR:SQ 610MM,SHP SQUARE	15.00	051	ST
642408	SEAL:FLEX-O-FORM-S	4.00	051	ST
640612	GOVERNOR:TYP DIGITAL	2.00	081	ST
636609	GSKT:ID 172 X OD 206MM,THK 3.2MM,ROUND	1.00	051	ST
606699	SCREW,CAP:M10 DIA,110MM LG,HEX SOCKET	12.00	051	ST
631153	GSKT PRE-CUT :ROUND	2.00	051	ST
602226	PACKING:	1.00	051	ST1
644161	CHEMICAL:METHANOL,LIQUID,DRUM,25L	832.00	001	L
591638	SCREW:M8 DIA,12MM LG,STEEL,FLAT,THD	2.00	051	ST
453059	DTCTR;SENSOR	1.00	101	EA
587874	KIT-VLV-RPR;SOFT PARTS,O RING/SPRING	1.00	051	KIT
654873	BREAKER,CIRCUIT:4A,400VAC,CAP 6KA,2P	15.00	011	EA
643260	SCREW,SET:	2.00	051	ST
605521	SWITCH,PROXIMITY:INDUCTIVE	1.00	011	ST
632814	ASSEMBLY:TYP PLUG/STEM	1.00	051	ST1
627042	LAMP,INCANDESCENT:TYP PILOT MINIATURE,WA	10.00	021	ST
578832	COMPOUND,SEALING:TYP PVC CEMENT	5.00	001	CA
619510	GSKT:	4.00	051	ST
619669	BLADDER,ACCUMULATOR:	1.00	081	ST
589788	THERMOCOUPLE:TYP K,INS DIA 4.8MM,DESLG	2.00	061	ST
592880	GSKT PRE-CUT :	2.00	051	ST
589000	WINDOW,SIGHT:MT GLASS	1.00	131	ST
1065062	RIG:TYP SEAT,MTRL 316-A,SZ ID 54 X OD 78	3.00	051	EA
628015	PLUG,VALVE:VLV SZ 4IN,CONTROL,PTFE/SS	1.00	051	ST
767502	BREAKER,CIRCUIT:2A,230/400VAC	1.00	011	ST
277743	CUPLG-SHFT:TYP RIGID FLEXIBLE,BR 5/8 X 3	1.00	051	EA
1017775	BAFFLE: TYP DRIVE END,P/N:1000157918	1.00	081	EA
1602376	FLG-PIPE:TYP RAISED FACE; SERRATED FINIS	6.00	131	EA
631652	WSHR-LOCK;BELLEVILLE SPRING	5.00	051	ST1
643660	WASHER:CLUTCH SEPARATOR	1.00	051	ST
614456	STUD CNTNS THD:LG 440MM,MTRL AS ASTM A19	43.00	051	ST
642490	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
858062	SHIM:MT SS 304	2.00	051	ST
584551	GUIDE:TYP ROPE	1.00	091	ST
1022977	INTERFACE: TYP ETHERNET,P/N:NPORT5130	1.00	061	EA
592294	BLADE,FAN:SZ DIA 144IN	1.00	011	ST
602544	RING:MONEL,TYP TOLERANCE	8.00	051	ST
1198856	FITTING, OUTLET: TYP SOCKOLET	5.00	051	EA
636833	COUPLING:MT AL	1.00	051	ST1
724595	FUSE:2A,DIA 10.3 X LG 38MM	12.00	051	EA
459180	TUBE,METERING:	1.00	051	EA
582290	FUSE:10A	2.00	021	ST
595281	CRCUT;LUMINANCE SEALING	1.00	011	ST
261181	CNTCT-AUXLRY:TYP CIRCUIT BREAKER,CNTCT A	3.00	011	EA
9102093	ROD,BRASS BRAZING,3.2 MMDIA (DISPOSE O	10.00	051	KG
642235	SENSOR:MOUNT PIPE	1.00	011	ST
1617027	TRNSFRMR-CURNT:PTNTL 10VA,CURNT RT 100/1	1.00	051	EA
624937	TERMINAL:TYP STRIP	3.00	021	ST
587336	KIT,ACTUATOR REPAIR:TYP SEAL	1.00	061	ST
625426	SWTCH-PUSH;400VAC 10(6)A,SPST,1NO,BLACK	2.00	021	ST
644928	GSKT:SERRATED,ROUND,HOLES WITHOUT	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
608415	CLVS;FORK HEAD,AL	2.00	051	ST
626842	D;BLOCKING,125-1200A	7.00	031	ST
600122	GSKT,SPWD:GRAFOIL,IRID 849.5MM,SS 316	4.00	051	ST
587736	KIT,VALVE REPAIR:SEAL	1.00	051	ST
1054155	DVC;RELEASING,ELECTRICAL HOIST	1.00	081	EA
594651	SEAL,RING:	4.00	051	ST
583056	LIGHT,INDICATING:COLOR GREEN	2.00	021	ST
601583	O-RING:MT NBR,APLC FOLLOWER PLATE	2.00	051	ST
630871	OPERATOR,SWITCH:TYP PUSHBUTTON STOP	3.00	011	ST
619640	RING,LANTERN:	2.00	081	ST
604604	FUSE:4A,250/550VAC; 250VDC,OFFSET	64.00	021	ST
620324	BOLT:8MM,82MM	6.00	051	ST
629298	IMPELLER,PUMP:TYP CLOSED,INLET SINGLE	1.00	081	ST
608356	LEVEL:TYP AIR SPIRIT,SZ 20MM X 1M X 51MM	1.00	101	ST
624292	SEAL,RING:	1.00	051	ST
589394	BREAKER,CIRCUIT:175A,220/600VAC; 250VDC	1.00	011	ST
601587	O-RING:APLC STUFFING BOX	2.00	051	ST
590666	SWITCH,LIMIT:1NO/1NC	28.00	061	ST
638421	RING:TYP MALE ADJUSTING	2.00	051	ST
800800	GSKT,SPWD:3IN,600LB,GRAPHITE,SS 316	1.00	051	ST
642959	GSKT PRE-CUT :PTFE,COVER,DN 65	6.00	051	ST
591979	BUSH,PUMP:CI ASTM A536,THROTTLE	1.00	081	ST
1029723	RING: SIZE 10IN,P/N:3KRA10102751	1.00	051	EA
9101647	ASSEMBLY, CYLINDER SUB; BREAK MASTER; FO	1.00	051	ST
1042515	TRNSFRMR-INST:TYP CURRENT,CURNT RTNG 125	1.00	011	EA
601034	GSKT-PRE-CUT;4IN,RUBBER	2.00	051	ST
604453	BLOCK,CONTACT:	30.00	021	ST
585036	DISC,VALVE:SS ASTM A276,304,RELIEF	1.00	051	ST
599153	RLR;PAINT,DIA 1/4 X LG 7IN	6.00	091	ST
578874	FAN:	2.00	081	ST
610481	STUD,D/END:DIA-A M27,DIA-B M27,LG 127MM	16.00	051	ST
584465	METER,FLOW:	1.00	101	ST
623662	BASE,FUSE:FERRULE,AMP 25A	2.00	021	ST
598521	BELT,V:IN CIRC 932MM,OC 950MM	4.00	051	ST
617422	SET:TYP ROTOR	1.00	081	ST1
612660	GUARD:	2.00	121	ST
643231	SLINGER:TYP OIL	1.00	101	ST
579020	COMPENSATOR:	5.00	051	ST
587904	KIT,VALVE REPAIR:GASKET AND PACKING	1.00	051	KIT
673298	HLDR-FUSE:AM 20A,VLTG 660V,P/N:RS20,MNFR	1.00	091	EA
585474	SPRING,COMPRESSION:STEEL	3.00	051	ST
637029	VALVE,RELIEF:TYP SAFETY	1.00	051	ST
578847	FAN:TYP RADIAL	1.00	081	ST
737204	KIT,SEAL:APLC MECHANICAL SEAL	1.00	051	KIT
1557166	CAPACITOR,LINE:KVAR RATING 300,ELEC RT 4	1.00	031	KIT
605171	RELAY:COIL 110VDC,4PST,CONT 600VAC 10A	3.00	011	ST
627963	PLUG,VALVE:VLV SZ 1IN,CONTROL,SS 316	1.00	051	ST
426399	FLTR-ELMNT:TYP ANALYZER,MTRL SS 316,FLTR	1.00	051	ST
196211	GSKT PRE-CUT :ID 273 X OD 362 X THK 3MM	3.00	051	ST
587890	KIT,VALVE REPAIR:BALL VALVE,SEAT SEAL	1.00	051	KIT
600410	GSKT:	1.00	051	ST
598981	MTR-GRD;0.75KW,230/400VAC 3.65/2.1A 60HZ	1.00	900	ST
602962	SEAL,OIL:ID 145MM,MT NBR	2.00	051	ST
612329	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,THRD 1	9.00	051	ST
628657	SEAT,VALVE:VLV SZ 12IN,GATE,AS ASTM A182	2.00	051	ST
1087669	KIT, VALVE REPAIR: TYP GASKET,P/N:K2506P	1.00	051	KIT
631260	TRANSMITTER,DIFF.PRESS.:	1.00	061	ST
603559	CLAMP,HOSE:SZ DIA 45MM	2.00	051	ST
1034820	GSKT,SPWD:TYP BASIC WITH OUTER RING,FILL	2.00	051	EA
898238	BREAKER,CIRCUIT:0.22-0.32A,690VAC	1.00	011	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1010347	KIT, SEAL: APPL CATHODIC PROTECTION	2.00	051	KIT
984409	PLATE, HEAT EXCHANGER: TYP PRESSURE	2.00	081	ST
417571	KIT:TYP REPAIR,APLC TANK LEVEL GAUGE	1.00	051	ST1
714941	RING:TYP SPOOL LOCK	1.00	061	EA
591173	INTERFACE:	10.00	011	ST
616631	METER,ELECTRICAL:TYP AMMETER,RNG 0-2.5A	2.00	101	ST
589952	FUSE:25A,DIA 14 X LG 51MM	30.00	021	ST
642738	RING:TYP STUFFING BOX	7.00	051	ST1
627358	METER,ELECTRICAL:TYP AMMETER,RNG 0-20A	1.00	101	ST
737104	RLY-CNTRL:TYP EARTH FAULT,APL UPS,P/N:45	1.00	031	ST
508287	WIRE-WLDG:TYP FILLER,DIA 2.4MM,STD AWS A	10.00	051	KG
643738	BRG,ROLL:	1.00	051	ST
597090	SPRING,VALVE:MATL STEEL,OVERALL LENGTH 8	2.00	051	ST1
580146	BREAKER,CIRCUIT:10A,240-415VAC	1.00	011	ST
143271	RTNR:TYP DISC,MTRL SS,P/N:1V7108 35072,M	3.00	051	EA
581968	TUBING,METALLIC:MT SS 316,OD 12MM,STRUC	38.00	131	M
592895	GSKT-SPRL-WUND;BASIC,132MM,160MM,5MM,SS	2.00	051	ST
612084	DIAPHRAGM,VALVE:SZ DIA 290MM	3.00	061	ST
642926	PACKING:ALCHEM,TYP STUFFING BOX	6.00	051	ST1
1380471	BODY:TYP GAS LENS COLLET; LARGE,SIZE 3/3	15.00	051	EA
615956	KIT:APLC NITROGEN PLANT PACKAGE	2.00	081	ST
635546	O-RING:MT FKM	4.00	051	ST
578200	KIT-VLV-RPR:TYP SOFT PART,CMPSNG GASKET	1.00	051	ST
620393	BOLT:SS ASTM A564,RETAINER,GR 630	8.00	051	ST
578439	SET:TYP ROTOR BLADE	2.00	101	ST1
1065068	PLUG-VLV:VLV STYL LINEAR,VLV SZ DN25,DIA	1.00	051	EA
644716	GSKT PRE-CUT :THK 1/16IN,ASBESTOS,ROUND	3.00	051	ST
537617	RELAY,OVERLOAD:2.5-4A,1NO-1NC,THERMAL	1.00	011	EA
901576	RELEASE:	1.00	011	EA
615055	RDUCR-PIPE;14 X 12IN,BW,CONCENTRIC	1.00	051	ST
1078816	O-RING: INSIDE DIAMETER 92MM,WIDTH 3MM	2.00	051	EA
635500	WASHER:PTFE,THRUST	2.00	051	ST
583752	KIT:TYP UNIVERSAL HI WAY INTER FACE	1.00	011	ST
578078	KIT-VLV-RPR:TYP SOFT PARTS,CMPSNG GASKE	1.00	051	ST1
432230	REACTOR, OUTPUT FOR SIMOVERT MASTERDRIVE	1.00	011	ST
599425	GSKT-SPRL-WUND;GRAPHITE/V#6592-GGZ,ROUND	1.00	051	ST
595226	SEAL,MECHANICAL:43MM,UNBALANCED	1.00	051	ST1
1090104	TRNSMTR-DFRNTL-PRSUR:TYP SMART,SUPPLY 24V	1.00	061	EA
604956	HEATER,IMMERSION:SZ DIA 1/2 X LG 5IN,VO	1.00	011	ST
642472	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
596425	RING:TYP BOTTOM PACKING	1.00	051	ST
584446	METER,ELECTRICAL SERVICE:TYP WATT HOUR	1.00	900	ST
629517	GSKT PRE-CUT :V#6500,CUSHION	4.00	051	ST
913296	PUMP,ROTARY:TYP GEAR,CAP 5.3GPM	1.00	081	ASY
600971	KIT-SEAL:TYP SOFT PARTS,CMPSNG QTY PACKI	1.00	051	ST
1059171	ELEMENT: TYP MIXING,MATL 1.4581,P/N:NA	2.00	051	EA
643746	BRG-BAL;11178,20MM,42MM,12MM,2 SEALS	1.00	051	ST
1087876	RING, WEAR: INSIDE DIAMETER 245MM	1.00	081	EA
999108	COLUMN,ANALYSIS:TYP PACKED,MATL MOLSIEVE	1.00	061	ASY
593135	GSKT,SPWD:SHP ROUND,BASIC,FILL THK 3MM	1.00	051	ST
643028	GSKT,SPWD:3/4IN,GRAPHITE,SS 316	13.00	051	ST
614254	STUD CNTNS THD:DIA 1-7/8IN,LG 438MM,MTRL	5.00	051	ST
800777	GSKT,SPWD:2IN,600LB,GRAPHITE,SS 316	1.00	051	ST
590897	SWITCH,PRESSURE:TYP OIL	1.00	061	ST
15116	BLOCK,TERMINAL:ELEC TRT 380VAC	1.00	051	ST
583178	LIGHT:TYP ELECTRONIC STROBE	1.00	021	ST
1065071	PLUG-VLV:VLV STYL LINEAR,VLV SZ DN100,DI	1.00	051	EA
593452	GSKT PRE-CUT :ID 62 X OD 106 X THK 4MM	2.00	051	ST
610634	TRNSFRMR;VARIABLE,240V AC,SINGLE,24V	2.00	011	ST
586784	MOTOR,ELECTRIC:1/3HP,200-230VAC,1075RPM	1.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1613249	RIG-RTNG:SZ ID 2IN,TYP SNAP,MTRL CARBON	1.00	051	EA
590067	FUSE:5A	5.00	021	ST
580845	PLT-WAL	16.00	021	ST
604774	FUSE;ULTRA FAST BLOW,3.15A,250V AC	10.00	021	ST
588763	KIT-VLV-RPR:TYP SOFT PARTS,APL GLOBE AND	1.00	051	ST1
648257	PLUG,VALVE:	1.00	051	EA
900899	CONTACTOR:TYP MAGNETIC,POLE 3	1.00	011	EA
619944	GSKT,SPWD:GRAPHITE/V#6596,SS 316	4.00	051	ST
630855	GLASS,SIGHT:	1.00	061	ST
643137	GSKT,SPWD:2IN,GRAPHITE,SS 316	1.00	051	ST
586789	MOTOR,ELECTRIC:PWR RT 0.5HP,ELEC RT 220/	1.00	011	ST
1024106	SET: APPL VALVE,P/N:H069520	1.00	081	SE
1039866	RING, WEAR: INSIDE DIAMETER 135MM	2.00	081	ST
601408	O-RING:MT PTFE,APLC SLEEVE	4.00	051	ST
634305	GSKT,SPWD:900LB,GRAPHITE	3.00	051	ST
1001712	SEAL-RIG;6MM,2MM,NBR,MOTOR	5.00	051	EA
580213	CYLNDR-ACTUTG-LNR;PNEUMATIC	2.00	061	ST
601376	O-RING:MT NBR,APLC CCR REGENERATION ISO	2.00	051	ST
771771	PACKING:0.75IN,SS 316	1.00	111	EA
598175	BRG,ROLL:ID 80MM,OD 140MM,WD 33MM	2.00	051	ST
642883	SEAL:	1.00	051	ST
632987	BRG:MT SS/PTFE COATED	2.00	051	ST1
610419	BOLT,MACH:M16,LG 65MM,GS,2MM,GR 4.6	6.00	051	ST
579178	RTD:TYP PT100,WIRE 3	1.00	101	ST
605882	CPCTR;FIXED,220MICRO F,16V DC,20	15.00	031	ST
609607	GUIDE:TYP BUSH	2.00	091	ST
912493	SWITCH, PRESSURE: RANGE 0.07-4BAR	1.00	061	EA
472474	O-RING:ID 41.7MM,WD 3.5MM,MT NBR	4.00	051	EA
597123	SPRING:SS DIN WN 1.4310,TYP BELLEVILLE	10.00	051	ST
1022981	BOARD: TYP I/O BACK PLANE,P/N:1085-306	2.00	051	EA
984408	PLATE, HEAT EXCHANGER: TYP PRESSURE	2.00	081	ST
632594	CRCUT;FILTER CONTROL	1.00	011	ST
639418	SPRING,VALVE:AS ASTM A29 GR 5155	1.00	051	ST
1588486	BOLT-ASMBLY:NMNL DIA M20,LG 55MM,MTRL AS	12.00	051	ASY
583115	LIGHT,INDICATING:TYP PILOT,VOLT 250V	2.00	021	ST1
619598	RING:	1.00	051	ST
585914	VALVE,SOLENOID:ELEC TRT 220VAC	1.00	051	ST
1015072	GSKT JKTD:TYP DOUBLE JACKET,STYL ROUND,J	1.00	051	EA
596121	HANDLE:SZ DIA 27 X LG 53MM,MT PLASTIC	1.00	101	ST
640666	GSKT:	2.00	051	ST
949976	VALVE,CHECK:TYP SWING,VLV SZ 2IN	1.00	051	EA
1586561	KIT-VLV-RPR:TYP MAINTENANCE,APL 6IN CL	1.00	051	KIT
612533	NUT,LOCK:	1.00	051	ST
611273	POWER SUPPLY:I/P 230VAC,OP VOLT 24VDC	1.00	021	ST
579671	TRANSMITTER:	1.00	011	ST
641265	KIT-VLV-RPR:TYP SOFT PART,APL GULDE (STY	1.00	051	ST1
617115	MODULE:ELECTRONICS	2.00	031	ST
587469	KIT-VLV-RPR:TYP SOFT PAT,APL WAFER CHECK	1.00	051	ST
632829	FLOAT:MT SS 316	1.00	061	ST
602195	PACKING:SHF H-SHAPED ROUND,MT BUNA-N	1.00	051	ST
610669	PULY-V-BELT	2.00	051	ST
1040360	CONTACTOR: TYP MOTOR CONTROL,POLE 3	1.00	011	EA
598361	BEARING,BALL:	1.00	051	ST
1038021	VALVE, RELIEF: VALVE SIZE 3IN	1.00	051	EA
615815	GSKT:APL INSPECTION COVER,P/N:AAP1403132	1.00	051	ST
591263	BOLT-MCHN:HD HEX,DOC:4-1	6.00	051	ST
641807	MODULE:AMPLIFIER	1.00	031	ST
597796	ELECTRODE,WELDING:E6-UM-60	2.00	051	PAK
605501	SWITCH,TOGGLE:120-277VAC 20A,SPST,ON-OFF	19.00	021	ST
612227	SWTCH-LVL;250VAC/DC 1A/40VA,CE	1.00	061	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
294656	OIL: TYP HYDRAULIC,CTNR DRUM 208L	208.00	001	L
951725	STUD: DIAMETER M12MM,LENGTH 30MM	8.00	051	EA
617090	TRNSMTR-PRSUR:RNG 0-250IN WC,TYP SMART E	1.00	061	ST
638186	WASHER,LOCK:	1.00	051	ST
1022533	METER, FLOW: TYP METAL,MATL SS	1.00	101	EA
877051	BLOCK,TERMINAL:ELEC TRT 600V 50A	10.00	051	EA
627962	PLUG,VALVE:VLV SZ 1IN,CONTROL	1.00	051	ST
805382	LAMP-INCNDSCNT;INDICATOR,28V,CLEAR	85.00	021	ST
624080	HOLDER,FUSE:FUSE DIA 10 X LG 38MM	3.00	021	ST
579196	GAUGE,DIFF.PRESS.: -10 TO 65BAR,150MM	1.00	061	ST
577428	DISC:TYP EXTERNAL HARD DRIVE	1.00	141	ST
602981	SEAL,OIL:MT NBR	4.00	051	ST
592893	GSKT-SPRL-WUND;BASIC WITH OUTER RING,SS	2.00	051	ST
579132	CNVRTR-SGNL;CURRENT-VOLTAGE,4-20MA	1.00	061	ST
432232	REACTOR, OUTPUT FOR SIMOVERT MASTERDRIVE	1.00	011	ST
9101847	REPAIR KIT	1.00	051	ST
1058105	MODULE: INPUT 24VDC,PWR SRC 850MA	1.00	031	EA
618152	BOARD,TERMINAL:	2.00	021	ST
610584	FUSE:CONTROL	1.00	021	ST
1038200	RING:TYP SPIRAL JOINT,MATL NON ASBESTOS,	1.00	051	ST
590546	SLND;3/2 WAY	1.00	011	ST
608630	GSKT PRE-CUT :	1.00	051	ST
592483	GSKT-PRE-CUT;COVER,ROUND	1.00	051	ST
376178	BRG,THRUST:NEEDLE ROLLER,ID 35MM,OD 52MM	1.00	051	ST
608891	PIPETTE:TYP GRADUATED,CAP 2ML,MT	6.00	071	ST
612532	FIXTURE:TYP INDUSTRIAL LIGHT	3.00	021	ST
590155	FUSE;1A,32V,PLASTIC ENCAPSULATED,BLADE	2.00	021	ST
620826	SEAL,RING:MT SYNTHETIC RUBBER,TYP V	2.00	051	ST
634396	MANIFOLD,VALVE:ST 5 VALVE	1.00	051	ST
619277	SEAL,RING:	1.00	051	ST1
620320	COUPLING,SHAFT:RIGID FLEXIBLE	1.00	051	ST
620637	SEAL,RING:MT SYNTHETIC RUBBER,TYP V	3.00	051	ST
1204990	GSKT PRE-CUT :TYP FLAT,SIZE ID 80 X OD 1	1.00	051	EA
599549	GSKT,SPWD:8IN,300LB,T#1836-GR-SS	4.00	051	ST
628043	PIN:DIA 4IN,UNS S31603,PLUG STEM	5.00	051	ST
586465	BRG-BAL;13285,45MM,120MM,29MM,OPEN	2.00	051	ST
1551555	BRG:TYP NDE,SZ WD 25MM,ROW SINGLE,APL SL	3.00	051	EA
601373	O-RING:MT NBR	2.00	051	ST
611041	SLINGER: TYP OIL,P/N:E8203209-1	1.00	101	ST
706532	BLWS:TYP STEM,MTRL NEOPRENE RUBBER,SZ 10	17.00	051	EA
638116	GSKT:1.30 X 10IN,THK 0.062IN,RECTANGULAR	2.00	051	ST
615671	RETAINER:TYP SLEEVE	1.00	051	ST
1025064	TRANSMITTER, LEVEL: RANGE 15-22MM	1.00	061	EA
584500	BASE,FUSE:TERM SCREW	2.00	021	ST
609160	UNIT:TYP EXCHANGE,APLC POTENTIOGRAPH	1.00	051	ST
582434	DETECTOR:TYP SMOKE IONIZATION	1.00	121	ST
591978	BUSH,PUMP:CI ASTM A536,THROTTLE (T)	1.00	081	ST
587847	KIT,PUMP REPAIR:TYP AIR SIDE SEAL	1.00	081	KIT
636153	SWITCH,LEVEL:	1.00	061	ST
586938	ASSEMBLY;BELLOWS	1.00	900	ST
63856	BRG,BALL:ID 60MM,OD 110MM,WD 22MM	4.00	051	ST
78402	SWITCH,PUSHBUTTON:COLOR RED	3.00	011	ST
583871	MODULE:AC INPUT,I/P 220VAC	2.00	031	ST
597656	VALVE,RELIEF:VLV SZ G 1/2IN,DES RTG 3BAR	1.00	051	ST
595296	SEAL-LBYRNTH	2.00	051	ST
581477	THYRISTOR:	3.00	031	ST
583610	CIRCUIT:TYP DIODE NEGATIVE	1.00	011	ST
928345	BREAKER,CIRCUIT:1A,240/415VAC	1.00	011	EA
643329	MODULE,POWER SUPPLY:O/P -24 VDC,I/P +	2.00	031	ST
582961	HOOK	1.00	091	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
578411	SET:TYP GLAND PACKING	1.00	081	ST1
593842	O-RIG;1-5/8IN,1/16IN,VITON	7.00	051	ST
587139	KIT,VALVE REPAIR:BELLOW	2.00	051	ST
1347156	TRANSDUCER:INPUT 24,SZ LG 5M,RNG 1.5MM,P	2.00	061	EA
591877	ADAPTOR:TYP SEAT,MT SS ASTM A276 STELLI	2.00	051	ST
1240591	SEAT,VALVE:TYP RF,VALVE TYPE ECCENTRIC P	1.00	051	ASY
594104	O-RING:APLC SEAL	1.00	051	ST
578004	KIT-PUMP-RPR;KIT, PUMP REPAIR	1.00	081	ST
595135	SEAL:SZ ID 54 X OD 68 X THK 6MM,MT RUBB	2.00	051	ST
634479	PIN:TRUNION	2.00	051	ST
1085254	BREAKER, CIRCUIT: AMPERAGE 32,POLE 3	1.00	011	EA
632082	GSKT PRE-CUT :P#1300-S,BONNET,14IN	2.00	051	ST
781247	BREAKER,CIRCUIT:260A,460VAC	1.00	051	ST
581193	CIRCUIT:TYP AUXILIARY INTERFACE	1.00	011	ST
1065061	RIG:TYP SEAT,MTRL ALLOY 6,SZ ID 148 X OD	1.00	051	EA
597461	VALVE,ANGLE:VLV SZ 3/4 X 3/8IN	1.00	051	ST
613347	SENSOR:TYP PRESSURE	3.00	011	ST
643695	WINDOW,SIGHT:	1.00	131	ST
984463	PLATE, HEAT EXCHANGER: TYP PRESSURE	1.00	081	ST
1617038	TRNSFRMR-CURNT:PTNTL 10VA,CURNT RT 75/1A	1.00	051	EA
636864	GSKT PRE-CUT :DIA 12-3/8 X THK 1/8IN	1.00	051	ST1
596785	FILTER,FUEL:52,OD 56 X LG 81,STEEL	5.00	051	ST
886936	SEAT,VALVE:VLV SZ 100MM,GLOBE	1.00	051	EA
634393	GAUGE,PRESSURE:0-10BAR G,4-1/2IN	1.00	101	ST
592618	GSKT-PRE-CUT;VESSEL,ROUND	10.00	051	ST
600906	GSKT PRE-CUT :ID 2.625 X OD 3.125 X THK	2.00	051	ST
588744	KIT:TYP BONNET GASKET; GLAND PACKING	1.00	081	ST1
642721	SEAL:PTFE,APLC BODY	8.00	051	ST
641391	CONTACTOR:POLE 3,AMPERAGE 12A,LINE VOLTA	1.00	011	ST
640561	PACKING:TYP RING	3.00	051	ST1
632612	CPSUL;PRESSURE TRANSMITTER	2.00	071	ST
896541	PLAT:TYP END - NON DRIVE SIDE	2.00	131	ST
1003922	ORIFICE, PLATE: TYP RESTRICTION	1.00	061	EA
742341	SPROCKET:TYP SFL BUSHING,BORE 55MM	2.00	051	EA
610122	HANDLE:TYP CHANGING	1.00	101	ST
631690	CLMP;CABLE TIE	200.00	051	ST
587411	PACKING:JC 1625/DIE FORMED GRAPHOIL GTK	1.00	051	ST
587658	KIT,PUMP REPAIR:TYP INCINERATOR PACKAGE	1.00	900	ST
623808	TRNSFRMR;CONTROL POTENTIAL,750VA,380V AC	1.00	900	ST
600357	GSKT,SPWD:APLC STEAM TURBINE GENERATOR	2.00	051	ST
905141	BRACKET:TYP SUPPORT	1.00	051	EA
577707	ASSEMBLY:PIPING	1.00	081	ST
578496	KIT-VLV-RPR:TYP SOFT PARTS,APL GATE VALV	1.00	051	ST1
637017	BOLT,MACH:HD HEX	11.00	051	ST
642740	GUIDE,VALVE:VLV ST BALL,VLV SZ DN 50	4.00	051	ST
625023	PLUG,VALVE:VLV SZ 2IN,CONTROL	1.00	051	ST
604124	BREAKER,CIRCUIT:6A,415VAC,INTP CAP 6KA	1.00	011	ST
611770	COVER:TYP TERMINAL,APLC SWITCH	2.00	051	ST
1606605	PLUG-VLV:TYP STEM,VLV STYL ECCENTRIC ROT	1.00	051	ASY
1080332	BELLOWS: TYP SAFETY RELIEF VALVE	3.00	051	EA
804685	SET:TYP FUSE	2.00	081	ST
496182	SEAT,VALVE:SS 416	1.00	051	EA
825101	VALVE,GLOBE:VLV SZ 3/4IN,DES RTG 800	5.00	051	EA
642622	O-RING:APLC SEAL	1.00	051	ST
1556940	PIPE MTLIC:NMNL PIPE SZ DSGNTN 10IN,MTRL	24.00	131	EA
1024097	O-RING: INSIDE DIAMETER 1-1/2IN	2.00	051	EA
587412	KIT,VALVE REPAIR:BEARING	1.00	051	ST
1232953	VALVE,RELIEF:TYP PRESSURE SAFETY,BODY MA	1.00	051	ASY
609591	RACK;WD 40 X LG 183MM	1.00	051	ST
595133	SEAL,RING:ID 255MM,OD 295MM,THK 18MM	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
609836	SET:TYP DIMMING BALLAST	1.00	081	ST
601589	O-RING:	1.00	051	ST
588617	O-RING SET:	2.00	051	ST1
634274	GSKT,SPWD:	1.00	051	ST
619790	SHIM:	1.00	051	ST1
633207	IMPLR-PUMP;SEMI OPEN,SINGLE	1.00	081	ST
579222	GAUGE,PRESSURE:0-4BAR,150MM,MNPT 1/2IN	1.00	101	ST
9102381	COUPLING,POSITEX,HUB-019[TO BE DELETED]	3.00	051	ST
641689	TRANSFORMER,INSTRUMENT:VA RT 10	1.00	011	ST
9101639	WHEEL,GEAR,Z-22 [TO BE DELETED]	2.00	051	ST
606981	WSHR-FLAT;6,STEEL,7.5MM,2.5MM,15MM,ROUND	6.00	051	ST
273367	BRG-RLR:TYP CYLINDRICAL,ROW SINGLE,I DIA	1.00	051	EA
1604248	KIT-INSTLTN;AUTO SAMPLER	1.00	051	SE
583061	LIGHT,INDICATING:TYP PILOT,VOLT 26VDC	4.00	021	ST
898121	FLANGE:TYP BLIND,SZ 8IN	1.00	051	ST
602391	PACKING:PTFE,SQUARE	2.00	051	ST1
615739	RETAINER:TYP OIL RING,MT CS ASTM A283 GR	1.00	051	ST
904392	CABLE,COMMUNICATIONS:TYP V-NET/IP	1.00	031	EA
977562	KIT, SEAL: TYP SOFT GOODS,P/N:VR744MF2SV	3.00	051	KIT
596029	GUD;WD 5 X LG 98 X THK 1.5MM,PTFE	5.00	091	ST
622616	RING:TYP PRELOADING RESILIENT,APLC MOTOR	6.00	051	ST
627977	PLUG,VALVE:VLV SZ 1-1/2IN,CONTROL,UNS	1.00	051	ST
619743	RING:CS JIS G4051 GR S20C	2.00	051	ST
1082680	FUSE: AMPERAGE 20A,VOLTAGE 230/400V	2.00	021	EA
644574	FLANGE,PIPE:SIZE ID 46 X OD 165 X THK 14	23.00	051	ST
583745	CIRCUIT:TYP CENTRAL PROCESSING UNIT	1.00	011	ST
585516	STEM,VALVE:VLV ST MANUAL CONTROL ANGLE	1.00	051	ST
592844	GSKT-PRE-CUT;BOX FRONT COVER,RECTANGULAR	1.00	051	ST
630207	SUPPORT:	1.00	051	ST1
582266	DRYER:	1.00	081	ST
580032	LAMP-INCNDSCNT;15W,110V AC,CLEAR	2.00	021	ST
587932	KIT-VLV-RPR:TYP SOFT PART,APL ISOLATION	1.00	051	KIT
9101723	OILER, FIXING DEVICE,PART# 5201(DELETED)	1.00	051	ST
610016	BLOCK,TERMINAL:	6.00	021	ST
602522	SEAL,RING:MT EPOXY RESIN	2.00	051	ST
588266	O-RING SET:	3.00	051	ST
580668	BOX:TYP DEEP SQUARE,SZ 1-1/2IN	10.00	001	ST
634798	HEATER:TYP LONG LINE	70.00	001	M
608481	GSKT JKTD:SS,SHP ROUND	2.00	051	ST
642454	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
628086	SEAT-VLV:VLV TYP CONTROL,VLV SZ 16IN,MTR	3.00	051	ST
591580	PIN,SPLIT:	1.00	051	ST
636222	SHIM:THK 0.8/1.6MM,MT SS 304,3	4.00	051	ST1
1235798	SEAT,VALVE:TYP PRESSURE,VALVE TYPE PRESS	4.00	051	EA
629952	PIN,GROOVED,HEADLESS:DIA 2MM,LG 4MM,STUD	2.00	051	ST
976334	GSKT PRE-CUT : SHAP ROUND,TYP FLAT FACE	13.00	051	ST
583002	LIGHT,INDICATING:TYP PILOT	14.00	021	ST
1037398	BRG,CAM : OUTSIDE DIAMETER 53.9IN	1.00	051	EA
724856	RETAINER:	1.00	051	ST
642428	SPRING,VALVE:SS DIN WN 1.4310	1.00	051	ST
813122	CHASSIS:TYP CONTROL LOGIX	1.00	031	EA
624581	NOZZLE,VALVE:	1.00	051	ST
644739	GSKT PRE-CUT :SYNTHETIC FIBRE,ROUND,RF	2.00	051	ST
862095	CIRCLIP: SIZE DIA 24 X THK 2MM	2.00	051	EA
941043	GSKT, SPWD: NOMINAL FLANGE SIZE 20IN,RF	1.00	051	ST
629147	KIT,VALVE REPAIR:RELIEF VALVE	2.00	051	ST1
1064509	PSTN:TYP UNLOADER,MTRL NI ALLOY 718 (3)	1.00	900	EA
596959	SEAT,VALVE:CONTROL	4.00	051	ST
601260	KIT,VALVE REPAIR:SOFT GOODS	3.00	051	ST
1004138	BREAKER, CIRCUIT: AMPERAGE 16A,POLE 3	1.00	011	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
9101917	RESISTOR , HEATING & THERMOSTATE 250W, P	2.00	051	ST
643869	KIT-VLV-RPR:APL BONNET JOINT,CMPRSNG DIA	1.00	051	ST
604790	FUSE;ULTRA FAST BLOW,13A,250V,CERAMIC	10.00	021	ST
612171	METER,ELECTRICAL:TYP VOLT,RNG 0-40VDC	1.00	101	ST
596124	HANDLE:	2.00	101	ST
585722	VALVE,GLOBE:VLV SZ 1/4IN,DES RTG 400PSIG	5.00	051	ST
620240	VALVE,CHECK:VLV SZ 1/2IN	4.00	051	ST
615559	NUT:SS ASTM A283,GR D,SHAFT	2.00	051	ST
1605613	SEAL-RIG:I DIA 110MM,OUT DIA 116MM,THK 6	1.00	051	SE
594269	PCKR;COMPRESSED	5.00	081	ST
616176	BRKR-CRCUT;50A,10KA,4,MINIATURE	1.00	011	ST
589130	CIRCLIP:TYP EXTERNAL,STD DIN 471	1.00	051	ST
602500	PACKING:GRAFOIL,RECTANGULAR SHAPED ROUND	1.00	051	ST
871918	REGULATOR,PNU:	1.00	061	ASY
604202	BRUSH,ELECTRICAL:MT CARBON	12.00	021	ST
581328	CIRCUIT:TYP ANNUNCIATION	2.00	011	ST
579306	GAUGE:	2.00	061	ST
639383	SPRING,VALVE:AS ASTM A229	1.00	051	ST
1593061	PLUG-VLV:VLV STYL CONTROL,VLV SZ 2IN,MTR	2.00	051	EA
604764	FUSE:FL 1007	10.00	021	ST
628616	RING,LANTERN:APLC BUTTERFLY VALVE	1.00	081	ST
605188	RLY;24V DC,4PDT,250VAC 5A,4NO-4NC	1.00	011	ST
642527	RING:TYP SEALING,APLC PLUG VALVE	5.00	051	ST
603715	CONNECTOR,ELECTRICAL:TYP FEMALE	2.00	021	ST
644446	NUT,HEX:DIA 24MM,GS,HT 25MM,THD 3MM	7.00	051	ST
588899	COUPLER:TYP V-NET	2.00	011	ST
644752	GSKT PRE-CUT :ASBESTOS/TEADIT NA 1000	1.00	051	ST
332533	PRTCTR-OVRLD;OVERLOAD,1.6A,1.1-1.6A,3	1.00	011	ST
1056512	DIAPHRAGM, VALVE: STD ASTM/DIN	1.00	051	EA
581959	TUBING:TYP FLEXIBLE,ID 10MM,OD 12MM,WAL	25.00	131	M
1526782	MTR-ELECT;POWER,DIGITAL,SQUARE,0-32767A	1.00	061	EA
891985	CIRCUIT:TYP EEPROM EXPANSION	1.00	011	ASY
605631	SWITCH,SELECTOR:	2.00	021	ST
1088160	O RING, CORD: THICKNESS 4MM,MATL RUBBER	1.00	051	EA
622381	OPRTR-SWTCH;SELECTOR;PN:3SB1000-2AB01	1.00	011	ST
596691	FLTR-ELMNT;ID 38 X OD 130 X LG 202	1.00	051	ST
596166	HOLDER,FUSE:FERRULE,MOUNT PANEL,AMP 20A	1.00	021	ST
633103	GUIDE,VALVE:VLV ST GLOBE,VLV SZ 12IN	2.00	051	ST
586204	BRG,THRUST:1 PIECE,MT PTFE	2.00	051	ST
586206	BRG,THRUST:1 PIECE,MT PTFE	2.00	051	ST
588757	KIT,VALVE REPAIR:APPL GATE VALVE,CMPRSNG	2.00	051	ST1
799581	FUSE:2A,500V,DIA 10.3 X LG 38MM,FERRULE	70.00	021	ST
592337	NOZZLE:TYP EXTENSION,CONN MPT	1.00	051	ST
599731	GSKT,SPWD:GRAFOIL,SS 316,APLC DISC	2.00	051	ST
718285	GEAR,SPUR:TYP PUMP DRIVE	1.00	011	EA
644904	BASKET,STRAINER:MT SS	1.00	051	ST
17160	KIT,VALVE REPAIR:SEAL	1.00	001	ST
966049	COIL: TYP COOLING,MNFR:PIV DRIVES GMBH	1.00	081	SE
599734	GSKT,SPWD:GRAFOIL,SS 316,APLC BOTTOM	1.00	051	ST
596472	FLTR-ELMNT;BASKET,SS WIRE CLOTH	1.00	051	ST
629556	CLMP;TAPE	1.00	051	ST
619311	GUIDE:TYP PLUNGER ROD	1.00	091	ST
603067	GSKT PRE-CUT :EPDM,ROUND	1.00	051	ST
639606	KIT-VLV-RPR:TYP KIT,VALVE REPAIR,CMPRSNG	1.00	051	KIT
616741	SWTCH-SLCTR:TYP PANEL,SZ WD 60 X LG 178M	1.00	021	ST
443014	ELECTRODE, WELDING: AWS CLASS E6010	20.00	051	LB
599451	GSKT,SPWD:GRAFOIL,SS 316,APLC CASING	1.00	051	ST
580036	LAMP-INCNDSCNT;TUNGSTEN,120W,CLEAR,E 27	2.00	021	ST
615984	GSKT:WELDING NIPPLE	1.00	051	ST
623138	BARRIER:TYP ISOLATED	4.00	031	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
626690	WASHER:PRE-LOADING	1.00	051	ST
613483	CONTACTOR:TYP MAGNETIC,AMP 30A,3 POLE	1.00	011	ST
32213	GSKT PRE-CUT :ID 61 X OD 104 X THK 3MM	1.00	051	EA
594223	PCKG;ID 18 X OD 29 X THK 7MM,PTFE	1.00	051	ST1
625048	GAUGE,PRESSURE:0-10BAR,50MM,MNPT 1/8IN	1.00	101	ST
795410	RTD:TYP PT100,100OHM,TEMP R 80-90DEG C	2.00	101	ST
578555	SET:TYP THRUST RING	1.00	081	ST1
639325	SPRING,VALVE:SPRING WIRE ASTM A229	1.00	051	ST
638045	NUT,LOCK:	1.00	051	ST
653208	GSKT,SPWD:SPIRAL	6.00	051	EA
928353	CIRCUIT: TYP CURRENT MONITOR	1.00	011	EA
637102	GSKT PRE-CUT :NON ASBESTOS	1.00	051	ST
600661	GSKT PRE-CUT :	2.00	051	ST
644749	GSKT,SPWD:20IN,300LB,GRAPHITE,SS 316	1.00	051	ST
582857	TRNSDUCR:IN 4-20MA,O/P 0.2-1BAR,P/N:846	1.00	061	ST
1525963	CVR;STUFFING BOX,A216 GR.WCB	1.00	900	EA
629286	SLEEVE:	2.00	051	ST
624169	SEAL,OIL:	2.00	051	ST1
1223723	THROWER:TYP OIL,MATL ASTM A105,APPLN STR	1.00	081	EA
612420	O-RING:APLC STEM	45.00	051	ST
629192	NOZZLE,VALVE:MT SS ASTM A276 GR 316	1.00	051	ST
1244652	UNIT:TYP MEASUREMENT INTERFACE (MIU),APP	1.00	011	EA
587468	KIT-VLV-RPR:TYP SPARE,APL WAFER CHECK (S	1.00	051	ST
605764	TRANSFORMER:TYP CONTROL,PRIM V 220VAC	1.00	011	ST
872034	FUSE;SEMICONDUCTOR,250A,690V,UL	1.00	021	ST
622551	SPRING,VALVE:SS ASTM A313 GR TP316	3.00	051	ST
594637	GSKT;SEAL RING,1MM,ID 10 X OD 15,ROUND	2.00	051	ST
609213	BRG-THRUST;ROLLER	2.00	051	ST1
950195	COMP,REFR:CAP 565M3/HR,MOTOR	6.00	081	ASY
603050	SEAL,MECHANICAL:	1.00	051	ST
606822	SCRW-CAP;M10,20MM,HEX SOCKET,1.5MM,8.8	8.00	051	ST
618475	BRG,BALL:ID 30MM,ST OPEN,ROW DOUBLE	4.00	051	ST
774397	STUD-CNTNUS-THRD;3/4IN,10 UNC,215MM,B7	24.00	051	EA
636651	SPRING:MT AS JIS G3522 SWPB	1.00	051	ST
629593	GSKT SET:	2.00	051	ST1
589789	THERMOCOUPLE:TYP K,INS DIA 4.8MM,DESLG	1.00	061	ST
600399	GSKT:	1.00	051	ST
586000	VALVE:DES RTG PN 16,STY 3-WAY	2.00	051	ST
592931	GSKT:ID 16 X OD 22MM,THK 1MM,ROUND,CU	1.00	051	ST
905599	PLUG,VALVE:VLV SZ DN 25	2.00	051	EA
1594413	SHFT-PRPLR:TYP DRIVE,DIA 15MM,LG 300MM,A	1.00	051	SE
902318	BREAKER,CIRCUIT:10A,230VAC,INTP CAP 6KA	5.00	011	EA
697312	DEVICE:TYP TEMPERATURE	2.00	051	EA
621991	SEAL-RIG;140,SHAFT DRIVE END BEARING	1.00	051	ST
645851	NUT:SS 400,BEARING	1.00	051	EA
603797	SLEEVE:TYP PLUG VALVE	5.00	051	ST
590623	SWITCH,PRESSURE:1-7BAR,12VAC 1A,SPDT	4.00	061	ST
619836	SEAL,OIL:	5.00	051	ST
596544	DISC,VALVE:SS DIN WN 1.4571	1.00	051	ST
1003991	PLATE: TYP ORFICE,SIZE 2IN,MATL SS 316	1.00	131	EA
631640	CONNECTOR:TYP STRAIGHT	7.00	051	ST
596159	HOLDER:TYP OVERCURRENT RELAY,SZ MEDIUM	1.00	021	ST
598471	BRG-BAL;13860,55MM,140MM,33MM,OPEN,STEEL	2.00	051	ST
616737	TRANSFORMER,INSTRUMENT:	1.00	011	ST
285595	CONTACT,AUXILIARY:TYP CIRCUIT BREAKER	2.00	011	EA
587849	KIT-VLV-RPR:TYP SOFT PART,APL CHECK,CMPR	1.00	051	KIT
636624	BUSHING:MT SS 403	1.00	051	ST1
606046	RESISTOR:10K OHM,RT 5W,CONN SOLDER PIN	6.00	031	ST
601699	O-RIG:I DIA 85MM,WD 3MM,MTRL NBR,SHR HRD	4.00	051	ST
1573220	SEAT-VLV:TYP LINER,VLV TYP BUTTERFLY VAL	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
905148	METER,FLOW:TYP CORIOLIS MASS	2.00	101	EA
588363	KIT;OVERSPEED SAFETY TRIP	1.00	081	ST1
638601	VLV-RLF:TYP SAFETY,BDY MTRL SS 316,VLV S	3.00	051	ST
621923	LENS,INDICATING LIGHT:TYP PILOT	6.00	021	ST
605455	SWITCH,PRESSURE:	1.00	061	ST
643021	GSKT PRE-CUT :PTFE,COVER,DN 150	2.00	051	ST
584923	DISC,VALVE:SS ASTM A564,630,PRESSURE AND	1.00	051	ST
611016	LAMP:TYP HALOGEN SEALED BEAM,VOLT 12V	2.00	021	ST
631659	PLUG,PIPE:BSP R1/8-28IN,HEXAGON SOCKET	1.00	051	ST
629601	GSKT PRE-CUT :	14.00	051	ST
642733	GUIDE,VALVE:VLV ST BALL,VLV SZ DN 40	4.00	051	ST
805492	HOSE: SIZE DIA 2-1/2 IN X LG 15 M	1.00	051	RE
1079000	KIT: TYP SOFT GOOD,STD ASTM,P/N:8A-SG-29	1.00	081	KIT
589808	RTD:TYP PT100,DUPLEX,SH MT UNS S31600	1.00	101	ST
586027	TRAP:TYP CONDENSATION,MT GLASS	1.00	051	ST
612433	BRG,SLEEVE:TYP PLAIN,P/N:5X16261,MNFR:IN	2.00	051	ST
597890	BRG-BAL;15227,110MM,170MM,28MM,OPEN	2.00	051	ST
628166	GLAND,PACKING:	1.00	051	ST
592625	GSKT-PRE-CUT;ID 518 X OD 576 X THK 3MM	4.00	051	ST
619704	GSKT PRE-CUT :PTFE GLASS FILLED	2.00	051	ST1
595262	SET:TYP SEAL	3.00	091	ST1
610670	PULLEY,V-BELT:GROOVE 1,DIA 80MM	2.00	051	ST
581925	TUBE-CPLRY	13.00	131	ST
597117	SPRING,COMPRESSION:ID 12.5MM,OD 29MM,SS	1.00	051	ST
634502	O-RING:APLC STEAM DRIVE TURBINE	2.00	051	ST
632841	GAUGE,PRESSURE:0-1KG/CM2,BOURDON	1.00	101	ST
1039884	GSKT PRE-CUT : MATL KLINGERSIL C4500	1.00	051	EA
596127	HANDLE:TYP FIRE EXTINGUISHER	9.00	101	ST
582404	DTCTR-FIRE-PRTCTN;SMOKE	2.00	121	ST
593592	GSKT;3MM,WD 10 X LG 1000MM,FOAM	1.00	051	ST
611209	CIRCUIT:TYP RELAY SOCKET BOARD	1.00	011	ST
771065	STUD:DIA M36,140MM LG,SCM435Q,THD 3MM	1.00	051	ST
641889	BARRIER:CLASS IS	1.00	121	ST
583576	PLUG,VALVE:VLV SZ 4IN,CONTROL,SS	1.00	051	ST
1235802	SCREEN:TYP VALVE,MATL SS304,APPLN PRESSU	1.00	051	EA
590382	RELAY:COIL 24VAC,SPDT,TYP AUXILLIARY	31.00	011	ST
641814	SWITCH:TYP FLOAT MAGNETIC,SPDT	1.00	021	ST
600107	GSKT,SPWD:GRAFOIL,IRID 1649MM,SS 316	2.00	051	ST
1597302	KIT-PUMP-RPR:TYP PULSATION DAMPER,APL CH	1.00	081	KIT
632144	GSKT:PLUG,STEEL	3.00	051	ST
1016060	CHEMICAL, ORGANIC ALCOHOL: FORM LIQUID	640.00	001	KG
641389	MODULE:MOTOR OPERATED VALVE	1.00	031	ST
590153	FUSE:20A,480VAC; 150VDC,DIA 10 X LG 34MM	2.00	021	ST
643140	ADAPTOR:TYP SEAT,MT SS ASTM A276 STELLI	1.00	051	ST
1065060	RIG:TYP SEAT,MTRL SS 316-A,SZ ID 148 X O	1.00	051	EA
1220958	BUSH:MTRL BRONZE,TYP PISTON ROD,APL PDM4	1.00	051	EA
644693	SPL;ID 29 X OD 115 X LG 225MM,DIN 2633	2.00	051	ST
636513	GSKT PRE-CUT :THK 1/8IN	4.00	051	ST
920344	WIRE,WELDING:TYP FILLER,STYL ER 347H,MAT	100.00	051	KG
578814	CR;WD 65 X THK 3MM	1.00	051	ST
602127	PACKING:ID 102 X OD 134 X THK 16MM	1.00	051	ST
600957	GSKT PRE-CUT :ROUND	1.00	051	ST
599814	GSKT PRE-CUT :	2.00	051	ST
607462	CAP:SZ WD 6-3/4 X LG 9-9/16 X HT 4-1/8IN	1.00	051	ST
194237	BLCK-CNTCT:TYP POSITION,TRMNL (24) PUSH-	1.00	021	ST
593256	GSKT PRE-CUT :ID 71 X OD 80MM,PTFE,ROUND	2.00	051	ST
624861	CAPACITOR:CAPCIT 10MICRO F,VOLT 660VAC	3.00	031	ST
609966	LENS: TYPE LIGHTING FIXTURE	1.00	121	ST
586538	BRG:SZ ID 30MM	2.00	051	ST
597043	SPRING,COMPRESSION:	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1085493	BOARD: TYP SPARE KIT HEATER	1.00	141	EA
606825	SCREW,CAP:HEX SOCKET	4.00	051	ST
619832	WASHER:PRE-LOADING	3.00	051	ST
188763	O-RIG;29.82MM,2.62MM,NBR	2.00	051	ST
1039887	GSKT PRE-CUT : MATL KLINGERSIL C4500	1.00	051	EA
603422	ELECTRODE,WELDING:A5.7,SZ DIA 2.4MM	5.00	051	KG
1582319	TRAY:TYP SIEVE PRB-200FL,MTRL CS,DOC:121	1.00	141	ASY
601053	GSKT PRE-CUT :GRAPHITE/SS 316,RF	1.00	051	ST
857811	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,THRD 1	2.00	051	ST1
467429	PISTON:TYP ASSEMBLY,SZ 2IN	2.00	091	EA
610636	BLCK-TRMNL;CAPTIVE SCREW,4,CSA; UL	3.00	021	ST
506436	FILTER:CAPILLARY	1.00	051	ST
597731	INSUL:TYP THERMAL	4.00	001	ST
593459	GSKT:	1.00	051	ST
588996	WINDOW,SIGHT:MT PYREX GLASS AND VF-35E	1.00	131	ST
626425	UNIT:TYP POSITION CONTROL GEAR	1.00	051	ST
930802	GAUGE,PRESSURE:0-2.5BAR,100MM,MNPT 1/2IN	1.00	101	EA
592425	GSKT PRE-CUT :ID 125 X OD 152 X THK 2MM	14.00	051	ST
592908	GSKT,SPWD:GRAPHITE,SHP ROUND	6.00	051	ST
9102156	BEARING,ROLLER,CYLINDRICAL,SINGLE ROW,NU	4.00	051	EA
628652	SEAT,VALVE:VLV SZ 3IN,GATE,AS ASTM A182	3.00	051	ST
78109	BRKR-CRCUT;2.4A,500VAC 60HZ,3	1.00	051	ST
624320	SPRING:TYP STEAM TURBINE	1.00	051	ST
831781	KIT:APLC MAIN VALVE	2.00	081	EA
604661	FUSE:200A,700VAC,SQ 43 X LG 50MM,THD	2.00	021	ST
585678	VALVE,CHECK:TYP SWING,VLV SZ 1-1/2IN	1.00	051	ST
1000686	SEAL: SIZE 11 X 22 X 7MM,P/N:39670000	2.00	051	ST
615749	RETAINER:TYP SLEEVE	1.00	051	ST
1011771	REAGENT: TYP CHLORIDE,CTNR BOTTLE	4.00	001	ST1
610314	STRAINER:	1.00	051	ST
1058826	CIRCUIT: TYP POWER CONTROL PCB	1.00	021	EA
1024792	SET: APPL VALVE,P/N:RKW-361XZ,DOC:4722	2.00	081	SE
598729	GEAR-SPUR;PLAIN,76,195MM,58MM,28MM,FIBRE	1.00	081	ST
594773	RING,RETAINING:TYP SHAFT	4.00	051	ST
601375	O-RING:MT NBR,APLC CCR REGENERATION ISO	2.00	051	ST
731584	SEAT:MATL COBALT ALLOY 6B UNS R30006 (FM	2.00	051	ST
644355	BREAKER,CIRCUIT:VOLT 600VAC,POLE 4,MOUN	1.00	011	ST
588764	KIT:TYP PACKING RING AND GASKET	1.00	081	ST1
589692	CONTACTOR:TYP MAGNETIC,3 POLE	1.00	011	ST
579942	LAMP-INCONDSCNT;2W,24-28V,CLEAR,BA 9S	50.00	021	ST
617763	TRANSFORMER:TYP CONTROL	1.00	011	ST
114409	CNTCT-AUXLRY:TYP CLIP ON,CNTCT ARNG 1NO-	21.00	051	EA
66546	O-RIG;9MM,1.5MM,OXYGEN ANALYZER CELL	1.00	051	ST
1037870	GSKT PRE-CUT :TYP FULL FACE,SIZE ID 457	1.00	051	EA
602339	PACKING:TYP GLAND	1.00	051	ST
593137	GSKT PRE-CUT :ID 20 X OD 26MM,ASBESTOS	2.00	051	ST
612343	GSKT PRE-CUT :THK 3MM,RUBBER,FF,DN 100	15.00	051	ST
1192440	DETECTOR:TYP ELECTRONIC MODULE UV FLAME,	1.00	061	ST
642698	RING:PTFE/KOHL, TYP SLIDING	8.00	051	ST
911744	GSKT-PRE-CUT;ROUND,KLINGERSIL C-8200	1.00	141	EA
48068	ELECTRODE,WELDING:A/SFA 5.4 E316L	15.00	051	KGS
598356	BRG,BALL:P/N:16009,MNFR:NSK,P/N:16009,MN	1.00	051	ST
590702	SWTCH-LMT	1.00	061	ST
1078788	BUSHING: TYP SEALING,P/N:11316767	1.00	051	EA
704202	LIGHT,INDICATING:VOLT 24VAC/DC,W 1W	1.00	021	EA
800686	REGULATOR,PNEUMATIC:TYP PRESSURE	10.00	061	ST
603804	SLEEVE:TYP RETAINING	4.00	051	ST
644674	CIRCUIT:	3.00	011	ST
605067	RELAY,OVERLOAD:TYP THERMAL,AMP 16-25A	1.00	011	ST
198105	KIT,VALVE REPAIR:SEALING	1.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
618090	SEAL,RING:TYP V SHAPE	2.00	051	ST
643528	BRG,BALL:	2.00	051	ST
642827	BRG-BAL;12424,35MM,62MM,14MM,2 SHIELDS	2.00	051	ST
774372	STUD CNTNS THD:DIA 3/4IN,THRD 10 UNC,LG	18.00	051	EA
926859	THERMOWELL: SHANK STYLE BARSTOCK TAPERED	1.00	061	EA
604533	FUSE:35A,690V,CURRENT LIMITING	3.00	021	ST
607214	ANCHOR:TYP CHAIN,SZ DIA 20 X LG 185MM	1.00	051	ST
1192461	SEAL, LABYRINTH: TYP INPRO,P/N:11215569	3.00	051	EA
627315	VLV-GATE;1IN,CL 800,FNPT,SS F316	1.00	051	ST
629534	LINK:TYP BALL	1.00	051	ST1
628416	TRANSMITTER,PRESSURE:0-25BAR G	1.00	061	ST
608555	RING,WEAR:SS ASTM A276 TP 420	2.00	081	ST
593735	O-RING:ID 12.42MM,WD 1.78MM	6.00	051	ST
608773	ASSEMBLY:SEAT	1.00	081	ST
588862	STARTER:	6.00	011	ST
604215	BRUSH:HANDLE WOOD	4.00	051	ST
616378	BREAKER,CIRCUIT:400A,380VAC,POLE 4	1.00	011	ST
1000997	TRANSDUCER: TYP 3PHASE - 3WIRE BALANCED	2.00	061	EA
634776	SEAT,VALVE:VLV SZ 2IN	2.00	051	ST
1602677	NZL-TRCH:TYP GAS LENS,SZ 7/16IN,MTRL ALU	1.00	051	BOX
1574043	STEM-VLV:VLV STYL GATE,VLV SZ 10IN,SZ DI	4.00	051	EA
592020	CUP:TYP DRAIN,MT PLASTIC,COLOR RED	2.00	051	ST
600114	GSKT,SPWD:GRAFOIL,IRID 1655.8MM,SS 316	2.00	051	ST
588820	MEMBRANE:TYP COUPLING,MT SS 301	1.00	051	ST1
643705	BUSH:HEAVY DUTY LATHE MACHINE	1.00	051	ST
642779	SEAL:GFK/PTFE,STEM	8.00	051	ST
617593	PIN;SOCKET	10.00	051	ST
642592	O-RING:APLC SEAL	2.00	051	ST
594531	RING:ID 48 X OD 57MM,SS 316	3.00	051	ST
922180	ELECTROD,WLDG:A5.4 E16.8.2-15	351.00	051	KG
637978	BAL-VLV;SS 316	2.00	051	ST
591578	STOP:TYP ROLL PIN ESNA	18.00	051	ST
1618569	DPHRGM-ACTUTR:SZ WD 7MM,ACTUTR SZ 13,RTN	2.00	051	EA
506410	LGHT;WARNING,120VAC 60HZ,RED,CL I DIV II	1.00	021	ST
633070	DETECTOR,FIRE PROTECTION:TYP SMOKE	1.00	121	ST
600315	GSKT,SPWD:GRAPHITE,SS 316,IRMT SS 316	2.00	051	ST
902314	SWITCH,PUSHBUTTON:600VAC 10A,1NO-1NC,RED	2.00	021	EA
601091	GSKT,SPWD:3/4 X 1IN,PTFE,SS 304	4.00	051	ST
602977	SEAL,MECHANICAL:4IN,CARTRIDGE	1.00	900	ST
643259	SCREW:ADJUSTING	2.00	051	ST
589738	CONTACTOR:TYP MAGNETIC,AMP 22A,3 POLE	1.00	900	ST
585962	VALVE:TYP INTAKE	1.00	051	ST
612156	SWITCH,PUSHBUTTON:	1.00	021	ST
579965	LAMP-INCNDSCNT;SIGNAL,2W,6.3/6V,CLEAR	18.00	021	ST
584153	IMPELLER,PUMP:DIA 136MM	1.00	900	ST
610594	TRNSFRMR	1.00	011	ST
1600741	COLUMN-ANLYS:TYP GUARD,SZ ID 4.6 X LG 12	2.00	061	PAK
581144	COATING:TYP PROTECTIVE	2.00	001	CA
587922	KIT-VLV-RPR:TYP SOFT PARTS,APL GATE,GLOB	1.00	051	KIT
630744	DISPLAY UNIT,DATA:TYP INDICATOR,P/N:E976	1.00	141	ST
610703	MOTOR,ELECTRIC:1/12HP,230VAC 1.55A	1.00	011	ST
912812	PWR-SUPPLY;115/230VAC 3/1.7A 50/60HZ,5A	1.00	021	EA
618401	ROTOR:	1.00	081	ST
612951	MOTOR:RT 1PH	1.00	081	ST
601004	GSKT SET:TYP L/SCREW	1.00	051	ST
599550	GSKT,SPWD:10IN,300LB,T#1836-GR-SS	2.00	051	ST
627263	VALVE,GATE:VLV SZ 1IN,DES RTG CL 800	1.00	051	ST
606806	BOLT,MACH:M5,LG 12MM,STEEL ZINC PLATED	68.00	051	ST
9102183	BEARING,BALL; #6228; (USE 79-01-0808)	1.00	051	EA
1071616	KIT, PUMP REPAIR: TYP RPM,P/N:RPM109	1.00	081	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
590645	SWITCH:TYP TORQUE	1.00	021	ST
589854	RTD:TYP PT100,WIRE 3	1.00	101	ST
276031	GSKT,SPWD:SHP ROUND,BASIC,FILL OD 4.88IN	2.00	051	EA
1049713	SEAL, MECHANICAL: SIZE 80MM,P/N:NA	2.00	051	EA
1020762	COMPRESSOR, REFRIGERATION: P/N:MT72HNG	1.00	081	EA
628639	BRG,THRUST:	3.00	051	ST
731127	BELL:TYP LIFTER	1.00	121	ST
100656	BRG-RLR:TYP NEEDLE,ROW SINGLE,I DIA 14MM	2.00	051	ST
9101679	KIT,CYLINDER BRAKE PISTON	2.00	051	ST
632644	INVERTER:TYP CONTROL,O/P 60HZ	1.00	011	ST
1057422	GSKT PRE-CUT : SIZE THK 1/16IN	6.00	051	ST
592554	GSKT-PRE-CUT;ID 119 X OD 134 X THK 1MM	1.00	051	ST
606011	PLC:TYP CENTRAL UNIT	3.00	031	ST
593466	GSKT:PISTON	2.00	051	ST
1246088	KIT,VALVE REPAIR:APPL GATE VALVE 10 IN,T	1.00	051	KIT
591905	SEAT,VALVE:VLV SZ 1 X 6; 1 X 8; 2 X 6IN	2.00	051	ST
590705	SWITCH:TYP MICRO,CONTRT 24VDC 5A	1.00	021	ST
1009618	SPRING, VALVE: MATL AS ASTM A29 GR 5155	1.00	051	ST1
587611	KIT:	2.00	081	ST
614861	SLEEVE,SHAFT:TYP PUMP	2.00	051	ST
634553	GAUGE,LEVEL:OIL	1.00	101	ST
1032974	VALVE, CONT: SIZE 1IN,DSGN RT 300LB	1.00	051	SE
618023	RLY;LEAK DETECTOR	1.00	011	ST
609634	BRG,BALL:ID 70MM,ST OPEN,ROW SINGLE	2.00	051	ST
581221	CRCUT;INTERCONNECTING	1.00	011	ST
598909	MOTOR,ELECTRIC:0.36KW	1.00	011	ST
9102161	BEARING,BALL;SINGLE ROW;DEEP GROOVE; (79	1.00	051	EA
588336	KIT, VALVE REPAIR: TYP SEAL, EQUIP	3.00	051	ST1
607969	GSKT-PRE-CUT;ID 46 X OD 58 X THK 2.5MM	1.00	051	ST1
616664	SWITCH,PUSHBUTTON:240-500VAC 8-4A,SPDT	2.00	021	ST
640622	FLT;LUBE OIL SYSTEM,SS 316	1.00	061	ST
615300	RING,BACK-UP:MT PTFE	2.00	051	ST
1617893	ELMNT:TYP DIFFERENTIAL PRIMARY,SZ 191.8	1.00	051	EA
856510	BRG,BALL:ID 60MM,OD 110MM,WD 22MM	1.00	051	EA
590375	RELAY:COIL 24VDC,PLUG IN,CLEAR PLASTIC	40.00	011	ST
591169	INTERFACE:TYP CAB PIM BUS	1.00	011	ST
618113	SEAL,RING:TYP V SHAPE	4.00	051	ST
631207	INDICATOR:TYP ARROW	2.00	061	ST
200280	O-RING:ID 259.3MM,WD 5.7MM,MT NBR	1.00	051	ST
643255	SCREW,CAP:	1.00	051	ST
585578	FILTER,ELEMENT:SS 316,STRAINER SCREEN	2.00	051	ST
616682	TRANSFORMER,INSTRUMENT:CURR RT 200/1A	2.00	011	ST
604581	FUSE:0.25A,250V,DIA 6.3 X LG 32MM	2.00	021	ST1
409398	SWITCH,PROXIMITY:FLOW INDICATOR,8VDC	5.00	051	EA
687196	SWITCH:TYP IGNITION,APLC FORKLIFT	1.00	051	EA
1023596	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG O RING	1.00	051	KIT
607977	NOZZLE:TYP BURNER	1.00	051	ST
591938	BUSH,VALVE:ACETAL,VLV SZ 16IN	1.00	051	ST
590074	FUSE:4A,415VAC,OFFSET SLOTTED TAG	10.00	021	ST
627671	RELAY,TIME DELAY:OPER OFF DELAY	2.00	011	ST
1082122	SEAL, RING: INSIDE DIAMETER 152MM	1.00	051	EA
602198	DIAPHRAGM:TYP PACKING	3.00	051	ST
905116	DETECTOR,FIRE PROTECTION:	1.00	121	EA
628061	SEAT,VALVE:VLV SZ 1IN,CONTROL,SS 316L	1.00	051	ST
589926	FUSE:3A,300/600VAC/DC,FERRULE,BOTTLE	3.00	021	ST
622809	PIN, COTTER SPLIT: MATL STEEL,P/N:008139	2.00	051	ST
594832	RING:DIA 4MM,TYP SUPPORTING	16.00	051	ST
583032	DIODE,LIGHT EMITTING:COLOR RED,ELEC TRT	2.00	021	ST
643311	RING:TYP GLAND,APLC GLOBE VALVE	1.00	051	ST
605108	RELAY:COIL 24VDC,4PST,CONT 600VAC 10A	2.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
146073	RIG-PSTN;BACKUP	3.00	051	EA
993585	BELT, V: DOC:3121-716477,DOC:96698-01-1	1.00	051	ST
592426	GSKT:ID 18 X OD 24MM,THK 1MM,ROUND,CU	5.00	051	ST
590573	SWTCH-PUSH:TYP FLUSH,CNTCT RTNG 110-300V	1.00	021	ST
632080	GSKT PRE-CUT :P#1200-S,BONNET,14IN	2.00	051	ST
700479	SWITCH:TYP ELECTRO	2.00	011	EA
806757	METER,FLOW:TYP GLASS TUBE,NPT	2.00	101	ST
596639	FLTR-ELMNT;ID 21 X OD 34.5 X LG 51.5MM	4.00	051	ST
927216	CIRCUIT:TYP ALARM	1.00	011	EA
582329	SWITCH,PRESSURE:52BAR/750PSIG/5200KPA	2.00	061	ST
946695	NUT-ADPTR:MTRL CS JIS G3101,GRD SS400,SL	1.00	051	EA
596752	FILTER,AIR:8 X8 X LG 14IN,CELLULOSE	1.00	051	ST
614222	FUSE:3.15A,12KV	2.00	021	ST
1035453	TRANSMITTER, FLOW: RANGE 0-15000KG/HR	1.00	061	EA
579275	GAUGE:TYP PRISMATIC	1.00	101	ST
592544	GSKT:	2.00	051	ST
622301	RELAY,OVERLOAD:THERMAL	1.00	011	ST
1568358	KIT-ACTUTR-RPR:TYP REPLACEMENT,CMPRSNG B	1.00	061	KIT
583347	SHAFT:STUB	2.00	051	ST
619289	SEAL,RING:ID 15.5MM,OD 12MM,THK 1.5MM,M	2.00	051	ST
133422	WSHR-LOCK	10.00	051	EA
605205	RELAY,OVERLOAD:48-65A,1NO-1NC,THERMAL	1.00	011	ST
592932	GSKT PRE-CUT :ID 20 X OD 41MM	1.00	051	ST
593844	O-RIG;13MM,1.5MM,VITON	15.00	051	ST
273712	STUD CNTNS THD:TYP BOLT,DIA 1-1/4IN,THRD	11.00	051	EA
1246787	GSKT PRE-CUT :TYP FLAT RING,SIZE ID 89 X	3.00	051	EA
582905	ORIFICE:	1.00	051	ST
595152	SEAL,MECHANICAL:SHAFT DIA 95MM	1.00	051	ST
772099	SPRING,VALVE:VLV SZ 1-1/2IN	1.00	051	ST1
1532958	TIP:TYP STANDARD; YELLOW; BULK PIPETTE,S	1.00	900	EA
620258	DEFLECTOR:MT BRASS ASTM B16 GR C36000	1.00	081	ST
596593	DISC,PUMP:ID 10.5 X OD 20 X THK 2MM	4.00	081	ST
601925	O-RING:APLC FLUE GAS ANALYZER	10.00	051	ST
612920	CONTACTOR:TYP MAGNETIC,AMP 50A,3 POLE	1.00	011	ST
642882	BRG-RLR;TAPERED CONE AND CUP,SINGLE,30MM	1.00	051	ST
1032589	PIN, TAPER: P/N:TPI-10*70,DOC:10910-0900	2.00	051	ST
596415	PACKING:TYP NEEDLE	1.00	051	ST
577415	SEAL,MECHANICAL:CARTRIDGE	1.00	900	ST
1223634	KEY-SHFT;PARALLEL,WD 12 X LG 70 X HT 8MM	1.00	051	EA
621877	OPERATOR,SWITCH:TYP PUSHBUTTON RESET	3.00	011	ST
582827	THERMOMETER,DIAL:RNG 0-100DEG C	1.00	101	ST
594924	GSKT PRE-CUT :RUBBER,ROUND	8.00	051	ST
608294	ASSEMBLY:TYP SOCKET	1.00	101	ST
587422	KIT-VLV-RPR:TYP SOFT PART,CMPRSNG RING (	3.00	051	ST
577765	LIGHT,INDICATING:TYP LED POSITIONER	1.00	021	ST
1035818	O RING:INSIDE DIAMETER 6MM,WIDTH 1MM,MAT	1.00	051	EA
9101755	PLATE,RETAINER,P/N:12(TO BE DELETED REF.	1.00	051	ST
771875	SEAT,VALVE:VLV SZ 16 X 16IN	1.00	051	ST
592193	NOZZLE:TYP MOTIVE SINGLE STAGE,CONN MPT	1.00	081	ST
607576	COUPLING,SHAFT,HALF:JAW; HUB,BORE 28MM	1.00	051	ST
589655	CONTACT:TYP MICRO	1.00	021	ST
579750	CASTER:	1.00	081	ST
606218	STUD,D/END:DIA-A 3/4IN,DIA-B 3/4IN	1.00	051	ST
628634	BRG,SLEEVE:TYP BUSHING	2.00	051	ST
626560	RELAY:COIL 24VDC	2.00	011	ST
602366	PACKING:PTFE,SQUARE	2.00	051	ST1
583216	COLLAR:TYP SHAFT,MT CEMENTED CARBIDE/WC	2.00	051	ST
798939	INSULTR;MV TERMINAL,10KV,LG 310MM	1.00	051	EA
1246188	RETAINER:TYP OIL RING,SIZE DIA 120 X WD	1.00	051	EA
635198	BOLT,MACH:M10,LG 20MM,MS-58,1.5MM,HD HEX	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
595535	KEY STOCK:SZ SQ 3/8IN,LG 12IN,MT CS	1.00	081	ST
971340	GSKT, SPWD: NOMINAL FLANGE SIZE 8IN	6.00	051	ST
777283	MODULE:MONITORING	1.00	031	ST
602120	PACKING:V#2630/BUNA-N DUCK,V SHAPE ROUND	2.00	051	ST
9102113	BRACKET,BEARING,470 NT GG-25,PART#330.01	1.00	051	ST
1595344	BOLT-MCHN:DIA 1-1/4IN,LG 110MM,MTRL CS A	8.00	051	EA
598685	SET:TYP CHAIN WHEEL	1.00	091	ST1
588814	KIT;BEARING	1.00	081	ST1
1040354	BREAKER, CIRCUIT: AMPERAGE 1A,POLE 3	1.00	011	EA
266254	SEAL:BACK	1.00	051	EA
1028919	TRANSMITTER, DIFFERENTIAL PRESSURE:	1.00	061	EA
591784	WASHER,LOCK:SS ASTM A276,403,IMPELLER	1.00	051	ST
597372	VALVE,SOLENOID:ST 4/2 WAY	1.00	051	ST
587883	KIT:	1.00	051	KIT
604598	FUSE:6.3A,250V,DIA 5 X LG 20MM,FERRULE	6.00	021	ST
642603	RETAINER:	1.00	051	ST
604875	FUSE:6A,440/550VAC,OFFSET BLADE,FAST	9.00	021	ST
630840	TRANSDUCER:TYP CURRENT,APLC TRANSFORMER	1.00	061	ST
593985	O-RING:ID 148MM,WD 5MM,MT NBR	1.00	051	ST
593004	GSKT PRE-CUT :ID 190 X OD 290 X THK 6MM	4.00	051	ST
638009	METER, FLOW: RANGE 5-500ML/MIN,P/N:N/A	1.00	101	ST
799467	BRACKET:TYP SUPPORT,MT SS	2.00	051	ST
627270	KIT,VALVE REPAIR:SEAT REPAIR	1.00	051	ST1
609981	PLATE,WALL:TYP COVER,GANG 2,STD CSA; UL	4.00	021	ST
642990	PACKING:GRAPHITE,TYP GATE VALVE	18.00	051	ST1
1091106	MODULE, POWER SUPPLY: O/P 24VDC,INPUT 6W	1.00	031	EA
598159	BRG-BAL	2.00	051	ST
577848	ASSEMBLY:PC BOARD SLIDE INJECTOR	1.00	081	ST
636815	NUT,LOCK:CS A36,BEARING	1.00	051	ST
905781	PIPE:SZ 8IN,LG 6M,SCHD 60,CS ASTM A106,B	2.00	101	M
1196149	KIT-ACTUTR-RPR;SEAL	1.00	061	KIT
590219	BASE:POWER SUPPLY TYP	2.00	021	ST
607275	BUSH;ID 14 X OD 18 X HT 14MM,PTFE,GUIDE	2.00	051	ST
581857	DRN;PIPE	1.00	051	ST
803167	SHOE,BEARING:TYP JOURNAL	6.00	051	SE
627258	GSKT,SPWD:GRAFOIL,SS 304,SHP ROUND	2.00	051	ST
430895	RING:PVC,TYP CALIBRATION	1.00	051	ST
1026929	GSKT PRE-CUT : MATL KLINGERSIL,TYP FLAT	4.00	051	ST
867431	O-RIG:I DIA 74.4MM,WD 3.1MM,MTRL NBR,APL	9.00	051	EA
589062	RECEIVER,OPTICAL:TYP FIBRE OPTIC	1.00	031	ST
635185	NUT,HEXAGON:DIAMETER M20,MATL 34CRMOS,TH	4.00	051	ST
582967	KNOB:TYP DISC VALVE,ST HAND KNURLED	4.00	141	ST
605393	SWITCH,TOGGLE:250V 16A,DPDT,SCREW	2.00	021	ST
615639	DEFLECTOR:MT BRONZE ASTM B584 OR BC6	2.00	081	ST
617018	LABEL:COLOR BLACK AND YELLOW	2.00	141	ST
627143	O-RING:MT FKM	2.00	051	ST
610077	KIT:	1.00	081	KIT
620034	GEAR:TYP DRIVE,MT CS	1.00	081	ST
1193123	CAGE, VALVE: , VLV STYL GLOBE	1.00	051	EA
615643	RETAINER:TYP OIL RING,MT CS ASTM A283 GR	1.00	051	ST
113837	TIMER:TYP BLOCK,RNG 0.1-30S	1.00	051	EA
586319	BRG,ROLL:ID 65MM,OD 140MM,WD 36MM,TYP	2.00	051	ST
1597303	KIT-PUMP-RPR:TYP PULSATION DAMPER,APL CH	1.00	081	KIT
592410	GSKT-PRE-CUT;COVER,ROUND,GRAPHITE	1.00	051	ST
610707	CONTACTOR:TYP POWER	2.00	011	ST
903088	WASHER,SEALING:NOM SZ 1/2IN	1.00	051	EA
1073639	CIRCUIT: TYP MAIN BOARD,P/N:TAM022	1.00	011	EA
603789	SLV;ID 65 X OD 80 X LG 60MM,VALVE	2.00	051	ST
612856	FIXTURE:TYP WITH EMERGENCY UNIT	1.00	021	ST
585525	STEM,VALVE:VLV ST MANUAL CONTROL ANGLE	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
614237	COIL,ELECTRICAL:TYP VACUUM CONTACTOR	6.00	011	ST
1595083	OIL-INDUSTRY:TYP GEARBOX,TRD NM SAE 80 E	35.00	001	L
606483	PIN:DIA 20MM,LG 50MM	2.00	051	ST
589838	FILTER,ELEMENT:ANTI ACID	5.00	051	ST
1579410	PLT:TYP ROTOR,SZ OD 46 X THK 24IN,MTRL S	1.00	131	EA
284978	PWR-SUPPLY:TYP CP-E 24/0.75,IN 115VAC 50/	1.00	031	EA
622507	CIRCLIP:TYP INTERNAL	1.00	051	ST
587402	GSKT SET:	1.00	051	ST1
593402	GSKT-SPRL-WUND;125 X 135MM,188 X 300MM	4.00	051	ST
610708	RELAY,OVERLOAD:11-16A,1NO-1NC,THERMAL	1.00	011	ST
273022	GSKT,SPWD:GRAPHITE,SHP ROUND	6.00	011	EA
583281	SEPARATOR:TYP DUST	5.00	051	ST
605138	RELAY:TYP LOCKOUT,CONTAR 2NO-4NC	1.00	031	ST
593276	GSKT,SPWD:20MM,GRAPHITE,SS,SHP ROUND	15.00	051	ST
44694	TEE,PIPE:SZ 8IN,BW,CS ASTM A234,RT SCH	2.00	051	EA
619629	O-RIG;44.4MM,3.1MM,NBR	2.00	051	ST
1618650	PLUG-VLV:VLV STYL GLOBE,VLV SZ 3IN,MTRL	1.00	051	ASY
622356	CONTACTOR:COILV 50/60HZ	2.00	011	ST
581450	MODULE:BUS,PWR S 9VDC 1MA	1.00	031	ST
119160	O-RIG;FKM,PROCESS FLANGE, P37	3.00	051	ST1
643779	JOINT:	1.00	051	ST
585292	SEAT,VALVE:VLV SZ 14IN,BUTTERFLY,EPDM	1.00	051	ST
583709	CRCUT;(4) PORT PIM SERIAL INPUT/OUTPUT	1.00	011	ST
630865	MODULE:POWER,PWR S 220VAC	1.00	031	ST
588375	BUSH:CS SEW 1.4138 GR G-X120CRM0292	1.00	051	ST1
225895	PACKING: SIZE 26 X 16 X 5MM,SHAP ROUND	21.00	051	EA
583318	BRG,SLEEVE:TYP JOURNAL	1.00	051	ST
594555	RING:TYP SPIROLOX,SZ ID 300 X OD 322MM	1.00	051	ST
594771	RING:TYP WIPER	2.00	051	ST
615719	RETAINER:TYP OIL RING,MT SS 400 ASTM	2.00	051	ST
580614	SHAFT,PUMP:	1.00	051	ST
621933	PLUG,ELECTRICAL:125A	2.00	021	ST
586477	BRG,THRUST:MT SILICON CARBIDE	2.00	051	ST
218940	FUSE:800A,500VAC	1.00	011	ST
905324	CUPLG	1.00	051	EA
634773	KIT, ACTUATOR REPAIR: TYP SINGLE ACTING	1.00	061	ST
593052	GSKT PRE-CUT :ID 394 X OD SQ 507MM,CORK	1.00	051	ST
799582	FUSE: AMPERAGE 1A,VOLTAGE 380/220VAC	5.00	021	ST
629301	SCREW,CAP:SOCKET	5.00	051	ST
638136	SEAL,RING:	1.00	051	ST
619792	SHIM:	2.00	051	ST1
799455	COUPLING:CS ASTM A668 GR 1010,COMPLETE	1.00	051	ST
1054371	RCTFR	1.00	021	EA
610556	TRNSFRMR	1.00	011	ST
813182	PROCESSOR:TYP CONTROL LOGIX,PWR S 3.5W	1.00	031	EA
928411	BREAKER, CIRCUIT: VOLTAGE 500VDC,POLE 3	1.00	011	EA
579866	KNOB;DOOR HAND,DIA 20 X LG 132MM,PVC	1.00	141	ST
598449	BRG,BALL:TYP RADIAL INSERT	2.00	051	ST
605370	SWITCH:TYP MICRO,CONTRT 250VAC 3A,SPDT	4.00	021	ST
644788	O-RING:WD 7MM,MT RUBBER,APLC MAINHOLE	2.00	051	ST
627249	PACKING:GRAFOIL	2.00	051	ST1
595883	METER,ELECTRICAL:TYP AMMETER,RNG 0-250A	1.00	101	ST
621876	BUTTON:	2.00	011	ST
596241	DISC:ID 45 X OD 120MM,CLUTCH	5.00	051	ST
643702	BRG,ROLL:ID 43MM,OD 53MM,WD 20MM,TYP	1.00	051	ST
603925	TERMINAL:	12.00	021	ST
639481	WASHER:STEEL	1.00	051	ST
642745	RING:TYP STUFFING BOX	7.00	051	ST1
998683	RELAY: COIL V 110/230V,ACTION 1PDT	1.00	011	EA
142347	CAGE-VLV:VLV STYL CONTROL,VLV SZ 1-1/2IN	1.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
583166	LIGHT,INDICATING:VOLT 120VAC,COLOR RED	1.00	021	ST
642508	SEAL:GF/PTFE,SLEEVE	5.00	051	ST
494033	O-RING:ID 140MM,WD 3MM,MT BUNA-N	3.00	900	EA
598386	BRG,ROLL:ID 50MM,OD 110MM,WD 29.5MM	6.00	051	ST
9101656	ASSY,PIPE EXHAUST FRONT	1.00	051	ST
644473	BOLT-MCHN;M12,85MM,GS,1.75MM,HEX	1.00	051	ST
842220	COUPLING,SHAFT:	1.00	051	ST1
607115	WASHER,LOCK:	2.00	051	ST
590502	RELAY:COIL V 24VAC 50/60HZ,ACTION DPDT,C	2.00	011	ST
1636638	KIT-INSTLTN;04/PK	1.00	051	KIT
905652	PRB;VAPOUR,OPTIDIST	2.00	051	EA
627183	VALVE,BALL:VALVE SIZE 3/4IN,DSGN RT CL 8	1.00	900	ST
482143	TEE,PIPE REDUCER:SZ 1-1/2 X 1/2IN	12.00	900	EA
901748	CONTROLLER:TYP TEMPERATURE	1.00	061	ST
1646294	JNT-EXPNSN;EJ-13.1,8IN,340MM,FLANGED	1.00	051	ASY
1011543	CIRCUIT: APPL TOC ANALYZER, EQUIP MDL#:	1.00	011	EA
821085	STUD CNTNS THD:TYP BOLT,DIA 1/2IN,THRD U	88.00	051	ST1
627306	VALVE, GATE: TYP SOLID WEDGE,CNCT FNPT	1.00	051	ST
1637173	KIT-CYLNRD-RPR;REPLACEMENT;PN:285422384	1.00	051	KIT
1030113	COLUMN, ANALYSIS: TYP PACKED MATRIX	1.00	061	EA
949893	CONTACTOR:TYP MAGNETIC,POLE 3,460VAC	1.00	900	EA
999101	VALVE, SOLENOID: STYL 5/2 WAY	2.00	051	ASY
1051944	LAMP: TYP ULTRAVIOLET,WATT 6W	4.00	021	EA
988845	HEAD, PUMP: P/N:60058, MDL/MACH#: 600	1.00	081	ASY
1637945	PUMP;MICRO,WD 17 X LG 45MM,24VAC 50-60HZ	1.00	051	EA
1637665	MTR-FLOW;UBBELOHDE GLASS VISCOMETER	1.00	051	ASY
905643	SENSOR:	2.00	011	EA
907349	SCRIBER:TYP ACTIVATED CARBON	1.00	101	SE
1644243	ELBW-PIPE;3/4IN,BW,45,SS,LONG,321,80	4.00	051	EA
208099	VALVE:DSGN RT 400PSIG,STYL 10-WAY,OPER T	2.00	051	ST
82617	COUPLING,PIPE,HALF:1IN,CS ASTM A105,SW	6.00	900	ST
988850	GSKT: P/N:80335,MNFR:WATERS CORPORATION	2.00	051	PAK
902728	FILTER:OZONE SCRUBBER	1.00	051	EA
902197	JOINT,BALL:	2.00	051	EA
813494	ASSEMBLY:IGNITOR	3.00	081	EA
931763	VALVE,GLOBE:VLV SZ 1IN,DES RTG 800LB	12.00	051	EA
1637748	O-RIG;2.5MM,1.78MM,PLASTIC;PN:285420614	1.00	051	EA
1188662	KIT: TYP SERVICE,P/N:08-4702, EQUIP	2.00	900	KIT
1647494	BELT-THD;TIMING BELT,LG 265MM,106,2.5MM	1.00	051	EA
1636530	KIT-INSTLTN;MISCELLANEOUS	1.00	051	EA
1641379	TEE-PIPE-RDUCR;10 X 4IN,BW,SS,304L,10S	2.00	051	EA
845193	FILTER,AIR:METAL,TYP FILTER	1.00	051	ST
1571153	JNT-EXPNSN:TYP EJ-48.1,SZ INLET 8 X OUTL	4.00	051	ASY
1633835	WSHR;PLASTIC,25MM,30MM,2MM,SEALING	3.00	051	EA
906243	VALVE:TYP INJECTOR,BODY MATL PEAK,STYL 7	1.00	051	EA
901469	RING:TYP INLET,APLC HEATER FURNACE	1.00	051	EA
999039	CELL: TYP APERTURE LASER,P/N:J1122P	1.00	011	ASY
1594746	PIPE-MTLC:NMNL P SZ DSGNTN 8IN,SCHDUL 10	1.00	131	EA
1635087	TUBE;CHEMICAL RESISTANCE,PTFE;M:TOC-L	2.00	051	EA
988933	GSKT SET: TYP CELL; LAMP SIDE,P/N:80336	2.00	051	ST1
984477	POWER SUPPLY: TYP TCD CONTOLLER	1.00	021	EA
172624	VLV:P/N:638-57026-01,MNFR:SHIMADZU CORPO	2.00	051	EA
906628	SPTUM;DIA 10 X THK 3 MM,SILICONE RUBBER	2.00	071	SE
614190	VALVE,GLOBE:VLV SZ 1IN,DES RTG CL 800	1.00	051	ST
172649	DETECTOR:	1.00	061	EA
985704	WOOL:MTRL QUARTZ,P/N:630-00557,MNFR:SHIM	2.00	051	ST
1579702	FLG-PIPE:TYP RAISED FACE,SZ 1-1/2IN,MTRL	8.00	131	EA
715076	POWER SUPPLY:TYP MAIN	1.00	021	EA
907160	METER,FLOW:RNG 0-400ML/M,PVC	1.00	101	EA
1641139	FLG-PIPE;WELDNECK,24IN,CS ASTM A105N,FF	2.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
904957	FILTER:CHEMICAL,GAS PURIFICATION	3.00	051	EA
999107	ACTUATOR: P/N:28431.002, EQUIP MDL#:	2.00	061	ASY
1644291	ELBW-PIPE;1IN,BW,90,SS,LONG,321,80	6.00	051	EA
905992	VALVE,SOLENOID:ST 3-WAY,ELEC TRT 24VDC	1.00	051	EA
1056060	TEE: SIZE M8,TYP T PIECE,P/N:RPV 100	6.00	051	ST
82681	COUPLING,PIPE:1/2IN,3000LB,CS ASTM A105	4.00	900	ST
901482	TUBE:TYP PNEUMATIC,SZ 4/2,MT PTFE	1.00	131	M
1644661	MDUL;ELECTRONIC, 5 CHANNELS,19 W	1.00	051	EA
1641382	RDUCR-PIPE;36 X 24IN,BW,CS ASTM A234,WPB	1.00	051	EA
909804	REGULATOR, PNEUMATIC: TYP PRESSURE	1.00	061	ASY
1614758	SUPRT;PIPE GUIDING,10IN	2.00	051	ASY
1637446	PWR-SUPLY;MODULAR,95-265V AC,68V DC,10A	1.00	051	EA
641831	VLV-SLND;2/2 WAY,DIAPHRAGM AND PIVOT	1.00	051	ST
1026052	GSKT, SPWD: NOMINAL FLANGE SIZE 10IN	1.00	051	EA
44666	TEE,PIPE:SZ 3/4IN,RTG 3000LB,CONN SW	2.00	051	EA
689027	TRANSDUCER:	1.00	061	EA
988932	O-RING: P/N:46376, EQUIP MDL#: 486	3.00	051	EA
984987	KIT: TYP ADJUSTABLE RESTRICTOR	1.00	900	EA
394768	ROTOR:TYP 10 PORT VALVE	1.00	081	ST
1586754	PLT-MTLC:SZ WD 4 X LG 8 FT X THK 10 MM,M	1.00	131	EA
1633460	VLV-SLND;2-WAY,220-240VAC 50/60HZ	1.00	051	EA
13847	PIPE:SZ 3/4IN,LG 6000MM,SCHD 40S,SS ASTM	6.00	101	M
1020781	FURNACE, ELECTRIC: TEMP RT 1000DEG C	1.00	081	ASY
506658	VLV:VLV SZ 1/16IN,STYL 6 PORT,TEMP RT 30	2.00	051	ST
1433316	CEL;FLOW;STANDARD,14MICRO L,10MM	1.00	051	EA
643610	BRG:	1.00	051	ST
759174	BELLOWS:TYP SAFETY VALVE	14.00	051	EA
577644	WHEEL:TYP COUNTER CLOCKWISE ROTATION	1.00	091	ST
589734	CONTACTOR:TYP MAGNETIC,AMP 80A,3 POLE	1.00	011	ST
1054483	BRG, BALL: CAGE MATERIAL STEEL,MNFR:SKF	3.00	051	EA
943585	FLANGE,PIPE:TYP FLAT FACE,SIZE 10IN,CNCT	2.00	131	EA
591327	BOLT, MACH: DIAMETER 10MM,LENGTH 25MM	29,560.00	051	ST
236368	KIT,VALVE REPAIR:FISHER CONTROL VALVE	1.00	051	KIT
932519	OILER: TYP WATCHDOG,MATL GLASS/METAL	4.00	101	EA
636183	DIAPHRAGM,VALVE:VLV TP CONTROL	2.00	051	ST
1057637	HOSE;1/2 X 1-1/4IN,WHIP CHECK,METALLIC	50.00	051	ST
396737	O-RING, DIN 3771- 55.25X 2.62-N-	3.00	051	ST
1226412	PIPE:SIZE 1IN,LENGTH 6M,SCHD 40S,MATL SS	72.00	131	M
272520	BR:TYP DOUBLE CHANNEL DIGITAL INPUT,P/N	1.00	031	EA
1588622	PIPE-MTLC:NMNL P SZ DSGNTN 3IN,SCHDUL 40	1.00	131	EA
225260	PACKING:GRAPHITE RIBBON,SQUARE	1.00	051	ST
958142	SWITCH, PRESSURE: RANGE 100-600MBAR	1.00	061	EA
958143	RTD: TYP PT 100,WIRE 3; CLASS A	1.00	101	EA
775546	O-RING: INSIDE DIAMETER 504.3MM,P/N:NBR	1.00	051	ST
72826	O-RIG;119.6MM,5.7MM,NBR	4.00	051	ST
981971	KIT: TYP VIAL/HIGH TEMPERATURE	1.00	051	KIT
589463	BREAKER,CIRCUIT:80MA,220/690VAC; 250VDC	2.00	011	ST
111078	PACKING:MATL GRAPHITE,SHAP SPLIT RING,TY	5.00	051	ST1
681801	CLAMP:SZ 4-1/4 - 5	1.00	051	EA
859326	GSKT-PRE-CUT;OIL SHEET,(4) DIA 15MM	2.00	051	EA
907827	SEAL,RING:INSIDE DIAMETER 40MM,OUTSIDE D	4.00	051	EA
713209	BRG-BAL;35MM,80MM,34.9MM,OPEN,DOUBLE	2.00	051	EA
68095	BRG,BALL:IBI 13466,ID 50MM,OD 90MM	1.00	051	ST
872387	GSKT;FLANGE GASKET,2 MM,NOVAPRESS,ROUND	2.00	051	ST
174457	COUPLING,PIPE:1/2IN,3000LB,CS ASTM A105	14.00	051	EA
217792	O-RING:ID 64.4MM,WD 3.1MM,MT NBR	1.00	051	ST
143075	SEAL-RIG;PTFE CARBON FILLED	1.00	051	EA
588602	O-RING: INSIDE DIAMETER 44.04MM	2.00	051	ST1
631684	CBL-TIE;TYRAP; SELF-LOCKING,7.7MM,340MM	100.00	021	ST
591829	WASHER:MATL CS,OUTSIDE DIAMETER 38MM,THI	10,881.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
586385	BRG,BALL:ID 85MM,OD 1/80MM,WD 28MM	2.00	051	ST
611306	BOTTLE:TYP SAMPLE,1000ML CAP,MT	98.00	071	ST
371088	BRG - BALL DEEP GROOVE - 6X 19X 6MM	2.00	051	ST
644100	CHEMICAL: NAME THERMINOL VP-1 (HTM-2)	5,700.00	001	KG
606584	RIVET,BLIND:DIA 4MM,LG 0.415IN,0.312IN	3,000.00	051	ST
593419	GSKT-PRE-CUT:SHP ROUND,P/N:BL150738,MNFR	5.00	051	ST
49453	GSKT:P/N:001435.655.000,MNFR:VALTEK	6.00	051	EA
331057	BRG,BALL:IBI 11559,INSIDE DIAMETER 25MM,	1.00	051	ST
1041743	ADSORBENT: REF#: MSDS NO: 7440-44-0	2,000.00	001	KG
57672	O-RING:ID 11.8MM,WD 2.4MM,MT NBR	3.00	051	ST
294581	OIL:TYP GEAR,DRUM 208L	1,664.00	001	L
593333	GSKT PRE-CUT :THK 0.25MM,FF	12.00	051	ST
656800	BAG:TYP ZIP LIP,SZ SQ 12 IN X THK 4MM	2,700.00	001	EA
644104	IC-MIC:TRADE NAME NALCO 7330,PHYSICAL FO	2,340.00	001	KG
644191	REAGENT:COD DIGESTION,SOLUTION,COD TEST	3,055.00	001	BOT
834984	WASHER:NOM SZ M10,SS 410,OD OD 38MM	3,350.00	051	EA
100684	BRG,ROLL:ID 40MM,OD 90MM,WD 35.5MM	4.00	051	ST
716346	NUT-HXGN;M10,SS,410,1.5-6HMM	2,200.00	051	EA
589121	CLAMP:TYP MANWAY LOCK,SZ THK 5,MT CS	1,402.00	051	ST
262408	O-RIG:MTRL BUNA-N,APL PISTON,P/N:001181	11.00	051	EA
644095	CHEMICAL: TRADE NAME OAKITE-SR	2,751.07	001	KG
1547836	BOLT,MACH:DIAMETER 3/8IN,LENGTH 1.25IN,M	1,000.00	051	EA
1524037	BOLT,MACH:DIAMETER M10,LENGTH 25MM,MATL	1,000.00	051	EA
1548165	WASHER,LOCK:SZ 3/8IN,MATL CS ASTM A307,I	1,450.00	051	EA
589122	CLAMP: TYP BOTTOM TRAY,SIZE THK 3.5	5,356.00	051	ST
920976	TAG, SAFETY: SIZE WD 8 X LG 15CM	980.00	121	EA
1523958	BOLT,MACH:DIAMETER M10,LENGTH 50MM,MATL	900.00	051	EA
1602273	BOLT-ASMBLY:NMNL DIA M8,LG 65MM,MTRL SS	970.00	051	ASY
834990	CLAMP:TYP MANWAY,MT SS 410	1,350.00	051	EA
835000	WASHER:NOM SZ M10,SS 410,OD 44MM,DOMED	2,185.00	051	EA
716269	CAP:TYP FLEXITRAY,MT TY-410	684.00	051	EA
999788	SEAL: SIZE 5/16 X 8-3/4IN,APPL	1,000.00	051	ST
953958	METER,ELECTRICAL:TYP AMMETER,RNG 0-800A	1.00	101	EA
594476	GSKT:ID 10 X OD 15,SEAL RING,THK 1MM	419.00	051	ST
583508	PLUG:CS ASTM A105,SHOULDER,AIR COOLER	880.00	051	ST
1572313	RFRCTRY-SPEC-ACSRs:TYP CUPLOCK,SZ 1 IN X	300.00	001	EA
578837	SINKERS,011200-000100,FOR KNITTING MACHI	360.00	051	ST
1602361	BOLT-ASMBLY:NMNL DIA M8,LG 35MM,MTRL SS	400.00	051	ASY
878921	WIRE, WELDING: TYPE GTAW,STYLE AWS ER347	192.00	051	KG
656798	BAG: TYP ZIP LIP,WD 8" X LG 10" X THK 4M	2,000.00	001	EA
1029884	SCREW, CAP: HEAD HEX SOCKET, S/N#:	184.00	051	ST
835008	WASHER:NOM SZ M10,SS 410,OD 25MM	180.00	051	EA
1548069	CLIP:TYP FINGER,SIZE THK 2.7MM,MATL CS A	300.00	051	EA
1589933	STUD:DIA 6.4MM,LG 165MM,MTRL SS 310,TYP	230.00	051	ASY
496195	WASHER:ZINC,PACKING	181.00	051	EA
916777	BOLT,U:SZ 2IN,LG 102MM,SS 310,DIA 8MM	232.00	051	ST
441533	REFRACTORY: MATL PLASTIC,FORM HARD PASTE	182.00	001	KG
58218	PIPE:SZ 1-1/2IN,LG 6M,SCHD 80,CARBON	151.00	131	M
589010	TILE SUPERSEDED BY 7276592	168.00	131	ST
809160	SCREW, SET: DIAMETER M10,LENGTH 25MM	320.00	051	ST
591828	WASHER:MATL CS,OUTSIDE DIAMETER 35MM,THI	784.00	051	ST
834977	WASHER:NOM SZ M10,SS 410,SEAL PLATE	168.00	051	EA
579778	DUSTER:TYP DUST REMOVER,SZ 400ML	250.00	051	CA
1589849	STUD:DIA 6.4MM,LG 140MM,MTRL SS 310,TYP	180.00	051	ASY
593444	GSKT PRE-CUT :THK 2MM,NEOPRENE RUBBER	96.00	051	ST
1591503	FUSE-CRTRDG:TYP FAST ACTING,CURNT 2A,PTN	100.00	021	SE
644141	CHEMICAL:CARBON TETRACHLORIDE	142.50	001	L
80662	ELBOW,PIPE:SZ 3/4IN,CS ASTM A105,90,SW	90.00	051	ST
589971	FUSE:16A,660VAC; 250VDC,DIA 23.9 X LG	108.00	021	ST
1232966	ASSEMBLY:TYP FASTENER,APPL SIEVE TRAYS,D	230.00	081	ASY

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1232992	ASSEMBLY:TYP FASTENER,APPL SIEVE TRAYS,D	120.00	081	ASY
591456	NUT,HEX:DIA M16,AS ASTM A194,GR 8M,THD	95.00	051	ST
591528	NUT,HEX:DIA 5/8IN,GR 2B,THD UNC 11TPI	130.00	051	ST
594254	PCKG-BULK;FIBRE GLASS,DIA 10MM X LG 50M	100.00	051	M
614320	SCREW,CAP:M10 DIA,30MM LG,HEX	85.00	051	ST
834982	WASHER:NOM SZ M10,SS 410,SEAL PLATE	123.00	051	EA
1232990	ASSEMBLY:TYP FASTENER,APPL SIEVE TRAYS,D	170.00	081	ASY
582940	FILTER,BAG:DIA 4-1/2 X LG 10 FT,CS,TYP	134.00	051	ST
589318	BLOCK,TERMINAL:ELEC RT 300V 32A,TERMINAL	70.00	021	ST
1029065	WASHER, LOCK: TYP TOOTHED,P/N:G-TLW1-16	80.00	051	ST
1598558	FLTR-ELMNT:TYP DOUBLE OPEN END,SZ ID 1 X	60.00	051	EA
585090	FILTER,ELEMENT:SS 304L/FIBREGLASS	186.00	051	ST
1013380	WSHR:MTRL STEEL,TYP BEARING FIXING,P/N:1	68.00	051	ST
86839	O-RIG;NBR	100.00	051	ST
809159	SCREW, SET: DIAMETER M10,LENGTH 50MM	300.00	051	ST
1009453	BUSH, PUMP: TYP ELASTIC,P/N:EGE-2-GS	64.00	081	ST
644248	CHEMICAL:ETHANOL,ETHYL ALCOHOL	162.50	001	L
1022730	NUT: P/N:FFD61016,DOC:SLO1263316	52.00	051	ST
603902	STRIP:TYP SHEET,SZ WD 1800 X LG 1000 X	103.00	051	ST
579788	WOOL:MT CERAMIC	52.00	051	ROL
767914	PACKING:SQ 12.7 X LG 420MM	252.00	051	ST
591747	STUD CNTNS THD:DIA M36,THRD 3MM,LG 180MM	72.00	051	ST
1005736	STUD CNTNS THD:DIA 3/4IN,THRD UNC 10TPI	48.00	051	ST1
610466	STUD,D/END:DIA-A M16,DIA-B M16,LG 75MM	48.00	051	ST
1022727	NUT: P/N:FFD61036,DOC:SLO1263316	48.00	051	ST
834991	WASHER:NOM SZ M10,SS 410,SEAL PLATE	71.00	051	EA
581741	HOSE: SIZE ID 19MM,MATL RUBBER	120.00	051	M
1523957	STUD CNTNS THD:TYP BOLT,DIA M10,THRD FUL	50.00	051	EA
579906	HASP;ADJUSTABLE SAFETY STAPLE	59.00	051	ST
977037	BOLT: DIAMETER M10,LENGTH 50MM	104.00	051	ST
589327	BLCK-TRMNL;800V,CAPTIVE SCREW,2.5MM2,1	100.00	021	ST
1056617	SCREW, CAP: DIAMETER M22,P/N:120-01	40.00	051	EA
596613	FILTER, ELEMENT: SIZE WD 455 X	114.00	051	ST
1029128	SCREW, CAP: DIAMETER M6,HEAD HEX SOCKET	44.00	051	ST
606988	WASHER,LOCK:SS DIN WN 1.4923,ID 41MM	67.00	051	ST
1591852	BOLT-ASMBLY:NMNL DIA M20,LG 100MM,MTRL A	250.00	051	ASY
352048	RING:TYP CUTTING,SZ OD 20MM,MT STEEL	60.00	051	ST
591429	NUT,HEX:DIA 5/8IN,CS ASTM A194,GR 2H,THD	52.00	051	ST
643040	PACKING:GRAPHITE,TYP GATE VALVE	50.00	051	ST1
629229	SCREW,MACHINE:M10 DIA,30MM LG,Z100	41.00	051	ST
1231772	POWER SUPPLY:TYP REPEATER,INPUT 0-24MA,O	37.00	021	EA
580139	BALLAST: LAMP 18W	56.00	021	ST
1586740	ELBW-PIPE:SZ ID 49.1 X OD 60.3MM,CNCT BW	36.00	051	EA
616416	BLOCK,TERMINAL:ELEC TRT 660V 125A,TERM	120.00	021	ST
611212	GSKT,SPWD:2-1/2IN,600LB,GRAPHITE,SS 321	37.00	051	ST
583034	LAMP-INCNDS CNT;PILOT,1.12W,28V,CLEAR	45.00	021	ST
187819	FAN:ELEC TRT 12VDC 0.8A	264.00	051	ST
644226	CHEMICAL:DIMETHYL FORMAMIDE,DMF	111.50	001	L
586089	TIP:TYP PRIMARY GAS,MT STEEL	38.00	101	ST
750559	FILTER,ELEMENT:40MICRON	40.00	051	EA
399320	FUSE:0.5A,250V,DIA 5 X LG 20MM,FERRULE	40.00	021	ST
1523909	GAUGE,PRESSURE:RANGE 0-10BARG,DIAL SIZE	58.00	101	EA
611135	GSKT PRE-CUT :	38.00	051	ST
583448	PLATE:TYP SEAL,SZ THK 3.5MM,CS	195.00	131	ST
1630603	LAMP-HIGH-INTNSTY-DSCHRG;PIN,230 V 60 HZ	40.00	051	EA
603435	COAT:TYP FLUID-RESISTANT,SZ S,CLR WHITE	40.00	121	ST
637181	STUD-DUBL-END:DIA-A M30,DIA-B M30,LG 210	40.00	051	ST1
997760	NUT: P/N:FFW22036,DOC:SHO50069	32.00	051	ST
877645	NUT,LOCK:DIA M36MM,ASTM B348,GR 2/TP 340	32.00	051	ST
1029129	SCREW, CAP: DIAMETER M6,HEAD HEX SOCKET	48.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
608155	NPL-PIPE:TYP STRAIGHT,SZ 3/4IN,LG 4IN,MT	30.00	051	ST
607843	INSERT:CARBIDE	30.00	051	ST
583071	LAMP,INCANDESCENT:TYP PILOT,VOLT 24VDC	95.00	021	ST
271646	CUPLR:TYP QUICK STEM,MTRL MONEL,P/N:M-QT	30.00	061	EA
591729	STUD CNTNS THD:DIA 3/4IN,THRD 10 UNC-2A	45.00	051	ST
878802	WIRE,WLDG:TYP GTAW,ST AWS ER80S-B2	30.00	051	KG
1548139	CLIP:TYP RING,SIZE THK 2.7MM,MATL CS AST	300.00	051	EA
1024529	BOLT,MACH:DIAMETER 1-1/8IN,LENGTH 25MM,M	66.00	051	EA
1073527	COUPLER, TUBE: TYP BODY,MNFR:SWAGELOK	38.00	051	ST
604219	BRUSH-ELECT:TYP TACHO,MTRL CARBON,QTY /	40.00	021	ST
611222	GSKT,SPWD:1/2IN,600LB,PTFE GLASS FILLED	36.00	051	ST
1023276	BOLT, MACH: DIAMETER M24,LENGTH 50MM	26.00	051	ST
599596	GSKT,SPWD:DN 24IN,150LB,GRAPHITE	25.00	051	ST
1572177	BOLT-ASMBLY:NMNL DIA M20,LG 80,MTRL ASTM	28.00	051	ASY
591723	STUD CNTNS THD:DIA 3/4IN,THRD 10 UNC,LG	24.00	051	ST
625014	WASHER:SS 316L,PACKING	30.00	051	ST
625013	WASHER:SS 316L,PACKING	30.00	051	ST
716318	WASHER:ID 11MM,OD 25MM,THK 2MM,TP304L	100.00	051	EA
783138	ELECTRODE:TYP HAND TORCH,MT COPPER	50.00	051	ST
594911	RING:DIA 40MM,TYP QUAD	50.00	051	ST
638086	SCREW,CAP:1IN DIA,7.5IN LG,MT NICKEL/SS	36.00	051	ST
641742	BUFFER:MATL RUBBER,DOC:5610114	25.00	051	ST
591441	NUT,HEX:DIA M20,TI ASTM B348/JIS,GR 2/TB	28.00	051	ST
583454	PLATE:TYP SEAL,SZ LG 200 X THK 3.5MM,CS	102.00	131	ST
1588651	KIT-ACTUTR-RPR:TYP OVERHAULING,CMPRSNG A	27.00	061	KIT
643816	FILTER,ELEMENT:CS,PREFILTER	22.00	051	ST
597799	ELECTROD WLDG,WLDG:SZ DIA 3.2 X LG 175MM	39.00	051	ST
642305	SWITCH:TYP BOOT	45.00	021	ST
591312	STUD CNTNS THD:DIA 5/8IN,THRD 11 UNC,LG	28.00	051	ST
586013	BAL-VLV;1IN,SS 316	20.00	051	ST
585089	FILTER,ELEMENT:POLYESTER	40.00	051	ST
587394	KIT-VLV-RPR:TYP SOFT PARTS,APL SHUT-OFF	23.00	051	KIT
600602	GSKT JKTD:SHP ROUND	27.00	051	ST
607877	INSERT:CARBIDE	20.00	051	ST
642303	SWITCH:TYP SNAP DOME	20.00	021	ST
905624	DISPLAY UNIT,DATA:TYP ANALYZER,PWR SRC 2	1.00	141	EA
600210	GSKT,SPWD:11/2IN,150LB,GRAPHITE	41.00	051	ST
596521	PIECE:TYP DIAPHRAGM	30.00	051	ST
583142	LAMP, INCANDESCENT: TYP ANNUNCIATOR	30.00	021	ST1
607842	INSERT:CARBIDE	30.00	051	ST
642358	COVER:TYP FLEXIBLE FRONT DISPLAY	20.00	051	ST
32046	GRS-INDUSTR;ROLLING BEARING,TIN 1KG	28.00	001	KG
897443	TUBE;INSTRUMENT,ID 2/5 X OD 1/2IN,PTFE	25.00	131	FT
769241	FUSE:1.6A	20.00	021	EA
938297	SCREW:CS ASTM A307	20.00	051	EA
644224	PC-OTH;LIQUID,BOTTLE	40.00	001	L
626019	NUT,HEX:DIA M24,SS DIN WN 1.4301,GR 304	64.00	051	ST
602189	PACKING:CERAMIC FIBRE	50.00	051	ST
938298	SCREW:CS ASTM A307	24.00	051	EA
1027034	STUD CNTNS THD:TYP BOLT,DIA 1-3/4IN,THRD	28.00	051	ST1
770756	STUD CNTNS THD:DIA 1-7/8IN,THRD 8 UN,LG	22.00	051	ST1
124192	SPRING:STEEL,TYP PACKING RING	20.00	051	EA
903337	LAMP,INCANDESCENT:TYP FLOOD,WATT 500W,VO	45.00	021	ST
593388	GSKT PRE-CUT :ID 112 X OD 170 X THK 3MM	35.00	051	ST
585567	STOP:	24.00	051	ST
606078	RSTR;220K OHM,0.5W,AXIAL SOLDER LEADS,5	20.00	031	ST
904841	GLASS:TYP WELDING,SZ WD 2 X LG 4-1/4IN	50.00	121	EA
580833	PLATE SUPERSEDED BY 7276582	22.00	021	ST
589949	FUSE:1A,DIA 10.3 X LG 38MM	21.00	021	ST
1582471	PLUG-TUBE:DIA LARGE END 17.5 X SMALL END	20.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
944834	WASHER: P/N:591904,MNFR:FLOWERVE	250.00	051	ST
595456	PAPER,ROLL:TYP FAN FOLD SINGLE PLY	42.00	141	BX
1023177	TRANSMITTER: TYP TOXIC; OXYGEN	47.00	061	ST1
582764	THERMOCOUPLE:TYP K	18.00	061	ST
907797	SEAL,RING:TYP SHAFT	20.00	051	EA
73717	STUD CNTNS THD:DIA 1-1/4IN,THRD 8 UN,LG	39.00	051	ST1
591354	STUD CNTNS THD:TYP BOLT,DIA 33MM,THRD 3	16.00	051	ST
1523959	STUD CNTNS THD:TYP BOLT,DIA M10,THRD FUL	50.00	051	EA
606063	RSTR;2.2K OHM,0.25W,AXIAL SOLDER LEADS	18.00	031	ST
611654	NUT,HEX:DIA M12,SS 316,THD 1.75MM	20.00	051	ST
629893	STUD CNTNS THD:DIA 3/4IN,THRD 10 UNC,LG	28.00	051	ST
939100	SCREW: DIAMETER M10,LENGTH 35MM	20.00	051	EA
589956	FUSE:	22.00	021	ST
591499	NUT,HEX:DIA M16,SS S31803,GR 6H,THD 2MM	16.00	051	ST
924951	WIRE:TYP BINDING,SZ DIA 2MM,UNS S31603	25.00	021	M
602335	PACKING:TYP GLAND	20.00	051	ST
578881	STARTER,LAMP:METAL HALIDE	20.00	011	ST
591083	ANODE:	16.00	051	ST
610434	BOLT,MACH:M20,LG 65MM,GS,2.5MM,GR 4.6	20.00	051	ST
625924	WIRE,LOCK:MT SS DIN WN 1.4435/316L	23.00	121	ST
600557	GSKT PRE-CUT :ROUND	28.00	051	ST
1574513	VLV-GATE:TYP BELLOW SEALED,VLV SZ 1-1/2I	19.00	051	EA
609118	O-RIG;1511MM,4MM,SILICONE	38.00	051	ST
602208	PACKING:300MM,GRAFOIL,TYP GLAND	14.00	051	ST
605869	CAPACITOR: VOLTAGE 250VAC,TYP FIXED	30.00	031	ST
606579	RIVET:TYP LEVER,HD ROUND	52.00	051	ST
190520	FUSE:2A,500VAC,DIA 10 X LG 38MM,FERRULE	16.00	101	ST
1245886	STUD CNTNS THD:TYP BOLT,DIA 1-5/8IN,LG 2	20.00	051	ST1
1601070	BOLT-ASMBLY:NMNL DIA M16,LG 50MM,MTRL SS	32.00	051	ASY
609807	LAMP,INCANDESCENT:TYP EMERGENCY,VOLT 6V	15.00	021	ST
1035566	RING: MATL 1.4571,STD DIN,P/N:DPR 6-L/S	20.00	051	EA
606075	RSTR;220OHM,0.5W,AXIAL SOLDER LEADS,5	20.00	031	ST
606077	RSTR;22K OHM,0.5W,AXIAL SOLDER LEADS,5	20.00	031	ST
605885	CPCTR;FIXED,10MICRO F,35V DC,20	20.00	031	ST
618086	O-RING:APLC FOR MOTORS OF ETP PLANT	29.00	051	ST
628322	LAMP:COLOR RED	20.00	021	ST
607840	INSERT:CARBIDE	20.00	051	ST
590085	FUSE:TYP GENERAL PURPOSE,AMPERAGE 63A,VO	20.00	021	ST
601379	O-RING:MT NBR	26.00	051	ST
583447	PLATE: TYP SEAL,SIZE LG 150 X THK 3.5MM	18.00	131	ST
872380	FERRULE,TUBE ADAPTOR:TYP FRONT AND BACK	15.00	051	SE
607834	INSERT:CARBIDE	30.00	051	ST
653207	GSKT,SPWD:SPIRAL	17.00	051	EA
864106	O-RING:ID 32.93MM,WD 3.53MM,MT VITON A	21.00	051	EA
716367	CLAMP:TYP BOTTOM TRAY "Y",SZ SS 304L	100.00	041	EA
587996	KIT-ACTUTR-RPR;O'RING/PISTON SEAL	27.00	061	ST1
821602	KIT,ACTUATOR REPAIR:TYP SEAL	12.00	061	ST1
636599	BOLT:M16,102MM,STEEL,2MM,REAMER	17.00	051	ST1
976331	GSKT PRE-CUT : MATL VITON,SHAP ROUND	12.00	051	ST
595450	PAPER:TYP CONTINUOUS SHEETS,SZ WD 11 X	39.00	051	BX
1023529	STUD CNTNS THD:TYP BOLT,DIA 1-1/2IN,THRD	20.00	051	EA
1029123	WASHER, LOCK: TYP TOOTHED,P/N:G-TLW1-10	20.00	051	ST
590057	FUSE:	15.00	021	ST
594692	CIRCLIP:TYP INTERNAL,SZ ID 26 X THK 2MM	25.00	051	ST
609577	GSKT:TYP STRIP,THICKNESS 2MM,SIZE WD 5MM	15.00	051	ST1
1025024	GSKT-SPRL-WUND:TYP BASIC WITH INNER AND	12.00	051	EA
614935	NUT-HXGN;M12,GS,1.75MM	12.00	051	ST
600260	GSKT,SPWD:4IN,600LB,GRAPHITE	19.00	051	ST
590111	FUSE:2A,DIA 10 X LG 38MM	14.00	021	ST
950319	O-RING:MT VITON	12.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
606076	RSTR;2.2K OHM,0.5W,AXIAL SOLDER LEADS,5	18.00	031	ST
606820	SCREW,SET:M8 DIA,20MM LG,SOCKET,CONE,GR	25.00	051	ST
606074	RSTR;22OHM,0.5W,AXIAL SOLDER LEADS,5	18.00	031	ST
592752	GSKT PRE-CUT :DIA 80 X THK 2MM,NON	50.00	051	ST
1085718	STUD CNTNS THD:TYP BOLT,DIA M22,THRD UNC	18.00	051	SE
1233128	STUD CNTNS THD:TYP BOLT,DIA 1-1/4IN,THRD	18.00	051	ASY
1053276	LAMP: TYP SINGLE LED,VOLTAGE 24VAC/DC	32.00	021	EA
582975	LINK-CHN-TRNSMSN;LOCK STRAIGHT,STEEL,1IN	30.00	051	ST
608494	O-RING: INSIDE DIAMETER 4.47MM	38.00	051	ST
836244	WASHER:SS,A4,DIN 125	74.00	051	EA
613339	SENSOR:TYP CARBON MONOXIDE	12.00	011	ST
585764	VALVE,GATE:VLV SZ 1/2IN,DES RTG CL 800	23.00	051	ST
586092	TIP:TYP STAGED GAS,MT STEEL	12.00	101	ST
588908	KIT-ACTUTR-RPR:TYP SOFT PARTS,CMPRSNG O	15.00	061	ST1
847252	VALVE:TYP CAP FLEXITRAY,BDY MATL SS 410	684.00	051	EA
588279	O-RING SET:	75.00	051	ST
189730	SPRING,EXTENSION:HOOK	25.00	051	ST
587997	KIT,ACTUATOR REPAIR:	14.00	061	ST1
592319	SCRAPER SUPERSEDED BY 7276593	50.00	101	ST
586937	KIT:TYP INTERNAL PILOT	13.00	081	KIT
1029483	SEAL, RING: INSIDE DIAMETER 210MM	20.00	051	EA
1036261	BLADE, FAN: SIZE 120IN, MDL/MACH#:	14.00	011	ST
602846	SEAL,RING:	15.00	051	ST
916368	RING,RETAINING:TYP SPLIT	14.00	051	ST
1228565	GSKT:TYP CYLINDER JOCKET COVER,APPL RECI	10.00	051	EA
1022841	NUT: P/N:SLQ44341,DOC:SOLO1196/0	10.00	051	ST
946736	BOLT:NECKED-DOWN	16.00	051	EA
800049	KIT-ACTUTR-RPR;WEARING PARTS	12.00	061	SE
1572176	BOLT-ASMBLY:NMNL DIA M25,LG 150,MTRL AST	30.00	051	ASY
828315	HLDR-SPRG	10.00	051	ST
1201776	SWITCH:TYP EXTENDED ROTARY HANDLE,CNTCT	10.00	021	EA
939915	DISC,VALVE:VLV SZ 3IN,BUTTERFLY	10.00	051	ST
971289	STUD CNTNS THD:TYP BOLT,DIA 1-1/2IN,THRD	18.00	051	EA
601281	O-RIG;FKM,STUFFING BOX	32.00	051	ST
587203	KIT-ACTUTR-RPR:TYP KIT,ACTUATOR REPAIR,C	10.00	061	ST
636787	PACKING:T#1995	10.00	051	ST
601992	O-RING SET: QUANTITY 5,P/N:04000916	20.00	051	ST
609458	SYRG;5MICRO L	15.00	071	ST
589958	FUSE:	21.00	021	ST
642304	ACTUATOR:TYP PTT	19.00	061	ST
591919	BUSH,VALVE:YOKE GLAND	10.00	051	ST
607208	NAIL:TYP WIRE,LG 3/4IN,MT STEEL BRIGHT	20.00	051	KG
632388	FUSE;TIME DELAY,1-1/2A,250V AC	10.00	021	ST
76478	FUSE:TYP FAST BLOW ELECTRONIC,AM 2A,VLTG	10.00	051	ST
607013	WASHER,LOCK:NOM SZ 3/8IN,SS 304,ID 10MM	10.00	051	ST
614372	STUD CNTNS THD:LG 90MM,MTRL AS ASTM A193	23.00	051	ST
694199	MARKER,WIRE:DESIGNATION METAL,COLR YELLO	10.00	021	EA
604787	FUSE;ULTRA FAST BLOW,5A,250V,CERAMIC	10.00	021	ST
511983	INK:TYP FLOURESCENT MAGNETIC,CAN 400ML	10.00	001	CA
640623	O-RING:MT NBR,APLC LEVEL SWITCH	10.00	051	ST
579323	GAUGE:0-195LBS,CHARGING	25.00	101	ST
1245910	PLATE:TYP SEAL,SIZE WD 10 X LG 76MM,MATL	10.00	131	EA
630933	CVR;JOINT PLATE	10.00	051	ST
995800	NUT: MATL SS 304,P/N:N1-M8, EQUIP MDL#:	12.00	051	ST
591239	SCREW,CAP:MT STEEL,HEX SOCKET	10.00	051	ST
932612	BOLT,MACH:20MM,LG 216MM,CS ASTM A307	13.00	051	SE
608672	BAR,HEX:SZ 25MM,MT CS	20.00	131	M
591434	NUT,HEX:DIA 1-1/4IN,CS ASTM A194,GR 2H	27.00	051	ST
626023	BOLT,MACH:M20,LG 50MM,SS DIN WN 1.4301	16.00	051	ST
940122	CABLE:TYP INTERCONNECT,SZ LG 35FT	10.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
611189	GSKT,SPWD:36IN,300LB,GRAPHITE,SS 316	20.00	051	ST
583426	PLATE:TYP DAMPER,SZ THK 2MM,SS	15.00	131	ST
585133	FLTR-ELMNT;PRE,1MICRO	16.00	051	ST
585598	VALVE,CONT:SZ 1IN,TYP SHUT OFF	22.00	051	ST
1026028	STUD: TYP BOLT,P/N:SLO800691002	14.00	051	ST
637190	STUD-CNTNUS-THRD:DIA 1-7/8IN,THRD 8UN,LG	21.00	051	ST1
424814	PLAT:SZ ID 40 X OD 197 X THK 6MM,PEEK	12.00	131	ST
583630	BARRIER:TYP INPUT ANALOG	12.00	121	ST
1593772	CASE:TYP TILE,APL STAGED GAS BURNER,P/N	12.00	051	ASY
586760	MOTOR,ELECTRIC:110VDC,PANEL	8.00	011	ST
46907	RING:TYP ADJUSTING,APLC CONSOLIDATED	11.00	051	EA
1038205	SEAL,RING:INSIDE DIAMETER 90MM,OUTSIDE D	8.00	051	EA
613338	SENSOR:TYP OXYGEN	13.00	011	ST
624311	STUD:DIA M22,105MM LG,STEEL,THD 2.5MM	15.00	051	ST
1012835	PIN: DIAMETER M16,TYP GRUB, MDL/MACH#:	32.00	051	EA
956403	KIT:TYP REPAIR,APPL STEAM TRAP,DOC:SA-B2	8.00	081	KIT
759749	DISC,VALVE:CS,WCC,SAFETY RELIEF	8.00	051	EA
600406	GSKT, SPWD: SHAP RECTANGULAR,P/N:14"/150	8.00	051	ST
608595	GLAND:TYP FOLLOWER	13.00	051	ST
1056096	BRUSH, ELECTRICAL: TYP CARBON	8.00	021	SE
586599	BELT,TOOTHED:SZ WD 85 X LG 4326MM	9.00	051	ST
602527	RING:PTFE,TYP RIDER	8.00	051	ST
588361	BRG-SLV;JOURNAL	8.00	051	ST1
771067	WEDGE:TYP TAPER PIN	30.00	101	ST
951822	RIG;SS 304,ID 32 X OD 38 X THK 6MM	9.00	051	ST
611076	GSKT,SPWD:12IN,150LB,PTFE GLASS FILLED	19.00	051	ST
600384	GSKT-SPRL-WUND:TYP BASIC WITH INNER AND	20.00	051	ST
1595684	SPRG-EXTNSN:OUT DIA 11MM,O/SIDE LG 55MM	18.00	051	EA
84385	BELLOWS:TYP PROTECTION,MT CR 879	8.00	051	ST
866783	FLANGE,PIPE:TYP RF,SIZE 3/4IN,MATL CS AS	16.00	131	EA
530199	GSKT-SPRL-WUND:INR RNG THK 3.5MM,SHP ROU	8.00	031	ST
617678	O-RING:APLC COLLAR	15.00	051	ST
626885	RELAY:COIL 48VDC,DPDT	9.00	011	ST
67204	SEAL,OIL:ID 35MM,OD 45.16MM,WD 7.01MM	16.00	051	ST
579938	LAMP,INCANDESCENT:W 75W,VOLT 220-230V	20.00	021	ST
592759	GSKT PRE-CUT :THK 1/8IN,PTFE,ROUND,RF	10.00	051	ST
637188	GSKT,SPWD:2IN,600LB,GRAPHITE,SS 321	9.00	051	ST
606326	NUT,HEX:DIA M16,AS DIN WN 1.7258,GR	22.00	051	ST
1601073	STUD-ASMBLY:TYP BOLT,DIA 5/8IN,LG 110MM	16.00	051	ASY
742208	SCREW,CAP:SOCKET HEAD	8.00	051	ST
1601071	BOLT-ASMBLY:NMNL DIA M10,LG 20MM,MTRL SS	24.00	051	ASY
1559751	CLAMP:TYP U,SIZE 8IN,MATL GALVANISED STE	8.00	051	EA
622198	FUSE:4A	9.00	021	ST
908880	NUT:NECKED-DOWN BOLT	8.00	051	ST
744787	GSKT,SPWD:GRAPHIITE,UNS S31600,BONNET	8.00	051	ST
1023489	CLAMP: TYP C,MATL CS,DOC:S-12984 A2/2	8.00	051	ST
626066	BOLT,MACH:M12,LG 70MM,SS DIN WN 1.4301	12.00	051	ST
598457	BRG,PLAIN :TYP SPHERICAL	10.00	051	ST
1226706	FILTER:TYP LO INLET,APPLN PSA FEED GAS C	8.00	051	EA
600236	GSKT,SPWD:30IN,150LB,GRAPHITE	52.00	051	ST
1029765	O-RING: INSIDE DIAMETER 232MM,WIDTH 3MM	9.00	051	EA
852489	PIN:TYP WEDGE,STD ANSI,P/N:010 0366 43,M	14.00	061	EA
636606	INSERT,THREADING:TYP HELICOIL	16.00	101	ST
160608	LAMP,HID:TYP MULTI-VAPOUR METAL HALIDE	9.00	021	EA
1034764	FUSE: AMPERAGE 200A,VOLTAGE 3.6KV	9.00	021	EA
471085	FILTER,ELEMENT:FIBRE GLASS	10.00	051	EA
632906	CELL:TYP INSULATION CLOSED	11.00	011	ST
611308	BOTTLE:TYP SQUEEZE,500ML CAP,MT LDPE	12.00	071	ST
1028928	WASHER: TYP SPRING,P/N:G-SW-24	8.00	051	ST
1225956	PIN,DOWEL:DIAMETER 40MM,MATL SS,TYP EXTE	12.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
601380	O-RING:MT NBR	26.00	051	ST
604700	FUSE:250A,500V,SLOW BLOW	39.00	021	ST
588323	GSKT PRE-CUT :ROUND	13.00	051	ST
583978	HOSE: CNCT PUSH ON,TYP FLEXIBLE	10.00	051	M
587048	PACKING:MATL FLEXI GRAPH,TYP RING,DOC:IN	8.00	051	ST
506433	CHEMICAL: TYPE COD DIGESTION REAGENT	12.00	001	PKG
589897	FUSE:200A,600 VAC,CENTRE TAG,FAST ACTING	101.00	021	ST
14423	GSKT,SPWD:SHP ROUND,BASIC	8.00	051	ST1
1030424	NUT: P/N:FFF06016, EQUIP MDL#: SAC1-8	8.00	051	ST
995798	WASHER: MATL SS 304,P/N:SW-M8	8.00	051	ST
590276	PROTECTOR;FLANGE LEAK	14.00	001	ST
1085744	CONNECTOR, LUG: TYP ELASTIMOLD	9.00	021	EA
588410	BELT, V: TOP WIDTH 9.7MM,THICKNESS 8MM	9.00	051	ST
588294	O-RING SET:	15.00	051	ST
615923	SEAL;WD 3 X LG 1000 X THK 1MM,PTFE,TAPE	18.00	051	ST
613913	BOLT,MACH:M20,LG 90MM,TI ASTM B348 GR 2	10.00	051	ST
626295	CRUCIBLE: CAPACITY 50MICRO L	20.00	071	PKG
938295	STUD:AS ASTM A193 GR B7,BOLT	10.00	051	EA
587989	KIT-VLV-RPR;SOFT PARTS,GRAPHITE/PTFE	15.00	051	ST1
968245	STUD: MATL ASTM A193 B8M,TYP BOLT,81584	8.00	051	ST
906571	SPACER:TYP PACKING	8.00	051	ST
1032646	RING,WEAR:INSIDE DIAMETER 75MM,MATL CI/T	8.00	081	EA
637975	VLV-BAL:VLV SZ 50MM,DSGN RTNG 150LB,BDY	8.00	900	ST
586983	TRAP-STM;LG 220MM,300PSI G	7.00	051	ST
587990	KIT-VLV-RPR:TYP SOFT PART,APL DRIER ON A	6.00	051	ST1
1602585	VLV-GATE:TYP BOLTED BONNET,VLV SZ 1/2IN	8.00	051	EA
596924	GASKET,PRE-CUT:MT NBR	9.00	051	ST
591657	BOLT-MCHN:DIA M16,LG 45MM,MTRL SS 31803	24.00	051	ST
613340	SENSOR:TYP HYDROGEN SULPHIDE	8.00	011	ST
1540011	HOSE-FLXBL-MTL;1/4IN,30CM,SS 316L	9.00	051	EA
602306	PACKING:PTFE,SQUARE	9.00	051	ST
591698	STUD-DUBL-END;1IN,1IN,524MM,AS ASTM A320	22.00	051	ST
602074	PACKING:TYP STEM,P/N:03-1145/1-778,MNFR	7.00	051	ST
1189504	WLDG:TYP FILLTER,STYL AWS 5.9,MATL ER317	8.00	051	PAK
601392	O-RING:MT FKM	6.00	051	ST
1579684	ACTUTR-PNUMTC:TYP PRE SERIES,P RTNG 8.3B	6.00	061	EA
770461	PULLEY:TYP SPROCKET,SZ ID 55MM	6.00	051	ST
193401	BOLT-MCHN:DIA M10,LG 30MM,MTRL SS 304,TH	24.00	051	ST
633238	RING,RETAINING:	12.00	051	ST
901641	LINK,FUSE:TYP HRC,AMP 400A,VOLT 690VAC	6.00	021	EA
589714	RELAY:COIL 110VDC,4PST	6.00	011	ST
1046830	GSKT PRE-CUT :SHAP IRREGULAR,MATL EPDM,H	22.00	051	EA
601270	O-RIG;99.4MM,3.1MM,VITON	6.00	051	ST
974187	TUBING: TYP PERISTALTIC PNEUMATIC PUMP	11.00	131	FT
68249	BRG,BALL:IBI 13218,ID 45MM,OD 100MM	7.00	051	ST
582952	BEAKER,LABORATORY:TYP GRADUATED,50ML	25.00	071	ST
582661	GLASS:TYP BREAK GLASS,MT GLASS	10.00	121	ST
611220	GSKT,SPWD:10IN,600LB,GRAPHITE,SS 321	10.00	051	ST
638114	GSKT:5.688 X 26.125IN,THK 0.062IN	18.00	051	ST
780834	SCREW,CAP:1/2IN DIA,1IN LG,MT CS,ALLEN	8.00	051	ST
628030	PIN:DIA 1IN,PTFE/SS 316L,PLUG STEM	6.00	051	ST
331259	BRG-BAL;13436,50MM,80MM,16MM,OPEN,SINGLE	8.00	051	ST
295571	PLUG,TUBE:DIA 1/8IN,SS	7.00	051	ST
1233129	STUD CNTNS THD:TYP BOLT,DIA 1-1/8IN,THRD	6.00	051	ASY
622372	RELAY:COIL 24VDC,(3) SPDT	10.00	011	ST
617467	INDICATOR:TYP OIL LEVEL,SZ M26 X 1.5MM	8.00	061	ST
618756	SPACER:TYP DISC	26.00	051	ST
425903	O-RING:ID 179.3MM,WD 5.7MM,MT NBR	6.00	051	ST
644729	GSKT,SPWD:1-1/2IN,150LB,GRAPHIITE	9.00	051	ST
600842	GSKT,SPWD:2IN,150LB,PTFE GLASS FILLED	10.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
600022	GSKT,SPWD:TYP BASIC WITH INNER AND OUTER	6.00	051	ST
601793	O-RING:ID 214.3MM,WD 5.7MM,MT NBR,STD	7.00	051	ST
78162	PIPE:SZ 1IN,LG 6000MM,SCHD 40,CS ASTM	18.00	101	M
628186	O-RING:APLC DIAPHRAGM COLLAR	6.00	051	ST
600265	GSKT,SPWD:18IN,600LB,GRAPHITE	6.00	051	ST
939099	SCREW: DIAMETER M8,LENGTH 30MM	16.00	051	EA
400702	BRG,SLEEVE:ID 20MM,TYP BUSH,OD 23MM	8.00	051	ST
1025002	STUD CNTNS THD:TYP BOLT,DIA 7/8IN,THRD 9	15.00	051	EA
637184	SCREW,MACHINE:M6 DIA,25MM LG,AS ASTM	18.00	051	ST
592707	GSKT,SPWD:1-1/2IN,300LB,GRAPHITE,SS 316	10.00	051	ST
288450	WASHER,LOCK:SZ 95MM,MATL STEEL,INSIDE DI	8.00	051	ST
334152	FUSE:TYP TIME DELAY,AM 40A,VLTG 500V,CRT	6.00	051	ST
604802	FUSE;QUICK ACTING,0.25A,250V AC,GLASS	10.00	021	ST
614418	STUD CNTNS THD:LG 210MM,MTRL AS ASTM A19	6.00	051	ST
628181	O-RING:APLC SEAL BOX	6.00	051	ST
623841	SCREW,CAP:M20 DIA	14.00	051	ST
592263	FERRULE:TYP FRONT,SZ 1/16IN,MT SS,GR 316	19.00	051	ST
628184	O-RING:APLC SEAL BOX	7.00	051	ST
610400	STUD,D/END:DIA-A M16,DIA-B M16,LG 65MM	16.00	051	ST
1029178	SCREW: P/N:RVR19118,DOC:SLO1263316	8.00	051	ST
946740	PIN: DIAMETER M6,TYP THREADED	8.00	051	EA
1029885	SCREW,CAP: HEAD HEX SOCKET,PN:G-SB-M6X14	8.00	051	ST
600559	GSKT PRE-CUT :	6.00	051	ST
614665	RING:TYP SPACING	7.00	051	ST
615664	BOLT:8MM,32MM,AS JIS G4105 GR	9.00	051	ST
633011	O-RING:ID 85MM,WD 5.3MM,MT EPDM	8.00	051	ST
619828	SEAL,OIL:ID 20MM,OD 30MM,WD 7MM	6.00	051	ST
951999	WASHER:	8.00	051	ST
58220	PIPE:SZ 1-1/2IN,LG 6M,SCHD 80S,SS ASTM	6.00	131	M
629543	CUSHION GASKET, V# 6500 (FOR CROSS GLAS	10.00	051	ST
601698	O-RING:	11.00	051	ST
601991	O-RING:	6.00	051	ST
629891	STUD CNTNS THD:DIA 7/8IN,THRD 9 UNC,LG 1	8.00	051	ST1
938290	NUT:AS ASTM A194,GR 2H	8.00	051	EA
1084422	KIT-ACTUTR-RPR;WEARING PARTS	7.00	061	KIT
641964	GSKT SET:	6.00	051	ST
615741	BOLT:8MM,33MM,AS JIS G4105 GR	12.00	051	ST
299044	CRCUT;INVERTER,AUX.HOIST SWITCHGEAR	6.00	011	ST
69982	BRG-RLR:TYP SPHERICAL; SELF-ALIGINING; T	6.00	051	ST
951733	FORK:TYP TOP	14.00	091	EA
626686	WASHER:PRE-LOADING	7.00	051	ST
901141	MODULE:IGBT TRANSISTOR,PWR S 200 A	6.00	031	EA
408334	KIT-ACTUTR-RPR;SEALING	8.00	061	ST1
906013	RING,RETAINING:TYP C-SHAPE	6.00	051	ST
615966	GSKT:CYLINDER LINER,THK 0.8MM	9.00	051	ST
600629	GSKT:	7.00	051	ST
801908	IGNITOR:TYP ELECTRIC IGNITION	7.00	051	ST
744353	KIT,VALVE REPAIR:APPL PRESSURE RELIEF VA	7.00	051	KIT
260625	SEAT-VLV:VLV TYP DELUGE,VLV SZ 4IN,MTRL	6.00	011	EA
620082	STUD CNTNS THD:DIA 3/4IN,THRD 10 UNC,LG	8.00	051	ST
1595705	CUP:TYP XRF SAMPLE,SZ OD 42.9 X HT 19.6M	6.00	051	ST1
615957	PISTON:	8.00	091	ST
1595610	MBRN:TYP PERFORATED XRF THIN-FILM,SZ DIA	6.00	051	PKG
587188	DTCTR-RSTNC-TMPRTUR:SHTH MTRL SS,STM SZ	6.00	101	ST
586618	BELT,TOOTHED:TYP HTD,SZ WD 85 X LG	13.00	051	ST
601798	SEAL,RING:TYP GLAND PACKING AND SPRING,P	6.00	051	ST1
1033969	THERMOWELL: IMMERSION LENGTH 17.5IN	6.00	061	EA
780937	O-RING:MT 25F9-70	6.00	051	ST
615969	SEAT,VALVE:DISCHARGE	7.00	051	ST
1028876	ROLLER: P/N:BR-28A-102,DOC:F3136-2010R1	11.00	091	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
612247	NUT:SS AISI 416 (262-302) BHN	10.00	051	ST
1608642	TRNSMTR-PRSUR:RNG -14 TO 500PSI,TYP DIAG	6.00	061	EA
596726	FILTER,ELEMENT:DIA 240 X LG 700MM	7.00	051	ST
1571173	VLV-BAL:VLV SZ 3IN,DSGN RTNG 150LB,BDY M	4.00	051	EA
639312	KIT,VALVE REPAIR:APPL PRESSURE RELIEF VA	4.00	051	ST
952708	VALVE, CHECK: TYP SWING,VALVE SIZE 1IN	4.00	051	EA
629638	SET:TYP DIAPHRAM (GAS SIDE,OIL SIDE AND	7.00	081	ST1
872267	SEAL,RING:MT PLASTIC	10.00	051	ST
1031381	CONVERTER, SIGNAL: INPUT 12-24VDC	4.00	061	EA
1225354	MODULE:TYP SIMATIC S5 PROCESSOR,PWR SRC	4.00	031	EA
1238951	PLATE,METALLIC:SIZE WD 1110 X LG 5684 X	6.00	131	EA
588365	KIT,VALVE REPAIR:STEAM DRIVE TURBINE	4.00	051	ST1
857879	SEAT,VALVE:VLV SZ 8IN,BALL	6.00	051	ST
585608	VALVE:TYP SUCTION FOR 2ND STAGE	4.00	900	ST
1593775	RSR:TYP PRIMARY AND STAGED GAS,P/N:7031	6.00	051	ASY
921253	ASSEMBLY:TYP ROTOR,APPL ETP BLOWER,DOC:1	8.00	081	ASY
634978	SOLVENT:CTNR BOTTLE 1L,P/N:100690,MNFR:H	7.00	001	BOT
587395	KIT: P/N:87117759,P/N:87117765	5.00	081	ST
612821	BRG-RLR;CYLINDRICAL,SINGLE,100MM	7.00	051	ST
519493	LAMP:	5.00	021	EA
1029134	VALVE, GLOBE: VALVE SIZE DN 80MM	4.00	051	EA
607270	BUSH-PUMP;ID 79 X OD 101 X THK 10MM,SS	4.00	081	ST
641158	RING: TYP INSERT,MNFR:ZIMMER AG	4.00	051	ST
625332	FAN:TYP VENTILATION	5.00	900	ST
611078	GSKT,SPWD:16IN,150LB,PTFE GLASS FILLED	56.00	051	ST
587226	KIT,ACTUATOR REPAIR:	4.00	061	ST
580072	LENS:TYP OPTICAL PROBE	5.00	121	ST
78718	NOZZLE,VALVE:MATL SS 304,P/N:W40120.0813	4.00	051	ST
602348	PACKING:GRAPHITE	4.00	051	ST
602804	SEAL, OIL: INSIDE DIAMETER 45MM	5.00	051	ST
590650	STN;PUSHBUTTON,MOTOR OPERATED VALVE	4.00	011	ST
644241	ACID-ORGNC;ACETIC ACID,ACETIC ACID,250ML	56.50	001	L
1030711	PIN: MATL SUS403,P/N:4T-OY09478	4.00	051	ST
1012836	NUT, CAP: DIAMETER M16,P/N:1-021-000720	32.00	051	EA
1001062	PURIFIER: TYP FID GAS SYSTEM,P/N:CP17972	18.00	071	ASY
637164	MEMBRANE:TYP SHIM PACK	4.00	051	ST1
628868	TIP,NOZZLE:TYP GAS	6.00	051	ST
587199	UNIT: TYP MAC OUTDOOR,DOC:RU3-DC-326	4.00	051	ST
611313	FLTR;DISPOSABLE SYRINGE,0.45,DIA 25MM	5.00	051	BX
808925	SET:TYP BEARING,APLC GATE VALVE	5.00	081	SE
1594406	TRAP-STM:TYP THERMOSTATIC,SZ 1/2IN,CNCT	5.00	051	EA
586273	BRG, BALL: TYP THRUST,P/N:83180141(204A)	4.00	051	ST1
624275	SCREW,CAP:M16 DIA,80MM LG,THD 2MM	24.00	051	ST
586993	CONE:TYP BURNER ASSEMBLY,SZ OD 9-1/2IN,M	6.00	051	ST
820330	PACKING:GRAPHITE	10.00	051	EA
586241	BRG,ROLL:ID 75MM,OD 160MM,WD 58.5MM	6.00	051	ST
599409	GSKT JKTD:ID 1206 X OD 1245 X THK 3.2MM	12.00	051	ST
653205	GSKT,SPWD:SPIRAL	9.00	051	EA
602513	RING,WEAR:SS ASTM A473 TP 420	4.00	081	ST
600429	GSKT PRE-CUT :ROUND	5.00	051	ST
1032649	RIG-PSTN;280.6MM,300MM,53.89MM,TEFLON	4.00	051	EA
585781	VALVE, GATE: TYP WEDGE,DSGN RT 800LB	4.00	051	ST
588311	DIAPHRAGM,VALVE:VLV TP CONTROL,VLV SZ 3	4.00	061	ST
588269	PACKING:TYP CHEVRON	4.00	051	ST1
938849	NOZZLE:TYP INDICATION	4.00	051	EA
612455	O-RING SET:4	5.00	051	ST1
590787	SWITCH,PROXIMITY:	4.00	011	ST
583358	SET:TYP BAFFLE OIL	5.00	081	ST
643817	FILTER,ELEMENT:SS 304,AFTER	8.00	051	ST
866111	KIT,VALVE REPAIR:SLIDE VALVE	4.00	051	SE

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
615971	RING:TYP PLATE	4.00	051	ST
738109	PACKING:	4.00	051	ST
636862	SHEET,GASKET:MT NON ASBESTOS	12.00	051	ST
601672	O-RING:MT NBR	5.00	051	ST
644973	PIPE:SZ 2IN,LG 6M,SCHDUL 80,MTRL SS ASTM	8.00	131	ST
142471	CYLINDER,ACTUATING LINEAR:TYP ACTUATOR	4.00	061	EA
1040046	VALVE, CHECK: VALVE SIZE 1/2IN	7.00	051	EA
1040422	PACKING: SIZE SQ 5MM,MATL GF-P	10.00	051	M
614168	INJCTR;STEAM,1.4841,FLARE TIP	6.00	061	ST
632416	COUPLER,TUBE:	7.00	051	ST
628805	CONTACTOR:COILV 110VAC	4.00	011	ST
614212	GSKT,SPWD:60IN,150LB,GRAPHITE,SS 316,RF	6.00	051	ST
973485	PISTON: DOC:SC 3269,3269.1	4.00	091	ST
771060	WEDGE:TYP PIN	16.00	101	ST
1023057	GAUGE, PRESSURE: RANGE 0-6BAR	4.00	101	EA
1616556	TRNSMTR-TMPRTUR;0 TO 150°F,4-20MA,2IN	6.00	061	EA
588262	JNT;BONNET	4.00	051	ST1
808104	CONVERTER:I/P 3.1-3.5V,APLC DCS SYSTEM	4.00	061	ST
602926	SEAT-VLV;CONTROL,SS 316	5.00	051	ST
588242	SET:TYP STRAINER	5.00	051	ST1
602523	SEAL,RING:MT EPOXY RESIN	4.00	051	ST
596728	FILTER,ELEMENT:332 X 600MM	6.00	051	ST
608622	BRG,BALL:IBI 14431,ID 70MM,OD 125MM	5.00	051	ST
1549658	POSITIONER,VALVE:TYP ELECTRO-PNEUMATIC P	4.00	061	EA
1579468	ACTUTR-PNUMTC:TYP PRE SERIES,P RTNG 8.3B	4.00	061	EA
620405	CAPACITOR:TYP FIXED,CAPCIT 18MICRO F	4.00	031	ST
597819	GAS:PURE,CYLINDER K 6M3	6.00	001	CY
580128	BALLAST:TYP HIGH PRESSURE SODIUM,VOLTAGE	5.00	021	ST
1202619	SET:TYP CYLINDER END,APPL CONTROL VALVE,	4.00	081	SE
615848	GSKT PRE-CUT :6IN	6.00	051	ST
737192	SPACER:	4.00	051	ST
588487	PACKING: MATL GRAPHITE,P/N:DA00013PM	5.00	051	ST1
601468	O-RING:ID 266.07MM,MT BUNA-N,APLC YOKE	10.00	051	ST
583068	HEAD:TYP PILOT LAMP,P/N:P9MLVR,MNFR:MACC	11.00	101	ST
873200	BOLT:M10,35MM,SS ASTM A193,GR B16,HEX	12.00	051	EA
609086	GLASS:TYP BREAK,COLOR CLEAR	4.00	121	ST
989554	RLY;110V DC,ON OFF,6A,MINATURE,4NO-4NC	10.00	011	ST
606688	SCREW:STEEL/VITON,SEALING	6.00	051	ST
995744	SCREW, SET: P/N:KS-MSX10,DOC:10909-0900	4.00	051	ST
929039	SWITCH,LIMIT:250VAC 16A,ROLLER LEVER,1NC	5.00	061	EA
750178	WASHER:MATL GYLON 3510,TYP ANTI EXTRUSIO	15.00	051	EA
620000	GSKT PRE-CUT :THK 1.5MM,ASBESTOS	5.00	051	ST
599465	GSKT PRE-CUT :OIL SHEET	4.00	051	ST
595807	MOUNT:SZ DIA 50MM,MT RUBBER	4.00	051	ST
600371	GSKT PRE-CUT :	7.00	051	ST
219199	FUSE:1A,250VAC,DIA 6.3 X LG 30MM,FERRULE	6.00	011	ST
1599038	FLG-PIPE:TYP RAISED FACE,SZ 2IN,MTRL CS	4.00	131	EA
636177	KIT,SEAL:APLC CONTROL VALVE	4.00	051	ST1
375486	SEAL-OIL;30MM,40MM,7MM,METAL/RUBBER	4.00	051	ST
626418	KEY:TYP FEATHER,MATL CS ASTM A1045	6.00	051	ST
1012874	SEAL: TYP ANTIESTRUSION PL20 S/D Z	4.00	051	EA
205941	O-RING:ID 9.8MM,WD 1.9MM,MT NBR	7.00	051	ST
1000714	HOLDER, FUSE: FUSE STYLE CARTRIDGE	4.00	021	EA
204907	O-RING:ID 69.4MM,WD 3.1MM,MT NBR	4.00	051	ST
1571052	NPL-PIPE:TYP REDUCING,SZ 1-1/2 X 3/4IN,L	4.00	051	EA
611064	GSKT,SPWD:3/4IN,150LB,PTFE GLASS FILLED	52.00	051	ST
600213	GSKT,SPWD:4IN,150LB,GRAPHITE	5.00	051	ST
1015070	GSKT,SPWD:TYP SPIRAL WOUND WITH INNER RI	12.00	051	EA
1029274	NUT: P/N:FFF14008,DOC:SOH01427	4.00	051	ST
606340	NUT,HEX:DIA M12,THD 1.75MM	6.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
593930	O RING:INSIDE DIAMETER 1/8IN,WIDTH 1/16I	4.00	051	ST
590381	RELAY:COIL 5VDC,PLUG IN	4.00	011	ST
1022722	SCREW: P/N:GJE05016,DOC:SLO1263316	4.00	051	ST
607209	NAIL:TYP WIRE,LG 4IN,MT STEEL BRIGHT	4.00	051	KG
604886	FUSE;4A,500V AC,CERAMIC,FERRULE	8.00	021	ST
594507	GSKT:ID 10 X OD 15,SEAL RING,THK 1MM	4.00	051	ST
1000685	O-RING: INSIDE DIAMETER 44.17MM	4.00	051	ST
606132	SCREW,CAP:M12 DIA,50MM LG,MT A2A,HEX	8.00	051	ST
965290	SEAL, RING: MNFR:NEUMAN & ESSER GROUP	8.00	051	ST
628188	O-RING:APLC COLLAR	4.00	051	ST
597887	BRG, BALL: IBI 10285,WIDTH 9MM,MNFR:SKF	8.00	051	ST
637758	FUSE:	5.00	021	ST
615946	GSKT:ID 27 X OD 32MM,THK 1.5MM,ROUND	4.00	051	ST
618084	O-RING:APLC MOTOR	4.00	051	ST
598613	BELT,V:OC 2000MM,TOP WD 10MM,THK 8MM	4.00	051	ST
716341	CLAMP:TYP MANWAY LOCK:5,SZ LG 50MM	8.00	051	EA
514383	LAMP,INCANDESCENT:TYP PILOT,W 2.6W	4.00	051	ST
1016179	KIT, SEAL: TYP REPLACEMENT (SOFT	5.00	051	KIT
594958	SEAL-OIL;74MM,90MM,15MM,BUNA-N	4.00	051	ST
641132	SEAL:1.5MM,STATIC	4.00	051	ST
619004	BUSH,PUMP:	4.00	081	ST
595178	SEAL,OIL:ID 17MM,OD 35MM,WD 7MM	4.00	051	ST
607538	COUPLING,HOSE:RT 16BAR,GR C52	4.00	051	ST
857538	FUSE:	4.00	021	ST
625877	BOLT,MACH:M20,LG 90MM,SS DIN WN 1.4462	4.00	051	ST
1226711	BRG,ROLL:TYP NEEDLE,ROW SINGLE ROW,INSID	4.00	051	EA
596799	FILTER,AIR:WD 287 X HT 592 X DP 360MM	6.00	051	ST
920632	FITTING,OUTLET:TYP SOCKOLET,RUN SZ 20IN	6.00	051	EA
1226694	GSKT:TYP CRANKCASE SAFETY VALVE,APPL PSA	4.00	051	EA
1226691	GSKT:TYP CRANKCASE SIDE COVER,APPL PSA F	4.00	051	EA
584685	LINER:TYP STEM,MT PTFE GLASS FILLED,SZ	14.00	051	ST
634387	O-RING, CORD: MATL NBR,P/N:C3983809	4.00	051	M
609127	O-RING,CORD:THK 5MM	5.00	051	ST
1031290	O-RING: INSIDE DIAMETER 619.5MM	4.00	051	EA
538523	RING,RETAINING:TYP INTERNAL,INCONEL X750	4.00	051	EA
1226707	RING:TYP SCRAPER,SIZE DIA 90MM,APPL PSA	4.00	051	EA
602761	RTNR	4.00	051	ST
642900	SEAL,OIL:ID 100MM,OD 150MM,WD 13MM,TYP	4.00	051	ST
949061	SPROCKET:TYP MOTOR SIDE,OD 166MM	5.00	051	EA
590798	SWITCH,PROXIMITY:2MM,INDUCTIVE,5-25VDC	4.00	011	ST
852492	SPACER:TYP SEAL,STD ANSI,P/N:036080236,M	9.00	061	EA
615840	O-RING:	4.00	051	ST
102983	O-RIG;104.4MM,3.1MM,NBR	4.00	051	ST
642509	RING:PTFE,TYP WEDGE	5.00	051	ST
616572	RLY;220VAC 60HZ,4PDT,440V 10A,4NO-4NC,CE	4.00	011	ST
994645	PACKING: MATL PILLAR 6610/6710	4.00	051	ST1
896236	O-RING:	8.00	051	ST
588376	KEY-SHFT;WD 10 X LG 70 X HT 16MM	5.00	051	ST1
642518	RING:TYP SEALING,APLC PLUG VALVE	5.00	051	ST
591917	BUSH:LINKAGE STAND	4.00	051	ST
642516	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
830720	ROD-CNTNUS-THRD;1IN,30IN	4.00	131	ST
612318	FUSE:5A,27VDC	10.00	021	ST
588249	SET:TYP PACKING,APLC CONTROL VALVE	4.00	081	ST1
641769	KIT:APLC LOWER BEARING HOUSING	6.00	081	ST1
599749	GSKT,SPWD:SS 316	4.00	051	ST
628031	PIN:DIA 1IN,PTFE/SS 316L,PLUG STEM	6.00	051	ST
599348	GSKT-PRE-CUT:TYP RF,SZ ID 143 X OD 196 X	4.00	051	ST
1629656	DISC;FILTER,4.5 MICRO M,SS;PN:N6711147	5.00	051	EA
1048691	KIT, SEAL: TYP GASKETS AND O-RINGS	4.00	051	KIT

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
635617	GSKT PRE-CUT :GRAFOIL,SEAT,3IN	5.00	051	ST
1022840	PIN: P/N:SLP60506,DOC:SOL01196/0	4.00	051	ST
622611	GSKT:OUTSIDE DE	4.00	051	ST
600140	GSKT,SPWD:IRID 550.9MM,SS 316	4.00	051	ST
619126	GSKT PRE-CUT :SYNTHETIC FIBRE,COVER	4.00	051	ST
602747	SEAL,RING:APLC SHAFT	5.00	051	ST
644213	PAPER,TEST:RNG 0-14PH	9.00	071	BX
991766	O-RING: INSIDE DIAMETER 0.145IN	4.00	900	EA
1024149	PIN: P/N:FJM03020,DOC:SOL36648/2	8.00	051	ST
600964	GSKT PRE-CUT :ROUND	4.00	051	ST
620032	SPRING:STEEL	6.00	051	ST
1586752	ELBW-PIPE:SZ ID 101.7 X OD 114.3MM,CNCT	6.00	051	EA
1587048	ELCTRD-WLDG:TYP FILLER,SZ DIA 3.2MM,AWS	10.00	051	PAK
371804	BREAKER,CIRCUIT:16A,230/440VAC 60HZ	6.00	021	ST
194098	CHN-PWR-TRNSMSN;SIMPLEX,1IN,STEEL,1600MM	7.00	900	ST
186632	BRKR-CRCUT:AM 10A,VLTG 400V AC,INTRUPT C	4.00	011	ST
1248421	BOLT ASSY:NOM DIA 7/8IN,LG 65MM,MTRL SS	6.00	051	ASY
875160	WIPER:TYP RING SCRAPER,MT NITRILE RUBBER	4.00	101	ST
588291	GSKT PRE-CUT :ROUND	20.00	051	ST
920616	FITTING,OUTLET:TYP SOCKOLET,RUN SZ 10IN	4.00	051	EA
1616121	BRTHR:TYP AIR,SZ 3/4IN,CNCT PT,APL TURBI	4.00	081	EA
636786	WINDOW:MT GLASS	8.00	131	ST
1026017	SCREW: P/N:GSG24080,DOC:SLO1263316	8.00	051	ST
510626	O-RIG:I DIA 104.37MM,WD 3.53MM,MTRL VITO	4.00	051	ST
938918	DISC,VALVE:VLV SZ 4IN,BUTTERFLY VALVE	4.00	051	ST
1601068	BOLT-ASMBLY:NMNL DIA M16,LG 90MM,MTRL SS	16.00	051	ASY
1564872	VALVE,GLOBE:VALVE SIZE 1IN,DSGN RT 800LB	4.00	051	EA
967148	SHAFT, VALVE: MNFR:NELES JAMESBURY METSO	4.00	051	EA
632404	RESISTOR:330OHM,TYP CURRENT LIMITING	4.00	031	ST
617476	KIT:TYP REPAIR,APLC AERATION BLOWER	7.00	081	ST
601958	O-RING:ID 2-1/4IN,WD 0.139IN,MT VITON	4.00	051	ST1
634941	SOLUTN:TYP CHEMICAL REAGENT	4.00	001	PAK
620022	GSKT PRE-CUT :NBR	4.00	051	ST
600141	GSKT,SPWD:IRID 550.9MM,SS 316	4.00	051	ST
604120	BREAKER,CIRCUIT:10A,230/440VAC	6.00	011	ST
1030728	SCREW, SET: MATL SCM 435,DOC:10909-0900	4.00	051	ST
600148	GSKT, SPWD: FILLER MATERIAL GRAPHITE	4.00	051	ST
991767	O-RING: INSIDE DIAMETER 0.208IN,P/N:N/A	4.00	900	EA
590492	RELAY:COIL 24VDC,4PDT	25.00	011	ST
642497	RING:TYP SEALING,APLC PLUG VALVE	5.00	051	ST
642519	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
632986	O-RING:MT FLUOROCARBON	4.00	051	ST
836243	WASHER:SS,A4,DIN 125	5.00	051	EA
642512	RING:TYP SEALING,APLC PLUG VALVE	5.00	051	ST
622377	MDUL-PWR-SUPPLY;TRIP AND E/I INTER PANEL	4.00	900	ST
629149	KIT-VLV-RPR:TYP SOFT PART,APL RELIEF,CMP	6.00	051	ST1
1050887	KIT, SEAL: TYP GASKET	10.00	051	KIT
872263	GSKT SET:TYP CYLINDER HEAD	8.00	051	ST
938301	SCREW,SET:CS ASTM A307,GR A	6.00	051	EA
1022734	NUT: P/N:FFW22030,DOC:SOH10508	4.00	051	ST
607264	COUPLING,PIPE:30 X 30MM,316 SS,FPT	5.00	051	ST
620028	GSKT PRE-CUT :NBR,OBROUND	4.00	051	ST
601637	O-RING:APLC REFRIGERATION UNIT	4.00	051	ST
852488	SPRING:TYP INSERT,P/N:06702252A,MNFR:MET	5.00	061	EA
599464	GSKT PRE-CUT :OIL SHEET	4.00	051	ST
1586549	FLG-PIPE:TYP RF,SZ 1IN,MTRL CS ASTM A105	15.00	131	EA
598119	BRG,ROLL:ID 35MM,OD 72MM,WD 17MM	6.00	051	ST
940811	NUT: P/N:059 288 011,DOC:A 900.1312	4.00	051	EA
588296	JOINT:APLC BODY	4.00	051	ST
957578	O-RING: INSIDE DIAMETER 240.66MM	4.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
874533	PIPE:SZ 50MM,LG 6M,SCHD WALL THK 2MM	6.00	131	M
1028869	WASHER: TYP SPRING,P/N:G-SW-16	8.00	051	ST
612319	FUSE:3A,5VDC	10.00	021	ST
636838	BUSH:SK5	5.00	051	ST
756662	PACKING:MATL GRAPHITE,SHAP ROUND,TYP RIN	4.00	051	ST1
591399	BOLT,MACH:M20,LG 90MM,AL BRONZE,2MM,HD	4.00	051	ST
456770	WASHER, LOCK: MATL SS ASTM A240	9.00	051	EA
583069	HEAD:TYP PILOT LAMP	4.00	101	ST
603286	SEAL;6M,STRIP SELF ADHESIVE,DOOR	4.00	051	ST
619820	SEAL, OIL: INSIDE DIAMETER 40MM	4.00	051	ST
933026	SPRING:TYP POSITIONER	10.00	051	ST
838219	METER,ELECTRICAL:TYP VOLT,RNG 0-50VDC	4.00	101	ST
429467	GLS-SGHT:CLR TRANSPARENT,SHP ROUND,P/N:S	5.00	111	ST
632863	WASHER:PTFE,THRUST	4.00	051	ST
906102	BLOCK,TERMINAL:ELEC TRT 300VAC 6A	5.00	021	EA
426537	STUD CNTNS THD:TYP BOLT,DIA 5/8IN,THRD 1	79.00	051	ST
1594377	FLG-PIPE:TYP RAISED FACE, SZ 1-1/2IN,MTRL	4.00	131	EA
895040	O-RING: MATERIAL VITON,P/N:761L001	5.00	051	EA
604213	BRUSH:TYP BURETTE,HANDLE WIRE	12.00	051	ST
620617	SET:TYP SEAL PLATE,APLC ELECTRIC MOTOR	6.00	081	ST
589344	BOTTLE:TYP REAGENT,250ML CAP,MT GLASS	15.00	071	ST
593981	O-RING:ID 5.3MM,WD 2MM,MT BUNA-N	12.00	051	ST
738816	PLATE:TYP RETAINING - SHAFT SEAL,SS 316L	4.00	131	ST
16978	WIRE;30 M,SS	4.00	081	ST
585750	VLV-GATE;1-1/2IN,CL 800,SW,CS ASTM A105	4.00	051	ST
594131	O-RING:ID 192MM,WD 4MM	5.00	051	ST
902189	FLANGE,PIPE:TYP LAPPED,CNCTN TYP LAPP FL	7.00	051	ST
912507	SWITCH, LIMIT: P/N:110111, EQUIP MDL#:	4.00	061	EA
998965	PLUG;SCREW,CENTRIFUGAL SEPERATOR	6.00	051	ST
594235	PACKING:SQUARE,TYP RING	13.00	051	ST
642461	RING:TYP SEALING,APLC PLUG VALVE	5.00	051	ST
642458	RING:TYP SEALING,APLC PLUG VALVE	5.00	051	ST
798625	BOLT:M10,50MM,SS 304	5.00	051	ST
600818	GSKT,SPWD:T#1804-NA/NON ASBESTOS,SS 304	4.00	051	ST
1244752	KIT:TYP MOUNTING,CMPRSNG MOUNTING BRACKE	4.00	051	SE
588907	KIT-VLV-RPR:TYP SOFT PARTS,APL BUTTERFLY	4.00	051	ST1
601391	O-RING:MT FKM	4.00	051	ST
938853	O-RING:ID 294MM,APLC CYLINDER	6.00	051	EA
641877	SWITCH,LEVEL:CONTRT 5A,DPDT	4.00	061	ST
629057	FAN:TYP EXTERNAL COOLING,MOUNT SHAFT	7.00	081	ST
615859	TAPE:TYP GASKET, SZ WD 15 X THK 6MM	6.00	001	ROL
612823	BRG,ROLL:TYP SPLIT CYLINDRICAL,ROW SINGL	4.00	051	ST
1615944	THRMTR-DIAL;BIMETAL,5IN,NPT 1/2IN,SS 316	6.00	061	ST
614551	VALVE,GATE:VLV SZ 1IN,DES RTG CL 800	8.00	051	ST
726029	FILTER:934-HA	6.00	051	PAK
608473	GSKT PRE-CUT :ROUND	7.00	051	ST
599414	GSKT PRE-CUT :V#8591,4IN	8.00	051	ST
902672	BRG;TAPER ROLLER,1,STEEL	5.00	051	EA
910764	RIG;PLATE	4.00	051	ST
629139	ASSEMBLY: TYP BELLOWS,APPL RELIEF VALVE	4.00	081	ST1
614774	SHIM:THK 0.015IN,MT SS 300,4	4.00	051	ST1
1229608	SPRING,VALVE:MATL AISI 316,VALVE SIZE 1-	4.00	051	EA
1235708	SPRING,VALVE:MATL CS,VALVE SIZE 3/4 X 1I	7.00	051	ASY
995250	MODULE, POWER SUPPLY: O/P 5-100A	4.00	031	EA
110993	BUSH,VALVE:STEEL 13CR	4.00	051	ST1
868665	HOUSING:TYP SUPPORT BODY,CI GR GG28	4.00	051	ST
736760	PIN:LEVER,ASME	6.00	051	ST
628054	PIN;10IN,SS 316L GR6,PLUG STEM	4.00	051	ST
600257	GSKT,SPWD:50IN,300LB,E-MICA,INCONEL X750	6.00	051	ST
1578272	STRNR-PG:TYP Y TYPE, SZ 3/4IN,P RTNG 150L	5.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
995795	PIN: MATL SS 304,TYP SNAP,P/N:MP-10	4.00	051	ST
1022933	PLATE: TYP SPRING,P/N:SLP53787	4.00	131	ST
617994	MODULE:PLANT ASSOCIATED MEMORY (PAMM)	10.00	031	ST
826974	BELLOWS:TYP STRAIGHT WAY,PN 25	8.00	051	ST
539624	BELLOWS:MT SS 316L	4.00	900	EA
894986	BRG,BALL:INSIDE DIAMETER 80MM,OUTSIDE DI	5.00	051	ST1
584286	ROD:TYP FLAME,MT SS 304/SS 316	4.00	131	ST
615310	SEAL,RING:TYP INNER GLAND	4.00	051	ST1
614787	BUSH,PUMP:BEARING	5.00	081	ST
590267	PROTECTOR:TYP CORROSION,MT ZINC ALLOY	6.00	001	ST
640560	PACKING:	5.00	051	ST1
263280	SHOE:TYP CROSSHEAD	4.00	051	EA
1085327	BRG, SLEEVE: TYP BUSHING,MATL S30C WJ1	4.00	051	EA
613119	SEAL,LABYRINTH:TYP SPLIT SPRING LOADED,P	3.00	051	ST
586414	BRG,SLEEVE:	3.00	051	ST
853729	BRG-THRUST	2.00	051	EA
614655	RING, WEAR: APPL PUMP,P/N:04016336	3.00	081	ST1
608583	ASSEMBLY:SEAT	3.00	081	ST
891087	BRG:	2.00	051	ST
612436	BRG-THRUST	2.00	051	ST
612441	SEAL,OIL:P/N:67688275,MNFR:INGERSOLL-RAN	3.00	051	ST
1586416	VLV-BAL:VLV SZ 4IN,DSGN RTNG 900LB,BDY M	4.00	051	EA
631103	REGULATOR: TYP TEMPERATURE,DOC:R-47672-2	2.00	061	ST
891088	BRG:	2.00	051	ST
1523942	SHAFT,PUMP:LENGTH 203MM,MATL SS ASTM A27	3.00	081	EA
994736	COVER: TYP OIL SEAL,MATL SS 304	4.00	051	ST
587309	KIT-PUMP-RPR:TYP SOFT PARTS,CMPRSNG SEAL	2.00	081	ST
602080	SEAL-LBYRNTH:MTRL NICKEL,P/N:10909-0400-	6.00	900	ST1
589832	FILTER,ELEMENT:PAPER,LUBE OIL	8.00	051	ST
1024406	KIT, SEAL: TYP BRAKE CLIPER,MNFR:BOSS	24.00	051	KIT
1033507	PISTON: MATL SS DIN WN 1.4541	2.00	091	ST
1193217	CRTRDG;PUMP,HTM CIRCULATION PUMP	2.00	051	EA
758578	BLWS:TYP SAFETY VALVE,MTRL INCONEL 625,S	11.00	051	ST
758560	BLWS:TYP SAFETY VALVE,MTRL INCONEL 625,S	10.00	051	ST
584738	BSTR;PNEUMATIC	6.00	061	ST
616536	RELAY,PROTECTION:RT 110V 1A 60HZ	2.00	900	ST
582913	THERMOWELL:250MM,MT SS 316	17.00	061	ST
612405	ASSEMBLY;BURNER / FIRED HEATER	3.00	081	ST
639792	SEAT,VALVE:VALVE TYPE CONTROL,MATL SS 31	2.00	051	ST1
584991	DISC:TYP BURSTING,SZ 4IN,MT SS 316L	3.00	051	ST
586399	BRG,ROLL:ID 240MM,OD 320MM,WD 60MM,TYP	2.00	051	ST
837344	NUT,LOCK:SLEEVE	4.00	051	ST
584202	CIRCUIT:TYP SINGLE BOARD COMPUTER	2.00	011	ST
584648	RETAINER:MT BABBIT/STEEL	2.00	051	ST1
609271	DISC,VALVE:SS 316 STELLITED,SAFETY	2.00	051	ST
615305	SEAL,LABYRINTH:RING	2.00	051	ST1
615341	BRG: P/N:M3-H0086-02,DOC:M1-H-0204	2.00	051	ST1
963831	STEM, VALVE: VALVE SIZE DN 8IN	3.00	051	ST
1071331	UNIT-CNTRL:TYP CORE PROCESSOR ASSEMBLY,I	2.00	011	ASY
799972	PLUG-VLV;GLOBE,1-1/2IN,SS	2.00	051	EA
801354	COVER: TYP BEARING,P/N:04000557	2.00	051	ST
906131	STEM,VALVE:	2.00	051	EA
599453	GSKT,SPWD:GRAFOIL,SS 316,APLC CASING	3.00	051	ST
942298	GSKT PRE-CUT :PTFE GLASS FILLED 25 PCT	4.00	051	ST
892388	KIT,VALVE REPAIR:STEAM SERVICE,GLOBE	3.00	051	SE
615303	SEAL,RING:TYP OIL,APLC GOVERNOR SIDE	2.00	051	ST1
583213	COLLAR:TYP SHAFT,MT SS ASTM A473 GR 420	7.00	051	ST
599848	GSKT PRE-CUT :NON ASBESTOS,ROUND	2.00	051	ST
1615989	SNSR;INTELLIGENT, SMART,0-100 LEL%,HOLE	2.00	061	EA
612462	FILTER:DEMISTER	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
591980	BUSH,PUMP:CI ASTM A536,THROTTLE (T)	2.00	081	ST
584779	DIAPHRAGM:MT PTFE	3.00	051	ST
585879	VALVE,CHECK:TYP SUCTION,APPL CHILLER PAC	2.00	900	ST
615852	KIT:APLC NITROGEN PLANT AIR COMPRESSER	3.00	081	KIT
522986	MDUL;(8) ANALOG INPUT,ELE 24 V	4.00	051	ST
612816	SHFT:DIA 70MM,LG 1300MM,MTRL CS,TYP LAY	2.00	051	ST
635573	EAT,VALVE:VLV SZ 2IN	2.00	051	ST
957445	BODY;SPRAY UNIT	2.00	081	ST
615337	BRG: P/N:M3-H0086-01,DOC:M1-H-0204	2.00	051	ST1
615970	PLATE:TYP RETAINING	8.00	131	ST
799973	PLUG-VLV;GLOBE,1-1/2IN,SS	2.00	051	EA
973492	ADAPTOR: TYP SEAT,P/N:FAA3A4560.4	2.00	051	ST
622576	BRG:	2.00	051	ST1
956044	BELLOWS: MATL SS ASTM A276 GR 316L	2.00	051	ST1
728653	RING:CARBON,APLC PUMP / TURBINE	3.00	051	SE
1552975	GGE & VLV ASSY:MTRL SS ASTM A182 316L,CN	2.00	011	ASY
614799	BUSH,PUMP:BEARING	2.00	081	ST
587504	KIT-VLV-RPR:TYP SOFT PART,APL WAFER CHEC	3.00	051	ST
603071	SEAL:EPDM	7.00	051	ST
615710	BUSH,PUMP:BRONZE BC6/B584,THROTTLE	2.00	081	ST
614627	BRG,SLEEVE:	2.00	051	ST1
1053715	HEAD: TYP MEASURING,P/N:MH 100	2.00	101	ASY
639771	VANE;SS 630	2.00	121	ST1
728324	CABLE:TYP SELF-REGULATING HEAT TRACING	2.00	021	ROL
1074160	ASSEMBLY: TYP PLUG & STEM, EQUIP MDL#:	2.00	081	EA
1628007	FUSE;SLOW-BLOW,1A,250V AC,CYLINDRICAL	54.00	051	SE
599808	GSKT,SPWD:GRAPHITE,TITANIUM,SHP ROUND	3.00	051	ST
939258	KIT:TYP ORGANIC FREE CARTRIDGE	6.00	081	KIT
618547	ARM:TYP SWIVEL	2.00	131	ST
967630	KIT, VALVE REPAIR: APPL SLIDE GATE VALVE	2.00	051	SE
907865	CIRCUIT:TYP PCB ASSEMBLY	2.00	011	ST
767761	JOINT,EXPANSION:TYP EPDM 2.35	2.00	051	ST
596754	FILTER,ELEMENT:PAPER,ID 33 X OD 73 X LG	3.00	051	ST
1046282	SEAL: TYP ELASTOMER,P/N:102823	3.00	051	ST
641450	BUFFER: MATL RUBBER,P/N:112276	2.00	051	ST1
1531473	BOLT ASSY:NOM DIA 8MM,LG 90MM,MTRL SS AS	2.00	051	ASY
1022135	FLTR-OIL;AIR COMPRESSOR	4.00	051	ST1
1614760	SUPRT:TYP PIPE CLAMP,SZ 8IN,MTRL S235 HO	2.00	051	ASY
644809	GSKT, SPWD: NOMINAL FLANGE SIZE DN 25	2.00	051	ST
952099	COVER:	2.00	051	ST
589467	BREAKER,CIRCUIT:250A,220/690VAC; 250VDC	3.00	011	ST
100789	BRG-BAL:IBI 14057,I DIA 60MM,OUT DIA 130	4.00	051	ST
1028286	FILTER, ELEMENT: SIZE 1/4IN	1.00	051	EA
633240	CIRCLIP:	12.00	051	ST
583904	CIRCUIT:TYP DIGITAL INPUT(32 CHANNEL)	4.00	011	ST
609079	DETECTOR:TYP SMOKE	2.00	061	ST
630695	DIAPHRAGM,VALVE:MT PTFE,VLV SZ 16IN	2.00	051	ST
628199	FILTER:REGULATOR	2.00	051	ST
914268	GSKT PRE-CUT : SHAP ROUND,FOR COMPRESSOR	3.00	051	EA
187561	GSKT SET:APLC SAFETY VALVES	2.00	051	ST1
1075167	GSKT, SPWD: NOMINAL FLANGE SIZE 6IN	2.00	051	EA
600566	GSKT:CASING	4.00	051	ST
587224	KIT,ACTUATOR REPAIR:	5.00	061	ST
799963	KIT-ACTUTR-RPR;CYLINDER OVERHAULING	2.00	061	KIT
588017	KIT-VLV-RPR:TYP SOFT PART,APL PRESSURE R	2.00	051	ST1
1207024	LUBRICATOR:CAPACITY 300CC,P RT 30BAR,TYP	4.00	101	EA
625918	NUT,HEX:DIA M24,SS DIN WN 1.4435,GR 316L	40.00	051	ST
762708	NUT;BRONZE,STEM	2.00	051	ST
630647	O-RING:ID 59MM,WD 3MM,STD DIN 3770	7.00	051	ST
1029962	PACKING: SIZE SQ 10 X LG 710MM	7.00	051	SE

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
464037	PIN:DISC	2.00	141	EA
828314	PSTN	2.00	091	ST
1031385	SEAL,RING:INSIDE DIAMETER 90MM,OUTSIDE D	6.00	051	EA
631002	SEAT,VALVE:VLV SZ DN 50,BUTTERFLY	4.00	051	ST
614776	SHIM:MATL SS,P/N:82543976-669,MNFR:INGER	4.00	051	ST
629140	SPRING,VALVE:AS JIS G3522 SWP-A	3.00	051	ST
871597	SPROCKET:TYP WHEEL,MT STEEL,PITCH 25.4MM	5.00	051	EA
641914	STEM-VLV;SAFETY VALVE,12IN,SS 316	4.00	051	ST
588396	TRANSMITTER,DIFFERENTIAL PRESSURE:TYP EL	2.00	061	ST1
582893	TRANSMITTER,TEMPERATURE:RNG 0-1000DEG C	2.00	061	ST
808627	GSKT SET:	2.00	051	SE
600072	GSKT,SPWD:GRAFOIL,IRID 450MM,SS 316	2.00	051	ST
566090	STEM,VALVE:VLV ST CONTROL,MT SS 316L	2.00	011	ST
930678	UNIT, CONTROL: TYP THYRISTOR TRIGGER	2.00	011	EA
622548	FILTER:	2.00	051	ST
29934	BRG,BALL:IBI 14925,INSIDE DIAMETER 90MM,	2.00	051	ST
806766	FILTER,ELEMENT:STEEL,LG 125MM,CARTRIDGE	4.00	051	ST
892302	SEAL,RING:MT SS 316L,TYP BACKING	7.00	051	EA
616816	MTR-ELCTRC:PWR RTNG 0.25KW,ELCTRCL RTNG	3.00	011	ST
602535	RING,PISTON:PLASTIC,TYP RIDER	2.00	051	ST1
590232	POWER SUPPLY:TYP DISCHARGER	1.00	051	ST
1032606	SEAL,LABYRINTH:SIZE ID 95 X OD 121 X WD	2.00	051	EA
578377	SET:TYP PACKING,APLC VALVE	3.00	081	ST
642175	DIAPHRAGM:TYP MEMBRANE	2.00	051	ST
983294	BREATHER: TYP BEARING HOUSING,P/N:285	2.00	081	EA
599422	GSKT PRE-CUT :GRAPHITE/P#6633	2.00	051	ST
930313	SHAFT, PUMP: MNFR:NEUMAN & ESSER GROUP	2.00	051	ST
615850	KIT,PUMP REPAIR:TYP SEAL	2.00	081	KIT
966054	KIT: MNFR:PIV DRIVES GMBH	2.00	081	KIT
633129	KIT-VLV-RPR;LUBE OIL TEMP CONTROL	3.00	051	ST
1598906	TRCH-WLDG:TYP TIG,SZ 7/8IN,CLNG MTHD AIR	5.00	051	KIT
1000346	GSKT, RJ: SHAP ROUND,MATL SOFT IRON	4.00	051	ST
824055	KIT-VLV-RPR;OVERHAULING / WEARING PARTS	4.00	051	SE
600042	GSKT,SPWD:GRAFOIL,IRID 800MM,SS 316	2.00	051	ST1
585416	SPRING:TYP PLATE,MT AS JIS G4801 GR SUP3	14.00	051	ST
1057378	UNIT: TYP PCA DC,P/N:0P6281A, S/N#:	2.00	051	ST
639837	FILTER,ELEMENT:	2.00	051	ST
906084	VALVE,SOLENOID:ST 5/2-WAY	2.00	051	EA
1037129	KIT, VALVE REPAIR: APPL BUTTERFLY VALVE	2.00	051	KIT
846657	SEAL,OIL:	2.00	051	ST
1073452	BALL, VALVE: VALVE SIZE 2IN	2.00	051	EA
1040095	STATOR,PUMP:SIZE *****,DIRECTION CLOCKW	2.00	081	EA
588837	CIRCUIT,POWER SUPPLY:TYP POWER SBC	2.00	031	ST
913832	POWER SUPPLY:I/P 110-240VAC	2.00	021	ASY
617009	KIT:TYP CONNECTION,APLC HEAT TRACING CA	3.00	021	ST
586616	BELT,TOOTHED:TYP HTD,SZ WD 55 X LG 336MM	2.00	051	ST
906034	PLUG,VALVE:VLV SZ DN 40	2.00	051	EA
585881	VALVE,CHECK:	2.00	051	ST
959432	ELBOW, PIPE: SIZE 51MM,DEGREE 180,GRD A1	10.00	051	ST
634575	SWITCH,LIMIT:HERMETICALLY SEALED	3.00	061	ST
601825	O-RING:MT BUNA-N,SHOR - HRD 70A,APLC	3.00	051	ST
588255	JOINT:TYP BONNET	4.00	051	ST
892303	PLUG, VALVE: VALVE SIZE 3IN	2.00	051	ST
821449	SPRING,VALVE:VLV SZ 10IN,150LB	4.00	051	ST
1564870	COIL,ELECTRICAL:TYP PICK-UP,FUNCTION ROT	2.00	021	EA
589812	DETECTOR:TYP THERMOELEMENT	2.00	101	ST
601977	O-RING:MT VITON	3.00	051	ST
590240	POWER SUPPLY:OP VOLT 24VDC	2.00	021	ST
1029651	KIT: TYP SEAL MODULE,P/N:64349K	3.00	081	EA
587207	KIT-ACTUTR-RPR:TYP KIT,ACTUATOR REPAIR,C	3.00	061	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
582706	RELAY,PROTECTION:EARTH FAULT	2.00	031	ST
614188	VALVE,GLOBE:VLV SZ 3/4IN,DES RTG CL 800	2.00	051	ST
603125	GSKT JKTD: JACKET MATERIAL CS	2.00	051	ST
824046	KIT-VLV-RPR;OVERHAULING / WEARING PARTS	3.00	051	SE
272160	CIRCUIT:TYP SOLENOID DRIVER	2.00	011	EA
584790	DIAPHRAGM,VALVE:MT RUBBER	5.00	061	ST
999296	DISC, VALVE: MATL ASTM A182 F316	3.00	051	EA
615711	SEAL,LABYRINTH:BUSH,BRONZE BC6/B584,APLC	2.00	051	ST
1052951	KIT, VALVE REPAIR: APPL BREATHER VALVE	2.00	051	KIT
945888	COIL,ELECTRICAL:TYP CLOSING	6.00	011	ST
905549	SEAT,VALVE:VLV SZ DN 25,GLOBE CONTROL	2.00	051	EA
608592	GUIDE,VALVE:	2.00	051	ST
585694	VALVE,GATE:VLV SZ 2IN,DES RTG CL300	3.00	051	ST
903889	BR;SINGLE CHANNEL SAFETY	2.00	121	EA
607358	BUSH,PUMP:145 X 77 X 20MM,CK 45 VDMA	2.00	081	ST
588503	KIT-VLV-RPR:APL BALL VALVE,CMPRSNG SEAT	2.00	051	ST1
588257	KIT,VALVE REPAIR:	4.00	051	ST
586620	BELT,TOOTHED:TYP HTD,SIZE WD 85 X LG 315	2.00	051	ST
615959	SEAL,RING:TYP OIL SCRAPER	15.00	051	ST
1573987	VLV-BAL:VLV SZ 1IN,DSGN RTNG 150LB,BDY M	3.00	051	EA
1035964	RING, RETAINING: MNFR:ZIMMER AG	4.00	051	ST
1632477	SEAT-VLV;BUTTERFLY,80MM,RPTFE	2.00	051	SE
636603	SHIM:MT SS	2.00	051	ST1
622959	SWITCH,PUSHBUTTON:BLACK	3.00	021	ST
1542552	JOINT,EXPANSION:TYP EJ-12.1,SIZE DIA 65M	2.00	051	ASY
1600963	DSPNSR:TYP ORGANIC DIGITAL BOTTLE TOP,MT	2.00	101	EA
805488	THERMOCOUPLE:TYP K; DOUBLE,SHEATH MATERI	3.00	061	ST
998945	PLUG, TUBE: DIAMETER 12.2MM,LENGTH 28MM	4.00	051	EA
542085	FILTER:0.45,DIA 25 X HT 18.7MM,PTFE	4.00	900	PAK
623943	VALVE, GLOBE: VALVE SIZE 3/4IN	2.00	051	ST
274513	DISC-VLV;CF8M,10IN,NELDISC	2.00	051	EA
629225	BRG: SLEEVE	2.00	051	ST1
615296	GSKT PRE-CUT :	2.00	051	ST1
615755	BUSH,PUMP:BRONZE BC6/B584,THROTTLE	2.00	081	ST
599357	GSKT PRE-CUT :THK 1.5MM,V#6500	6.00	051	ST
938294	STUD:AS ASTM A193 GR B7,BOLT	8.00	051	EA
634353	SWITCH, PROXIMITY: CNTCT RT 30VDC 15A	14.00	011	ST
995807	ARM: TYP PIECE,MATL SS 403, EQUIP MDL#:	3.00	131	ST
906584	SWITCH, TEMPERATURE: RANGE 150-375DEG F	2.00	021	ST
860069	FLANGE,PIPE:TYP BLIND RF,SIZE 2IN,MATL S	5.00	131	EA
804509	KIT,VALVE REPAIR:CONTROL VALVE	2.00	051	KIT
1036789	VALVE, BALL: VALVE SIZE DN 40,CNCT FNPT	2.00	051	EA
602398	PACKING:DIA 6MM,PTFE,ROUND	2.00	051	ST1
612463	FLTR;DEMISTER;PN:68137603	2.00	051	ST
1602919	VLV-GATE:TYP BOLTED BONNET,VLV SZ 12IN,D	2.00	051	EA
584548	GUIDE,VALVE:	2.00	051	ST
805358	GSKT PRE-CUT :	3.00	051	ST
1597337	VLV-GATE:TYP SOILD WEDGE,VLV SZ 1/2IN,DS	3.00	051	EA
626458	RETAINER:TYP SEALING BEARING	2.00	051	ST
1022718	PLATE: P/N:SLR82583,DOC:SLO1263316	4.00	131	ST
601826	O-RING:MT BUNA-N,SHOR - HRD 70A,APLC	3.00	051	ST
1036788	VALVE, BALL: VALVE SIZE DN 25,CNCT FNPT	2.00	051	EA
799968	KIT-VLV-RPR;OVERHAULING,GLOBE VALVE	2.00	051	SE
1251742	SEAT,VALVE:TYP RING,VALVE TYPE GATE VALV	2.00	051	EA
596945	SEAT,VALVE:VALVE TYPE CONTROL,VALVE SIZE	2.00	051	ST
905534	SEAT,VALVE:VLV SZ DN 25,GLOBE CONTROL	2.00	051	EA
618228	GAUGE,DIFF.PRESS.:~1.4 ~ 1.4 BAR,60MM	2.00	061	ST
590593	SWITCH,LIMIT:P/N:2649ABYS00022AAA-AR2,MN	3.00	061	ST
585433	SPRG-VLV:MTRL SS 304,VLV SZ 3/4 X 1IN,P	3.00	051	ST
198453	PWR-SUPPLY;TOTAL SULPHUR ANALYZER	2.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
612648	O-RING:MT VITON,APLC CHECK VALVE	2.00	051	ST
914978	TRAP;CONDENSATE DRAIN,1/2IN,SS 304	6.00	051	ST
627271	KIT-VLV-RPR:TYP SOFT PARTS,CMPRSNG O RIN	2.00	051	ST1
624254	SLINGER:TYP OIL	2.00	101	ST
749454	RING,WEAR:UNS S31600,APLC IMPELLER	2.00	081	ST
603148	KIT,VALVE REPAIR:MAIN VALVE,REPAIR	2.00	051	ST
978081	PLT-HEAT-EXCHNGR:SZ THK 0.5MM,MTRL SS 30	2.00	081	EA
615613	BUSH,PUMP:SS ASTM A276 / SS JIS G4305 GR	2.00	081	ST
615599	GSKT,SPWD:PTFE,SS 316,SHP ROUND,BASIC	4.00	051	ST
624577	RING:TYP NOZZLE,APLC RELIEF VALVE	2.00	051	ST
142950	SEAT,VALVE:VLV SZ 6IN,CONTROL VALVE	3.00	051	EA
631096	CIRCUIT:TYP INTERFACE RELAY BOARD	2.00	011	ST
944867	SEAL,MECHANICAL:	3.00	051	ST
583794	MODULE:TYP SERIAL INTERFACE	2.00	011	ST
1595453	KIT-VLV-RPR:TYP SOFT GOOD,APL GATE,CMPRS	3.00	051	KIT
614636	SET:TYP SPRING	2.00	081	ST1
623755	KIT-ACTUTR-RPR:TYP KIT,ACTUATOR REPAIR,C	3.00	061	ST
585549	STEM,VALVE:VLV ST MANUAL CONTROL ANGLE	2.00	051	ST
1022796	PIN: P/N:FPB20140,DOC:SOH10508	4.00	051	ST
589774	FLTR-ELMNT;CARTRIDGE,80 X 330MM,40MICRO	2.00	051	ST
801909	LAMP:TYP DEUTERIUM	3.00	021	ASY
588326	DIAPHRAGM,ACTUATOR:ACT SZ 4IN,RT 600LB	2.00	061	ST
928466	CHOKE: TYP DC,P/N:420-9267,DOC:4A	2.00	031	EA
602847	SEAL,RING:MT EPOXY RESIN	2.00	051	ST
635572	SEAT,VALVE:VLV SZ 2IN	2.00	051	ST
603131	SEAL,OIL:MT NBR	2.00	051	ST
930027	KIT, VALVE REPAIR: TYP REPLACEMENT	2.00	051	EA
585654	VALVE,SOLENOID:ELEC RT 115VDC 6W,P/N:800	2.00	051	ST
600342	GSKT,SPWD:SHP ROUND,APLC BONNET	2.00	051	ST
641771	RING:ID 100MM,20MC-5 / 20MV5,TYP SPACER	3.00	051	ST
602167	PCKG:MTRL P#4519M,P/N:005675134/797,MNFR	6.00	051	ST
629280	O-RING:APLC BUTTERFLY VALVES	4.00	051	ST
588834	CIRCUIT:TYP DIGITAL	2.00	011	ST
272569	CIRCUIT: , TYP SENSOR FLUE	2.00	011	EA
891659	KIT-PUMP-RPR;REPLACEMENT,OIL PUMP	2.00	081	EA
905554	SEAT,VALVE:VLV SZ DN 300,BUTTERFLY	2.00	051	EA
124127	BAFFLE:TYP OIL,MT AL	2.00	081	EA
1012830	WEIGHT: TYP COUNTER,P/N:019 044 006	4.00	061	EA
602243	PACKING:	2.00	051	ST1
601409	O-RING:MT PTFE,APLC SLEEVE	7.00	051	ST
628962	VALVE,BALL:VLV SZ 1IN,DES RTG 800LB	2.00	051	ST
587054	ASSEMBLY:TYP RESILIENT SEAL,DOC:IN01 SUP	4.00	081	ST
588241	SET:TYP TRIM TRAP	2.00	081	ST1
1224132	RING,WEAR:INSIDE DIAMETER 158MM,MATL AST	2.00	081	EA
991550	REDUCER: SIZE 2IN,CNCT FLANGED RF	2.00	051	EA
632075	GSKT PRE-CUT :P#1300-S,BONNET,12IN	4.00	051	ST
1214045	SPRING,VALVE:MATL CHROME STEEL,VALVE SIZ	5.00	051	SE
408541	MDUL;INVERTER INTERFACE IVI,24 V	2.00	031	ST
949959	VALVE,GATE:TYP SOLID/FLEXIBLE WEDGE	2.00	051	EA
905588	PLUG,VALVE:VLV SZ DN 25	2.00	051	EA
1087686	WASHER: SZ 160MM,MATL A276-410,GRD A	2.00	051	EA
803155	GSKT SET:TYP LUBE OIL	2.00	051	ST
612497	SLINGER:TYP OIL	2.00	101	ST
642103	GSKT PRE-CUT :NON ASBESTOS,ROUND,18IN	2.00	051	ST
1022908	NUT: TYP RING,P/N:SLQ44477, EQUIP MDL#:	2.00	051	ST
587790	KIT, VALVE REPAIR: APPL GATE VALVE	4.00	051	KIT
630828	O-RING:MT ELASTOMER	3.00	051	ST
575200	FILTER, ELEMENT: TYP DOOR,SUPPL:U&O	4.00	051	EA
1548503	BALL:TYP SEAMLESS INFLATABLE METER PROVE	2.00	051	EA
978080	PLT-HEAT-EXCHNGR:SZ THK 0.5MM,MTRL SS 30	2.00	081	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
599490	GSKT PRE-CUT :PTFE GLASS FILLED	5.00	051	ST
327523	BRG - ROLLER CYLINDRICAL- 80X 170X 39MM	6.00	051	ST
592293	BLD-FAN:SZ DIA 156IN,P/N:SERIES 495000RH	2.00	011	ST
619943	GSKT-SPRL-WUND:WNDNG MTRL SS 316,FLR MTR	5.00	051	ST
521859	GSKT PRE-CUT :OD 34.5 X THK 1.5MM	2.00	051	EA
726737	SEAT: MATL CAST SS BS3100- 316C16	2.00	051	ST
905247	SLEEVE,SHAFT:FERRALIUM ALLOY 255	2.00	051	ST
43214	SET:TYP OIL SEAL,APLC TURBINE	4.00	081	EA
634167	LENS:TYP FOCUSING	6.00	121	ST
616602	RELAY,TIME DELAY:1SEC-10DAY MULTI	5.00	011	ST
1085249	KEY, SHAFT: TYP PINION,MATL S40C	4.00	051	EA
941917	SEAT,VALVE:VLV SZ 12IN,GLOBE	2.00	051	ST
770801	BRG:	2.00	051	ST
857036	SLEEVE:TYP OIL SEAL	4.00	051	ST
600603	GSKT PRE-CUT :NEOPRENE RUBBER	4.00	051	ST
636293	POSITIONER:TYP ELECTRO PNEUMATIC ACTUAT	2.00	061	ST1
1054122	BRG,SLEEVE:INSIDE DIAMETER 30CM,OUTSIDE	4.00	051	SE
582622	GAUGE,PRESSURE:0-6BAR G,4-1/2IN	3.00	101	ST
1065079	RIG:TYP SEAT,MTRL 316L NACE/COCR-A,SZ ID	2.00	051	EA
592137	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	2.00	051	ST
1038469	SCRPR;OIL,BRONZE/TEFLON	2.00	101	EA
630854	VALVE,RELIEF:VLV SZ 1/2 X 3/4IN	2.00	051	ST
1022719	PLATE: P/N:SLR82584,DOC:SLO1263316	4.00	131	ST
590218	POWER SUPPLY:TYP AC TO DC,I/P 230VAC	2.00	021	ST
892037	KIT,VALVE REPAIR:GLOBE CONTROL VALVE	2.00	051	SE
602534	RING,PISTON:EPOXY RESIN	2.00	051	ST
583025	LAMP,QUARTZ:	3.00	021	ST
643287	PACKING:TYP FLANGE	2.00	051	ST
188515	SEAT,VALVE:VLV SZ 3IN,TRIM CONTOURED,SS	2.00	051	ST
1085328	COLLAR: TYP THRUST,MATL S45C, EQUIP	2.00	051	EA
1561191	ACTUTR-PNUMTC:TYP SPRING RETURN,PWR RTNG	2.00	061	EA
1602466	SNSR-CURNT:TYP DC,CURNT 135A,PTNTL 10V,P	2.00	011	EA
1597111	CLR:TYP PLAIN,SZ ID 508 X OD 596 X THK 2	2.00	051	EA
632729	SIEVE:TYP TRANSMITTER	13.00	071	ST
694644	GLAND,PACKING:	3.00	051	ST1
904482	TRANSMITTER,FLOW:	3.00	061	EA
640585	RTD:TYP PT100,SH MT SS 316	6.00	101	ST
591748	STUD CNTNS THD:DIA M36,THRD 3MM,LG 180MM	10.00	051	ST
632502	VALVE,SOLENOID:ELEC TRT 24VDC	2.00	051	ST
1026029	NUT: P/N:FFW22020,DOC:SOH01427	14.00	051	ST
586341	BRG,ROLL:ID 45MM,OD 100MM,WD 25MM,TYP	3.00	051	ST
930298	STUD CNTNS THD:TYP BOLT,MTRL CS ASTM A30	4.00	051	ST
636150	PROXIMITOR:	2.00	061	ST
585625	BALL,VALVE:DIA 5/8IN,MT HASTELLOY C/B336	2.00	051	ST
800794	GSKT,SPWD:10IN,600LB,GRAPHITE,SS 316	3.00	051	ST
590766	SWTCH-PRSUR;4712323 INST11015,IP65	3.00	061	ST
938296	WASHER,LOCK:CS ASTM A105	2.00	051	EA
1028870	SCREW: HEAD FLAT,P/N:BR-16A-209	20.00	051	ST
603162	SEAL, MECHANICAL: SIZE DIA 85 MM	2.00	900	ST
618357	BRG,BALL:IBI 15187,INSIDE DIAMETER 105MM	2.00	051	ST
642022	GSKT:PSV	2.00	051	ST1
1056059	VALVE, SOLENOID: STYL 3 WAY	6.00	051	ST
1025940	STUD: TYP BOLT,P/N:SLP60813, EQUIP	4.00	051	ST
409419	MODULE:INTERFACE,PROGRAMMABLE LOGIC	3.00	031	EA
799486	STATION: TYPE START-STOP	2.00	011	ST
627391	FLASHER:TYP UNIT BEACON	2.00	900	ST
586111	BRG,SLEEVE:TYP BUSHING,MT CARBON	2.00	051	ST
589702	CNTCTR:TYP MAGNETIC,PL 4,AM 80A,LN VLTG	2.00	900	ST
978082	PLATE, HEAT EXCHANGER: SIZE THK 0.5MM	2.00	081	EA
633109	O-RING:MT BUNA-N	4.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
599370	GSKT PRE-CUT :NON ASBESTOS,ROUND	2.00	051	ST
187139	BUSH: MATL SS ASTM A276 GR 420	2.00	051	ST
583206	OILER:TYP CONSTANT LEVEL	2.00	101	ST
808322	KIT-VLV-RPR:TYP SOFT PART,APL CONTROL,CM	2.00	051	KIT
586075	BLADDER,ACCUMULATOR:SIZE 10GAL,P RT 3000	3.00	081	ST
586078	ELECTRODE:TYP RUGGED,APPL ANALYZER,P/N:2	2.00	051	ST
636245	SPRING:AS JIS G4801 GR SUP8	2.00	051	ST
591865	MODULE:TYP ANALOG INPUT ADAPTOR SIGNAL,P	6.00	031	ST
588192	KIT,VALVE REPAIR:SEAL	2.00	051	ST1
875668	KIT,VALVE REPAIR:	2.00	051	KIT
904488	TRANSMITTER, PRESSURE: RANGE 0-40BAR	2.00	061	EA
991614	STRAINER: TYP Y,MATL SS ASTM A182 F316	3.00	051	EA
781966	COVER:TYP TOP SIDE,GHISA G25	2.00	051	ST
615832	BUSH:OVERLOAD	2.00	051	ST1
577467	COIL-ELECT:TYP PICK OFF,ELCTRCL RTNG 110	3.00	101	ST
938828	SCREW: TYP CONNECTING,P/N:059 010 021	8.00	051	EA
615790	SPRING,COMPRESSION:SS 302,CLOSE/GROUND	3.00	051	ST
589019	CABLE:TYP GROUND	3.00	021	ST
627303	SHAFT,VALVE:1.4057,BUTTERFLY VALVE	2.00	051	ST
615652	BUSH,PUMP:SS ASTM A276 / SS JIS G4305 GR	2.00	081	ST
1588456	ELBW-PIPE:SZ 6IN,CNCT BW,DEG 90DEG,MTRL	5.00	051	EA
930026	KIT, VALVE REPAIR: TYP REPLACEMENT	2.00	051	EA
583368	SEAL:UNLOADER	3.00	051	ST
956482	TRAP, STEAM: TYP BALL FLOAT,SIZE 1IN	2.00	051	EA
398748	MDUL;IGBT,1200V 75A	3.00	031	ST
588032	GSKT-ST;PRESSURE RELIEF VALVE	4.00	051	ST1
951804	O-RING:APLC CRANE DRIVE	3.00	051	ST
603198	SEAL,OIL:ID 21MM,OD 32MM,WD 8MM,MT VITON	2.00	051	ST
706636	RING:TYP OIL	2.00	051	EA
724745	GUIDE:	2.00	091	ST
793640	O-RIG-ST;SANITARY/ EFFLUENT SUMP PUMP	5.00	051	SE
588366	KIT:TYP SAFETY TRIP LINKAGE	2.00	081	ST1
615252	O-RING:MT FLOURINE RUBBER	2.00	051	ST
637209	KIT,VALVE REPAIR:	3.00	011	KIT
588900	CIRCUIT: APPL DCS,STD CE; CSA; UL	2.00	011	ST
967212	KEY, SHAFT: MATL CS ASTM A576 GR 1040	2.00	051	ST
590580	SWITCH,LIMIT:120/240VAC 3/1.5A; 24VDC 2A	2.00	061	ST
622561	RING,RETAINING:SS 302	2.00	051	ST
1043980	LINER: TYP BODY SEAT,MATL EPDM	5.00	051	ST
699041	GUIDE, VALVE: P/N:122570	4.00	051	EA
599479	GSKT,SPWD:PTFE,SS 316,SHP ROUND,BASIC	4.00	051	ST
588194	KIT-VLV-RPR:OPRTNG PRSUR 300RF,CMPSNG 1	2.00	081	ST1
1025939	STUD: DIAMETER 36MM,TYP BOLT, EQUIP	2.00	051	ST
620248	FLINGER:MT CS ASTM A576 GR 1025	2.00	081	ST
942173	MOTOR,ELECTRIC:1900-1000W	3.00	011	EA
599384	GSKT PRE-CUT :NON ASBESTOS	2.00	051	ST
628068	SEAT,VALVE:VLV SZ 2IN,CONTROL,UNS S31603	2.00	051	ST
1074163	SPRING: TYP ACTUATOR,P/N:548/025CL	2.00	051	EA
828312	HLDR-SPRG	3.00	051	ST
600628	GSKT:	2.00	051	ST
585646	VALVE, SOLENOID: STYL 3/2 WAY,CNCT FNPT	2.00	051	ST
602790	RING:SS DIN WN 1.4057 GR X17CRNI 16-2	5.00	051	ST
910714	SET;SHAFT SEAL,CHILLER COMPRESSOR	2.00	081	ST1
584778	DIAPHRAGM: SIZE 172 X 1.85MM,MATL PTFE	2.00	051	ST
1232952	VALVE,RELIEF:TYP PRESSURE SAFETY,BODY MA	4.00	051	ASY
600152	GSKT JKTD:CS,TYP DOUBLE	2.00	051	ST
590394	RELAY,PROTECTION:MEASUREMENT	2.00	900	ST
738815	SPACER:TYP SHAFT SEAL,MT SS 316L	2.00	051	ST
641903	BRG-SLV:TYP 24.5MM,OUT DIA 26MM,LG 24MM	4.00	051	ST
930644	RELAY:DPDT,CONT 10A,TYP MINIATURE	2.00	011	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
800065	SEAT-VLV;GLOBE,4IN,SS	2.00	051	EA
800053	KIT-VLV-RPR;OVERHAULING,CONTROL VALVE	2.00	051	SE
956041	BELLOWS: MATL SS ASTM A276 GR 316L	2.00	051	ST1
1049184	SHAFT: MATL BS 970 070M20,P/N:POS.NO 110	2.00	051	EA
634011	DISC,VALVE:SS,316,VLV SZ 3IN,BUTTERFLY	2.00	051	ST
801078	O-RING SET:APLC BY PASS FILTER	3.00	051	SE
1022842	PIN: P/N:SLP60663,DOC:SOL01196/0	2.00	051	ST
608547	RING:SS ASTM A276 TP 420	2.00	051	ST
770816	SPRG-VLV:P/N:A647031-1(NEW),MNFR:ELLIOTT	2.00	051	ST
613243	SWTCH-PRSUR;0-4BAR,G1/2IN	2.00	061	ST
1032976	KIT, VALVE REPAIR: APPL SAFETY RELIEF	2.00	051	KIT
595878	INDICATOR:TYP OIL LEVEL	2.00	061	ST
908019	KIT,SEAL:	2.00	051	EA
1574038	PLT-MTLC:SZ WD 2000 X LG 2000 X THK 16MM	2.00	131	EA
580338	PSTN;PLUNGER	2.00	091	ST
987112	VALVE, SOLENOID: STYL 2/2 WAY	2.00	051	EA
749453	VALVE, RELIEF: VALVE SIZE 3/4 X 1IN	2.00	051	ST
903597	RTD: RESISTANCE 100OHM,WIRE 2,HEAD WITH	2.00	101	EA
912778	POSITIONER,VALVE:TYP ELECTRO PNEUMATIC	2.00	061	EA
618755	SLEEVE,SHAFT:TYP MECHANICAL SEAL	2.00	051	ST
577621	WHEEL:TYP FREE	4.00	091	ST
578999	COMPENSATOR:	3.00	051	ST
642839	SEAL,OIL:ID 35MM,OD 52MM,WD 10MM,TYP DO	3.00	051	ST
641958	O-RING:MT VITON,SHOR - HRD 75A	3.00	051	ST
808834	GLAND,PACKING:TYP GATE VALVE	3.00	051	ST
615247	O-RING:ID 138.7MM,WD 3.1MM,MT FLOURINE	3.00	051	ST
1043913	VIAL: TYP AUTO INJECTION,CAPACITY 1ML	3.00	071	PAK
981999	VALVE, SOLENOID: STYL 2 WAY,OPERATION NC	3.00	051	ST
610990	FILTER,FUEL:REPLACEMENT ELEMENT SPIN ON	2.00	051	ST
634759	FUSE:	2.00	021	ST
615811	O-RING:ID 12.76IN,WD 0.139IN	2.00	051	ST
1007450	WIRE, WELDING: MATL 0.5 MOLYBDENUM	10.00	051	KG
930312	RING, RETAINING: TYPE SEEGER	2.00	051	ST
638220	SCREW,CAP:SOCKET	2.00	051	ST
915962	FITTING,OUTLET:TYP WELDOLET,RUN SZ 6IN	2.00	051	EA
889584	RESISTOR:SNUPPER	2.00	031	ST
632494	PACKING:PTFE	2.00	051	ST1
596947	SEAT,VALVE:	4.00	051	ST
585112	FILTER,OIL:	3.00	051	ST
607087	WASHER:ID 20MM,OD 26MM,THK 0.2MM,JOINT	5.00	051	ST
582328	RELAY:TYP POWER	2.00	011	ST
566275	GSKT,SPWD:GRAPHITE,SS 316,APLC BONNET	2.00	051	ST
506398	CHEMICAL: TYPE MOLYBDOVANADATE REAGENT	3.00	001	BOT
911626	FILTER:SQ 250 X THK 30MM,THERMO PLASTIC	3.00	051	EA
1548137	BOLT,MACH:DIAMETER 1/2IN,LENGTH 2IN,MATL	30.00	051	EA
930326	RING, RETAINING: TYPE INTERNAL	2.00	051	ST
904002	VALVE:TYP SHUT OFF; FRONTSEATING	2.00	051	EA
593643	SHEET,GASKET:SZ WD 36 X LG 68IN,THK 1/1	3.00	051	ST
1071321	SPRING, VALVE: P RT MAX 16BAR	2.00	051	EA
622226	BREAKER,CIRCUIT:20A,277/480VAC 50/60HZ	2.00	011	ST
195627	BRG-BAL:IBI 12824,I DIA 40MM,OUT DIA 80M	5.00	051	ST
229853	FLG-PIPE:TYP RAISED FACE,SZ 3/4IN,MTRL C	22.00	131	EA
600532	GSKT PRE-CUT :	5.00	051	ST
611155	GSKT PRE-CUT :GRAPHITE/NON ASBESTOS,RF	8.00	051	ST
601362	O-RING:MT VITON	3.00	051	ST
738398	PACKING:GRAPHITE,TYP VALVE	2.00	051	SE
993581	O-RING: MATL VITON,P/N:L1003006	2.00	900	EA
738126	O-RING:APLC LPG METERING- ARAMCO	2.00	051	ST
1012878	PLUG: APPL FEED AND DISCHARGE PUMP	2.00	051	EA
622883	BREATHER:	2.00	081	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1012873	SEAL: TYP PL10 S/D,P/N:39654300	4.00	051	EA
635620	GSKT-PRE-CUT;LOWER COVER,3IN,GRAFOIL	2.00	051	ST
731527	GSKT:V#1500	4.00	051	ST
601363	O-RING:MT VITON	3.00	051	ST
601364	O-RING:MT VITON	3.00	051	ST
635619	GSKT PRE-CUT :GRAFOIL,UPPER COVER,3IN	2.00	051	ST
1012833	NUT: DIAMETER M20,P/N:911 001 085	8.00	051	EA
738124	O-RING:APLC LPG METERING- ARAMCO	2.00	051	ST
611309	BOTTLE:TYP SQUEEZE,CAP 1000ML,MT LDPE	6.00	071	ST
56848	O-RIG:I DIA 49.4MM,WD 3.1MM,MTRL NBR,APL	5.00	051	ST
584969	DISC,VALVE:VLV SZ 1-1/2IN,SAFETY	2.00	051	ST
615798	O-RING:ID 6IN,WD 0.139IN	2.00	051	ST
1595040	FLG-PIPE:TYP RF,SZ 3/4IN,MTRL CS ASTM A1	3.00	131	EA
599396	GSKT:CU ASTM B152 GR C11000	2.00	051	ST
999324	SCREW, MACHINE: DIAMETER M12,LENGTH	8.00	051	ST
635706	PACKING:V#6500	2.00	051	ST
643894	PIN:ROLL	2.00	051	ST
1032867	O-RING: MATL NBR,DOC:PRU02676/01/911	2.00	051	ST
601976	O-RING:MT VITON	2.00	051	ST
1548138	STUD CNTNS THD:DIA 3/4IN,THRD UNC 10TPI	10.00	051	EA
601969	O-RING SET:3	3.00	051	ST
608604	HANDWHEEL:	2.00	051	ST
635712	PACKING:V#6500	2.00	051	ST
738409	PACKING:GRAPHITE,TYP VALVE	2.00	051	SE
588260	O-RING:APLC CONTROL VALVE	2.00	051	ST1
307602	HLDR-FUSE;WD 101 X LG 120 X DP 60MM,160A	2.00	021	ST
598341	BRG,BALL:IBI 11686,INSIDE DIAMETER 25MM,	3.00	051	ST
43846	ELBOW,PIPE:SZ 2IN,CS ASTM A234,90,BW,RAD	14.00	051	EA
594877	RIG-RTNG;INTERNAL	4.00	051	ST
593531	GSKT;DN 80MM,PNEUMATIC CONVEYING SYSTEM	2.00	051	ST
604196	BRUSH,WIRE:MT SS,SZ 6IN,TRIM LG 15-25MM	10.00	101	ST
642853	BRG-BAL;13229,45MM,100MM,25MM,2 SHIELDS	2.00	051	ST
608106	FERRULE:TYP BACK,SZ 1/8IN	2.00	051	ST1
600383	GSKT,SPWD:3IN,300LB,GRAPHITE,IRID 81MM	7.00	051	ST
1225382	O RING:INSIDE DIAMETER 27MM,WIDTH 3MM,MA	2.00	051	EA
603040	SEAL,RING:ID 65MM,OD 85MM,THK 10MM	2.00	051	ST
1004137	RELAY: COIL V 110VAC 50/60HZ,ACTION 4PDT	2.00	011	EA
535320	DEFLECTOR:	3.00	081	EA
595390	SEAL:	2.00	051	ST
243877	KEY,SHAFT:TYP WOODRUFF	2.00	051	EA
586472	BEARING,THRUST:	2.00	051	ST
607549	COUPLING,PIPE:4IN,SCH 40,PVC ASTM D2466	2.00	051	ST
587057	ASSEMBLY:TYP DIAHPRAGM COLLAR O-RING,DOC	2.00	081	ST
600574	GSKT PRE-CUT :	2.00	051	ST
618081	O-RING:	2.00	051	ST
912834	PIN,DOWEL:	3.00	051	EA
283741	FITTING,OUTLET:TYP SOCKOLET,RUN SZ 2IN	4.00	051	EA
587051	ASSEMBLY:	2.00	051	ST
1594892	SEAL:SZ WD 20MM,MTRL LOW NITRILE-APV-GDC	2.00	051	EA
482777	FLG-PIPE;RAISED FACE,1-1/2IN,WELD NECK	3.00	051	EA
642912	GSKT:	2.00	051	ST
785418	PLUG;DIA 140 X THK 15MM,GEARBOX	2.00	051	ST
571698	FUSE;INSERT,600V	2.00	021	ST
738399	PACKING:GRAPHITE,TYP VALVE	2.00	051	ST
600576	GSKT PRE-CUT :ID 31 X OD 46 X THK 1MM	2.00	051	ST
620453	BASE,RELAY:	2.00	011	ST
643891	RING:TYP SPLIT	2.00	051	ST
600859	GSKT,SPWD:GRAPHITE,SHP ROUND	2.00	051	ST
771114	INDICATOR:TYP OIL LEVEL	2.00	061	ST
591576	STOP:TYP ROLL PIN ESNA	3.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
113650	RELAY:COIL 24VAC 50/60HZ,3PDT	2.00	051	ST
310723	FUSE:TYP SLOW BLOW,AM 32A,VLTG 500V,CRTR	6.00	051	ST
914256	PIN,DOWEL:	2.00	051	EA
950075	CLIP:TYP RETENTION,MT INCONEL X750	2.00	051	EA
600012	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	2.00	051	ST
790827	RLY;24V DC,ON OFF,230 V,CONTROL,2NO-2NC	2.00	011	ST
600575	GSKT PRE-CUT :	2.00	051	ST
57924	O-RING:ID 289.3MM,WD 5.7MM,MT NBR	4.00	051	ST
904916	PIN,DOWEL:	4.00	051	EA
607542	COUPLING,PIPE:3/4IN,SCH 40,PVC ASTM	4.00	051	ST
1065419	RING:TYP SECURING,APPL BLOWER,P/N:118890	3.00	051	EA
849173	CONTACT,AUXILIARY:CONTAR 1NO-3NC	2.00	011	ST
614988	GSKT;SEAL	4.00	051	ST
643696	O-RING:ID 15MM,WD 2.5MM,STD DIN 3770	2.00	051	ST
608510	O-RING SET:2	2.00	051	ST
626422	GSKT PRE-CUT :CHLOROPRENE RUBBER,OVAL	2.00	051	ST
626420	GSKT PRE-CUT :NEOPRENE RUBBER,OVAL,DN 40	2.00	051	ST
674728	BELT-V:I CRCUMFRNC 838MM,TOP WD 13MM,THK	2.00	051	EA
44604	BRG-BAL;PUMP	2.00	051	EA
1039089	O-RING: INSIDE DIAMETER 53MM,WIDTH 4MM	2.00	051	EA
1000688	PIN, DOWEL: DIAMETER 3.5MM,LENGTH 8MM	2.00	051	ST
592881	GSKT PRE-CUT :	2.00	051	ST
634136	GSKT PRE-CUT :VF-35E NON-ASBESTOS	2.00	051	ST
738693	SHIM:SZ ID 50 X OD 62MM,THK 0.3	2.00	051	ST
904144	FUSE:5A,250VAC,DIA 5.2 X LG 20MM,GLASS	3.00	021	EA
903996	VALVE:TYP INLET	2.00	051	EA
606174	BOLT,MACH:M8,LG 1/2IN,CS,1.25MM,HD HEX	7.00	051	ST
583162	LAMP-INCNDSCNT;MINIATURE PILOT,12V,CLEAR	2.00	021	ST
1579701	NPL-PIPE:TYP SEAMLESS,SZ 1/2IN,LG 4IN,MT	2.00	051	EA
950086	CLIP:TYP RETENTION,MT INCONEL X750	3.00	051	EA
634137	SHEET,GASKET:SZ 72MM,MT V#VF-35E	2.00	051	ST
950073	CLIP:TYP RETENTION,MT INCONEL X750	2.00	051	EA
77939	O-RING:ID 50.39MM,WD 3.53MM,MT NBR	2.00	051	ST
911629	SWITCH,PUSHBUTTON:WHITE,DIA 22MM,ROUND	3.00	021	EA
738122	O-RING:APLC LPG METERING- ARAMCO	2.00	051	ST
617040	SWITCH,SELECTOR:SPDT,2NO	2.00	021	ST
901524	RELEAS VLTG,RELEAS VLTG:	2.00	011	EA
738612	SPACER:SZ ID 45 X OD 62 X THK 3MM	2.00	051	ST
905334	GAUGE,PRESSURE:0-4BAR,50MM,G 1/8IN	2.00	101	EA
1528630	SUPPRESSOR:TYP BLOCK,RT 127-240,STD UL,A	10.00	011	EA
606956	STUD,D/END:DIA-A M6,DIA-B M6,LG 25MM	8.00	051	ST
866791	FLANGE,PIPE:TYP RF,SIZE 1/2IN,MATL CS AS	2.00	051	EA
1029256	NUT: P/N:FFF14016,DOC:SOL01196/0	4.00	051	ST
590110	FUSE:10A,DIA 10 X LG 38MM	6.00	021	ST
621604	O-RING:MT NBR,APLC CENTRIFUGAL PUMP	2.00	051	ST
609636	GSKT PRE-CUT :ID 61 X OD 70 X THK 2MM	2.00	051	ST
628178	COVER:TYP PLATE JOINT	2.00	051	ST
1217837	BOLT SET:BOLT TYP MACHINE,SZ RNGE DIA M1	2.00	051	ASY
628173	COVER:TYP PLATE JOINT	2.00	051	ST
896024	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,THRD U	3.00	051	ST1
737335	O-RING:MT BUNA-N,APLC TEMPERATURE VALVE	2.00	051	EA
335216	OPERATOR,SWITCH:TYP PUSHBUTTON	3.00	011	ST
740077	WASHER:THRUST	3.00	051	SE
904187	SWITCH,PUSHBUTTON:BLUE,DIA 22MM,ROUND	3.00	021	EA
738120	O-RING:APLC LPG METERING-ARAMCO	2.00	051	ST
629125	FAN:TYP EXTERNAL COOLING,MT PLASTIC	3.00	081	ST
965090	BELT: TYP FAN,MNFR:INGERSOLL-RAND CO	2.00	051	ST
610978	FILTER,ELEMENT:	2.00	051	ST
642833	SEAL,OIL:ID 20MM,OD 42MM,WD 7MM,TYP SIN	4.00	051	ST
762272	SHAFT:	2.00	051	SE

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
965091	FILTER, OIL: APPL COMPRESSOR	2.00	051	ST
826972	KIT, VALVE REPAIR: GLOBE VALVE	6.00	051	ST1
618762	BUFFER: TYP COUPLING, MT RUBBER	3.00	051	ST
642403	O-RING: MT EPDM	4.00	051	ST
1035832	NUT, TUBE FITTING: MATL SS DIN WN 1.4571	20.00	051	ST1
637735	KIT, COMPRESSOR REPAIR: TYP OIL COOLER	2.00	081	KIT
591134	CPCTR	2.00	031	ST
845952	BOLT: M16MM, 45MM, SS 304 DIN 1.4301	3.00	051	ST
610448	BREAKER, CIRCUIT: AMPERAGE 20A, VOLTAGE 400	3.00	011	ST
629399	BREATHER: TYP CHARGE	2.00	081	ST
745226	BRG, BALL:	2.00	051	ST
617439	BRG, BALL: IBI 11979, INSIDE DIAMETER 30MM,	3.00	051	ST
586298	BRG, BALL: IBI 12920, ID 40MM, OD 90MM	4.00	051	ST
608608	BRG, BALL: IBI 14043, ID 60MM, OD 110MM	2.00	051	ST
1226721	BRG, BALL: INSIDE DIAMETER 30MM, OUTSIDE DI	2.00	051	EA
189272	BRG, BALL: INSIDE DIAMETER 65MM, OUTSIDE DI	3.00	051	ST
1226714	BRG, ROLL: TYP CYLINDRICAL, ROW SINGLE ROW,	2.00	051	EA
635175	BRG-BAL; 12823, 40MM, 80MM, 18MM, OPEN, SINGLE	2.00	051	ST
586474	BRG-RLR; STRAIGHT, SINGLE, 45MM, 100MM, 25MM	2.00	051	ST
629779	CIRCLIP: TYP RETAINING RING, P/N: 1-051314	4.00	051	ST
624076	CONTACTOR: TYP MAGNETIC, AMP 26A, 4 POLE	3.00	011	ST1
616197	CONTACTOR: TYP MAGNETIC, POLE 3, AMPERAGE 5	2.00	011	ST
577471	CORE:	3.00	051	ST
607539	COUPLER, HOSE: TYP COUPLING, GR C	2.00	051	ST
642240	COVER: TYP FRONT	3.00	051	ST
515366	DETECTOR, FIRE PROTECTION:	3.00	121	ST
842998	DIAPHRAGM: TYP BACK-UP, MT PTFE ASTM D1566	2.00	051	EA
762941	DISC-VLV: VLV SZ 3/4 X 1IN, VLV TYP SAFETY	3.00	051	EA
608108	FERRULE: SZ 1/16 X 16, MT GRAPHITE/VESPEL	2.00	051	ST
608104	FERRULE: TYP BORE, SZ 1/8 X 1/8	2.00	051	ST1
608105	FERRULE: TYP FRONT, SZ 1/8IN	2.00	051	ST1
596810	FILTER, AIR: SZ 490 X 592 X 600MM, APLC AI	5.00	051	ST
626875	FUSE:	2.00	021	ST
604687	FUSE: AMPERAGE 25A, VOLTAGE 500VAC	3.00	021	ST
420858	FUSE: 200KA, 600VAC	2.00	021	ST
590001	FUSE: AMP 32A	2.00	011	ST
642190	GASKET:	5.00	051	ST
582594	GAUGE, PRESSURE: RANGE 0-2.5BAR, CNCT NPT	2.00	101	ST
582602	GAUGE, PRESSURE: RANGE 0-6BAR, CNCT MPT	2.00	101	ST
582578	GAUGE, PRESSURE: RANGE 0-6BAR, FILLED NON	2.00	101	ST
582480	GAUGE, PRESSURE: 0-16BAR G, 50MM, NPT 1/4IN	2.00	101	ST1
582450	GAUGE, PRESSURE: 0-40BAR G	2.00	101	ST
598743	GEAR, SPUR: TYP PLAIN, TEETH 26, OD 28MM	2.00	081	ST
614777	GLASS, SIGHT: P/N: BW204053	4.00	101	ST
599582	GSKT PRE-CUT :	7.00	051	ST
1031382	GSKT PRE-CUT : TYP VALVE, SIZE ID 250 X OD	2.00	051	EA
600079	GSKT, SPWD: FLEXITE SUPER, SS 316L	2.00	051	ST
592134	GSKT, SPWD: GRAPHITE/SS 316	2.00	051	ST
628090	GSKT: SEAT, SS ASTM A182 GR F6A	2.00	051	ST
1226699	GSKT: TYP COVER, APPL PSA FEED GAS COMPRES	4.00	051	EA
1226692	GSKT: TYP CRANKCASE FRONT COVER, APPL PSA	4.00	051	EA
1226696	GSKT: TYP REAR COVER, APPL PSA FEED GAS CO	2.00	051	EA
1036105	GSKT-PRE-CUT: SZ WD 1205 X LG 2765 X THK	2.00	051	EA
600634	GSKT-PRE-CUT; ID 508 X OD 600 X THK 3MM	4.00	051	ST
1529773	KIT RGLTR RPR: CMPSNG FILTER ELEMENT, SEA	2.00	061	KIT
425710	KIT, ACTUATOR REPAIR: TYP SEAL	2.00	061	ST
509231	O-RIG; 27.5MM, 3.6MM, COMPRESSOR	2.00	051	EA
623855	O-RIG; 88.27MM, 5.33MM	3.00	051	ST
842996	O-RING: MT PTFE, STD ASTM D1566	4.00	051	EA
724899	REGULATOR:	2.00	061	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
590431	RELAY:COIL 110V,4PST,CONT 1000VAC 10A	2.00	011	ST
613628	SCREW,SET:M8 DIA,STEEL,THD 1.25MM	12.00	051	ST1
619838	SEAL, OIL: INSIDE DIAMETER 15MM	3.00	051	ST
759650	SEAL,OIL:ID 120MM,OD 150MM,WD 12 MM	2.00	051	ST
619844	SEAL,OIL:ID 25MM,OD 35MM,WD 7MM,TYP	2.00	051	ST
612409	SEAL-OIL;110MM,130MM,12MM,RING	6.00	051	ST
621009	SEAL-RIG;30MM,42MM,7MM	3.00	051	ST
614775	SHIM:MATL SS,NUMBER IN SET 2,P/N:8254398	3.00	051	ST1
1229618	SPINDLE:TYP VALVE,MATL SS GR S17400,APPL	2.00	101	EA
914594	SPRING:	2.00	051	EA
591322	STUD CNTNS THD:DIA 1IN,THRD 8 UNC,LG 180	10.00	051	ST
836238	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,LG 2-1	14.00	051	EA
588881	SWITCH,PROXIMITY:5MM,SPEED SENSOR	6.00	011	ST
582787	THERMOMETER,DIAL:TYP BIMETAL ADJUSTABLE	2.00	101	ST
582791	THERMOMETER,DIAL:TYP BIMETAL ADJUSTABLE	2.00	101	ST
582778	THERMOMETER,DIAL:TYP BI-METALLIC	2.00	101	ST
591075	TIMER:TYP ELECTRONIC,OPER ON DELAY	2.00	101	ST
591076	TIMER:TYP ELECTRONIC,OPER ON DELAY	2.00	101	ST
868046	WSHR-FLAT;30MM,3MM,47MM,ROUND	2.00	051	EA
590138	FUSE:100A,250VAC	2.00	021	ST
740283	GSKT,SPWD:GRAPHIITE,UNS S31600	2.00	051	ST
970055	FUSE: TYP TRIP INDICATOR,P/N:515-9016	2.00	021	ST
615283	O-RING:APLC COUPLING	2.00	051	ST
608511	O-RING SET:3	2.00	051	ST
1008795	KIT, SEAL: TYP GASKET	2.00	051	KIT
1010349	KIT, SEAL: APPL CATHODIC PROTECTION	2.00	051	KIT
592262	FERRULE:TYP CAPILLARY	2.00	051	ST
628872	GSKT PRE-CUT :NON ASBESTOS,16IN	2.00	051	ST
608512	O-RING:	2.00	051	ST
612755	LENS:TYP DIFFUSER	2.00	121	ST
628058	PIN:DIA 16IN,SS 316L GR6,PLUG STEM	3.00	051	ST
643365	BATTERY,STORAGE:GROUP DIA 26 X LG 48MM	2.00	011	ST
602227	PACKING:	2.00	051	ST1
512997	SPRING,VALVE:VLV SZ 3IN	2.00	051	EA
629227	GSKT:SEAT,THK 1MM,ROUND,PERMANITE	2.00	051	ST
642114	GSKT PRE-CUT :NON ASBESTOS,COVER	2.00	051	ST
612517	RIG-RTNG	5.00	051	ST
589902	FUSE:400A	2.00	021	ST
580221	CYLNDR;BRAKE,DIA 27 X LG 205MM	2.00	081	ST
600830	GSKT PRE-CUT :T#1995	4.00	051	ST
636840	PIN:SS 403	2.00	051	ST
631545	SLIDE:TYP ACTUATOR,DUP.WITH MAT.# 588055	2.00	051	ST
623248	CONTACTOR: TYP MAGNETIC,POLE 3	2.00	011	ST
600910	GSKT PRE-CUT :	2.00	051	ST
605317	SWTCH-LMT;220VAC 2A,SPDT,1NO-1NC	3.00	061	ST
905332	LIGHT:TYP CABINET,VOLT 230VAC 50HZ,W 14W	2.00	021	EA
615292	GSKT PRE-CUT :	2.00	051	ST1
885410	BRKR-CRCUT:AM 2A,VLTG 277/480V AC,INTRUP	4.00	011	EA
608288	SOCKET:TYP BALL,SZ DIA 30MM	2.00	101	ST
738397	PACKING:GRAPHITE,TYP VALVE	2.00	051	SE
636976	PACKING:T#1995	4.00	051	ST
902256	MODULE:STANDARD ABO	2.00	031	EA
622703	GSKT:OUTSIDE NDE	2.00	051	ST
806507	O-RING:ID 228.2MM,WD 3.53MM	2.00	051	EA
902248	ALRM:TYP INDICATING,RT 85-264VAC	2.00	121	EA
1000348	GSKT JKTD: JACKET MATERIAL CS	4.00	051	ST
586338	BRG:	2.00	051	ST
600911	WASHER:GASKET	2.00	051	ST
1604028	GLVS:TYP CRYOGENIC,SZ LARGE,LG 12-15.25I	2.00	121	PAA
611807	RELAY,TIME DELAY:	2.00	011	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
617335	FUSE:0.5A	6.00	021	ST
153899	FERRULE:SIZE 1/8IN,P/N:13994,MNFR:ASTRO	2.00	051	EA
599381	GSKT PRE-CUT :NON ASBESTOS,ROUND	2.00	051	ST
1084667	PICK-UP: TYP MAGNETIC PERCEPTION HEAD	2.00	061	EA
1008796	KIT, SEAL: APPL CATHODIC PROTECTION	3.00	051	KIT
726731	SCREEN:TYP PRESSURE,MATL SS	2.00	051	ST
619985	GSKT PRE-CUT :RUBBER	3.00	051	ST
1031930	O-RING: WIDTH 8MM,MATL EDPM/FDA	4.00	051	EA
331694	BRG,BALL:IBI 14598,ID 75MM,OD 160MM	2.00	051	ST
614866	OILER:TYP CONSTANT LEVEL	2.00	101	ST
578102	KIT,CYLINDER REPAIR:SERVICE,LIFT	2.00	091	ST
585788	VALVE,GLOBE:VLV SZ 3/4IN,DES RTG CL 800	3.00	051	ST
617340	FUSE:3A	4.00	021	ST
662554	ELBOW, TUBE: SIZE 1/2IN	5.00	051	EA
583141	LAMP:TYP ANNUNCIATOR,W 3W,VOLT 24V	9.00	021	ST1
730812	DISC:	2.00	051	ST
905149	HORN;ALARM SOUNDER,24V DC	2.00	121	EA
930296	SCREW,MACHINE:SS ASTM A193,GR B8	4.00	051	ST
635576	GSKT PRE-CUT :GRAPHITE	2.00	051	ST
625301	SCRAPER:MT NITRILE RUBBER/STEEL	4.00	101	ST
1524420	SEAL-OIL:I DIA 3.75IN,OUT DIA 4.5IN,WD 0	2.00	051	EA
1026030	PIN: P/N:FPB08080,DOC:SOH01427	4.00	051	ST
726627	DISC;CENTRIFUGAL,35 X 52 X 3.5,METAL	4.00	051	ST
639842	GSKT:	2.00	051	ST
592261	FERRULE:TYP CAPILLARY,SZ 1/8 TO 0.8MM	2.00	051	ST
624559	SPRING:TYP STEAM TURBINE	2.00	051	ST
588716	GSKT SET:	2.00	051	ST1
905208	VALVE,SOLENOID:ST 5/2-WAY	2.00	051	EA
642219	FILTER:	2.00	051	ST
579557	THERMOMETER,DIAL:RNG 0-120DEG C	2.00	101	ST
187860	MODULE:TYP ANALOGUE OUTPUT	2.00	011	ST
930324	CLIP: TYPE SPRING,MNFR:POMPE CUCCHI SRL	2.00	051	ST
705464	KEY,SHAFT:TYP SQUARE END,APLC COUPLING	3.00	051	EA
618068	ASSEMBLY:TYP TERMINAL PLATE	2.00	021	ST
930344	SHAFT, PUMP: MNFR:NEUMAN & ESSER GROUP	2.00	051	ST
627382	HOLDER,LAMP:TYP SOCKET,SCREW IN	2.00	021	ST
617227	TRANSFORMER,INSTRUMENT:VA RT 5	2.00	011	ST
601370	O-RING:MT NBR	2.00	051	ST
599467	GSKT PRE-CUT :OIL SHEET	2.00	051	ST
582660	GLASS,SIGHT:MT BOROSILICATE GLASS	2.00	101	ST
582445	GAUGE,PRESSURE:0-4BAR G,MNPT 1/2IN	2.00	101	ST
951735	SPRING: SIZE 15/12,1,P/N:1-092-000315	4.00	051	EA
588707	GSKT PRE-CUT :	2.00	051	ST1
319198	O-RING, DIN 3771- 69.44X 3.53-N-NBR 70	2.00	051	ST
628092	GSKT:SEAT,SS ASTM A182 GR F6A	2.00	051	ST
1218548	CONNECTOR:TYP HOSE CONNECTOR,SIZE OD 3/4	3.00	051	EA
581062	PLUG,ELECTRICAL:110-130VAC 32A,P 2	18.00	021	ST
633045	DIAPHRAGM,VALVE:VLV SZ 1-1/2 IN,RT 300LB	4.00	051	ST
615878	FILTER,ELEMENT:	4.00	051	ST
998967	PAD: TYP FRICTION,P/N:538293 02	2.00	051	ST
588428	SEAL,MECHANICAL:DOUBLE,SUBMERSIBLE PUMP	2.00	051	ST1
642807	VALVE,BALL:VLV SZ DN 2-1/2IN	2.00	051	ST
601593	O-RING: P/N:OP-RB0100A,DOC:ES/8650-170	2.00	051	ST
588427	O-RING SET:	2.00	051	ST1
906570	CIRCLIP:TYP RETAINING SLEEVE	4.00	051	ST
1028874	PIN: P/N:BR-21A-178,DOC:F3136-2010R1	9.00	051	ST
600564	GSKT PRE-CUT :RECTANGULAR	2.00	051	ST
1007373	VALVE, GATE: VALVE SIZE 1/2IN	2.00	051	ST
636314	GSKT-SPRL-WUND:FLR MTRL T 1808 GR HOO,SH	2.00	051	ST
583446	PLATE:TYP SEAL,SZ LG 140 X THK 3.5MM,CS	3.00	131	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
189846	PACKING:GRAPHITE	2.00	051	ST
740241	GSKT,SPWD:GRAPHITE,UNS S31600	2.00	051	ST
767069	BELT:TYP SYNCHRONOUS - TIMING	2.00	051	ST
806784	KIT,VALVE REPAIR:VALVE BODY REPAIR	2.00	051	KIT
615474	SPRING:TYP CYLINDRICAL	2.00	051	ST
628044	PIN:DIA 4IN,SS 316L/PTFE,PLUG STEM	5.00	051	ST
584263	KEY:TYP TAPER,MATL NITRONIC 50	2.00	051	ST
870972	FILTER,AIR:592 X 592 X 292MM	2.00	051	ST
633018	O-RING SET:APLC RENK TACKE COUPLING	2.00	051	ST1
335920	FAN:TYP VENTILATION,ELCTRCL RTNG 230VAC	2.00	051	ST
636965	SHEET,GASKET:MT NON ASBESTOS	2.00	051	ST
612443	O-RING SET:4	3.00	051	ST1
1008788	KIT, SEAL: TYP GASKET,P/N:8-150LBG10-N/M	2.00	051	KIT
731534	GUIDE:APLC SPINDLE	2.00	091	ST
599769	GSKT PRE-CUT :ROUND	2.00	051	ST
635714	PACKING:V#8591	2.00	051	ST
1010351	KIT, SEAL: APPL CATHODIC PROTECTION	2.00	051	KIT
1075296	CLAMP: SIZE DIA 150MM,MATL SS	2.00	051	EA
601974	O-RING:	3.00	051	ST
1602387	NPL-PIPE:TYP STRAIGHT,SZ 3/4IN,LG 100MM	2.00	051	EA
561894	VIAL:TYP CLEAR WIDE OPENING CRIMP VIAL	4.00	071	PAK
1076254	ASSEMBLY:TYP COVER,APPL TRANSDUCER,P/N:3	3.00	081	ASY
1033508	SPRING: TYP AUTOMATIC FAN, S/N#: 96	2.00	051	ST
615996	BOLT:STRIPPER	2.00	051	ST1
595295	SEAL:APLC TRANSMISSION	2.00	051	ST
618142	BOARD,TERMINAL:	2.00	021	ST
612519	BOWL: TYPE PROTECTIVE,P/N:22216002000	2.00	111	ST
615999	STUD CNTNS THD:DIA 1IN,LG 6.5IN,MTRL GR	2.00	051	ST
628864	GSKT,SPWD:4IN,600LB,GRAPHITE,SS 304	2.00	051	ST
634132	O-RING:MT FKM,APLC PRESSURE REGULATOR	2.00	051	ST
601360	O-RING:MT VITON	2.00	051	ST
613265	GAUGE,PRESSURE:0-6BAR,100MM	2.00	101	ST
619807	BLOCK,TERMINAL:TERM (6) BOLTED,CIRCUIT 3	2.00	021	ST
912833	RELAY:COIL 24VDC,4PST,CONT 220V 4A	2.00	011	EA
636791	O-RING:MT NBR	2.00	051	ST
903690	O-RING SET:	3.00	051	SE
992010	O-RING SET: P/N:L1003008, MDL/MACH#:	2.00	900	ST1
555379	O-RING:ID 110.72MM,WD 3.53MM	2.00	051	EA
1000995	CAPACITOR: VOLTAGE 450VAC,TYP FIXED	2.00	031	EA
653161	O-RING:ID 150MM,WD 2.5MM,MT VITON	5.00	051	ST1
632751	ASSEMBLY:TYP LOCAL CONTROL MODULE	2.00	081	ST1
1233131	BOLT ASSY:NOM DIA M20,LG 60MM,MTRL AS AS	4.00	051	ASY
602291	PACKING:TYP GOVERNOR VALVE	2.00	051	ST1
781965	COVER:TYP BOTTOM SIDE,GHISA G25	2.00	051	ST
924641	SET:TYP GLAND PACKING,APLC VALVE GATE	2.00	081	ST1
1039662	FLASK: TYP SINGLE OUTLET,CAPACITY 1.0L	2.00	071	ST
393680	GSKT;SEAL,1.5 MM,GARLOCK/NON ASBESTOS	2.00	051	ST
984521	PLATE, HEAT EXCHANGER: TYP PRESSURE	2.00	081	ST
601986	O-RING SET:APLC BEARING BUSH,2	2.00	051	ST
599768	GSKT PRE-CUT :ROUND	2.00	051	ST
1024800	GSKT JKTD:TYP METAL,STYL SHELL,JACKET MA	2.00	051	EA
624563	SLINGER:	2.00	101	ST
636793	PACKING:T#1995	2.00	051	ST
628867	GSKT:	2.00	051	ST1
153911	NUT,TUBE FITTING:SIZE 1/8IN,P/N:13970,MN	2.00	051	EA
900933	CONTACTOR:TYP MAGNETIC,POLE 3	2.00	011	EA
642836	BRG,BALL:IBI 11983,INSIDE DIAMETER 30MM	2.00	051	ST
726728	RING:ALUMINUM	2.00	051	ST
624506	BOLT:5/8IN,100MM,UNC 11TPI	2.00	051	ST
740236	GSKT,SPWD:GRAPHITE,UNS S31600	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
205701	SEAL,OIL:ID 35MM,OD 52MM,WD 7MM	5.00	051	ST
584890	DISC,VALVE:MONEL,SAFETY AND RELIEF	2.00	051	ST
771999	SHIM:TYP SCROLL	2.00	051	ST
864560	O-RING:ID 3.234IN,WD 0.139IN,MT BUNA-N	4.00	051	EA
898209	BREAKER,CIRCUIT:6A,240/415VAC	2.00	011	EA
1623882	GSKT-ST;DENSITY METER EQUIPMENT,PLASTIC	2.00	051	EA
615290	GSKT:APPL PEDESTAL,P/N:30-78280-04,MNFR	2.00	051	ST
643904	SEAL:MT NBR,APLC FLANGE	2.00	051	ST
1029270	SCREW: P/N:HCV10020,DOC:SOL36150	4.00	051	ST
622396	RELAY:COIL 24VDC,DPDT,CONT 250VAC 5A	3.00	011	ST
843992	ROD:MT ZINCED STEEL ANSI 1015	3.00	051	EA
612264	SHIM:THK 0.005MM,MT SS	4.00	051	ST
635702	PACKING:V#6500	2.00	051	ST
599482	GSKT,SPWD:GRAFOIL,SS 316,SHP ROUND,BASIC	4.00	051	ST
634681	SWITCH,LIMIT:SPDT,1-50VAC/DC 1-100MA	3.00	061	ST
905230	KIT,SEAL:APLC CONTROL VALVE	2.00	051	ST1
596695	FILTER,OIL:PAPER,DIA 140 X LG 315MM	2.00	051	ST
612266	SHIM:THK 0.015IN	4.00	051	ST
612458	O-RING SET:4	2.00	051	ST1
636220	O-RING:MT VITON	2.00	051	ST
600872	GSKT JKTD:SS,SHP ROUND	2.00	051	ST
147460	PACKING:GRAPHITE	6.00	111	EA
642885	SEAL,OIL:ID 17MM,OD 28MM,WD 5MM	2.00	051	ST
625034	PACKING:PTFE,TYP SPACER	3.00	051	ST
115714	ELBOW,PIPE:SZ 2IN,SS ASTM A420,90,BE,RAD	2.00	051	EA
620824	SEAL:FELT,RING	2.00	051	ST
633071	DETECTOR,FIRE PROTECTION:TYP SMOKE	2.00	121	ST
585467	SPRING,COMPRESSION:	2.00	051	ST
891743	SEAL,RING:MT SS 316L,TYP BACKING	2.00	051	EA
930272	FAN:TYP COOLING	3.00	081	ST
615285	O-RING:APLC COUPLING	2.00	051	ST
636984	PACKING:T#1995	2.00	051	ST
428359	MODULE:32KB EPROM MEMORY	2.00	031	ST
584052	TUBE:TYP WINDOW,MT GLASS	4.00	131	ST
1024099	SET: APPL VALVE,P/N:H069329	2.00	081	SE
598404	BRG-SLV;90MM,BUSH,75MM,20MM	2.00	051	ST
1571059	DVRTR;SURGE,ARC-RESISTANT TUGSTEN-COPPER	2.00	051	EA
614886	NUT,LOCK:TYP BEARING,DIAMETER M40,THREAD	5.00	051	ST1
1202963	SHAFT,VALVE:APPL CONTROL VALVE,P/N:3 095	3.00	051	EA
600956	GSKT PRE-CUT :ROUND	2.00	051	ST
621949	RELAY:COIL 24VDC,3PDT,CONT 10A	2.00	011	ST
586355	BRG,BALL:IBI 13254,INSIDE DIAMETER 45MM	2.00	051	ST
950078	CLIP:TYP RETENTION,MT INCONEL X750	2.00	051	EA
582800	THERMOMETER,DIAL:TYP BI-METALLIC	2.00	101	ST
638101	GSKT:SQ 36IN,THK 0.062IN,SQUARE	3.00	051	ST
642489	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
608115	ELBOW,PIPE:SZ 3IN,PVC,90,SOLVENT WELD	3.00	051	ST
606607	BOLT,MACH:M5,LG 8MM,STEEL,0.75MM	3.00	051	ST1
1035307	TUBING: TYP PARISTALTIC,MATL PVC	8.00	131	PAK
599469	GSKT PRE-CUT :OIL SHEET,ROUND	4.00	051	ST
883026	MDUL;LOGO 230RC,115-240V AC,24VDC 8A	2.00	011	EA
618145	BOARD,TERMINAL:	2.00	021	ST
1010348	KIT, SEAL: APPL CATHODIC PROTECTION	2.00	051	KIT
1084968	SPRING, VALVE: VALVE SIZE 1IN	4.00	051	KIT
588246	O-RING:APLC CONTROL VALVE	16.00	051	ST
903608	MODULE,POWER SUPPLY:O/P 24VDC / 20A	2.00	031	EA
582443	GAUGE,PRESSURE:0-1.6BAR G	2.00	101	ST
959736	VALVE, CHECK: TYP PISTON,VALVE SIZE 1IN	2.00	051	EA
930698	THERMOWELL: SHANK STYLE DRILLED	2.00	061	EA
612872	GSKT,SPWD:SHP ROUND,APLC CAN/HEAD	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
629204	KIT-VLV-RPR:TYP SOFT PART,APL RELIEF,CMP	2.00	051	ST1
607612	COUPLER,HOSE:TYP COUPLING	3.00	051	ST
599328	GSKT,SPWD:SHP ROUND	6.00	051	ST
930348	BRG, BALL: MNFR:NEUMAN & ESSER GROUP	2.00	051	ST
905179	FILTER,ELECTRONIC:10-500MHZ,MAX 6KV	2.00	031	EA
639331	SPINDLE:MT SS ASTM A276 GR 403	2.00	101	ST
905227	KIT,SEAL:	2.00	051	ST1
615844	GSKT:FOAM FRONT	3.00	051	ST
994743	PIN: MATL CS JIS G4051 GR S45C	2.00	051	SE
642821	BRG-THRUST;BALL,12MM,26.01MM,9MM,3 PIECE	2.00	051	ST
726697	WASHER:AL	3.00	051	ST
615289	GSKT:	2.00	051	ST
1031598	DISC;LOCKING,M10,SPRING STEEL	2.00	051	EA
582349	THRMST;(2) POSITION	2.00	081	ST
639826	GSKT PRE-CUT :ID 690 X OD 1300 X THK 3MM	2.00	051	ST
615460	O-RING:MT BUNA-N,SHOR - HRD 70A	2.00	051	ST
635502	O-RING:MT FLUOROCARBON	2.00	051	ST
924642	SET:TYP GLAND PACKING,APLC GATE VALVE	3.00	081	ST1
653160	O-RING:ID 125MM,WD 2.5MM,MT VITON	5.00	051	ST1
590334	RELAY:TYP LEVEL CONTROLLER	2.00	061	ST
633101	GSKT PRE-CUT :T#1806,ROUND,SEAT	2.00	051	ST
930332	SCREW,SET:SS ASTM A193,GR B8	2.00	051	ST
600423	PACKING,BULK:FIBRE GLASS,DIA 16MM,ROPE	2.00	051	ST
615418	GSKT:STEAM CHEST	2.00	051	ST
729507	SCRW;ADJUSTING	10.00	051	EA
1008793	KIT, SEAL: TYP GASKET	2.00	051	KIT
1233149	SPRG-VLV;SS 316,1-1/2IN,0-150PSI	2.00	051	EA
637759	FUSE:TERMINAL	3.00	021	ST
626653	CHN	2.00	051	ST
632468	PACKING:PTFE	2.00	051	ST
600024	GSKT,SPWD:TYP BASIC WITH INNER RING,FILL	7.00	051	ST
738125	O-RING:APLC LPG METERING- ARAMCO	2.00	051	ST
644247	SOLUTION:TYP BUFFER,CTNR BOTTLE 1L	3.00	001	L
599577	GSKT PRE-CUT :CA,RF,1IN	2.00	051	ST
588018	GSKT SET:APLC PRESSURE RELIEF VALVE	2.00	051	ST1
334130	FUSE;CUTT OFF,250A,500V,CERAMIC,BLADE	3.00	051	ST
1603112	BR-ZNR:RTNG 24V DC,PLRTY POSITIVE/NEGATI	2.00	051	EA
639461	BRG,THRUST:MT STEEL	2.00	051	ST
901126	TRANSFORMER,INSTRUMENT:VA RT 15VA	2.00	011	EA
1527627	BEARING,PILLOW BLOCK:ID 15MM,HSG MTRL ST	2.00	051	EA
615405	GSKT:	2.00	051	ST
874532	PIPE:SZ 40MM,LG 6M,SCHD WALL THK 2.0MM	6.00	131	M
633097	PACKING:TYP GLAND	2.00	051	ST
992008	FILTER, AIR: STD CE; UL,P/N:SK3182.100	2.00	051	ST
738655	SEAL,OIL:ID 65MM,OD 60MM,WD 10MM	2.00	051	ST
636308	PCKG:SZ 2IN,MTRL P#6610,SHP ROUND,TYP GL	2.00	051	ST1
636970	PACKING:T#1995	2.00	051	ST
634138	GSKT PRE-CUT :VF-35E NON ASBESTOS	2.00	051	ST
626421	GSKT PRE-CUT :THK 2MM,CHLOROPRENE RUBBER	2.00	051	ST
804300	GSKT SET:TYP SEAL	2.00	051	SE
642828	SPRING:TYP DOUBLE LEG	2.00	051	ST
628057	PIN:DIA 2IN,SS 316L GR6,PLUG STEM	3.00	051	ST
1235351	WIRE,WELDING:TYP TIG,MATL ER-90S-B3,DIAM	3.00	051	PAK
930331	SCREW,SET:SS ASTM A193,GR B8	2.00	051	ST
617485	THROWER:TYP OIL	4.00	081	ST
34953	SCREW,CAP:5/16IN DIA,1IN LG,HEX SOCKET	2.00	051	EA
627273	GSKT,SPWD:GRAPHITE,SS 316	2.00	051	ST
612457	O RING:APPL INSTRUMENT AIR COMPRESSOR/ D	2.00	051	ST1
930796	GAUGE, PRESSURE: RANGE 0-6BAR	2.00	101	EA
1231581	PULLEY:TYP HTD TOOTH BELT,SIZE OD 122.1	2.00	051	SE

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
815212	RIG-RTNG;BEARING HOUSING	3.00	051	EA
1010350	KIT, SEAL: APPL CATHODIC PROTECTION	2.00	051	KIT
904450	HUMIDISTAT: O/P 4-20MA,P/N:M26178	2.00	081	EA
636966	SHEET,GASKET:MT NON ASBESTOS	2.00	051	ST
566251	GSKT,SPWD:GRAPHITE,SS 316,APLC BONNET	8.00	051	ST
513453	FUSE:1A,250VAC,FERRULE	4.00	081	ST
1075405	BRG,ROLL: INSIDE DIAMETER 40MM,MNFR:SKF	2.00	051	ST
618123	BOARD,TERMINAL:	2.00	021	ST
632488	O-RING:	2.00	051	ST
591830	WASHER:NIPCO-540,THK 1.5MM,GASKET	30.00	051	ST
1023621	SWITCH, PROXIMITY: TYP CONDUCTIVE	2.00	011	EA
584889	DISC,VALVE:MONEL,PRESSURE RELIEF	3.00	051	ST
602095	PACKING:GRAPHITE,P#6610 AND P#6315	3.00	051	ST1
632187	O-RING:MT VITON	2.00	051	ST
806810	KIT,VALVE REPAIR:	2.00	051	KIT
639829	GSKT PRE-CUT :ID 150 X OD 200 X THK	2.00	051	ST
639326	SPINDLE:MT SS ASTM A276 GR 403	2.00	101	ST
600907	GSKT PRE-CUT :ROUND	2.00	051	ST
615685	KEY,SHAFT:TYP SLEEVE,MT SS ASTM A276/SS	2.00	051	ST
614880	NUT,LOCK:TYP BEARING,P/N:5012501200 NEW	2.00	051	ST
623152	BREAKER,CIRCUIT:16A,277/480VAC	6.00	011	ST
604314	CONTACTOR:TYP MAGNETIC,AMP 9A,3 POLE	2.00	011	ST
904178	SENSOR: TYP WATER DETECTOR,P/N:M26422	2.00	011	EA
603144	SEAL,OIL:ID 30MM,OD 40.08MM,WD 7.14MM	2.00	051	ST
635563	PACKING: MATL GRAPHITE,TYP GLAND	2.00	051	ST
908827	SWITCH,PROXIMITY:3.5MM,INDUCTIVE	3.00	011	EA
599468	GSKT PRE-CUT :OIL SHEET	2.00	051	ST
636852	PACKING:V#8590,TYP GASKET	2.00	051	ST
594709	SEAL,RING:TYP ROUND,ID 140MM,THK 4MM	2.00	051	ST
342268	BRG,ROLL:ID 50MM,OD 90MM,WD 20MM	3.00	051	ST
998976	BUSHING: P/N:545510 01,DOC:529209-83	2.00	051	ST
581805	HOSE:LG 250MM	2.00	051	ST
601015	GSKT,SPWD:1IN,GRAPHITE,SS 316	2.00	051	ST
588212	GSKT SET:	2.00	051	ST
632989	RELAY:TYP SOLID STATE	3.00	011	ST
617332	FUSE:5A	4.00	021	ST
624300	BREATHING:TYP AIR	2.00	081	ST
619559	GAUGE,LEVEL:OIL	2.00	101	ST
949015	GSKT SET:APLC SAFETY RELIEF VALVE	2.00	051	SE
636987	PACKING:T#1995	4.00	051	ST
599521	GSKT PRE-CUT : MATL V#6500,DOC:P-9529	2.00	051	ST
1024150	SCREW: P/N:HCV06016,DOC:SOL36648/2	6.00	051	ST
632493	RING,RETAINING:	2.00	051	ST
883326	MAGNET:TYP RESOLVER	2.00	061	EA
612265	SHIM:THK 0.010IN	4.00	051	ST
615254	O-RING:	2.00	051	ST
1071176	RELAY:COIL V 30VDC,ACTION DPDT,CNTCT RT	2.00	011	EA
910365	KIT:TYP REPAIR; DRIVE SET	2.00	081	KIT
870066	WASHER,SEALING:ID 7.7MM,NBR/SS 301	2.00	051	EA
951826	RIG;BRONZE,ID 30 X OD 38 X THK 5MM	2.00	051	ST
615397	RING,RETAINING:TYP C,SNAP	2.00	051	ST
811206	RING,WEAR:SS 316L,APLC IMPELLER SUCTION	2.00	081	ST
637712	GSKT:EPDM	2.00	051	ST1
1245567	SEAT,VALVE:TYP VALVE BODY,VALVE TYPE GAT	2.00	051	EA
952000	SEAL;ID 50 X OD 65 X THK 8MM,SHAFT	2.00	051	ST
826964	GSKT SET:APLC SAFETY RELIEF VALVE	2.00	051	SE
615801	O-RING:ID 0.362IN,WD 0.103MM,MT VITON	2.00	051	ST1
122842	RING,BACK-UP:MT PTFE,TYP SPIRAL	4.00	051	EA
624188	WASHER:CS ASTM A283,D,BEARING	2.00	051	ST
773725	KIT-ACTUTR-RPR;SEALS & O-RINGS	3.00	061	SE

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
603871	SLEEVE:	2.00	051	ST
628143	PACKING:GRAPHITE	3.00	051	ST
898191	BREAKER,CIRCUIT:1-1.6A,690VAC 50/60HZ	2.00	011	EA
930317	COUPLING, SHAFT: MNFR:POMPE CUCCHI SRL	2.00	051	SE
618534	SWTCH-DSCNCT:CNTCT RTNG 380V AC,TYP DISC	2.00	011	ST
618447	BRG,BALL:TYP RADIAL	2.00	051	ST
968196	SCREW, MACHINE: MATL CS ASTM A307,GRD A	2.00	051	ST
1058812	BRG, BALL: INSIDE DIAMETER 85MM	2.00	051	SE
1022839	PIN: P/N:SLP60527,DOC:SOL01196/0	2.00	051	ST
635567	O-RING: MATL FKM,APPL BALL VALVE	2.00	051	ST
612690	GSKT:ID 440 X OD 546MM,THK 3MM,REINZ	2.00	051	ST
1013381	WSHR:MTRL STEEL,TYP ADJUSTING,P/N:155262	4.00	051	ST
603161	SEAL,MECHANICAL:	2.00	051	ST
901130	RELAY:COIL 220-240VAC,CHANGE OVER	4.00	011	EA
588273	O-RING SET:	9.00	051	ST
738112	SEAL:SZ ID 46 X OD 49MM,APL LPG METERING	2.00	051	ST
622496	GSKT:SQ 130MM,THK 0.5MM,ROUND	2.00	051	ST
600335	GSKT PRE-CUT : MATL NEOPRENE,SHAP ROUND	2.00	051	ST
609610	SLEEVE:TYP COVER	2.00	051	ST
186533	PIN:SS 316,HINGE/STOP	2.00	051	ST
620607	SEAL:FELT,RING	2.00	051	ST
615788	GSKT SET:	2.00	051	ST1
634499	SEAL, RING: INSIDE DIAMETER 2.15	4.00	051	ST
795464	FITTING,OUTLET:TYP SOCKOLET,RUN SZ 42IN	3.00	051	EA
930373	BUSH, PUMP: EQUIP MDL#: FG 10 / 030	2.00	081	SE
738145	SEAL:RETAINER,APLC LPG METERING- ARAMCO	2.00	051	ST1
636839	PACKING:T#1995	2.00	051	ST
615856	SPDR-INSRT-CUPLG;JAW,NBR 80 SHORE A	2.00	051	ST
910354	KIT,SEAL:TYP SEALING	3.00	051	ST1
599423	GSKT-SPRL-WUND;GRAPHITE/V#6592-GGZ,ROUND	2.00	051	ST
266052	RING,BACK-UP:ID 3IN,MT FKM	3.00	051	EA
629064	FAN:TYP EXTERNAL COOLING,MT PLASTIC	3.00	081	ST
804841	DIAPHRAGM:TYP BACK-UP,RT 8BAR,MATL RUBBE	2.00	051	EA
13067	O-RIG	4.00	051	ST
893260	RING, RETAINING: MNFR:ABB KENT TAYLOR	3.00	051	EA
509792	STRAINER, PIPING: TYP Y-SHAPED,CNCT SW	2.00	051	ST
64026	SEAL,OIL:ID 60MM,OD 85MM,WD 10MM	2.00	051	ST
629063	FAN:TYP EXTERNAL COOLING,MT PLASTIC	4.00	081	ST
868045	WSHR-FLAT;30MM,1MM,47MM,ROUND	2.00	051	EA
912835	GSKT:SEAT	3.00	051	EA
638135	GSKT:SQ 26.5IN,THK 0.62IN,SQUARE	2.00	051	ST
635574	O-RING: MATL FKM,APPL BALL VALVE	2.00	051	ST
1029271	SCREW: P/N:RVP19000,DOC:SOL36648/2	2.00	051	ST
592142	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	2.00	051	ST
28091	FITTING,OUTLET:TYP SOCKOLET,RUN SZ 2IN	2.00	051	ST
898243	BREAKER,CIRCUIT:4-6.3A,690VAC 50/60HZ	2.00	011	EA
322195	BRG - BALL DEEP GROOVE - 35X 72X 17MM	2.00	051	ST
595009	SEAL,RING:ID 4MM,OD 10MM,THK 6MM	2.00	051	ST
585923	VALVE, SOLENOID: STYLE 2/2 WAY	2.00	051	ST
586877	GSKT PRE-CUT :TYP TAPE,SIZE SQ 25 X THK	2.00	051	ST
933733	SPROCKET:TYP CHAIN WHEEL,TEETH 30	3.00	051	ST
600874	GSKT PRE-CUT : MATL NON ASBESTOS,TYP FF	2.00	051	ST
636977	O-RING:MT NBR	2.00	051	ST
211210	RELAY:COIL 183/220VAC 50/60HZ,4PST	3.00	011	ST
636865	O-RING:ID 9-15/16IN,WD 0.275IN,MT BUNA-N	2.00	051	ST
901127	RELAY:COIL 24 VDC,TYP AUXILARY,1NO-1NC	2.00	011	EA
1034467	V-BELT, SET: NUMBER OF BELTS 1	4.00	051	ST1
619859	BRG,BALL:IBI 15174,ID 105MM,OD 190MM,WD	2.00	051	ST
624395	GSKT:DIFFUSER	2.00	051	ST
638042	SHIM:	2.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
589380	SWITCH,DISCONNECT:415VAC 125A	2.00	011	ST
854873	BRG:TYP SHAFT,STYL CYLINDRICAL,P/N:0061	2.00	051	EA
1022707	NUT: P/N:SLP44339,DOC:SLO1263316	4.00	051	ST
1573349	DISC-VLV:MTRL SS DIN WN 1.4408,VLV SZ 2I	2.00	051	EA
618448	BRG,BALL:TYP RADIAL	2.00	051	ST
592151	GSKT PRE-CUT : MATL GRAPHITE/SS 316	2.00	051	ST
628045	PIN:DIA 4IN,LG 36MM,MTRL UNS S31603,TYP	5.00	051	ST
1010820	SEGMENT: TYP FIXING,P/N:20039738	2.00	051	ST
759684	KIT,VALVE REPAIR:PSV 4IN	2.00	051	SE
617546	O-RING:ID 50MM,WD 2MM,MT EPDM	2.00	051	ST
994516	WASHER:P/N:CS23700-320,MNFR:MAYEKAWA MID	2.00	051	EA
600567	SHEET,GASKET:	2.00	051	ST
396533	SLEEVE:TYP TRUNNION,STEEL	2.00	051	ST
908894	SCREW:DIA G 3/4IN,LOCKING	4.00	051	ST
930288	O-RING: MNFR:NEUMAN & ESSER GROUP	2.00	051	ST
615280	O-RING:APLC BEARING BOX	2.00	051	ST1
878456	RESISTOR:	2.00	031	ST
1008790	KIT, SEAL: APPL CATHODIC PROTECTION	2.00	051	KIT
1232986	ASSEMBLY:TYP FASTENER,APPL SIEVE TRAYS,D	55.00	081	ASY
599365	GSKT:NON ASBESTOS	2.00	051	ST
995796	PIN: MATL SS 304,P/N:4T-OYO968B	2.00	051	ST
612551	GSKT:	2.00	051	ST
636981	PACKING:T#1995	2.00	051	ST
998964	BUFFER: P/N:62762,MNFR:ALFA LAVAL AB	6.00	051	ST
622787	SPINDLE:MT SS 416	2.00	101	ST
584162	FLINGER:TYP OIL	2.00	051	ST
1032179	GSKT: APPL UNION PLATE,P/N:163	12.00	051	ST
627027	TRANSFORMER,INSTRUMENT:VA RT 2-1/2VA	2.00	011	ST
589143	CLIP:TYP SAFETY LEDGE	2.00	051	ST
660972	NIPPLE,PIPE:TYP SWAGED CONCENTRIC,SZ	2.00	051	EA
582775	THERMOMETER,DIAL:TYP BIMETAL ADJUSTABLE	2.00	101	ST
1573219	SEAT-VLV:TYP LINER,VLV TYP BUTTERFLY VAL	2.00	051	EA
738289	PIN:TRUNNION OPERATOR	2.00	051	ST
904196	SWITCH,PRESSURE:8-32BAR,400VAC 16A,SPDT	2.00	061	EA
627279	GSKT,SPWD:GRAPHITE,SS 316	2.00	051	ST
961377	SEAL, OIL: INSIDE DIAMETER 42MM	2.00	051	ST
626685	SEAL,OIL:	2.00	051	ST
586852	STATOR:	2.00	011	ST
629173	KIT, VALVE REPAIR: APPL RELIEF VALVE	2.00	051	ST1
643270	O-RING:ID 114.4MM,WD 3.1MM,MT VITON	2.00	051	ST
628050	PIN:DIA 6IN,UNS S31603,PLUG STEM	4.00	051	ST
132117	BOLT-MCHN;5/8IN,1-1/4IN,SS 316,UNC 11TPI	2.00	051	EA
589825	STRAINER:TYP Y ELEMENT,MT SS 316,30	2.00	051	ST
920690	SENSOR:TYP COOLING LIQUID	2.00	011	ST
1244623	BREATHER:TYP PLUG,MATL ALUMINIUM,CNCT TH	2.00	081	EA
588453	O-RIG;VITON,SAFETY AND BUTTERFLY VALVE	2.00	051	ST1
434811	FUSE:550V,CENTRE BLADE	4.00	021	EA
1042913	BELT, V: INSIDE CIRCUMFERENCE 1612MM	2.00	051	EA
543776	FILTER:7,SS 316,AIR/WATER,ELEMENT	4.00	051	EA
586619	BELT,TOOTHED:TYP HTD,SZ WD 55 X LG 2800	2.00	051	ST
585418	SPRING:SWPB	2.00	051	ST
620024	GSKT-PRE-CUT;FF,THK 1.5MM,ASBESTOS	4.00	051	ST
543981	VIAL:TYP NON STERILE,SZ OD 17 X LG 119MM	2.00	071	PAK
874534	PIPE:SZ 80MM,LG 6M,SCHD WALL THK 2MM	6.00	131	M
584746	OPERATOR, SWITCH: TYPE PUSHBUTTON	5.00	011	ST
968197	SCREW, MACHINE: MATL SS ASTM A193,81584	2.00	051	ST
738751	RING:TYP PRESSURE	2.00	051	ST
1245879	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	2.00	051	EA
618058	BUSHING,ELECTRICAL CONDUCTOR:	2.00	021	ST
1017415	BELT, TOOTHED: TYP TIMMING,TEETH 73	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
644731	GSKT,SPWD:6IN,150LB,GRAPHIITE,SS 316	2.00	051	ST
1644255	ELBW-PIPE;1IN,BW,45,SS,LONG,321,80	6.00	051	EA
579337	GLASS:TYP INSPECTION,MT GLASS	2.00	121	ST
909875	KIT,ACTUATOR REPAIR:TYP REPLACEMENT	2.00	061	KIT
909872	KIT,VALVE REPAIR:	2.00	051	KIT
726934	VALVE:VLV SZ 1/2 IN,BDY MATL BRASS	2.00	051	ST
903973	POTENTIOMETER: OHM 5KOHM,TYP SENSOR	3.00	031	EA
594792	SEAL:	3.00	051	ST
905680	GSKT:SEAT	2.00	051	EA
639296	GSKT PRE-CUT :DN 320/420	3.00	051	ST
611319	GLOVES:TYP POLYSAFE,MT REVERSED KEVLAR	2.00	121	PAK
608063	UNION:TYP FLEXIBLE,MT SILICON,SZ DIA 4-	2.00	051	ST
905164	SWITCH,PRESSURE:-0.5 TO 7BAR,230VAC,SPDT	2.00	061	EA
903956	KIT,SEAL:TYP REPLACEMENT	2.00	051	EA
601463	O-RING:MT BUNA-N,APLC PISTON STEM	6.00	051	ST
602075	PACKING:SHAP SQUARE,P/N:72462 005,MNFR:D	5.00	051	ST
662674	BOLT,MACH:	2.00	051	EA
589125	BUSH;HOLDING	3.00	051	ST
600120	GSKT,SPWD:GRAFOIL,IRID 849.3MM,SS 316	3.00	051	ST
307111	STATOR,PUMP:SIZE ID 31 X OD 50.25 X LG 1	2.00	900	ST
618073	O-RING:	2.00	051	ST
1214047	O RING:MATL ETHYLENE PROPYLENE,APPL PRES	3.00	051	EA
588043	O-RING:MT VITON	3.00	051	ST1
618133	SEAL,OIL:	3.00	051	ST
512996	SEAL-RIG;PTFE/17F31	2.00	061	EA
630812	INTEGRATED CIRCUIT:FUNC EPROM MEMORY	2.00	031	ST
588309	PACKING:TYP GLAND	3.00	051	ST1
913875	O-RING:MT NITRILE,APLC COVER SEAL	2.00	051	EA
628098	GSKT:SEAT,SS ASTM A182 GR F6A	3.00	051	ST
612464	GSKT PRE-CUT :ROUND	2.00	051	ST
905213	KIT,VALVE REPAIR:	2.00	051	KIT
586219	BRG,THRUST:OD 19.5MM,1 PIECE,MT CARBON	3.00	051	ST
1607939	RGNT:TYP LCK CUVETTE TEST,TRD NM CHLORID	2.00	001	PAK
618479	CAM;POLYMER FILTER	2.00	051	ST
1030700	VALVE, CHECK: TYP Y- PATTERN,CNCT BW	3.00	051	KIT
596734	FLTR-ELMNT;AIR,PAPER	8.00	051	ST
618200	THERMOMETER,DIAL:TYP BI-METALLIC	2.00	101	ST
625946	BOLT,MACH:M16,LG 60MM,SS DIN WN 1.4462	12.00	051	ST
931086	CAMERA:TYP CCTV	2.00	141	ST
582577	GAUGE,PRESSURE:0-2.5BAR G,NPT,BOURDON	2.00	101	ST
582455	GAUGE,PRESSURE:0-250MM H2O	3.00	101	ST
609025	KIT,VALVE REPAIR:P/N:200284,MNFR:CROSBY	3.00	051	ST1
744356	KIT,VALVE REPAIR:PRESSURE SAFETY VALVE	3.00	051	KIT
583205	LUBRICATOR:TYP CONSTANT LEVEL	2.00	101	ST
601880	O-RING:ID 342.27MM,WD 5.33MM,MT VITON	2.00	051	ST
602556	SEAL,RING:	2.00	051	ST
585435	SPRING:STEEL,TYP ACTUATOR	8.00	051	ST
589381	SWITCH,DISCONNECT:415VAC 125A	5.00	011	ST
893261	SEAL, RING: TYPE BACKING,P/N:AB5I618294	3.00	051	EA
615237	NUT,LOCK:COLLAR	2.00	051	ST
603145	SEAL,LABYRINTH:	3.00	051	ST
600434	GSKT PRE-CUT :	2.00	051	ST
620273	FLINGER:MT CS ASTM A283 GR D	2.00	081	ST
912784	SEAT,VALVE:VLV SZ DN 40,GLOBE CONTROL	2.00	051	EA
915795	VALVE,GLOBE:VLV SZ 1/2IN,DES RTG 800LB	2.00	051	ST
738143	SEAL:RETAINER,APLC LPG METERING- ARAMCO	2.00	051	ST
587666	KIT-VLV-RPR;SEAL	2.00	051	ST
624682	SPRING,VALVE:	2.00	051	ST
601983	O-RING:MT FLURAX,APLC PE SLEEVE	8.00	051	ST
1000992	RELAY, PROTECTION: ELEC RT 250VAC 5A	2.00	031	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
619631	BOLT,MACH:M12,LG 75MM,SS 304,1.75MM	4.00	051	ST
626967	SWITCH:TYP AUXILIARY,SPST,NC	4.00	021	ST
957579	PACKING: MATERIAL PILLAR 6610+6528	4.00	051	ST1
634295	GSKT,SPWD:	2.00	051	ST
642501	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
889585	THYRISTOR:	3.00	031	ST
586481	BRG,BALL:IBI 14620,INSIDE DIAMETER 75MM	4.00	051	ST
813928	O-RING:ID 174.3MM,WD 5.7MM,MT VITON	4.00	051	ST
801356	VALVE,RELIEF:VLV SZ 25 X 40MM	2.00	051	ST
585682	VALVE, GATE: TYP WEDGE,VALVE SIZE 3/4IN	2.00	051	ST
141381	BRG,BALL:IBI 14701,ID 80MM,OD 170MM	4.00	051	EA
738130	SEAL:APLC LPG METERING-ARAMCO	2.00	051	ST
902335	MODULE:SFP (MINI-GBIC) TRANSCEIVER	3.00	031	EA
738141	SEAL:RETAINING RING	2.00	051	ST
1085253	COLLAR: TYP DOUBLE REDUCTION GEARBOX	2.00	051	EA
1022906	WASHER: TYP SPRING,P/N:SLP53782	2.00	051	ST
612379	DIAPHRAGM:	2.00	051	ST
600053	GSKT,SPWD:GRAFOIL,IRID 660MM,SS 316	2.00	051	ST
602699	RING,RETAINING:TYP DISC RETAINER	2.00	051	ST
905650	CYLINDER:TYP MEASURING,SZ 100ML,MT GLASS	3.00	081	EA
1022721	PLATE: P/N:SLR64927,DOC:SLO1263316	2.00	131	ST
614607	GLASS,SIGHT:	3.00	101	ST
570638	DIAPHRAGM,VALVE:VLV TP CONTROL	3.00	051	ST
1599748	DISC-VLV:MTRL SS 316,P RTNG 15BAR,VLV SZ	2.00	051	EA
587667	KIT,ACTUATOR REPAIR:TYP SEAL	3.00	061	ST
1245903	BUSH,PUMP:SIZE DIA 123 X WD 21MM,MATL BR	2.00	081	EA
585907	VALVE,SOLENOID:ST 2 WAY,ELEC TRT 24VDC	2.00	051	ST
901639	LINK,FUSE:TYP HRC,AMP 250A,VOLT 690VAC	6.00	021	EA
638234	GSKT:HAND VALVE	2.00	051	ST1
601578	O-RING:APLC GAS CHROMOTOGRAPH	3.00	051	ST
912523	SEAT,VALVE:VLV SZ DN 40,GLOBE CONTROL	2.00	051	EA
602435	PACKING:1-1/8 IN X 45MM,GRAPHITE	2.00	051	ST1
588036	KIT-VLV-RPR:TYP SOFT PARTS,APL PRESSURE	2.00	051	ST1
1619042	BODY;SUPPORT,S235 HOT-DIP GALVANIZED	3.00	051	EA
596344	SIEVE:	2.00	071	ST
612017	ELECTRODE:APLC CONDUCTIVITY METER	2.00	051	ST
905605	PLUG,VALVE:VLV SZ DN 40	2.00	051	EA
224692	GSKT PRE-CUT :ROUND	2.00	051	ST
584204	DISC,RUPTURE:11 BAR G AT 427 DEG C,1IN	2.00	051	ST
639443	KIT-VLV-RPR;SOFT PARTS	2.00	051	ST1
638587	DISC,VALVE:SS 316	2.00	051	ST
633104	PACKING:SS 316,TYP FOLLOWER	3.00	051	ST
924976	KIT,SEAL:APLC SLIDE VALVE	2.00	051	ST
588005	BRG,BALL:TYP THRUST	2.00	051	ST1
721242	MODULE:THYRISTOR,PWR S 2X142A	3.00	031	ST
615502	GSKT:CHILLER PACKAGE	2.00	051	ST
910751	GLASS, SIGHT: SIZE 2IN,P/N:CA-ST-0936	2.00	101	EA
601359	O-RING:MT VITON	2.00	051	ST
617498	RING,PISTON:	8.00	051	ST1
613267	GAUGE,DIFF.PRESS.:0-6BAR,100MM,G1/2IN	2.00	061	ST
871879	FILTER,AIR:SIZE 200 X 200 X 95MM,APPL UN	2.00	051	ASY
1245616	KIT,ACTUATOR REPAIR:TYP REPLACEMENT,CMPR	3.00	061	KIT
628187	O-RING:APLC COLLAR	6.00	051	ST
924977	O-RING SET:APLC SLIDE VALVE,5	2.00	051	SE
1053283	SWITCH,PUSH:TYP BLOCK,CNTCT RT 500V,SIZE	6.00	021	EA
587665	KIT,VALVE REPAIR:SEAT AND SEAL	2.00	051	ST
373240	BRG-RLR:TYP TAPERED,ROW SINGLE,I DIA 65M	2.00	051	ST
588035	GSKT PRE-CUT :	2.00	051	ST1
634574	VALVE,SOLENOID:ST 3 WAY,ELEC TRT 24VDC	2.00	051	ST
613268	GAUGE,DIFF.PRESS.:0-6BAR,100MM,G1/2IN	2.00	061	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
642873	BRG-BAL;13285,45MM,120MM,29MM,OPEN,STEEL	2.00	051	ST
600153	GSKT JKTD:CS,TYP DOUBLE	2.00	051	ST
636259	BUSH:	2.00	051	ST
601638	O-RING:APLC INJECTION TUBE	3.00	051	ST
554441	KEYPAD:TYP FREQUENCY INVERTER	2.00	061	EA
632828	FLOAT:MT SS 316	2.00	061	ST
636257	BUSH:SS 403	2.00	051	ST
1089883	TRANSFORMER,CURRENT:APPRNT PWR 220V,PTNT	2.00	011	EA
908885	SIEVE:TYP SUCTION OIL	2.00	071	ST
903841	REGULATOR,ELECTRIC:	2.00	061	EA
301044	FAN;RADIAL,343 X 329 X 101MM,FLUSH	2.00	081	ST
811208	RING,WEAR:AISI 316L	2.00	081	ST
454739	SWITCH,LIMIT:SPDT,600VAC/250VDC 10A	2.00	061	EA
998955	GSKT PRE-CUT : MATL RIVA-THERM,TYP FLAT	5.00	051	EA
1050030	THERMOCOUPLE: TYP T,JUNCTION GROUNDED	4.00	061	EA
738731	RAM:TYP VALVE	2.00	061	ST
615299	RING,BACK-UP:MT PTFE	2.00	051	ST
905178	SENSOR:	2.00	011	EA
615839	GSKT:TUBE SHEET	4.00	051	ST
643881	NOZZLE,VALVE:MT AISI 316	2.00	051	ST
606987	WASHER,FLAT:NOM SZ 35MM,STEEL,ID 36MM	3.00	051	ST
602732	RING,WEAR:APLC IMPELLER EYE	2.00	081	ST
799488	STATION: TYPE START-STOP	2.00	011	ST
619948	GSKT,SPWD:6IN,300LB,V#596,SS 304	2.00	051	ST
643349	RELAY,PROTECTION:SUPP 24 VDC	2.00	031	ST
591705	STUD CNTNS THD:DIA 1-1/2IN,THRD 8 UN,LG	3.00	051	ST
633111	RING,RETAINING:CS JIS G3506 GR SWRH62A	4.00	051	ST
1026018	STUD: DIAMETER 36MM,TYP BOLT, EQUIP	2.00	051	ST
982002	VALVE, SOLENOID: STYL 2 WAY,OPERATION NC	3.00	051	ST
1030985	VALVE, GLOBE: VALVE SIZE DN 50,CNCT BW	2.00	051	ST
608158	NIPPLE,PIPE:TYP DOUBLE,SZ 1/2IN X 40	2.00	051	ST
586905	ALARM:P/N:MCP1A-R470,MNFR:KAC ALARM COMP	4.00	121	ST
589357	BATTERY,DRY CELL:TYP NI-CAD	6.00	011	ST
626137	BOLT,MACH:M10,LG 50MM,SS DIN WN 1.4435	12.00	051	ST
611217	BREAKER,CIRCUIT:100A,415/690VAC; 600VDC	2.00	011	ST
741049	CAPACITOR: VOLTAGE 200V,P/N:202-0109	14.00	031	EA
900778	CLOTH:TYP FILTER	4.00	101	EA
584842	DIAPHRAGM,VALVE:MT PTFE	4.00	051	ST
1529638	KIT,ACTUATOR REPAIR:TYP ACTUATOR,CMPRSNG	4.00	061	KIT
1029961	PACKING: SIZE SQ 10 X LG 545MM,TYP GLAND	6.00	051	SE
613342	PUMP:TYP SAMPLE GAS	5.00	081	ST
608548	RING,WEAR:SS ASTM A276 TP 420	2.00	081	ST
624297	STUD CNTNS THD:DIA M10,THRD 1.5MM,LG 180	12.00	051	ST
1224129	RING,WEAR:INSIDE DIAMETER 88MM,MATL ASTM	2.00	081	EA
799967	KIT-ACTUTR-RPR;OVERHAULING	3.00	061	SE
615858	FLTR-BAG;MS GALV	3.00	051	ST1
628642	BRG,SLEEVE:TYP BUSHING	2.00	051	ST
838535	STEM,VALVE:VLV ST CONTROL,VLV SZ 1-1/2IN	5.00	051	ST
577377	HOSE-HYDRULC	2.00	051	ST
612638	FLTR;STATIONARY BACK	2.00	051	ST1
588040	KIT,VALVE REPAIR:	3.00	051	ST1
190268	BRG,BALL:IBI 14770,ID 85MM,OD 130MM	3.00	051	ST
602668	SEAT,VALVE:CONTROL,SS 316	3.00	051	ST
800064	SEAT-VLV;GLOBE,2IN,PTFE	2.00	051	EA
1022905	WASHER: TYP SPRING,P/N:SLP53821	2.00	051	ST
631105	GAUGE,PRESSURE:0-160PSIG	2.00	101	ST
628114	GSKT	3.00	051	ST
711865	CAPACITOR:TYP FIXED	5.00	031	EA
738142	SEAL:RETAINING RING	2.00	051	ST
588758	KIT-VLV-RPR:TYP SOFT PARTS,APL GATE,GLOB	2.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1245794	BUSHING:TYP THROAT BUSHING,SIZE DIA 160	2.00	051	EA
628963	VALVE,BALL:VLV SZ 2IN,DES RTG 800LB	2.00	051	ST
636184	SWTCH-LMT	2.00	061	ST
397413	BRG-BAL;14978,95MM,145MM,24MM,OPEN,STEEL	3.00	051	ST
1037055	KIT: APPL FUSE ADAPTOR,MNFR:ABB SACE	3.00	081	KIT
1021174	COLUMN, ANALYSIS: TYP CAPILLARY	1.00	061	ST
583065	LIGHT,INDICATING:TYP PILOT	5.00	021	ST
600604	GSKT PRE-CUT :NEOPRENE RUBBER	2.00	051	ST
1087685	WASHER: SZ 85MM,MATL A276-410,GRD A	2.00	051	EA
633005	OILER:TYP CONSTANT LEVEL	4.00	101	ST
738795	RAM:TYP VALVE	2.00	061	ST
905539	SEAT,VALVE:VLV SZ DN 150,GLOBE CONTROL	2.00	051	EA
1245845	RING:TYP OIL,MATL BRONZE ASTM B584 GR C8	2.00	051	EA
588250	KIT, VALVE REPAIR: TYP SEAL,MNFR:ABB	2.00	051	ST1
622527	SPLITTER:TYP DE AND NDE,DOC:E008MA0015	2.00	061	ST
986688	CAPACITOR: CAPACITANCE 9-18MICRO F	3.00	031	EA
587781	KIT,VALVE REPAIR:GATE VALVE,SEAL	2.00	051	KIT
609132	VALVE,SOLENOID:ST 5/2 WAY	2.00	051	ST
615939	BRG;MAIN	2.00	051	ST
839860	VALVE,GATE:TYP WEDGE,VLV SZ 2IN	2.00	051	ST
1022843	PIN: P/N:SLP60666,DOC:SOL01196/0	2.00	051	ST
1579534	RIG:TYP SPLIT,MTRL CS ASTM A516 GR 70N,S	2.00	051	SE
584108	PUMP:TYP GEAR	2.00	081	ST
608559	RING,WEAR:SS ASTM A276 TP 420	2.00	081	ST
913834	CONVERTER,FREQUENCY:APLC ANALYZER	2.00	031	ASY
738727	RAM:TYP VALVE	2.00	061	ST
836222	GASKT,SPWD:60IN,150LB,GRAPHITE,SS 316,RF	4.00	051	EA
996038	SCREW: SUPPL:MARUBENI,DOC:560862	2.00	051	SE
605665	SWITCH:TYP MICRO	2.00	021	ST
1033747	SEAT, VALVE: INSIDE DIAMETER 300MM	2.00	051	EA
824050	KIT-VLV-RPR;OVERHAULING / WEARING PARTS	5.00	051	SE
1032787	RING, WEAR: INSIDE DIAMETER 165MM	2.00	081	ST
1590198	KIT-ACTUTR-RPR:TYP MAINTENANCE,CMPRSNG H	2.00	061	KIT
897561	CIRCUIT:TYP ANALOG OUTPUT	2.00	011	EA
584828	DIAPHRAGM,VALVE:VLV SZ 2IN	3.00	051	ST
634616	VALVE,SOLENOID:ST 3 WAY,ELEC TRT 24VDC	2.00	051	ST
1028872	ROLLER: P/N:BR-28A-101,DOC:F3135-2010	6.00	091	ST
601957	O-RING:ID 5/10IN,APLC FLANGE	2.00	051	ST
637214	COVER:TYP ELECTRONIC UNIT	3.00	051	KIT
785536	KIT-VLV-RPR;WEARING PARTS	3.00	051	SE
860368	FLANGE,PIPE:TYP BLIND RF,SIZE 10IN,MATL	4.00	131	EA
582758	SNSR:TYP TRACE OXYGEN,MUNT SURFACE,P/N:0	2.00	011	ST
1193216	CRTRDG;PUMP,HTM CIRCULATION PUMP	2.00	051	EA
629146	ASSEMBLY:TYP BELLOWS,APPL RELIEF VALVE,D	3.00	081	ST1
1566149	CYLNRD:TYP SPRING,SZ 50LIN,MTRL ALUMINIU	4.00	081	EA
1088399	GRBX;VALVE OPERATOR,GATE VALVE	2.00	081	EA
1229611	NOZZLE,VALVE:VALVE SIZE 1-1/2 X 3IN,MATL	5.00	051	EA
613927	RING,WEAR:SS ASTM A473 TP 410HD	4.00	081	ST
605256	SOLENOID:	2.00	011	ST
632793	SWITCH,PRESSURE:10-125BAR	2.00	061	ST
1019296	DISC, RUPTURE: SIZE 4IN,TYP BURSTING	2.00	051	ST
602242	PACKING:	2.00	051	ST1
1035803	O-RING: INSIDE DIAMETER 405.26MM	2.00	051	EA
800057	PLUG-VLV;GLOBE,3IN,SS	2.00	051	EA
834088	KIT-VLV-RPR;WEARING PARTS,SLIDE VALVE	4.00	051	SE
586122	BEARING:TYP CRANK PIN,MT CS	3.00	051	ST1
785413	KIT-VLV-RPR:TYP WEARING PARTS,APL BYPASS	3.00	051	SE
583177	LIGHT:TYP STROBE	3.00	021	ST
639424	SPINDLE:MT SS ASTM A276 GR 403	3.00	101	ST
1023225	MODULE: TYP PROGRAMMABLE LIMIT SWITCH	2.00	031	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
800055	PLUG-VLV;GLOBE,1IN,SS	2.00	051	EA
643159	SEAT,VALVE:P/N:E8252117-1 + E8223122-1,M	2.00	051	ST
828313	CYLNDR-ACTUTG-LNR	4.00	061	ST
781186	VALVE,SOLENOID:ST 2-WAY,ELEC TRT 24VDC	2.00	051	SE
642116	VALVE: TYP SAFETY RELIEF,DSGN RT 16 BAR	2.00	051	ST
891083	BRG:	2.00	051	ST
614664	BRG, SLEEVE: TYP BEARING BUSH	2.00	051	ST1
588762	KIT-VLV-RPR:TYP SOFT PARTS,APL GATE,GLOB	2.00	051	ST1
591176	INTERFACE:	4.00	011	ST
737482	FILTER:BREATHER	2.00	051	ST
749455	VALVE,RELIEF:BODY MATL BRONZE,VALVE SIZE	2.00	051	ST
634171	STEM,VALVE:VLV ST ON/OFF BALL	12.00	051	ST
624678	BUSH,VALVE:PTFE,SHAFT	2.00	051	ST
1594382	CONE:TYP AIR,SZ OD 9-1/2IN,MTRL CK-20/S	2.00	051	ASY
907018	VALVE, GATE: TYP FLEXIBLE WEDGE	2.00	051	EA
636831	GEAR,WORM:MT CS ASTM A576 GR 1035	2.00	081	ST
628886	GSKT PRE-CUT :ID 508 X OD 605 X THK 3MM	5.00	051	ST
622589	FILTER,ELEMENT:25MICRON	5.00	051	ST
804510	KIT-VLV-RPR:TYP SOFT PARTS,APL CONTROL V	2.00	051	KIT
589776	FILTER:TYP CARTRIDGE	2.00	051	ST
587307	KIT,PUMP REPAIR:	3.00	081	ST
745102	KIT,VALVE REPAIR:SOFT GOODS	2.00	051	KIT
974547	VALVE, GLOBE: VALVE SIZE 3/4IN	2.00	051	EA
584343	METER,FLOW:TYP COUNTER	2.00	101	ST
597843	TIP:TYP PROBE,SZ 1CM,MT PYREX GLASS	2.00	101	ST
897924	PLATE, HEAT EXCHANGER: TYP BAFFLE	4.00	081	EA
587992	KIT,VALVE REPAIR:DRIERS ON/OFF VALVE	10.00	051	ST1
599433	GSKT,SPWD:GRAPHITE/V#6592-GGZ,SHP ROUND	3.00	051	ST
633106	O-RING:MT BUNA-N	4.00	051	ST
891085	BRG:	2.00	051	ST
1590197	KIT-ACTUTR-RPR:TYP MAINTENANCE,CMPRSNG H	5.00	061	KIT
1593701	TILE:MTRL THERMBOND,P/N:023242,MNFR:JOHN	3.00	131	ASY
738745	RAM:TYP VALVE	2.00	061	ST
615972	SPRING,VALVE:	4.00	051	ST1
5158	CIRCUIT:TYP XPU BOARD,APLC LEVEL	2.00	051	ST
795408	DETECTOR,RESISTANCE TEMPERATURE:TYP PT10	2.00	101	ST
636828	SEAL,OIL:MT CS ASTM A105	10.00	051	ST1
819219	RING,WEAR:SS 316L	7.00	081	ST
913833	FAN:ELEC TRT 190VAC	2.00	081	ASY
1595043	STEM-VLV:VLV STYL GATE,VLV SZ 18IN,SZ DI	2.00	051	EA
891084	BRG:	2.00	051	ST
799969	PLUG-VLV;GLOBE,2IN,SS	2.00	051	EA
897425	CHEMICAL:NAME AQUAMICRON AX,COLR COLORLE	8.00	001	BOT
614862	RING,WEAR:APLC CASING	2.00	081	ST1
585913	VLV-SLND:STYL 5-WAY,ELCTRCL RTNG 24V DC	4.00	051	ST
632478	BTRY-DRY-CEL;LITHIUM,3.6V DC,C	7.00	011	ST
584856	DIAPHRAGM:TYP MIDDLE	2.00	051	ST
615705	SLEEVE:TYP DISTANCE; SPACER,MATL SS ASTM	2.00	051	ST
971424	SEAL, LABYRINTH: MATL BRONZE, S/N#:	2.00	051	EA
629199	SPRING,VALVE:AS JIS G4801 GR SUP10	2.00	051	ST
588093	KIT,VALVE REPAIR:	2.00	051	ST1
643294	TRANSMITTER,LEVEL:O/P 4-20MA DC,TYP DISP	2.00	061	ST
639758	KIT,VALVE REPAIR:CONTROL VALVE,PLUG	2.00	051	ST1
995742	ARM: TYP LEVER,P/N:3T-OYO963B	3.00	131	ST
1578977	PLT-MTLC;20MM,SS,316	2.00	051	EA
614763	SET:TYP OIL	3.00	081	ST1
891091	BRG:	2.00	051	ST
1222675	CIRCUIT:TYP FLAME,APPL BOILER,STD CE; CS	8.00	011	EA
891082	BRG:	2.00	051	ST
589814	DETECTOR:TYP THERMOELEMENT	13.00	101	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
586090	TIP:TYP STAGED GAS,MT STEEL	48.00	101	ST
800056	PLUG-VLV;GLOBE,4IN,SS	2.00	051	EA
1024125	DISC, RUPTURE: SIZE 6IN,P/N:GFN	2.00	051	EA
584699	SEAL,LABYRINTH:AL	2.00	051	ST
588099	KIT-VLV-RPR:TYP SPARE,APL CONTROL	4.00	051	ST1
589149	INLET:TYP FLEXIBLE CONNECTION	3.00	051	ST
1225355	MODULE:TYP (4) CHANNEL,INPUT 10K OHM,O/P	8.00	031	EA
1598899	VLV-CHCK:TYPE RETAINERLESS,TYPE 4IN,TYPE	2.00	051	EA
612435	BRG,SLEEVE:TYP PLAIN,P/N:CPN :22684559,M	2.00	051	ST
913295	PUMP,ROTARY:TYP MAIN OIL	2.00	081	ASY
891090	BRG:	2.00	051	ST
587978	PAD, BEARING: TYP JOURNAL, MDL/MACH#:	2.00	051	ST1
1615573	VLV-BAL:VLV SZ 8IN,DSGN RTNG 150LB,BDY M	3.00	051	EA
587059	ASSEMBLY;VALVE CUP/STEM	3.00	081	ST
1062751	VALVE, GATE: TYP WEDGE,VALVE SIZE 20IN	2.00	051	EA
632389	MONITOR:TYP DUAL VIBRATION	3.00	061	ST
602822	RING,WEAR:SS 304,APLC IMPELLER	2.00	081	ST
956485	TRAP, STEAM: TYP INVERTED BUCKET	9.00	051	ST
616977	CABLE,POWER:TYP HEAT RESISTANCE	57.70	021	M
616985	CABLE,POWER:TYP HEAT RESISTANCE	39.70	021	M
616978	CABLE,ELECTRICAL:TYP HEAT RESISTANCE,DOC	69.90	021	M
616980	CABLE,POWER:TYP HEAT RESISTANCE	55.70	021	M
616975	CABLE,POWER:TYP HEAT RESISTANCE	71.40	021	M
616984	CABLE,POWER:TYP HEAT RESISTANCE	48.90	021	M
508313	WIRE-WLDG:TYP FILLER,DIA 1.6MM,STD AWS A	4.50	051	KG
616989	CABLE,POWER:TYP HEAT RESISTANCE	178.50	021	M
746721	KIT,VALVE REPAIR:PILOT OPERATED SAFETY	3.00	051	SE
620423	ASSEMBLY: TYP DISC SEAL, EQUIP MDL#:	4.00	081	ST
641187	RING: MATL 1.4941,TYP HOLDING	8.00	051	ST1
1086861	MOTOR, ELECTRIC: PWR RT 2.4/1.4KW	3.00	011	EA
1556996	RING,WEAR:INSIDE DIAMETER 785.4MM,MATL T	4.00	051	EA
1024053	TRANSMITTER: TYP DATA CONCENTRATOR	3.00	061	EA
638173	BUSH,VALVE:VALVE STEM	5.00	051	ST
29332	MDUL;DIGITAL INPUT,24V AC/DC	3.00	031	ST
584717	SPACER:TYP SHAFT	2.00	051	ST
600312	GSKT,SPWD:GRAPHITE,SS 316,IRMT SS 316	6.00	051	ST
582293	CARTRIDGE:SZ 158 X 503MM	6.00	051	ST
632671	KIT,VALVE REPAIR:	3.00	051	ST1
632742	KIT-VLV-RPR:TYP SOFT PATYS,APL SUPERHEAT	3.00	051	ST1
963797	CAGE, VALVE: VALVE SIZE DN 8IN	3.00	051	ST
1045192	VALVE, CONT: SIZE 8IN,STD EN1.4408	4.00	051	ASY
586400	BRG,SLEEVE:TYP SPLIT	2.00	051	ST
1031713	RING: TYP BEARING SHOULDER,P/N:60636	4.00	051	ST
828316	CYLNDR-ACTUTG-LNR	3.00	061	ST
587223	KIT,VALVE REPAIR:P/N:RKW-405TT,MNFR:METS	7.00	051	ST
802210	SHEET:SPLASH,WD 1000 X LG 336 X THK 1MM	4.00	131	ST1
614770	SLEEVE:TYP JOURNAL	3.00	051	ST
615963	KIT,VALVE REPAIR:SUCTION VALVE,PLATE	4.00	051	KIT
279976	KIT,VALVE REPAIR:PILOT VALVE,SEAL	8.00	051	KIT
583722	CIRCUIT,POWER SUPPLY:APLC DCS NETWORK	6.00	021	ST
586995	ASSEMBLY;TILE,BURNERS ON FIRED HEATERS	3.00	081	ST
600598	GSKT:CHANNEL COVER G-1	6.00	051	ST
588817	CONTROLLER: P/N:6DR2210-5,DOC:686-E-485	3.00	900	ST
1053769	SYSTEM: P/N:RPV 999,MNFR:RHEOTEK	3.00	081	ASY
588588	KIT,VALVE REPAIR:SEAT AND O-RINGS	4.00	051	ST1
602670	SEAT,VALVE:CONTROL,SS 316/STELLITED	3.00	051	ST
999295	PROTECTOR:TYP VALVE DIAPHRAGM,P/N:42 77	3.00	001	EA
1046828	GSKT PRE-CUT :SHAP IRREGULAR,MATL VITON	18.00	051	EA
636197	SWITCH,PRESSURE:0.25-1.6BAR G	3.00	061	ST
600597	GSKT JKTD:THK 3.2MM,SHP ROUND	15.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
634267	STEM,VALVE:VLV ST PLUG,VLV SZ DN 4IN,MT	4.00	051	ST
976329	VALVE, SOLENOID: STYL 5/2 WAY	3.00	051	EA
574469	BELLOWS:MT INCONEL	3.00	051	EA
1594381	CONE:TYP AIR,SZ OD 10-13/16IN,MTRL CK-20	3.00	051	ASY
643855	VALVE,RELIEF:VLV SZ 1/2 X 1IN,TYP SAFETY	9.00	051	ST
995808	ARM: TYP CONNECTING PIECE,MATL SS 403	3.00	131	ST
1593776	RSR:TYP PRIMARY AND STAGED GAS,P/N:04309	5.00	051	ASY
629201	KIT-VLV-RPR:TYP SPARE,APL RELIEF,CMPSNG	4.00	051	ST1
941896	GSKT PRE-CUT :NON ASBESTOS	4.00	051	ST
602967	SEAL,MECHANICAL:CARTRIDGE	3.00	900	ST1
634785	SEAT,VALVE:VLV SZ 12IN	3.00	051	ST
750252	UNIT,CONTROL:TYP RDCU-02 COATED DRIVE	3.00	011	ST
586997	ASSEMBLY;PILOT,BURNERS ON FIRED HEATERS	3.00	081	ST
585617	VLV;SUCTION	3.00	051	ST
725293	VALVE,RELIEF:VLV SZ 1/2 X 1IN,TYP SAFETY	3.00	051	ST
602744	KIT,VALVE REPAIR:RELIEF VALVE,RING	4.00	051	ST
1603716	GSKT-ST:APL SINGLE STAGE EJECTOR,MTRL GR	4.00	051	SE
7262	CELL:TYP OXYGEN,RNG 0-5000PPM	4.00	011	ST
586929	ASSEMBLY:SWITCH PRESSURE	2.00	081	ST
602552	SEAT,VALVE:VLV SZ 500MM,ON/OFF	3.00	051	ST
581983	CASING,PUMP:TYP STAGE	8.00	081	ST
608599	BUSH:TYP THROAT,MT SS ASTM A276 GR 403	4.00	081	ST
592186	NOZZLE,VALVE:MT SS ASTM A276 GR 304	3.00	051	ST
589779	FLTR-ELMNT;LUBE OIL	3.00	051	ST
586609	BELT, TOOTHED: SIZE WD 85 X LG 3850MM	4.00	051	ST
602730	RING,WEAR:APLC CASE EYE	2.00	081	ST
642456	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
614666	BRG,SLEEVE:TYP BUSH	3.00	051	ST
602733	RING,WEAR:APLC IMPELLER HUB	2.00	081	ST
588310	SEAL:	4.00	051	ST
1035410	BRG,FLG:INSIDE DIAMETER 85MM,SHAP SQUARE	4.00	051	EA
612500	PACKING:TYP GLAND	3.00	051	ST1
615429	GSKT:ID 280 X OD 300MM,THK 3MM,ROUND	3.00	051	ST
930271	FAN:TYP COOLING,ELEC TRT 230VAC	3.00	081	ST
587928	KIT-VLV-RPR:TYP SOFT PART,APL BALL (SIZE	2.00	051	KIT
586787	MOTOR,ELECTRIC:90W	3.00	011	ST
826973	GSKT,SPWD:14IN,150LB,GRAPHITE	4.00	051	ST
641916	DIAPHRAGM:MATL PTFE,P/N:DPH1200127310,MN	4.00	051	ST
1530822	KIT,VALVE REPAIR:APPL 6 IN BUTTERFLY VAL	4.00	051	KIT
583123	LAMP,INCANDESCENT:W 2.4W,VOLT 130V	60.00	021	ST
633245	O-RING:	41.00	051	ST
1031279	O-RING: INSIDE DIAMETER 589.5MM	5.00	051	EA
602760	RTNR	3.00	051	ST
946739	SEAL,OIL:INSIDE DIAMETER 16MM,OUTSIDE DI	3.00	051	EA
601980	O-RING SET:APLC BEARING SLEEVE,3	6.00	051	ST
611304	BOTTLE:TYP REAGENT,1000ML CAP,MT HDPE	15.00	071	ST
639399	WASHER:SS 410	3.00	051	ST
636830	RING,PISTON:TYP OIL,MT BRONZE ASTM B584	3.00	051	ST
1025401	SCREW: P/N:GSB24280,DOC:SLO1263316	6.00	051	EA
601990	O-RING: P/N:10189,P/N:4000578	6.00	051	ST
639394	GSKT-PRE-CUT;SYNTHETIC FIBRE	3.00	051	ST
602537	RING,PISTON:NBR,TYP ROD	3.00	051	ST
622297	FLASHER: ELEC RT 230VAC 5000W,CNCT BLADE	4.00	021	ST
612292	GSKT PRE-CUT :	3.00	051	ST
544804	HOLDER,VALVE DISC:	3.00	051	ST
17454	GLASS,LEVEL GAUGE:TYP REFLEX	8.00	900	ST
594546	RING,BACK-UP:	2.00	051	ST
636112	SWITCH:TYP HERMETICALLY SEALED	2.00	021	ST
904436	DISPLAY UNIT,DATA:TYP DIGITAL,P/N:710028	3.00	141	EA
585021	KIT,VALVE REPAIR:GLOBE VALVE,REPAIR	4.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1210424	RGLTR FLTR:INLET PRESS 0~17BAR,OUTLET PR	3.00	061	EA
600631	GSKT:	10.00	051	ST
589740	CONTACTOR:TYP MAGNETIC,AMP 12A,3 POLE	11.00	011	ST
963913	CHEMICAL: TYP N-OCTANE,CTNR BOTTLE	3.00	001	BOT
509991	WASHER:P/N:IRT6906969,MNFR:NUOVO PIGNONE	3.00	051	ST
1071235	SWITCH, PRESSURE: RANGE -5 TO 125MBAR	4.00	061	EA
1245635	DISC,VALVE:MATL ASTM A351,P RT 15BAR G,G	3.00	051	EA
612460	RIG-RTNG;SNAP RING	6.00	051	ST
1054484	THERMOSTAT: TYP ATA SERIES,STD IP 553	5.00	081	EA
1008564	GSKT PRE-CUT : MATL KLINGERSIL C4409L	3.00	051	ST
642006	NOZZLE,VALVE:MT SS 316	3.00	051	ST
906008	NUT:CLAMP	5.00	051	ST
634142	SHEET,GASKET:MT V#VF-35E	4.00	051	ST
735166	KIT;SR-CCK,POSITIONER	3.00	081	SE
603018	SEAL-OIL;130MM,160MM,15MM,NBR,RING	3.00	051	ST
1085252	SLINGER: TYP OIL,DOC:405-19075	4.00	101	EA
1034765	FUSE: AMPERAGE 315A,VOLTAGE 3.6KV	3.00	021	EA
631205	CELL:TYP FIRETRON	2.00	011	ST
733116	IGNTR;GLOW PLUG	5.00	051	EA
620326	BOLT,MACH:M8,LG 55MM	3.00	051	ST
618165	BRG,ROLL:TYP CYLINDRICAL,CAGE MT STEEL	3.00	051	ST
190100	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,THRD 1	19.00	051	ST
594582	RING:TYP LINK,MT TURCON	2.00	051	ST
595202	GSKT PRE-CUT :ID 165 X OD 120 X THK 2MM	2.00	051	ST
593517	GSKT-PRE-CUT;DN 200,CHLOROPRENE RUBBER	3.00	051	ST
598532	BELT:TYP V-RIBBED	2.00	051	ST
1031954	PACKING: P/N:609269, EQUIP MDL#:	4.00	051	ST
952001	O-RING:	4.00	051	ST
595249	KIT-CYLNDR-RPR;SEAL,FORKLIFT	3.00	091	ST1
596735	FILTER:TRANSMISSION	4.00	051	ST
589731	CONTACTOR:TYP MAGNETIC,AMP 32A,3 POLE	7.00	011	ST
853448	DIAPHRAGM, VALVE: SIZE DIA 78MM	4.00	051	ST
596808	FILTER,AIR:SZ 592 X 490 X 600MM,90-95PCT	15.00	051	ST
1586546	FLG-PIPE:TYP RF, SZ 4IN,MTRL CS ASTM A105	6.00	131	EA
619917	FUSE: AMPERAGE 200A,VOLTAGE 660V	3.00	021	ST
611183	GSKT,SPWD:18IN,300LB,GRAPHITE,SS 316	20.00	051	ST
600705	GSKT,SPWD:4IN,300LB,GRAPHITE	4.00	051	ST
611177	GSKT,SPWD:8IN,300LB,GRAPHITE,SS 316	11.00	051	ST
623933	GSKT:CAP,STEEL	2.00	051	ST
623935	GSKT:STEEL	2.00	051	ST
642189	GSKT:VALVE	4.00	051	ST
997127	NUT, LOCK: P/N:NG31-010, EQUIP MDL#:	4.00	051	EA
601469	O-RIG;STEM	9.00	051	ST
1029766	O-RING: INSIDE DIAMETER 322MM,WIDTH 3MM	7.00	051	EA
641925	O-RING: MATL PTFE,P/N:107301, EQUIP	4.00	051	ST
1229614	RING:TYP BLOWDOWN ADJUSTING,MATL AISI 31	4.00	051	EA
1229613	RING:TYP BLOWDOWN ADJUSTING,MATL AISI 31	5.00	051	EA
614336	SCREW,MACHINE:M8 DIA,70MM LG,PAN	6.00	051	ST
968187	SCREW,MACHINE:MATL CS ASTM A307,GRD A,P/	4.00	051	ST
603009	SEAL,OIL:ID 30MM,OD 45MM,WD 8MM,MT NBR	4.00	051	ST
602722	SEAL,OIL:ID 40MM,OD 55MM,WD 7MM,MT NBR	4.00	051	ST
595235	SEAL,RING:MT NITRILE RUBBER	3.00	051	ST
629712	STUD CNTNS THD:DIA 3/4IN,THRD 10 UNC,LG	20.00	051	ST1
625217	SWITCH,PROXIMITY:INDUCTIVE	3.00	011	ST
828428	CIRCLIP:TYP THRUST	5.00	051	ST
723419	SUPERSEDED BY 780084	3.00	021	EA
602129	PACKING:ID 16 X OD 26 X THK 4.8MM	7.00	051	ST
608841	FUSE:6A,415/550VAC; 250VDC	5.00	021	ST
635509	WASHER:PTFE,THRUST	2.00	051	ST
635121	DIODE:TYP MODULE	3.00	031	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
586479	BRG,BALL:	4.00	051	ST
636985	O-RING:MT NBR	4.00	051	ST
584741	OPERATOR,SWITCH:TYP SELECTOR	3.00	011	ST
811711	VALVE,CONT:	5.00	051	ST
644244	CHEMICAL:AQUAMICRON-A,TYP AQUAMICRON-A	3.00	001	L
963953	O-RING: MATL BUNA-N,APPL PUMP	4.00	051	EA
742252	BUSHING:SZ ID 3-1/2IN	2.00	051	ST
96941	ELBOW,PIPE:SZ 2IN,CS ASTM A105,90,SW	4.00	051	EA
601290	O-RIG;239.5MM,8.4MM,FKM	3.00	051	ST
628106	GSKT:SEAT,SS 316L	2.00	051	ST
154885	GSKT, SPWD: NOMINAL FLANGE SIZE 4IN	3.00	051	EA
620425	PIN,SPRING:SS ASTM A276 GR TP304	3.00	051	ST
632988	RELAY:	10.00	011	ST
615842	GSKT:RETURN HEADER	5.00	051	ST
742251	BUSHING:SZ ID 2-1/8IN	2.00	051	ST
1205884	SCREW,SET:DIAMETER M10,HEAD HEX SOCKET,M	3.00	051	EA
799958	BUSH,VALVE:PTFE,VLV SZ 10IN	3.00	051	SE
1036831	SCREW, SET: DIAMETER 8MM,LENGTH 15MM	4.00	051	ST
402909	CONTACTOR: AMPERAGE 50A,MNFR:ABB	3.00	011	ST
643886	DISC,VALVE:AISI 316	4.00	051	ST
636968	O-RING:MT NBR	2.00	051	ST
600419	GSKT PRE-CUT :ROUND	3.00	051	ST
1049319	SCREW, CAP: HEAD SOCKET,DOC:MD87/93(A)	6.00	051	EA
940810	BUSH: APPL DIAPHRAGM ACTUATOR	4.00	051	EA
643376	GSKT:	3.00	051	ST
627018	TRANSFORMER,INSTRUMENT:VA RT 1-1/2VA	3.00	011	ST
628874	GSKT PRE-CUT :NON ASBESTOS	2.00	051	ST
604876	FUSE:4A,440/550VAC,OFFSET BLADE,FAST	5.00	021	ST
838459	KIT,VALVE REPAIR:SOFT PARTS	4.00	051	KIT
588259	O-RING:APLC CONTROL VALVE	4.00	051	ST
870444	PIN:SS ASTM A564 GR 630,HOLLOW	4.00	051	EA
636144	MODULE:RESOLVER MAGNET	4.00	031	ST1
642465	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
802906	PACKING:ID 29 X OD 45 X THK 8MM,GRAPHITE	3.00	051	ST
642464	RING:TYP SEALING,APLC PLUG VALVE	5.00	051	ST
636979	O-RING:MT NBR	2.00	051	ST
580580	SHAFT:PINION	3.00	051	ST
612459	RING,RETAINING:	3.00	051	ST
628871	GSKT:	4.00	051	ST
472296	O-RING:MT PTFE,APLC SEAT	5.00	051	EA
588243	GSKT PRE-CUT :ROUND	3.00	051	ST
608767	FUSE:2A,24VDC	10.00	021	ST
1225939	WSHR THRST:TYP HORIZONTAL,MTRL SS,THK 4.	3.00	051	SE
186633	BREAKER, CIRCUIT: AMPERAGE 20A,POLE 2	3.00	051	ST
634141	GSKT PRE-CUT :VF-35E NON-ASBESTOS	4.00	051	ST
599349	GSKT:IRON	4.00	051	ST
914219	LIGHT, INDICATING: TYP LED,P/N:2036088	5.00	021	EA
635547	O-RING:MT FKM	4.00	051	ST
615835	O-RING SET:	3.00	051	ST1
592717	GSKT,SPWD:20IN,300LB,GRAPHITE,SS 316	4.00	051	ST
142423	RING,PISTON:ID 40MM,OD 50MM,THK 6MM	3.00	051	EA
610764	VALVE,GATE:VALVE SIZE 3/4IN,CNCT THD,BOD	7.00	051	ST
585762	VALVE,GATE:VLV SZ 1IN,DES RTG CL 800	3.00	051	ST
1038964	RELAY: COIL V 24VDC,ACTION SPDT	11.00	011	EA
591070	TIMER:	2.00	101	ST
725212	SPRING:	2.00	051	ST
924776	SET:TYP PACKING GLAND,APLC GATE VALVE	3.00	081	ST1
635635	GSKT PRE-CUT :GRAFOIL,STEM BEARING,2IN	2.00	051	ST
602163	PACKING:SIZE 4IN,MATL P#4519M,TYP GLAND	7.00	051	ST
713263	GSKT, SPWD: SHAP ROUND,TYP BASIC,128C	3.00	061	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
595868	CONTROL:	2.00	061	ST
799960	BUSH,VALVE:PTFE,VLV SZ 8IN	3.00	051	SE
622028	BRKR-CRCUT;1.8-2.5A,POWER	2.00	011	ST
731525	GSKT:V#1500,BONNET	4.00	051	ST
632862	O-RING SET:APLC ON-OFF VALVE,2	4.00	051	ST1
628863	GSKT:ID 200 X OD 252MM,THK 2MM,ROUND	4.00	051	ST
643370	SHIM:TYP ACTUATOR,MT SS 316	2.00	051	ST
616958	CONTACTOR:TYP MAGNETIC,AMP 60A,3 POLE	2.00	011	ST
603079	O-RING:MT EPDM	4.00	051	ST
603151	RING:ID 50 X OD 60 X THK 28MM,TYP	3.00	051	ST
639866	BRG:	2.00	051	ST
100567	BRG,BALL:IBI 13502,ID 50MM,OD 90MM	3.00	051	ST
598166	KEY,SHAFT:TYP BEARING	4.00	051	ST1
738111	PACKING:	4.00	051	ST1
636971	O-RING:MT NBR	2.00	051	ST
870395	BRG-SLV:MTRL PEEK,P/N:WMS_CNTRLVLV_04,MN	4.00	051	EA
901640	LINK,FUSE:TYP HRC,AMP 200A,VOLT 690VAC	6.00	021	EA
600565	GSKT:	4.00	051	ST
627038	RELAY,PROTECTION:UNDER VOLTAGE,RT 110VDC	2.00	031	ST
642804	VALVE,BALL:VLV SZ DN 2IN	2.00	051	ST
642528	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
642507	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
632601	SWITCH:TYP MICRO	4.00	021	ST
930323	CLIP: TYP SPRING/SEEGER, EQUIP MDL#:	4.00	051	ST
904452	SOCKET,ELECTRICAL:TYP SUBMAGINAL	5.00	021	EA
937246	SOLUTION:TYP ELECTROLYTE,CTNR BOTTLE 250	3.00	001	BOT
1227196	REAGENT:TYP BOD NUTRIENT BUFFER,COLR TUR	3.00	001	PAK
605369	SWITCH,LIMIT:SPDT,250V 5A,PLUNGER	5.00	061	ST
629275	O-RING SET:APLC BUTTERFLY VALVE,2	2.00	051	ST1
587662	KIT,VALVE REPAIR:CIRCLE SEAL	3.00	051	ST
642500	RING:PTFE,TYP WEDGE	5.00	051	ST
930369	PIN, DOWEL: MNFR:NEUMAN & ESSER GROUP	4.00	051	ST
1036830	SCREW, SET: DIAMETER 8MM,LENGTH 15MM	4.00	051	ST
888034	O-RIG;119.5MM,3MM,VITON A,90,FOR FILTER	4.00	051	ST
609146	SWITCH:TYP MAIN,CONTRT 220V	4.00	021	ST
588263	PACKING:TYP GLAND	4.00	051	ST1
845217	O-RING:ID 158.12MM,WD 5.33MM,MT VITON	6.00	051	ST
1034023	ACKING: SIZE ID 135MM,MATL NBR,SHAP U	4.00	051	EA
603143	SET;MECHANICAL SEAL	3.00	081	ST
628100	GSKT:SEAT,PTFE/SS 316L	2.00	051	ST
600420	O-RING:APLC HOUSING	4.00	051	ST
1012831	NUT: DIAMETER M20,P/N:911 008 018	8.00	051	EA
636982	O-RING:MT NBR	2.00	051	ST
913078	FILTER,ELEMENT:10MICRON,PAPER	4.00	051	ST
589777	FILTER, ELEMENT: MATL SINTERED BRONZE	3.00	051	ST
978085	GSKT: MATL NBR,APPL PLATE HEAT	3.00	051	ST
210173	O-RIG;49.7MM,3.5MM,NBR,OIL FILTER	5.00	051	ST
629222	GSKT:END COVER,THK 0.4MM,PERMANITE	5.00	051	ST
594532	RIG-RTNG;ID 5/32 X OD 7/32IN,EXTERNAL	2.00	051	ST
860262	FLANGE,PIPE:TYP BLIND RF,SIZE 2IN,MATL C	3.00	051	EA
268388	O RING:INSIDE DIAMETER 2.114IN,WIDTH 0.0	4.00	051	EA
956134	GSKT SET: MNFR:FUKUI SEISAKUSHO CO. LTD	3.00	051	ST1
613354	FLTR;CARTRIDGE,CHEMICAL	4.00	051	ST
588324	PACKING:TYP RING	3.00	051	ST1
1604197	COAT:TYP FLUID-RESISTANT,SZ XL,CLR WHITE	4.00	121	EA
601696	O-RING:ID 21.9MM	14.00	051	ST
1033037	SHEET, GASKET: THICKNESS 0.8MM	3.00	051	ST
628955	VALVE,BALL:VLV SZ 1/2 IN,DES RTG 800LB	3.00	051	ST
602859	SEAL, RING: TYP V SHAPE,P/N:04000579	3.00	051	ST
642482	RING:TYP SEALING,APLC PLUG VALVE	5.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
624322	RING,RETAINING:	4.00	051	ST
930349	RING, RETAINING: TYPE SEEGER,04 / 46669	4.00	051	ST
634143	GSKT PRE-CUT :VF-35E NON-ASBESTOS	4.00	051	ST
630743	FUSE:1.6A,250VAC,FAST ACTING	3.00	021	ST
632445	GSKT PRE-CUT :ID 115 X OD 158 X THK 3MM	8.00	051	ST
604873	FUSE:250A,500VDC,DIA 1.5 X LG 4.34IN	3.00	021	ST
1054333	ASSEMBLY: TYP SWITCHES WITH MOUNTING	3.00	081	ASY
930325	RING, RETAINING: TYPE INTERNAL	4.00	051	ST
902317	RELAY:COIL 24VDC,TERM (11) PIN	10.00	011	EA
731550	SPINDLE:	2.00	101	ST
72721	REDUCER,TUBE:SZ 6MM X 1/8 IN	6.00	051	ST
611656	WSHR;SS 316L HI MOLLY,14MM,30MM,2MM	3.00	051	ST
731148	SPRING:	2.00	051	ST
1007982	O RING:INSIDE DIAMETER 0.145IN,WIDTH 0.0	5.00	900	EA
609413	GSKT PRE-CUT :ROUND,SEAL RING	6.00	051	ST
594782	RING:TYP ROPE RETAINING	4.00	051	ST
642182	GSKT:	2.00	051	ST
604658	FUSE:2A,250V,DIA 5 X LG 31MM,FERRULE	5.00	021	ST
942335	GSKT,SPWD:6IN,150LB,FLEXIBLE GRAPHITE	3.00	051	EA
590414	RLY;24V DC,DPDT,5A,MINIATURE,2NO-2NC,PCB	2.00	011	ST
1062750	BOLT, MACH: DIAMETER 8MM,LENGTH 25MM	8.00	051	ST
1062749	BOLT, MACH: DIAMETER 8MM,LENGTH 70MM	8.00	051	ST
617313	BASE,RELAY:ELEC TRT 24VDC	3.00	011	ST
626440	FUSE:2A,DIA 10 X LG 38MM	4.00	021	EA
725191	PLATE:	2.00	131	ST
626439	FUSE:1A,DIA 10 X LG 38MM	4.00	021	EA
731536	PIN:	2.00	051	ST
634105	GSKT PRE-CUT :V#6501	2.00	051	ST
68040	BRG-BAL:IBI 10427,I DIA 12MM,OUT DIA 32M	4.00	051	ST
731144	RING:TYP SECURING	2.00	051	ST
1548174	WASHER,LOCK:SZ 3/4IN,MATL CS ASTM A307,I	10.00	051	EA
628180	O-RING:APLC SEAL BOX	4.00	051	ST
592692	GSKT,SPWD:2IN,150LB,GRAPHIITE,SS 316	6.00	051	ST
1000689	SCREW, MACHINE: DIAMETER M10,LENGTH	3.00	051	ST
608181	TEE,PIPE:SZ 1/2IN,PVC-I,RT SCH 40	9.00	051	ST
190170	WASHER:CS	8.00	051	ST
594879	RIG-RTNG	3.00	051	ST
614335	SCREW,CAP:M8 DIA,30MM LG,PAN,THD 1.25MM	10.00	051	ST
992106	BRG,BALL:INSIDE DIAMETER 35MM,OUTSIDE DI	3.00	051	EA
726780	CIRCLIP:ST PLAIN SNAP	3.00	051	ST
611252	GSKT,SPWD:1IN,600LB,GRAPHITE,SS 316	11.00	051	ST
628892	GSKT:THK 3MM,RF,GRAPHITE/SS 316	3.00	051	ST
618239	CONVERTER,SIGNAL:TYP ELECTRO PNEUMATIC	1.00	061	ST
608124	ELBOW,PIPE:SZ 3/4IN,GS,90,RT 150,RAD LG	27.00	051	ST
618085	O-RING:APLC MOTOR	4.00	051	ST
639295	GSKT PRE-CUT :DN 15	1.00	051	ST
981237	HOSE: SIZE 1-3/8IN,RT 500PSI, EQUIP	1.00	051	ASY
393541	O-RING, DIN 3771- 76.00X 3.00-N-NBR 70	1.00	051	ST
612347	GSKT PRE-CUT :THK 3MM,RUBBER,FF,18IN	3.00	051	ST
625019	COVER:TYP PLATE,NITRILE RUBBER	4.00	051	ST
606986	WSHR-FLAT;STEEL,30 X 31MM,4MM,55MM,ROUND	5.00	051	ST
605911	SWITCH:TYP OPTICAL	3.00	021	ST
952098	HUB:	2.00	051	ST
609843	BALLAST:TYP FLUORESCENT LAMP	5.00	021	ST
596072	WHEEL:TYP GUIDING,SZ DIA 260 X 500MM	1.00	091	ST1
618381	SWITCH:TYP TORQUE	2.00	101	ST
631598	STUD,D/END:DIA-A M10,DIA-B M10,LG 25MM	11.00	051	ST
579392	GLASS:SZ 165 X 85,MT GLASS,COLOR BLUE	1.00	121	ST
611293	TRNSMTR-PRSUR;0-10BAR,+20...+350°C	1.00	061	ST
644447	NUT,HEX:DIA M20,GS,HT 15.5MM,THD 2.5MM	2.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
609806	LAMP:VOLT 28V	10.00	021	ST
1021010	WIRE, WELDING: TYP FILLER,STYL AWS 5.9	2.00	051	PAK
638387	GSKT PRE-CUT :ID 60.3 X OD 92.1 X THK	7.00	051	ST
904191	SWITCH,PUSHBUTTON:MAX 400VAC/DC,BLACK	3.00	021	EA
724726	GSKT:NEOPRENE/VITON/PTFE	2.00	051	ST
642132	PSTN;MS58/RG	1.00	091	ST
612348	GSKT PRE-CUT :THK 3MM,RUBBER,FF,18IN	3.00	051	ST
604224	COIL,ELECTRICAL:	2.00	011	ST
656797	BAG:TYP ZIP LIP,SZ SQ 8 IN X THK 4MM	2,000.00	001	EA
904192	SWITCH,PUSHBUTTON:MAX 400VAC/DC,BLUE	3.00	021	EA
639262	COMPOUND,SEALING:	1.00	001	ST
618382	MOTOR,VLV ACT:	1.00	061	ST
605242	RLY-OVRD	1.00	011	ST
609416	DISC: MNFR:BOPP & REUTHER	3.00	051	ST
609831	SCREW:FEED	2.00	051	ST
603636	CLIP,ELECTRICAL:	15.00	021	ST
1071241	COMPRESSOR, REFRIGERATION: MNFR:TRANE	1.00	081	EA
639290	GSKT PRE-CUT :	7.00	051	ST
974140	CONTACTOR: TYP MAGNETIC REVERSING,POLE 3	2.00	011	ST
639283	SLEEVE:TYP BEARING	1.00	051	ST
614363	STUD CNTNS THD:LG 65MM,MTRL AS ASTM A193	100.00	051	ST
612777	STARTER,LAMP:HS/HI,VOLT 220-240VAC	6.00	011	ST
579927	FILAMENT:TYP LAMP	2.00	051	ST
604204	BRUSH:TYP CLEANING,SZ LG 1.5M,MT NYLON	5.00	051	ST
911630	SWITCH,PUSHBUTTON:400VAC; 400VDCVAC	3.00	021	EA
623250	BREAKER,CIRCUIT:4-6.3A,MOTOR	1.00	011	ST
86533	DIAPHRAGM,ACTUATOR:MT CNN-022	17.00	051	ST
577889	ASSEMBLY:AIR DIFFUSER	1.00	081	ST
628267	ASSEMBLY:JOURNAL CROSS	2.00	081	KIT
459233	PLUG,VALVE:VLV SZ 6IN,CONTROL,SS 316 HF	1.00	051	EA
607830	INSERT:CARBIDE	20.00	051	ST
644345	SWITCH,SELECTOR:230/400/500V 6/4/2A,SPDT	1.00	021	ST
609423	SPRG-VLV	1.00	051	ST
912759	DAMPER:TYP GAS CONTROL	1.00	081	EA
608679	BAR,ROUND:SZ 75MM,MT AA ASTM B221/AL,GR	21.00	131	M
515699	CUP:SZ 0.7IN,MT CERAMIC	60.00	051	EA
908816	STEM,VALVE:	1.00	051	EA
333957	FUSE:80A,500V,WD 21 X LG 53.3 X THK 35MM	5.00	051	ST
619199	SWTCH-PRSUR;DIAPHRAGM PRESSURE GAUGE	1.00	061	ST
582988	LAMP:TYP LED GLOBE,W 20W,VOLT 220VAC	12.00	021	ST
581006	ADAPTOR,HOSE TO PIPE:HOSE 1-1/4IN,BARBED	4.00	081	ST
641056	RELAY:COIL 24VDC,4PDT	3.00	011	ST
618284	SEAL-OIL;17MM,30MM,7MM	2.00	051	ST
909871	KIT,ACTUATOR REPAIR:TYP SEALING SET	1.00	061	KIT
873202	BOLT:M12,45MM,SS ASTM A193,GR B16,HEX	6.00	051	EA
598467	BRG,ROLL:ID 170MM,OD 260MM,WD 67MM	2.00	051	ST
597454	VALVE:TYP UNLOADER,BDY MATL AL	1.00	051	ST
593132	GSKT,SPWD:IT-C,IRID 200MM,OR OD 398MM	5.00	051	ST
609159	UNIT:TYP EXCHANGE,APLC POTENTIOGRAPH	1.00	051	ST
920079	PIPE:SZ 1/2IN,LG 6M,SCHD XSMM	3.00	131	EA
608189	TEE,PIPE:SZ 4IN,SOLVENT WELD	2.00	051	ST
618751	CASING,PUMP:TYP DISCHARGE	1.00	081	ST
594943	RING:TYP CENTRIFUGAL	2.00	051	ST
596767	FILTER,HYD:ELEMENT	3.00	051	ST
635026	FIXTURE:TYP STREET LIGHT	9.00	021	ST
581320	BOARD,TERMINAL:	1.00	021	ST
598497	BELT,V:IN CIRC 2650MM,OC 2672MM	4.00	051	ST
603634	CLIP,ELECTRICAL:TYP CROCODILE,SZ 4MM	15.00	021	ST
630885	RLY;220-240VAC 50/60HZ,DPDT,2NO-2NC	3.00	011	ST
594976	SEAL-RIG;138MM,14.8MM,SILICON	3.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
618258	WASHER,LOCK:EXTERNAL TOOTH	2.00	051	ST
617517	BUSH,TAPER LOCK:TAPERLOCK	5.00	051	ST
618249	WSHR-LOCK;10MM,TOOTHED	2.00	051	ST
597726	CAGE;BAG FILTER SUPPORT,SS	1.00	051	ST
599320	GSKT PRE-CUT :NON ASBESTOS/T#1995	4.00	051	ST
724847	PALLET:	2.00	001	ST
608173	NIPPLE,PIPE,HEX:SZ 1/4IN,LG 1.45IN,MNPT	5.00	051	ST
610972	INTERLOCK:TYP MECHANICAL	1.00	011	ST
1079955	CIRCUIT:TYP FIELD AND BRAKE (F/B),APPL I	1.00	011	EA
580737	COVER:TYP TRANSPARENT	3.00	051	ST
581014	PLUG,TUBE:DIA 10MM,SS	3.00	051	ST
601789	O-RING:ID 224.3MM,WD 5.7MM,MT NBR,STD	3.00	051	ST
901642	LINK,FUSE:TYP HRC,AMP 100A,VOLT 690VAC	3.00	021	EA
596715	FILTER,ELEMENT:ID 35 X OD 65 X LG 165MM	2.00	051	ST
641739	RING:STEEL,TYP ASSEMBLY	3.00	051	ST
731528	GSKT:CAP,V #6500,PSV	5.00	051	ST
635434	REGULATOR:TYP PRESSURE	1.00	061	ST
598184	BRG,PLUM BLK:ID 90MM,BOLTS 2	2.00	051	ST
852504	SPRING:TYP INSERT,P/N:067 0226 2A,MNFR:M	5.00	061	EA
608282	UN-TUBE:SZ 1/4IN,MTRL CS A108,CNCT SOCKE	4.00	051	ST
579999	LAMP,INCANDESCENT:TYP MINIATURE,W 5W	15.00	021	ST
578580	BASE:PLC UNIT TYP	1.00	011	ST
910356	KIT,VALVE REPAIR:	2.00	051	EA
597456	VALVE:TYP MINIMUM PRESSURE	1.00	051	ST
1193942	COUPLER, HOSE: SIZE 1IN,CNCT FNPT	5.00	051	EA
773726	TRANSMITTER,FLOW:	1.00	061	ST
578940	BLWS;SS	3.00	051	ST
905629	RING:TYP ELECTRODE SUPPORT,MATL SS,APPL	4.00	051	EA
596561	DISC,VALVE:OD 71 X THK 45MM,STEEL,SAFETY	1.00	051	ST
603617	CLIP;47 X 1.75	2.00	051	ST
618376	MOTOR,VALVE ACTUATOR:	2.00	021	ST
596506	DIAPHRAGM,VALVE:MT HYTREL/STEEL	1.00	051	ST
594255	ROPE:TYP SEAL,SZ SQ 25MM X LG 16M	5.00	121	M
1066368	CAP:TYP SCREW- MAGNETIC,SZ ID 18MM,MTRL	2.00	051	EA
580916	PLUG-VLV;CONTROL,250MM,SS	1.00	051	ST
610200	BLOCK,TERMINAL:	1.00	021	ST
585226	FLOAT:TYP BALL,MT CARBOLOY	2.00	061	ST
934253	NIPPLE,PIPE:SZ 3/4IN,LG 100MM	2.00	051	EA
620597	BRG,ROLL:ID 75MM,TYP CYLINDRICAL	3.00	051	ST
596307	ROLLER:TYP SNUB,SZ DIA 60 X LG 600MM,MT	1.00	091	ST
612531	FIXTURE:TYP INDUSTRIAL	1.00	021	ST
598855	GEAR:TYP WHEEL	1.00	081	ST
583014	DIODE,LIGHT EMITTING:COLOR GREEN	5.00	031	ST
618384	HEATER,SPACE:	1.00	011	ST
580060	LAMP,FLUORESCENT:W 11W,TYP LINEAR	69.00	021	ST
1226701	GSKT:TYP COVER,APPL PSA FEED GAS COMPRES	4.00	051	EA
905627	TRANSFORMER,IGNITION:VOLT R 220/230VAC	1.00	011	EA
873317	NIPPLE,PIPE:SZ 3/4IN,LG 50MM	6.00	051	ST
629542	O-RING:MT NBR	5.00	051	ST
618759	PLUG:SCREWED	4.00	051	ST
618380	UNIT:TYP CONTROL	1.00	011	ST
577888	ASSEMBLY:TYP AIR DIFFUSER	1.00	081	ST
642131	NOZZLE,VALVE:MT UNS S31600,STD ASTM A182	1.00	051	ST
635024	FIXTURE:RT 220V 2 X 18W 60HZ	32.00	021	ST
959844	SWITCH, LEVEL: RANGE -50 TO 150DEG C	1.00	061	ST
618285	BLCK-TRMNL;(6) BOLTED,3	2.00	021	ST
606460	PIN:DIA M26,THREADED	1.00	051	ST
579998	LAMP, INCANDESCENT: TYP TUNGSTEN HALOGEN	7.00	021	ST
628088	GSKT:CSAF,CONTROL VALVE	2.00	051	ST
951737	GSKT,SPWD:1-1/2IN,600LB,GRAFOIL,SS 304	3.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
597850	DVLPR;PENETRATE,AEROSOL CAN 400ML	40.00	001	CA
912777	PLUG, VALVE: VALVE SIZE DN 125	1.00	051	EA
609595	HOSE-HYDRULC;10,FPT,FPT,PRESSURE	1.00	051	ST
906029	PLUG,VALVE:VLV SZ DN 250	1.00	051	EA
579422	MEMBRANE,FILTER:SZ 0.45,TYP FILTER	2.00	051	ST
904423	INDICATOR:TYP LOCAL,MT SS DIN WN 1.4301	1.00	061	EA
588489	PACKING:GRAPHITE	3.00	051	ST1
836246	BOLT,MACH:24MM,LG 80MM,SS,GR A4	4.00	051	EA
609069	SPROCKET:BORE 50 H7MM	1.00	051	ST
599680	GSKT,SPWD:TYP BASIC,FILLER INSIDE DIAMET	14.00	051	ST
598185	BRG,PLUM BLK:INSIDE DIAMETER 70MM,BLT MN	1.00	051	ST
608502	O-RING:APLC OIL FILTER	3.00	051	ST
1024691	STUD CNTNS THD:TYP BOLT,DIA 7/8IN,THRD 9	30.00	051	EA
1596991	TEE-PIPE:SZ 2IN,CNCT BW,MTRL SS ASTM A40	4.00	051	EA
612930	BREAKER,CIRCUIT:0.7 - 1A,400V 60 HZ	2.00	011	ST
581706	HOSE,HYD: INSIDE DIAMETER 40MM	2.00	051	ST
617483	KIT:TYP SOFT PARTS,APPL WASTE WATER TREA	3.00	081	ST1
607606	COUPLING:	2.00	051	ST
612021	TAPE:TYP DOUBLE FACE ADHESIVE	2.00	001	ST
612668	HOLDER, LAMP: P/N:44621-2,DOC:E-LTG-001	200.00	021	ST
579616	SENSOR:	1.00	011	ST
1282362	ELBW-PIPE--TUBE;MNPT 3/8IN,3/8IN,90DEG	5.00	051	EA
472293	O-RING:MT PTFE,APLC SEAT	5.00	051	EA
582929	PROXIMITOR:	3.00	061	ST
1193941	COUPLER, HOSE: , TYP UNVALVED	5.00	051	EA
613276	SWITCH,PRESSURE:0.5-350MBAR,MNPT 1/2IN	1.00	061	ST
618278	BRG,BALL:ID 35MM,ST SHIELD,ROW SINGLE	3.00	051	ST
596690	FILTER,ELEMENT:TYP AIR,APPLN PTA DEBAGGI	3.00	051	ST
594956	GSKT:ID 21 X OD 26MM,SPINNING SEAL RING	8.00	051	ST
606145	BOLT,MACH:3/4IN,LG 3-1/2IN,CS,HD HEX	36.00	051	ST
951998	O-RING:	4.00	051	ST
603509	CLAMP:TYP BAG,SZ DIA 320MM	1.00	051	ST
581829	HOSE-AIR;DN 75,1000MM,AIR	3.00	051	ST
803044	BALLAST: TYP FLOURESCENT,WATT 18-36W	3.00	021	ST
1080266	CIRCUIT:TYP RING CAR BOARD,APPL MACHINE	1.00	011	EA
639287	SEAL,RING:	1.00	051	ST
642173	SCREW:SS 316,LOCKING	1.00	051	ST
596713	FILTER:	1.00	051	ST
1229647	BELLOWS:TYP SAFETY RELIEF VALVE,PRESSURE	4.00	051	EA
580046	LIGHT,INDICATING:TYP REAR CLUSTER	1.00	021	ST
592576	GSKT PRE-CUT :ROUND	1.00	051	ST
639292	GSKT PRE-CUT :DN 40	1.00	051	ST
589465	BRKR-CRCUT:AM 100A,VLTG 220/690VAC; 250V	3.00	011	ST
593955	O-RIG;54MM,5.5MM,VITON	4.00	051	ST
591157	DISPLAY UNIT,DATA:TYP BUOANCY LEVEL,P/N	3.00	141	ST
596757	FILTER,ELEMENT:ID 200 X OD 305 X LG	4.00	051	ST
577566	TAPE:TYP SEALING,SZ WD 1-1/2IN,MT BUTYL	9.00	001	ROL
642117	SEAT-VLV;CI GR GG20	1.00	051	ST
607650	COUPLING:	2.00	051	ST
613560	TRANSDUCER:TYP ELECTRO PNEUMATIC	1.00	061	ST
578801	SCREEN:TYP SCAVENGE	1.00	051	ST
586897	WHEEL, GRINDING: SHAPE ROUND,P/N:A24	1.00	101	ST
618749	CASING,PUMP:TYP SUCTION	1.00	081	ST
614070	FITTING,GREASE NIPPLE:SZ MNPT 3/8IN	4.00	051	ST
653289	SCREEN:MATL GS	1.00	051	ST1
905535	SEAT,VALVE:VLV SZ DN 250,GLOBE CONTROL	1.00	051	ST1
579943	LAMP,INCANDESCENT:W 60W,VOLT 220V	34.00	021	ST
117151	GREASE:TYP SILICONE,TEMP R 150DEG C	1.00	001	TB
639284	LEVER:TYP REGULATING	1.00	091	ST
592577	GSKT PRE-CUT :ROUND,FF	14.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
610965	RELAY,OVERLOAD:6-10A,THERMAL	1.00	011	ST
808683	TRANSMITTER,PRESSURE:0-6BAR G	1.00	061	EA
604987	POWER SUPPLY:TYP AC/DC,I/P 3 X 400VAC,O	2.00	031	ST
606874	SCREW,SELF TAPPING:12MM LG,PAN SLOTTED	9,390.00	051	ST
606092	SUPPRESSOR:TYP BACKSTOP,SZ DIA 50H7	2.00	031	ST
772211	GSKT:GLASS FIBRE / PTFE	3.00	051	ST
596626	FILTER:TYP INSERT	1.00	051	ST
634757	MODULE:	3.00	011	ST
618760	STUD,D/END:DIA-A 20MM,DIA-B 20MM,LG	7.00	051	ST
579997	LAMP-INCNDSCNT;1000W,230V,CLEAR,R 7S	6.00	021	ST
596308	ROLLER:TYP GUIDE,SZ DIA 50 X LG 250MM,M	3.00	091	ST
598182	BRG,PLUM BLK:ID 50MM,BOLTS 2	2.00	051	ST
610966	RELAY,OVERLOAD:10-16A,THERMAL	1.00	011	ST
601401	O-RING:APLC HOLD DOWN	3.00	051	ST
577316	CAP:TYP BEARING	2.00	051	ST
908441	ELECTRODE:TYP WORKING,MT GLASS	1.00	051	EA
602354	PACKING:GRAPHITE	7.00	051	ST
603854	SLEEVE:SZ DIA 300 X 160MM	1.00	051	ST
603853	SLEEVE:SZ DIA 1175 X 250MM	1.00	051	ST
608683	BAR,HEX:SZ 20MM,MT BRASS ASTM B16	55.00	131	M
592965	GSKT PRE-CUT :ID 415 X OD 460MM,GRAPHITE	4.00	051	ST
606186	BOLT,MACH:M12,LG 45MM,SS,1.75MM,HD HEX	1.00	051	ST
602793	RING:CI DIN WN 0.6025 GR GG-25	8.00	051	ST
581322	CIRCUIT:TYP ISOLATOR PROVE	1.00	011	ST
725206	SPINDLE:MT 1.4571	1.00	101	ST
580023	LAMP,INCANDESCENT:TYP WARNING	1.00	021	ST
619187	SEAL,LABYRINTH:DIA 125MM,FLOATING	2.00	051	ST
912508	COIL,ELECTRICAL:TYP SOLENOID VALVE	1.00	011	EA
1034916	SEAL,RING:INSIDE DIAMETER 90MM,OUTSIDE D	3.00	051	EA
578942	BELLOWS:MT SS	3.00	081	ST
498033	SEAL: MATL PTFE,TYP CAP,P/N:66-CS-E-200	4.00	051	EA
579950	LAMP,INCANDESCENT:TYP GENERAL PURPOSE	12.00	021	ST
585434	SPRING:STEEL,TYP ACTUATOR	8.00	051	ST
582136	SHIELD:TYP FULL FACE/HEADGEAR,P/N:700715	50.00	121	ST
610278	UNION:TYP TEE,SZ 38MM	1.00	051	ST
851557	THERMISTOR:TYP MOTOR PROTECTION	8.00	031	ST
633962	KIT,ACTUATOR REPAIR:TYP SEAL	4.00	061	ST
1049491	STEM, VALVE: VLV STYL ANGLE VALVE	3.00	051	EA
577890	ASSEMBLY:TYP AIR DIFFUSER	1.00	081	ST
493985	BUSH,PUMP:COUPLING ROD,SPEC.1.7131	4.00	051	EA
727121	SPCR:TYP DISC,MTRL NON-ASBESTOS,P/N:1128	1.00	051	ST
664854	RETAINER:MT SS 316	1.00	051	EA
580144	BALLAST:TYP FLUORESCENT LAMP	103.00	021	ST
597583	VALVE,RELIEF:TYP NON RETURN,VLV SZ DN 25	1.00	051	ST
618251	ASSEMBLY:TYP BRAKE	1.00	081	ST
1083371	COMPRESSOR, REFRIGERATION: TYP AC	1.00	081	EA
589014	PROBE:	3.00	061	ST
544962	FILTER: , MEDIUM OXYGEN	8.00	071	EA
588960	FLTR-ELMNT;STRAINER SCREEN,SS	4.00	051	ST
609436	SPRING,VALVE:16BAR G	1.00	051	ST
1037130	PIPE: SIZE DN 50,LENGTH 6000MM,ENDS PE	1.00	131	ST
636188	VALVE, SOLENOID: PIPE SIZE 3/4IN	3.00	051	ST
912760	DAMPER: TYP CONTROL,MATL STEEL	1.00	081	EA
1566778	DTCTR-FIRE-PRTCTN:TYP PROJECTED BEAM SMO	3.00	121	SE
580798	PLATE:TYP GATE,MT SS DIN WN 1.4401	1.00	900	ST
586243	BRG-RLR;TAPERED CONE AND CUP,SINGLE	9.00	051	ST
638425	GSKT PRE-CUT : MATL REINZ AFM 37	2.00	051	ST
618286	SEAL,RING:TYP V SHAPE	2.00	051	ST
605910	SWITCH:TYP OPTICAL SENSOR ASSEMBLY	1.00	021	ST
792681	ACTUTR-PNUMTC;CYLINDER	1.00	061	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
579791	STOPPER:SZ DIA 55,MT GI	1.00	051	ST
1016545	SPROCKET: TEETH 192,P/N:P 28-14M-85RPP	3.00	051	ST
1000347	GSKT PRE-CUT : MATL GRAFOIL,P/N:8017-A2	4.00	051	ST
991615	TAP:TYP PLUG,APPL PRESSURE CONTROL VALVE	3.00	051	EA
620621	BRG,BALL:INSIDE DIAMETER 50MM,STYL OPEN,	3.00	051	ST
905173	THERMOMETER, DIAL: TYP EXPANSION	2.00	101	EA
879204	VALVE,RELIEF:VLV SZ 1IN	1.00	051	ST
1079954	CIRCUIT:TYP RELAY BOARD,APPL IN DRIVE SY	1.00	011	EA
988042	GSKT-PRE-CUT;ROUND,GRAPHITE/SS 316,PN 16	1.00	051	ST
905677	GSKT,SPWD:GRAPHITE,SS DIN WN 1.4401	3.00	051	ST
874535	PIPE:SZ 100MM,LG 6M,SCHD WALL THK 2MM	6.00	131	M
626974	CONTACTOR:TYP MAGNETIC,AMP 40A,3 POLE	10.00	011	ST
581321	CIRCUIT:TYP DISPLAY	1.00	011	ST
1605128	FLG-PIPE:TYP RAISED FACE,SZ 12IN,MTRL CS	3.00	131	EA
620400	SPRING:TYP RANGE	4.00	051	ST
636316	SEAT-VLV:VLV TYP CONTROL,VLV SZ 3/4IN,MT	3.00	051	ST
872985	KIT,VALVE REPAIR:GLOBE VALVE	5.00	051	ST
607341	BUSH:ID 12.5 X OD 15.5 X LG 16MM,STEEL	2.00	051	ST
604449	THERMOSTAT:TYP VALVE ELEMENT	1.00	081	ST
595840	INDICATOR:TYP PRESSURE, SZ DIA 150MM,MT	1.00	101	ST
798729	BRG: P/N:ISK258606102,MNFR:FLenco	4.00	051	ST
625230	SEAL,LABYRINTH:RING,APLC MOTOR BEARING	2.00	051	ST1
904003	VALVE,SOLENOID:ELEC TRT 220VAC 50HZ	1.00	051	EA
608952	COLUMN: TYP CARBOWAX CAPILLARY,DOC:13850	1.00	061	ST
618283	SEAL,RING:TYP V SHAPE	2.00	051	ST
578888	THERMOSTAT:TYP HEATER AIR CONDITIONER	3.00	081	ST
634497	BRG-BAL	5.00	051	ST
618279	SEAL,RING:TYP V SHAPE	2.00	051	ST
601194	GSKT,SPWD:4IN,150LB,GRAPHITE,SHR ROUND	4.00	051	ST
598948	MOTOR,ELECTRIC:1.5KW,380VAC 4.2A 60HZ	2.00	011	ST
951732	FORK:TYP BOTTOM	14.00	091	EA
594382	PACKING:ID 20 X OD 32 X THK 6.5	5.00	051	ST
1232954	VALVE,RELIEF:TYP PRESSURE SAFETY,BODY MA	3.00	051	ASY
1617179	KIT-INSTLTN;IGNITOR SPARES,VARIOUS	3.00	051	KIT
597110	SPRING:TYP SUPPORT, SZ DIA 25MM	3.00	051	ST
916369	RING,RETAINING:	4.00	051	ST
805494	BALLAST:TYP HIGH PRESSURE SODIUM LAMP	2.00	021	SE
594919	RING:TYP LIP	1.00	051	ST
959385	CLUMN-ANLYS;CAPILLARY,ID 0.32MM X LG 60M	1.00	061	ASY
618752	COVER:TYP BEARING,APLC BOILER FEED WATER	2.00	051	ST
593168	GSKT-PRE-CUT;ID 105 X OD 145 X THK 1MM	4.00	051	ST
593220	GSKT PRE-CUT :ID 508 X OD 538 X THK 3MM	18.00	051	ST
602332	SPACER:TYP PACKING	3.00	051	ST
1020245	ASSEMBLY: REF#: 13246256	1.00	081	ASY
618274	SEAL,RING:TYP V SHAPE	2.00	051	ST
642141	SEAT,VALVE:	2.00	051	ST
626391	BREAKER, CIRCUIT: AMPERAGE 63A,POLE 1	2.00	011	ST
615973	SPRING:TYP SAFETY HEAD	8.00	051	ST
597109	SPRING:TYP SUPPORT, SZ DIA 20MM	2.00	051	ST
582601	GAUGE,PRESSURE:0-10BAR	4.00	101	ST
1079717	ENCODER:TYP GAMMA D,APPL MOTOR SYSTEM -	1.00	031	EA
609336	GAS:CALIBRATION,A17 CYLINDER 31.5L	2.00	001	CY
581317	CIRCUIT:TYP ANALOG	1.00	011	ST
610742	GAUGE,PRESSURE:0-60MBAR,160MM,MBSP G 1/2	1.00	101	ST
618256	SPRG-CMPRSN;CLOSE/GROUND	2.00	051	ST
610964	RELAY,OVERLOAD:2.5-4A,THERMAL	1.00	011	ST
592791	GSKT PRE-CUT :THK 1/8IN,KLINGERSIL	3.00	051	ST
604139	MDUL;BACK CURRENT BREAK UNIT	1.00	031	ST
578346	KIT:TYP SOFT PARTS,CMPRSNG COVER,PACKING	3.00	081	KIT
639285	SLEEVE:TYP BEARING	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1595466	KIT-VLV-RPR:TYP SOFT GOOD,APL GATE,CMPRS	3.00	051	KIT
639294	GSKT PRE-CUT :DN 100	1.00	051	ST
609066	SPROCKET:TYP WHEEL	1.00	051	ST
644118	PC-OTH;LIQUID,BOTTLE	28.50	001	L
594641	RING,LANTERN:APLC PRODUCT DISCHARGE PUMP	2.00	081	ST
618247	SPRING,COMPRESSION:CLOSE/GROUND	2.00	051	ST
581315	CIRCUIT,POWER SUPPLY:TYP PRINTED BOARD	1.00	021	ST
579384	GLS;INSPECTION,DIA 80/85MM,TUBULAR	2.00	900	ST
923909	OIL,IND:MOBIL,VSC RATING 460CST	208.00	001	L
612524	FIXTURE:	1.00	021	ST
904483	TRANSMITTER,FLOW:TYP MULTIVARIABLE	1.00	061	EA
1201002	PLATE,HEAT EXCHANGER:MATL SS,GRD 316,P/N	6.00	081	EA
909874	KIT,VALVE REPAIR:	1.00	051	KIT
595010	GSKT PRE-CUT :MAN HOLE SEALING	2.00	051	ST
596997	SEAT,VALVE:ID 40MM,BLOW DOWN,SS DIN WN	1.00	051	ST
585182	REGULATOR, PNEUMATIC: P/N:B07-201-X1AG	2.00	061	ST
579074	CONTROLLER,ELECTRONIC:	1.00	031	ST
581579	MODULE:TYP ZONE	2.00	011	ST
599061	PULLEY,CONVEYOR:TYP TURN,990MM,400MM	1.00	900	ST
604342	CONTACTOR:TYP MAGNETIC,AMP 32A,3 POLE	1.00	011	ST
726028	FILTER:	21.00	051	PAK
613221	GAUGE,PRESSURE:	1.00	101	ST
905309	SWITCH,PROXIMITY:4MM,INDUCTIVE	1.00	011	EA
605316	SWITCH,PUSHBUTTON:220V 0.6A,SPDT,1NO-1NC	2.00	021	ST
602053	O-RING:ID 56.74IN,WD 3.53IN	16.00	051	ST
908446	ELECTRODE:TYP AG SENSOR,MT GLASS	1.00	051	EA
642140	DISC,VALVE:VLV SZ DN 50,SAFETY	2.00	051	ST
609417	SPRG-VLV;CS DIN WN 1.8159	1.00	051	ST
1245665	SEAT-VLV;BACK,BUTTERFLY,15BAR G,80MM	3.00	051	EA
578756	TUBE:TYP TYRE,TUBELESS,SZ 18.00-25	3.00	131	ST
903170	BUSH,VALVE:VLV SZ DN 250,SEAT	2.00	051	EA
584593	HOLDER:TYP LEVEL ELECTRODE	3.00	051	ST
904005	VALVE,SOLENOID:	2.00	051	EA
578532	KIT-VLV-RPR:TYP SOFT PART,APL CONTROL,CM	7.00	051	ST1
515700	CUP:SZ 0.8IN,MT CERAMIC	60.00	051	EA
581831	HOSE, STEAM: INSIDE DIAMETER DN 20	1.00	051	ST
607103	WASHER,LOCK:NOM SZ M6,STEEL,OD 11.8MM	27.00	051	ST
941655	BRG,BALL:INSIDE DIAMETER 30MM,OUTSIDE DI	5.00	051	ST
608597	BUSH:TYP THROAT,MT CI ASTM A48 CL35	3.00	081	ST
634422	PACKING:	5.00	051	ST
603887	BRG,SLEEVE:	1.00	051	ST
1580024	SPRG-VLV:MTRL SS ASTM A313 GR 316,O/SIDE	1.00	051	ASY
618379	PIN:DOC:DRW	5.00	051	ST1
603986	BTRY-DRY-CEL;LITHIUM,3V DC,160MAH	2.00	011	ST
586651	BELT,V:	1.00	051	ST
864299	KIT,VALVE REPAIR:GLOBE VALVE	5.00	051	ST
604341	CONTACTOR:TYP MAGNETIC,AMP 32A,3 POLE	1.00	011	ST
742231	KIT,VALVE REPAIR:OCV CONTROL VALVE	4.00	051	KIT
43754	ELBOW,PIPE:SZ 8IN,CS ASTM A234,45,BW,RAD	1.00	051	EA
968247	STUD: MATL ASTM A307 A,TYP BOLT,81584	4.00	051	ST
642172	DISC,VALVE:SS,316,SAFETY	1.00	051	ST
863728	GSKT:ID 210 X OD 220MM,ROUND	13.00	051	EA
596838	FLOAT:TYP LEVEL	1.00	061	ST
579910	LAMP-INCNDSCNT;MINIATURE,2W,24V,CLEAR	300.00	021	ST
581898	TUBE,TYRE:SZ 8.15/8.25-15,MT RUBBER	2.00	051	ST
637389	GSKT SET:APLC PRESSURE RELIEF VALVE	1.00	051	ST1
905625	THERMOWELL: OVERALL LENGTH 220MM,MATL AL	2.00	061	EA
1648307	BTL;SAFETY COATED,2000 - 2500ML,GLASS	1.00	051	PAK
619195	SWITCH, TEMPERATURE: RANGE 0-100DEG C	1.00	021	ST
607700	COUPLING:	1.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
933456	SEAL,MECHANICAL:SIZE DIA 30MM,SLEEVE DIA	2.00	051	ST
579338	GLASS:MT GLASS,COLOR BLUE/CLEAR	2.00	121	ST
579393	GLASS,SIGHT:SZ 165 X 85,MT GLASS,COLOR	2.00	101	ST
930292	SEAL, MECHANICAL: MNFR:POMPE CUCCHI SRL	3.00	051	SE
596347	SV;1.454/A131 321,CHECK	4.00	071	ST
596714	FILTER,ELEMENT:	3.00	051	ST
608362	PROFILE:SZ 5/8 X 3/8IN	2.00	101	ST
966999	ELECTRODE: TYP PH,PH RANGE 0-14	1.00	051	ASY
579485	SWITCH,PROXIMITY:INDUCTIVE,8VDC	3.00	011	ST
929098	SWITCH,LEVEL:24VDC	1.00	061	EA
600823	GSKT,SPWD:T#1804-NA/NON ASBESTOS,SS 304	3.00	051	ST
527289	VALVE,CHECK:	4.00	051	ST
584783	DPHRGM-ACTUTR;RUBBER	3.00	061	ST
1017299	COLUMN, ANALYSIS: TYP CAPILLARY	1.00	061	ASY
603635	CLIP,ELECTRICAL:	15.00	021	ST
577822	ASSEMBLY:TYP COUPLING	1.00	051	ST
581326	CIRCUIT:TYP PROGRAMMED AUTO TESTER	1.00	011	ST
643262	BUSH:WEIGHT,STEAM TURBINES	2.00	051	ST
596685	FLTR-ELMNT;AIR COMPRESSOR UNIT	2.00	051	ST
785937	MODULE:	1.00	031	EA
618245	SEAL-OIL;30MM,40MM,7MM	1.00	051	ST
605234	RLY;24V DC,4PST,690V 10A,CONTACTOR	2.00	011	ST
612620	FIXTURE:TYP EMERGENCY EXIT	2.00	021	ST
618248	RING:TYP SHIM,APLC HOIST	2.00	051	ST
618246	SHIM;BEARING,ID 51 X OD 61MM,0.5MM	2.00	051	ST
593056	GSKT PRE-CUT :ID 82 X OD 98 X THK	3.00	051	ST
443163	MARKER:TYP SOAPSTONE CRAYON,COLOR WHITE	140.00	141	EA
610963	CONTACTOR:TYP MAGNETIC,AMP 63A	1.00	011	ST
580528	SHAFT, PUMP: MNFR:ALLWEILER AG	1.00	051	ST
620471	SEAL: MATL VITON,TYP SLIP,P/N:5-8404	4.00	051	ST1
792635	KIT,ACTUATOR REPAIR:	2.00	061	SE
598980	MOTOR,ELECTRIC:1.15KW	1.00	011	ST
647893	KIT,ACTUATOR REPAIR:TYP REPAIR KIT	4.00	061	EA
639288	SLEEVE:TYP PROTECTING,SZ 35 X 90MM	1.00	051	ST
594096	O-RING:APLC SEAL	2.00	051	ST
617334	SNSR;SST,0~100PPM	1.00	011	ST
1235349	FLANGE,PIPE:SCHDL 10,TYP RAISED FACE,SIZ	2.00	051	EA
601047	KIT:TYP REPAIR,APLC STEAM TRAP	6.00	081	ST
596712	FILTER,OIL:SIZE DIA 210 X LG 95MM,APPL A	8.00	051	ST
613237	GAUGE, PRESSURE: RANGE 0-6BAR	1.00	101	ST
596570	DISC,VALVE:DIA 25 X HT 22MM,SS,VLV SZ	1.00	051	ST
629363	BATTERY, DRY CELL: TYPE LEAD ACID	4.00	011	ST
607876	INSERT:CARBIDE	20.00	051	ST
637387	GSKT PRE-CUT :NEOPRENE RUBBER WHITE,DN	3.00	051	ST
603616	CLIP	2.00	051	ST
596589	DISC,PUMP:PRODUCT DISCHARGE	2.00	081	ST
607699	COUPLING:	1.00	051	ST
606574	PIN:DIA 20MM,LG 160MM	4.00	051	ST
1071093	KIT-VLV-RPR:APL SAFETY RELIEF VALVE,CMPR	1.00	051	KIT
599383	GSKT PRE-CUT :NON ASBESTOS,ROUND	6.00	051	ST
592569	GSKT JKTD:SHP ROUND	5.00	051	ST
632730	SIEVE:TYP TRANSMITTER	7.00	071	ST
615714	DEFLECTOR:MATL BRONZE ASTM B584 OR BC6 O	4.00	081	ST
877961	PCKG;SQUARE	1.00	111	EA
1036069	SEAL, LABYRINTH: MATL BRONZE/VITON	3.00	051	EA
617692	SIEVE:MT SS DIN WN 1.4541,TYP FILTER	1.00	071	ST
130470	HUSG;BEARING,ASTM A48 83 CLASS 20	3.00	051	EA
605192	RELAY:TYP AUXILLIARY	1.00	011	ST
1231509	VALVE,GATE:TYP RESILIENT WEDGE,VALVE SIZ	4.00	051	EA
939608	LIGHT,INDICATING:	2.00	021	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
618378	PIN:CONTROL	5.00	051	ST
446196	FLANGE,PIPE:TYP RAISED FACE; SMOOTH FINI	2.00	051	EA
609420	SPRING, VALVE: MNFR:SAUDI PUMP FACTORY	1.00	051	ST
632557	SWTCH-PRXMTY;INDUCTIVE,2MM,10-30V DC,1NO	1.00	011	ST
598211	BRG,BALL:IBI 11178,ID 20MM,OD 42MM	2.00	051	ST
608668	BAR,ROUND:SZ 75MM,MT MS	12.00	131	M
593169	GSKT PRE-CUT :ROUND	2.00	051	ST
618255	DISC:ID 19MM,FLYWHEEL	2.00	051	ST
618386	CIRCUIT:TYP ELECTRONIC IWG	1.00	011	ST
947475	PISTON:TYP ACTUATOR,APLC CONTROL VALVE	1.00	091	EA
603707	CNCTR-LUG;1 X 0.5-1.5MM2,CAPTIVE SCREW	165.00	021	ST
638424	GSKT PRE-CUT :ID 610 X OD 746 X THK 3MM	5.00	051	ST
632734	GLASS,LEVEL GAUGE:TYP TEMPERED	5.00	101	ST
608205	BLD;CUT OFF,WD 26 X LG 700 X THK 9MM	1.00	101	ST
924529	STUD CNTNS THD:TYP BOLT,DIA 15/16IN,LG 4	6.00	051	EA
606459	PIN;10MM,32MM,SPRING	4.00	051	ST
618385	DEVICE:TYP POTENTIOMETER	2.00	031	ST
914252	METER,FLOW:	1.00	101	EA
580015	LAMP,FLUORESCENT:W 8W,VOLT 240VAC	25.00	021	ST
598724	SHAFT:DRIVE	1.00	051	ST
598183	BEARING,TAKE UP:ID 70MM	2.00	051	ST
905126	TRANSMITTER,DIFF.PRESS.:	1.00	061	EA
627180	VALVE,GATE:VLV SZ 1IN,DES RTG CL 800	3.00	051	ST
577315	CAP:TYP BEARING	2.00	051	ST
828430	KIT-VLV-RPR:TYP SOFT PART,APL SAFETY REL	6.00	051	SE
595942	BARRIER: TYP SAFTEY SWITCH,MATL PLASTIC	1.00	121	ST
875993	BELT-V	1.00	051	ST
582720	CABLE:TYP EXTENTION	4.00	021	ST
988006	SEAT, VALVE: VALVE SIZE 2 X 3IN	2.00	051	ST
598854	GEAR:TYP WHEEL	1.00	081	ST
988109	GUIDE, VALVE: VLV STYL SAFETY RELIEF	1.00	051	ST1
581319	BOARD,TERMINAL:	1.00	021	ST
581966	TUBING: TYP INSTRUMENT	18.00	131	M
596568	DISC,RUPTURE:920 X 920MM,PTFE/SS	3.00	051	ST
605899	BALLAST:TYP FLUORESCENT LAMP	45.00	021	ST
608769	SCREW:BRASS,FLANGED	4.00	051	ST
599060	PULLEY,CONVEYOR:TYP DRIVE,1420MM,500MM	1.00	900	ST
661507	TEE, PIPE REDUCER: CNCT SW,RT 3000LB	3.00	051	EA
1231507	VALVE,GATE:TYP RESILIENT WEDGE,VALVE SIZ	4.00	051	EA
623826	VALVE,RELIEF:TYP SAFETY,BODY MATL BRASS,	3.00	051	ST
908444	ELECTRODE:TYP COUNTER,MT GLASS	1.00	051	EA
990589	BAR, ROUND: SIZE 30MM,LENGTH 6M,GRD 304L	2.00	131	ST
593476	GSKT PRE-CUT :ROUND	4.00	051	ST
607197	NAIL:TYP WIRE,LG 1-1/2IN,MT STEEL BRIGHT	5.00	051	KG
758688	KIT,VALVE REPAIR:SAFETY VALVE,SEALING	3.00	051	KIT
617885	BOX:TYP TERMINAL PLATE	1.00	001	ST
612221	GAUGE,PRESSURE:0-6BAR,100MM,LIQUID	1.00	101	ST
643907	GSKT-PRE-CUT;ID 57 X OD 107 X THK 4MM	4.00	051	ST
634769	FUSE;SLOW BLOW,1.5A,250V	6.00	021	ST
988619	COLUMN, ANALYSIS: P/N:186003116	2.00	061	ASY
598708	CONE:SZ DN 40,MT SS DIN WN 1.4034	1.00	051	ST
608326	VIBRATOR:TYP MOTOR	1.00	081	ST
1048981	BOOT;INSULATING STRAIGHT	3.00	121	EA
610921	BRG,ROLL:ID 70MM,OD 150MM,WD 51MM,TYP	1.00	051	ST
578164	CNTCT-AUXLRY;CHARGING, FLOWGUARD	2.00	011	ST
725911	SCREEN:MATL GALVANISED STEEL	1.00	051	ST
605114	RELAY:CONT 240VAC 10A,TYP SOLID SATE	1.00	011	ST
143745	GSKT-ST;VALVE REPAIR,GRAPHITE/INCONEL	3.00	051	ST1
1189860	WIRE, WELDING: TYP FILLER,STYL AWS 5.9	4.00	051	PAK
1022844	PIN: P/N:SLP60665,DOC:SOL01196/0	4.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
582260	BUSH:BRONZE	4.00	051	ST
613275	SWITCH,PRESSURE:RANGE 0.1-1.5BAR,CNCT MN	1.00	061	ST
597608	VALVE:TYP INTERMITTENT BLOWDOWN	1.00	051	ST
904197	SWITCH, PRESSURE: RANGE 2.5-50MBAR	1.00	061	EA
609385	SPRING,VALVE:11BAR G	1.00	051	ST
581316	CIRCUIT:TYP CENTRAL PROCESSING UNIT	1.00	011	ST
586922	BUZZER:RT 200VAC	1.00	121	ST
596213	HUSG;CONNECTOR,CAST AL/BLUE GUARD	2.00	051	ST
580086	LIGHT,INDICATING:TYP MINIATURE,VOLT 24V	4.00	021	ST
904195	SWITCH,PRESSURE:30-150MBAR,250VAC 10A	1.00	061	EA
581738	HOSE,RADIATOR:ID 45MM,OD 50MM,RUBBER	3.00	051	ST
698761	BRG-BAL;60MM,130MM,31MM,SHIELD,SINGLE	1.00	051	EA
637505	VALVE,RELIEF:TYP SAFETY,APPL AIR COMPRES	1.00	051	ST
998228	STARTER, ELECTRIC MOTOR: TYP ASSMBLY	1.00	011	ASY
905128	BELLOWS:	1.00	051	ST1
605061	RELAY:COIL 220VAC 50/60HZ,SPDT	2.00	011	ST
606458	PIN;M16,THREADED	16.00	051	ST
618754	THROWER:TYP PUMP	4.00	081	ST
598541	BELT:TYP DRIVE	1.00	051	ST
597455	VALVE,CHECK:	1.00	051	ST
609293	GAS:CALIBRATION,B2 CYLINDER 31.5L	2.00	001	CY
1056355	LATCH, DOOR: TYP RIGHT HAND,P/N:L0331BE2	6.00	091	EA
642133	BUSH-VLV;MS-58	1.00	051	ST
615951	KIT:TYP BENZING	4.00	081	KIT
609797	SEAL,RING:TYP V SHAPE	1.00	081	ST
608689	BAR,ROUND:SZ 75MM,MT CI ASTM A48	5.00	131	M
1079899	SWITCH, LIMIT: CONTACT ARRANGEMENT NO	6.00	061	EA
632864	SEAT,VALVE:PTFE	3.00	051	ST1
901117	MODULE:DUAL MAINS THYRISTOR	3.00	031	EA
601282	O-RIG;134.4MM,3.1MM,FKM,STUFFING BOX	15.00	051	ST
619275	COUPLING:SZ ID 7 X OD 12 X THK 16MM	3.00	051	ST
707235	BRG-FLG-BLCK;ROLLER,2-15/16IN,CAST IRON	4.00	051	EA
629281	SPRING,VALVE:VLV SZ 10IN	4.00	051	ST
587994	KIT,VALVE REPAIR:SPARE	4.00	051	ST1
602241	PACKING:	4.00	051	ST1
930297	STUD CNTNS THD:TYP BOLT,MTRL AS ASTM A19	4.00	051	ST
612501	COLLAR:TYP VALVE STEM	3.00	051	ST
612820	BRG,ROLL:TYP DRIVE END	3.00	051	ST
580857	PLATE:TYP CHANNEL	3.00	131	ST
910383	KIT,VALVE REPAIR:DIVERter VALVE DN 150	3.00	051	KIT
583964	HOSE, FLEXIBLE METAL: HOSE SZ 1/4IN	5.00	051	ST
1022717	PLATE: P/N:SLR82582,DOC:SLO1263316	4.00	131	ST
583796	MODULE:SUB ASSEMBLY; MEASURING,I/P 1-5 V	12.00	031	ST
615634	BUSH,PUMP:SS ASTM A276 / SS JIS G4305 GR	3.00	081	ST
1035581	RING, LANTERN: APPL SHAFT SEAL	4.00	081	ST
1587066	ELBW-PIPE:SZ ID 248 X OD 273MM,CNCT BW,D	8.00	051	EA
1585660	PAD:TYP SLIDE,SZ WD 175 X LG 200 X THK 6	4.00	141	EA
857751	ADHSV;GASKET GLUE,CAN	20.00	001	CA
968246	STUD: MATL ASTM A193 B8M,TYP BOLT,81584	4.00	051	ST
588037	KIT-VLV-RPR:TYP SOFT GOOD,APL PRESSURE A	3.00	051	ST1
1028879	ROLLER: P/N:BR-28A-101,DOC:F3136-2010R1	9.00	091	ST
1038932	ELECTRODE, WELDING: AWS CLASS	4.00	051	PAK
587532	KIT,VALVE REPAIR:	3.00	051	ST
587538	KIT-ACTUTR-RPR:TYP KIT,ACTUATOR REPAIR,C	5.00	061	KIT
602575	RING,WEAR:	3.00	081	ST
737763	PLAT,MTL:MATL SS 316,WGT 7070KG	2.00	131	ST
629179	SPRING,VALVE:STEEL WIRE JIS 3561 SWOCV-V	10.00	051	ST
586313	BRG,FLG:BALL,ID 3-7/16IN,BOLT 4	10.00	051	ST
601410	O-RING: MATL PTFE,APPL SLEEVE,P/N:MS-32	5.00	051	ST
615847	GSKT:FFT: FOR 6 IN COUPLING AND NITROGEN	4.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
632865	GSKT:CORRUGATED,SS 316	3.00	051	ST
742229	KIT,VALVE REPAIR:PSV,SOFT GOODS	3.00	051	ST1
1053969	BRG,SLEEVE:INSIDE DIAMETER 30CM,OUTSIDE	4.00	051	SE
577961	KIT,PUMP REPAIR:TYP SOFT GOODS; GASKETS	6.00	081	ST1
632607	TRANSMITTER,PRESSURE:0.03-3MPA	5.00	061	ST
619265	PLUNGER:SZ 22 X 26 X 130,MT 1.4528 GR 12	3.00	051	ST
624994	FUSE:315A,7.2KV	3.00	021	ST
623441	DEFLECTOR:APLC PUMP	2.00	081	ST
632722	PROBE:TYP GEAR THURST DISPLACEMENT	3.00	061	ST
619209	VALVE,GLOBE:VLV SZ 1/4IN,DES RTG 2500LB	3.00	051	ST
1049490	PLUG, VALVE: VALVE SIZE 4IN,DOC:EH10204E	3.00	051	EA
969093	HEATER: TYP ANTI CONDENSATION	6.00	011	ST
1600962	DSPNSR:TYP ORGANIC DIGITAL BOTTLE TOP,MT	3.00	101	EA
641188	PACKING: SHAP ROUND,TYP GLAND	8.00	051	ST1
584221	BATTERY,PACK:TYP NI-CAD RECHARGEABLE	32.00	011	ST
614756	RING,WEAR:APLC IMPELLER	3.00	081	ST
1031506	RING: SIZE ID 90 X OD 120 X THK 23.8MM	8.00	051	EA
579459	SNSR;ULTRAVIOLET FLAME	3.00	011	ST
1586256	TRAY:TYP SIEVE,MTRL CS,DOC:968566D020 SH	4.00	141	ASY
809032	SEAT,VALVE:CONTROL,SS 316	3.00	051	ST1
626456	BRG,SLEEVE:TYP JOURNAL	3.00	051	ST
1593774	CASE:TYP TILE,APL STAGED GAS BURNER,P/N	4.00	051	ASY
582438	ELIMINATOR:TYP ZINC CORROSION	6.00	051	ST
903110	TRANSFORMER,INSTRUMENT:VOLT R 13.8KV	9.00	011	EA
1229698	SEAL;A536 80-55-06/VITON,SLIP	4.00	051	EA
900779	CONVEYOR,SCREW:DIA 43MM,PITCH 38MM	4.00	091	EA
588270	SEAL,RING:TYP RESILIENT	3.00	051	ST
589201	SLEEVE:TYP MECHANICAL SEAL	3.00	051	ST
588721	KIT,VALVE REPAIR:RELIEF VALVE	7.00	051	ST1
1523941	IMPELLER,PUMP:DIAMETER 184MM,MATL SS A74	3.00	081	EA
601801	O-RING:ID 240.66MM,WD 6.98MM,MT FKM,STD	4.00	051	ST
995743	ARM: TYP SUPPORT,APPL TURBINE GOVERNOR	3.00	131	ST
633001	SLEEVE:SZ DIA 125/145 X 40MM	4.00	051	ST
1032811	GSKT PRE-CUT : SHAP RECTANGULAR	4.00	051	ST
624195	SEAL,LABYRINTH:APLC FOR SHAFT COVER ON	4.00	051	ST1
826975	BELLOWS:TYP VALVE,PN 25	3.00	051	ST
1570517	PIPE-MTLC:NMNL P SZ DSGNTN 10IN,SCHDUL 4	3.00	131	EA
624558	VALVE:TYP GOVERNER	3.00	051	ST1
1528762	FAN:TYP EXTERNAL COOLING,ELEC RT 3300 V;	3.00	081	ASY
624536	VLV-RLF	10.00	051	ST
589285	SLEEVE: MATL SS 316L; A167-77,APPL PUMP	4.00	051	ST
596963	SEAT-VLV;CONTROL,DN 250,250MM,300MM,55MM	6.00	051	ST
767438	BAFFLE:TYP OIL	6.00	081	ST
588506	KIT-VLV-RPR:APL BALL VALVE,CMPRSNG SEAT	5.00	051	ST1
588616	O-RING SET:	8.00	051	ST1
906569	SLEEVE:TYP RETAINING	6.00	051	ST
588264	SEAL:MT GRAPHITE	5.00	051	ST1
1580921	STRNR-PG:TYP Y-TYPE,SZ 1-1/2IN,P RTNG 60	9.00	051	EA
1056132	HOLDER, BRUSH: P/N:10909-0378-1	6.00	021	EA
598502	BELT,V:IN CIRC 4500MM,OC 4525MM	18.00	051	ST
1199857	SPROCKET: BORE 48MM,TEETH 28,PITCH 14MM	6.00	051	SE
600896	GSKT PRE-CUT : P/N:04005499, S/N#:	13.00	051	ST
589656	CONTACT:TYP OXYGEN ANALYZER DETECTOR	7.00	011	ST
1554427	HOSE-FLXBL-MTL;1/4IN,61CM,SS 316L	8.00	051	EA
617112	SCREW,CAP:M30 DIA,160MM LG,HEX SOCKET	37.00	051	ST
641961	DISC,VALVE:SS 304,VLV SZ 1/2 X 7 X 3/4	11.00	051	ST
609147	VLV-CHCK;SS	7.00	051	ST
1032798	O RING:INSIDE DIAMETER 314.5MM,WIDTH 8.4	8.00	051	EA
600954	GSKT PRE-CUT :PTFE	21.00	051	ST
634202	KIT-VLV-RPR;SOFT PART	6.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
588253	O RING SET: MTRL NITRILE	7.00	051	ST
600258	GSKT,SPWD:54IN,300LB,GRAPHITE	5.00	051	ST
582317	CELL,PHOTOELECTRIC:TYP LIGHT SENSITIVE	5.00	011	ST
596770	FLTR-ELMNT	5.00	051	ST
612667	BALLAST:TYP FLUORESCENT LAMP,VOLTAGE 220	5.00	021	ST
1035474	RING: MATL SS DIN WN 1.4571,STD DIN	40.00	051	EA
948280	PWR-SUPLY;POWER PACK,230VAC 50/60HZ	5.00	021	ST
792775	KIT,ACTUATOR REPAIR:TYP WEARING PARTS	5.00	061	SE
591261	BOLT,MACH:M16,LG 90MM,AS ASTM A193,2MM	6.00	051	ST
273314	BUSH-VLV:TYP YOKE,SZ ID 1 X OD 1.25 X LG	8.00	051	EA
592133	GSKT, SPWD: P/N:DB02001JN,DOC:IN34	6.00	051	ST
1226702	GSKT:TYP JACKET COVER,APPL PSA FEED GAS	12.00	051	EA
1226703	GSKT:TYP JACKET COVER,APPL PSA FEED GAS	6.00	051	EA
725197	SCREW:	5.00	051	ST
586876	TAPE:TYP SEAL,SZ WD 1/4 IN X LG 10M X	10.00	001	ST
600014	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	6.00	051	ST
1604196	COAT:TYP FLUID-RESISTANT,SZ MEDIUM,CLR W	8.00	121	EA
596026	GUIDE:SZ WD 5 X LG 137 X THK 2MM,MT PTFE	14.00	091	ST
642483	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
899456	SYRG;AUTOSAMPLER,10MICRO L	8.00	071	EA
592265	FERRULE:TYP REAR,SZ 1/16IN,MT SS,GR 316	8.00	081	ST
620041	GSKT-PRE-CUT;THK 1.5MM,ASBESTOS	10.00	051	ST
589967	FUSE:2A,600VAC,DIA 23.8 X LG 85.8MM	16.00	021	ST
636974	O-RING:MT NBR	4.00	051	ST
172062	CAP,PIPE:SZ 2IN,CONN BW,MT CS ASTM A234	8.00	131	EA
114144	BLWS:TYP STEM,P/N:015498.652.000,MNFR:VA	9.00	051	EA
604660	FUSE:10A,250VAC,DIA 10 X LG 38MM,FERRULE	10.00	021	ST
579842	CRUCIBLE:CAP 150ML,SZ TOP DIA 70 X HT	10.00	071	ST
905299	REGULATOR,PNU:TYP FILTER,IN PR 1MPA	5.00	061	EA
612450	O-RING SET:3	6.00	051	ST1
467272	GSKT:BALL CHECK SEAT,PTFE	6.00	051	EA
639451	O-RING:MT FKM	5.00	051	ST
1585119	PLUG-TUBE:DIA SMALL END 31.5 X LARGE END	20.00	051	EA
836248	BOLT,MACH:20MM,LG 45MM,SS,GR A4	7.00	051	EA
730849	GSKT:	6.00	051	ST
900491	FILTER,AIR:WD 453 X LG 1050 X THK 47MM	8.00	051	EA
599154	RLR;PAINT	8.00	091	ST
642467	RING:TYP SEALING,APLC PLUG VALVE	5.00	051	ST
906007	PIN:RETAINING SLEEVE	5.00	051	ST
1000993	RELAY: COIL V 120VAC 50/60HZ,ENCL IP40	10.00	011	EA
615582	BOLT:8MM,32MM,AS JIS G4105 GR	12.00	051	ST
1000994	RELAY: COIL V 24VDC,ACTION 4PDT	10.00	011	EA
1595255	NPL-PIPE:TYP CONCENTRIC SWAGE,SZ 1-1/2 X	5.00	051	EA
1048418	SCREW, CAP: HEAD SOCKET,DOC:MD87/93(A)	7.00	051	EA
642008	GSKT:IRON	5.00	051	ST
587047	GSKT PRE-CUT :SHAP ROUND,MATL SS 316/GRA	5.00	051	ST
124176	SEAL:CARBON,RING,APLC STEAM TURBINE	10.00	051	EA
1008797	KIT, SEAL: APPL CATHODIC PROTECTION	5.00	051	KIT
642480	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
1088536	SPROCKET: TYP PLAIN BORE,BORE 2-11/16IN	5.00	051	EA
588011	GSKT SET:APLC PRESSURE RELIEF VALVE	5.00	051	ST1
642498	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
588306	O-RING SET:	5.00	051	ST
642513	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
1247195	BOLT ASSY:NOM DIA 3/4IN,LG 60MM,MTRL AS	19.00	051	ASY
1023530	STUD CNTNS THD:TYP BOLT,DIA 1-1/2IN,THRD	12.00	051	EA
628865	GSKT,SPWD:6IN,600LB,GRAPHITE,SS 304	5.00	051	ST
578534	DISTANCE LEDGE ASG/USG 600/H/1 MAT. 1.43	5.00	081	ST
644246	SOLUTION:TYP BUFFER,CTNR BOTTLE 1L	7.00	001	L
588315	PACKING:	5.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
588314	GSKT PRE-CUT :ROUND	5.00	051	ST
611321	CAN:TYP JERRY NARROW NECK,SZ 5L	15.00	071	ST
642462	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
759572	RTNR;O-RING,GR WCC	8.00	051	EA
642459	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
265694	VALVE: TYP VENT,DSGN RT 10BAR	12.00	051	EA
732530	RING:TYP SPRING	9.00	051	SE
628190	O-RING:APLC COLLAR	4.00	051	ST
607548	COUPLING,PIPE:3IN,SCH 40,PVC ASTM D2466	7.00	051	ST
203113	O-RING:ID 11.8MM,WD 2.4MM,MT NBR	5.00	051	ST
586299	BRG,BALL:IBI 12535,ID 35MM,OD 80MM	10.00	051	ST
601791	O-RING:ID 234.3MM,WD 5.7MM,MT NBR	6.00	051	ST
629877	STUD CNTNS THD:DIA 3/4IN,THRD 10 UNC,LG	24.00	051	ST1
634130	O-RING:MT FKM,APLC PRESSURE REGULATOR	4.00	051	ST
1035899	KEY, SHAFT: TYP FITTING,APPL SHAFT SEAL	8.00	051	ST
634131	O-RING:MT FKM,APLC PRESSURE REGULATOR	4.00	051	ST
617160	FUSE:4A,250VAC,DIA 5 X LG 20MM,FERRULE	10.00	021	ST
745404	GSKT:BONNET,UNS S31600	4.00	051	ST
591649	BOLT,MACH:M10,LG 40MM,SS ASTM A182 GR	16.00	051	ST
599660	GSKT,SPWD:T#1806,APLC BODY	8.00	051	ST
987745	STUD CNTNS THD:TYP BOLT,DIA 1/2IN,THRD U	8.00	051	ST1
631203	FUSE:3A,FAST ACTING	9.00	021	ST
143299	SEAL-RIG;CARBON/TFE,CONTROL VALVE	5.00	051	EA
189857	RING,RETAINING:TYP SNAP,MT STEEL	5.00	051	ST
617343	FUSE:2A	8.00	021	ST
1007452	WIRE, WELDING: MATL 0.5 MOLYBDENUM	10.00	051	KG
642474	SEAL:PTFE,DIAPHRAGM	5.00	051	ST
616841	FUSE:100A	5.00	021	ST
615540	BOLT:10MM,95MM,AS JIS G4105 GR	6.00	051	ST
600861	GSKT,SPWD:GRAPHITE,UNS S31600,SHP ROUND	5.00	051	ST
601827	O-RING:MT BUNA-N,SHOR - HRD 70A,APLC	6.00	051	ST
643375	GSKT:GRAPHITE / SS,VALVE	11.00	051	ST
1202591	SEAL,RING:MATL CARBON STEEL,TYP GREASE,A	5.00	051	EA
874531	PIPE:SZ 25MM,LG 6M,SCHD WALL THK 2MM	6.00	131	M
628051	PIN:DIA 8IN,UNS S31603,PLUG STEM	23.00	051	ST
582634	GAUGE,PRESSURE:0-5000KPA,BOURDON	5.00	101	ST
611185	GSKT,SPWD:20IN,300LB,GRAPHITE,SS 316	9.00	051	ST
800047	GSKT;BODY,VAPORISER VALVE	6.00	051	EA
812504	SEPTUM:SZ 11MM,MT AL	6.00	071	BOX
632569	PCKR	5.00	081	ST
397140	STUD,D/END:DIA-A M33,DIA-B M33,LG 166MM	6.00	051	ST
392182	BRG,ROLL:ID 95MM,OD 200MM,WD 45MM	8.00	051	ST
613075	CARTRIDGE:TYP LASERJET,CAP PRINTER	8.00	051	ST
1194963	GSKT SET:TYP FREE SIZE,APPL ROTARY VACUU	8.00	051	SE
600996	GSKT,SPWD:GRAPHITE,SS 316,SHP ROUND	5.00	051	ST
1031938	KIT,ACTUATOR REPAIR:CMPSNG ORING/QUAD R	6.00	061	KIT
1031937	KIT,VALVE REPAIR:APPL GLOBE VALVE,TYP SO	8.00	051	KIT
591451	NUT:DIA M12,TI ASTM B348/JIS,THD 1.75MM	24.00	051	ST
1229607	SPRING,VALVE:MATL AISI 316,VALVE SIZE 1-	5.00	051	EA
629887	STUD CNTNS THD:DIA 1-1/8IN,THRD 7 UNC,LG	8.00	051	ST1
605315	SWTCH-PRXMTY;220V 2A 20W,SPST	6.00	011	ST
841195	STUD CNTNS THD:TYP BOLT,DIA 1-1/2IN,THRD	10.00	051	ST1
602521	SEAL,RING:MT PLASTIC	6.00	051	ST
602692	RING,PISTON:ID 252MM,CARBON/PTFE	7.00	051	ST
587998	KIT-ACTUTR-RPR	8.00	061	ST1
600307	GSKT,SPWD:GRAPHITE,SS 316,IRMT SS 316	5.00	051	ST
906016	RING:TYP SUPPORT	9.00	051	ST
1561244	KIT,ACTUATOR REPAIR:TYP SPARE PART,CMPRS	20.00	061	KIT
1575770	PIPE-MTLC:NMNL P SZ DSGNTN 20IN,SCHDUL 1	9.00	131	EA
600595	GSKT: SIZE ID 1919 X OD 1945MM,TYP SET	6.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1590017	KIT-ACTUTR-RPR:TYP MAINTENANCE,CMPRSNG Q	11.00	061	KIT
627773	FUSE:25A,400V,SLOW BLOW	5.00	021	ST
122910	CUP-BRG;PUMP	10.00	051	EA
585134	FLTR-ELMNT;AFTER,AIR COMPRESSOR/DRIER	5.00	051	ST
588251	DIAPHRAGM, VALVE: RT 10-934LB,MNFR:ABB	5.00	051	ST
587202	KIT-VLV-RPR:TYP SOFT PART,APL BALL,P/N:2	28.00	051	ST
600424	GSKT,SPWD:SHP ROUND	8.00	051	ST
634423	SPRING:SS 303,TYP COLLAR	5.00	051	ST
1027242	STUD CNTNS THD:TYP BOLT,DIA 1-1/2IN,THRD	37.00	051	ST1
905755	KIT: TYPE SPARE PARTS,MNFR:MACCHI S.P.A	5.00	081	EA
1046831	GSKT-PRE-CUT:SHP IRREGULAR,MTRL NBR,HLS	22.00	051	EA
588245	DIAPHRAGM,VALVE:VLV SZ 1IN,RT 10-334LB	5.00	051	ST
635721	BUSH:COMPRESSOR	6.00	051	ST
641772	BRG,ROLL:	5.00	051	ST1
619877	BRG: SIZE ID 100MM,P/N:EI/6320-M-C3	8.00	051	ST
1071863	BALLAST: TYP FLUORESCENT LAMP	10.00	021	EA
782094	HOUSING:TYP BEARING - FLANGED SUPPORT	7.00	051	ST1
1081854	MODULE: TYP DIGITAL I/O,INPUT 8 DIGITAL	10.00	031	EA
642958	PACKING:ALCHEM,TYP STUFFING BOX	6.00	051	ST1
582096	IMPELLER,PUMP:	8.00	081	ST
1056095	HOLDER, SPRING: P/N:10822-2378-2	6.00	051	EA
799964	PLUG-VLV;GLOBE,1-1/2IN,SS STELLITTED	6.00	051	EA
1556922	RING,WEAR:INSIDE DIAMETER 786.4MM,MATL T	6.00	051	EA
615309	SEAL,RING:TYP GLAND	6.00	051	ST1
1243463	CONTROL SYSTEM:TYP UEX RETRO KIT,3PH/380	33.00	031	ASY
638574	NOZZLE,VALVE:VALVE SIZE 3 X 4IN,MATL UNS	12.00	051	ST
602351	PACKING:GRAPHITE	9.00	051	ST
1036066	SEAL,LABYRINTH:SIZE ID 50 X OD 68 X THK	9.00	051	ST
615427	GSKT:ID 280 X OD 300MM,THK 3MM,ROUND	7.00	051	ST
1574603	TRAP-STM:TYP INVERTED BUCKET,SZ 3/4IN,CN	9.00	051	EA
582918	DETECTOR:TYP ULTRA VIOLET FLAME,RT	8.00	061	ST
1578222	TRAP-STM:TYP THERMOSTATIC,SZ 3/4IN,CNCT	8.00	051	EA
599408	GSKT,SPWD:GRAFOIL,SS,SHP ROUND,BASIC	10.00	051	ST
1022713	SCREW: P/N:SLQ45101,DOC:SLO1263316	8.00	051	ST
615968	VALVE:TYP DISCHARGE	8.00	051	ST
613909	STUD CNTNS THD:TYP BOLT,DIA 30MM,THRD 3	10.00	051	ST
636571	GSKT-PRE-CUT:TYP FF,SZ ID 1524 X OD 1854	7.00	051	ST
601294	O-RING:MT FKM,APLC STUFFING BOX	7.00	051	ST
586617	BELT,TOOTHED:TYP HTD	7.00	051	ST
602516	RING,RETAINING:SNAP	9.00	051	ST
1627183	GRADUATED RECEIVING CYLINDER 2, 100 ML,	8.00	051	ST
85310	GSKT,SPWD:GRAFOIL,SHP ROUND,BASIC	7.00	051	ST
633041	PACKING:P#4519M	18.00	051	ST
695693	KIT,SEAL:TYP PILOT	8.00	021	KIT
600023	GSKT,SPWD:8IN,300LB,IRID 193.7MM,SS 316	13.00	051	ST
1031291	O-RING: INSIDE DIAMETER 219.5MM	8.00	051	EA
632733	GSKT:GARLOCK IFG 5500	10.00	051	ST
614255	STUD CNTNS THD:DIA 1-3/4IN,THRD 5 UNC,LG	7.00	051	ST
1028875	PIN: P/N:BR-21A-109,DOC:F3136-2010R1	9.00	051	ST
72724	UNION, 6MM ODT X 1/4" ODT, SS316	10.00	051	ST
849957	STARTER,LAMP:HI,VOLT 220-240VAC,W 1000W	10.00	011	ST
606124	BOLT,MACH:M16,LG 65MM,2MM,HD HEX	10.00	051	ST
1022845	PIN: P/N:FJM04030,DOC:SOL01196/0	10.00	051	ST
587052	ASSEMBLY:TYP DIAPHRAGM	9.00	051	ST
995746	PIN: MATL SS 304,TYP SNAP,P/N:MP-16	16.00	051	ST
610458	STUD,D/END:DIA-A M12,DIA-B M12,LG 95MM	16.00	051	ST
588252	O-RIG-ST:P/N:AB5I608680,MNFR:ABB,DOC:INO	10.00	051	ST
1079024	LOCK: TYP WASHER,MATL MB 20	7.00	051	EA
82334	COUPLING,PIPE:1-1/2IN,3000LB,CS ASTM	23.00	051	ST
515697	CUP:SZ 1/2IN,MT CERAMIC	20.00	051	EA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
617457	GSKT:ID 14 X OD 18MM,SEAL RING,ROUND,AL	8.00	051	ST
599563	GSKT PRE-CUT :WD 34 X LG 340 X THK 1MM	12.00	051	ST
628183	O-RING:APLC SEAL BOX	7.00	051	ST
579841	CRUCIBLE:CAP 38ML,SZ TOP DIA 45 X HT	15.00	071	ST
86732	O-RING:ID 44.04MM,WD 3.53MM,MT NBR	7.00	051	ST
838849	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,THRD 1	12.00	051	ST
350022	BLCK-TRMNL;750VAC 82A,CAPTIVE SCREW,1	11.00	021	ST
906014	NUT:STEM	7.00	051	ST
611089	GSKT,SPWD:1-1/2IN,150LB,RF	43.00	051	ST
1035831	NUT, TUBE FITTING: MATL SS DIN WN 1.4571	20.00	051	ST1
618157	SEAL-OIL;20MM,30MM,7MM	8.00	051	ST
636788	O-RING:MT NBR	10.00	051	ST
1028873	SCREW, SET: P/N:G-S1-M5X8, S/N#:	9.00	051	ST
1088380	CAP: TYP SNAP,SIZE 11MM,P/N:5181-1512	8.00	051	PAK
611101	GSKT-SPRL-WUND:TYP BASIC WITH INNER AND	18.00	051	ST
607220	SYRINGE:TYP MICROVOLUMETRIC FIXED NEEDLE	30.00	071	ST
634609	PCKG;WD 7MM,PTFE,SQUARE,LOWER	7.00	051	ST
602183	PACKING:ROUND,TYP GLAND	19.00	051	ST
951736	SEAL: SIZE 8/16 X 6,TYP GROOVED LIP	8.00	051	EA
603548	CLAMP: TYP QUICK CONNECT,MATL ALUMINUM	10.00	051	ST
1036808	SCREW, SET: DIAMETER 12MM,LENGTH 80MM	12.00	051	ST
612719	BALLAST:TYP FLUORESCENT LAMP,VOLTAGE 220	7.00	021	ST
609120	O-RIG	56.00	051	ST
828317	PSTN;VALVE	8.00	091	ST
995797	WASHER: MATL SS 304,P/N:SW-M12	10.00	051	ST
584674	GLAND,CABLE:MT SS	8.00	021	ST
598649	CHAIN,POWER TRANSMISSION:ST SIMPLEX	52.00	051	M
906015	FOLLOWER:TYP PACKING	7.00	061	ST
619009	SCREW:1/2IN DIA,48MM LG,SQUARE	8.00	051	ST
647867	GSKT PRE-CUT :HEAT EXCH,P/N:3233017046	40.00	051	ST
588394	SET:TYP DRAIN PUMP,P/N:CONDENSA TE,MNFR	10.00	081	ST1
918845	PLUG,TUBE:DIA 19 X 23MM,INCONEL 825	10.00	051	ST
770243	STUD CNTNS THD:DIA 1-3/4IN,THRD 8 UN,LG	11.00	051	ST1
940809	DIAPHRAGM,ACTUATOR:TYP MEMBRANE CYLINDER	12.00	061	EA
834846	VALVE,RELIEF:TYP SAFETY; CONVENTIONAL	13.00	051	ST
584296	SHIM:SZ DN 6IN,MT SS 316,12	63.00	051	ST
644186	CHEMICAL:1,2-DICHLOROBENZENE,TYP C6H4CL2	69.00	001	L
1193943	COUPLER, HOSE: , TYP UNVALVED	20.00	051	SE
591431	NUT,HEX:DIA M16,SS S31803,THD 2MM	14.00	051	ST
634170	GSKT SET:TYP VALVE BLOCK,APLC BALL VALVE	10.00	051	ST
3970	BRG,ROLL: INSIDE DIAMETER 55MM,IBI 41253	20.00	051	ST
642015	DISC,VALVE:SS 316,VLV SZ 1/2 X 1IN	11.00	051	ST
583195	GREASE:TYP CONTROL VALVE	18.00	001	ST
59820	O-RING:ID 21.8MM,WD 2.4MM,STD JIS B2401	9.00	051	ST
600734	GSKT-PRE-CUT:TYP FF,SZ ID 914.4 X OD 116	15.00	051	ST
636785	O-RING:MT NBR	10.00	051	ST
738134	STUD:	10.00	051	ST
585099	FILTER,ELEMENT:DN 150MM	12.00	051	ST
1064274	GSKT PRE-CUT :TYP BEARING COVER,SIZE OD	11.00	051	EA
588372	SEAL-RIG;SHAFT	11.00	051	ST1
595084	SCRAPER:MT NBR,SZ 42 X 52 X 7MM	9.00	101	ST
948153	CASTABLE MIX, REFRACTORY: P/N:00008198	18.00	001	BOX
620005	SPRING:MT SS	30.00	051	ST
635527	CLIP:TYP RETAINING,MT STEEL	25.00	051	ST
636790	PACKING:T#1995	10.00	051	ST
593657	O-RIG;44.17MM,1.78MM,BUNA-N	12.00	051	ST
1001820	LIGHT, INDICATING: TYP PILOT SIGNAL	10.00	021	EA
606633	SCREW,CAP:M12 DIA,180MM LG,MT AS BLACK	20.00	051	ST
612678	STARTER, LAMP: LAMP STYLE HS/HI	15.00	011	ST
783022	VALVE,GATE:VLV SZ 1IN,DES RTG 800LB	12.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
959171	SIPHON: TYP U TUBE,MATL CS ASTM A106	12.00	061	EA
625020	O-RING:MT NBR,APLC ACTUATOR	8.00	051	ST
606911	STUD CNTNS THD:DIA 5/8IN,LG 3-1/2IN,MTRL	24.00	051	ST
613343	FILTER:REPLACEMENT	9.00	051	ST
591760	STUD CNTNS THD:DIA 1-1/4IN,LG 340MM,MTRL	13.00	051	ST
638112	GSKT:1.25 X 11.312IN,FLAT,THK 0.062IN	16.00	051	ST
639291	GSKT PRE-CUT :GRAPHITE/NOVAPHIT SSTC	10.00	051	ST
900480	GSKT PRE-CUT : MATL GARLOCK 706,TYP RF	9.00	051	EA
588295	O-RING SET:	10.00	051	ST
622981	O-RING:APLC TUBE	20.00	051	ST
1038610	WIRE, WELDING: TYP FILLER,STYL ER310	10.00	051	KG
601280	O-RIG;FKM,STUFFING BOX	13.00	051	ST
629525	GSKT PRE-CUT :THK 1MM,V#1500	11.00	051	ST
613592	NUT,HEX:DIA M36,CS,THD 4MM	24.00	051	ST
613337	SENSOR:TYP COMBUSTIBLE GAS	15.00	011	ST
726985	VALVE,RELIEF:VLV SZ 1/2 X 1IN	20.00	051	ST
444215	VALVE:TYP PORV,VLV SZ 1/2IN	13.00	051	EA
1081982	DISPLAY UNIT,DATA:DSPLY RSLTN DIGITAL,DM	10.00	141	EA
939097	SCREW: DIAMETER M8,LENGTH 30MM	16.00	051	EA
629510	GSKT PRE-CUT :GLASS CLOTH/FIBREGLOSS	10.00	051	ST1
906005	SPRAYER:	24.00	071	ST
429590	GSKT-ST:P/N:4H/G,MNFR:MACCHI S.P.A,DOC:7	38.00	051	ST1
579844	CRUCIBLE:	10.00	071	ST
602520	RING,PISTON:SS 316/WJ2,TYP SCRAPER	9.00	051	ST
603421	ELECTRODE,WELDING:A5.14.97 ERNICU7	10.50	051	KG
17866	TAPE,HEAT TRACING:SZ 1.4MM2	11.00	001	ST
758573	BLWS:TYP SAFETY VALVE,MTRL INCONEL 625,S	11.00	051	ST
1018569	KIT, CABLE JOINT: ELEC RT 36KV	15.00	021	KIT
1025938	STUD: DIAMETER 64MM,TYP BOLT, EQUIP	26.00	051	ST
608588	GUIDE,VALVE:VLV ST GLOBE	11.00	051	ST
593549	GSKT PRE-CUT :MOUNTING SCREW DRIVER	12.00	051	ST
600708	GSKT-SPRL-WUND:TYP BASIC WITH INNER AND	21.00	051	ST
1030937	STUD CNTNS THD:TYP BOLT,DIA 1-1/8IN,THRD	30.00	051	ST1
583121	LAMP,NEON:COLOR CLEAR,BASE (2) PIN	31.00	021	ST
587428	KIT;SERVICE,FOR LIMIT SWITCH	11.00	081	ST
741483	BOLT,MACH:M16,LG 50MM,SS ASTM A193,GR B8	30.00	051	SE
591735	STUD CNTNS THD:DIA 7/8IN,THRD 9 UNC,LG 1	21.00	051	ST
623881	GSKT PRE-CUT :	14.00	051	ST
618560	CPCTR;FIXED,3MICRO F,400V	11.00	031	ST
583450	PLATE:TYP SEAL,SZ LG 195 X THK 3.5MM,CS	12.00	131	ST
1232994	ASSEMBLY:TYP FASTENER,APPL SIEVE TRAYS,D	12.00	081	ASY
643105	GSKT,SPWD:1/4IN,GRAPHITE,SS 316	11.00	051	ST
1232993	ASSEMBLY:TYP FASTENER,APPL SIEVE TRAYS,D	12.00	081	ASY
589885	FUSE;ULTRA FAST BLOW,125A,500V AC,BLADE	12.00	021	ST
838780	GSKT JKTD:ID 296 X OD 316MM,SHP ROUND	42.00	051	ST
938300	SCREW:AS ASTM A193 GR B8M	12.00	051	EA
608884	FLASK:TYP VOLUMETRIC,CAP 50ML,MT	30.00	071	ST
603991	BTRY-DRY-CEL;NICKEL CADMIUM RECHARGEABLE	31.00	011	ST
591243	BOLT,MACH:M20,LG 70MM,TB340/TI ASTM B348	23.00	051	ST
612825	SEAL,OIL:ID 100MM	19.00	051	ST
591080	ANODE:MT MAGNESIUM	15.00	051	ST
903113	CARTRIDGE:TYP FILTER	12.00	051	EA
1595245	BOLT-MCHN:DIA 1-1/2IN,LG 245MM,MTRL CS A	12.00	051	EA
656560	OIL:TYP RUST PREVENTIVE	20.00	001	DR
585273	SEAT,VALVE:VLV SZ 1IN,BALL,SS 316	36.00	051	ST
586989	ASSEMBLY;TILE,BURNER ON FIRED HEATER	12.00	081	ST
977409	REAGENT: TYP BENZENE; THIOPHENE FREE	19.00	001	BOT
625947	NUT,HEX:DIA M16,SS DIN WN 1.4462/318LN	18.00	051	ST
584649	RETAINER:TYP GUIDE,SZ DN 100MM	13.00	051	ST
579759	CLNR;ANTI STATIC,CAN AEROSOL 400ML,FOAM	14.00	001	CA

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
611347	SCREW,SET:M10 DIA,10MM LG,HEX SOCKET	20.00	051	ST
74179	STUD CNTNS THD:DIA 1-1/2IN,THRD 8 UN,LG	31.00	051	ST1
938299	SCREW:CS ASTM A307	16.00	051	EA
921977	PDLCK;ILJ,7MM,40MM,16MM,51MM,SS	80.00	121	ST
600224	GSKT,SPWD:TYP BASIC WITH INNER AND OUTER	15.00	051	ST
606071	RSTR;1MEG OHM,0.25W,AXIAL SOLDER LEADS	18.00	031	ST
611660	BOLT,MACH:M10,LG 35MM,SS 316,1.5MM	14.00	051	ST
1016765	BOLT, MACH: DIAMETER 3/4IN,LENGTH 60MM	14.00	051	ST1
617501	WASHER:ID 74MM,OD 84MM,THK 1MM,BEARING	34.00	051	ST
1594461	GSKT-SPRL-WUND:TYP BASIC WITH OUTER RING	18.00	051	EA
617843	STUD:DIA M16,60MM LG	21.00	051	ST
1029126	SCREW, CAP: DIAMETER M8,HEAD HEX SOCKET	16.00	051	ST
1029127	SCREW, CAP: DIAMETER M6,HEAD HEX SOCKET	16.00	051	ST
588328	O-RING:	13.00	051	ST1
634652	FUSE:120VAC	22.00	021	ST
579375	GLS;SAPONIFICATION,DIA 38 X HT 200MM	20.00	121	ST
584531	RIBBON,INKING:TYP CARTRIDGE,SIZE WD 135	13.00	001	ST
1540173	HOSE-FLXBL-MTL;1/4IN,60CM,316LSS	23.00	051	EA
600368	GSKT PRE-CUT :NON ASBESTOS,RF,20IN	17.00	051	ST
614207	GSKT,SPWD:3IN,300LB,GRAPHITE,SS 316,RF	20.00	051	ST
588247	O-RING SET:	23.00	051	ST
589739	CONTACTOR:TYP MAGNETIC,AMP 9A,3 POLE	39.00	011	ST
994740	WIRE: SIZE DIA 1.2MM,MATL SS 316L	195.00	021	M
581131	RCPTCL-ELECT;DUPLEX,2,250VAC 20A 2HP	15.00	021	ST
597029	SPRG-VLV;SS,65MM,1.75MM,18.25MM	35.00	051	ST
634770	RELAY:COIL 24V,CONT 220VAC,TYP POWER	16.00	011	ST
939088	SPACER:TYP BEARING	15.00	051	ST
798316	FUSE:2A,550VAC 250VDC	20.00	021	ST
606072	RSTR;2.2MEG OHM,0.25W,AXIAL SOLDER LEADS	20.00	031	ST
606069	RSTR;220K OHM,0.25W,AXIAL SOLDER LEADS	20.00	031	ST
606067	RSTR;47K OHM,0.25W,AXIAL SOLDER LEADS,5	20.00	031	ST
606058	RSTR;470OHM,0.25W,AXIAL SOLDER LEADS,5	20.00	031	ST
606060	RSTR;220OHM,0.25W,AXIAL SOLDER LEADS,5	20.00	031	ST
606066	RSTR;22K OHM,0.25W,AXIAL SOLDER LEADS,5	20.00	031	ST
606056	RESISTOR:10OHM,RT 0.25W,CONN SOLDER PIN	20.00	031	ST
606059	RSTR;100OHM,0.25W,AXIAL SOLDER LEADS,5	20.00	031	ST
606057	RSTR;22OHM,0.25W,AXIAL SOLDER LEADS,5	20.00	031	ST
606061	RSTR;470OHM,0.25W,AXIAL SOLDER LEADS,5	20.00	031	ST
608182	TEE,PIPE:SZ 3/4IN,SW,PVC-I,RT SCH 40	17.00	051	ST
617629	SCRW-CAP;M6,20MM,1MM	48.00	051	ST
607852	INSERT:CARBIDE	20.00	051	ST
642299	KNOB:	25.00	141	ST
606354	NUT,HEX:DIA M16,GS,THD 2MM,DIN 934	49.00	051	ST
644760	GSKT,SPWD:1-1/2IN,300LB,GRAPHIITE,SS 316	18.00	051	ST
946738	NUT,CAP:DIAMETER M12,P/N:911 009 012,MNF	64.00	051	EA
599151	RLR;GUIDE	15.00	091	ST
1556923	RING,PISTON:INSIDE DIAMETER 777MM,OUTSID	20.00	051	EA
608584	GUIDE,VALVE:VLV ST LOWER STEAM	18.00	051	ST
634860	SALT,INORGANIC:MERCURY II CHLORIDE	47.00	001	BOT
923737	SCREW:DIA 10MM,LG 20MM,HEX,GR 5.6	152.00	051	ST
838782	STUD CNTNS THD:TYP BOLT,DIA 3/4IN,THRD 1	45.00	051	ST
1025068	GSKT-SPRL-WUND:TYP BASIC WITH INNER AND	20.00	051	EA
855428	WASHER:SS 304L,ID 10.5MM,OD 39MM,THK 2MM	65.00	051	EA
515698	CUP:SZ 0.6IN,MT CERAMIC	60.00	051	EA
612834	BATTERY,STORAGE:AMP HOUR 7AH	33.00	011	ST
644162	ACID, ORGANIC: NAME O-CRESOL,FORM	50.00	001	KG
624859	CAPACITOR:CAPCIT 30MICRO F,VOLT 660VAC	50.00	031	ST
579821	BEAKER:MT PYREX GLASS,CAP 100ML	25.00	071	ST
600221	GSKT,SPWD:300LB,GRAPHITE,SS 316,OR MT CS	55.00	051	ST
1035833	NUT, TUBE FITTING: MATL SS DIN WN 1.4571	20.00	051	ST1

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
1232964	ASSEMBLY:TYP FASTENER,APPL SIEVE TRAYS,D	330.00	081	ASY
1053282	SWITCH,PUSH:TYP MODULAR,CNTCT RT 500V; 4	55.00	021	EA
1053275	SWITCH,PUSH:TYP MOMENTARY,CNTCT RT 500 V	55.00	021	EA
235652	KIT,VALVE REPAIR:FISHER CONTROL VALVE	24.00	051	KIT
607844	INSERT:CARBIDE	30.00	051	ST
1029130	SCREW, CAP: DIAMETER M5,HEAD HEX SOCKET	24.00	051	ST
607878	INSERT:CARBIDE	20.00	051	ST
580665	BOX:TYP DEEP HANDY,SZ 1-7/8IN	40.00	001	ST
613344	FILTER:INTERNAL	30.00	051	ST
591452	NUT,HEX:DIA M12,TI ASTM B348/JIS,GR 2/TB	24.00	051	ST
819220	PLUG,TUBE:DIA 6.25 X 10.4 MM	24.00	051	EA
644114	SLUTN;REAGENT,BOTTLE 1L	24.00	001	L
1548166	WASHER,LOCK:SZ 1/2IN,MATL CS ASTM A307,I	30.00	051	EA
611655	NUT,HEX:DIA M10,SS 316,THD 1.5MM	145.00	051	ST
609637	TUBE:TYP POLYAMIDE,SZ DIA 1 X LG 12IN	23.00	131	M
1035896	BOLT: MNFR:ZIMMER AG, S/N#: 112371/3	36.00	051	ST
1548142	CLIP:TYP RING,SIZE THK 2.7MM,MATL CS AST	60.00	051	EA
1523988	COUPLER:TYP QUICK CONNECT,SIZE DIA 1/4 X	44.00	051	EA
587387	KIT,VALVE REPAIR:FUEL GAS TRIP	24.00	051	KIT
604208	BRUSH,ELECTRICAL:TYP BRUSH,MT CARBON	80.00	021	ST
956483	RETAINER: TYPE DISC,MATERIAL ASTM A679	31.00	051	ST
612335	NUT,HEX:DIA 5/8IN,CS ZINC PLATED	33.00	051	ST
904145	FUSE:1A,250VAC,DIA 5.2 X LG 20MM,GLASS	60.00	021	EA
628179	O-RING:APLC SEAL BOX	34.00	051	ST
583046	LAMP-HIGH-INTNSTY-DSCHRG;METAL HALIDE	34.00	021	ST
644259	ACID IORG,INORGANIC:PHOSPHORIC ACID	27.50	001	L
608250	KNIFE:TYP SKINNING	34.00	101	ST
1029886	SCREW,CAP:HEAD HEX SOCKET,PN:G-SB-M6X20	44.00	051	ST
606933	STUD CNTNS THD:DIA M10,THRD 1.5MM,LG 1-1	45.00	051	ST
607419	BUSH,TAPER LOCK:28MM BORE DIA,2012	42.00	051	ST
597780	ELECTRODE,WELDING:SFA 5.4 E347	75.50	051	KG
1028852	BOLT: TYP REAMER,DOC:F3135-2010	32.00	051	ST1
1025937	STUD: DIAMETER 36MM,TYP BOLT, EQUIP	34.00	051	ST
618795	CPCTR;FIXED,2200MICRO F,500V DC	80.00	031	ST
582939	FILTER,BAG:DIA 4-1/2 IN X LG 10FT,FELT	230.00	051	ST
589319	BLOCK, TERMINAL: ELEC RT 600V 65A	30.00	021	ST
597776	ELECTRODE,WELDING:E316L-17	30.00	051	PAK
1247397	CLAMP:TYP BOTTOM TRAY,SIZE DIA 50 X THK	290.00	051	EA
583070	HEAD:TYP PILOT LAMP	119.00	101	ST
897330	GSKT PRE-CUT :DIA 2 IN X THK 4 MM	34.00	051	ST
1024037	WSHR-FLAT;1-1/2IN,STEEL,41MM,6MM,66MM	50.00	051	EA
1217719	ASSEMBLY:TYP GASKET & FASTENER,APPL DUAL	50.00	081	ASY
644109	PC-OTH;BOTTLE	45.00	001	L
608619	OIL, INDUSTRIAL: CTNR DRUM 208L	208.00	001	L
595466	CARTRIDGE SUPERSEDED BY 7203421	36.00	051	ST
594668	GSKT:ID 21 X OD 26MM,SEAL RING,ROUND	89.00	051	ST
73740	STUD CNTNS THD:DIA 1-1/4IN,THRD 8 UN,LG	33.00	051	ST1
610462	STUD,D/END:DIA-A M12,DIA-B M12,LG 67MM	200.00	051	ST
591307	BOLT:3/4IN,185MM,AS ASTM A193,GR B7	35.00	051	ST
611317	PAPER, FILTER: SIZE 55MM,MICRON 20	36.00	051	PAK
784407	WASHER,FLAT:R40,ID 31MM,THK 4MM,56MM	50.00	051	ST
861756	SET:TYP PACKING,APLC CONTROL VALVE 2IN	45.00	081	EA
1035895	BOLT: MNFR:ZIMMER AG, S/N#: 112371/3	40.00	051	ST
626593	PLUG,ELECTRICAL:125V 15A 1HP,P 3,WIRE 2	46.00	021	ST
591648	BOLT-MCHN:DIA M16,LG 45MM,MTRL SS ASTM A	69.00	051	ST
583451	PLATE:TYP SEAL,SZ LG 160 X THK 3.5MM,CS	50.00	131	ST
870162	FILTER:40,OD 52 X LG 512MM	120.00	051	ST
597028	SPRG-VLV;SS,70MM,1.75MM,18.25MM	50.00	051	ST
897331	GSKT PRE-CUT :DIA 3 IN X THK 4MM	122.00	051	ST
611307	BOTTLE:TYP SAMPLE,500ML CAP,MT HDPE,ST	75.00	071	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
593171	GSKT,SPWD:DN 125MM,PN 16,GRAPHIITE	127.00	051	ST
1025101	STUD CNTNS THD:TYP BOLT & NUT,DIA 1IN,TH	111.00	051	ST1
626018	BOLT,MACH:M24,LG 100MM,SS DIN WN 1.4301	64.00	051	ST
1038671	STUD CNTNS THD:TYP BOLT,DIA M16,THRD 1MM	72.00	051	EA
583066	LAMP,INCANDESCENT:W 2W,VOLT 30V	100.00	021	ST
643245	NUT: TYP ADJUSTING,MNFR:DRESSER-RAND	64.00	051	ST
593445	GSKT PRE-CUT :THK 2MM	70.00	051	ST
626993	FUSE:3.15A,250VAC,TIME DELAY	85.00	021	ST
596710	FILTER,ELEMENT:ID 27 X OD 60 X LG 1020MM	153.00	051	ST
609210	BOTTLE:CAPACITY 125ML,MATL HDPE WITH PP	105.00	071	ST
594672	RING	157.00	051	ST
611640	NUT,HEX:DIA 5/8IN,AS ASTM A194,GR 2H	78.00	051	ST
616417	BLOCK,TERMINAL:ELEC TRT 660V 125A,TERM	100.00	021	ST
583445	PLATE: TYP SEAL,SIZE LG 90 X THK 3.5MM	95.00	131	ST
1247524	PLATE:TYP SEAL,SIZE WD 10 X LG 127MM,MAT	100.00	131	EA
583444	PLATE:TYP SEAL,SIZE THK 3.5MM,MATL CS,AP	330.00	131	ST
1495497	STD ANLYTCL TST:SPEC CUVETTE TEST X CHEM	120.00	001	BX
86843	O-RIG;NBR	105.00	051	ST
607529	COUPLING, HOSE: SIZE 1IN,MATL BRONZE	120.00	051	ST
629562	PACKING:SQ 15.9MM,GRAPHITE,SQUARE	165.00	051	M
1548164	WASHER,FLAT:SZ 3/8IN,MATL CS ASTM A1011	600.00	051	EA
644102	CHEMICAL:DECONEX 15 PF,LIQUID,CAN,28KG	117.00	001	KG
1579371	PLUG-TUBE:DIA LARGE END 16.5 X SMALL END	250.00	051	EA
583453	PLATE:TYP SEAL,SZ THK 3.5MM,CS	256.00	131	ST
659451	NUT,HEX:DIA 1IN,CS ASTM A194,GR 2H	516.00	051	EA
1021373	FLTR-ELMNT:TYP DOUBLE OPEN END,SZ OD 63	300.00	051	EA
600208	GSKT,SPWD:1/2IN,150LB,GRAPHITE,SS 316	176.00	051	ST
834993	CLAMP:TYP MANWAY,MT SS 410	200.00	051	EA
583443	PLATE:TYP SEAL,SZ THK 3.5MM,CS	277.00	131	ST
644192	ACID ORG,ORGANIC:PHENOL,99.5PCT	235.00	001	KG
1578834	PLUG-TUBE:DIA 19.27 X 15.27MM,MTRL CS AS	220.00	051	EA
615011	PIPE;OD 219.1 X THK 2MM,6000MM,SS 321	192.00	131	M
579744	BAG:SZ 170 X 260MM,MT POLYETHYLENE	25,000.00	001	ST
109989	FUSE:1.6A,24V,WD 7 X LG 8 X THK 5MM	327.00	051	EA
980236	STUD CNTNS THD:DIA 1-3/4IN,THRD 5 UNCTPI	360.00	051	ST1
1548175	WASHER,FLAT:SZ 3/8IN,MATL CS ASTM A1011	400.00	051	EA
836245	NUT,HEX:DIA 10MM,SS,GR A4,DIN 934	286.00	051	EA
911704	RELAY:CONT 220V,3 NO-1 NC	1.00	011	EA
1245363	CLAMP:TYP BOTTOM TAY,SIZE DIA 10 X THK 3	1,400.00	051	EA
749030	FUSE:TYP PLUG,AM 5A,SZ DIA 6.3 X LG 32MM	14.00	021	ST
1517229	NUT:DIAMETER M12,MATL GALVANIZED,P/N:NUT	460.00	051	EA
9102430	CHEMICAL,ORGANIC KETONE:ACETONE GPR	512.50	001	L
1245884	BOLT,MACH:DIAMETER M10MM,LENGTH 25MM,MAT	2,640.00	051	EA
644243	ACID-ORGNC;ACETIC ACID,99.9%,ACETIC ACID	1,223.00	001	L
1581684	NUT:DIA M10,MTRL SS 410,THRDS 1.5MM,TYP	550.00	051	EA
1245858	BOLT,MACH:DIAMETER M10MM,LENGTH 50MM,MAT	1,986.00	051	EA
591519	NUT, HEX: DIAMETER M12,THREADS 1.75MM	904.00	051	ST
591767	STUD CNTNS THD:TYP MANWAY LOCK,DIA M10	1,772.00	051	ST
583064	LAMP,INCANDESCENT:TYP PILOT,W 2W	1,100.00	021	ST
607217	PLUG:TYP RAWL,SZ M8 X 40	1,500.00	051	ST
591328	BOLT,MACH:10MM,LG 50MM,SS 410,1.5MM,GR	1,457.00	051	ST
644172	CHEMICAL:POTASSIUM CHLORIDE,TYP KCL	2,000.00	001	G
308116	OIL, RUST PREVENTIVE (LUBRICANT)100 MOBI	2,000.00	001	L
591521	NUT:DIA M10,SS AISI 410,THD 1.5MM,CAGE	28,918.00	051	ST
790963	NUT:DIA 10MM,MTRL CS ASTM A563,GRD A,TYP	3,500.00	051	EA
591827	WASHER: SZ M10,MATL SS 410S,TYP STANDARD	4,119.00	051	ST
591520	NUT,HEX:DIA M10,SS AISI 410 (11-13 PCT	15,412.00	051	ST
568719	O-RING:ID 17.17MM,WD 1.78MM,MT VITON	14.00	051	EA
509970	GSKT,SPWD:APPL VALVE BODY,P/N:541055503	2.00	051	ST
732476	WASHER,FLAT:GI,ID 5MM,THK 1-1/2MM,19MM	54,000.00	051	ST

Remarks : For indicative only , bidders has to check quantity and quality

Material Number	Material Description	Total Stock	MRP CTR	Base Unit of Measure
509987	SEAL-RIG;0.315IN,0.9435IN,GRAPHITE	4.00	051	ST
1635284	CEL-BTRY;COIN,LITHIUM MANGANESE DIOXIDE	1.00	051	EA
34594	GSKT-PRE-CUT:P/N:N7066742,MNFR:LUFKIN IN	2.00	051	EA
1633419	FRUL;TUBE FITTINGS,DIA 1/4IN,PLASTIC	5.00	051	EA
1041834	CELL: TYP LIQUID SAMPLE,CAPACITY 8ML	2.00	011	ST1
591082	ANODE:SZ DIA 123 X THK 53MM,ROD DIA 22MM	19.00	051	ST
580283	CYLNR;PILOT GAS;PN:1-D9226-017	1.00	081	ST
624575	NOZZLE,VALVE:	2.00	051	ST
29,768	count of materials			